

PROCEEDINGS OF SPIE

24th National Laser Conference & Fifteenth National Conference on Laser Technology and Optoelectronics

Jianqiang Zhu
Weibiao Chen
Zhenxi Zhang
Minlin Zhong
Pu Wang
Jianrong Qiu
Editors

17–20 October 2020
Shanghai, China

Organized by
Chinese Academy of Engineering
Chinese Institute of Electronics
Chinese Optical Society
Chinese Laser Press

Published by
SPIE

Volume 11717
Part One of Two Parts

Proceedings of SPIE 0277-786X, V. 11717

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *24th National Laser Conference & Fifteenth National Conference on Laser Technology and Optoelectronics*, edited by Jianqiang Zhu, Weibiao Chen, Zhenxi Zhang, Minlin Zhong, Pu Wang, Jianrong Qiu, Proceedings of SPIE Vol. 11717 (SPIE, Bellingham, WA, 2020) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510642690

ISBN: 9781510642706 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2020, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$21.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/20/\$21.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL
LIBRARY**

SPIDigitalLibrary.org

Paper Numbering: *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xi	<i>Conference Committee</i>
xiii	<i>Introduction</i>

Part One

24TH NATIONAL LASER CONFERENCE & FIFTEENTH NATIONAL CONFERENCE ON LASER TECHNOLOGY AND OPTOELECTRONICS

11717 02	Fast alignment of the Offner imaging spectrometer with spherical autostigmatic method [11717-2]
11717 03	Analysis of performance of FSO communication system based on EW turbulence and pointing errors under aperture averaging [11717-3]
11717 04	Hydrodynamic and thermal simulation for high energy large size Nd:YAG liquid-cooled laser amplifier [11717-4]
11717 05	Research on pulse stretching of underwater bubbles echo signal of lidar [11717-5]
11717 06	Effect of laser shock processing on the surface morphology and microstructure of metal material [11717-7]
11717 07	Analysis of dynamics stability of a twisted fiber external cavity semiconductor laser [11717-8]
11717 08	Experimental studies on laser paint stripping of high-speed railway carriages [11717-9]
11717 09	Prediction of atmospheric turbulence refractive index structure constant based on deep learning [11717-10]
11717 0A	Experimental research on LD pumped trapezoidal Nd:YAG laser [11717-11]
11717 0B	Study on the interaction mechanism of pulsed laser and normal shock [11717-12]
11717 0C	A band Mura detection method based on a new generative adversarial network [11717-13]
11717 0D	Photon tunneling and transmittance through composite layers of negative- and positive-index media with sinusoidal interface [11717-14]
11717 0E	The research progress on strengthen property and mechanism of warm laser shock peening [11717-17]
11717 0F	Analysis of beam waist on temporal characteristic from electron driven by intense linearly polarized laser pulses [11717-19]

- 11717 0G AlGaAs Bragg reflection waveguide design optimization for photon pair generation [11717-20]
- 11717 0H Narrow bandwidth metamaterial sensor based on periodic grating structure for temperature sensing [11717-21]
- 11717 0I Initial phase-sensitivity of spatial characteristics in the tightly and non-tightly focused linearly polarized few-cycle region [11717-22]
- 11717 0J Chaos-control leads to semi-frequency locking or frequency locking, or double-dynamics in a dual-ring erbium-doped fiber laser using an anti-parameter pair modulation [11717-23]
- 11717 0K Study on Mueller matrix of random rough surface [11717-24]
- 11717 0L Influence of laser intensity on pulse width of nonlinear Thomson scattering in circularly polarized tightly focused laser pulses [11717-25]
- 11717 0M Study of two-mode coexistence in 1550-nm vertical-cavity surface-emitting lasers subject to variable polarization optical feedback [11717-26]
- 11717 0N On-line detection method for porosity defects in high power fiber laser welding [11717-27]
- 11717 0O A high-precision automatic phase shifting algorithm with wavelength tuning [11717-28]
- 11717 0P Efficiency enhancement of GaN based light-emitting diodes with an n-i-p type last quantum barrier [11717-29]
- 11717 0Q Effects of detection distance on the photoacoustic detection of glucose and concentration prediction [11717-30]
- 11717 0R A band-shaped Mura detection method based on unsupervised deep learning [11717-31]
- 11717 0S Three-dimensional dynamic compressive imaging system [11717-32]
- 11717 0T Design of PPM modulation and demodulation module in optical communication [11717-33]
- 11717 0U Fiber optic wrist pulse sensor for health monitoring in the home [11717-34]
- 11717 0V Performance evaluation of calcium atom beam vacuum system [11717-35]
- 11717 0W Integrating design of a compact optical system for ultra-stable laser system [11717-36]
- 11717 0X Analysis of statistical characteristics for quantum noise stream cipher [11717-37]
- 11717 0Y Analysis of defect induced light intensification due to second-order effect in high power laser systems [11717-38]
- 11717 0Z Analysis of pulse widths on the spatial characteristics of electron motion and radiation driven by linearly polarized tightly focused laser pulses [11717-39]

- 11717 10 Tunable terahertz metasurface resonator based on phase transition of VO₂ crosses [11717-40]
- 11717 11 Research on image stabilization control algorithm of UAV Gm-APD lidar PID [11717-41]
- 11717 12 Experimental study on obtaining visible hollow light of 532nm based on conical refraction of biaxial crystal [11717-42]
- 11717 13 Microstructural and electrochemical characterization of aluminum / steel joints conducted by dual-beam laser [11717-43]
- 11717 14 Single multimode fiber focused spot scanning based on a liquid crystal spatial light modulator [11717-44]
- 11717 15 High-speed focusing and scanning light through multimode fiber [11717-45]
- 11717 16 Pulse width stretched Q-switched Nd:YAG green laser based on a multi-pass cavity [11717-46]
- 11717 17 Specificity of saturated absorption spectroscopy on Cs D2 line induced by a multi-wavelength laser [11717-49]
- 11717 18 Design of multiwavelength confocal plane multifocal metalens based on CGH in visible band [11717-51]
- 11717 19 A hybrid suspended core fiber with improved nonlinearity and dispersion characteristics [11717-52]
- 11717 1A Research on the interaction between pulsed laser and brain tissue based on COMSOL [11717-53]
- 11717 1B High order mode evolution in large mode area fiber lasers with suppressing strategies [11717-54]
- 11717 1C Effect of laser texture fitting grooves on plasma-sprayed filling coating model [11717-55]
- 11717 1D Fiber optic acoustic emission sensing system using a SOA-based fiber ring laser [11717-56]
- 11717 1E Design of high precision single channel TDC based on FPGA [11717-57]
- 11717 1F Performance comparison of Mach-Zehnder interferometer and Fabry- Perot interferometer as the spectral discriminator in high-spectral-resolution-lidar [11717-59]
- 11717 1G Passively Q-switched mode-locked Tm,Ho:CaYAlO₄ laser at 2089 nm [11717-60]
- 11717 1H Influence of model characteristic parameters on thermal effect analysis of solid-state laser [11717-62]
- 11717 1I Beam combiner with single gradient index lens [11717-63]

- 11717 1J Research on the single event effect of CCD analog front-end for satellite-borne directional polarization camera [11717-64]
- 11717 1K Effect of LiNbO₃ crystals temperature on ultra-fast laser induced periodic surface structures [11717-65]
- 11717 1L A novel and simple heterodyne interferometer scheme [11717-66]
- 11717 1M Laboratory demonstration of a precise laser ranging system for future China's satellite gravity mission [11717-67]
- 11717 1N Diode-pumped passively Q-switched Yb:Lu₃Al₅O₁₂ ceramic laser operating at 1031 nm or 1047 nm [11717-68]
- 11717 1O Detection and compensation of micro deformation in pulsed laser beam welding [11717-69]
- 11717 1P 2H-MoTe₂ based noise-like pulse erbium-doped fiber laser [11717-70]
- 11717 1Q Experimental study on new crystal used in repetition frequency laser device of laser terminal guidance system [11717-71]
- 11717 1R Experimental research on light emission time of laser terminal guidance irradiator [11717-72]
- 11717 1S Constant ring width of the Laguerre–Gaussian vortex beams [11717-74]
- 11717 1T Quantitative analysis of boron in ceramics by laser-induced breakdown spectroscopy [11717-75]
- 11717 1U Tunable vortex laser based on intra-cavity aspheric lens [11717-77]
- 11717 1V Filtered back-projection photoacoustic denoising reconstruction based on empirical mode decomposition [11717-78]
- 11717 1W High corrosion resistance micro-structure of Al alloy fabricated by laser [11717-79]

Part Two

- 11717 1X Comparison of half-wave phase retarder and quarter-wave phase retarder [11717-80]
- 11717 1Y Assembly and error analysis of back focal plane-typed apertometer [11717-81]
- 11717 1Z Multiple laser scattering of dust haze in low visibility [11717-82]
- 11717 20 Influence of laser beam oscillation on welding stability and molten pool dynamics [11717-83]
- 11717 21 Ultra-wide bandstop filter based on nested square resonant ring [11717-86]

- 11717 22 Analysis of the influence of skull on photon transmission based on Monte Carlo method [11717-89]
- 11717 23 Propagation characteristics of high-average-power tube laser in hemisphere turret at sonic speeds [11717-90]
- 11717 24 Spectral control of the joule level broadband laser amplifier system based on ASE source [11717-91]
- 11717 25 Endoscopic photoacoustic micro-imaging technology based on microcavity detection [11717-92]
- 11717 26 Research on UV femtosecond pulsed laser cutting carbon fiber composite materials [11717-93]
- 11717 27 1x2 optofluidic few-mode waveguide optical switch [11717-94]
- 11717 28 Experimental research of supercontinuum generation in a 1030nm fiber amplifier [11717-95]
- 11717 29 External cavity spectrum beam combining based on quantum cascade laser array [11717-96]
- 11717 2A Research on optically pumped vertical-external-cavity-surface-emitting-semiconductor laser at 1178 nm [11717-97]
- 11717 2B Fabrication of high-power 2 μ m GaSb-based laser [11717-98]
- 11717 2C Satellite laser altimeter pointing and ranging calibration algorithm based on simulated annealing [11717-99]
- 11717 2D Research on ultraviolet femtosecond pulsed laser cutting 4H-SiC [11717-100]
- 11717 2E Model of three-dimensional thermal stress applied in cleaning of black crusts on granite [11717-101]
- 11717 2F Research on the performance comparison of three HACO-OFDM systems [11717-102]
- 11717 2G New residual neural network for rapid imaging of scattering [11717-103]
- 11717 2H Structural design of mode propagation interface for tapered laser diodes [11717-104]
- 11717 2I Study on laser induced forming process parameters of aluminum alloy thermotube [11717-105]
- 11717 2J Long-distance underwater optical wireless communication with PPLN wavelength conversion [11717-106]
- 11717 2L Simulation of the influence of gain parameters on pulse formation process for VECSELS [11717-108]
- 11717 2M Femtosecond laser controlling of filaments inside PMMA and its fabrication [11717-109]

- 11717 2N Fabrication of large-scale silicon nitride resonator by femtosecond laser [11717-110]
- 11717 2O Design and implementation of a miniaturized beam emitting and tracking system [11717-111]
- 11717 2P Nanometer-accuracy two-dimensional targets detection by orthogonal self-mixed laser interferometry [11717-112]
- 11717 2Q Programmable vascular targeted photodynamic therapy device for animal experiment [11717-113]
- 11717 2R The light modulation of scratches on the surface of fused silica glass [11717-114]
- 11717 2S Photo-acoustic detection of laser-induced damage on optical component based on PVDF electrospinning [11717-115]
- 11717 2T Polarization evolution and propagation properties of the circular Airy vector vortex beams [11717-116]
- 11717 2U All stokes vector polarization spectral imaging based on the focal plane method [11717-117]
- 11717 2V Goos-Hänchen shifts at the anisotropic two-dimensional atomic crystals interface [11717-118]
- 11717 2W Modal inspection technology based on transverse second harmonic generation in single nonlinear micro/nanowaveguide [11717-119]
- 11717 2X Research on high precision laser phase measurement technology for space-based precision ranging [11717-120]
- 11717 2Y Effects of laser polishing on surface morphology and mechanical properties of additive manufactured TiAl components [11717-121]
- 11717 2Z Strong coupling numerical simulation study on nanosecond pulsed laser ablation of K4002 superalloy [11717-123]
- 11717 30 Design of receiver circuit in pulse laser range [11717-124]
- 11717 31 Polarization correlation of optical microfiber particle sensor system [11717-125]
- 11717 32 Circular polarization shift-keying and amplitude shift-keying hybrid modulation method based on orbital angular momentum division multiplexing [11717-126]
- 11717 33 Evaluation method for laser spot quality [11717-127]
- 11717 34 A miniature high temperature fiber optics sensor based on tapered dual-core photonic crystal fiber [11717-128]
- 11717 35 2 kW monolithic fiber amplifier based on constant-cladding tapered-core Yb-doped fiber [11717-130]

- 11717 36 The latest developments of HgCdTe e-APDs at SITP [11717-131]
- 11717 37 Dark current mechanism of medium wave HgCdTe avalanche photodiode [11717-132]
- 11717 38 Research on laser precision cutting of carbon fiber reinforced polymer for satellite [11717-133]
- 11717 39 Ablation threshold behavior of femtosecond laser twin double-pulse processing of solids [11717-134]
- 11717 3A Temperature measurement of single point through uniform fiber Bragg grating [11717-136]
- 11717 3B Study on the detection ability of laser ultrasonic SAFT technology for lead internal defects [11717-137]
- 11717 3C Surface forming mechanism and process in laser milling of 7075 aluminum alloy with inclination [11717-138]
- 11717 3D Research on laser cleaning process of 907 steel for marine instruments based on parallel multi-beam by SLM [11717-139]
- 11717 3E Research advances about opto-electrical properties of Si-based blocked impurity band terahertz detectors [11717-140]
- 11717 3F Simulation and experimental investigation on energy distribution of water column in waterjet guided laser processing [11717-142]
- 11717 3G Theoretical research on optimizing the output power of double-ended output fiber laser [11717-143]
- 11717 3H 2kW narrow linewidth all fiber laser [11717-145]
- 11717 3I Size-controllable synthesis of silver nanoparticles by femtosecond laser pulse train [11717-146]
- 11717 3J Experimental study on waterjet guided laser processing of 7075 aluminum alloy [11717-149]
- 11717 3K Preliminary study on the polarization characteristics of volume scattering from planktonic algae [11717-150]
- 11717 3L Study difference between fog and haze based on laser ceilometer [11717-151]
- 11717 3M Experimental study of rear surface damage of BK7 glass under irradiation of the millisecond laser assisted by the nanosecond laser [11717-153]
- 11717 3N Effects of seed filtering in a narrow line-width Yb-Raman fiber amplifier [11717-154]
- 11717 3O Study on the scattering characteristics of ice crystal particles containing nuclei [11717-156]
- 11717 3P Effect of non-contact electrostatic field on controlling the microstructure of 316L during laser additive manufacturing process [11717-159]

- 11717 3Q Experimental study on cracks and chippings during the ablation of sapphire crystal [11717-160]
- 11717 3R Photonic jet generated by a dielectric spheroid with Bessel beam excitation [11717-161]
- 11717 3S Research on water-assisted laser processing of CFRP [11717-167]
- 11717 3T Study on laser cleaning technology of epoxy on the surface of ceramic relics [11717-172]
- 11717 3U Theoretical research on rotating doppler effect based on fringe model [11717-173]