

2020 International Conference on 3D Vision (3DV 2020)

**Fukuoka, Japan
25-28 November 2020**

Pages 1-612



IEEE Catalog Number: CFP20203-POD
ISBN: 978-1-7281-8129-5

**Copyright © 2020 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP20203-POD
ISBN (Print-On-Demand):	978-1-7281-8129-5
ISBN (Online):	978-1-7281-8128-8
ISSN:	2378-3826

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2020 International Conference on 3D Vision (3DV) 3DV 2020

Table of Contents

Message from the 3DV 2020 General Chair	xix
Message from the 3DV 2020 Program Chairs	xx
3DV 2020 Organizing Committee	xxi
3DV 2020 Program Committee	xxii
3DV 2020 Sponsors	xxix

Oral Presentations

Oral 1A: Stereo and SfM

Neural Ray Surfaces for Self-Supervised Learning of Depth and Ego-Motion	1
<i>Igor Vasiljevic (Toyota Technological Institute at Chicago), Vitor Guizilini (Toyota Research Institute), Rares Ambrus (Toyota Research Institute), Sudeep Pillai (Toyota Research Institute), Wolfram Burgard (Toyota Research Institute), Gregory Shakhnarovich (Toyota Technological Institute at Chicago), and Adrien Gaidon (Toyota Research Institute)</i>	
Deep NRSfM++: Towards Unsupervised 2D-3D Lifting in the Wild	12
<i>Chaoyang Wang (Carnegie Mellon University), Chen-Hsuan Lin (Carnegie Mellon University), and Simon Lucey (Carnegie Mellon University)</i>	
Nighttime Stereo Depth Estimation using Joint Translation-Stereo Learning: Light Effects and Uninformative Regions	23
<i>Aashish Sharma (National University of Singapore), Loong-Fah Cheong (National University of Singapore), Lionel Heng (DSO National Laboratories), and Robby T. Tan (National University of Singapore and Yale-NUS College)</i>	
Underwater Scene Recovery Using Wavelength-Dependent Refraction of Light	32
<i>Shin Ishihara (Tokyo Institute of Technology), Yuta Asano (National Institute of Informatics), Yinqiang Zheng (National Institute of Informatics), and Imari Sato (National Institute of Informatics)</i>	
Improving Structure from Motion with Reliable Resectioning	41
<i>Rajbir Kataria (University of Illinois Urbana-Champaign), Joseph DeGol (Microsoft Research), and Derek Hoiem (University of Illinois Urbana-Champaign)</i>	

Reducing Drift in Structure from Motion Using Extended Features	51
<i>Aleksander Holynski (University of Washington), David Geraghty (Facebook), Jan-Michael Frahm (Facebook), Chris Sweeney (Facebook Reality Labs), and Richard Szeliski (Facebook)</i>	

Oral 1B: 3D Modelling

COALESCE: Component Assembly by Learning to Synthesize Connections	61
<i>Kangxue Yin (Simon Fraser University), Zhiqin Chen (Simon Fraser University), Siddhartha Chaudhuri (Adobe Research, IIT Bombay), Matthew Fisher (Adobe Research), Vladimir Kim (Adobe Research), and Hao Zhang (Simon Fraser University)</i>	
Improved Modeling of 3D Shapes with Multi-view Depth Maps	71
<i>Kamal Gupta (University of Maryland, College Park), Susmija Jabbireddy (University of Maryland, College Park), Ketul Shah (John Hopkins University), Abhinav Shrivastava (University of Maryland, College Park), and Matthias Zwicker (University of Maryland, College Park)</i>	
Towards 3D VR-Sketch to 3D Shape Retrieval	81
<i>Ling Luo (SketchX, CVSSP, University of Surrey and iFlyTek-Surrey Joint Research Centre on Artificial Intelligence), Yulia Gryaditskaya (SketchX, CVSSP, University of Surrey and iFlyTek-Surrey Joint Research Centre on Artificial Intelligence), Yongxin Yang (SketchX, CVSSP, University of Surrey and iFlyTek-Surrey Joint Research Centre on Artificial Intelligence), Tao Xiang (SketchX, CVSSP, University of Surrey and iFlyTek-Surrey Joint Research Centre on Artificial Intelligence), and Yi-Zhe Song (SketchX, CVSSP, University of Surrey and iFlyTek-Surrey Joint Research Centre on Artificial Intelligence)</i>	
Fast Simultaneous Gravitational Alignment of Multiple Point Sets	91
<i>Vladislav Golyanik (MPI for Informatics), Soshi Shimada (MPI for Informatics), and Christian Theobalt (MPI for Informatics)</i>	
KAPLAN: A 3D Point Descriptor for Shape Completion	101
<i>Audrey Richard (ETH Zürich), Ian Cherabier (ETH Zürich), Martin R. Oswald (ETH Zürich), Marc Pollefeys (ETH Zürich, Microsoft Mixed Reality & AI Zürich Lab), and Konrad Schindler (ETH Zürich)</i>	
LMSCNet: Lightweight Multiscale 3D Semantic Completion	111
<i>Luis Roldão (INRIA, AKKA Technologies), Raoul de Charette (INRIA), and Anne Verroust-Blondet (INRIA)</i>	

Oral 2A: Shape and Motion

Instant Recovery of Shape from Spectrum via Latent Space Connections	120
<i>Riccardo Marin (University of Verona), Arianna Rampini (Sapienza University of Rome), Umberto Castellani (University of Verona), Emanuele Rodolà (Sapienza University of Rome), Maks Ovsjanikov (Ecole Polytechnique, IP Paris), and Simone Melzi (Ecole Polytechnique, IP Paris, Sapienza University of Rome)</i>	

Differential Photometric Consistency	130
<i>Hongyi Fan (Brown University), Benjamin Kunsberg (Brown University), and Benjamin Kimia (Brown University)</i>	
Distributed Photometric Bundle Adjustment	140
<i>Nikolaus Demmel (Technical University of Munich), Maolin Gao (Technical University of Munich), Emanuel Laude (Technical University of Munich), Tao Wu (Technical University of Munich), and Daniel Cremers (Technical University of Munich)</i>	
Self-Supervised Learning of Non-Rigid Residual Flow and Ego-Motion	150
<i>Ivan Tishchenko (ETH Zurich), Sandro Lombardi (ETH Zurich), Martin R. Oswald (ETH Zurich), and Marc Pollefeys (ETH Zurich / Microsoft)</i>	
A Divide et Impera Approach for 3D Shape Reconstruction from Multiple Views	160
<i>Riccardo Spezialetti (University of Bologna), David Joseph Tan (Google Inc.), Alessio Tonioni (Google Inc.), Keisuke Tateno (Google Inc.), and Federico Tombari (Google Inc.)</i>	
Time Shifted IMU Preintegration for Temporal Calibration in Incremental Visual-Inertial Initialization	171
<i>Bruno Petit (CEA List), Richard Guillemard (CEA List), and Vincent Gay-Bellile (CEA List)</i>	

Oral 2B: Deep Learning for 3D Data

RANP: Resource Aware Neuron Pruning at Initialization for 3D CNNs	180
<i>Zhiwei Xu (Australian National University, Australian Centre for Robotic Vision, Data61-CSIRO), Thalaiyasingam Ajanthan (Australian National University, Australian Centre for Robotic Vision), Vibhav Vineet (Microsoft Research, Redmond), and Richard Hartley (Australian National University, Australian Centre for Robotic Vision)</i>	
Torch-Points3D: A Modular Multi-task Framework for Reproducible Deep Learning on 3D Point Clouds	190
<i>Thomas Chaton (n/a), Nicolas Chaulet (Principia Labs), Sofiane Horache (Centre de Robotique, CAOR Mines ParisTech, PSL University), and Loic Landrieu (LASTIG, Univ Gustave Eiffel, ENSG IGN, France)</i>	
Learning Rotation-Invariant Representations of Point Clouds Using Aligned Edge Convolutional Neural Networks	200
<i>Junming Zhang (University of Michigan), Ming-Yuan Yu (University of Michigan), Ram Vasudevan (University of Michigan), and Matthew Johnson-Roberson (University of Michigan)</i>	
Global Context Aware Convolutions for 3D Point Cloud Understanding	210
<i>Zhiyuan Zhang (Litemaze Technology), Binh-Son Hua (VinAI Research, Vietnam; VinUniversity, Vietnam), Wei Chen (Litemaze Technology), Yibin Tian (Litemaze Technology), and Sai-Kit Yeung (Hong Kong University of Science and Technology)</i>	
Screen-Space Regularization on Differentiable Rasterization	220
<i>Kunyao Chen (University of California San Diego), Cheolhong An (University of California San Diego), and Truong Nguyen (University of California San Diego)</i>	

Cycle-Consistent Generative Rendering for 2D-3D Modality Translation	230
<i>Tristan Aumentado-Armstrong (Samsung AI Centre Toronto), Alex Levinshtein (Samsung AI Centre Toronto), Stavros Tsogkas (Samsung AI Centre Toronto), Konstantinos Derpanis (Samsung AI Centre Toronto), and Allan Jepson (Samsung AI Centre Toronto)</i>	

Oral 3A: 3D Analysis

Graphite: Graph-Induced feaTure Extraction for Point Cloud Registration	241
<i>Mahdi Saleh (Technical University of Munich), Shervin Dehghani (Technical University of Munich), Benjamin Busam (Technical University of Munich), Nassir Navab (Technical University of Munich), and Federico Tombari (Technical University of Munich, Google)</i>	
Simulated Annealing for 3D Shape Correspondence	252
<i>Benjamin Holzschuh (TU Munich), Zorah Löhner (TU Munich), and Daniel Cremers (TU Munich)</i>	
Scene Flow from Point Clouds with or without Learning	261
<i>Jhony Kaesemodel Pontes (Argo AI), James Hays (Argo AI, Georgia Institute of Technology), and Simon Lucey (The University of Adelaide)</i>	
Two-Stage Relation Constraint for Semantic Segmentation of Point Clouds	271
<i>Minghui Yu (Shanghai Jiao Tong University), Jinxian Liu (Shanghai Jiao Tong University), Bingbing Ni (Shanghai Jiao Tong University), and Caiyuan Li (Shanghai Jiao Tong University)</i>	
3D-Aware Ellipse Prediction for Object-Based Camera Pose Estimation	281
<i>Matthieu Zins (Inria, Université de Lorraine, LORIA, CNRS, Nancy, France), Gilles Simon (Inria, Université de Lorraine, LORIA, CNRS, Nancy, France), and Marie-Odile Berger (Inria, Université de Lorraine, LORIA, CNRS, Nancy, France)</i>	
Introducing Pose Consistency and Warp-Alignment for Self-Supervised 6D Object Pose Estimation in Color Images	291
<i>Juil Sock (Imperial College London), Guillermo Garcia-Hernando (Niantic), Anil Armagan (Imperial College London), and Tae-Kyun Kim (Imperial College London)</i>	

Oral 3B: Body and Face

SMPLY Benchmarking 3D Human Pose Estimation in the Wild	301
<i>Vincent Leroy (Naver Labs Europe), Philippe Weinzaepfel (Naver Labs Europe), and Romain Brégier (Naver Labs Europe)</i>	
PoseNet3D: Learning Temporally Consistent 3D Human Pose via Knowledge Distillation	311
<i>Shashank Tripathi (Amazon Lab126), Siddhant Ranade (School of Computing, University of Utah), Amrbrish Tyagi (Amazon Lab126), and Amit Agrawal (Amazon Lab126)</i>	
MonoClothCap: Towards Temporally Coherent Clothing Capture from Monocular RGB Video .	322
<i>Donglai Xiang (Carnegie Mellon University), Fabian Prada (Facebook Reality Labs Research), Chenglei Wu (Facebook Reality Labs Research), and Jessica Hodgins (Carnegie Mellon University; Facebook AI Research)</i>	

Grasping Field: Learning Implicit Representations for Human Grasps	333
<i>Korrawe Karunratanakul (ETH Zurich), Jinlong Yang (Max Planck Institute for Intelligent Systems), Yan Zhang (ETH Zurich), Michael Black (Max Planck Institute for Intelligent Systems), Krikamol Muandet (Max Planck Institute for Intelligent Systems), and Siyu Tang (ETH Zurich)</i>	
Semantic Deep Face Models	345
<i>Prashanth Chandran (ETH Zurich, DisneyResearch, Studios), Derek Bradley (DisneyResearch, Studios), Markus Gross (ETH Zurich, DisneyResearch, Studios), and Thabo Beeler (DisneyResearch, Studios)</i>	
High-Dynamic-Range Lighting Estimation from Face Portraits	355
<i>Alejandro Sztrajman (University College London), Alexandros Neophytou (Microsoft Corporation), Tim Weyrich (University College London), and Eric Sommerlade (Microsoft Corporation)</i>	

Poster Presentations

Matching-Space Stereo Networks for Cross-Domain Generalization	364
<i>Changjiang Cai (Stevens Institute of Technology), Matteo Poggi (University of Bologna), Stefano Mattocchia (University of Bologna), and Philippos Mordohai (Stevens Institute of Technology)</i>	
Do End-to-End Stereo Algorithms Under-Utilize Information?	374
<i>Changjiang Cai (Stevens Institute of Technology) and Philippos Mordohai (Stevens Institute of Technology)</i>	
Refractive Multi-view Stereo	384
<i>Matthew Cassidy (INP-ENSEEIH), Jean M�elou (IRIT, UMR CNRS 5505), Yvain Qu�eau (GREYC, UMR CNRS 6072), Fran�ois Lauze (DIKU), and Jean-Denis Durou (IRIT, UMR CNRS 5505)</i>	
BP-MVSNet: Belief-Propagation-Layers for Multi-view-Stereo	394
<i>Christian Sormann (Graz University of Technology), Patrick Kn�obelreiter (Graz University of Technology), Andreas Kuhn (Sony Europe B.V.), Mattia Rossi (Sony Europe B.V.), Thomas Pock (Graz University of Technology), and Friedrich Fraundorfer (Graz University of Technology)</i>	
DeepC-MVS: Deep Confidence Prediction for Multi-view Stereo Reconstruction	404
<i>Andreas Kuhn (Sony Europe B.V.), Christian Sormann (Graz University of Technology), Mattia Rossi (Sony Europe B.V.), Oliver Erdler (Sony Europe B.V.), and Friedrich Fraundorfer (Graz University of Technology)</i>	
RocNet: Recursive Octree Network for Efficient 3D Deep Representation	414
<i>Juncheng Liu (University of Otago), Steven Mills (University of Otago), and Brendan McCane (University of Otago)</i>	
Semantic Implicit Neural Scene Representations with Semi-Supervised Training	423
<i>Amit Pal Singh Kohli (Stanford University, UC Berkeley), Vincent Sitzmann (Stanford University, MIT CSAIL), and Gordon Wetzstein (Stanford University)</i>	

Learning to Infer Semantic Parameters for 3D Shape Editing	434
<i>Fangyin Wei (Princeton University), Elena Sizikova (New York University), Avneesh Sud (Google Research), Szymon Rusinkiewicz (Princeton University), and Thomas Funkhouser (Google Research, Princeton University)</i>	
Recalibration of Neural Networks for Point Cloud Analysis	443
<i>Ignacio Sarasua (Artificial Intelligence in Medical Imaging (AI-Med), Department of Child and Adolescent Psychiatry, Ludwig-Maximilians-Universität, Munich, Germany), Sebastian Pölsterl (Artificial Intelligence in Medical Imaging (AI-Med), Department of Child and Adolescent Psychiatry, Ludwig-Maximilians-Universität, Munich, Germany), and Christian Wachinger (Artificial Intelligence in Medical Imaging (AI-Med), Department of Child and Adolescent Psychiatry, Ludwig-Maximilians-Universität, Munich, Germany)</i>	
Learning Implicit Surface Light Fields	452
<i>Michael Oechsle (Max Planck Institute for Intelligent Systems, Tübingen, University of Tübingen and ETAS GmbH), Michael Niemeyer (Max Planck Institute for Intelligent Systems, Tübingen and University of Tübingen), Christian Reiser (Max Planck Institute for Intelligent Systems, Tübingen and University of Tübingen), Lars Mescheder (Max Planck Institute for Intelligent Systems, Tübingen and University of Tübingen), Thilo Strauss (ETAS GmbH - Bosch Group), and Andreas Geiger (Max Planck Institute for Intelligent Systems, Tübingen and University of Tübingen)</i>	
KeystoneDepth: History in 3D	463
<i>Xuan Luo (University of Washington), Yanmeng Kong (University of Washington), Jason Lawrence (Google Research), Ricardo Martin-Brualla (Google Research), and Steven M. Seitz (University of Washington; Google Research)</i>	
Learning Wasserstein Isometric Embedding for Point Clouds	473
<i>Keisuke Kawano (Toyota Central R&D Labs., Inc.), Satoshi Koide (Toyota Central R&D Labs., Inc.), and Takuro Kutsuna (Toyota Central R&D Labs., Inc.)</i>	
Benchmarking Image Retrieval for Visual Localization	483
<i>Noé Pion (NAVER LABS Europe), Martin Humenberger (NAVER LABS Europe), Gabriela Csurka (NAVER LABS Europe), Yohann Cabon (NAVER LABS Europe), and Torsten Sattler (Czech Technical University in Prague)</i>	
Class-Unbalanced Domain Adaptation for Object Detection via Dynamic Weighting Mechanism	495
<i>Xing Wei (Hefei University of Technology), Shaofan Liu (Hefei University of Technology), Changguang Wang (Hefei University of Technology), Yaoci Xiang (Hefei University of Technology), Xuanyuan Qiao (Hefei University of Technology), Zhangling Duan (Hefei University of Technology), Chong Zhao (Hefei University of Technology), and Yang Lu (Hefei University of Technology)</i>	
Rotation-Invariant Point Convolution with Multiple Equivariant Alignments.	504
<i>Hugues Thomas (University of Toronto)</i>	

DynOcc: Learning Single-View Depth from Dynamic Occlusion Cues	514
<i>Yifan Wang (University of Washington), Linjie Luo (ByteDance), Xiaohui Shen (ByteDance), and Xing Mei (Bytedance)</i>	
Deep Depth Estimation on 360° Images with a Double Quaternion Loss	524
<i>Brandon Yushan Feng (University of Maryland, College Park), Wangjue Yao (University of Maryland, College Park), Zheyuan Liu (University of Virginia), and Amitabh Varshney (University of Maryland, College Park)</i>	
Learning Monocular Dense Depth from Events	534
<i>Javier Hidalgo-Carrió (Robotics and Perception Group, University of Zurich), Daniel Gehrig (Robotics and Perception Group, University of Zurich, Switzerland), and Davide Scaramuzza (Robotics and Perception Group, University of Zurich, Switzerland)</i>	
Deep Sketch-Based Modeling: Tips and Tricks	543
<i>Yue Zhong (SketchX, CVSSP, University of Surrey and Beijing University of Posts and Telecommunications), Yulia Gryaditskaya (SketchX, CVSSP, University of Surrey and iFlyTek-Surrey Joint Research Centre on Artificial Intelligence), Honggang Zhang (Beijing University of Posts and Telecommunications), and Yi-Zhe Song (SketchX, CVSSP, University of Surrey and iFlyTek-Surrey Joint Research Centre on Artificial Intelligence)</i>	
VIPNet: A Fast and Accurate Single-View Volumetric Reconstruction by Learning Sparse Implicit Point Guidance	553
<i>Dong Du (University of Science and Technology of China; Shenzhen Research Institute of Big Data; The Chinese University of Hong Kong, Shenzhen), Zhiyi Zhang (Shenzhen Research Institute of Big Data; The Chinese University of Hong Kong, Shenzhen), Xiaoguang Han (Shenzhen Research Institute of Big Data; The Chinese University of Hong Kong, Shenzhen), Shuguang Cui (Shenzhen Research Institute of Big Data; The Chinese University of Hong Kong, Shenzhen), and Ligang Liu (University of Science and Technology of China)</i>	
Registration Loss Learning for Deep Probabilistic Point Set Registration	563
<i>Per-Erik Forssén (Linköping University) and Felix Järemo Lawin (Linköping University)</i>	
Unsupervised Dense Shape Correspondence using Heat Kernels	573
<i>Mehmet Aygün (Technical University of Munich), Zorah Lähner (Technical University of Munich), and Daniel Cremers (Technical University of Munich)</i>	
Adiabatic Quantum Graph Matching with Permutation Matrix Constraints	583
<i>Marcel Seelbach Benkner (University of Siegen), Vladislav Golyanik (Max Planck Institute for Informatics, SIC), Christian Theobalt (Max Planck Institute for Informatics, SIC), and Michael Moeller (University of Siegen)</i>	
Better Patch Stitching for Parametric Surface Reconstruction	593
<i>Zhantao Deng (École polytechnique fédérale de Lausanne), Jan Bednarík (École polytechnique fédérale de Lausanne), Mathieu Salzmann (École polytechnique fédérale de Lausanne), and Pascal Fua (École polytechnique fédérale de Lausanne)</i>	

Correspondence Matrices are Underrated	603
<i>Tejas Zodage (Carnegie Mellon University), Rahul Chakwate (Indian Institute of Technology, Madras), Vinit Sarode (Carnegie Mellon University), Arun Srivatsan Rangaprasad (Carnegie Mellon University), and Howie Choset (Carnegie Mellon University)</i>	
Motion Annotation Programs: A Scalable Approach to Annotating Kinematic Articulations in Large 3D Shape Collections	613
<i>Xianghao Xu (Brown University), David Charatan (Brown University), Sonia Raychaudhuri (Simon Fraser University), Hanxiao Jiang (Simon Fraser University), Mae Heitmann (Brown University), Vladimir Kim (Adobe Research), Siddhartha Chaudhuri (Adobe Research, IIT Bombay), Manolis Savva (Simon Fraser University), Angel X. Chang (Simon Fraser University), and Daniel Ritchie (Brown University)</i>	
A Transformer-Based Network for Dynamic Hand Gesture Recognition	623
<i>Andrea D'Eusanio (University of Modena and Reggio Emilia), Alessandro Simoni (University of Modena and Reggio Emilia), Stefano Pini (University of Modena and Reggio Emilia), Guido Borghi (University of Bologna), Roberto Vezzani (University of Modena and Reggio Emilia), and Rita Cucchiara (University of Modena and Reggio Emilia)</i>	
Depthwise Separable Temporal Convolutional Network for Action Segmentation	633
<i>Basavaraj Hampiholi (Ulm University, Ulm), Christian Jarvers (Ulm University, Ulm), Wolfgang Mader (BMW Car IT GmbH, Ulm), and Heiko Neumann (Ulm University, Ulm)</i>	
PLACE: Proximity Learning of Articulation and Contact in 3D Environments	642
<i>Siwei Zhang (ETH Zurich), Yan Zhang (ETH Zurich), Qianli Ma (Max Planck Institute for Intelligent Systems), Michael J. Black (Max Planck Institute for Intelligent Systems), and Siyu Tang (ETH Zurich)</i>	
RidgeSfM: Structure from Motion via Robust Pairwise Matching Under Depth Uncertainty	652
<i>Benjamin Graham (Facebook AI Research) and David Novotny (Facebook AI Research)</i>	
Visualizing Spectral Bundle Adjustment Uncertainty	663
<i>Kyle Wilson (Washington College) and Scott Wehrwein (Western Washington University)</i>	
A Linear Approach to Absolute Pose Estimation for Light Fields	672
<i>Sotiris Nousias (University College London), Manolis Lourakis (Foundation for Research and Technology -- Hellas), Pearse Keane (University College London), Sebastien Ourselin (King's College London), and Christos Bergeles (King's College London)</i>	
Joint Unsupervised Learning of Optical Flow and Egomotion with Bi-Level Optimization	682
<i>Shihao Jiang (The Australian National University), Dylan Campbell (The Australian National University), Miaomiao Liu (The Australian National University), Stephen Gould (The Australian National University), and Richard Hartley (The Australian National University)</i>	
Intrinsic Dynamic Shape Prior for Dense Non-Rigid Structure from Motion	692
<i>Vladislav Golyanik (MPI for Informatics), André Jonas (University of Kaiserslautern), Didier Stricker (DFKI), and Christian Theobalt (MPI for Informatics)</i>	

GAMesh: Guided and Augmented Meshing for Deep Point Networks	702
<i>Nitin Agarwal (University of California, Irvine) and M Gopi (University of California, Irvine)</i>	
A Progressive Conditional Generative Adversarial Network for Generating Dense and Colored 3D Point Clouds	712
<i>Mohammad Samiul Arshad (University of Texas at Arlington) and William J. Beksı (University of Texas at Arlington)</i>	
Depth Completion Using a View-Constrained Deep Prior	723
<i>Pallabi Ghosh (University of Maryland), Vibhav Vineet (Microsoft Research), Larry S. Davis (University of Maryland), Abhinav Shrivastava (University of Maryland), Sudipta Sinha (Microsoft Research), and Neel Joshi (Microsoft Research)</i>	
Compression and Completion of Animated Point Clouds using Topological Properties of the Manifold	734
<i>Linfei Pan (ETH Zurich), Lubor Ladicky (ETH Zurich), and Marc Pollefeys (ETH Zurich / Microsoft)</i>	
Self-Supervised Depth Denoising Using Lower-and Higher-Quality RGB-D Sensors	743
<i>Akhmedkhan Shabanov (In3D), Ilya Krotov (In3D), Nikolay Chinaev (In3D), Vsevolod Poletaev (In3D, Moscow Institute of Physics and Technology), Sergei Kozlukov (Skolkovo Institute of Science and Technology), Igor Pasechnik (Samsung AI Center, Moscow), Bulat Yakupov (In3D), Artsiom Sanakoyeu (Heidelberg University), Vadim Lebedev (In3D), and Dmitry Ulyanov (In3D)</i>	
PanoNet3D: Combining Semantic and Geometric Understanding for LiDAR Point Cloud Detection	753
<i>Xia Chen (Carnegie Mellon University), Jianren Wang (Carnegie Mellon University), David Held (Carnegie Mellon University), and Martial Hebert (Carnegie Mellon University)</i>	
Dense Point Diffusion for 3D Object Detection	762
<i>Xu Liu (The University of Tokyo), Jiayan Cao (Megvii Research Shanghai), Qianqian Bi (Megvii Research Shanghai), Jian Wang (Snap Inc.), Boxin Shi (Megvii Research Shanghai), and Yichen Wei (Megvii Research Shanghai)</i>	
SF-UDA ^{3D} : Source-Free Unsupervised Domain Adaptation for LiDAR-Based 3D Object Detection	771
<i>Cristiano Saltori (University of Trento), Stéphane Lathuilière (LTCI, Télécom Paris, Institut polytechnique de Paris), Nicu Sebe (University of Trento, Huawei Research), Elisa Ricci (University of Trento, Fondazione Bruno Kessler), and Fabio Galasso (Sapienza University of Rome)</i>	
LiDAR-Based Recurrent 3D Semantic Segmentation with Temporal Memory Alignment	781
<i>Fabian Duerr (AUDI AG), Mario Pfaller (AUDI AG), Hendrik Weigel (AUDI AG), and Jürgen Beyerer (Fraunhofer IOSB)</i>	
Rethinking PointNet Embedding for Faster and Compact Model	791
<i>Teppei Suzuki (Denso IT Laboratory), Keisuke Ozawa (Denso IT Laboratory), and Yusuke Sekikawa (Denso IT Laboratory)</i>	

SCFusion: Real-Time Incremental Scene Reconstruction with Semantic Completion	801
<i>Shun-Cheng Wu (Technical University of Munich, Germany), Keisuke Tateno (Google Inc., Switzerland), Nassir Navab (Technical University of Munich, Germany), and Federico Tombari (Google Inc., Switzerland)</i>	
Smart Time-Multiplexing of Quads Solves the Multicamera Interference Problem	811
<i>Tomislav Pribanic (University of Zagreb, Croatia), Tomislav Petkovic (University of Zagreb, Croatia), David Bojanic (University of Zagreb, Croatia), Kristijan Bartol (University of Zagreb, Croatia), and Mohit Gupta (University of Wisconsin-Madison, USA)</i>	
Restoration of Motion Blur in Time-of-Flight Depth Image Using Data Alignment	820
<i>Zhuo Chen (Shanghai Jiao Tong University), Peilin Liu (Shanghai Jiao Tong University), Fei Wen (Shanghai Jiao Tong University), Jun Wang (Shanghai Jiao Tong University), and Rendong Ying (Shanghai Jiao Tong University)</i>	
Temporal LiDAR Frame Prediction for Autonomous Driving	829
<i>David Deng (University of California, Berkeley) and Avideh Zakhor (University of California, Berkeley)</i>	
Deep LiDAR Localization using Optical flow Sensor-Map Correspondences	838
<i>Anders Sunegård (Volvo Autonomous Solutions), Lennart Svensson (Chalmers University of Technology), and Torsten Sattler (Czech Technical University in Prague)</i>	
Learning Distribution Independent Latent Representation for 3D Face Disentanglement	848
<i>Zihui Zhang (School of Mathematics and Statistics, Xi'an Jiaotong University), Cuican Yu (School of Mathematics and Statistics, Xi'an Jiaotong University), Huibin Li (School of Mathematics and Statistics, Xi'an Jiaotong University), Jian Sun (School of Mathematics and Statistics, Xi'an Jiaotong University), and Feng Liu (School of Mathematics and Statistics, Xi'an Jiaotong University)</i>	
Learning 3D Faces from Photo-Realistic Facial Synthesis	858
<i>Ruizhe Wang (ObEN, Inc), Chih-Fan Chen (ObEN, Inc), Hao Peng (ObEN, Inc), Xudong Liu (ObEN, Inc), and Xin Li (West Virginia University)</i>	
GIF: Generative Interpretable Faces	868
<i>Partha Ghosh (Max Planck Institute for Intelligent Systems), Pravir Singh Gupta (Texas A&M University), Roy Uziel (Ben Gurion University), Anurag Ranjan (Max Planck Institute for Intelligent Systems), Michael J. Black (Max Planck Institute for Intelligent Systems), and Timo Bolkart (Max Planck Institute for Intelligent Systems)</i>	
PeeledHuman: Robust Shape Representation for Textured 3D Human Body Reconstruction ...	879
<i>Sai Sagar Jinka (IIIT Hyderabad, India), Rohan Chacko (IIIT Hyderabad), Avinash Sharma (IIIT Hyderabad), and P.J. Narayanan (IIIT Hyderabad)</i>	
Do We Need Depth in State-of-the-Art Face Authentication?	889
<i>Amir Livne (Technion, Israel Institute of Technology), Ziv Aviv (Intel EGI, Israel), Shahaf Grofit (Intel EGI, Israel), Alex Bronstein (Technion, Israel Institute of Technology), and Ron Kimmel (Technion, Israel Institute of Technology)</i>	

Error Bounds of Projection Models in Weakly Supervised 3D Human Pose Estimation	898
<i>Nikolas Klug (University of Augsburg), Moritz Einfalt (University of Augsburg), Stephan Brehm (University of Augsburg), and Rainer Lienhart (University of Augsburg)</i>	
LCD - Line Clustering and Description for Place Recognition	908
<i>Felix Taubner (ETH Zurich), Florian Tschopp (ETH Zurich), Tonci Novkovic (ETH Zurich, Gideon Brothers), Roland Siegwart (ETH Zurich), and Fadri Furrer (ETH Zurich, incon.ai)</i>	
Convolutional Autoencoders for Human Motion Infilling	918
<i>Manuel Kaufmann (ETH Zurich, Switzerland), Emre Aksan (ETH Zurich, Switzerland), Jie Song (ETH Zurich, Switzerland), Fabrizio Pece (Vizrt AG, Zurich), Remo Ziegler (Vizrt AG, Zurich), and Otmar Hilliges (ETH Zurich, Switzerland)</i>	
3D Deep Learning for Biological Function Prediction from Physical Fields	928
<i>Vladimir Golkov (Technical University of Munich), Marcin J. Skwark (Vanderbilt University), Atanas Mirchev (Technical University of Munich), Georgi Dikov (Technical University of Munich), Alexander R. Geanes (Vanderbilt University), Jeffrey Mendenhall (Vanderbilt University), Jens Meiler (Vanderbilt University), and Daniel Cremers (Technical University of Munich)</i>	
Using Image Sequences for Long-Term Visual Localization	938
<i>Erik Stenborg (Zenseact / Chalmers University of Technology), Torsten Sattler (Czech Technical University in Prague), and Lars Hammarstrand (Chalmers University of Technology)</i>	
NodeSLAM: Neural Object Descriptors for Multi-view Shape Reconstruction	949
<i>Edgar Sucar (Imperial College London), Kentaro Wada (Imperial College London), and Andrew Davison (Imperial College London)</i>	
FC-vSLAM: Integrating Feature Credibility in Visual SLAM	959
<i>Shuai Xie (Beijing University of Technology), Wei Ma (Beijing University of Technology), Qiuyuan Wang (Peking University), Ruchang Xu (Beijing University of Technology), and Hongbin Zha (Peking University)</i>	
LM-Reloc: Levenberg-Marquardt Based Direct Visual Relocalization	968
<i>Lukas von Stumberg (TU Munich and Artisense), Patrick Wenzel (TU Munich and Artisense), Nan Yang (TU Munich and Artisense), and Daniel Cremers (TU Munich and Artisense)</i>	
HyperSLAM: A Generic and Modular Approach to Sensor Fusion and Simultaneous Localization And Mapping in Continuous-Time	978
<i>David Hug (ETH Zürich) and Margarita Chli (ETH Zürich)</i>	

RotPredictor: Unsupervised Canonical Viewpoint Learning for Point Cloud Classification	987
<i>Jin Fang (Baidu. Inc; National Engineering Laboratory of Deep Learning Technology and Application), Dingfu Zhou (Baidu. Inc; National Engineering Laboratory of Deep Learning Technology and Application), Xibin Song (Baidu. Inc; National Engineering Laboratory of Deep Learning Technology and Application), Shengze Jin (Baidu. Inc; National Engineering Laboratory of Deep Learning Technology and Application; ETH Zürich, Switzerland), Ruigang Yang (Baidu. Inc; National Engineering Laboratory of Deep Learning Technology and Application; University of Kentucky), and Liangjun Zhang (Baidu. Inc; National Engineering Laboratory of Deep Learning Technology and Application)</i>	
Scalable Point Cloud-Based Reconstruction with Local Implicit Functions	997
<i>Sandro Lombardi (ETH Zurich), Martin R. Oswald (ETH Zurich), and Marc Pollefeys (ETH Zurich / Microsoft)</i>	
Efficient Scene Compression for Visual-Based Localization	1008
<i>Marcela Mera-Trujillo (West Virginia University), Benjamin Smith (West Virginia University), and Victor Fragoso (Microsoft)</i>	
Self-Supervised Learning of Point Clouds via Orientation Estimation	1018
<i>Omid Poursaeed (Cornell University), Tianxing Jiang (Cornell University), Han Qiao (Cornell University), Nayun Xu (Cornell University), and Vladimir Kim (Adobe Research)</i>	
MaskNet: A Fully-Convolutional Network to Estimate Inlier Points	1029
<i>Vinit Sarode (Carnegie Mellon University), Animesh Sunil Dhagat (Carnegie Mellon University), Arun Srivatsan Rangaprasad (Carnegie Mellon University), Nicolas Zevallos (Carnegie Mellon University), Simon Lucey (Carnegie Mellon University), and Howie Choset (Carnegie Mellon University)</i>	
Self-Supervised 2D Image to 3D Shape Translation with Disentangled Representations	1039
<i>Berk Kaya (ETH Zurich) and Radu Timofte (ETH Zurich)</i>	
Adversarial Self-Supervised Scene Flow Estimation	1049
<i>Victor Zuanazzi (University of Amsterdam), Joris van Vulgt (TomTom), Olaf Booij (TomTom), and Pascal Mettes (University of Amsterdam)</i>	
Localising In Complex Scenes Using Balanced Adversarial Adaptation	1059
<i>Gil Avraham (Monash University), Yan Zuo (Monash University), and Tom Drummond (Monash University)</i>	
Spatial Attention Improves Iterative 6D Object Pose Estimation	1070
<i>Stefan Stevsic (AIT Lab, Department of Computer Science, ETH Zürich, Switzerland) and Otmar Hilliges (AIT Lab, Department of Computer Science, ETH Zürich, Switzerland)</i>	
A New Distributional Ranking Loss with Uncertainty: Illustrated in Relative Depth Estimation	1079
<i>Alican Mertan (Istanbul Technical University), Yusuf Huseyin Sahin (Istanbul Technical University), Damien Jade Duff (Istanbul Technical University), and Gozde Unal (Istanbul Technical University)</i>	
Style Transfer for Keypoint Matching Under Adverse Conditions	1089
<i>Ali Uzpak (ETH Zurich), Abdelaziz Djelouah (Disney Research, Studios), and Simone Schaub-Meyer (ETH Zurich, TU Darmstadt)</i>	

Saliency Guided Subdivision for Single-View Mesh Reconstruction	1098
<i>Hai Li (State Key Lab of CAD&CG, Zhejiang University), Weicai Ye (State Key Lab of CAD&CG, Zhejiang University), Guofeng Zhang (State Key Lab of CAD&CG, Zhejiang University), Sanyuan Zhang (College of Computer Science and Technology, Zhejiang University), and Hujun Bao (State Key Lab of CAD&CG, Zhejiang University)</i>	
Fast Discontinuity-Aware Subpixel Correspondence in Structured Light	1108
<i>Nicolas Hurtubise (Université de Montréal) and Sébastien Roy (Université de Montréal)</i>	
Generalized Pose-and-Scale Estimation using 4-Point Congruence Constraints	1117
<i>Victor Fragoso (Microsoft) and Sudipta Sinha (Microsoft)</i>	
Learning to Guide Local Feature Matches	1127
<i>François Darmon (Thales LAS France ; Ecole des Ponts, Univ. Gustave Eiffel, CNRS), Mathieu Aubry (Ecole des Ponts, Univ. Gustave Eiffel, CNRS), and Pascal Monasse (Ecole des Ponts, Univ. Gustave Eiffel, CNRS)</i>	
Towards Geometry Guided Neural Relighting with Flash Photography	1137
<i>Di Qiu (The Chinese University of Hong Kong), Jin Zeng (SenseTime Research), Zhanghan Ke (SenseTime Research), Wenxiu Sun (SenseTime Research), and Chengxi Yang (Alibaba Group)</i>	
Precomputed Radiance Transfer for Reflectance and Lighting Estimation	1147
<i>Daniel Thul (ETH Zurich), Vagia Tsiminaki (IBM Research Zurich), Lubor Ladický (ETH Zurich), and Marc Pollefeys (ETH Zurich / Microsoft)</i>	
Deep SVBRDF Estimation on Real Materials	1157
<i>Louis-Philippe Asselin (Université Laval), Denis Laurendeau (Université Laval), and Jean-François Lalonde (Université Laval)</i>	
TRANSPR: Transparency Ray-Accumulating Neural 3D Scene Point Renderer	1167
<i>Maria Kolos (Samsung AI Center, Moscow, Russia), Artem Sevastopolsky (Samsung AI Center, Moscow, Russia; Skolkovo Institute of Science and Technology (Skoltech), Moscow, Russia), and Victor Lempitsky (Samsung AI Center, Moscow, Russia; Skolkovo Institute of Science and Technology (Skoltech), Moscow, Russia)</i>	
Intrinsic Autoencoders for Joint Deferred Neural Rendering and Intrinsic Image Decomposition	1176
<i>Hassan Abu Alhaija (Interdisciplinary Center for Scientific Computing Heidelberg), Siva Karthik Mustikovela (University of Heidelberg), Varun Jampani (Google), Justus Thies (Technical University of Munich), Matthias Niessner (Technical University of Munich), Andreas Geiger (MPI-IS and University of Tuebingen), and Carsten Rother (University of Heidelberg)</i>	
Shape from Tracing: Towards Reconstructing 3D Object Geometry and SVBRDF Material from Images via Differentiable Path Tracing	1186
<i>Purvi Goel (Brown University, Stanford University), Loudon Cohen (Brown University), James Guesman (Brown University), Vikas Thamizharasan (Brown University), James Tompkin (Brown University), and Daniel Ritchie (Brown University)</i>	

Deep Learning Based Single-Photon 3D Imaging with Multiple Returns	1196
<i>Hao Tan (University of Science and Technology of China), Jiayong Peng (University of Science and Technology of China), Zhiwei Xiong (University of Science and Technology of China), Dong Liu (University of Science and Technology of China), Xin Huang (University of Science and Technology of China), Zheng-Ping Li (University of Science and Technology of China), Yu Hong (University of Science and Technology of China), and Feihu Xu (University of Science and Technology of China)</i>	
A Novel Depth from Defocus Framework Based on a Thick Lens Camera Model	1206
<i>Matthew Bailey (University of Surrey) and Jean-Yves Guillemaut (University of Surrey)</i>	
Towards a MEMS-Based Adaptive LIDAR	1216
<i>Francesco Pittaluga (NEC Laboratories America), Zaid Tasneem (University of Florida), Justin Folden (University of Florida), Brevin Tilmon (University of Florida), Ayan Chakrabarti (Washington University in St. Louis), and Sanjeev J. Koppal (University of Florida)</i>	

Author Index