

Society of Plastics Engineers

Annual Conference of the Society of Plastics Engineers

ANTEC 2005

May 1-5, 2005

Boston, Massachusetts, USA

Volume 1 of 10



Society of Plastics Engineers

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

ISBN: 978-1-60423-452-7

Some format issues inherent in the e-media version may also appear in this print version.

TABLE OF CONTENTS

Volume 1

BLOW MOLDING – 30

T27 – ADVANCES IN BLOW MOLDING

| | |
|---|-----------|
| Novel Exterior Plasma Coating System using a Stretch Blow Molding Module | 1 |
| <i>S. Gübel, A. Hegenbart, E. Schmachtenberg</i> | |
| 3D Finite Element Modeling of the Blow Molding Process..... | 6 |
| <i>J. Agassant, M. Bellet, C. Champin, Y. Le Maoult, F. Schmidt</i> | |
| Temperature Profiles within Reheated Preform in Stretch Blow Molding | 11 |
| <i>Y. Deng, H. Huang, Y. Huang</i> | |
| Automatic Preform Shape Optimization for the Stretch Blow Molding Process..... | 15 |
| <i>R. DiRaddo, B. Lanctôt, A. Malo, F. Thibault</i> | |
| Properties of the Oxidized HDPE Obtained From Continuous Extrusion Blow Molding Process Machinery | 20 |
| <i>V. Makarov, R. Sinelnikova</i> | |
| Thickness Optimization of Blow Molded Parts using FEM/ANN/GA Methods | 24 |
| <i>G. Huang, H. Huang</i> | |
| Numerical and Experimental Investigation of the Effect of Mandrel Motion on Extruded Parison Thickness Variation | 28 |
| <i>E. Grald, T. Marchal, H. Metwally, Y. Perng, J. Meckley</i> | |

INT12 – INTERACTIVE SESSION 12 – BLOW MOLDING

| | |
|--|-----------|
| Effect of Sequence of Stretch and Blowing on Preform Growth in PET Injection Stretch Blow Molding | 33 |
| <i>H. Huang, J. Liu, Z. Yin</i> | |

EXTRUSION – 22

M25 – CAD SIMULATION 3

| | |
|--|-----------|
| Prediction of Core Deflection in Ceramic Injection Molding | 38 |
| <i>P. Myers, R. Upadhyay, M. Gupta</i> | |
| Comparison of Predicted and Experimental Filling of Micromolded Parts | 43 |
| <i>A. Asthana, C. Barry, B. Ghumman, R. Majmundar</i> | |
| Three-Dimensional Simulation of Multi-Shot Sequential Molding | 47 |
| <i>D. Hsu, A. Peng, W. Yang, R. Chang</i> | |
| True 3D CAE Visualization of Filling Imbalance in Geometry-Balanced Runners | 51 |
| <i>G. Chiang, J. Chien, D. Hsu, V. Tsai, A. Yang</i> | |

| | |
|---|----|
| Parallel True 3D CAE with Hybrid Meshing Flexibility for Injection Molding | 56 |
| <i>D. Hsu, L. Liu, A. Peng, W. Yang</i> | |
| Computer Simulation of 3D Filling and Packing Process in Injection Molding | 61 |
| <i>K. Choi, B. Koo</i> | |
| Numerical Simulation of a Multiple Valve Flow Control | 66 |
| <i>J. Coulter, G. Laysner, A. Beaumont</i> | |

M2 DIES I

| | |
|--|----|
| Effect of Rheology and Die Design on Flow Balancing of Profile Extrusion Dies | 71 |
| <i>J. Perdikoulis, K. Alam, C. Tzoganakis</i> | |
| Experimental and Numerical Investigation of the Elongational Viscosity Effects in a Coat-Hanger Die | 76 |
| <i>M. Gupta, Y. Sun, J. Dooley, K. Koppi, M. Spalding</i> | |
| Visualisation and Analysis of Polyolefin Multilayer Coextrusion Flows | 81 |
| <i>P. Coates, M. Martyn, R. Spares, M. Zatloukal</i> | |
| Influence of Die Design on Interfacial Instabilities in Coextrusion | 86 |
| <i>J. Vl?ek, P. Coates, M. Martyn</i> | |
| A Description of the Fluoroelastomer Coating Evolution as a Polymer Processing Aid | 91 |
| <i>S. Oriani, K. Migler, D. Bigio, M. Meillon, D. Morgan</i> | |
| Investigation of Zig-Zag Type of Interfacial Instabilities in Coextrusion | 96 |
| <i>J. Vl?ek, W. Kopytko, P. Saha, M. Zatloukal</i> | |

W1 – DIES II

| | |
|---|-----|
| Effect of Process Aids on Interfacial Instabilities in Coextrusion | 101 |
| <i>J. De Witte , M. Zatloukal</i> | |
| Strategies for the Manufacture of Low-Density, Fine-Celled PBX Sheet Foams Blown With Co2 using an Annular Die | 106 |
| <i>R. Fenton, C. Park, D. Xu</i> | |
| Flow Simulation of Coextrusion Feed-Blocks | 111 |
| <i>J. Perdikoulis, B. Toure, M. Zatloukal</i> | |
| Modeling the Interaction of Glass Yarns with Molten Plastic in the Cable Extrusion Process | 116 |
| <i>M. Li, J. Kulkarni, A. Kumar</i> | |
| The Effect of Material Selection in Feed-Block Coextrusion of a Three-Layer Film | 121 |
| <i>J. Vl?ek, B. Toure, W. Kopytko, M. Zatloukal</i> | |
| Automatic Defect Detection on Structured Plastic Surfaces | 125 |
| <i>W. Michaeli, A. Tondorf</i> | |

M24 - FILM

| | |
|--|-----|
| Processability and Film Performance of Single Site sLLDPE/LDPE Blends | 129 |
| <i>M. Kashanian, S. Marshall, T. Swabey, P. Tas</i> | |

| | |
|--|-----|
| The Effect of Uni-Axial Stretching on the Gas Permeation Properties of LDPE/LLDPE Silage Wrap Films | 134 |
| <i>G. McNally, C. Small, C. Laffin, D. Forristal</i> | |
| Modeling of the Film Blowing Process for High Stalk Bubbles | 139 |
| <i>J. Višek, M. Zatloukal</i> | |
| Processability and Film Performance of Single Site Bimodal sLLDPE Resins | 143 |
| <i>M. Boparai, C. Dobbin, S. K. Goyal, J. Marler, S. Marshall, T. Pacholok, T. Swabey</i> | |
| Processing - Structure - Property Relationships in Bicomponent Blown Film Extrusion using Online Raman Spectroscopy | 149 |
| <i>G. Giriprasath, S. Gottlieb, A. Ogale</i> | |
| Study of Polypropylene Morphology to Obtain Porous Membranes by Stretching | 154 |
| <i>A. Ajji, P. Carreau, F. Sadeghi</i> | |
| Transient Solutions and Experimental Observations of Film Casting Process Accompanied by Flow-Induced Crystallization | 159 |
| <i>J. Hyun, H. Jung, J. Lee, D. Shin</i> | |
| Study on Aerodynamics of Cooling in Film Blown | 164 |
| <i>P.G. Lafleur, Z. Zhang</i> | |
| Ultra High Molecular Weight Polyethylene Blown Film Process | 169 |
| <i>T. Nakahara, K. Yagi, H. Zenkoh</i> | |

INT1 – INTERACTIVE SESSION 1 - EXTRUSION

| | |
|--|-----|
| Extrusion, Rheology, Reinforced Polypropylene Melts | 173 |
| <i>S.R. Nanguneri, N. Subramanian, N. Rao, G. Schumacher</i> | |
| Simulation of Flow Patterns of Melt during Melting Process of Single-Screw Extrusion with Vibration Force Field | 177 |
| <i>X. Cao, H. He, G. Jin, J. Qu, Y. Feng</i> | |
| Temporal Profiles of Spinline Variables in Fiber Spinning Process Accompanied by Flow-Induced Crystallization | 182 |
| <i>J. Hyun, H. Jung, J. Lee, D. Shin</i> | |
| The Dynamic Rheological Behaviors of PP Melt | 187 |
| <i>X. Cao, G. He, X. Peng, J. Qu</i> | |
| The Effect of Ingredients and Processing Conditions on the Extrusion Processability of HFFR Theroplastics | 192 |
| <i>S. Hwang, G. Nam</i> | |
| A Study on the Extrusion of Open Cell Polystyrene Mixed Foams | 197 |
| <i>C. Chang, M. Chang, P. Tseng, C. Ying</i> | |
| Study on RTD of S Element in Co-Rotating Intermeshing Twin-Screw Extrusion | 202 |
| <i>Y. Jin, H. Fang, L. Feng, X. Geng, X. Ma</i> | |
| Flow Field Simulation of the Modular VCR in Continuous Mixer | 206 |
| <i>B. Luo, X. Ma, S. Sun</i> | |
| Collocation Method Solution with Radial Basis Functions of the 2D Energy Equation | 211 |
| <i>O. Estrada, I. López, M. Noriega, W. Florez</i> | |

| | |
|--|-----|
| Slender Bubbles: Inertial Effects and Stability | 220 |
| <i>M. Favelukis, O. Lavrenteva</i> | |

T1 – MIXING PROCESSES

| | |
|--|-----|
| On-Line Morphology Control Features of Continuous Chaotic Advection Blenders | 225 |
| <i>A. Dhoble, B. Kulshreshtha, D. Zumbunnen</i> | |
| Comparison of Devolatilization Technologies for Viscous Polymers | 230 |
| <i>P. Fleury, H. Schildknecht, D. Witte</i> | |
| Optimise Organoclay Exfoliation in Polymer Nanocomposites by Customising the Extrusion Temperature Gradient | 236 |
| <i>C. Lew, I. Major, G. McNally, W. Murphy</i> | |
| Color Mixing in Single Screw Extruder: Simulation & Experimental Validation | 242 |
| <i>K. Alemaskin, M. Kaufman, I. Manas-Zloczower</i> | |
| Study of the Interface Deformation When Gas is Injected into Polymer Melt Flow Field | 247 |
| <i>Z. Chen, Y. Cai, M. Guo, Y. Peng, C. Xie</i> | |
| Quantitative Mixing Uniformity Assessment in Two Laboratory Scale Devices | 252 |
| <i>M. Barger, M. McKelvy, P. Walia</i> | |

SINGLE-SCREW EXTRUSION

| | |
|--|-----|
| The Vented Barrier Screw | 258 |
| <i>S. Derezinski</i> | |
| Description of the Foaming Process During the Extrusion of Foams Based on Renewable Resources | 262 |
| <i>W. Ernst, J. Oblotzki, H. Potente</i> | |
| Empirical Evaluation of Different Groove Feed Screw Geometries | 267 |
| <i>W. Smith, R. Wheeler, T. Womer</i> | |
| Effect of Screw Design on Polyethylene Blown Film Processing | 272 |
| <i>P. Coates, M. Martyn, R. Spares, G. Smith</i> | |
| Melt Temperature Field Measurement in Single Screw Extrusion: Effect of Die Geometry | 277 |
| <i>E. Brown, P. Coates, A. Kelly</i> | |
| Extrusion Pulverisation of Elastane Fibres | 282 |
| <i>D. McGroggan, G. McNally, S. Ramsey</i> | |

T21 - TROUBLESHOOTING

| | |
|---|-----|
| A Review of Melting Mechanisms in Single Screw Extrusion | 289 |
| <i>E. Mount III</i> | |
| Extrusion Process and Screw Design Investigation via Experimental Design and Computer Simulation | 296 |
| <i>J. Perdikoulis, J. Wagner Jr.</i> | |
| Barrel Alignment - A Critical Factor in Reducing Extruder Wear | 308 |
| <i>J. Myers</i> | |

| | |
|--|------------|
| Impact of Rheological Properties on Melting Rate Calculations | 313 |
| <i>E. Mount III</i> | |
| Using Thermal Process Imaging for Extruder Analysis and Improvement | 320 |
| <i>A. Christie</i> | |

M3 – TWIN-SCREW EXTRUSION I

| | |
|--|------------|
| Application of Co-Rotating Twin-Screw Extruders Based on Torque, Volume and RPM | 325 |
| <i>P. Andersen, W. Wiedmann</i> | |
| Quantification of Melting using the Pulse Perturbation Technique Part I | 330 |
| <i>C. Shih, D. Denelsbeck, S. Latimer, M. Wetzel</i> | |
| Quantification of Melting using the Pulse Perturbation Technique Part II | 337 |
| <i>C. Shih, D. Denelsbeck, S. Latimer, M. Wetzel</i> | |
| Modeling for Counter-Rotating Twin Screw Extrusion | 344 |
| <i>J. White, K. Wilczynski</i> | |
| Melting Phenomena in Polymer Blending | 349 |
| <i>M. Wetzel, H. Chen, K. Nandakumar, U. Sundararaj</i> | |
| Study on the Properties of Gear Disk in Co-Rotating Twin Screw Extruder | 355 |
| <i>S. Ren, Y. Yin, X. Geng, Q. Liu, X. Ma</i> | |

M23 – TWIN-SCREW EXTRUSION II

| | |
|--|------------|
| Modeling of Dispersed Melting Mechanism of PVC Powders in Calendar Gaps in an Intermeshing Counter-Rotating | 360 |
| <i>K. Min, D. Wang</i> | |
| Effect of Element Geometry in the Processing of Highly Filled Materials in High-Speed Deep-Flighted Twin-Screw Extruder | 365 |
| <i>N. Kumar, P. Bakshi, B. Padmanabhan</i> | |
| Flame Retardant Polypropylene | 371 |
| <i>D. Chenouf, R. Glöckner, M. Moneke</i> | |
| Study of Distributive Mixing using Polymeric Reactive Tracers in a Co-Rotating Twin Screw Extruder | 376 |
| <i>C. Tzoganakis, Y. Zhang</i> | |
| Twin Screw Extrusion of the Reactive Blends of Thermoplastic Polyurethanes and Poly(Vinyl Chloride) | 381 |
| <i>J. Baena, K. Min, S. Parnell</i> | |
| Experimental Measurements of Degree of Fill in a Co-Rotating Twin Screw Extruder | 386 |
| <i>C. Tzoganakis, Y. Zhang</i> | |
| CFD Study of Flow Pattern and Heat Transfer in Miniature Mixures using a Generalized Newtonian Fluid | 391 |
| <i>Y. Bai, K. Nandakumar, U. Sundararaj</i> | |

Volume 2

T22 – WOOD FIBER PROCESSING

| | |
|--|------------|
| Processing Highly Filled Pre-Compounded Pellets on Single Screw Extruders | 396 |
| <i>E. Steward</i> | |
| A Comparison of Process Configurations for Compounding Woodfiber-Plastic Composites | 400 |
| <i>S. Kapp</i> | |
| Critical Issues in Extrusion Foaming of Plastic/Woodfiber Composites | 408 |
| <i>G. M. Rizvi, G. Guo, Y. S. Kim, C. B. Park</i> | |
| Compounding Wood-Polymer Composites with In-Line Drying Technology | 415 |
| <i>R. Cutillo, S. Jackson</i> | |
| Investigating Flow Behavior of Wood-Plastic Composites | 420 |
| <i>A. Yacykewych</i> | |

INJECTION MOLDING – 23:

M5 – ASSIST

| | |
|---|------------|
| Application of the Similarity Theory For Special Injection Molding Processes | 425 |
| <i>E. Kaiser, H. Potente, H. Ridder, M. Schäfers</i> | |
| Three-Dimensional Simulation of Gas-Assisted Injection Molding | 430 |
| <i>F. Costa, P. Kennedy, S. Ray</i> | |
| Effects of Vibrating Injection on Structure and Property of Polymer Produce | 435 |
| <i>X. Chao, Z. Fengling, Z. Nanqiao, P. Xiangfang, L. Yiquan</i> | |
| The Optimal Parameters of the Water Assisted Injection Molding Process with ABS Material | 439 |
| <i>C. Chen, K. Liang, C. Yeh</i> | |
| Optimization of Parts with RIB using Gas Assisted Injection Molding Technique | 444 |
| <i>B. Dong, Q. Li, C. Shen</i> | |
| A New and Flexible Process for Thermoplastic Foams | 449 |
| <i>S. Habibi-Naini, C. Schlummer</i> | |

T3 – CAD SIMULATION 1

| | |
|--|------------|
| Prediction of Heat Treatment Effects on Injection Moldings | 454 |
| <i>M. Kamal, T. Saini</i> | |
| Numerical Simulation of the Breakthrough Phenomenon in Co-Injection Molding | 459 |
| <i>J. Hétu, F. Ilinca</i> | |
| Two Solutions for Three-Dimensional Flow Simulation of Injection Molding | 464 |
| <i>W. Cao, C. Shen</i> | |
| 3D Simulation and Verification for Mold Temperature Control Technologies | 469 |
| <i>S. Chen, S. Huang, Z. Jiang, H. Li, C. Shen</i> | |
| Seamless Integration of Injection Molding and Structure Analysis Tools | 474 |
| <i>D. Hsu, A. Peng, W. Yang, R. Chang</i> | |

| | |
|--|-----|
| In-Process Monitoring and 3D Dimensional Assessment of Micromouldings | 478 |
| <i>P. Coates, K. Howell, M. Martyn, R. Spares, B. Whiteside</i> | |

W4 – CAD SIMULATION 2

| | |
|---|-----|
| Anisotropic Shrinkage in Injection Moldings of Semicrystalline Polymers: Simulation and Experiment | 483 |
| <i>A. Isayev, K. Kim, K. Kwon, C. van Sweden</i> | |
| Corner Effect in Warpage Simulation | 488 |
| <i>X. Jin, A. Bakharev, F. Costa, Z. Fan, P. Kennedy, R. Zheng</i> | |
| Fast Simulation Methodology and its Application in Injection Molding | 493 |
| <i>S. Changyu, L. Qian, Y. Xiaorong</i> | |
| Three-Dimensional Mold Cooling Analysis for Injection Molding Process | 498 |
| <i>K. Choi, B. Koo</i> | |
| Prediction of Flow Imbalance in Geometrically Balanced Feed Systems | 503 |
| <i>P. Cook, F. Costa, C. Kietzmann, H. Yu</i> | |
| Flow Dynamics in Injection Molding with Microfeatures | 508 |
| <i>D. Kim, K. Koelling, J. Lee, G. Xu</i> | |

W20 – CAD SIMULATION 4

| | |
|--|-----|
| Validation of On-Line Molding Process Simulation | 511 |
| <i>B. Fan, S. Johnston, D. Kazmer, V. Kudchadkar, R. Mukhari</i> | |
| Injection Molded Part Split Solved By CAE Simulation Software | 516 |
| <i>S. Ni</i> | |
| Domain Decomposition for 3D Flow Simulation of Injection Molding | 521 |
| <i>W. Cao, C. Shen</i> | |
| Drop Test of Mouse Housing – Simulation and Experimental Verification | 526 |
| <i>H. Wang, S. Chen, L. Huang, T. Wu</i> | |
| Micro Injection Molding of Micro Fluidic Platform | 531 |
| <i>J. A. Chang, Y. J. Chang, S. W. Chau, S. C. Chen</i> | |
| Optical Simulation of a Plastic Lens Reflecting Injection Molding Effects | 536 |
| <i>W. Joo, K. Park</i> | |

M4 – CAD SIMULATION, WARP

| | |
|--|-----|
| Three-Dimensional Cooling and Warpage Simulation for the Injection Over-Molding Process | 541 |
| <i>F. Costa, Z. Fan, P. Kennedy, C. Kietzmann, S. Ray</i> | |
| Warpage Comparison Between Microcellular and Conventional Injection Molding | 546 |
| <i>R. Cavitt, Z. Chen, D. Ermer, A. Kramschuster, L. Turng</i> | |
| Validation of a Self-Regulating Melt Pressure Valve | 551 |
| <i>D. Kazmer, V. Kudchadkar, R. Nageri</i> | |
| Numerical Simulation of Deformations for Injection Molded Parts | 556 |
| <i>H. Ching-Hsin, C. Shia-Chung, S. Chang-Yu, L. Hai-Mei, S. Li</i> | |

| | |
|--|-----|
| Variable Mold Temperature on the Part Qualities of Injection Molded Parts | 561 |
| <i>Y. P. Chang, S. C. Chen, W. R. Jong</i> | |
| Constancy of Properties Resulting from Foam Injection-Molding Techniques | 566 |
| <i>G. Ehrenstein, N. Müller</i> | |

M8 – GENERAL

| | |
|--|-----|
| Effect of Process Parameters on Viscoelastic Properties and Hoop Stress in Micro Injection Molded Parts | 571 |
| <i>A. Asthana, C. Barry, B. Ghumman, R. Karania, S. Patel</i> | |
| Rheometric Properties Based Model for an Improved Solid Contents CIM Feedstock | 576 |
| <i>A. Correia, H. Jorge, A. Cunha</i> | |
| The Systemic Analysis of Metal Injection Moulding | 581 |
| <i>B. Berginc, Z. Kampuš, I. Catic</i> | |
| CAE Prediction of Ink Wash-out on Phone Keypad for In-Mold Decoration | 586 |
| <i>W.J. Wang, P. Hsu, Y. Wang, S. Hwang, S. Chen, L. H. Chiu, H. Chen, J. Ha</i> | |
| New Technologies for Achieving Lean and Six Sigma Goals | 590 |
| <i>S. Tuszynski</i> | |
| Polymer Degradation and Filling Incompletion Monitoring for Micromolding using Ultrasound | 595 |
| <i>C. Jen, Y. Ono, E. Brown, P. Coates, B. Whiteside</i> | |

INT2 – INTERACTIVE SESSION 2 – INJECTION MOLDING

| | |
|---|-----|
| Numerical and Photoelastic Research on Residual Stress/Warpage of PC Plank | 600 |
| <i>H. Ching-Hsin, C. Shia-Chung, L. Yu-Wan, L. Hai-Mei</i> | |
| Preform Node Optimization for Injection Molding Warpage Analysis | 605 |
| <i>S. Chang-Yu, S. Gang, L. Hai-Mei, S. Li, Y. Xiao-Rong, L. Yong-Zhi</i> | |
| Application of CAE Technique in Process Optimization and Part Quality Control of Injection Molding | 610 |
| <i>J. Chen, Q. Li, C. Shen, L. Wang</i> | |
| An Investigation Into Hesitation Effects in Oscillating Flows | 615 |
| <i>K. Garnavish, D. Kazmer, R. Mukhari</i> | |
| Design and Performance Analysis of a Self-Regulating Melt Pressure Valve | 620 |
| <i>D. Kazmer, M. Munavalli</i> | |
| Study on the Rheological Behavior of Polymer Melt For Micro Molding | 625 |
| <i>S. C. Chen, T. K. Lin, R. I. Tsai, R. D. Chien</i> | |
| Study on the Weld Line Strength of Injection Molded Nylon6 Nanocomposites | 630 |
| <i>P. Su, S. Chen, J. Yeh</i> | |

INT5 – INTERACTIVE SESSION 5 – INJECTION MOLDING II

| | |
|---|-----|
| An Approach to Gradation Mesh Generation in Injection Molding Simulation | 635 |
| <i>J. Chen, C. Liu, C. Shen, X. Yang</i> | |

| | |
|--|------------|
| Study on the Thermoforming of PC Films Used for In Mold Decoration | 640 |
| <i>S. C. Chen, H. S. Peng, D. K. Huang, S. Lee</i> | |
| Visual Computer-based Simulation of the Penetration Length of the Core Melt in Sandwich Injection..... | 645 |
| <i>Z. Jue, X. Qian</i> | |
| Evaluation of Material Properties and Processability Using the Intelligent Micro Polymer Processing System..... | 650 |
| <i>Y. Yamagiwa, H. Ito, T. Kikutani, T. Saito, T. Yasuhara, K. Muroi</i> | |
| Hot Embossing of Micro-Featured Devices..... | 655 |
| <i>S. C. Chen, M. J. Lin, R. D. Chien, W. L. Liaw</i> | |
| Magnetic Rotor Encapsulation | 660 |
| <i>W. Childers, J. Sayre</i> | |

INT5 – INTERACTIVE SESSION 5 – INJECTION MOLDING III

| | |
|---|------------|
| Study on Mechanical Properties of ABS Parts in Microcellular Injection Molding Process | 665 |
| <i>S. Chen, C. Lin, H. Liou, C. Tian</i> | |

INT8 – INTERACTIVE SESSION 8 – INJECTION MOLDING II

| | |
|--|------------|
| Effects of Process Conditions on Shrinkage of the Injection-Molded Part | 670 |
| <i>J. Chen, Q. Li, C. Shen, L. Wang</i> | |
| Effects of Molding Conditions on the Electromagnetic Interference Performance of Injection Molded ABS Parts with Conduct..... | 675 |
| <i>S. C. Chen, J. S. Huang, P. H. Lee, S. C. Lee, R. D. Chien</i> | |

INT8 – INTERACTIVE SESSION 8 – INJECTION MOLDING III

| | |
|--|------------|
| Cavity Temperature Control in Injection Molding Machine | 680 |
| <i>R. Dubay, M. Hernandez, B. Pramujati</i> | |
| Study on Response Characteristics in High Speed Injection Hydraulic System | 685 |
| <i>S. C. Chen, J. S. Huang, Y. Kang, H. H. Tseng</i> | |
| Experimental Study of the Cavity Pressure During the Vibration-Assisted MIM | 690 |
| <i>J. Gang, H. Hezhi, J. Qu, Y. Xiaochun</i> | |
| Geometry Influence in Cavity Pressure Curves Registration | 695 |
| <i>M. Candal, R. Morales, Y. Rondón</i> | |
| Injection Speed Control in Plastic Injection Molding | 700 |
| <i>R. Dubay, J. Han, B. Pramujati</i> | |
| New Approach to Noise Reduction in Plastic Gears | 705 |
| <i>N. Gandhi</i> | |

M6 – MATERIAL 1

| | |
|--|-----|
| The Effect of Recycle History and Processing Temperature on the Weld Line Strength of a Polypropylene Homopolymer | 708 |
| <i>R. Simas, R. Malloy</i> | |
| Thermal and Rheological Characterization of Feedstocks for Powder Injection Molding | 713 |
| <i>J. Adames, A. Leonov</i> | |
| Interfacial Effects in Replication of Nano-Scale Features | 718 |
| <i>C. Barry, J. Lee, J. Mead, C. Srirojpinyo, S. Yoon</i> | |
| Biobased Polylactide (PLA) Nanocomposites | 723 |
| <i>L. Turng</i> | |
| Geometry dependent flow properties of Long Glass Fiber Reinforced Polypropylene | 728 |
| <i>P. Farrington, R. Speight</i> | |
| Study on the Mechanical Properties of Injection Molded Nylon 6 Nanocomposites | 733 |
| <i>Y. Wang, H. Chen, S. Chen, P. Hsu</i> | |

W19 – MATERIAL 2

| | |
|---|-----|
| Study on the Mechanical Properties of Microcellular Injection Molded Parts | 738 |
| <i>S. Hwang, S. Chen, M. Chung</i> | |
| Molding of PC/ABS Parts for Chrome Electroplating | 743 |
| <i>J. O'Meara</i> | |
| Model Based 100% Quality Documentation System Suitable for Small Lot Sizes in Injection Molding | 748 |
| <i>R. Schiffers, H. Niemeier, J. Wortberg</i> | |
| Evaluation of Adjacent Flow Weldline in PC/ABS | 753 |
| <i>S. Baba, H. Hamada, U. Ishiaku, K. Tomari, K. Yamada</i> | |
| Shear Induced Morphology Prediction in Injection Moulded Semi Crystalline Thermoplastics | 758 |
| <i>M. Bussmann, W. Michaeli</i> | |
| An Examination into the Effects of a Fluoropolymer Additive in Nylon 6/6 Neat Injection Molding Resins | 763 |
| <i>J. Meckley</i> | |

M7 – PROCESS 1

| | |
|---|-----|
| Manipulation of Fiber Orientation by Shear Rotation in Injection Molding | 768 |
| <i>A. Cunha, C. Silva, F. Van Hattum, J. Viana</i> | |
| Adaptive GPC Control of Barrel Temperatures in Injection Molding | 773 |
| <i>F. Gao, K. Yao</i> | |
| Ultrasonic Technique and Probes for Monitoring Surface Imperfection of Microfluidic Devices during Injection Molding | 778 |
| <i>C. Cheng, J. Hetu, C. Jen, Y. Ono, J. Tatibouet</i> | |
| Part Weight Prediction using Capacitive Transducer in Injection Molding | 783 |
| <i>K. Fung, F. Gao, X. Chen</i> | |

| | |
|--|------------|
| A Study of Micro Injection Molding Optical Fiber Ferrules | 788 |
| <i>C.T. Huang, A. Peng, Z. G. Lin, S. H. Tseng</i> | |
| Effect of Ultrasonic Energy on Polymer Amalgamation | 793 |
| <i>P. Douglas, L. Faulkner, R. Heggs, M. Kattner, M. Schulte</i> | |

Volume 3

W3 – PROCESS 3

| | |
|--|------------|
| Derivation of Process Windows | 798 |
| <i>D. Kazmer, H. Mundhra</i> | |
| In-Situ Observation of Orientation during Injection Molding with a Delayed Packing Stage..... | 803 |
| <i>D. Angstadt, J. Coulter</i> | |
| Bonding Strength in Micro Injection Assembly Moulding | 808 |
| <i>W. Michaeli, D. Opfermann</i> | |
| Study of the Optical Performance of Injection Molded Light Guide Plates | 813 |
| <i>S. Huang, M. Chang, S. C. Chen, C. H. Hu</i> | |
| Fast BEA for Cooling Analysis in Injection Molding | 818 |
| <i>C. Shen, X. Shi, Z. Zhao</i> | |
| Controlling Intra-Cavity Melt Flow and Weld Strength through New Runner Design Technology | 822 |
| <i>J. Beaumont, M. Ezzo, C. Stewart</i> | |

W21 – PROCESS 4

| | |
|--|------------|
| Online Adaptive Injection Molding Process and Quality Control | 827 |
| <i>Z. Chen, L. Turng</i> | |
| Evaluation of Momentary-Mold-Surface-Heating(MMSH) Process | 832 |
| <i>C. Kim, B. Rhee, M. Kang, K. Lee</i> | |
| The Influence of Meeting Angle on the Weld Line Strength in Injection Molded Short-Fiber-Reinforced Polyamide 66..... | 836 |
| <i>L. Chuntai, S. Changyu</i> | |
| Processing and Properties Optimization of Dynamic Injection-Molded PP | 841 |
| <i>W. Hong-wu, Q. Jin-ping, Z. Lei</i> | |
| On-Line Check-Ring Failure Detection and Compensation in Injection Molding..... | 846 |
| <i>F. Gao, Y. Yang</i> | |
| Structural Development in Thin-Wall Injection Molding Process | 851 |
| <i>Y. Yamagiwa, H. Ito, T. Kikutani, T. Saito, Y. Yagisawa, T. Yasuhara</i> | |

MOLD MAKING AND MOLD DESIGN – 35

INT12 – INTERACTIVE SESSION 12 – MOLD MAKING AND MOLD DESIGN

| | |
|--|------------|
| Plastic Piece Stress Analysis Using Simulation Software | 856 |
| <i>D. Garmendia, R. Morales, S. Villarroel</i> | |

| | |
|---|------------|
| The Analysis of the Optimal Parameter Design of LED Light Guide Panel's Part | 861 |
| <i>C. C. Lin, Y. Lin, F. Y. Yie</i> | |

T30 –NEW IDEAS FOR IMPROVEMENTS

| | |
|--|------------|
| Profiles of Mold Ejector Pin Melt Density Sensors..... | 866 |
| <i>F. Buja</i> | |
| New Concepts in Mold Conformal Cooling Design | 870 |
| <i>F. Steil</i> | |
| Asia Tooling and Molding: How to be Successful..... | 875 |
| <i>D.B. "DUSTY" Rhodes</i> | |
| Design of an Instrumented Mold to Verify Air Gap Formation during Cooling in Box-Shaped Parts | 884 |
| <i>C. Kirschner, N. Vitelli</i> | |
| Heated Die Energy Saving Enhancement Through Thermoset Polyester Mold Insulation | 889 |
| <i>J. DyJack, M. Harter</i> | |

T8 –NEW IDEAS FOR IMPROVEMENTS

| | |
|--|------------|
| Thermal Stress Analysis in Plastic Processing Tools | 894 |
| <i>Y. Zhang, M. Usman</i> | |
| Improvement of Mold Design: A New Method Based on Contradictions..... | 899 |
| <i>T. Eltzer</i> | |
| Benefits of Using Secondary Guide Rod with Lifter Core Assembly | 904 |
| <i>T. Pruden</i> | |
| Rapid Thermal Response Mold Design | 908 |
| <i>B. Kim, T. Kimerling, W. Liu</i> | |
| Influence of Cavity Materials on the Cooling Time of Molding | 913 |
| <i>M. Rujini?-Sokele, I. ?ati?, M. Šercer</i> | |

ROTATIONAL MOLDING – 42

M36 – ROTATIONAL MOLDING

| | |
|--|------------|
| Rotational Molding Cycle Time Reduction via Exterior Mold Modification | 918 |
| <i>M. Abdullah, D. Bhattacharyya, S. Bickerton</i> | |
| Single Site Catalysts and Dual Reactor Technology Create More Freedom in PE Rotomolding Resin and Product Designs | 923 |
| <i>M. Cossar, H. Hay, X. Wang, M. Weber</i> | |
| High Performing Pigmented Rotational Molding Applications | 928 |
| <i>J. Jandke, R. Reinicker</i> | |
| Impact of UV Exposure on Aesthetic and Mechanical Properties of Thick Rotomolded Articles | 934 |
| <i>R. Al-Zubi, R. Fournier, B. Weick</i> | |

| | |
|---|-----|
| Single-Step Foaming of Polypropylene in Rotational Molding | 938 |
| <i>D. D'Agostino, E. Takács, J. Vlachopoulos, E. Maziers</i> | |
| The Effect of Pigmentation on Crystal Growth during Rotomoulding | 943 |
| <i>M. Kearns, G. Mc Nally, D. McConnell, M. McCourt, R. Murphy, M. Martinez-Cobler</i> | |
| The Rotational Moulding Characteristics of Biodegradable Copolyesters | 948 |
| <i>E. Harkin-Jones, M. Kearns, M. McCourt, C. McLaughlin</i> | |
| Manufacture of Integral Skin PP Foam Composites in Rotational Molding | 953 |
| <i>R. Pop-Iliev, K. Lee, C. Park</i> | |
| Removing the Mystery from Rotomoulding | 958 |
| <i>G. Lees, C. Liauw, P. Shariffi, S. Collins, N. Henwood, A. Quaratino, M. Roberts</i> | |

SIG012 – JOINING OF PLASTICS AND COMPOSITES

M40 – LASER AND HIGH FREQUENCY WELDING

| | |
|---|------|
| Optimization of Laser Transmission Welding of Polymers using Thermography | 963 |
| <i>J. Bunte, M. Fargas Ribas, A. von Busse</i> | |
| Beam Shaping with Diffractive Optics | 968 |
| <i>A. Benatar, D. Ditmer, D. Grewell, D. Hansford</i> | |
| Clearweld™ Resins: Alternative Options for TTIR Clearwelds | 973 |
| <i>W. Cawley, M. Curtis, J. Verespy, N. Woosman</i> | |
| Development of Combined Socket and Butt through Transmission Infrared Welding of Polyethylene Pipes | 978 |
| <i>A. Benatar, D. No</i> | |
| Analysis of Heat Transfer in Combined Socket and Butt through Transmission Infrared Welding of Plastic Pipes | 983 |
| <i>A. Benatar, D. No</i> | |
| Implant Induction Welding of Nylon 6/6 | 988 |
| <i>B. Agosto, C. Yuan Wu</i> | |
| Flow Field Analysis during Quasi-Simultaneous Welding of Thermoplastics | 993 |
| <i>J. Bunte, M. Fargas Ribas, A. von Busse</i> | |
| Sacrificial Material Assisted Laser Welding of Polymeric Microfluidic Devices | 998 |
| <i>A. Benatar, D. Grewell, L. James Lee, C. Lu</i> | |
| Radio Frequency Welding of Thermoplastic Vulcanizates | 1003 |
| <i>R. Raulie, D. Smith</i> | |

T17 – RESISTANCE AND HEATED TOOL WELDING

| | |
|---|------|
| Development of Flaw Criteria for Short-Term Performance of Electro-Fusion Pipe Welds | 1008 |
| <i>A. Benatar, D. No</i> | |
| Stress Cracking caused by Hot Plate Welding - Theoretical Analyses | 1013 |
| <i>H. Potente, J. Schnieders</i> | |
| Thermal Behavior during Thermoplastic Composites Resistance Welding | 1018 |
| <i>A. Yousefpour, P. Hubert, E. Talbot, M. Hojjati</i> | |

| | |
|---|------|
| Effect of Heat Sealing Temperature on the Fracture Aspects of OPP/CPP Seal | 1023 |
| <i>Y. Hashimoto, H. Hamada, U. Ishiaku, T. Tetsuya</i> | |
| Experiments in Impulse Welding a Thin Film Lid for Sealing Micro-Channels in Microfluidic Applications | 1028 |
| <i>A. Benatar, C. Krishnan</i> | |
| Resistance Welding of Conductive Thermoplastic Composites | 1034 |
| <i>M. Aghamirian, J. Ellsworth, B. Choudhury, M. Hooper, P. Bates</i> | |

SIG013 – APPLIED RHEOLOGY

W2 – RHEOLOGY

| | |
|---|------|
| The Investigation of the PTFE Wall Slip Effect in Paste Extrusion | 1039 |
| <i>S. Chen, R. Huang, C. Kuo, J. Lai, P. Hsu</i> | |
| Melt Fracture of Polyethylene and the Role of Extensional Flow Behavior | 1044 |
| <i>M. Sentmanat, S. Hatzikiriakos, E. Muliawan</i> | |
| Flow Based Manipulation of Conductivity in Nanotube Composites | 1049 |
| <i>J. Douglas, S. B. Kharchenko, K. Migler, J. Obrzut, P. Start</i> | |
| Interpretation of Flow Curves from Semi-Hyperboloidal Dies | 1053 |
| <i>M. Ellul, K. Jayaramna, V. Giri Kollu</i> | |
| Biconstituent Fiber Spinning Modeling by using Phan Thien-Tanner Multimode Constitutive Equation | 1058 |
| <i>I. Katime, I. Lopez, M. Noriega, J. Sierra</i> | |

T37 – RHEOLOGY OF MELTS AND SOLUTIONS

| | |
|--|------|
| Can the Nanoindentor Become a Rheological Tool? | 1063 |
| <i>M. Vanlandingham, P. Drzal, C. White</i> | |
| Nonlinear Viscoelastic Response of Polymer Melts: Hole Burning Spectroscopy | 1068 |
| <i>G. McKenna, X. Shi</i> | |
| Analysis of Pressure-Driven Disk-Flow Rheometry | 1073 |
| <i>D. Yao, Z. Xie, Q. Zou</i> | |
| Thermal Stabilization of High Molecular Weight L-Polylactide | 1078 |
| <i>P. Wood-Adams, J. Brisson, J. Burlet, C. Dubois, M. Heuzey</i> | |
| Rheology of Heat-Induced Gelation of Chitosan Solutions | 1083 |
| <i>A. Bégin, P. Carreau, J. Cho, M. Heuzey</i> | |
| Rheological Studies Of Polymers Under High Pressure Carbon Dioxide | 1088 |
| <i>P. Davis, K. Koelling, L. James Lee, J. Shen, D. Tomasko, M. Wingert</i> | |
| A Comparative Rheological Study of Isotactic and Syndiotactic Polypropylene Resins with Similar MFI | 1093 |
| <i>J. Bonilla, L. Cortes</i> | |
| QC of Polyolefin Manufacturing by Rheology and Multivariate Analysis | 1098 |
| <i>S. Eggen</i> | |
| Analyze Rheology of Polymer Thin Film by Nano-Rheometrics Simulation | 1103 |
| <i>R. Chang, C. Dai</i> | |

T18 – RHEOLOGY OF NANO AND MICRO DISPERSIONS

| | |
|---|-------------|
| Rheology of Copolymers of Polystyrene with POSS | 1108 |
| <i>P. Mather, T. Haddad, J. Wu</i> | |
| The Effect of Volume Fraction and Particle Size of Polystyrene onto Magneto-Rheological Properties of Inverse Ferrofluid | 1113 |
| <i>O. Rodríguez, N. Aksel, L. Heymann, I. Rehberg, R. Richter, R. Saldivar-Guerrero</i> | |
| A Magnetorheological Study of Multi Walled Carbon Nanotube Dispersions | 1118 |
| <i>Z. Yang, N. D'Souza</i> | |
| Effect of Compatibilizer Molecular Weight on Polypropylene Nanocomposites | 1123 |
| <i>J. Wang, Y. Wang, K. Wu</i> | |

THEROFORMING – 25

W6 - THEROFORMING

| | |
|--|-------------|
| Enhanced TPO Thermoforming using High Melt Strength Polyolefin Elastomers | 1128 |
| <i>L. Effler, S. Gisler, M. Laughner, K. Walton</i> | |
| Branched Modifiers for High Melt Strength Applications | 1133 |
| <i>L. Effler, M. Laughner, K. Walton</i> | |
| Novel Method for Rapid Determination of Thermoformability | 1138 |
| <i>D. Hylton, A. Dharía</i> | |

W23 - THEROFORMING

| | |
|--|-------------|
| Biaxial Testing for the Modeling of the Thermoforming Processes | 1144 |
| <i>C. Armstrong, E. Harkin-Jones, P. Martin, G. Menary, C. Tan</i> | |
| A New Absorption Based Model for Sheet Reheat in Thermoforming | 1150 |
| <i>M. Ajersch, B. Boulet, A. Haurani, R. Diraddo, P. Girard, G. Gauthier</i> | |
| Modeling the Infrared Sheet Heating in Roll-Fed Thermoforming | 1155 |
| <i>H. Ammar, Z. Benrabah, P. Debergue</i> | |

THERMOPLASTIC MATERIALS AND FOAMS – 29

T26 – ADVANCES IN POLYOLEFINS APPLICATIONS

| | |
|--|-------------|
| Experimental Investigation of PET and PP Film Casting | 1160 |
| <i>K. Aniunoh, G. Harrison</i> | |
| Structure and Properties of Elastomeric Propylene-Based Fibers and Film | 1165 |
| <i>E. Baer, P. Dias, A. Hiltner, R. Nowacki, H. Wang, P. Ansems, A. Chang, S. Chum, J. Van Dun</i> | |
| Amorphous Phase Study in Propylene-Ethylene Copolymers | 1170 |
| <i>E. Baer, A. Hiltner, H. Wang, P. Ansems, S. Chum</i> | |
| Higher Performance Polyethylene Powders | 1175 |
| <i>B. Hughes, J. Krohn, D. McFaddin, W. Todd</i> | |
| Elastic Films from Polyolefin Elastomers | 1180 |
| <i>G. Racine, S. Srinivas</i> | |

| | |
|--|------|
| Elastic Nonwoven Fabrics from Polyolefin Elastomers | 1185 |
| <i>C. Y. Cheng, R. Dharmarajan, G. Racine, S. Srinivas</i> | |
| Soft TPO Formulations Containing Specialty Propylene Elastomers | 1190 |
| <i>R. Dharmarajan, V. Gallez, S. Srinivas, G. Williams</i> | |

Volume 4

COMPOSITES – 39

W15 – ADVANCED COMPOSITES & SPECIAL FIBERS

| | |
|--|------|
| Performance of a Machine Augmented Composite | 1195 |
| <i>G. Hawkins, M. O'Brien, T. Creasy, J. Kim</i> | |
| Development of Damping Machine Augmented Composite Materials | 1200 |
| <i>T. S. Creasy, D. M. McCutcheon, O. Ochoa, J. N. Reddy, G. F. Hawkins, M. J. O'Brien</i> | |
| Active Polymer Composite for MEMS Applications | 1205 |
| <i>T. Creasy, S. Lee, G. Hawkins, M. J. O'Brien</i> | |
| Enhanced Wood-Plastic Composite utilizing Controlled Architecture Materials (CAM) | 1210 |
| <i>J. Longabach, R. Marx, J. Nelson, T. Shefelbine</i> | |
| Identification of Composite Beam Parameters from Vibration Data | 1216 |
| <i>G. Li, S. Pang, Y. Ram, K. Singh</i> | |
| Clay Aerogel/Polymer Composites | 1221 |
| <i>S. Bandi, D. Schiraldi</i> | |

M17 – BIO-NANOCOMPOSITES

| | |
|--|------|
| Influence of the Coupling Agent on Polypropylene/Clay Nanocomposite-based Wood-Plastic Composites | 1226 |
| <i>A. Al-Mulla, R. Gupta, S. Yeh</i> | |
| Processing of Antimicrobial Nanocomposites and their Characterization | 1231 |
| <i>M. Bureik, N. Lenz, S. Khare, M. Moneke, R. Hempelmann, N. Plachkov</i> | |
| Development and Characterization of Thermoplastic Biodegradable Nanocomposites | 1236 |
| <i>J. Lagarón, L. Cabedo, E. Gimenez, J. Saura, J. Feijoo</i> | |
| Novel Green Nanocomposites from Toughened Polyhydroxyalkanoate and Titanate Modified Montmorillonite Clay | 1241 |
| <i>A. Mohanty, Y. Parulekar</i> | |
| Biobased Nanocomposites from Organo-Clay and Blends of Unsaturated Polyester and Functionalized Vegetable Oil | 1246 |
| <i>R. Burgueno, M. Misra, H. Miyagawa, A. Mohanty</i> | |

M35 – BIOCOSCOMPOSITES

| | |
|---|------|
| Cell Morphology, Surface Roughness, Impact and Odor of Microcellular Injection Molded Wood-PP Composites | 1251 |
| <i>B. Andrzej, O. Faruk</i> | |

| | |
|---|------|
| Influence of Curing Systems and Irradiation on Woodflour Filled EPDM Compounds | 1256 |
| <i>C. Albano, J. Gonzalez, M. Hernandez, M. Ichazo</i> | |
| A Novel Approach to Manufacture Formaldehyde-Free Wood Based Biocomposites | 1261 |
| <i>K. Carlborn, L. Matuana</i> | |
| Viscoelastic Behavior of Highly Filled HDPE/Wood Flour Composites | 1266 |
| <i>V. Hristov, E. Takács, J. Vlachopoulos</i> | |
| Creep Behavior of Sisal Reinforced Starch Based Blends | 1271 |
| <i>V. Cyras, V. Alvarez, A. Vazquez</i> | |
| Fracture Behavior of Natural Fiber Composites | 1276 |
| <i>V. Alvarez, C. Bernal, A. Vazquez</i> | |
| Polymer Composites Based On AGAVE Fibres | 1281 |
| <i>R. Galindo Ureña, R. González-Núñez, D. Gómez-Soberanes, D. Rodrigue</i> | |
| PBA-Based Extrusion Foaming of HDPE/Wood-Fiber Composites | 1286 |
| <i>G. M. Rizvi, G. Guo, Y. H. Lee, C. B. Park</i> | |

INT3 – INTERACTIVE SESSION 3 – COMPOSITES

| | |
|---|------|
| Study of Dynamically Cured PP/MAH-g-PP/talc/Epoxy Composites | 1291 |
| <i>J. Xueliang</i> | |
| Nanoclay Exfoliation in Thermoset Polyimide | 1297 |
| <i>S. Campbell, M. Gintert, S. Jana</i> | |
| Mechanical, Thermal and Biodegradability Properties of Water-Crosslinked Wood Flour Reinforced Poly(butylene succinate) Composites | 1302 |
| <i>H. Kuan, C. Ma, Y. Hsiao, C. Kuan, C. Lin</i> | |
| Research of Screw Configurations on Dispersing of Nano-Particles in Polymer | 1307 |
| <i>Q. Liu, X. Ma, H. Li</i> | |
| Fibril Formation of Thermotropic Liquid Crystal Polymer and Polyester Blends by Controlling Viscosity Ratio | 1312 |
| <i>J. Kim, S. Kim</i> | |

INT6 – INTERACTIVE SESSION 6 – COMPOSITES

| | |
|---|------|
| Polydimethylsiloxane Polyurethane Modified Epoxy as Precursor for Manufacturing Carbon / Carbon Composites | 1317 |
| <i>C. Chen, H. Kuan, C. Ma, C. Kuan, L. Tu, C. Wang</i> | |
| Mechanical Properties and Morphologies of PET-Based Ternary Composites | 1322 |
| <i>G. Bayram, M. Kilinc</i> | |
| Nanocomposites of Polyamide 6/Metallocene Polyethylene/Grafted SEBS with Montmorillonite | 1327 |
| <i>M. Cafiero, S. Da Silva, R. Perera, T. Poirier, C. Rosales</i> | |
| Study of the Properties of Polypropylene/Cassava Starch Composites | 1332 |
| <i>C. Albano, I. Alvarez, M. Hernandez, M. Ichazo, R. Perera, J. Gonzalez</i> | |

| | |
|---|------|
| Microwave Processing of Chopped Natural Fiber Composites and Their Thermal and Morphological Characterizations | 1337 |
| <i>M. Hawley, M. Misra, N. Sgriccia</i> | |

W18 – NANOCOMPOSITES VII

| | |
|---|------|
| Modeling and Process Optimization of Nano-Modified Simulant Energetic Materials | 1342 |
| <i>P. Kaste, J. Mead, K. Patenaude, N. Schott</i> | |
| Exfoliation in PA-6/Clay Nanocomposites | 1347 |
| <i>N. Borse, M. Kamal, V. Mollet</i> | |
| Effect of Processing and Aspect Ratio on the Percolation Threshold of Exfoliated Graphite-Polypropylene Nanocomposites | 1352 |
| <i>L. Drzal, H. Fukushima, K. Kalaitzidou</i> | |

M34 – NANOCOMPOSITES: MORPHOLOGY AND MECHANICAL PROPERTIES

| | |
|---|------|
| Effects of Clay Dispersion on the Mechanical Properties and Flammability of Polyethylene/Clay Nanocomposites | 1357 |
| <i>M. Kontopoulou, Y. H. Lee, C. B. Park, W. G. Zheng</i> | |
| Organosilane Modification of Montmorillonite Clay: Characterization and its Influence on the Properties of PVA | 1362 |
| <i>S. Ryu, A. M. Shanmugaraj</i> | |
| Morphology Development in Blends of Nanoclay, Polyamide 6, and Polypropylene Processed in a Chaotic Mixer | 1368 |
| <i>D. Dharaia, S. Jana</i> | |
| Improved Scratch Resistance of Polymer Nanocomposites | 1373 |
| <i>R. Hadal, D. Misra, H. Nathani, M. Tanniru</i> | |
| Synthesis and Characterization of Polypropylene Nanocomposite Fibers | 1378 |
| <i>K. Abe, C. Lew, G. McNally, W. Murphy, S. Yanai</i> | |
| Polyolefin Nanocomposites with Improved Performance | 1385 |
| <i>M. Bureau, K. Cole, J. Denault, F. Perrin-Sarazin, M. Ton-That</i> | |
| EVOH/Clay Nanocomposite Systems: Processing—Structure—Property Relationships | 1390 |
| <i>A. Siegmann, N. Artzi, M. Narkis</i> | |

T10 – NANOCOMPOSITES: NOVEL PROPERTIES

| | |
|--|------|
| Barrier Liner Material with Nanocomposite for Packaging Application | 1395 |
| <i>A. Goldman</i> | |
| Optimization of the Properties of Polymethyl Methacrylate Nanocomposites for Optical Applications | 1399 |
| <i>T. Gabor, M. Lucka-Gabor, M. Moneke</i> | |
| Structural PP Nanocomposites Foams Prepared by Direct CO² Injection | 1404 |
| <i>M. Champagne, R. Gendron</i> | |
| Dielectric Properties of Graphite Nanocomposites | 1409 |
| <i>E. Wouterson, E. Sutherland, S. Wong</i> | |

| | |
|---|------|
| The Electromagnetic Shielding Effectiveness of Carbon Nanotubes Polymer Composites | 1414 |
| <i>H. Cheng, C. Hsu, W. Jou</i> | |

W14 – THERMOPLASTIC COMPOSITES – TESTING AND PROPERTIES

| | |
|---|------|
| The Effect of Molecular Weight on the Interfacial Properties of GF/PP Injection Molded Composite | 1420 |
| <i>H. Hamada, Y. Leong, H. Okumura, I. Umaru Semo , T. Yoshida</i> | |
| Properties of Rapidly Formable Composite Bipolar Plates from Graphite Filled Wet-Lay Composite Materials | 1425 |
| <i>D. Baird, J. Huang</i> | |
| Performance of Polymer Composite Gears - Effect of Tooth Deflection | 1430 |
| <i>G. Rajappa, S. Selvaraj</i> | |
| Hygrothermal Aging of Glass and Carbon Fiber Reinforced Nylon 6 Sandwich Injection Moldings | 1435 |
| <i>H. Hamada, U. Ishiaku, Y. Leong</i> | |
| Investigation of Molecular Entities Present in Maleated Polypropylene using LSM | 1440 |
| <i>C. Liotta, J. Muzzy, S. Samanta, J. Toke</i> | |

T32 – THERMOPLASTIC COMPOSITES AND MANUFACTURING

| | |
|--|------|
| Mechanical Properties of Short- and Long-Glass-Fibre-Reinforced Polypropylene Compounds | 1445 |
| <i>X. Dai, P. Bates</i> | |
| Vibration Welding of Short- and Long-Glass-Fibre-Reinforced Polypropylene Compounds | 1450 |
| <i>X. Dai, P. Bates</i> | |
| Synthesis and Reinforcement of Nylon 6 Copolymers with Phenolics | 1455 |
| <i>O. Rodríguez, I.G. Yáñez-Flores, I. A. Zúñiga-Martínez</i> | |
| Reduced Fiber Breakage in an Injection Molding Machine | 1460 |
| <i>M. Thompson, G. Zhang</i> | |
| Enhancing Mixing Performance of Extrusion Process via Vibration Force Field | 1465 |
| <i>W. Luo, Y. Qing, H. Wu, Z. Zhang, N. Zhou</i> | |
| Combinatorial Compounding and High Throughput Screening | 1470 |
| <i>M. Moneke, M. Rehahn</i> | |
| Compounding of Conductive Polypropylene/Graphite Composites | 1474 |
| <i>P. J. Bates, D. Pagé, E. Poirier</i> | |

T11 – THERMOPLASTIC COMPOSITES AND SIMULATION

| | |
|---|------|
| Mechanical Properties of Textile-Inserted PP/PP Knitted Composites | 1478 |
| <i>H. Hamada, O. Khondker, A. Nakai, Y. Xinyu, N. Usui</i> | |
| Homocomposites of Poly(Ethylene Terephthalate) | 1483 |
| <i>D. Yao, P. Nagarajan</i> | |

| | |
|--|------|
| Fibre Orientation Measurement and Prediction within Gates and Ribs of Injection Moulded Parts | 1488 |
| <i>F. Caton-Rose, P. Coates, B. Whiteside, A. Duckett, P. Hine</i> | |
| Process-Simulation of Compression Moulding Compounds | 1493 |
| <i>D. Lippe, E. Schmachtenberg, K. Skrodolies</i> | |
| Consolidation of Glass-Fiber/Polypropylene Towpregs by Compression Molding | 1498 |
| <i>A. Marques, J. Silva, J. Nunes</i> | |
| Using Additives to Improve the Properties of Composites Made From Towpregs | 1503 |
| <i>A. Marques, J. Nunes</i> | |

T25 – THERMOSETS & COMPOSITES, TESTING AND SIMULATION

| | |
|---|------|
| Delamination Phenomenon and its Prevention in Water Jet Piercing of Continuous Fiber Reinforced Plastics | 1508 |
| <i>M. Hayashi, T. Machida, T. Nagai, N. Schott</i> | |
| Statistical Approach to Evaluate Composites Damage | 1513 |
| <i>E. Shin, T. Creasy, S. Hafernik, J. Ju, R. Morgan</i> | |
| Morphological and Mechanical Properties of Epoxy Foam Reinforced Composites | 1518 |
| <i>K. Ishiguro, T. Karaki, S. Sangari, J. Seferis</i> | |
| Pultrusion and Mechanical Characterization of GFRP Composite Sandwich Panels | 1523 |
| <i>H. GangaRao, R. Liang, B. Mutnuri</i> | |
| 3D Numerical Simulation of Flip-Chip Underfill Encapsulation | 1528 |
| <i>R. Change, C. Hsu, Y. Wang</i> | |
| A Comparison of Rheological and Thermal Measurements of Cure in Three Epoxy Resins | 1533 |
| <i>L. Aktas, C. Altan, B. Grady, M. Hargis</i> | |
| Elastomeric Modification of an IR Cured Unsaturated Polyester Resin to Improve Mechanical Properties | 1537 |
| <i>O. Manero-Brito, J. Vivero-Marin, C. Jasso</i> | |
| Effect of Nanoclay on Efficiency of Low Profile Additives (LPAs) on Shrinkage Control of Unsaturated Polyester (UP) Resin. | 1542 |
| <i>X. Cao, L. Lee</i> | |

T12 – THERMOSETTING NANOCOMPOSITES

| | |
|---|------|
| Nanocomposite Systems Based on Unsaturated-Polyester and Organo-clay: A Fundamental Approach | 1547 |
| <i>I. Mironi-Harpaz, M. Narkis, A. Siegmann</i> | |
| Nano-Clay and Long Fiber Reinforced Phenolic Composites | 1551 |
| <i>L. James Lee, G. Zhou</i> | |
| Durability of E-Glass Fiber Reinforced Vinyl Ester Polymer Composites with Nanoclay in an Alkaline Environment | 1556 |
| <i>E. Ha Cho, N. Ravindran, S. Yeh</i> | |
| Cure Optimization of Layered Silicate Polyanomers | 1561 |
| <i>T.F. Jensen, J. Killgore, G. Parker, S.S. Sangari, J. C. Seferis</i> | |

| | |
|---|------|
| Effects of Particle Modification on the Fatigue Damage Progress in Polyanomeric Matrix Composite Laminates | 1567 |
| <i>T. Karaki, S. Sangari, J. C. Seferis</i> | |
| Polyanomeric Composite Technology Applied to Environmental Filtration Processes | 1573 |
| <i>L. Georgoulis, L. Lu, D. Luchtel, S. Sangari, J. Seferis</i> | |

Volume 5

ELECTRICAL AND ELECTRONIC – 24

W22 – ELECTRICAL AND ELECTRONICS II – PROCESSING AND ANALYSIS

| | |
|---|------|
| Material Properties of Thermal Conductive Thermoplastics for Mold Design and Processing Strategies | 1580 |
| <i>A. Markov, S. Amesoder, G. Ehrenstein</i> | |
| Elastic-Plastic-Creep Analysis of Lead and Lead-Free Solder Bumps | 1585 |
| <i>S. Peng, C. Chiu, W. Jong, H. Tsai</i> | |
| The Warpage of FCBGA by Synthesized Analysis | 1590 |
| <i>S. Peng, W. Jong, S. Kuo</i> | |

INT12 – INTERACTIVE SESSION 12 – ELECTRICAL AND ELECTRONIC

| | |
|--|------|
| Morphological and Electrical Properties of the Adhesive for Lithium Ion Battery | 1595 |
| <i>H. Kuan, C. Ma, C. Wu, A. Chen, C. Kuan, Y. Pan</i> | |
| Dynamic Mechanical Analysis Of Polypropylene-Clay Nanocomposites | 1600 |
| <i>C. Beatty, J. Nino, K. Shah</i> | |
| Controlled Growth of Linear Carbon Nanofibers | 1605 |
| <i>C. Beatty, I. Mckenna</i> | |

W5 – NOVEL MATERIALS FOR ELECTRICAL AND ELECTRONIC APPLICATIONS

| | |
|--|------|
| Meeting Application Requirements with Conductive Carbon Black | 1611 |
| <i>E. Grivei, N. Probst, C. Van Bellingen</i> | |
| Synthesis of Uniform ZnO Nanorods via Wet Chemistry Approach | 1616 |
| <i>K. Lee, Y. Li, H. Sue</i> | |
| Development of Thermoplastic Polyurethane Electrolytes and their Ionic Conductivity | 1621 |
| <i>S. Jeung, K. Min</i> | |
| PEO-NA+/MMT Nanocomposite Film as Polymer Electrolytes | 1626 |
| <i>T. Puatrakul, K. Min</i> | |
| Electrically Conductive Immiscible Polymer Blends as Sensors for Chemicals | 1631 |
| <i>M. Letuchi, M. Narkis, E. Segal, A. Siegmann, R. Tchoudakov</i> | |

ENGINEERING PROPERTIES AND STRUCTURE – 26

W7 – ENERGY STORAGE

| | |
|---|------|
| Polymer Applications in Fuel Cells: Properties and Durability | 1636 |
| <i>M. Feshler, K. Reifsnider, X. Huang, Y. Zuo, D. Condit</i> | |
| Development of Compression Moldable Thermoplastic Bipolar Plates | 1642 |
| <i>D. Baird, B. Cunningham, J. Huang</i> | |
| Effect of Electric Field on Alignment Behavior and Conductivity of Composite Membranes | 1647 |
| <i>M. Shaw, S. Boob</i> | |
| Distribution of a Minor Solid Constituent in a Transfer Molded E — Pad Leadframe Package | 1652 |
| <i>D. Bigio, Y. Huang, M. Pecht</i> | |

T23 – FIBERS AND FILMS

| | |
|---|------|
| Tunable Reflective Polymeric Nanolayered Films | 1657 |
| <i>E. Baer, A. Hiltner, H. Tai, M. Sandrock, J. Shirk, M. Wiggins</i> | |
| Comparative Thermal and Barrier Performance of Biodegradable Thermoplastics | 1662 |
| <i>D. Cava, R. Gavara, J. Lagaron, A. López- Rubio, L. Cabedo, E. Gimenez, J. L. Feijoo</i> | |
| Crystallinity and Orientation Development in Poly(L-lactic acid) Fibers During Annealing and Drawing | 1666 |
| <i>J. Wu, J. Zhang</i> | |
| Drawing Forces and Film Properties in Semi-Sequentially Stretched Polypropylene | 1671 |
| <i>M. McLeod</i> | |
| Orientation, Structure and Properties of Double-Bubble Oriented LLDPE Films | 1676 |
| <i>A. Aji, A. Bobovitch, S. Elkoun</i> | |
| Structure-Property Correlations for PE Blown Films | 1681 |
| <i>A. Aji, S. Fatahi, P. Lafleur</i> | |
| The Effect of Sorbitol Based Nucleating Agents on Tear Strength in Polyethylene Film | 1686 |
| <i>A. Lustiger</i> | |
| Biaxially Oriented Polypropylene Pipes | 1691 |
| <i>R. Kleppinger, I. Ward, M. Soliman, P. Voets</i> | |

INT4 – INTERACTIVE SESSION 4 – ENGINEERING PROPERTIES AND STRUCTURE

| | |
|--|------|
| Cellular Anisotropy in Mechanical Properties of Polyurethane Foam | 1694 |
| <i>K. Yamaguchi, H. Hamada, U. Ishiaku, A. Goto</i> | |
| Average Temperature or Mean Kinetic Temperature: Which One Applies? | 1698 |
| <i>J. Spevacek</i> | |
| Crystal Structure and Crystalline Orientation Behavior of Cold Drawn Metallocene Poly(Ethylene-Co-1-Octene) Filaments | 1703 |
| <i>H. Shan, J. White</i> | |

| | |
|---|------|
| Monte Carlo Modelling of LDPE on a Molecular Level | 1708 |
| <i>P. Neuteboom, S. van der Hem</i> | |

INT9 – INTERACTIVE SESSION 9 – ENGINEERING PROPERTIES AND STRUCTURE

| | |
|---|------|
| Effect of Chaotic Mixing on Catalyzed Thermoplastic Polyurethane Polymerization | 1713 |
| <i>S. Jana, C. Jung</i> | |
| Effect of Particle Size on Mechanical Properties of Core-Shell Polymers Prepared by Microemulsion Polymerization | 1718 |
| <i>C. Soláns, E. Mendizabal, M. Puca, J. E. Puig, M. Rabelero</i> | |
| Injection Molding of a High Heat Polyetherimide Sulfone with a Tg of ? 250 C | 1723 |
| <i>A. May, M. Sanner</i> | |
| Chain Extended/Branched PET-Organoclay Nanocomposites | 1728 |
| <i>A. Keyfoglul, U. Yilmazer</i> | |
| Preparation and Characterization of Nylon 6 Based Conductive Composites | 1733 |
| <i>G. Bayram, O. Koysuren, S. Yesil</i> | |
| The Manufacture of Aligned Poly (Acrylonitrile) Fibres by Electrospinning | 1738 |
| <i>G. McNally, C. Laffin, C. Greyling, R. Sanderson</i> | |

T24 – MECHANICAL AND NANOMECHANICAL PROPERTIES

| | |
|--|------|
| Fracture Toughness of High Density Polycarbonate Microcellular Foams | 1743 |
| <i>M. Bureau, V. Kumar</i> | |
| Processing Effects on the Tribological Properties of Thermoplastics | 1748 |
| <i>R. Künkel, G. Ehrenstein</i> | |
| Nanotribology of Protein-Modified Surfaces | 1753 |
| <i>N. Malkovich, S. Benson, J. Li, R. Misra, S. Morgan</i> | |
| Fatigue Behaviour of Two-Layer Materials (PA 6-GF and PP-PET-FIBER, PP or PSU) under Cycle-Dynamic Load | 1758 |
| <i>A. Bledzki, F. Finis</i> | |
| Nanomechanical Properties of Viscoelastic Polymers | 1763 |
| <i>J. Kim, O. Kim, H. Kang, J. Wang, F. Talke</i> | |
| Mechanical Design of Short-Fibre Reinforced Injection Moulded Parts in 3D | 1768 |
| <i>M. Brandt, A. Herold, E. Schmachtenberg</i> | |
| Process Optimization to Improve Mechanical Properties of Thermophysically Adhered Composites | 1773 |
| <i>S. Bhatt, R. Dobrick</i> | |
| Mechanical Properties of Polyoxymethylene Copolymer Injection Moldings | 1778 |
| <i>D. Sanada, D. Sunaga, T. Umemura, T. Kuriyama, S. Matsushita, M. Mizoguchi</i> | |
| Properties of Injection Molded Amorphous Polymer for Punching | 1782 |
| <i>H. Hamada, A. Nakai, A. Fujita, T. Inuzuka</i> | |

M11 – NANOCOMPOSITES: MORPHOLOGY AND MECHANICAL PROPERTIES

| | |
|--|------|
| Influence of Clay Orientation and Aspect Ratio on Morphology and Mechanical Properties of Nylon-6/Clay Nanocomposites | 1787 |
| <i>H. J. Sue, J. Weon</i> | |
| Mechanical Characterization of a Liquid Crystalline Polymer Nanocomposite | 1792 |
| <i>A. Rohatgi, J. Baucom, W. Pogue, J. Thomas</i> | |
| Poly (Ethylene Terephthalate)-Organoclay-Impact Modifier Nanocomposites | 1797 |
| <i>E. Alyamac, U. Yilmazer</i> | |
| Mechanical and Flammability Resistance Properties of Extrusion Enhanced ABS/PC Nanocomposites | 1802 |
| <i>N. Baker, C. Ibeh, D. Lamm, J. Oplotnik, S. Wang, D. Weber</i> | |
| The Processibility and Properties of the Nano-CaCO₃/PP Composites for Rotomolding | 1807 |
| <i>A. Kanokboriboon, E. Harkin-Jones</i> | |

T33 – NANOCOMPOSITES: NOVEL MANUFACTURING METHODS

| | |
|---|------|
| Fabrication of Nanocomposites using Twin Screw Extrusion | 1813 |
| <i>D. Powell, D. Bigio, H. Bruck, A. Kota, B. Ritter</i> | |
| Continuous Process for Melt Intercalation of PP-Clay Nanocomposites with Aid of Power Ultrasound | 1818 |
| <i>S. Lapshin</i> | |
| A Study of Laboratory and Pilot Scale Extruded LDPE Nanocomposite Films | 1823 |
| <i>E. Culhane, D. Froio, C. Orroth, J. Ratto, C. Thellen, J. Lucciarini</i> | |
| Clay Nanocomposites with Platelets Oriented by Chaotic Advection | 1827 |
| <i>C. Mahesha, Y. Parulekar, D. Zumbrunnen</i> | |
| Exfoliation of Nanoclays in Concentrates of LDPE | 1831 |
| <i>R. Amba, T. Hicks, S. Morneau, J. Ibar</i> | |
| Development of PP/Clay Nanocomposite using scCO₂ in Twin Screw Extruder | 1835 |
| <i>H. Kim, J. Kim, Y. Ahn, J. Han, J. Lee, S. Lee</i> | |
| Thermoplastic Polyurethane Nanocomposites of Reactive Silicate Clays | 1840 |
| <i>S. Jana, A. Pattanayak</i> | |
| Preparation of Poly(methyl methacrylate) and Carbon Nanofiber Composites by Chaotic Mixing | 1845 |
| <i>S. Jana, G. Jimenez</i> | |
| Graphite Nanocomposites: Nylon 6 and Nylon 66 Systems | 1850 |
| <i>L. Drzal, H. Fukushima</i> | |

W8 – NANOCOMPOSITES: PROCESSING AND RHEOLOGY

| | |
|--|------|
| Rheology of Polystyrene/Carbon Nanofiber Composites | 1855 |
| <i>S. Bechtel, K. Koelling, Y. Wang, J. Xu</i> | |
| Rheology of Carbon Nanofiber-Modified TLCP | 1860 |
| <i>S. Lee, A. Ogale, M. Kim</i> | |

| | |
|---|------|
| Compatibilisation Protocol for the Processing of Polypropylene Organoclay Nanocomposites | 1865 |
| <i>J. Godinho, C. Lew, D. McConnell, G. McNally, W. Murphy</i> | |
| Polymer Nanocomposites by Pulverization: Enhanced Properties and Dispersion | 1870 |
| <i>L. C. Brinson, W. Burghardt, L. Dykes, K. Kasimatis, J. Nowell, T. Ramanathan, J. Torkelson</i> | |
| HDPE/CLAY Nanocomposite Foams Blown with Supercritical CO² | 1875 |
| <i>M. H. Lee, K. H. Wang, Y. H. Lee, C. B. Park</i> | |
| Structure-Property Relationship and Processing of Nanocomposites | 1881 |
| <i>H. Nae</i> | |

W24 – NANOCOMPOSITES: PROPERTIES DEVELOPMENT

| | |
|--|------|
| Overview of Property Development in Layered Silicate Polymer Nanocomposites | 1883 |
| <i>L. Goettler</i> | |
| Molecular Reinforced Nano-Silicate Composites | 1886 |
| <i>K. Calzia, A. Forcum, A. Lesser</i> | |
| Nonlinear Creep of Polyethylene Nanocomposites | 1891 |
| <i>D. Fairbrother, A. Shaito, N. D'Souza</i> | |
| Preparation and Characterization of Polyimide/Nanotube Nanocomposites | 1896 |
| <i>J. W. Connell, D. Delozier, J. G. Smith, K. A. Watson, E. Bekyarova, R. C. Haddon, A. Yu</i> | |
| Polymorphism and Crystallisation of Metallocene PP-Copolymer Nanocomposites | 1901 |
| <i>C. Lew, I. Major, G. McNally, W. Murphy</i> | |
| An Investigation of Metallocene and Ziegler-Natta Catalysed LLDPE/Clay Nanocomposites | 1906 |
| <i>J. Godinho, C. Lew, D. McConnell, G. McNally, I. Moore, W. Murphy</i> | |

M26 – NOVEL MATERIALS AND METHODS

| | |
|---|------|
| Nonlinear Viscoelasticity of Glassy Polymers: Normal Force Behavior | 1911 |
| <i>A. Flory, G. McKenna</i> | |
| Injection Molded Novel Green Materials from the Byproduct of Corn Based Ethanol Industry | 1916 |
| <i>D. Aithani, A. Mohanty</i> | |
| Structure and Oxygen Barrier of Polyhydroxylated Dendritic Polyols | 1921 |
| <i>S. Dong, J. Lin, S. Nazarenko, B. Olson, J. Pratt</i> | |
| Chemical Structure Effects on the Performance of TPUs | 1926 |
| <i>G. McNally, A. Ruddy</i> | |
| Viscoelastic Properties of Crosslinked LLDPE Films | 1931 |
| <i>E. M. Gutman, E. Kolmakov, Y. Unigovski, A. Bobovitch</i> | |
| Structure-Property Relations in Visbroken (Peroxide Treated) Impact Polypropylene Copolymers | 1936 |
| <i>C. Lee</i> | |
| Experimental Data and Constitutive Modeling of Elastomers | 1947 |
| <i>J. Bergström</i> | |

| | |
|--|------|
| Influence of the Synthesis Thermal History on the Structure of Acrylate Based Hydrogels | 1952 |
| <i>F. Bautista, S. Garcia, R. Jiménez, L. López, E. Orozco, M. Prado, I. Reyes</i> | |
| Describing the Non-Linear Viscoelastic Material Behaviour of Thermoplastics in FEA | 1957 |
| <i>M. Brandt, T. Krumpholz, E. Schmachtenberg</i> | |

Volume 6

T5 – POLYMER MORPHOLOGY AND PROPERTIES

| | |
|---|------|
| Foams Extruded from Thermoplastic Starch / Polystyrene Blends | 1962 |
| <i>M. Huneault, B. Favis, M. Hotea Mihai</i> | |
| Dielectric Properties of Self-Reinforced Polymers | 1967 |
| <i>N. Malkovich, D. Thomas, P. Jones, S. Morgan</i> | |
| New Development in Micro-Scale Compounding of Polymeric Materials | 1970 |
| <i>J. Tiesnitsch</i> | |
| Probing the Amorphous Structure of Semicrystalline PET by Positron Annihilation Life Time Spectroscopy | 1975 |
| <i>A. Jamieson, S. Nazarenko, B. Olson</i> | |
| Blends of Polycarbonate with Co-Polycarbonate of Bisphenol A and 4, 4'-Dihydroxydiphenyl | 1980 |
| <i>M. Erkelenz, J. Chung, J. Mason</i> | |
| Microstructured Polyacrylamide-Co-Chitosan/Xanthan Hydrogels | 1985 |
| <i>A. González-Álvarez, A. Martínez-Ruvalcaba, P. Ortega-Gudiño, J. Sánchez-Díaz</i> | |

M27 – POLYMER MORPHOLOGY: BLENDS

| | |
|---|------|
| Morphology and Rheology of Polycaprolactone/Thermoplastic Starch Blends | 1990 |
| <i>B. Favis, G. Li, P. Sarazin, Z. Yuan</i> | |
| Effect of Shear Rate and Mixer Residence Times on Morphology Development and Correlation to Young's Modulus | 1995 |
| <i>J. Joshi, R. Lehman, T. Nosker</i> | |
| Compatibilization of PVC with Polyamide and with Polyolefin with Poly(LA-co-CA-b-CL) | 2000 |
| <i>I. Kim</i> | |
| Production of Conductive Multiphase Polymer Systems Via Selective Localization of Carbon Black Under Chaotic Mixing Cond | 2004 |
| <i>D. Dharaiya, S. Jana, S. Lyuksyutov</i> | |
| Blends of Polylactide with Thermoplastic Starch | 2009 |
| <i>B. Favis, P. Sarazin, M. Huneault, W. Orts</i> | |
| Effect of Flow Behavior on Internal Structure of PC/ABS Injection Moldings | 2013 |
| <i>S. Baba, H. Hamada, Y. Leong</i> | |
| Erosion and Continuity Development in High Viscosity Ratio EPDM/PP Blends | 2018 |
| <i>F. Tofan, M. Champagne, M. Huneault, P. Bhadane, B. Favis</i> | |
| The Thermal and Mechanical Performance of uPVC/Styrenic Copolymer Blends | 2023 |
| <i>K. Halliwell, I. Major, G. McNally, R. Murphy, W. Yap</i> | |

| | |
|---|------|
| Morphology of PC/ABS Blend Systems | 2028 |
| <i>T. Kuriyama, M. Mizoguchi</i> | |

M9 – POLYMER MORPHOLOGY: POLYOLEFINS

| | |
|--|------|
| Estimation of Distributions of Crystal Sizes from DSC Melting Traces for Polyethylene | 2032 |
| <i>L. Feng, M. Kamal</i> | |
| Influence of Branching Distribution on the Physical Properties of High Density Polyethylene | 2037 |
| <i>R. Krishnaswamy, Q. Yang</i> | |
| Improving Dimensional Stability in PP without Sacrificing the Property Balance | 2042 |
| <i>J. Cremers, F. Esser, M. Soliman</i> | |
| Tailoring of Multi-Component Crystalline Systems in Isotactic Polypropylene | 2047 |
| <i>R. ?ermák, M. Obadal, K. Stoklasa</i> | |
| Properties and Applications of Blends of HMSPP and Linear PP | 2052 |
| <i>R. Folland, A. Dharía</i> | |
| Injection Moulding of α- and β-Polypropylenes: Morphology Consequences | 2059 |
| <i>R. ?ermák, M. Obadal, P. Ponižil, K. Stoklasa</i> | |

M10 – SURFACE TREATMENT AND SURFACE PHENOMENA I

| | |
|--|------|
| Effect of Atmospheric Plasma Treatment on the Surface Energy of Polymers | 2064 |
| <i>J. Clay, M. Schulte, R. Thurston</i> | |
| Subsurface Anchoring of Fluorescent Probes in Poly(Ethylene-Co-Acrylic Acid) Film | 2069 |
| <i>D. Hirt, C. Zhang, N. Luo</i> | |
| Using Synchrotron Radiation to follow Structure Development in Commercial and Novel Polymeric Materials | 2074 |
| <i>A. Gleeson, W. Bras, P. Coates, T. Gough, E. Heeley, T. Ryan</i> | |
| Erroneous Accelerated UV Aging Results | 2078 |
| <i>J. Spevacek</i> | |
| Orientation on Polyimide Sliding Surfaces Studied by Raman Spectroscopy | 2082 |
| <i>P. De Baets, P. Samyn, G. Schoukens, J. Van Craenenbroeck, F. Verpoort</i> | |
| Scratching Behaviors in Injection Molded Products | 2087 |
| <i>H. Kita, T. Kuriyama, M. Mizoguchi</i> | |

W9 – SURFACE TREATMENT AND SURFACE PHENOMENA II

| | |
|--|------|
| Use of Surface-Confined Photografting to Tailor the Wettability of Poly(Lactic Acid) Film | 2091 |
| <i>D. Hirt, A. Janorkar, A. Metters, S. Proulx</i> | |
| The Role of Surfaces on the Impact Response of Polymers | 2096 |
| <i>K. Fernholz, T. Godlewski, L. Gonzalez, P. Gustafson, A. Harris</i> | |
| Analysis of Interface of Two Layer Molded Product | 2101 |
| <i>S. Asai, S. Hadehara, H. Hamada</i> | |

| | |
|---|------|
| Measurement of Surface Polarity of Organically Treated Nanoclay using Contact Angle Method | 2106 |
| <i>D. Dharaïya, S. Jana</i> | |
| Interfacial Modification in Polyolefin Blends | 2110 |
| <i>R. Ding, M. Drewniak</i> | |

INJECTION MOLDING – 23

T4 – PROCESS 2

| | |
|--|------|
| A System Analysis for Injection Molding Screw and Screw Tip | 2114 |
| <i>J. Xu</i> | |
| Interfacing Process Setting Data between Analysis and Machine Control | 2119 |
| <i>P. Brincat, X. Jin, B. Lin, Z. Yuan</i> | |
| Mechanical Properties Enhancement via Non-Conventional Injection Molding | 2124 |
| <i>A. Cunha, D. Tchalamov</i> | |
| Optimization of the Injection Molding Process using Design Sensitivity Analysis | 2129 |
| <i>J. Hétu, F. Ilinca</i> | |
| The Proposal for Classification of Injection Molding Procedures | 2134 |
| <i>F. Johannaber, N. Blazekovic, I. Catic, B. Bujanic</i> | |

POLYMER ANALYSIS – 33

W12 – ADVANCES IN ENGINEERING RESINS APPLICATION

| | |
|--|------|
| Effect of Molecular Architecture of PE on Structural Changes of PVC In PVC/PE Melt-Blend | 2138 |
| <i>N. Sombatsompop, O. Santavitee, C. Thongpin</i> | |
| Unique Crystallization Behavior of β-polypropylenes | 2143 |
| <i>R. ?abla, R. ?ermák, V. Habrová, M. Obadal, J. Výchop?ová</i> | |
| The Effect of Cooling Regime on the Thermal, Mechanical and Morphological Properties of Polyolefins | 2148 |
| <i>P. Douglas, G. McNally, B. Millar, R. Murphy</i> | |
| Effect of a Mesoporous Silica and Silane Coupling Agents on the Reinforcing of Styrene Butadiene Rubber | 2153 |
| <i>M. Camargo, C. Campagne, E. Devaux, S. Giraud, B. Lopez, M. Mesa, L. Perez, L. Sierra</i> | |
| Melt Fracture Analysis using an In-Line Camera | 2158 |
| <i>M. McLeod</i> | |

M30 – APPLICATION DRIVEN POLYMER ANALYSIS

| | |
|--|------|
| Comparision of Measurement Techniques and Methods to Evaluate Irradiated Polymers | 2163 |
| <i>S. Bhatt, R. Dobrick</i> | |
| Polyamide 6,6 Semi-Aromatic Polyamide 6,6 Irradiation of Polyamides | 2168 |
| <i>H. W. Bonin, L. Brown</i> | |

| | |
|--|------|
| Crush-Behavior of GMT-Products | 2173 |
| <i>A. Heidweiller</i> | |
| Material Characterization Based on Ultrasonic Spectral Analysis | 2178 |
| <i>C. H. Chen</i> | |
| Measurement of Thermoplastic Polymer Melt Viscosity and Transitions Using a DMA with a Pressurized Sample Chamber | 2183 |
| <i>T. Wyszynski, H. Pawlowski</i> | |
| Adhesive Properties of Terpene Cleaning Solvent Residues | 2194 |
| <i>T. Cooper, L. Fisher, D. Harlow, N. Lecheler, D. Leung, D. Shook</i> | |
| Enzymatic Degradation of Polyurethane-based Coatings | 2199 |
| <i>Y. He, S. Malhotra, M. Xanthos</i> | |

M14 – COMPUTER SIMULATIONS AND PREDICTIVE TOOLS

| | |
|--|------|
| On the Three-Dimensional Modeling of Polymer Processes | 2204 |
| <i>W. A. Gifford</i> | |
| Computational Techniques for Benchmarking OCF Cell Structures and Textures | 2210 |
| <i>A. De Schrijver, R. Simoes</i> | |
| ESCR Thresholds Evaluated by Observation of Interfacial Surface Energies | 2215 |
| <i>A. Lesser, P. Walsh</i> | |
| The Solubility of CO₂ in Polypropylene: Comparison of Various EOS Models | 2220 |
| <i>G. Li, H. Li, C. B. Park, J. Wang</i> | |

INT12 – INTERACTIVE SESSION 12 – POLYMER ANALYSIS

| | |
|---|------|
| Characterization of Diene Monomers as Self-Healing Agent for Polymer Composite and Its Microcapsules | 2225 |
| <i>J. Lee, X. Liu, S. Yoon</i> | |
| Portable, Tube-Based XRF Analyzer for Quick PPM-Level Metals Analysis in Polymers | 2230 |
| <i>B. Hubbard-Nelson, R. Koch, K. Russell, D. Sackett</i> | |

T7 – POLYMER GLASSES/FOUNDER’S AWARD SESSION IN HONOR OF PROF. JOHN K GILLHAM

| | |
|---|------|
| On the Glass Transition and Physical Aging in Nanoconfined Polymers | 2235 |
| <i>L. Broadbelt, C. Ellison, M. Mundra, R. Priestley, P. Rittigstein, J. Torkelson</i> | |
| Molecular-Scale Reinforcement of Glassy Networks | 2240 |
| <i>A. Forcum, A. Lesser, K. Calzia</i> | |
| Volume Recovery and the Tau-Effective Paradox | 2245 |
| <i>S. Kolla, S. Simon</i> | |
| Insights into Thermoset Behavior: John Gillham in Retrospect | 2250 |
| <i>G. McKenna</i> | |
| Evolution of Properties of a Thermosetting Epoxy/Aromatic Amine System with Increasing Cure (Conversion): Physical Aging | 2251 |
| <i>J. Lee, J. Gillham</i> | |

| | |
|--|------|
| Thermoset Materials in Microelectronics Packaging | 2259 |
| <i>L. Manzione</i> | |

SIG010 – ALLOYS AND BLENDS

M20 – ALLOYS & BLENDS SESSION I: CHARACTERIZATION OF COMPATIBILIZATION AND MORPHOLOGY DEVELOPMENT OF VARIOUS POLYMER BLENDS

| | |
|---|------|
| Glass Transition Effects in Immiscible Polymer Blends | 2264 |
| <i>R. Lehman, T. Nosker, V. Thirtha</i> | |
| Influence of Shear on Immiscible Polymer Blend Morphology Development by Chaotic Advection | 2269 |
| <i>A. Joshi, D. Zumbunnen</i> | |
| Compatibilizing Immiscible Blends with Block Copolymers and Pulverization | 2274 |
| <i>A. Lebovitz, Y. Tao, J. Torkelson</i> | |
| The Effect of Compatibilisation on the Rheology of Polyamide Blends | 2279 |
| <i>A. Clarke, F. Gribben, G. McNally, W. Murphy</i> | |
| Blend Compatibilization via the use of Sodium-Neutralized Ionomers | 2284 |
| <i>A. Lahor, M. Nithitanakul, P. Pakeyangkoo, B. Grady</i> | |

M39 – ALLOYS & BLENDS SESSION II: EFFECT OF VARIOUS NOVEL PROCESSING AND MIXING STRATEGIES ON POLYMER BLENDS WITH EMPHASIS ON CHARACTERIZATION OF THEIR COMPATIBILIZATION AND MECHANICAL PERFORMANCE

| | |
|--|------|
| Oxypolypropylene as a Radical Initiator for the Production of Polypropylene Grafted Copolymer | 2289 |
| <i>V. Dang, R. Fezza, C. Shu, C. Song, T. Phan</i> | |
| Nanostructured Polymer Blends Prepared via in Situ Polymerization and Compatibilization | 2296 |
| <i>S. Madbouly, J. Otaigbe, D. Rhoades</i> | |
| Mechanical Property Optimization of Polypropylene Based Blends using a Continuous Chaotic Advection Blender | 2301 |
| <i>A. Dhoble, B. Kulshreshtha, D. Zumbunnen</i> | |
| The Effect of Crosslinking on the Mechanical Properties of PLA/PCL Blend | 2306 |
| <i>H. Hamada, I. Umaru, K Kitagawa, T Semba</i> | |
| Characterization of Reactive Blends of Thermoplastic Polyurethanes and Poly(Vinyl Chloride) | 2311 |
| <i>J. Baena, K. Min, S. Parnell</i> | |
| Influence of Viscosity Ratio on the Impact Properties of PS/HDPE Blends Prepared by Extrusion and Injection Molding | 2316 |
| <i>M. Arellano, O. Gloria-Bello, R. González-Nuñez, M. Vázquez-Lepe</i> | |
| PET/PC, PC/PC Flow Properties from Disentanglement Processing (TekFlow®) | 2321 |
| <i>T. Hicks, S. Morneau, J. Ibar</i> | |
| Control of Thisotropicity of Polymer Melts by Disentanglement Processing | 2327 |
| <i>J. Ibar</i> | |

INT11 – INTERACTIVE SESSION 11 – ALLOYS AND BLENDS

| | |
|--|-------------|
| Compatibilization of Blends of Polypropylene and Styrene-Butadiene-Styrene Block Copolymer with DEM | 2337 |
| <i>C. Albano, A. Aumaitre, J. González, M. Hernández, M. Ichazo</i> | |
| Characterization of Ternary Blends with Metallocene Copolymers and PA-6..... | 2342 |
| <i>I. Gobernado-Mitre, S. López, J. Merino, C. Rosales, J. Pastor</i> | |
| A Study on the Crystallization Behavior and Morphology of PP/EPR Blends..... | 2347 |
| <i>C. Chunag, Y. Hsiao, C. Lin</i> | |
| Novel Immiscible Blends for Membrane Applications | 2352 |
| <i>K. Lin, K. Sirkar, M. Xanthos</i> | |

Volume 7

SIG012 – JOINING OF PLASTICS AND COMPOSITES

M21 – VIBRATION WELDING, ADHESIVE BONDING AND SNAP FIT

| | |
|---|-------------|
| Three Dimensional Fiber Orientation in Vibration Welded Joints of Glass Fiber Reinforced Polyamide-6 | 2356 |
| <i>Y. Chung, R. Gómez, M. Kamal</i> | |
| Welding of Thermoplastic Foams | N/A |
| <i>H. Potente, L. Wilke</i> | |
| Vibration Welding Non-Planar Surfaces..... | 2362 |
| <i>S. Dai, P. Bates, C. Wu</i> | |
| XPS Analysis of UV Curable Adhesive and its Adhesion to PDMS | 2367 |
| <i>T. Gengenbach, P. Miller, I. Sbarski, T. Spurling</i> | |
| Gas-Assisted Low Temperature Bonding of Polymeric Micro/Nanostructures | 2372 |
| <i>L. Lee, Y. Yang</i> | |
| The True Cost of Snaps..... | 2376 |
| <i>N. Staller, S. Petrie</i> | |

THERMOPLASTIC MATERIALS AND FOAMS – 29

W11 – ADVANCES IN ENGINEERING RESINS APPLICATIONS

| | |
|--|-------------|
| New High Impact Miscible Polycarbonate Polyimide Blends..... | 2381 |
| <i>R. Gallucci, M. Sanner, P. Sybert</i> | |
| Carbon Assisted Laser Sintering of Thermoplastic Polymers..... | 2386 |
| <i>P. Eyerer, T. Wagner, N. Woicke</i> | |
| Foaming of Nanoclay Reinforced PS/PMMA Polymer Blends..... | 2391 |
| <i>H. Huang, X. Han, L. James Lee</i> | |
| Weatherability and Physical Properties of Opaque Injection Moldable Lexan* SLX Resins | 2396 |
| <i>J. Di, S. Klei, D. Rosendale, D. Shen, P. Sybert</i> | |
| Transparent Injection Moldable Lexan* SLX Resins | 2401 |
| <i>C. Blubaugh, G. Cojocariu, X. Li, J. Malinoski, P. Sybert</i> | |

| | |
|---|------|
| Notched Impact Strengths of Compact and Microcellular Polycarbonate..... | 2406 |
| <i>P. Egger, G. Steinbichler, A. Bledzki, H. Kirschling</i> | |

W25 – ADVANCES IN FOAMS PART 4

| | |
|---|------|
| Measurement of Swollen Volume of PP Melt due to Gas Dissolution..... | 2411 |
| <i>H. Li, Y. Li, C. Park, J. Wang, P. Chen, H. Park</i> | |
| Finite Element Analysis of Cell Coarsening in Polymer Foaming | 2416 |
| <i>R. Fenton, C. Park, D. Xu, Z. Zhu</i> | |
| Preparation of Interconnected Polycaprolactone Porous Scaffolds by a Combination Polymer and Salt Particulate Leaching. | 2421 |
| <i>M. Huneault, J. Reignier</i> | |
| Viscosity Measurement of PS/CO² Solution at Low Temperatures. | 2426 |
| <i>J. Oh, J. T. Lindt</i> | |
| Do Nanoparticles Really Assist in Nucleation of Fine Cells in Polyolefin Foams?..... | 2429 |
| <i>S.T. Lee, N. Ramesh</i> | |
| Elongational Viscosity as a Tool to Predict the Foamability of PE. | 2436 |
| <i>H. Ruinaard</i> | |

M13 – ADVANCES IN FOAMS: PART 1

| | |
|---|------|
| Foaming Polystyrene with HFC-245fa and Blends of HFC-245fa and CO²..... | 2442 |
| <i>C. Vachon</i> | |
| Advanced Development of Molded Expanded Polypropylene and Polyethylene Bead Foam Technology for Energy Absorption..... | 2447 |
| <i>S. Sopher</i> | |
| Novel Dynamic Nucleation Theory for Microcellular Plastics..... | 2452 |
| <i>X. Peng, Z. Zhang, N. Zhou, W. Zhu</i> | |
| Foam Extrusion of Linear Polyolefins by Lightly Crosslinking. | 2457 |
| <i>C. Park</i> | |
| Evaluation of Classical Nucleation Theory using Visualization Data..... | 2462 |
| <i>S. Leung, H. Li, C. Park</i> | |
| Nucleation and Reinforcement of Carbon Nanofibers on Polystyrene Nanocomposite Foam..... | 2467 |
| <i>L. Lee , J. Shen, H. Xiangmin</i> | |

M29 – ADVANCES IN FOAMS: PART 2

| | |
|---|------|
| Extrusion Foaming Behavior of PBT Resins. | 2472 |
| <i>Y. Seo, B. Jeong, M. Xanthos</i> | |
| Morphology and Fracture Behavior of Nanoclay-Filled Polypropylene | 2477 |
| <i>J. Zhao, H. Pham, R. Fibiger, E. Garcia-Meitin, V. Juarez, L. Liu</i> | |
| The Effect of the Processing Parameters on the Mechanical Properties of PMMA Microcellular Foams. | 2484 |
| <i>J. Fu, C. Jo, H. Naguib</i> | |

| | |
|---|------|
| Long-Term Tensile and Compressive Behavior of Polymer Foams | 2490 |
| <i>V. Kolupaev, A. Kraatz, M. Moneke</i> | |
| Initial Expansion Behavior of Butane-Blown LDPE Foam at Extrusion Die Exit | 2495 |
| <i>P. Lee, C. Park, J. Wang</i> | |
| Solid-State Processing of Polymer in the Presence of Supercritical Carbon Dioxide | 2500 |
| <i>X. Hu, A. Lesser</i> | |
| Measurement of Shear Viscosity and Solubility of Polystyrene Melts Containing Various Blowing Agents | 2505 |
| <i>H. Felix Wu, M. Choudhary, Y. Delaviz, R. Loh, M. Polasky, D. Todd, C. Wan, S. Dey</i> | |
| Study of CBA-Blown Bubble Nucleation and Life Span Under High Pressure Gas Environment | 2511 |
| <i>S. Chang, R. Fenton, Q. Guo, C. Park, J. Wang, D. Xu</i> | |
| Foaming PS with a Mixture of CO² and Ethanol | 2516 |
| <i>M. Champagne, R. Gendron, Y. Delaviz, M. E. Polasky</i> | |

W10 – ADVANCES IN FOAMS: PART 3

| | |
|---|------|
| Clay Exfoliation and Content Effect on Nylon Nanocomposite Foams | 2521 |
| <i>C. Park, W. Zheng</i> | |
| Extruded Open-Cell Foams Using Two Semi-Crystalline Polymers with Different Crystallization Temperatures | 2527 |
| <i>P. Lee, C. Park, J. Wang</i> | |
| The Consequences of Approximating the Classical Nucleation Theory in Simulation of Polymer Foaming Processes | 2532 |
| <i>S. Leung, G. Li, H. Li, C. Park</i> | |
| Poly(lactic Acid (PLA)-CO² Foams at Sub-critical Conditions | 2537 |
| <i>X. Hu, H. Naguib, V. Nawaby, M. Day, W. Liao, K. Ueda</i> | |
| Effect of Low Density Polyethylene on Polystyrene Foam | 2541 |
| <i>M. Hung, C. Ying, S. Tsai, C. Wong</i> | |
| The Effect Of Wood Powder On Polymer Foam Nucleation | 2546 |
| <i>D. Rodrigue, S. Souici, E. Twite Kamamba</i> | |

INT12 – INTERACTIVE SESSION 12 – THERMOPLASTIC MATERIALS AND FOAMS

| | |
|---|------|
| Functionalization of Polyolefins Through Catalytic Hydrosilylation and Imidation Reactions | 2551 |
| <i>C. Tzoganakis, Y. Zhang</i> | |
| Effect of Vibration Shear on Polystyrene Cell Morphology | 2556 |
| <i>C. Gao, D. He, X. Peng, P. Zhang, N. Zhou</i> | |

AUTOMOTIVE – 31

T6 – MATERIALS CHARACTERIZATION

| | |
|--|-------------|
| Problem Solving by Thermal Analysis in the Automotive Plastic Industry | 2561 |
| <i>X. Liu</i> | |
| The Influence of Painting Systems on Low Temperature Deployment Behaviour of Airbag Covers..... | 2566 |
| <i>C. Ozinga, H. Vos</i> | |
| Measurement of Strain Rate Dependent Material Properties..... | 2587 |
| <i>P. Eyerer, S. Raisch, N. Woicke</i> | |
| Standardization of High Strain Rate Tensile Testing of Polymers | 2592 |
| <i>M. Pinnell, S. Hill, A. Minch</i> | |
| Dimensional Stability of Pre-Shaped Nylon-6 Tubes..... | 2597 |
| <i>Y. Zhang, J. Colunga, Y. Zheng</i> | |
| Hydrolytically Resistant Polyester | 2602 |
| <i>R. Gallucci, S. Kim, S. Mishra, K. Rexius</i> | |

T28 – PROCESS DEVELOPMENTS & APPLICATIONS

| | |
|--|-------------|
| An Overview of Innovative Technologies Based on 2004 Automotive Innovation Awards..... | 2606 |
| <i>S. Shah</i> | |
| PCBT: A New Material for High Performance Composites in Automotive Applications..... | 2617 |
| <i>D. Bank, P. Cate, M. Shoemaker</i> | |
| Chrome Plated Automotive Plastic Components..... | 2636 |
| <i>T. Pickett</i> | |
| Foamability of TPV Blown Nitrogen and Carbon Dioxide (CO2) and Nitrogen (N2)..... | 2639 |
| <i>B. S. Kang, S. G. Kim, C. B. Park</i> | |
| Development of a Technology for Large Scale Production of Continuous Fiber Reinforced Thermoplastic Composites..... | 2644 |
| <i>P. Eyerer, O. Geiger, F. Henning, W. Krause</i> | |
| Enhanced Structure CAE Solution with Molding Effect for Automotive Parts..... | 2649 |
| <i>D. Hsu, A. Peng, W. Yang</i> | |
| Back-Molding of High-Gloss Films with Long Fiber-Reinforced Thermoplastics..... | 2654 |
| <i>S. Funkhauser, X. Hopfenspirger, W. Seib, R. Bruessel, H. Ernst, P. Eyerer, O. Geiger, F. Henning, W. Krause</i> | |

| | |
|--|------|
| Using Aesthetic Additives in Engineering Thermal Plastics for In Mold Automotive Applications | 2659 |
| <i>K. Coppens, P. Gaule, M. Hall, P. Larsen, S. Mitchell, U. Shrestha</i> | |

COLOR AND APPEARANCE – 21

M22 – COLOR APPLICATIONS

| | |
|--|------|
| Indoor Weathering Characterization, and Quantification, of Extremely Non Homogenous Indoor Environments | 2661 |
| <i>A. Lightfoot</i> | |
| Development of Silver Metallic Co-Extruded Films | 2667 |
| <i>J. Graf, H. Wang, H. Zhou</i> | |
| Bismuth Oxychloride for Radiopaque Medical Devices | 2672 |
| <i>Q. Peng</i> | |
| NIR Radiation Management Part II - NIR Transparent Organic Blacks for Plastics | 2677 |
| <i>A. Boehm, O. Seeger</i> | |
| Impact of Titanium Dioxide Surface Characteristics on Extrusion Processing | 2683 |
| <i>R. Mudalamane, P. Niedenzu, W. Sedar Jr</i> | |
| Improved Dispersion of Yellow Metal Azo Pigment in Polyethylene Film | 2688 |
| <i>D. Colquhoun, H. Skelton, M. Vincent</i> | |

M1 – COLOR THEORY

| | |
|--|------|
| The Evolution of Color Difference Equations | 2693 |
| <i>R. Trinklein</i> | |
| The CIE L*C*h Color Scan Atlas: A Novel Tool for Finding the Right Color | 2696 |
| <i>U. Bosch, C. Stapfer</i> | |
| Mean Plus – The Absolute Correction of Instrumentally Generated Spectrometer Values | 2701 |
| <i>J. Ladson</i> | |
| Part 2: What is 6 Sigma - A Case Study of Designing a Color Center of Excellence | 2705 |
| <i>E. Tucker</i> | |

DECORATING AND ASSEMBLY – 34

M31 – DECORATING AND ASSEMBLY

| | |
|---|------|
| Troubleshooting the Ultrasonic Welding Process: The Interpretation of Welding Graphs in a Thermoplastic Plunge Welding Process | 2718 |
| <i>K. Holt</i> | |
| UV Curable Coatings for Automotive Lighting | 2723 |
| <i>P. Abell, E. Weber</i> | |
| Function, Application and Handling of Hot Stamping Foils | 2728 |
| <i>M. Dolan</i> | |

| | |
|---|------|
| Advanced Technologies for High Contrast & Color Laser Marking of Plastics | 2733 |
| <i>S. Sabreen</i> | |
| Surface Modification Techniques for Optimizing Adhesion to Automotive Plastics | 2740 |
| <i>R. Wolf</i> | |
| Selecting the Right Decorating Method | 2747 |
| <i>M. Learmouth</i> | |

Volume 8

FLEXIBLE PACKAGING – 44

T14 – FLEXIBLE PACKAGING EQUIPMENT & PROCESSING

| | |
|--|------|
| Novel Gauging Technology for Contact-Sensitive Blown Films | 2758 |
| <i>B. Hellmuth</i> | |
| No Friction - Less Droplets | 2762 |
| <i>S. Seibel, R. Boscacci</i> | |
| The Coupling of GC/O and GC/MS is Solving Off Odor Issues | 2767 |
| <i>R. Pearson, K. Rice</i> | |
| A Unique Surface Modification Technique for Extending Surface Activation of Flexible Packaging Substrates | 2772 |
| <i>R. Wolf</i> | |
| Impact of UV Cured Inks and UV Exposure on Physical Properties of BOPP Films | 2778 |
| <i>S. Kim, K. Rab, K. Shrotri, T. Upasani, S. Williams</i> | |
| Effect of Impulse Heat Sealing Process Parameters on Bond Strength of Low Density Polyethylene Films. | 2781 |
| <i>J. Iovanna, A. Leczynski, M. Raymond, A. Tayebi</i> | |

M37 – MATERIALS FOR FLEXIBLE PACKAGING

| | |
|---|------|
| First Principals Cause of Melt Fracture in LLDPE | 2786 |
| <i>M. Andrews, D. Smith</i> | |
| Modeling the Effects of Solid State Orientation on Blown High Molecular Weight High Density Polyethylene Films | 2791 |
| <i>R. Breese, K. Williams, G. Beaucage</i> | |
| The Effect of Extrusion Processing Conditions on the Water Vapour Transmission Rates of Polyolefin and Polyamide Packaging | 2796 |
| <i>M. Billham, A.H. Clarke, G. McNally, B. Millar, W.R. Murphy</i> | |
| Polypropylene - Polyethylene Multilayer Films | 2801 |
| <i>A. Aji, X. Zhang</i> | |
| Co-Extrusion of Films for Medical and other Packaging Applications | 2806 |
| <i>J. Bielawski, M. Boshar, J. Morano</i> | |
| The Effect of Blending LLDPE Comonomers with Conventional LDPE on the Thermal and Mechanical Properties of Packaging Films | 2809 |
| <i>M. Billham, A.H. Clarke, G. McNally, W.R. Murphy, J. Heaney</i> | |

| | |
|--|------|
| High Clarity Linear Low Density Polyethylene for Packaging Applications | 2814 |
| <i>A. Hitchcock</i> | |

M18 – OPTIMIZING MATERIALS FOR FLEXIBLE PACKAGING

| | |
|--|------|
| Understanding Why Adhesion in Extrusion Coating Decreases with Coating Thickness, Part I: Porous Substrates | 2817 |
| <i>B. Morris</i> | |
| Optimization Model Based on a Heuristical Method for Barrier Films Design | 2822 |
| <i>O. Estrada, I. López, M. Noriega, K. Osorio</i> | |
| Development of Novel Barrier Films using Chaotic Advection ‘Smart Blending’ Device | 2829 |
| <i>V. Chougule, R. Kimmel, D. Zumbunnen</i> | |
| Material Selector for LLDPE/LDPE Blends for FFS Applications | 2834 |
| <i>N. Colls, A. Torres, F. Mendez</i> | |
| Properties Predictor for HDPE/LDPE/LLDPE Blends for Shrink Film Applications | 2839 |
| <i>N. Colls, A. Torres, F. Mendez</i> | |

FUNDAMENTAL FORUMS – FF – INVITED SPEAKERS ONLY

W28 – FUNDAMENTAL FORUMS – INVITED SPEAKERS ONLY

| | |
|---|------|
| Design of a Containerized Mobile Turnkey Compounding Plant for the Direct Extrusion of PP with Hollow Glass Microspheres | 2843 |
| <i>P. Andersen, M. Hampf, A. Kurz, F. Lechner, A. Hansen</i> | |
| Modeling of Substituted Biphenyl Compounds | 2848 |
| <i>V. Galiatsatos</i> | |
| High Scanning Rate DSC for Protein Characterization | 2853 |
| <i>K. Menard, J. Carpenter, D. Katamaya, B. Bilyeu</i> | |
| Chain Length Dependence of the Heat Capacity | 2858 |
| <i>D. Huang, G. McKenna, S. Simon</i> | |
| Simulations of Layer-By-Layer Assembly of Polyelectrolyte Multilayers | 2861 |
| <i>P. Mather, A. Dobrynin, J. Jeon, P. Patel</i> | |
| The Criss-Cross Die | 2866 |
| <i>S. Derezinski</i> | |

MARKETING AND MANAGEMENT – 37

W13 – 21ST CENTURY MARKETING & MANAGEMENT

| | |
|--|------|
| The Plastics Industry in the 21st Century: The Rules Have Changed | 2870 |
| <i>R. Jones</i> | |
| Growth Through Innovation | 2875 |
| <i>J. Avery</i> | |
| History of the Plastics Industry and Future Trends | 2879 |
| <i>M. Baumann</i> | |

| | |
|---|------|
| Ten Things Plastics Engineers Should Know | 2885 |
| <i>B. Filip, S. Grossman, J. Placker</i> | |
| Development of Plastic Recycling Companies in the Czech Republic: An Analysis Using Economic Value Added | 2888 |
| <i>K. Goswami, D. Remes</i> | |
| The Utilization of Benchmarking in the Financial Management of Plastics Processing Companies. | 2893 |
| <i>J. Drobny, A. Knapkova, D. Pavelkova</i> | |

MEDICAL PLASTICS – 36

M15 – BIOMATERIALS

| | |
|--|------|
| Oriented Porous Poly(L/DL-Lactide) Scaffolds for Bone Regeneration | 2898 |
| <i>T. Barrows, M. Oest, R. Guldborg, A. Lin</i> | |
| Human Osteoblast Development on Polycaprolactone and Polycaprolactone/Hydroxyapatite Composite Scaffolds for Tissue Eng | 2902 |
| <i>A. Crugnola, S. Russell</i> | |
| The Effect of Preparation Method on Mechanical Behaviour of Chitosan Composites | 2906 |
| <i>S. Allen, C. Cochrane, Q. Gan</i> | |
| Bioactive Composites for Tissue Regeneration. | 2911 |
| <i>G. Chouzouri, M. Xanthos</i> | |

INT12 – INTERACTIVE SESSION 12 – MEDICAL PLASTICS

| | |
|--|------|
| The Effect of Gamma Sterilisation on Colour and Mechanical Performance of Medical Rigid PVD Compounds | 2916 |
| <i>B. Mayoral, D. McLaughlin, P. McShane</i> | |
| Advanced Micromolding Applications | 2921 |
| <i>D. Bibber</i> | |
| Rheological, Mechanical and Thermal Behaviour of Radiopaque Filled Polymers | 2924 |
| <i>G. McNally, A. Ruddy</i> | |
| CET Plastics, a New Alternative for Medical Applications. | 2929 |
| <i>M. Hernandez, M. Romero</i> | |
| Segmentation, Lamination and Post Processing of Thermoplastic | 2933 |
| <i>S. Epstein</i> | |

M32 – MEDICAL DEVICE DEVELOPMENT – MATERIAL ADVANCES

| | |
|---|------|
| Growth in the Medical Polymers Industry | 2937 |
| <i>E. McLaughlin</i> | |
| Biodegradable Hollow Nanospheres for Drug Delivery | 2941 |
| <i>B. Koroskenyi, S. McCarthy, R. Nicolosi</i> | |
| Thermal and Rheological Evaluation of Pharmaceutical Excipients for Hot Melt Extrusion | 2945 |
| <i>M. Read</i> | |

| | |
|--|------|
| Transparent, Electrostatic Dissipative Materials for Medical Devices..... | 2950 |
| <i>P. Colburn</i> | |
| Novel Spinal Brace Design and Manufacture | 2955 |
| <i>P. Allan, K. Tarverdi, P. Hornsby</i> | |
| Viscoplastic Behaviour of Ultra-High..... | 2960 |
| <i>P. Coates, S. Naz, P. Olley, J. Sweeney</i> | |

MOLD MAKING AND MOLD DESIGN – 35

T31 – COATINGS AND SURFACE BEHAVIOR IN MEDICAL APPLICATIONS

| | |
|--|------|
| Protective Coatings for Implantable Medical Devices. | 2964 |
| <i>J. McPeak, M. Reitman</i> | |
| Development of Lubricious Compounds for Biomedical Applications..... | 2969 |
| <i>L. Acquarulo Jr., A. Nilajkar, C. O'Neil, F. Lai</i> | |
| Mono- and Multi-Layer Tubing Incorporating a Silver Based Antimicrobial | 2974 |
| <i>J. Godinho, C. Lew, G. McNally, I. Moore, R. Murphy</i> | |
| A Study on Nalidixic Acid/Polycaprolactone Blends for Medical Device Applications..... | 2979 |
| <i>L. Donnelly, P. Douglas, J. Godinho, D. Jones, C. Lew, G. McNally, I. Moore, R. Murphy</i> | |
| Grafting Amine-Terminated Branched Architectures from Polylactide Film Surfaces for Improved Cell Proliferation | 2984 |
| <i>K. Burg, E. Fritz, Jr., D. Hirt, A. Janorkar, A. Metters</i> | |

NEW TECHNOLOGY FORUMS – NTF – INVITED SPEAKERS ONLY

T40 – INDUSTRIAL BIOTECHNOLOGY AND ITS IMPACT ON POLYMER TECHNOLOGY

| | |
|--|------|
| Biocomposites: Sustainable, Value-Added Biobased Materials..... | 2989 |
| <i>L. Drzal</i> | |
| DuPont Sorona® Polymer: A New Sustainable Platform for Growth | 2991 |
| <i>J. Kurian, R. Milby, R. Miller</i> | |

W27 – PLASTIC PIPING SYSTEMS & MATERIALS

| | |
|---|------|
| Rapid Crack Propagation (RCP) Failures in HDPE Pipes: Structure-Property Investigations..... | 2993 |
| <i>R. Krishnaswamy, M. Lamborn, P. Maeger, D. Register, A. Sukhadia, P. Leever</i> | |
| Analysis of Ductile and Brittle Failures from Creep Rupture Testing of HDPE Pipes..... | 2998 |
| <i>R. Krishnaswamy</i> | |
| Design and Pressure Rating of PE Fittings..... | 3003 |
| <i>E. Lever</i> | |

| | |
|---|------|
| Novel Loop-Slurry Based HDPE Resins Using Modified Chromium Oxide Catalysts for High Performance Pipe Applications | 3009 |
| <i>B. Beaulieu, E. Benham, P. DesLauriers, R. Krishnaswamy, P. Maeger, M. McDaniel, D. Rohlfing, S. Secora, A. Sukhadia, A. Wolfe</i> | |
| Comparative Studies between Charpy Impact Test and Dynatup Impact Test | 3014 |
| <i>C. Huang, N. Liou, L. Zhu, Y. Chiu, T. Kwalk</i> | |
| The Control of Creep Memory in Extruded Polypropylene Tubes | 3021 |
| <i>H. Ross, N. Ryan, A. Clarke, G. McNally, M. Martinez-Cobler</i> | |
| ABS Pipes for Chemical Transport | 3026 |
| <i>P. Lewis</i> | |
| Integrity Management of Plastic Pipelines | 3035 |
| <i>W. Bryce, K. Oliphant, G. Palermo</i> | |

PLASTICS ENVIRONMENTAL – 40

INT12 – INTERACTIVE SESSION 12 – PLASTICS ENVIRONMENT

| | |
|---|------|
| Hygrothermal Aging of Recycled-Pet Sandwich Injection Moldings | 3039 |
| <i>N. Kunimune, S. Nagata, H. Hamada, Y. Leong, X. Yang</i> | |

T34 – PLASTICS IN THE ENVIRONMENT

| | |
|---|------|
| Characterization of Virgin/Recycled Nitrile Rubber Blends | 3043 |
| <i>M. García, J. González, M. Hernández, M. Ichazo</i> | |
| Effect of Reclaimed Rubber Content in NR/Carbon Black Vulcanizates using Microwave Irradiation System | 3048 |
| <i>C. Kumnuantip, N. Sombatsompop</i> | |
| Processing Solutions and Market Applications for Mixed ABS | 3053 |
| <i>M. Dattner, T. Osswald</i> | |
| Thermal and Mechanical Properties of Recycled PET and its Blends | 3058 |
| <i>P. Pattabiraman, I. Sbarski, T. Spurling, E. Kosior</i> | |
| Recycling of Butyl Rubber by Ultrasonic Devulcanization | 3063 |
| <i>W. Feng, A. Isayev</i> | |
| Effect of the Compatibilization on the Fluidity of Postconsumer Blends | 3068 |
| <i>F. De la Cruz-Rivas, R. Gonzalez-Nuñez, V. González-Romero, A. Martínez-Ruvalcaba, E. Michel-Valdivia</i> | |
| Comparison of X-Ray Fluorescence Spectrometry to Traditional Analytical Methods for Elemental Determination in Polymeric | 3072 |
| <i>K. Dubiel, S. MacLeod</i> | |
| Polyactides. A New Era of Biodegradable Polymers for Packaging Applications. 320 | 3077 |
| <i>S. Selke, B. Harte, P. Auras</i> | |

POLYMER ANALYSIS – 33

T29 – PROCESS DEVELOPMENTS & APPLICATIONS

| | |
|--|-------------|
| Characteristics of the Vitrification in the TTT Diagram..... | 3082 |
| <i>X. Wang</i> | |
| Thermogravimetric Analysis of Water Associated with Cellulose Fibers..... | 3087 |
| <i>H. Jameel, S. Park, J. Pawlak, R. Venditti</i> | |
| A New Pressurizable Dilatometer for Measuring Bulk Modulus of Thermosets | 3092 |
| <i>G. McKenna, Y. Meng, P. O'Connell, S. Simon</i> | |
| Advances in Understanding the Cure and Properties of Thermosetting Systems in the Laboratory of Professor J. K. Gillham | 3097 |
| <i>J. Gillham</i> | |

POLYMER MODIFIERS AND ADDITIVES – 38

T9 – FILLERS AND MODIFIERS FOR PLASTICS

| | |
|--|-------------|
| Modification of PP by High Intensity Ultrasonic Wave and Its Characterization of Rheological Properties | 3102 |
| <i>K. Kim , J. Lee, S. Lee, G. Nam</i> | |
| Melt Grafting of End-Functionalized Poly(Tert-Butyl Acrylate) to Silicon Substrates..... | 3107 |
| <i>D. Hirt, A. Rugh, K. Walters</i> | |
| Effect of Filler Surface Treatment on Properties of Fly ASH/NR Blends | 3112 |
| <i>N. Sombatsompop, S. Thongsang</i> | |
| Modification of Polymers using Polyvinyl Butyral Based Additives | 3117 |
| <i>G. Hofmann, W. Lee</i> | |
| Surface Modification of Polypropylene Films using Hydrophilic Additives | 3122 |
| <i>C. Gudipati, D. Hirt</i> | |
| Eliminating Surface Melt Fracture using PPA: The Role of Shear Rate..... | 3127 |
| <i>S. Oriani, S. Kharchenko, K. Migler, D. Bigio, M. Meillon, D. Morgan</i> | |

INT12 – INTERACTIVE SESSION 12 – PROCESS MONITORING & CONTROL

| | |
|--|-------------|
| A Review of In-Mold Pressure and Temperature Instrumentation..... | 3132 |
| <i>S. Johnston, D. Kazmer, P. Knepper</i> | |

Volume 9

M33 – POLYMER MODIFICATION & NANOCOMPOSITES

| | |
|--|-------------|
| Synthesis of Elastomeric Nanoparticles Via Microemulsion Polymerization..... | 3137 |
| <i>R. López-Campos, L. Ramos-deValle, E. Treviño-Martinez, Y. del Angel</i> | |
| The Use of Beta Nucleation to Produce Microvoided Oriented Polypropylene Films..... | 3141 |
| <i>P. Jacoby, R. Lee</i> | |

| | |
|---|------|
| Effect of Compatibilizing Agents on Clay Dispersion of Polypropylene-Clay Nanocomposites | 3145 |
| <i>M. López, L. Ramos, S. Sánchez Valdes</i> | |
| Flame Retardant Polypropylene Containing Functionalized Nano Clays | 3149 |
| <i>M. Peled, S. Kenig, O. Shepelev</i> | |
| Nanocomposite Formation Mediated by Specialty Controlled Architecture Materials | 3154 |
| <i>K. Hanley, J. Longabach, R. Marx, M. Napierala, M. Brostrom, M. Buckett, N. Granlund, J. Nelson, T. Shefelbine</i> | |
| Rheological and Morphological Properties of VARTM(Vacuum Assisted Resin Transfer Molding)Epoxy Resin/Clay Nanocomposites | 3158 |
| <i>T. Karaki, G. Parker, R. Peila, S. Sangari, J. Seferis</i> | |
| Water Vapor Diffusion Through Glass Fiber Reinforced Nanocomposites: A Quantitative Approach | 3163 |
| <i>R. Gupta, M. Bhardwaj</i> | |

M16 – POLYMER MODIFICATION AND STABILIZATION

| | |
|---|------|
| Surface Recovery of PDMS after Exposure to UV/Ozone | 3168 |
| <i>T. Gengenbach, P. Miller, I. Sbarski, T. Spurling</i> | |
| Performance of Tocopherols as Antioxidants in ABS | 3173 |
| <i>J. Haworth, S. Dillman, R. Suffield</i> | |
| Antioxidant Performance of Mixed Tocopherols in Styrenic Block Copolymers | 3181 |
| <i>S. Dillman, J. Kiesser, R. Suffield</i> | |
| Viscoelastic Properties of Acrylic-Based Copolymer Blends with Thermoplastics | 3187 |
| <i>S. Hong, N. Mekhilef</i> | |
| Modification of Physical and Chemical Properties of Polyethylene Resins Through Electron Beam or Gamma Irradiation | 3192 |
| <i>S. Cheng, G. Forczek, D. Kerluke, F. Dehaye</i> | |
| Simulations of Grafting Monomers and Associated Degradation of PP in a Modular Co-Rotating Twin Screw Extruder | 3197 |
| <i>J. Keum, J. White</i> | |

PRODUCT DESIGN AND DEVELOPMENT – 41

INT10 – INTERACTIVE SESSION 10 – PRODUCT DESIGN AND DEVELOPMENT

| | |
|--|------|
| Design and Optimisation of a Standard Milk Crate Using FEM | 3202 |
| <i>S. Masood, S. Zanvar</i> | |
| Wall Thickness Optimization in Molded Product Design | 3207 |
| <i>D. Kazmer</i> | |
| Stress Concentration Evaluation in an Injected Commercial Piece Using Computational Tools | 3212 |
| <i>M. Candal, H. D'Armas, R. Morales, H. Rojas</i> | |
| Plastics and Creativity | 3217 |
| <i>R. Koster</i> | |

T13 – PRODUCT DESIGN INSIGHTS AND CONSIDERATIONS

| | |
|---|------|
| Concurrent Engineering Approach for Designing a Novel Plastic Pallet. | 3221 |
| <i>M. Castillo, L. Marín, A. Torres, F. Mendez</i> | |
| Injection Molding Variants: A Designer's Review | 3226 |
| <i>R. Koster, J. Ogink</i> | |
| What Every Plastics Professional Should Know About Patents and Patenting Part 1: An Overview | 3231 |
| <i>A. Tayebi</i> | |
| The Role of Numerical Injection Molding Simulation in Predicting Mechanical Properties. | 3234 |
| <i>R. Koster</i> | |

T35 – PRODUCT DESIGN INSIGHTS AND CONSIDERATIONS

| | |
|---|------|
| Method for the Ensuring the Efficient Design of Plastic Products. | 3238 |
| <i>N. Lee</i> | |
| A Novel Technique to Measure Tensile Properties of Plastics at High Strain Rates | 3252 |
| <i>L. Perkins, H. Lobo</i> | |
| Improved Solvent Stress Testing for Polycarbonate | 3256 |
| <i>C. Bright, I. Osio, M. Yeager</i> | |
| Load Deflection Characteristics of Plated Thermoplastics | 3261 |
| <i>J. Bielawski</i> | |
| Predictive Damage and Failure Modeling for Composites Made of Baypreg®-F | 3265 |
| <i>J. Lorenzo</i> | |
| Design of PVC Pipes for shock resistance. | 3271 |
| <i>E. Caillaud, D. Kucharavy, A. Lichtlé, L. Meylheuc</i> | |

SIG002 – FAILURE ANALYSIS AND PREVENTION

T15 – FAILURE ANALYSIS – CASE STUDIES

| | |
|---|------|
| Ozone Cracking of Critical Seals in Microchip Production | 3276 |
| <i>P. Lewis, S. Hainsworth</i> | |
| Breathing Tube Failures. | 3286 |
| <i>P. Lewis</i> | |
| Case Studies of Plastics Failure Related to Molecular Weight or Chemical Composition | 3293 |
| <i>M. Dudley, M. Ezrin, G. Lavigne, L. Pinatti</i> | |
| Explanation of Metal-Metal Contact in Hydraulic Cylinders | 3299 |
| <i>A. Beek, K. Kavelin, B. Nijhof, J. Spoormaker</i> | |
| Failure Analysis of a Floating Device | 3304 |
| <i>K. Kavelin, J. Spoormaker</i> | |
| Environmental Stress Cracking - Examples from the Automotive Industry. | 3309 |
| <i>J. Jansen</i> | |

T36 – FAILURE ANALYSIS – RESEARCH

| | |
|---|------|
| Deformation of Pet Nanocomposites | 3315 |
| <i>J. Ratto, N. D'Souza, S. Pendse</i> | |
| Degradation Mechanisms and Environmental Effects on Poly-P-Phenylenebenzobisoxazole (PBO) Fibers | 3320 |
| <i>X. Hu, A. Lesser, P. Walsh</i> | |
| Effect of Slip Agent and Talc Surface Treatment on the Scratch Behavior of TPOS | 3325 |
| <i>B. Browning, G. Lim, A. Moyses, H. Sue</i> | |
| MD Simulations of Mechanical Properties and Behavior of the Lamellar Structure in Semi-Crystalline Polymers | 3330 |
| <i>A. Cunha, G. Dias, R. Simões, J. Viana, W. Brostow</i> | |
| Through-thickness Process Zone Characterization at Fatigue Cracks in PE-HD | 3335 |
| <i>W. Balika, G. Pinter, R. Lang</i> | |
| Evaluation of Time to Ductile Failure in Creep of PEs from Short-term Testing | 3340 |
| <i>K. Sehanobish, A. Chudnovsky, W. Zhou</i> | |
| Significance of Creep Rupture and Stress Relaxation Data in Product Design and Material Suitability Evaluation | 3345 |
| <i>A. Shah</i> | |

W16 – FAILURE ANALYSIS OF PLASTIC PIPING SYSTEMS

| | |
|---|------|
| Observation and Modeling of Stress Corrosion Cracking in Plastics Pipes | 3350 |
| <i>B. H. Choi, K. Sehanobish, A. Chudnovsky</i> | |
| Observations on Field Fusion Joining of Large Diameter HDPE Pipe | 3355 |
| <i>D. Duvall</i> | |
| Studies of Creep and Fatigue Crack Growth in HD-PE Pipe Materials | 3360 |
| <i>G. Pinter, M. Haager, A. Chudnovsky, W. Zhou</i> | |
| Lifetime Prediction for Slow Crack Growth on PE Pipes for Gas Distribution | 3365 |
| <i>H. Nishimura, T. Kawaguchi</i> | |
| Ranking of PE Pipe Grades by their Failure Behavior Under Impact Loads | 3373 |
| <i>M. Haager, R. Lang, Z. Major, G. Pinter</i> | |
| Failure Analysis of a PEX Piping Crimp System | 3378 |
| <i>D. Edwards, T. Jeka</i> | |

INT12 – INTERACTIVE SESSION 12 – FAILURE ANALYSIS AND PREVENTION

| | |
|--|------|
| Penetration and Residual Scratch Depth in Reduced Coordinates: Comparability of Results | 3383 |
| <i>M. Narkis, W. Brostow, O. Olea-Mejia</i> | |

SIG006 – THERMOPLASTIC ELASTOMERS

INT12 – INTERACTIVE SESSION 12 – THERMOPLASTIC ELASTOMERS

| | |
|---|------|
| The Preparation of TPU/Silica Hybrid Using SOL-GEL Process | 3387 |
| <i>W. C. Chen, C. K. Wang, S. M. Lai, M. Lin, H. F. Shen</i> | |

T16 – THERMOPLASTIC ELASTOMERS: MORE NEW PRODUCTS AND TECHNOLOGIES

| | |
|---|------|
| The Effect of Thermal History Development on Crystalline Medical Grade TPUs | 3391 |
| <i>G. McNally, A. Ruddy</i> | |
| Comparative Study between Metallocene Polyolefin Blends Modified by Beta-Irradiation and a Silane Crosslinking Process | 3396 |
| <i>I. Gobernado-Mitre, N. Villarreal-Bastardo, J. Merino, J. Pastor-Barajas</i> | |
| Continuous Processing Long Range Order in SEBS Block Copolymer Thermoplastic Elastomers | 3401 |
| <i>E. Atkins, K. Indukuri, A. Lesser</i> | |
| Thermoplastic Elastomer Nanocomposites Based on Dynamically Vulcanized PP/EPDM | 3406 |
| <i>C. Dubois, P. Lafleur, G. Naderi</i> | |
| Next Generation of Soft TPUS | 3413 |
| <i>W. Bräuer, G. DiBattista, E. Gestermann</i> | |

M38 – THERMOPLASTIC ELASTOMERS: NEW PRODUCTS AND TECHNOLOGIES

| | |
|---|------|
| Factors Affecting Single Screw Extrusion Output Rate of Thermoplastic Vulcanizates (TPVs) | 3422 |
| <i>O. Chung</i> | |
| Highly Transparent Elastomeric Films | 3427 |
| <i>A. Uzee</i> | |
| Increasing the End-Use Temperature of TPU Products | 3434 |
| <i>A. Sardanopoli, O. Henze</i> | |
| New Non-Hygroscopic Thermoplastic Vulcanizates with Improved Colorability and Weatherability | 3438 |
| <i>K. Cai, S. Srinivasan, H. Tavakoli, H. Tran</i> | |
| Flexible Thermoplastic Elastomer (TPE) Based on Ionomer Technology | 3443 |
| <i>M. Sadeghi</i> | |
| Universal Polyamide Overmold Thermoplastic Elastomer | 3448 |
| <i>J. Gerhardt, J. Gu, K. Venkataswamy</i> | |

SIG016 – PROCESS MONITORING & CONTROL

T38 – TOOLS FOR PROCESS MONITORING

| | |
|---|------|
| Concept Design of a Wireless Pressure, Temperature, and Flow Rate Sensor for Injection Molding | 3456 |
| <i>Y. Cui, R. Gao, S. Johnston, D. Kazmer, P. Knepper</i> | |
| Terahertz Imaging as a New Tool to Study Dispersion in Polymeric Compounds | 3461 |
| <i>M. Bastian, K. Kretschmer, M. Koch, F. Rutz</i> | |
| In-Line Monitoring of Polymer Compounding Process | 3466 |
| <i>K. Min, D. Wang</i> | |
| Application of Raman Spectroscopy and X-Ray Scattering for In-Line Analysis of Polymer Orientation During Processing | 3471 |
| <i>S. Barnes, P. Coates, H. Edwards, T. Gough</i> | |
| Continuous Time Dynamic Exogenous Modeling from Plant Data | 3476 |
| <i>S. Mohn, N. Bhandari, S. Chin, N. Matos, D. Rollins</i> | |
| Process Monitoring and Quality Prediction: A Task for the Entire Process Chain | 3481 |
| <i>H. Heim</i> | |
| Noise Suppression in Film Blowing Equipment | 3485 |
| <i>K. Botros, J. Geerligs, J. Marler, B. Rehlau</i> | |
| Monitoring Polymerization in MicroFluidic Flow Channels using Spectroscopy Methods | 3490 |
| <i>S. Barnes, K. Beers, A. Bur, Z. Cygan</i> | |
| Real-Time Monitoring of Polymer/Clay Compounding using Optical Transmission Measurements | 3494 |
| <i>A. Bur, S. Roth, P. Start</i> | |

Volume 10

SIG018 – PLASTICS EDUCATORS

T19 – PLASTIC EDUCATION

| | |
|--|------|
| A Method of Quantifying Program and Course Performances against ABET Criteria | 3499 |
| <i>S. Verma</i> | |
| CDs and Interactive Programs in Plastics Engineering Education | 3504 |
| <i>K. Kapp, P. Painter</i> | |
| Future Plastics Education | 3508 |
| <i>R. Koster</i> | |
| Reach-RS: A Model Outreach Program | 3512 |
| <i>C. Ibeh, O. Okafor, D. Weber</i> | |

STUDENTS – 56 – UNGRADUATE STUDENTS ONLY

INT7 – INTERACTIVE SESSION 7 – UNGRADUATE STUDENTS ONLY

| | |
|--|------|
| Immobilization of EGF Onto Silica Nanoparticles | 3517 |
| <i>C. Batich, B. Liesenfeld, J. Waddell</i> | |

| | |
|---|------|
| The Effect of Shear-Induced Imbalances on the Impact Strength of Injection Molded Impact Bars..... | 3521 |
| <i>R. Aufman, J. Busse, M. Dugovich</i> | |
| Effects of Composition and Functionality on the Properties of Thiol-Ene Films..... | 3526 |
| <i>L. Kwisnek</i> | |
| Impact Strength as a Function of Foamed Density | 3531 |
| <i>C. Lange</i> | |
| The Effect of Process Conditions on Part Quality in Microinjection Molding..... | 3534 |
| <i>R. Aufiero</i> | |

W26 – STUDENT SESSION – MATERIALS AND CHARACTERIZATION

| | |
|---|------|
| Developing a Time Dependent Processing Window for Recycled Crosslinked Polyethylene..... | 3539 |
| <i>N. Manuel, T. Novitsky</i> | |
| Clay Nanocomposites Incorporated into Biodegradable Polymers. | 3543 |
| <i>M. Jackson</i> | |
| Retardation of Shrinkage Using Nanoclay as Filler. | 3548 |
| <i>M. Reichelderfer, S. Stabler</i> | |
| An Investigation into the Reuse of Painted TPO Regrind..... | 3552 |
| <i>A. Nadeau, J. Perras, H. Valia</i> | |
| Study of the Loading Capacity of Biodegradable Core-Shell Nanospheres..... | 3557 |
| <i>B. Koroskenyi, S. McCarthy, K. Walsh</i> | |
| Effect of Particle Size on the Efficiency of a Moisture Scavenging Additive | 3562 |
| <i>D. Hazen, M. Wiseman</i> | |
| Dimensional Stability in LDPE Foams | 3567 |
| <i>C. Huang, H. Yang, S. T. Lee, C. Yang</i> | |

T39 – STUDENT SESSION – PROCESSING

| | |
|--|------|
| Evaluating Flow Through Grille-Like Features using Width-To-Thickness Ratio in an Adjustable Mold | 3573 |
| <i>N. McGrady, N. Sumy</i> | |
| The Effects of Runner Diameter and Cavity Size on Packing a Part in Injection Molding. | 3578 |
| <i>C. Stewart, C. Welsh</i> | |
| Shear Imbalance Effects on Gas Distribution in Gas-Assist Injection Molding..... | 3583 |
| <i>M. Wolbert, W. Zore</i> | |
| A Statistical Analysis of the Tensile Strength of Blown Film..... | 3587 |
| <i>A. Carlile, E. Foster</i> | |
| Warpage Study on Two-Shot Injection Molding | 3591 |
| <i>J. Passilla, K. Zupancic</i> | |
| Examining Blow Molding Pinch-Off at Different Parison Temperatures..... | 3596 |
| <i>M. Kennerknecht, J. Lucci</i> | |

| | |
|--|------|
| Verification of Blow Molded FEA and Extrusion Blow Molded Bottles | 3600 |
| <i>J. Giordon, P. Spence</i> | |

W17 – STUDENT SESSION – SIMULATION

| | |
|--|------|
| Heat Transfer Study of Air Gap Influence on Cooling in Box-Shaped Parts | 3605 |
| <i>C. Kirschner, N. Paris</i> | |
| Finite Element Analysis of Living Hinge Behavior. | 3609 |
| <i>E. Paszkowski</i> | |
| Determining the Accuracy of CAE on Deep Drawn Thermoformed Parts | 3614 |
| <i>J. DyJack, M. Harter</i> | |

THERMOPLASTIC MATERIALS AND FOAMS – 29

M19 – THERMOPLASTIC ELASTOMERS: NEW MATERIALS AND TECHNOLOGIES

| | |
|--|------|
| Computer Scale-up Model for Desolventizing Highly Viscous Polymers in Kneader Equipment. | 3618 |
| <i>D. Witte</i> | |
| Extrusion of Oil Extended Thermoplastic Vulcanizates | 3624 |
| <i>M. Ellul, K. Jayaraman, V. Giri Kollu</i> | |
| New Generation of TPUS; Short-Term Characterization and Applications | 3629 |
| <i>R. Elleithy, A. Sardanopoli</i> | |
| Comparative Deformational Characteristics of SEBS Thermoplastic Elastomers and Vulcanized Natural Rubber. | 3634 |
| <i>K. Indukuri, A. Lesser</i> | |
| High Performance Styrenic Thermoplastic Vulcanizates (STPVs) for Long Term Application. | 3639 |
| <i>R. Patel, D. Worley II, J. Yun</i> | |

VINYL PLASTICS – 27

INT12 – INTERACTIVE SESSION 12 – VINYL PLASTICS

| | |
|---|------|
| The Effect of Solar Energy on Decorative Woodgrain Folks Laminated on PVD-U Profiles | 3645 |
| <i>A. Wilkinson, G. M. McNally, A. Ditta, R. Murphy</i> | |

M12 – VINYL I

| | |
|---|------|
| Optimizing Performance of Benzoate and Phthalate Blends for Vinyl Applications | 3650 |
| <i>W. Arendt, M. Joshi, D. Perovich, A. Strepka</i> | |
| Propyl Heptal Phthalate- A New Plasticizer Choice. | 3655 |
| <i>R. Kozlowski, U. Storzum</i> | |

| | |
|--|------|
| Lubrication Mechanism of Poly(Vinyl Chloride): An Understanding of Lubricant Failure at Higher Processing Temperatures. | 3661 |
| <i>J. Summers</i> | |
| Novel Coupling Agents for PVC/Wood-Flour Composites. | 3666 |
| <i>L. Matuana, B. Shah, P. Heiden</i> | |
| Monitoring Surface Quality of Recycled uPVC Extrudate. | 3671 |
| <i>P. Coates, A. Kelly, R. Spares</i> | |

M28 – VINYL II

| | |
|--|------|
| Increasing the Flexural Modulus of Rigid PVC at Elevated Temperatures | 3676 |
| <i>H. Wiebking</i> | |
| CPVC in Rigid PVC Profiles Formulations. | 3681 |
| <i>G. McNally, R. Murphy, M. Pritchard, W. Yap</i> | |
| Extrusion of Microcellular PVC. | 3686 |
| <i>V. Kumar, K. Nadella</i> | |
| The Effect of Calcium Carbonate Particle Size on PVC Foam | 3691 |
| <i>B. Azimipour, F. Marchand</i> | |
| PVC Stabilization using Lead Stabilizers and Zeolite Co-Stabilizers | 3696 |
| <i>E. Fisher, B. Marcus, R. Wypart</i> | |
| Formulation of Optimally Stabilized PVC Systems with the aid of the Chemiluminescence Technique, Part 2 | 3701 |
| <i>Y. Kann</i> | |
| A Novel Suspension Polymerization Process without Mechanical Agitation. | 3706 |
| <i>K. Bleijenberg, G. Petela</i> | |
| A Radically New UV Stabilizer for Flexible PVC Roofing Membranes | 3711 |
| <i>G. Capocci, M. Hubbard</i> | |
| Author Index | |