

Australian Society for Biomaterials

7th World Biomaterials Congress 2004

May 17-21, 2004
Sydney, Australia

Volume 1 of 4

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

ISBN: 978-1-60423-461-9

Some format issues inherent in the e-media version may also appear in this print version.

7th World Biomaterials Congress
Printable version of the Congress Transactions

Statement of Copyright: Published by the Australian Society for Biomaterials Inc., PO Box 743, Brunswick Lower, Victoria 3056, Australia. Copyright © 2004 Australian Society for Biomaterials Inc. All rights reserved. No part of this publication may be reproduced in any form by Photostat, microfilm, retrieval system or any other means without written permission from the publisher. Copyright of individual Abstracts remains with the individual authors. The materials in this volume are not intended to be considered by the reader as statement of standards of care or definitions of the state of art in patient care or applications of the scientific principles described in the contents. The statements of fact and opinions expressed are those of the respective authors who are identified in the Abstracts. Publication of these materials by the Australian Society for Biomaterials does not express or imply approval or agreement by the members or agents of the Society of these materials and should not be taken as an endorsement of these materials.

| | |
|--|------------|
| Plenary 1 | 118 - ORAL |
| The Multiple-Channel Cochlear Implant: The Effective Interface Between the External World and the Central Nervous System and Human Consciousness..... | 1 |
| <i>G. Clark</i> | |
| Contemporary and Future Strategies for the Tissue Engineering of Connective Tissues | 001 - ORAL |
| Connective Tissue Engineering: Lessons from the Past and Visions of the Future..... | 2 |
| <i>J.E. Davies</i> | |
| Multi-Functional Scaffolds for Skeletal Tissue Engineering..... | 3 |
| <i>Y. Yang, J.L. Magnay, L. Cooling, M.A. Wood, A.J. El Haj</i> | |
| Thermoreversible Hydrogel Scaffolds for Articular Cartilage Tissue Engineering..... | 4 |
| <i>J.P. Fisher, S. Jo, A.G. Mikos, A.H. Reddi</i> | |
| Expression of Bone Growth Factors by MSCs Cultured on Starch/Poly(ϵ-caprolactone) Scaffolds Using a Flow Perfusion Bioreactor..... | 5 |
| <i>M.E. Gomes, C.M. Bossano, C.M. Johnston, R.L. Reis, A.G. Mikos</i> | |
| Plasma Treatment and Adsorption of Single and Complex Plasma Proteins onto Starch-Based Materials Affects Adhesion and Proliferation of MG63 Human Osteoblast-Like Osteosarcoma Cells..... | 6 |
| <i>C.M. Alves, Y. Yang, D.L. Carnes, J.L. Ong, V.L. Sylvia, D.D. Dean, C.M. Agrawal, R.L. Reis</i> | |
| Multi-Phased Polymer-Ceramic-Hydrogel Scaffold for Osteochondral Repair..... | 7 |
| <i>J. Jiang, C.T. Hung, X.E. Guo, G.A. Ateshian, H.H. Lu</i> | |
| A Novel Nano-Microfibre PLGA Scaffold for Tendon/Ligament Tissue Engineering..... | 8 |
| <i>S. Sahoo, H.W. Ouyang, S.L. Toh, J.C. Goh, T.E. Tay</i> | |
| Use of Stem Cells in Biomaterial Applications - 1 | 002 - ORAL |
| The Developmental Potential of Hematopoietic Stem Cells..... | 9 |
| <i>W.S. Alexander</i> | |
| Artificial Joint Covered with Osteoblasts/Bone Matrix Derived from Patient's Mesenchymal Stem Cells..... | 10 |
| <i>H. Ohgushi, N. Kotobuki, H. Funaoka, H. Machida, M. Hirose, Y. Tanaka, Y. Takakura</i> | |
| Healing Bone with Adipose Tissue Derived Stromal Stem Cells - The Histomorphometry of the Ovine Defect Model..... | 11 |
| <i>B. Niechoda, Y. Yu, M. Gianoutsos, W.R. Walsh</i> | |
| Histology & Biomechanics of Regenerated Articular Cartilage Using Bone Marrow Stromal Cells with PLGA <i>in vivo</i>..... | 12 |
| <i>S.H. Han, J.H. Ko, G.H. Ryu, H.K. Lee, Y.H. Kim, I.A. Kim, J.W. Shin, W.I. Yang, K.D. Park, J.W. Lee</i> | |
| Injectable Bioartificial Tissue for Cell Transfer and Cardiac Repair: Embryonic Stem Cells for Tissue Engineering..... | 13 |
| <i>T. Kofidis, J.L. de Bruin, G. Hoyt, T. Yamane, C.P. Chang, R.C. Robbins</i> | |
| <i>in vitro</i> and <i>in vivo</i> Tissue Engineering Using Adult and Embryonic Stem Cells..... | 14 |
| <i>C.G. Williams, B. Sharma, T.K. Kim, M. Khan, P. Manson, M.Y. Kim, J.H. Elisseeff</i> | |
| Artificial Trachea: Application of Bone Marrow Derived Cells for <i>in situ</i> Tissue Engineering..... | 15 |
| <i>T. Nakamura, E. Kawanami, S. Fukuda, T. Kobayashi, M. Inoue, M. Yoshitani, T. Toba, T. Itoi, K. Shigeno, A. Nakata, T. Matsuno, S. Morino, S. Kanemaru, M. Yamashita, K. Oomori, Y. Shimizu</i> | |
| Biomaterial Surface Modifications - 1 | 003 - ORAL |
| Surfaces in Microarray Technology: Redefining Old Problems in Small Scale..... | 16 |
| <i>D. Grainger, P. Gong, P. Wu, D. Castner, L. Gamble, C.Y. Lee</i> | |
| 'Soft' AC Plasma Polymerisation of PEO-Like Surfaces with Low Protein Adsorption Properties..... | 17 |
| <i>P. Kingshott, J. Wei, N.B. Larsen, X. Hou, B. Winter-Jensen</i> | |
| The Relation Between Poly(L-lysine)-<i>graft</i>-Poly(ethylene glycol) Architecture and its Protein Resistivity..... | 18 |
| <i>F. Assi, S. Pasche, L. Feuz, N.D. Spencer, M. Textor</i> | |

| | |
|---|------------|
| A Single Biomimetic Strategy for the Versatile PEGylation of Metals, Metal Oxides, Polymers, and Semiconductors | 19 |
| <i>J.L. Dalsin, L. Lin, S. Tosatti, M. Textor, P.B. Messersmith</i> | |
| Grafted PEO Surfaces: Impact of Molecular Weight and Grafting Density on Protein Adsorption | 20 |
| <i>P. Hamilton-Brown, H.J. Griesser, M.D. Willcox, L. Meagher</i> | |
| Biofunctional Coatings from Star PEG – A Comparison to Linear PEG and Applications | 21 |
| <i>J. Groll, Z. Ademovic, T. Ameringer, D. Klee, M. Moeller</i> | |
| Controlled Morphology PEO-Silicone Composites Have Protein Rejecting Surfaces | 22 |
| <i>H. Sheardown, H. Chen, M.A. Brook</i> | |
| <hr/> | |
| Wear of Artificial Hip Joints - 1 | 004 - ORAL |
| <hr/> | |
| Wear, Debris, Functional Biocompatibility and Osteolytic Potential in Artificial Hip Joints | 23 |
| <i>J. Fisher, E. Ingham</i> | |
| Clinical and Biological Impact of Wear Debris from Metal-On-Metal Total Hip Replacements | 24 |
| <i>P. Campbell, A. Skipor, J. Mirra, A. Davies, P. Case, H.G. Willert, H.C. Amstutz</i> | |
| Crosslinked Polyethylene | 25 |
| <i>H.A. McKellop</i> | |
| Activated Wear by Lubricant Constituents in Boundary Lubrication and Protective Role of Boundary Lubrication in Joint Prostheses | 26 |
| <i>T. Murakami, Y. Sawae, S. Doi, K. Yamamoto, A. Takahara</i> | |
| Acting Wear Mechanisms Between Ball and Cup in All-Metal Hip Prostheses | 27 |
| <i>M.A. Wimmer, J.B. Medley</i> | |
| Effects of Wear, Structural Supports and Transient Operating Conditions on Fluid Film Lubrication in Metal-On-Metal Hip Implants | 28 |
| <i>Z.M. Jin</i> | |
| <hr/> | |
| Developing New Biomaterials - the Composite Approach - 1 | 005 - ORAL |
| <hr/> | |
| Tailor-Making Biocomposites as Bone Analogues for Skeletal Implants | 29 |
| <i>W. Bonfield</i> | |
| A Silicon-Incorporating Biocomposite of Collagen and Apatite for the Tissue Engineering of Bone | 30 |
| <i>A.K. Lynn, R.E. Cameron, S.M. Best, W. Bonfield</i> | |
| Electrospinning Biodegradable Nanofibre Scaffold of the Composite PLA/HA and the Cell Adhesion and Proliferation | 31 |
| <i>H.S. Fan, B. Cai, X.T. Wen, Y.F. Tan, H.D. Cao, Y.M. Xiao, X.D. Zhang</i> | |
| Poly(lactide-co-glycolide)/Hydroxyapatite Microsphere Matrix for Bone Regeneration: Scaffold Fabrication and <i>in vivo</i> Evaluation | 32 |
| <i>M.D. Kofron, C.T. Laurencin</i> | |
| Scaffold Impregnation by Fibrin Gel and Fetal Cells for Applications in Bone Tissue Engineering | 33 |
| <i>J. Mudry, M.O. Montjovent, L. Mathieu, L. Applegate, P.E. Bourban, J.A.E. Manson, P.Y. Zambelli, D.P. Pioletti</i> | |
| The Effect of Intermediate Surface Coatings on the Composite of Hydroxyapatite Particles and Polylactic Acid | 34 |
| <i>J. Weng, Y.M. Jiang, P. Jiang, Y.L. Miao</i> | |
| Preparation of DNA-Polymer Composite via Hydrogen Bond Using Ultra High Pressure | 35 |
| <i>A. Kishida, A. Okuno, Y. Ohya, T. Ouchi, S. Mutsuo, Y. Kitamura, H. Yoshizawa, T. Kimura, K. Miyazaki, T. Furuzono</i> | |

***in situ* Crosslinkable Hyaluronan Hydrogels for Tissue Repair and Prevention of Surgical Adhesions..... 36**
G. Prestwich, X.Z. Shu, Y. Liu, K. Kirker, H. Li, J. Shelby, Y. Orlandi, S. Morris, S. Gray

Modification of Hyaluronan to Make it Moldable and to Control its Hydrophilicity..... 37
M. Zhang, D. Wheeler, S.P. James

Controlled Molecular Weight Reduction of Polysaccharides by Gamma Irradiation..... 38
A. Shiedlin, L. Yu, L. Yang, R.J. Miller

Viscoelasticity of Rabbit Vocal Folds After Injection Augmentation 39
A. Borzacchiello, L. Mayol, O. Gärskog, Å. Dahlqvist, L. Ambrosio, L. Nicolais

Metabolic Engineering of *Bacillus Subtilis* for Biosynthesis of Hyaluronic Acid - A Superior System for Industrial HA Production 40
W. Widner, R. Behr, M. Tang, T. Hue, D. Sternberg, S. von Dollen, A. Sloma, P.H. Weigel, S.H. Brown

Chemoenzymatic Synthesis of Hyaluronan-Based Oligosaccharides and Monodisperse Polymer Biomaterials 41
P.L. DeAngelis, W. Jing

The Development of Hyaluronan (HA) as a Chemosensitizing Transport Biopolymer in the Treatment of Human Cancer..... 42
T.J. Brown, J.L. Falzon, M.H. Pho, E.M. Hatherell, K. Vaghela, A.S. MacLeod, J.C. Wilson, R.M. Fox, G.R. Brownlee

A New Approach to the Understanding of Biocompatibility..... 43
D.F. Williams

Ethical Issues in Clinical Evaluation..... 45
K. Mohandas

Oxidative Biodegradation of Poly(carbonate urethane): *in vivo* and *in vitro* Correlations 46
E. Christenson, J. Anderson, A. Hiltner

Cytokine Response of Human Leukocytes Towards a Highly Porous Tantalum Biomaterial..... 47
T.A. Schildhauer, B. Robie, G. Muhr, M. Köller

Validation of Different Cytotoxicity Assays in Endothelial Cell Cultures: Limits in Testing Cytotoxicity *in vitro* 48
K. Peters, S. Stumpf, G. Kamp, H. Schmidt, R.E. Unger, S. Barth, C.J. Kirkpatrick

Degradation of a Series of Polymers of Polyurethane Crosslinked with Silicone *in vivo* ... 49
N.P. Rhodes, G. Soldani, J.A. Hunt

Dental Implants and the Implant Host Interface..... 50
T. Albrektsson

Analysis of Bony Tissue Around Titanium Implants with Synchrotron Radiation Microtomography and Histology 51
R. Bernhardt, E. Pilling, R. Mai, D. Scharnweber, F. Beckmann, H. Worch

FEA Prediction of Crestal Bone Retention Around Dental Implants 52
H. Alexander, S. Weiner, B. Zweig, J. Simon, J.L. Ricci

Peptide-Functionalized Protein-Resistant Adlayers on Titanium Surfaces: An Approach for Producing Cell-Selective Biomaterial Surfaces..... 53
M. Schuler, S. Tosatti, G.R. Owen, Z. Schwartz, M. Wieland, D.M. Brunette, B.D. Boyan, M. Textor

Mechanical and Histomorphometric Study of Titanium Implant with Modified Micro Arc Oxidation Treatment..... 54
W. Ma, X.B. Xiong, B.L. Liu

β -TCP/PLGA Open Porous Scaffolds for the Prevention of Alveolar Bone Loss After Tooth Extraction: Scaffold Characterization and *in vitro* Degradation Behaviour..... 55
F.A. Maspero, K. Ruffieux

Alkali Treated Titanium Implants and their Secondary Stability 56
J. Strnad, Z. Strnad

| | |
|---|------------|
| Biomaterials Business School | 009 - ORAL |
| Biomaterials Business School | 57 |
| <i>S. Watson</i> | |
| Repair of Connective Tissues by Tissue Engineering | 010 - ORAL |
| Tissue Engineering of Connective Tissues: Present Strategies and Future Trends | 58 |
| <i>R.L. Reis</i> | |
| Endothelialization of HA and Resorbable HA/TCP Bioceramics: Growth and Gene Regulation | 59 |
| <i>R.E. Unger, L. Kolios, S. Schrödel, K. Peters, C.J. Kirkpatrick</i> | |
| A New Type of Scaffolds for Tissue Engineering, Made by Flock Technology | 60 |
| <i>M. Gelinsky, V. Jain, U. Köckritz, G. Schmack, G. Hoffmann, P. Offermann, W. Pompe</i> | |
| Hydrogel Nanoparticle Aggregates as Tissue Scaffolds with Controlled Drug Delivery | 61 |
| <i>J. St. John, D. Moro, B. Ponder, G. Russell-Jones, K. McTavish, F. McDougal</i> | |
| Adhesion-Mediated Signal Transduction in Human Articular Chondrocytes: The Influence of Biomaterial Chemistry and Tenascin-C | 62 |
| <i>T.A. Mahmood, R. de Jong, J. Riesle, R. Langer, C.A. van Blitterswijk</i> | |
| <i>in situ</i> Cartilage Engineering by Extracellular Matrix-Biomaterial Bonding | 63 |
| <i>D.A. Wang, A. Taboas, J.D. Meyers, C.G. Williams, J. Wenz, R.G.S. Spencer, J.H. Elisseeff</i> | |
| <i>in vivo</i> Evaluation of Extruded Starch Based Scaffolds Aimed for Bone Tissue Engineering Applications | 64 |
| <i>A.J. Salgado, O.P. Coutinho, R.L. Reis, J.E. Davies</i> | |
| Micro-Computer Tomography Imaging | 011 - ORAL |
| 3D Micro-CT Imaging of Bone, Blood Vessels, and Biomaterials | 65 |
| <i>R.E. Guldborg</i> | |
| New Approach in Characterization of Orthopaedic Biomaterial - Micro Computed Tomography | 66 |
| <i>H.Y. Yeung, L. Qin, K.M. Lee, K.S. Leung, J.C. Cheng</i> | |
| Characterising Hydration and Drug Release of Controlled Release Formulations Using X-ray Microtomography | 67 |
| <i>G.E. Milroy, M.D. Mantle, L.G. Gladden, A.C. Bentham, B.C. Hancock, R.E. Cameron</i> | |
| MicroCT Based Measurement of Vertebral Body Strains Caused by Interbody Fusion Cages | 68 |
| <i>B.K. Bay</i> | |
| Morphological Examination of Complex Microstructure via Micro-CT Imaging | 69 |
| <i>A.C. Jones, M.A. Knackstedt, A.P. Sheppard, R. Sok, D.W. Hutmacher, C.H. Arns, A. Sakellariou, T.J. Senden, A. Brandwood, B.K. Milthorpe</i> | |
| A Micro-CT Based Screening Technique to Validate Bone Scaffold Designs | 70 |
| <i>T. van Cleynenbreugel, J. Schrooten, M. Assad, J. Vander Sloten, J. van Humbeeck</i> | |
| 3D Cell and Tissue Distribution Patterns Characterized by Micro-CT | 71 |
| <i>A. Wagoner Johnson, J. Dellinger, A. Wojtowicz, S. Stock, K. Ignatiev, R. Jamison</i> | |
| Biomaterial Surface Modifications - 2 | 012 - ORAL |
| Co-Culture of Melanocytes and Keratinocytes on Plasma Polymers | 72 |
| <i>A.G. Shard, P.C. Eves, A.J. Beck, S. MacNeil</i> | |
| Gas Plasma Treatment and PEGT/PBT Substrate Composition Affect Human Chondrocyte Attachment and Redifferentiation Capacity | 73 |
| <i>T. Woodfield, S. Miot, I. Martin, C.A. van Blitterswijk, J. Riesle</i> | |
| Control of Mesenchymal Stem Cell Adherence and Function via Different Chemically Functionalised Surfaces | 74 |
| <i>J.M. Curran, R. Chen, J.A. Hunt</i> | |
| Migration Assay to Measure Cellular Response to Signalling Gradients | 75 |
| <i>J.T. Smith, H. Ma, W.M. Reichert</i> | |
| <i>in vitro</i> Study of Cell Promoting Multiple-Arm Peptides (MAPs) | 76 |
| <i>C. Li, Y. Zheng, M. Imran</i> | |

| | |
|--|----|
| Printing of Adhesion and Proliferation Peptides on PTFE Films to Promote Endothelialisation | 77 |
| <i>V. Gauvreau, R. C-Gaudreault, G. Laroche</i> | |
| Surfaces That Respond to Biochemical Stimuli | 78 |
| <i>R.V. Ulijn, N.T. Pham, A. Basso, W.C.K. Poon, S.L. Flitsch</i> | |
| Surfaces with Tailorable Ligand Densities – Stretching the Limits of Biomaterials | 79 |
| <i>B. Chaney, A. Liebmann-Vinson, M. Heidaran, K. Efimenko, J. Genzer</i> | |

| | |
|--|------------|
| Wear of Artificial Hip Joints - 2 | 013 - ORAL |
|--|------------|

| | |
|---|----|
| Three-Dimensional Laser Micrometry for the Determination of Volumetric Wear in Total Hip Arthroplasty | 80 |
| <i>A.C. Kohm, J.J. Lannutti, J. Dyce, R. Urban</i> | |
| Sensitivity of Metal-Metal Hip Implants to Variations in Simulator Load and Kinematics | 81 |
| <i>P.E. Paré, J.B. Medley, F.W. Chan, S.K. Aust</i> | |
| Effects of Head Size, Clearance and Start-Stop Protocol on Wear of Metal-On-Metal Hip Bearings | 82 |
| <i>Y.S. Liao, M. Hanes, C. Fryman, L. Turner</i> | |
| Implementation of Multiple Activities of Daily Living for Knee Wear Testing | 83 |
| <i>T.S. Johnson, J.Q. Yao, M.P. Laurent, C.R. Blanchard, R.D. Crowninshield</i> | |
| Development of Low Temperature Degradation-Free Zirconia/Alumina Composites as a Candidate for the Femoral Head Component of Total Hip Replacement | 84 |
| <i>K.Y. Lee, H. Kim, D.J. Kim, M.H. Lee, W.S. Seo</i> | |
| Surface Engineered Metal-On-Metal Bearings for Hip Replacement | 85 |
| <i>S. Williams, X.Q. Hu, P. Hatto, G. Isaac, M.H. Stone, E. Ingham, J. Fisher</i> | |
| Analysis of the Abrasive Wear Behaviour of Cemented Total Hip Stems with Rough, Smooth and Polished Surfaces | 86 |
| <i>R. Bader, E. Steinhauser, H. Gollwitzer, R. Brem, M. Schmitt, W. Mittelmeier</i> | |
| Why is High Carbon Important in the Tribology of Metal-On-Metal Hip Implants? | 87 |
| <i>R. Varano, J.D. Bobyn, J.B. Medley, S. Yue</i> | |

| | |
|-------------------------|------------|
| Dental Materials | 014 - ORAL |
|-------------------------|------------|

| | |
|---|----|
| Development of Thin Nickel-Free Stainless Steel Wire for Sternotomy and Orthodontics | 88 |
| <i>D. Kuroda, T. Hanawa</i> | |
| Microwave Sintering of Dental Ceramics for Restorative Dentistry | 89 |
| <i>V.C. Ram, S. Saha</i> | |
| Cyclic Sliding Tribological Behaviors of Dental Feldspathic Ceramics in Contact with Spheres | 90 |
| <i>H.Y. Yu, Z.R. Zhou, Z.B. Cai, S.X. Qu</i> | |
| Investigation of Thiol-Ene System for Novel Dental Restorative Resins | 91 |
| <i>C.N. Bowman, H. Lu, J.W. Stansbury, N.B. Cramer</i> | |
| The Effect of Ultrasonic Setting on the Mechanical Properties of Glass Polyalkenoate Cements | 92 |
| <i>M.R. Towler, E. Twomey, A.J. Bushby, C.M. Crowley, J. Doyle, S. Hampshire</i> | |
| Torsional Properties and Phase Transformation of Ti-Ni Alloy Endodontic Files | 93 |
| <i>T. Yoneyama, K. Miyai, H. Doi, E. Kobayashi, H. Hamanaka, Y. Hayashi, A. Ebihara, H. Suda</i> | |
| Reinforcement of Composites: Addition of a 4th Phase Porous Macro-Filler | 94 |
| <i>M.B. Lyles</i> | |
| The Chemical Influence of Chemomechanical Caries Removal on the Surface Topography of Dental Restorative Materials | 95 |
| <i>A. Arvidsson, P. Milleding, U. Örtengren, A. Wennerberg</i> | |

| | |
|--|------------|
| Hydrogels and Hydrocolloids - 2 - Alginates | 015 - ORAL |
|--|------------|

| | |
|--|----|
| Polysaccharide Molecular Engineering as an Approach to Design Alginate for Biotechnological and Biomedical Applications | 96 |
| <i>G. Skjåk-Bræk, S. Holtan, I. Donati, Y. Mørk, B. Strand, T. Espevik</i> | |
| Effects of Alginate Composition on Encapsulated Cells | 97 |
| <i>I. Constantinidis, N.E. Simpson, C.L. Stabler, A. Sambanis</i> | |
| Fabrication of Homogeneously Cross-Linked, Functional Alginate Microcapsules | 98 |
| <i>U. Zimmermann, H. Zimmermann, B. Manz, F. Brunnenmeier, S. Schneider, C. Hendrich, F. Volke</i> | |

| | |
|--|-----|
| Repair of Injured Spinal Cord with Freeze-Dried Alginate Sponge | 99 |
| <i>Y. Suzuki, K. Kataoka, H. Chou, M. Ohta, N. Ishikawa, K. Suzuki, S. Suzuki, C. Ide, M. Tanihara</i> | |
| A HTP Screening Platform for the Discovery of 3-D Signaling Environments | 100 |
| <i>J.A. Rowley, B.H. Neo, J. Garvin, M. Heidaran</i> | |
| Articular Cartilage Repair Using Polysaccharide Hydrogels and Gene Therapy | 101 |
| <i>C. Gerard, C. Catuogno, L. Grossin, P. Gillet, P. Netter, E. Payan</i> | |
| Novel Tissue Scaffold Materials Based on Poly(vinyl alcohol) and Amino Acid Hydrogels | 102 |
| <i>E.E. Donaldson, J.L. Cuy, K.D. Hauch, A. Karchin, B.D. Ratner</i> | |

| | |
|-------------------------------------|------------|
| Chemically Modified Apatites | 016 - ORAL |
|-------------------------------------|------------|

| | |
|---|-----|
| Apatite Chemistry in Biominerals and Biomaterials | 103 |
| <i>C. Rey, C. Combes, H. Sfihi, A. Barroug</i> | |
| Synthesis and Characterization of Fluorine-Containing Hydroxyapatite by a pH-Cyclic Method | 104 |
| <i>H. Qu, M. Wei</i> | |
| Iron Inclusion in Hydroxyapatite for Biomedical Applications | 105 |
| <i>L.M. Rodríguez-Lorenzo, R. Jackson, K.A. Gross</i> | |
| Effect of Silicate Substitution on the Surface Charge of Hydroxyapatite | 106 |
| <i>N. Rashid, I. Harding, K.A. Hing</i> | |
| Carbonate and Fluoride Substitution in Apatite: Effect on Properties and Cell and Tissue Response | 107 |
| <i>R.Z. LeGeros, T. Sakae, A. Ookubo, S. Lin, D.Q. Mijares, J.P. LeGeros</i> | |
| Bone Development is Sensitive to Silicon Level in Substituted Apatites | 108 |
| <i>K.A. Hing, S. Saeed, B. Annaz, T. Buckland, P.A. Revell</i> | |
| <i>in vivo</i> Assessment of Hydroxyapatite and Silicate-Substituted Hydroxyapatite Granules Using an Ovine Defect Model | 109 |
| <i>N. Patel, R.A. Brooks, M. Clarke, P. Lee, N. Rushton, I.R. Gibson, S.M. Best, W. Bonfield</i> | |

| | |
|--------------------------------|------------|
| Ophthalmic Biomaterials | 017 - ORAL |
|--------------------------------|------------|

| | |
|---|-----|
| Ophthalmic Biomaterials - Where are we? | 110 |
| <i>B.A. Holden</i> | |
| Biological Implant Fixation by Protein Induced Cell Proliferation | 111 |
| <i>S. Müller-Kämpf, H.A. Richter, C. Mittermayer</i> | |
| Novel Tissue-Engineered Cell Sheets Delivery Membranes (CSDM) Facilitate Constructing Stable Whole Retina Grafting Microsurgery | 112 |
| <i>J.Y. Lai, G.H. Hsiue, P.K. Lin</i> | |
| New Transparent Copolymers with a High Refractive Index | 113 |
| <i>E.J.H. Boelen, R.T.J. Bevers, L.H. Koole</i> | |
| Calcification Potential of Intraocular Lens Surfaces | 114 |
| <i>X. Guan, R. Tang, G.H. Nancollas</i> | |
| Biologic Length Scale Topographic Features Modulate Human Corneal Epithelial Cell Adhesion and Migration | 115 |
| <i>N.W. Karuri, S.J. Liliensiek, K.A. Diehl, J.D. Foley, G.A. Abrams, S. Campbell, P.F. Nealey, C.J. Murphy</i> | |
| Long-Term Corneal Biocompatibility of PFPE for an Implantable Contact Lens | 116 |
| <i>M.D.M. Evans, R.Z. Xie, B. Bojarski, T.C. Hughes, K.M. McLean, J.S. Wilkie, G.Y. Chan, G. Johnson, G.A. McFarland, A. Vannas, D.F. Sweeney</i> | |

| | |
|--|------------|
| The Effect of Engineered Biomaterials on the Molecular Regulation of Cells at the Tissue/Medical Device Interface | 018 - ORAL |
|--|------------|

| | |
|--|-----|
| Polymers, Proteins, and Prostheses: Advances in Neuroscience and Nanotechnology | 117 |
| <i>G. Clark</i> | |
| Progress Toward Engineered Biomaterials That Heal | 118 |
| <i>B. Ratner, T. Horbett, M. Shen, C. Giachelli, S. Martin, A. Marshall, P. Bornstein, T. Kyriakides, H. Sage, P. Puolakkainen, C. Irvin, J. Sanders</i> | |
| Self-Assembled Protein Matrix Serves as a Novel Scaffold for <i>in vitro</i> Mineralization and Cellular Modulation | 119 |
| <i>G. He, A. George</i> | |

| | |
|---|------------|
| Age and Sex-Associated Changes in Signal Transduction and Bone Formation in Primary Human Osteoblast/Implant Cultures | 120 |
| <i>G.A. Gronowicz, H. Zhang</i> | |
| Control of Macrophage Signalling Pathway Activation on Engineered Biomaterials | 121 |
| <i>P.S. Stayton, A.S. Hoffman, A. Collie, P. Stephans, V. Bulmus, J. Cuschieri, R. Maier</i> | |
| The Response of Human Neutrophils and Monocyte-Derived Macrophages to Material Chemistry: Role of Protein Kinase C | 122 |
| <i>R.S. Labow, J. McBane, G. Waghray, J.P. Santerre</i> | |
| Expression of RUNX/Cbfa-1 and Osteoblast Phenotypic Markers in Human Osteoblasts Cultured on Titanium, Steel and Ceramic Surfaces | 123 |
| <i>F.R. Pu, N.P. Rhodes, J.A. Hunt</i> | |
| <hr/> | |
| New Biomaterials - The Composite Approach - 2 | 019 - ORAL |
| <hr/> | |
| Forming 3D Scaffolds of Hydroxyapatite-Gelatin Nano-Composites Using Mechanical Method and Selective Solid Etching Method | 124 |
| <i>C.C. Ko, W.H. Douglas, T.M. Chu, M.C. Chang, R.A. Narayanan, W.S. Hu</i> | |
| Novel Polymer/Ceramic Composite Microsphere-Based Matrices for Bone Tissue Engineering: Effects of Processing Temperature on Calcium Phosphate | 125 |
| <i>Y. Khan, D.S. Katti, C.T. Laurencin</i> | |
| Investigation of a Novel Nanocomposite Scaffold for Bone Tissue Engineering | 126 |
| <i>G. Wei, P.X. Ma</i> | |
| Development and <i>in vitro</i> Testing of a Biodegradable Bone Scaffold | 127 |
| <i>L. Grøndahl, C. Lutton, B. Kenny, S. Cool, A.I. Cassady, M. Trau</i> | |
| Evaluation of a Biodegradable Porous Silicon (Psi) – Polymer Composite on Osteoblast Differentiation and Macrophage Activation <i>in vitro</i> | 128 |
| <i>S.I. Anderson, U. Runsardthong, P. O’Shea, L.T. Canham</i> | |
| Chondrocyte Maturation on Biphasic Calcium Phosphate Scaffold: A Preliminary Study | 129 |
| <i>C.C. Teixeira, R.Z. LeGeros, C. Karkia, Y. Nemelivsky</i> | |
| <hr/> | |
| Tissue Adhesives | 020 - ORAL |
| <hr/> | |
| Cell Sheet Engineering for Tissues and Organs Regeneration | 130 |
| <i>T. Okano</i> | |
| Nanoshells as Near Infrared Absorbers to Enhance Laser Tissue Welding | 131 |
| <i>A. Gobin, D.P. O’Neal, N.J. Halas, J. West</i> | |
| Albumin-Genipin Solder for Laser Tissue-Welding | 132 |
| <i>A. Lauto, J. Foster, L. Ferris, A. Avolio, L. Poole-Warren</i> | |
| Development of a Novel Tissue Adhesive Consisting of a Citric Acid Derivative and Collagen | 133 |
| <i>T. Taguchi, H. Saito, H. Kobayashi, K. Kataoka, J. Tanaka</i> | |
| Human Growth Factors in the Fibrinogen Complex Component of Fibrin Sealant Products | 134 |
| <i>C. Newton, C. Goodwin, S. Helgersson, R. Spaethe</i> | |
| <hr/> | |
| Biomaterial Surface Modifications - 3 | 021 - ORAL |
| <hr/> | |
| Surface Modification and Characterization of Nanoporous Alumina Films/Membranes for Biotemplating and Biofiltration Applications | 135 |
| <i>K.C. Popat, E.L. Swan, T.A. Desai</i> | |
| Self-Assembled Colloidal Nano-Arrays on Structured Surfaces for Biosensor Applications | 136 |
| <i>C. Huwiler, D. Falconnet, F. Assi, M. Textor</i> | |
| Surface Physico-Chemical Studies of Immobilised Oligonucleotides | 137 |
| <i>P.C.T. Nguyen, S. Kumar, M. DeNichilo, N. Voelcker, H.J. Griesser</i> | |
| Functionalized Surfaces for Bone Cell Adhesion | 138 |
| <i>P. Ducheyne, G.K. Toworfe, M.H. Lee, R.J. Composto, C.S. Adams, I.M. Shapiro</i> | |
| NTA (nitrilotriacetic acid)-Derivatized Poly(L-lysine)-g-poly(ethylene glycol): A Novel Polymeric Interface for Binding and Study of Histidine-Tagged Proteins | 139 |
| <i>G.L. Zhen, S. Zürcher, E. Zobeley, V. Egli, D. Falconnet, J. Vörös, P. Zammaretti, R. Glockshuber, M. Textor</i> | |
| ArF Laser Ablation of PEEK to Introduce Microtopography and Control Cell Interaction | 140 |
| <i>V.I. Corfield, H.V. Snelling, R.E. Cameron, S.M. Tavakoli, W. Bonfield</i> | |

Fluid Sorption Phenomenon in UHMWPE for Total Hip and Total Knee Replacements..... 141
K. Hyman, P. Williams, T. Asano, A. Braham, I. Clarke

Aging of Gamma-Air Irradiated UHMWPE Under Moderate and Intermittent Temperature Conditions 142
K. Greer, T. Matthews, M. Sharp, D. Warner

Distributions of Ultimate Properties for Conventional and Highly Crosslinked UHMWPE.. 143
S.M. Kurtz, J.S. Bergström, C.M. Rimnac

The Effect of Irradiation and Aging on UHMWPE: A Correlation Between Mechanical Properties and Oxidation 144
J. Wernle, J. Gilbert

Functional Biological Activity of Non-Crosslinked and Crosslinked UHMWPE Hip Joint Prostheses 145
A.L. Galvin, M.M. Endo, J.L. Tipper, E. Ingham, J. Fisher

Measurement of the Diffusion Coefficient of Oxygen in Gamma Sterilized UHMWPE Using Free Radical Techniques..... 146
J. Durant, M.S. Jahan, D.E. Thomas, M. Ridley

Human Bone Marrow Mesenchymal Stromal Cells as a Source of Chondrocytes for Tissue Engineering of the Human Intervertebral Disc 147
S. Richardson, C.L. le Maitre, A. Russell, J. Rice, J. Hunt, A.J. Freemont, J.A. Hoyland

Static and Fatigue Analysis of a Cervical Disc Prosthesis 148
J.P. Rouleau, R.L. Conta

Radiopaque Polymeric Spinal Cages 149
C.S.J. van Hooy-Corstjens, Y.B.J. Aldenhoff, L.H. Koole

Resorbable Polylactide Implants for Cervical Graft Containment in an Ovine Spinal Fusion Model 150
G.B. Cornwall, C.P. Ames, N.R. Crawford, R.H. Chamberlain, H.S. Seim, A.S. Turner

Advanced Design Strategies for Spinal Cord Injury Repair..... 151
M.S. Shoichet, T. Freier, M. MacSween, K. Moore, T. Yu

***in vitro* Evaluation of Porous Nitinol Corrosion Resistance** 152
J. Schrooten, M. Assad, M.A. Leroux, J. van Humbeeck

Poly(vinyl alcohol)-Amino Acid Hydrogels: Potential for Use as an Implantable Electrode Coating..... 153
E.R. Leber, M.S. Boeckl, B.D. Ratner

Comparison of 2D and 3D Bone Marrow Cell Growth on Alginate Hydrogels 154
L. Wang, J.E. Barralet, M. Lawson, J.T. Triffitt, P.C. Cooper, R.M. Shelton

Hydrogel Scaffolds with Immobilized bFGF: Effects on SMCs 155
S.D. DeLong, J.L. West

Preparation of Alginate/Poly-L-Arginine-Chitosan Complex Microcapsules 156
S.B. Wang, A.Z. Chen, Y.G. Liu, M.Y. Chen, F.H. Xu, L.J. Weng, M.F. Wang

A New Process for Cell Encapsulation: Thermal Gelation and Chemical Cross-Linking in 'Tandem' 157
F. Cellési, N. Tirelli, J.A. Hubbell

Thixotropic Gel Properties in the Osteoarthritis Treatment and for Cell Scaffolding 158
R. Barbucci, A. Magnani, S. Lamponi, G. Leone

Apatites - 1 025 - ORAL

Investigating the Resorptive Capacity of Si-TCP Bioceramic Using Atomic Force Microscopy 159
A. Pietak, D. Sindrey, M. Sayer

Intermediate Reactions in a Hydroxyapatite Alkoxide Precursor Solution..... 160
A. Milev, G.S.K. Kannangara, B. Ben-Nissan, M.A. Wilson

Effect of Concentration and Temperature on Hydroxyapatite Morphology 161
C. Kothapalli, M. Wei, A. Vasiliev, M.T. Shaw

Dissolution Behaviour of Sintered and Thermally Sprayed Hydroxyapatite and Fluoroapatite 162
L. Pullen, K.A. Gross

XRD and FT-IR Characterisation of Hydroxyapatite Sputtered Films on Titanium 163
R.A. Silva, M. Sousa, F.J. Monteiro, R. Barral, M.A. Lopes

NMR Studies on Substituted Apatites..... 164
L.M. Rodríguez-Lorenzo

Tissue Inducing Biomaterials - 1 026 - ORAL

Osteogenic and Chondrogenic Differentiation of Human Mesenchymal Stem Cells Incorporated into Polyelectrolyte Fibrous Scaffold 165
E.K.F. Yim, A. Wan, I. Liao, C. le Visage, K.W. Leong

in vivo Behaviour of Novel Biomaterial Scaffolds Made from Chitosan and Alginate and or Pectin..... 166
E. Damien, G.J. Phillips, S.T. Meikle, A.W. Lloyd, W. Rhys-Williams, P.A. Revell

Replacement of the Knee Meniscus by Biodegradable Porous Polymer Prostheses – A Study in Dogs..... 167
T.G. Tienen, R.G.J.H. Heijkants, J.H. de Groot, A.J. Schouten, R.P.H. Veth, P. Buma

Biomimetic Surfactant Polymers Containing Heparin Binding Peptides for Vascular Engineering..... 168
S. Sagnella, E. Anderson, R. Marchant, K. Kottke-Marchant

Effects of Selected Growth Factors on Monolayer Expansion of Adult Canine Articular Chondrocytes and Subsequent Growth in Type II Collagen-Glycosaminoglycan Matrices in vitro 169
R.M. Capito, M. Spector

Fabrication and Mechanical Characterization of Equiaxed Collagen-GAG Scaffolds..... 170
B.A. Harley, F.J. O'Brien, I.V. Yannas, L.J. Gibson

Anti-Bacterial Materials 027 - ORAL

A New Model of Implant Related Osteomyelitis in Rats 171
M. Lucke, B. Wildemann, S. Sadoni, M. Jasper, R. Schiller, N.P. Haas, M. Raschke, G. Schmidmaier

A Biocompatible Sol-Gel Derived Titania Coating for Medical Implants with Antibacterial Properties..... 172
H. Gollwitzer, F. Heidenau, F. Stenzel, M. Haenle, G. Ziegler, W. Mittelmeier

Novel Ciprofloxacin Releasing SR-PLGA Miniscrews 173
M. Veiranto, J. Tiainen, S. Niemelä, E. Suokas, I. Ikäheimo, M. Koskela, H. Syrjälä, N. Ashammakhi, P. Törmälä

A New and Innovative Topical Drug Formulation Improves Wound Epithelialization and Reduces Bacterial Count: A Phase III Study Analysing PVP-Liposome-Hydrogel 174
J. Hauser, O. Rossbach, P.M. Vogt, S.A. Esenwein, K. Reimer, H.H. Homann, U. Steinau

Conceptualizing Antibacterial Nitric Oxide Releasing Sol-Gels as Coatings for Orthopedics 175
B.J. Nablo, M.H. Schoenfisch

Antimicrobial Efficacy of a Chlorine Dioxide Generating Biomaterial in vitro and in vivo .. 176
S. Powis, S.K. Williams, E. Mueller, J. Kampa, S. Barenberg

| | |
|--|------------|
| Plenary 2 | 119 - ORAL |
| New Tools for Bioanalysis | 177 |
| <i>G.M. Whitesides</i> | |
| Micro/Nano Patterned Biomaterials for Tissue Engineering and Drug Delivery - 1 | 028 - ORAL |
| Tiny Devices and Living Cells | 178 |
| <i>M. Toner</i> | |
| A Novel Polymer Array for the Rapid Screening of Polymers | 179 |
| <i>P.S. Sit, J. Kohn</i> | |
| Biocompatibility, Biostability, and Functionality of a Drug Delivery Microchip | 180 |
| <i>S.P. Baldwin, J.M. Anderson, G. Voskerician, J.M. Maloney, S.A. Lipka, N.F. Sheppard, S.A. Uhland, C.M. Pelta</i> | |
| Characterizing Dynamic Immune Cell Activity After Stimulation on Nanofabricated Biomaterial Patterns | 181 |
| <i>R.N. Orth, T.G. Clark, H.G. Craighead, M.J.B.F. Flaminio</i> | |
| Tailoring the Architecture of Photopolymerized Porous pHEMA Scaffolds for Cardiac Tissue Engineering | 182 |
| <i>S.J. Bryant, A.J. Marshall, K.D. Hauch, B.D. Ratner</i> | |
| Two-Dimensional Multi-Array Formation of Hepatocyte Spheroids on a Micro-Fabricated PEG-Brush Surface | 183 |
| <i>H. Otsuka, T. Satomi, J. Itadani-Harada, Y. Nagasaki, Y. Horiike, K. Kataoka</i> | |
| Biomimetic Patterning with Controlled Ligand Density as Model Surfaces for Cell Studies | 184 |
| <i>D. Falconnet, D. Pasqui, F. Assi, A. Koenig, R. Barbucci, M. Textor</i> | |
| Controlled Release Systems for Drugs and Proteins - 1 | 029 - ORAL |
| Design of Degradable Polymers as Carriers for DDS in Birth Control | 185 |
| <i>Z.W. Gu</i> | |
| Controlled Delivery of Growth Factors from PEG/PLA Degradable Matrices and Heparin-PEG Affinity Hydrogels | 186 |
| <i>C.D. Brown, G. Tae, P.S. Stayton, A.S. Hoffman</i> | |
| Biodegradable Amphiphilic Graft Polymers for Drug Delivery | 187 |
| <i>S.X. Cheng, T. Peng, R.X. Zhuo</i> | |
| Injectable Amphiphilic Hydrogels Based on Degradable PLA-PEO-PLA Triblock Copolymers : The Need to Revisit PEO-Protein Interactions | 188 |
| <i>D. Domurado, M. Domurado, J.C. Gris, M. Vert</i> | |
| Controlled Release Systems Designed for Regenerative Medicine | 189 |
| <i>K.W. Leong, I.C. Liao, E. Yim, S. Lim, A. Wan, J. Wen, S.Y. Chew, K.N. Chua, S. Ramakrishna, H.Q. Mao</i> | |
| An Implantable Cyclosporine-Poly(Glycolide-Co-Lactide-Co-Caprolactone) Delivery System | 190 |
| <i>S.G. Wang, J.Z. Bei, Q. Cai, L.X. Xie, W.Y. Shi</i> | |
| PEG-SS-PPS: Disulfide Block Copolymers for Intracellular Drug Delivery | 191 |
| <i>S. Cerritelli, J.A. Hubbell</i> | |
| Acellular ECM-based Scaffolds for In Vivo Tissue Regeneration - 1 | 030 - ORAL |
| Applying Nature's Principles to the Development of Novel Extracellular Matrices | 192 |
| <i>J.M. Davidson</i> | |
| Synthetic Acellular ECMs for <i>in vivo</i> Bone Regeneration | 193 |
| <i>M.P. Lutolf, G.P. Raeber, F.E. Weber, H. Schmoekel, J.C. Schense, J.A. Hubbell</i> | |
| Gelatine – A Biomaterial for Tissue Engineering with Unique Properties | 194 |
| <i>M. Ahlers, B. Schlosshauer, K. Benz, R. Stoop</i> | |
| Acellular Bovine Pericardia Fixed with a Naturally Occurring Crosslinking Agent (Genipin) for Tissue Engineering Applications | 195 |
| <i>H.W. Sung, H.C. Liang, Y. Chang, S.C. Chen, P.H. Lai, C.M. Hsu</i> | |
| Enzyme Synthesis and Secretion by U937 (Macrophage-Like) Cells Seeded on Acellularized Bovine Pericardium | 196 |
| <i>M.A. Ariganello, L.A. Matheson, J.M. Lee</i> | |

| | |
|---|-------------------|
| Controlled Delivery of Neurotrophin-3 from Fibrin-Based Scaffolds Enhances Neural Fiber Sprouting in the Injured Spinal Cord..... | 197 |
| <i>S.J. Taylor, S.E. Sakiyama-Elbert</i> | |
| Evaluation of Naturally Derived Scaffolds for Vascular Tissue Engineering: The Role of Collagen, Fibrin and Small Intestinal Submucosa..... | 198 |
| <i>A.E. Ensley, J.M. Haller, R.M. Nerem</i> | |
| <hr/> | |
| Tissue Inducing Biomaterials - 2 | 031 - ORAL |
| <hr/> | |
| Biomimetic Biomaterial Scaffolds for Bone and Cartilage Regeneration..... | 199 |
| <i>A.H. Reddi</i> | |
| Osteogenic Effect of Bioactive Glass on Bone Marrow Cells: Biochemical, Chemical and Morphological Study..... | 200 |
| <i>S. Radin, G. Reilly, G. Bhargave, P.S. Leboy, P. Ducheyne</i> | |
| A Bone Regeneration Method Using Bone Powder..... | 201 |
| <i>M. Ogiso, M. Yamamura, S. Mineno, Y. Yamashita, T. Matsumoto</i> | |
| A 1-Year Study Osteoinduction in Hydroxyapatite Implants..... | 202 |
| <i>A.K. Gosain, L. Song, M.T. Amarante, P.G. Nagy, C.R. Wilson, J.M. Toth, L.C. Chow, J.L. Ricci</i> | |
| Relationship Between Materials' Specific Surface Area and Tissue Induction Potential..... | 203 |
| <i>S.H. Li, M.C. Kruyt, A.A. Driessen, K. de Groot, G.A. Kok</i> | |
| Influence of Sintering Temperature on the Properties of Calcium Phosphate Ceramics.... | 204 |
| <i>H. Yuan, J.D. de Bruijn, X. Zhang, C.A. van Blitterswijk, K. de Groot</i> | |
| Osteoinduction and Osteointegration of Novel Porous Ti6Al4V..... | 205 |
| <i>P. Habibovic, J.P. Li, K. de Groot</i> | |
| <hr/> | |
| Surface Engineering of Biodegradable Polymers - 1 | 032 - ORAL |
| <hr/> | |
| Surface Engineering of Biodegradable Polymers..... | 206 |
| <i>A. Göpferich, M. Breunig, A. Dennis, S. Drotleff, U. Lungwitz, T. Blunk</i> | |
| Supramolecular Approach to Controlled Degradation of Biodegradable Scaffolds..... | 207 |
| <i>T. Ooya, T. Furubayashi, W. Tachaboonyakiat, M. Katoh, T. Kurushima, N. Yui</i> | |
| New Bioresorbable Poly(ester amides) for Biomedical Applications..... | 208 |
| <i>D. Klee, J. Schillings, H. Hoecker</i> | |
| Biomacromolecules Electrostatic Self-Assembly on 3-Dimensional Tissue Engineering Scaffold..... | 209 |
| <i>J. Ji, H. Zhu, J. Shen</i> | |
| Surface Modification of PHBV for Bone Tissue Engineering..... | 210 |
| <i>I. Keen, L. Grøndahl, S. Cool, V. Nurcombe, M. Trau</i> | |
| Making a Clean Breast of it: The Plasma Modification of PLGA..... | 211 |
| <i>D.A. Steele, J.J. Cooper-White, A.J. O'Connor, G.W. Stevens</i> | |
| Surface Modification of Biodegradable Poly(α-hydroxy acids) Scaffolds for Tissue Engineering..... | 212 |
| <i>X.H. Liu, Y.J. Won, P.X. Ma</i> | |
| <hr/> | |
| Animal Models for Orthopaedic Research - Practical Issues | 033 - ORAL |
| <hr/> | |
| Selecting Animal Models for Orthopaedic Research..... | 213 |
| <i>S.P. Arnoczky</i> | |
| Animal Models in Spine Surgery..... | 214 |
| <i>M.J. Allen</i> | |
| Choosing a Bone Healing Model for Evaluating Bone Graft Substitutes..... | 215 |
| <i>R.D. Welch, H. Zhang, D.G. Bronson, W.A. Pierce, D.J. Sucato</i> | |
| Considerations in Bone Defect Animal Models..... | 216 |
| <i>W.R. Walsh, Y. Yu, P. Stephens, J.B. Chen, E. Dona, B. Neichoda, P. Walsh, M. Deakin, D. Stubbs, D. Hartright, A. Butler, R.M. Gillies, W.J.M. Bruce</i> | |
| Strategies for Hip Arthroplasty and Meniscal Defect Modeling..... | 217 |
| <i>J.R. Field</i> | |
| The Goat as a Large Animal Model for Articular Cartilage Repair..... | 218 |
| <i>H.M. Aberman</i> | |
| Evaluation of Musculoskeletal Tissues from Animal Models..... | 219 |
| <i>D.L. Wheeler, J.M. MacLeay</i> | |

Ceramic Hip Arthroplasty - clinical and technical expectations - 1 034 - ORAL

Long Term Datas Concerning the Use of Alumina on Alumina Bearings in Total Hip Replacements..... 220
L. Sedel, D. Hannouche, M. Hamadouche, P. Bizot, R. Nizard

The Local Experience with Ceramics 221
W.L. Walter

Clinical and Laboratory Perspectives on All-Ceramic THR..... 222
I.C. Clarke, T. Tateiwa, M. Manaka, T. Shishido, G.A. Gustafson

Wear, Debris and Functional Biocompatibility of Third and Fourth Generation Ceramic on Ceramic Bearing Couples 223
J. Fisher, T.D. Stewart, J.L. Tipper, A. Hatton, E. Ingham

Wear Analysis of Retrieved Ceramic on Ceramic Articulations in Total Hip Arthroplasty. ~ Femoral Head Conflicts with the Rim of the Socket. ~ 224
T. Yamamoto, M. Saito, T. Hananouchi, K. Yonenobu, M. Ueno, Y. Tokugawa

Surface Analysis of Explanted Alumina-Alumina Bearings..... 225
R.M. Streicher, G.M. Insley, W.K. Walter, W.L. Walter

Migration Pattern of Press-Fit Cups with Alumina and Polyethylene Liner. A Randomized Clinical Trial Using Radiostereoisotopes..... 226
R.P. Pitto, S. Faraj, R. Orec

Haemocompatibility of Biomaterials - 1 035 - ORAL

Blood-Material Interactions of Polyurethanes..... 227
S. Cooper

Procoagulant Phenotype of Endothelial Cells After Co-Culture with Biomaterial-Treated Whole Blood 228
S.L. Rose, J.E. Babensee

Prediction of Device-Induced Thrombosis and Thromboembolism..... 229
K.A. Solen, P.D. Goodman, S.F. Mohammad

Alternatively Spliced Human Tissue Factor (asHTF) Propagates Thrombosis on Biomaterials 230
S. Zawaski, A. Chandiwai, V. Balasubramanian

in vivo Biocompatibility Evaluation of Surface Modifications to Rotary Ventricular Assist Devices..... 231
T. Snyder, S. Kihara, H. Tsukui, W. Wagner

The Role of Platelets in the Development of Intimal Thickening After Bypass Grafting with Prosthetic Grafts 232
G.J. Pennings, J.P. Fletcher, H.J. Medbury

Total Plasma Protein Repellency of Glow Discharge Deposited Tetraglyme Measured with Surface Plasmon Resonance: Ultralow Protein Adsorption Surfaces for Improved Hemocompatibility..... 233
L. Cao, C.Y. Lee, D.G. Castner, B.D. Ratner, T.A. Horbett

Apatites - 2 036 - ORAL

Surface Modifications of Nanocrystalline Apatites by Ion Exchange in Solution 234
S. Cazalbou, D. Eichert, C. Combes, C. Rey

Unfolding the Pore Characteristics of Coralline Implants for Ocular and Orthopaedic Applications 235
K.A. Gross, C.H. Arns, A. Sakellariou, T.J. Senden, M.A. Knackstedt

Fabrication of Carbonate Apatite Monolith from Calcium Carbonate with Ammonium Hydrogen Phosphate Treatment 236
K. Ishikawa, S. Matsuya, X. Lin, K. Udoh, M. Nakagawa, Y. Terada

Morphology Development of Apatitic Phases in Gelatin Matrix at 37°C..... 237
M.C. Chang, C.C. Ko, W.H. Douglas

An *ab initio* Investigation of the Monoclinic to Hexagonal Phase Transition in Hydroxyapatite..... 238
D. Haverty, S.A.M. Tofail, K.T. Stanton

| | |
|--|-----|
| <i>in vitro</i> Enhanced Bioactivity Transmitted Through Adsorbed Proteins from Electrical Charges Induced Surfaces of Polarized Hydroxyapatite Ceramics..... | 239 |
| <i>M. Nakamura, Y. Sekijima, T. Kobayashi, S. Nakamura, K. Yamashita</i> | |
| Spark Plasma Sintering (SPS) of Nanostructured Hydroxyapatite and Flame-Modified Hydroxyapatite..... | 240 |
| <i>K.A. Khor, L.G. Yu, J.L. Xu, H. Li, P. Cheang</i> | |
| Development of Biomimetic Nano-Apatite Crystals..... | 241 |
| <i>J. Wei, Y. Li</i> | |

| | |
|---------------------------------------|------------|
| Micro/Nano Patterned Biomaterials - 2 | 037 - ORAL |
|---------------------------------------|------------|

| | |
|--|-----|
| A New Co-Culture System Using a Biodegradable Polymer Sheet Patterned by Ion Beam Irradiation | 242 |
| <i>A. Yamamoto, T. Yotoriyama, Y. Kohyama, Y. Suzuki, M. Iwaki, T. Hanawa</i> | |
| Cellular Imprinting Method for Fabrication of Cell-Actuated 3D Microstructures Using Cultured Cardiomyocytes | 243 |
| <i>K. Morishima, Y. Tanaka, M. Ebara, T. Shimizu, M. Yamato, A. Kikuchi, T. Okano, T. Kitamori</i> | |
| Comparison of the Morphology and Mechanical Properties of Vascular Endothelial Cells Cultured on Microengineered Surfaces and from Fresh Artery | 244 |
| <i>A.W. Feinberg, J.F. Schumacher, A.B. Brennan</i> | |
| Cultivation of Blood-Derived Cells on Cytokine-Immobilized Surface..... | 245 |
| <i>Y. Ito</i> | |
| Increased Cell Functionalities with Patterned Co-Cultures Utilizing Dual Thermo-Responsive Polymer Grafted Surfaces..... | 246 |
| <i>Y. Tsuda, A. Kikuchi, A. Nakao, M. Yamato, Y. Sakurai, M. Umezue, T. Okano</i> | |
| Microtextured Three-Dimensional Tissue Scaffolds..... | 247 |
| <i>J.J. Norman, T.A. Desai</i> | |
| Synthetic Plankton Shells for Delivery of Human Genes and Growth Factors in Skeletal Tissue Engineering..... | 248 |
| <i>D.W. Green, D. Walsh, X.B. Yang, K.A. Partridge, S. Mann, R.O.C. Oreffo</i> | |
| Vascular Tissue Engineering: Effect of Scaffold Microtopography on Vascular Smooth Muscle Cell Response..... | 249 |
| <i>S. Sarkar, P. Rourke, T.A. Desai, J.Y. Wong</i> | |

| | |
|--------------------------------|------------|
| Controlled Release Systems - 2 | 038 - ORAL |
|--------------------------------|------------|

| | |
|--|-----|
| Poly(ethylene glycol)-Based Copolymers for Local Delivery of Nitric Oxide..... | 250 |
| <i>L.J. Taite, E.A. Lipke, J.L. West</i> | |
| Inhibition of Leukocyte Accumulation, Adhesion and Fibrous Capsule Thickness by a Corticosteroid-Eluting Polymer | 251 |
| <i>P. Thomsen, A. Johansson, J. Eckerdal, S. Nilsson, M. Esposito</i> | |
| Polymer Hydrogels and Degradable Polymers Based on Bile Acids as Controlled Release Systems | 252 |
| <i>X.X. Zhu, G. Giguère, M. Nichifor, Y.H. Zhang, H.Y. Liu, S. Gouin, D. Avocce, A. Benrebouh, J.K. Denike</i> | |
| Novel Block-Type Phospholipid Polymers with Spontaneous Gelation Properties for Making <i>in situ</i> Setting Drug Reservoir..... | 253 |
| <i>M. Kimura, K. Fukumoto, J. Watanabe, M. Takai, K. Ishihara</i> | |
| Polyelectrolyte Effect on Controlled Release of Drugs from pH and Temperature-Sensitive Copolymeric Hydrogel Systems..... | 254 |
| <i>Y.K. Sung, J.E. Choo, M.K. Yoo, C.S. Cho</i> | |
| Extended Release of Growth Factor from Thermosensitive Copolymer Hydrogels | 255 |
| <i>J.H. Choi, Y.A. Han, B.C. Ji, J.O. Lim</i> | |
| Modulating Peptide Release Kinetics from a Photocrosslinked Degradable Elastomer..... | 256 |
| <i>B. Amsden, G. Misra</i> | |
| Concurrent Drug Diffusion and Polymer Breakdown in Bioabsorbable Drug Eluting Stent Coating..... | 257 |
| <i>S. Prabhu, S. Hossainy</i> | |

Enhancing Mechanical Properties of Tissue Engineered Constructs through Increased Crosslinking of Extracellular Matrix Proteins..... 258
I. Lau, B. Starcher, J.L. West

Recombinant Human Gelatin Fragments of Defined Molecular Weight and Charge for Use as Biomaterials 259
D. Olsen, R. Chang, K. Williams, S. Almeda, S. Leigh, R. Lundgard, F. Buschman, J. Polarek

Tissue Response of Collagen-Elastin Scaffolds in Young and Adult Rats with Focus on Calcification 260
W.F. Daamen, S.T.M. Nillesen, T. Hafmans, J.H. Veerkamp, M.J.A. van Luyn, T.H. van Kuppevelt

A Collagen-GAG Implant for Dura Mater Tissue Engineering in a Canine Model 261
H.P. Hsu, Y.M. Fan, S.Q. Yu, J.Z. Zhao, X.G. Tong, I.V. Yannas, M. Spector

Fibronectin-Mediated Growth Factor Tethering 262
J. Hart, L.J. Suggs

Phenotypic Expression and Contractile Function of Smooth Muscle Cells Seeded on Bladder Acellular Matrix..... 263
A.L. Brown, B.S. Elkin, J.A. Werkmeister, J.A.M. Ramshaw, K.A. Woodhouse

Novel Nanoscale Biodynamic Substrates for Engineering Cell Motility..... 264
R.I. Sharma, M. Pereira, J. Kohn, J. Schwarzbauer, P.V. Moghe

Tissue Engineering of Pericardium: Development and Characterisation of an Acellular Human Pericardial Matrix 265
S. Mirsadraee, H.E. Wilcox, S.A. Korossis, J.N. Kearney, K.G. Watterson, J. Fisher, E. Ingham

The Further Studies of Biomaterial Osteoinduction and the Mechanism..... 266
X.D. Zhang

Repair of a Critical Size Bone Defect in Goat with an Osteoinductive Calcium Phosphate Ceramic 267
H. Yuan, M. Kruyt, M. van den Doel, C.A. van Blitterswijk, K. de Groot, J.D. de Bruijn

The Preparation of Porous Hydroxyapatite from Cuttlebone for Bone Tissue-Engineering 268
F. Chen, K. Tao, T. Mao, D.W. Hutmacher, H.W. Ouyang, S.H. Teoh

Surface Bone-Like Apatite Characteristic and the Osteoinduction of Calcium Phosphate Ceramics 269
H.S. Fan, W.W. Lu, J.C.Y. Cheng, J.Q. Cheng, J.C.Y. Leong, X.D. Zhang

Immunolocalization of Collagen Type I, BSP and BMPs in Ca/P Induced Osteogenesis 270
S.X. Qu, X. Guo, J.C.Y. Cheng, H.Y. Yeung, J. Weng, B. Feng, X.D. Zhang

***in vivo* Bone Formation Using Three-Dimensional Scaffold Developed from Single-Crystal Apatite Fibres**..... 271
H. Morisue, M. Matsumoto, H. Matsumoto, Y. Toyama, M. Aizawa, H. Uchida, I. Okada, T. Fujimi, N. Kanzawa

Osteogenic Potential of Demineralised Bone Matrix in Human Bone Derived Cell Culture 272
M. Lewandowska-Szumiel, G. Benke

Macroporous Calcium Phosphate Glass Ceramic Scaffold for Bone Regeneration..... 273
M. Navarro, S. del Valle, M.P. Ginebra, S. Martínez, S. Zeppetelli, L. Ambrosio, J.A. Planell

Calcium Sulfate Paste Increased Bone Ingrowth into Hip Replacement Femoral Stems..... 274
T.M. Turner, R.M. Urban, M.J. Tomlinson, D.J. Hall, S.I. Infanger, K. Richelsoph

Fabrication of Porous Calcium Phosphate Bioceramics as Synthetic Cortical Bone Graft... 275
Y.H. Hsu, I.G. Turner, A.W. Miles

Bone Integration of an Injectable Calcium Phosphate Based Bone Substitute..... 276
J.S. Wang, M.H. Zheng, I. McCarthy, L. Lidgren

Influence of Sintering Temperature on the Osteoinductive Behaviour of Calcium Phosphate Ceramics 277
P. Habibovic, H. Yuan, K. de Groot

Goat Bone Tissue Engineering: The Effect of Implant Location 278
S.M. van Gaalen, W.J.A. Dhert, M.C. Kruyt, H. Yuan, F.C. Oner, C.A. van Blitterswijk, A.J. Verbout, J.D. de Bruijn

| | |
|--|------------|
| Dissolution Behaviour of Two Types of Calcium Sulphate Bone Graft Substitute Materials | 279 |
| <i>J.P. Moseley, L.C. Miller, M. Carroll, S. Bible, K.C. Richelsoph</i> | |
| Preparation and <i>in vitro</i> Bioactivity of Akermanite Ceramics | 280 |
| <i>J. Chang, C. Wu</i> | |
| <hr/> | |
| Nanometer Scale Biomaterials Interfaces - 1 | 042 - ORAL |
| <hr/> | |
| Immobilization and Detection of Functionalized Nanocontainers on Patterned Surfaces | 281 |
| <i>F.F. Rossetti, I. Reviakine, F. Assi, G. Csucs, J. Vörös, M. Textor</i> | |
| Investigation on Structure and Properties of the Sol-Gel Derived Bioactive Glasses in the System CaO-P₂O₅-SiO₂ | 282 |
| <i>X.F. Chen, Y.J. Wang, N.R. Zhao, J.D. Ye, Y.D. Zheng, G. Wu, C.Y. Ning, Y.X. Yang</i> | |
| Synthesis of Nanoscale Materials for Neural Prostheses and Electrophysiological Imaging | 283 |
| <i>L.M. Dell'Acqua-Bellavitis, J.D. Ballard, P.M. Ajayan, R. Bizios, R.W. Siegel</i> | |
| Increased Neurite Extension for Neurons Cultured on Carbon Nanofiber Compacts | 284 |
| <i>J.L. McKenzie, R. Shi, T.J. Webster</i> | |
| Biologic Effects Induced by Micro/Nano Particles <i>in vivo</i> and <i>in vitro</i> Study | 285 |
| <i>T. Kazuchika, T. Noriyuki, U. Motohiro, A. Tsukasa, I. Roscca, T. Yasunori, T. Kazuyuki, W. Fumio</i> | |
| Effect of Surface Properties on the Formation of Surface-Bound Fibrin | 286 |
| <i>K.M. Evans, M.H. Schoenfish</i> | |
| SPARC Binding with ECM Proteins and its Influence on Cell Adhesion | 287 |
| <i>H. Wang, S. Chen, T. Barker, H. Sage, B. Ratner, S. Jiang</i> | |
| Observation of Nano-Interface Between a Cell and Material at Cell Detachment | 288 |
| <i>A. Yamamoto, Y. Kohyama, T. Hanawa</i> | |
| <hr/> | |
| Biomaterials in Plastic and Reconstructive Surgery - 1 | 043 - ORAL |
| <hr/> | |
| Alloplastic Materials In Plastic Surgery | 289 |
| <i>V.L. Young</i> | |
| Clinical Results Using a Faster Resorbing Polymer for Pediatric Craniomaxillofacial Applications | 290 |
| <i>K.A. Thomas, G.B. Cornwall, A.J. McManus, R.C. Moser, T.M. Lehman, S.R. Cohen, R.E. Holmes</i> | |
| Novel Phosphate Glasses for Maxillo-Facial Tissue Repair Applications | 291 |
| <i>L.D. Burling, C.A. Scotchford, G.S. Walker</i> | |
| FDA Perspective on the Regulation of Biomaterials in Plastic and Reconstructive Surgery Devices | 292 |
| <i>S.P. Rhodes</i> | |
| Retrieval and Analysis of Plastic Surgery Devices | 293 |
| <i>H.J. Brandon, K.L. Jerina, C.J. Wolf, V.L. Young, A. Robert</i> | |
| Tempostatin (Halofuginone) Inhibits Collagen Deposition in Fibrous Capsules | 294 |
| <i>K.C. Olbrich, R.A. Meade, W. Bruno, B.M. Sundin, L. Heller, D. Erdmann, L.S. Levin, B. Klitzman</i> | |
| Porous Polyurethane Elastomer Auricle Framework for Macrotia Reconstruction by Freeform Fabrication Method | 295 |
| <i>F. Lin, T. Shi, R. Zhang, Y. Yan, J. Luan</i> | |
| <hr/> | |
| Haemocompatibility of Biomaterials - 2 | 044 - ORAL |
| <hr/> | |
| Device-Associated Thrombosis: Mechanism and Prevention | 296 |
| <i>S.F. Mohammad, K.A. Solen</i> | |
| Haemocompatibility of Polymer Surfaces Functionalized with Amidine-Type Thrombin Inhibitors | 297 |
| <i>M.F. Gouzy, C. Sperling, K. Salchert, U. Streller, B. Voit, C. Werner</i> | |
| Adsorption of Plasma Proteins to a Platelet Resistant Polyphosphazene (Polyzene-F) | 298 |
| <i>J.L. Brash, R.M. Cornelius, R. Denk, M. Grunze</i> | |
| Biological Mapping of Fluorinated Surface Modifier Function on a Polyetherurethane | 299 |
| <i>T.M. Massa, J.L. Brash, J.P. Santerre</i> | |
| The Effect of Polyurethane Surface Chemistry on Fibrinogen Adsorption, Monoclonal Antibody Binding, and Platelet Adhesion | 300 |
| <i>Y. Wu, F.I. Simonovsky, K.C. Brownlow, B.D. Ratner, T.A. Horbett</i> | |
| Surface-Modified Polysulfone Hollow Fibers with Hydrophilic Group Having Improved Haemocompatibility | 301 |
| <i>A. Higuchi, H. Hashiba, K. Shirano, R. Hayashi, B.O. Yoon</i> | |

| | |
|---|------------|
| Blood Compatibility of Cell Mimetic Surface Coatings | 302 |
| <i>K. Kaladhar, C.P. Sharma</i> | |
| Short Time Evaluation of Blood Compatibility Using Micro Channel Array | 303 |
| <i>K. Kurotobi, A. Yamamoto, A. Kikuta, T. Hanawa</i> | |
| <hr/> | |
| Calcium Phosphate Thin Coatings - 1 | 045 - ORAL |
| <hr/> | |
| Thin Calcium Phosphate Coatings for Medical and Oral Implants | 304 |
| <i>J.A. Jansen, J.C.G. Wolke, P. ter Brugge, B. Feddes, A.M. Vredenberg, E. van der Wal</i> | |
| Thin Coating of Nano-Scaled Hydroxyapatite Crystals on Polymer Fibres Through Covalent Linkage for Development of a Biocompatible Material for Soft Tissue | 305 |
| <i>T. Furuzono, S. Yasuda, A. Korematsu, J. Tanaka, A. Kishida</i> | |
| Calcium Phosphate Thin Coatings Created by Ion Beam Dynamic Mixing Method and Bisphosphonate-Immobilization | 306 |
| <i>M. Yoshinari, T. Hayakawa, K. Matsuzaka, T. Inoue, Y. Oda, M. Shimono</i> | |
| A Novel Way of Producing Silicon-Substituted Hydroxyapatite (Si-HA) Thin Films | 307 |
| <i>E.S. Thian, J. Huang, S.M. Best, Z.H. Barber, W. Bonfield</i> | |
| Thin Film Coating onto Titanium Using PVD and CVD Technique | 308 |
| <i>T. Hayakawa, M. Yoshinari, J.A. Jansen</i> | |
| Thin Biomimetic Hydroxyapatite and Mineralised Collagen Coatings Prepared by Electrochemical Assisted Deposition | 309 |
| <i>A. Sewing, S. Roessler, D. Scharnweber, B. Nies, H. Worch</i> | |
| <i>in-vitro</i> and <i>in-vivo</i> Evaluation of Thin Calcium Phosphate Coatings Produced by Pulsed Laser Deposition | 310 |
| <i>J.L. Arias, C. Péraire, A. Arañó, J. Pou, B. León</i> | |
| <hr/> | |
| Thermo Responsive Polymers | 046 - ORAL |
| <hr/> | |
| Thermoresponsive Polymers as Molecular Switches | 311 |
| <i>A.S. Hoffman, P.S. Stayton, N. Malmstadt, Z. Ding</i> | |
| Cell Separation with a Poly(N-isopropylacrylamide)-Graft-Polypropylene Membrane | 312 |
| <i>A. Okamura, M. Itayagoshi, M. Yamaguchi, T. Kanamori, T. Shinbo, P.C. Wang</i> | |
| Cell Detachment from Thermoresponsive Polymeric Substrates as a Function of Polymer Composition and Crosslinking | 313 |
| <i>Y. Rochev, A. Gorelov, T. Golubeva, I. Selezneva, B. Gavriluyk</i> | |
| Reversible Entrapment of Enzymes by Responsive Polymer Hydrogels | 314 |
| <i>R.V. Ulijn, A. Basso, S.L. Flitsch, G. McConnell, P.J. Halling</i> | |
| Endothelial Cell Marker Gene Expression on Double-Layered Co-Culture Utilizing Thermo-Responsive Culture Dish | 315 |
| <i>Y. Shirai, Y. Kurosawa, T. Okano, A. Taniguchi</i> | |
| <hr/> | |
| New Biomaterials - The Composite Approach - 3 | 047 - ORAL |
| <hr/> | |
| <i>in-situ</i> Formation of Nano-Dispersed Hydroxyapatite in Poly(propylene Fumarate) Matrix | 316 |
| <i>D. Hakimi, D.M. Liu, R. Wang, D. Gates, T. Troczynski</i> | |
| Interpenetrating Bioceramic Composites with Calcium Phosphate Cement as a Filler | 317 |
| <i>X. Miao, Y. Hu, J. Liu, Y. Chen</i> | |
| Calcium Sulfate/PLLA Composites for Bone Regeneration | 318 |
| <i>S. Mamidwar, J. Manocchio, E. Friedman, J. Simon, J.L. Ricci, H. Alexander</i> | |
| A Novel Method for Fabrication of Polymer/Ceramic Composites for Bone Tissue Engineering | 319 |
| <i>Y. Jung, S.H. Kim, H.J. You, Y.H. Kim</i> | |
| Apatite-Polymer Composites for the Controlled Delivery of BMP-2 in Bone Tissue Engineering | 320 |
| <i>T.H. Yong, E.A. Hager, J.Y. Ying</i> | |
| Development of Hydroxyapatite Integrated Polyelectrolyte Complexes for Bone Regeneration | 321 |
| <i>G.S. Sailaja, P. Ramesh, T.V. Kumary, H.K. Varma</i> | |

Bone Graft Substitutes - 2 (Non Ceramic) 048 - ORAL

An *in vivo* Screening Model for the Parallel Assessment of Multiple Parameters on Orthotopic Bone Formation 322
C.E. Wilson, M.C. Kruyt, J.D. de Bruijn, C.A. van Blitterswijk, A.J. Verbout, W.J.A. Dhert

Mechanical and Histological Analysis of a Bone Graft Extender During Remodelling in a Defect 323
K.L. Phipps, A. Goodship, G. Blunn

New Zealand Cancellous Bovine Bone Xenomplants: Radiography and Histomorphometry Data from Clinical Studies in Sheep and Dogs 324
A.J. Worth, M.R. Mucalo, J.G. Horne, H.M. Burbidge

Biomimetic Coatings Incorporating Bisphosphonates Aiming to Inhibit Bone Resorption... 325
A.L. Oliveira, M.I. Santos, O.P. Coutinho, R.L. Reis

Femoral Condylar Defect Model in Mice 326
J. Gan, Y. Yu, J.B. Chen, R.M. Gillies, W.R. Walsh

Affect of Particle Size and Grading During the Remodelling of Morsellised Allograft 327
K.L. Phipps, B. Mammood, A. Goodship, G. Blunn

Regenerative Medicine - 1 049 - ORAL

Runx2-Stimulated Transdifferentiation of Primary Skeletal Myoblasts into an Osteoblastic Mineralizing Phenotype for Bone Tissue Engineering..... 328
C.A. Gersbach, B.A. Byers, R.E. Guldberg, G.K. Pavlath, A.J. Garcia

Towards Customised Tissue Engineered Implants for Reconstruction of Small Articular Joints..... 329
T. Woodfield, V. Wedler, M. Schneller, J. Riesle, C.A. van Blitterswijk

Photo-Crosslinkable Microcapsules Formed by Polyelectrolyte Copolymer and Modified Collagen for Rat Hepatocyte Encapsulation..... 330
C.H. Quek, J. Li, T. Sun, M.L.H. Chan, H.Q. Mao, L.M. Gan, K.W. Leong, H. Yu

***in vitro* Degradation of Poly(Propylene Fumarate)-Based Controlled Release Scaffolds**..... 331
E.L. Hedberg, C.K. Shih, M.D. Timmer, J.J. Lemoine, M.A.K. Liebschner, J.A. Jansen, A.G. Mikos

Effects of Fibrin Gel Formulation on Mesenchymal Stem Cell Proliferation and Differentiation..... 332
I. Catelas, N. Sese, S. Helgerson, B. Tawil

Preliminary *in vivo* Evaluation of a Polymeric Adhesive for Meniscal Defect Repair 333
J.R. Field, T. Gunathilak, R. Adhikari, J. Werkmeister, J. Ramshaw

Biomaterials in Plastic and Reconstructive Surgery - 2 050 - ORAL

Preserved Internal Elastic Lamina-Rich Tissue Grafts as Interpositional Temporomandibular Disc Implants..... 334
R.E. Baier, R.W. Bessette, J.R. Natiella, B. Venkatachalam, A.E. Meyer

Degenerative Mineralization in the Fibrous Capsulae of Silicone Breast Implants 335
A.P. Legrand, S.T. Pavlov, G. Marinov, M.F. Guidoin, R. Famery, B. Bresson, R. Guidoin

Bioartificial Fibromuscular Tissue for Reconstructive Airway Surgery 336
T. Walles, C. Biancosino, R. Lorenz, P. Macchiarini, H. Mertsching

***in-vivo* Degradation of Polycarbonate-Urethane with and without Contact to an Abscess**... 337
U. Trommsdorff, D. Zurbrugg, T.M. Stoll

Cytotoxicity of Polyarylamide Hydrogel..... 338
Y. Fang, Z.Y. Wan, H.Y. Cao, T.F. Xi

Polymethylmethacrylate (PMMA) Particles Induce Apoptotic Cell Death, iNOs Expression and Nitrite Production in Human Articular Chondrocytes 339
T. Al-Talib, A. Au, A. Polotsky, D.S. Hungerford, L. Lindmark, C.G. Frondoza

| | |
|---|-----|
| Comparison of Free-Radical Induced Oxidation of Highly Crosslinked and Conventional UHMWPE | 340 |
| <i>M.D. Ridley, M.S. Jahan, J. Durant, D. Thomas</i> | |
| A Study of the Mechanism of UHMWPE Particle Generation with Microfabricated Surface Features: <i>in situ</i> Observation of Single-Tip Sliding Tests | 341 |
| <i>H.W. Fang, S.M. Hsu, J.V. Sengers</i> | |
| Effects of Lipids and Proteins on Wear of Prosthetic Hip Joint Materials | 342 |
| <i>Y. Sawae, T. Murakami, T. Sawano</i> | |
| Effect of Cross-Path Motion on the Wear of UHMWPE Against Smooth and Rough Counterfaces | 343 |
| <i>M. Turell, A. Bellare, A. Wang, G.E. Friedlaender, T.S. Thornhill</i> | |
| Cleaning Endotoxin from Conventional and Cross-Linked Polyethylene | 344 |
| <i>C.F. Alley, K.K. Widding, V. Good, R.A. Smith</i> | |
| Nanometre Sized Polyethylene Wear Debris in Hip and Knee Prostheses | 345 |
| <i>A.L. Galvin, J.L. Tipper, H.M.J. McEwen, S. Williams, M.H. Stone, E. Ingham, J. Fisher</i> | |

Hydrogels and Hydrocolloids - 4

052 - ORAL

| | |
|--|-----|
| PLA/Chitosan Composite Tri-Dimensional Porous Scaffold Materials Prepared by Supercritical CO₂ Fluid Technique | 346 |
| <i>R. Zhang, L.H. Li, C.R. Zhou</i> | |
| Morphology and Metabolism of Ba-Alginate Encapsulated Hepatocytes with Galactosylated Poly(allyl amine) and Poly(vinyl alcohol) as Extracellular Matrices | 347 |
| <i>I.K. Kang, J.S. Moon, M.W. Huh, H.S. Lim, J.S. Bae</i> | |
| Alginate Microspheres for the Production of Polymeric “Bioactive” Scaffolds | 348 |
| <i>L. Lazzeri, M.G. Cascone, L.P. Serino, S. Danti, P. Giusti</i> | |
| A Novel Chitosan Dressing. Hemostatic Efficacy in Acute Swine Injury Models: Splenic Stripping Compared to Carotid Laceration | 349 |
| <i>S.J. McCarthy, J. Teach, L. Buckley, R.Q. Qian, L. Gibson, L. Lucchesi, T. Goodell, K.W. Gregory</i> | |
| Peripheral Nerve Regeneration Using Alginate Gel | 350 |
| <i>T. Hashimoto, Y. Suzuki, K. Suzuki, T. Nakashima, C. Ide, M. Tanihara</i> | |
| Recombinant Protein-co-PEG Hydrogels as Synthetic Extracellular Matrices for Tissue Regeneration | 351 |
| <i>S.C. Rizzi, S. Halstenberg, H.G. Schmökel, F.E. Weber, J.A. Hubbell</i> | |

Controlled Release Systems - 3

053 - ORAL

| | |
|---|-----|
| Differential Delivery of Liposomal Doxorubicin to Cells via the Folate Receptor <i>in vitro</i> .. | 352 |
| <i>J.M. Saul, A. Annapragada, J.V. Natarajan, R.V. Bellamkonda</i> | |
| Amphiphilic, PEG-Based Nanoparticles for the Delivery of Hydrophobic Drugs | 353 |
| <i>D. Missirlis, N. Tirelli, J.A. Hubbell</i> | |
| Acetal-PEG-b-Polyamine Stabilized Porous Nanosphere for a New Drug Carrier | 354 |
| <i>Y. Nagasaki, Y. Yamada, T. Takahashi, K. Kataoka</i> | |
| Novel Platelet Concentrate Preparation System for Autologous Growth Factor Delivery to Augment Wound Healing | 355 |
| <i>S. Sukavaneshvar, Y. Zheng, S.F. Mohammad</i> | |
| Albumin-DNA Mesosphere Synthesis and Characterization for Local Delivery of Chemotherapy Agents | 356 |
| <i>A.M. York, J.B. Stopek, I.V. Enriquez, P.J. Martin, E.P. Goldberg</i> | |
| Dual Release of VEGF and Dexamethasone from Microspheres Incorporated in Anti-Fouling Hydrogels | 357 |
| <i>L.W. Norton, E. Tegnell, W.M. Reichert</i> | |

Calcium Phosphate Thin Coatings - 2 054 - ORAL

Long-Term Cortical and Trabecular Bone Response to Thin Hydroxyapatite Coated Titanium Implants 358
S. Mohammadi, M. Esposito, L. Emanuelsson, P. Thomsen

TGF- β 1 Accelerates Bone Growth into Porous TCP-Coated PBT Scaffolds 359
J.A. Szivek, B.K. Garrison, E. Nelson, D. Margolis, D.W. DeYoung, R.K. Vaidyanathan

Nanoporous Calcium Phosphate Thin Coatings for Stents 360
A. Rajtar, M. Lien, D. Smith, D. Hakimi, M. Keshmiri, Q. Yang, B. Hyun, M. Tsui, T. Troczynski

***in vitro* Bioactive Calciumphosphate Nanofiber Coating on Polysaccharide Templates**..... 361
P. Greil, L. Jonasova, F. Müller, P. Cromme, C. Zollfrank

Osteocompatibility of HA Coated Implant by Sputtering in Mandible Bone 362
K. Ozeki, H. Aoki, Y. Fukui

Biocompatible Bone Scaffolds with Calcium Phosphate Ceramic and Glass Coatings 363
H.W. Kim, J.C. Knowles, H.E. Kim

Plenary 3 120 - ORAL

The Heart, from Biology to Engineering..... 364
Sir M. Yacoub

Biomaterial Surface Characterization - 1 055 - ORAL

Past Surface Characterization and Future Surface Characterization for Biomaterials 365
B.D. Ratner

***in vitro* Degradation Behaviour of Bioglass-Filled Polylactide Foams: Surface, Thermal and Mechanical Analysis** 366
J.J. Blaker, A. Bismarck, S.N. Nazhat, V. Maquet, J. Lim, A.R. Boccaccini

Insight into Accelerated Degradation of Polymers: Surface Specific Analysis of Strained Polyurethane Materials 367
K.R. McCrea, R.S. Ward, Y. Tian, M. Ebert, G.A. Somorjai

Nano-DMA for Characterization of Viscoelastic Polymers and Biomaterials 368
D.M. Ebenstein, J. Fischer, C. Li, C. Puttlitz, L. Pruitt

Surface Chemistry Modulates Integrin Binding to Direct Cell Adhesion and Function..... 369
B.G. Keselowsky, A.J. Garcia

Foetal Rat Fibroblast Adhesion on Biostructured Polyvinylidene Fluoride Surfaces..... 370
J. Salber, Z. Ademovic, D. Klee, B. Hafemann, N. Pallua, H. Hoecker

3-D Atomic Resolution Characterization of Biomaterials with the Local Electrode Atom Probe 371
S.L. Goodman, T.J. Mengelt, R.M. Ulfing, R.L. Martens, J.H. Bunton, J.D. Olson, T.T. Gribb, T.F. Kelly

Stem Cells in Biomaterial Applications - 2 (Bone) 056 - ORAL

Construction of Tissue-Engineered Bone by Co-Seeding Marrow Stromal Cells and Endothelial Cells 372
H.Q. Chen, J. Zhou, R. Tang, D.L. Zhou

A Simple Method for Cell-Based Bone Tissue Engineering to Create Osteogenic Constructs That Show Localized Bone Formation in Ceramic Scaffolds 373
M.C. Kruyt, J.D. de Bruijn, H. Yuan, W.J.A. Dhert

3-D Calcium Phosphate Scaffold Seeded with Bone Marrows Stromal Cell and New Bone Formation *in vivo* 374
J. Tian, L. Dong, C. Wang, Z. Guo, G. Dang

Recombinant GDF-5 Stimulates *in vivo* Osteogenesis In Cultured Marrow Mesenchymal Cells/Porous HA Ceramics Composites 375
H. Shimaoka, Y. Dohi, H. Ohgushi, M. Ikeuchi, M. Okamoto, A. Kudo, T. Kirita, K. Yonemasu

Influence of the Porosity of Starch-Based Fiber Meshes on the Proliferation and Osteogenic Differentiation of Marrow Stromal Cells Cultured Under Flow Perfusion..... 376
M.E. Gomes, H. Holtorf, R.L. Reis, A.G. Mikos

Effect of Dexamethasone on Osteodifferentiation of MSC/Scaffold Constructs Under Flow Perfusion..... 377
H.L. Holtorf, J.A. Jansen, A.G. Mikos

| | |
|--|------------|
| Enhanced Osteogenesis of Human Mesenchymal Stem Cells in PLGA Scaffold by Cyclic Hydrostatic Pressure | 378 |
| <i>S.H. Kim, Y.H. Kim, Y.R. Choi, J.W. Shin, K.D. Park, J.W. Lee</i> | |
| Fibrinolytic Capacity of Human Adult Mesenchymal Stem Cells | 379 |
| <i>S. Neuss, E. Becher, M. Eblenkamp, C. Szesny, L. Tietze, W. Jahnen-Dechent</i> | |
| <hr/> | |
| Nanometer Scale Biomaterials Interfaces - 2 | 057 - ORAL |
| <hr/> | |
| Molecular Level Views and Measurements of Surface Interactions with Proteins and Cells | 380 |
| <i>R.E. Marchant</i> | |
| Scaled Interfacial Activity of Proteins at the Liquid-Vapor Interface | 381 |
| <i>A. Krishnan, J. Sturgeon, C.A. Siedlecki, E.A. Vogler</i> | |
| Using Microengineering Approaches to Control the Adhesive and Mechanical Interface with Mammalian Cells | 382 |
| <i>S. Raghavan, J. Tan, D. Pirone, K. Bhadriraju, C.S. Chen</i> | |
| Cell Adhesion and Migration in Response to Nano-Patterned Surfaces Formed by Diblock Copolymers | 383 |
| <i>H.L. Khor, Y.J. Kuan, D.W. Huttmacher, K. Tamada, W. Knoll</i> | |
| Protein Adsorption Studies on PEG-Grafted Surfaces of Controllable Architecture | 384 |
| <i>S. Pasche, H.J. Griesser, N.D. Spencer, M. Textor</i> | |
| Nano-Composites of Calcium Phosphate-Collagen Promote Osteoclast Growth at the Interface Between Implanted Tendons and Bone Tunnels in Knee Ligament Reconstruction | 385 |
| <i>M. Sakane, H. Mutsuzaki, Y. Miyanaga, J. Tanaka, N. Ochiai</i> | |
| Osteoblast Adhesion on Carbon and Alumina Nanofiber Materials is Enhanced Due to Optimal Initial Protein Conformation | 386 |
| <i>R.L. Price, K.M. Haberstroh, T.J. Webster</i> | |
| <hr/> | |
| Contemporary Aspects of Absorbable Polymers - 1 | 058 - ORAL |
| <hr/> | |
| Absorbable Polymers – Past, Present and Future | 387 |
| <i>C.C. Chu</i> | |
| Synthesis of Functionalised, Biodegradable Polymers with Novel Architecture for Soft Tissue Engineering | 388 |
| <i>E.L. Prime, J.J. Cooper-White, G.G. Qiao, D.H. Solomon</i> | |
| Cell Growth on the Porous Sponge Prepared from Poly(depsipeptide-<i>random-co</i>-lactide) with Various Functional Groups as a Scaffold for Tissue Engineering | 389 |
| <i>Y. Ohya, H. Matsunami, T. Ouchi</i> | |
| Novel Synthesis of Biodegradable Polyesters | 390 |
| <i>Z.Y. Zhong, P.J. Dijkstra, J. Feijen</i> | |
| A Novel Self-Expanding Biodegradable Stent | 391 |
| <i>S. Venkatraman, F. Boey, L.P. Tan</i> | |
| Biodegradable Phosphorylcholine Hydrogels Cross-Linked with Methacryloyl-Functionalized Polyphosphates | 392 |
| <i>Y. Iwasaki, C. Nakagawa, K. Akiyoshi</i> | |
| Biocompatibility and Haemostatic Effect Investigation of a Newly Developed Biodegradable Biopaper with Haemostatic and Anti-Adhesive Activity | 393 |
| <i>C.R. Wang, Q. Zhang, T.F. Xi</i> | |
| <hr/> | |
| Cardiovascular Technologies - 1 | 059 - ORAL |
| <hr/> | |
| Surface Modifications: Blood Compatibility of Cardiovascular Devices | 394 |
| <i>C.P. Sharma</i> | |
| Significance of Angiogenic Growth Factor-Induced Vascularization in Tissue Engineering | 395 |
| <i>Y. Tabata</i> | |
| Development of a Microfluidic Device for Separating Circulating Endothelial Cells from Blood | 396 |
| <i>A.W. Feinberg, J.F. Schumacher, M.S. Segal, A.B. Brennan</i> | |
| Inhibition of Intimal Thickening in a Rat Model of Balloon Angioplasty Using NO-Generating Hydrogels | 397 |
| <i>E.A. Lipke, J.L. West</i> | |

| | |
|--|------------|
| Effects of Loading During Fetal Development on Elastic Fiber Structure and Mechanics | 398 |
| <i>E.J. Walter, S.M. Wells</i> | |
| Behaviour of Endothelial Cells on Surface Modified NiTi | 399 |
| <i>S. Plant, L. Leach, D.M. Grant</i> | |
| Proteoglycans and the Bioengineering of Vascular Grafts: Perlecan, a Non-Thrombogenic Treatment | 400 |
| <i>N.C. Chau, J. Whitelock, L. Poole-Warren</i> | |
| <hr/> | |
| Imaging of Endogenous and Exogenous Molecules in Biomedical Samples | |
| - 1 | 060 - ORAL |
| <hr/> | |
| Advances in Structural and Functional Imaging and Analysis for Biomaterials, Tissue Engineering, and Biomedical Science | 401 |
| <i>S.L. Goodman</i> | |
| Improving Imaging with Scanning Electron Microscopy: Biomaterials, Tissues and Interfaces | 402 |
| <i>R.G. Richards</i> | |
| Imaging the Microstructure of Menisci Using Optical Coherence Tomography | 403 |
| <i>D.L. Stamper, L. McLay, S.B. Adams, C. Demakis, T. MacDonald, M.J. Chilek, M.E. Brezinski</i> | |
| Non-Invasive Monitoring of a Bioartificial Pancreas by NMR | 404 |
| <i>I. Constantinidis, C.L. Stabler, S.C. Grant, N.E. Simpson, S.J. Blackband, A. Sambanis</i> | |
| Confocal Raman Scanning Electron Microscopy: A Method for Parallel Non-Invasive High Resolution Analysis of Bone Samples | 405 |
| <i>A.A. van Apeldoorn, Y. Aksenov, M. Stitger, I. Hofland, J.D. de Bruijn, H.K. Koerten, J. Greve, C. Otto, C.A. van Blitterswijk</i> | |
| Molecular Imaging of Cancer Using Gold Nanoshells | 406 |
| <i>C.H. Loo, L.R. Hirsch, N.J. Halas, J.L. West, R.A. Drezek</i> | |
| Examining Distributions of Molecules in Degradable Biomaterials with Confocal Microscopy | 407 |
| <i>A.W. Watkins, K.S. Anseth</i> | |
| <hr/> | |
| Skin Tissue Engineering - Overcoming Chronic Wounds - 1 | 061 - ORAL |
| <hr/> | |
| Matrix-Bound Growth Factors in Soft Tissue Healing | 408 |
| <i>J.A. Hubbell, H. Hall, D. Trentin, S. Weschler, A.H. Zisch</i> | |
| Development of a Resorbable Epithelial Tissue Substitute | 409 |
| <i>H. Hierlemann, C. Uhlig, M. Rapp, K.K. Dittel, H. Planck</i> | |
| A Novel Artificial Skin Based on Chitosan (Cs) / Gelatin (Gel) / Poly (vinyl alcohol)(PVA) Composite Membrane | 410 |
| <i>B. Bahrami, H. Mirzadeh, S.S. Kordestani, P. Mansoori</i> | |
| Preparation of a Novel Skin Equivalent as a Model of Re-Epithelialization | 411 |
| <i>Y.C. Huang, T.W. Wang, J.S. Sun, F.H. Lin</i> | |
| A Textile Mesh-Collagen Hybrid Matrix and Cell Sheet Technology for Skin Tissue Engineering | 412 |
| <i>K.W. Ng, J. Louis, W.R. Tham, H.N. Achuth, T.C. Lim, S. Moochhala, D.W. Hutmacher</i> | |
| Development of an IDO-Expressing Non-Rejectable Skin Substitute Utilizing a Temperature-Sensitive Polymer | 413 |
| <i>K. Sarkhosh, E.E. Tredget, H. Uludag, A. Karami, R.T. Kilani, Y. Li, A. Ghahary</i> | |
| Gelatin: PCL Composite Scaffolds for Tissue Engineering of Dermal Substitutes | 414 |
| <i>N.Z. Dai, P. Patel, M.R. Williamson, A.G.A. Coombes</i> | |
| <hr/> | |
| Bone Cements for Orthopaedic Applications - 1 | 062 - ORAL |
| <hr/> | |
| Bone Cements for Orthopaedic Applications | 415 |
| <i>G. Daculsi</i> | |
| Rheological Properties of Calcium Phosphate Cement During the Hydration Process | 416 |
| <i>C.S. Liu, H.F. Shao, F.Y. Chen, H.Y. Zheng</i> | |
| New Bioresorbable and Injectable Ca-P Bone Substitute Carrier for Therapeutic Agents | 417 |
| <i>A. Tofighi, L. Gillès de Pélichy, C. Rey, D.D. Lee</i> | |
| Ultrastructure of Bonding Zone Between Bone and Sr-Hydroxyapatite Cement: From Histology to Nano-Scale <i>in-vivo</i> Study | 418 |
| <i>W.W. Lu, J.C.T. Wong, K.M.C. Cheung, Q.Z. Chen, J.C.Y. Leong, K.D.K. Luk</i> | |

| | |
|--|------------|
| Engineering α-Tricalcium Cement Rheology: High Strength and Injectability | 419 |
| <i>U. Gbureck, K. Spatz, J.E. Barralet, R. Thull</i> | |
| Cement from Magnesium Substituted Hydroxyapatite | 420 |
| <i>K.J. Lilley, U. Gbureck, D.F. Farrar, C. Ansell, J.E. Barralet</i> | |
| First Clinical and Radiological Results of a New Calcium Phosphate Injectable Cement Used as a Complement in Bone Repair in 25 Cases of Compacted Fractures | 421 |
| <i>C. Schwartz, D. Mainard, P. Frayssinet, J. Amédée, A. Lerch, L. Obert, P. Simon, G. Pasquier, G. Nonnenmacher</i> | |
| <hr/> | |
| The Effect of Material Chemistry on the Macrophage-Mediated Inflammatory Response | 063 - ORAL |
| <hr/> | |
| The Effect of Material Surface Chemistry on the Macrophage-Mediated Foreign Body Reaction | 422 |
| <i>J.M. Anderson</i> | |
| Do Wear Particles Stimulate CD44-Hyaluronan Synthesis? | 423 |
| <i>T. McFarlane, P.A. Revell</i> | |
| The Effect of Cytoskeletal Toxins on the Human Monocyte Response to Modified Phosphorylcholine Polymers | 424 |
| <i>M. Habib, R.A. Brooks, A.L. Lewis, N. Rushton, W. Bonfield</i> | |
| Phosphotyrosine Protein Activation and Identification in Adherent U-937 Macrophages Mediated by Fibronectin Domains | 425 |
| <i>X.X. Chen, S. Zukermman, J. Li, R.P. Witte, J.M. Phillips, W.J. Kao</i> | |
| Unravelling the Mechanisms of Environmental Stress Biodegradation for Polyurethanes | 426 |
| <i>Y. Hai, R.S. Labow, J.P. Santerre</i> | |
| Macrophage-Derived Dendritic Cells in the Bone-Implant Interface. Implications for Systemic Dissemination of Prosthetic Material Wear Particles | 427 |
| <i>N. Al-Saffar</i> | |
| There is More to Inflammation Than Macrophages | 428 |
| <i>M.V. Sefton, M. Gorbet, P. Xu, K. Jones, A. Eckhaus</i> | |
| <hr/> | |
| Biomaterial Surface Characterization - 2 | 064 - ORAL |
| <hr/> | |
| Determining the Orientation of Immobilized Proteins with ToF-SIMS | 429 |
| <i>N. Xia, P.S. Stayton, D.G. Castner</i> | |
| Immobilization of Camel Antibody (cAb-PSA-N7) onto Au/SAM-COOH Substrates : Characterization and Quantification by Radiolabelling, XPS and ToF-SIMS Measurements . | 430 |
| <i>A. Azioune, S. de Coninck, L. Houssiau, J.J. Pireaux</i> | |
| Effect of Human Serum Proteins on Silicon Substituted Hydroxyapatite: AFM and ESEM Studies | 431 |
| <i>C.M. Botelho, R.A. Brooks, S.M. Best, M.A. Lopes, J.D. Santos, N. Rushton, W. Bonfield</i> | |
| Surface Characterization of Extracellular Matrix Upon Cell Detachment from a “Smart Polymer” | 432 |
| <i>H.E. Canavan, X. Cheng, B.D. Ratner, D.G. Castner</i> | |
| Use of SFG to Optimize a Polyurethane with Heparin Binding Sites Incorporated During Synthesis | 433 |
| <i>R.S. Ward, K.R. McCrea, Y. Tian, M.C. Tanzi</i> | |
| Electronic and Chemical Structure of RNA/Inorganic Materials Interfaces Determined by Photoelectron Spectroscopy | 434 |
| <i>N. Dam, B.V. Doran, R. Schlaf</i> | |
| Spectroscopic Characterization of Surface-Immobilized Antibacterial Furanone Coatings . | 435 |
| <i>S. Al-Bataineh, H.J. Griesser</i> | |
| <i>in-situ</i> Electrochemical Atomic Force Microscopy Study of Morphology of Oxide Film on Etched NiTi Alloy: Effects of Hydration and Potential | 436 |
| <i>Z. Bai, J.L. Gilbert</i> | |

Tissue Engineering of Heart Valves 065 - ORAL

Why do we Need a Tissue Engineered Valve? 437
Sir M. Yacoub

Tissue Engineering a Living Heart Valve: Biological and Biomechanical Assessment of an Acellular Porcine Valve Matrix..... 438
H.E. Wilcox, S.A. Korossis, C. Booth, K.G. Watterson, J.N. Kearney, J. Fisher, E. Ingham

Human Endothelial Progenitor Cells Seeded on Allogenic Heart Valve Scaffolds: First Results 6 Months After Implantation..... 439
S. Cebotari, R. Leyh, A. Moza, S. Kostin, A. Ciubotaru, A. Haverich, H. Mertsching

Novel Geometries for Collagen Constructs Applied to Tissue-Engineered Heart Valves.... 440
L. Rittman, I. Vesely

Isolation of Haematopoietic Progenitor Cells for Use on a Tissue Engineered Heart Valve. 441
R.V. Walker, R. Darley, T. Hoy, N.P. Rhodes, J.A. Hunt

Tissue-Engineered Valves with Commissural Alignment..... 442
M.R. Neidert, P.S. Robinson, S.L. Johnson, R.T. Tranquillo

Design and Assessment of a Pulsatile Bioreactor for Cardiovascular Cell and Tissue Growth..... 443
E. Lyons, V. Barron, C. Stenson-Cox, N. Quinlan, A. Pandit

Orthopaedic Materials 066 - ORAL

The Novel Use of Resorbable Polyglactin Mesh for Tendon Attachment to a Metal Prosthesis..... 444
C.J. Pendegrass, M.J. Oddy, S. Sundar, S.R. Cannon, A.E. Goodship, G.W. Blunn

Soybean-Based Biomaterials Promote Bone Regeneration *in vivo*..... 445
M. Santin, G. Standen, L. Ambrosio, L. Nicolais, A. Merolli

Effect of Dimensional Variability on Hip Stem Reliability 446
S.K. Easley, P.R. Tomaszewski, A.J. Petrella, P.J. Rullkoetter, P.J. Laz

A Laboratory Based Analysis of the Primary Stability of a New Conservative Hip Prosthesis..... 447
S. Sturridge, I. van Hegan, J. Hua, J. Witt, P. Nielsen, R. Bigsby, G.W. Blunn

A Novel Mechanically Loaded Cancellous Bone *ex vivo* Culture System 'Zetos' 448
C.M. Davies, D.B. Jones, C.W. Archer, R.G. Richards

Osteoinductive Porous Titanium and its Clinical Application for THA..... 449
T. Nakamura, K. Kawanabe, S. Fujibayashi, T. Kokubo

Influence of Three-Dimensional Scaffold on Osteogenic Differentiation of Human Dermal Fibroblasts..... 450
C.K. Hee, M.A. Jonikas, S.B. Nicoll

High Hydrostatic Pressure for Disinfection of Bone and Biomaterials 451
H. Gollwitzer, M. Brendle, P. Weber, P. Diehl, L. Gerdesmeyer, G. Hofmann, W. Mittelmeier

Absorbable Polymers - 2 067 - ORAL

Metal-Free Catalyst in the Synthesis of Biodegradable Polymers 452
T. Bowden, J. Hilborn

Formation and Degradation of the Poly(sebacic anhydride) Microspheres..... 453
I.M. Chu, W. Lee

Polyanhydrides Made from Natural Compounds and their Degradation Kinetics 454
X.X. Zhu, S. Gouin, S. Lehnert

Gamma-Ray Sterilizable Medical Devices Made from Biodegradable Polymers..... 455
F.Z. Jin, S.H. Hyon, S. Tsutsumi

The Effect of Gamma Sterilisation on the Mechanical Properties and Bioresorption Rate of Poly(L-Lactide)..... 456
D. Leonard, F.J. Buchanan

Evaluation of a Resorbable Polylactide Film for the Reduction of Pelvic Adhesions in a Porcine Animal Model 457
G.B. Cornwall, K.A. Thomas, R.O.N. Evans, J. Iliopoulos, W.R. Walsh

Orthogonal Solid State Orientation of Absorbable Polymers for Orthopedic Devices..... 458
D.C. Clupper, K.A. Carpenter, B.L. Anneaux, S.W. Shalaby

| | |
|--|------------|
| Influence of Self-Reinforcing on <i>in vitro</i> Stress Relaxation of 70L/30D,L PLA | 459 |
| <i>H. Heino, P. Törmälä, J. Ilomäki</i> | |
| <hr/> | |
| Bone Cements - 2 | 068 - ORAL |
| <hr/> | |
| Mechanical Activation of Alkali Ion Substituted Calcium Phosphate for Self-Setting Cements | 460 |
| <i>U. Gbureck, J.E. Barralet, R. Thull</i> | |
| Bone Screw Fixation in Modified High Strength Apatite Cement | 461 |
| <i>J.E. Barralet, D.C. Bassett, C.O. Duncan, H. Nishikawa, S. Dover, A. Monaghan, U. Gbureck</i> | |
| Polyphosphazene-Hydroxyapatite Composites as Scaffolds for Bone Tissue Engineering | 462 |
| <i>S. Lakshmi, Y.E. Greish, J.W. Freeman, J.D. Bender, P.W. Brown, H.R. Allcock, C.T. Laurencin</i> | |
| Mechanical and Histological Evaluation of Hydroxylapatite Cement Composites as Bone Graft Substitutes | 463 |
| <i>M. Voor, J.J.C. Arts, S. Klein, L.H.B. Walschot, N. Verdonschot, P. Buma</i> | |
| The Influence of Concentration of Polyacrylic Acid on the Properties of Polymeric Calcium Phosphate Cements | 464 |
| <i>A.O. Majekodunmi, L. di Silvio, S. Deb</i> | |
| Synthesis of Highly Crystalline Hydroxyapatite via Alkaline Surfactant Based Sol-Gel Route and Mesoporous Silicate Coating on the Apatite Matrix Structures | 465 |
| <i>J. Andersson, M. Lindén</i> | |
| Dicalcium Pyrophosphate Cement: Effect of Liquid Composition | 466 |
| <i>L.M. Grover, D.F. Farrar, C. Ansell, U. Gbureck, A.J. Wright, J.E. Barralet</i> | |
| The Effect of Cement Penetration into Bone of Lavage with Different Solutions | 467 |
| <i>M.J. Coathup, S.L. Gouldson, G.W. Blunn, M. Sood</i> | |
| <hr/> | |
| Stem Cells in Biomaterial Applications - 3 | 069 - ORAL |
| <hr/> | |
| <i>in vitro</i> Tissue Engineering of a Cartilage Implant with Adult Canine Mesenchymal Stem Cells Grown in a Type II Collagen-Glycosaminoglycan Scaffold | 468 |
| <i>C.M. Guo, M. Spector</i> | |
| Improving Ligament Tissue Engineering by Biochemical Stimulation of Human BMSC's in a 3D Hybrid Construct | 469 |
| <i>J.M.G.Th. Jenner, D.B.F. Saris, L.B. Creemers, F. van Eijk, W.J. Willems, W.J.A. Dhert</i> | |
| Adipogenesis from Differentiated Mesenchymal Stem Cell in PLGA-Vehicle | 470 |
| <i>Y.S. Choi, S.N. Park, H. Suh</i> | |
| Embryonic Stem Cell-Derived Cardiomyocytes Cultured on Biodegradable Polyurethane Scaffolds | 471 |
| <i>C. Alperin, P.W. Zandstra, C. Bauwens, K.A. Woodhouse</i> | |
| Bioactive Hydrogels for Control of Stem Cell Function | 472 |
| <i>K. Saha, D. Schaffer, K. Healy</i> | |
| Muscle-Derive Cell-Seeded SIS Using a Novel Biaxial Stretch Bioreactor for Urologic Tissue Engineering Applications | 473 |
| <i>J. Nagatomi, R.J. Long, B. Zubiate, M.B. Chancellor, M.S. Sacks</i> | |
| Expansion versus Differentiation of Hematopoietic Stem Cells in Perfused Glycosaminoglycan-Based Scaffolds | 474 |
| <i>C.H. Cho, J.F. Eliason, H.W.T. Matthew</i> | |
| Generation of Bioartificial Vascular Grafts Using a Biological Matrix and Mesenchymal Stem Cells | 475 |
| <i>T. Walles, J. Schanz, G. Bakker, T. Bindeballe, C. Puschmann, H. Mertsching</i> | |
| <hr/> | |
| Combinatorial and Computational Approaches to Biomaterials Design | 070 - ORAL |
| <hr/> | |
| The Use of Combinatorial Synthesis, Testing, and Computational Modeling in Biomaterials Design | 476 |
| <i>J. Kohn, D. Knight, P. Hammer, J. Smith, A. Seyda, S. Abramson, G. Alexe, N. Weber</i> | |
| Spatial Correlations and Robust Statistical Analysis for Combinatorial Methodologies | 478 |
| <i>E.J. Amis, S.B. Kennedy, A.R. Forster, N.R. Washburn</i> | |
| Chemically-Selective Combinatorial Biosurfaces for High-Throughput Assay of Polymer-Cell Interactions | 479 |
| <i>J.C. Meredith, P. Zapata, G. Wingkono, J. Su, A. Garcia, Z.S. Galis</i> | |

| | |
|---|------------|
| Molecular Simulation Studies of Protein and DNA Interactions with Surfaces | 480 |
| <i>S. Jiang, J. Zhou, J. Zheng, J. Sullivan</i> | |
| Calculation of Free Energy of Peptide-Surface Adsorption Using Molecular Dynamics Simulations | 481 |
| <i>V.P. Raut, S.J. Stuart, R.A. Latour</i> | |
| Molecular-Scale Properties of Biomaterials Relevant to Protein Adsorption and Cell Growth Using Data Mining of Combinatorial Libraries of Polymers | 482 |
| <i>J. Smith, D. Knight, J. Kohn, N. Weber, K. Rasheed, S. Abramson</i> | |
| Applying the Drug Discovery Paradigm to Biomaterials | 483 |
| <i>V. Kholodovych, J. Kohn, W.J. Welsh</i> | |
| <hr/> | |
| Immunological Aspects of Reconstructive Medicine - 1 | 071 - ORAL |
| <hr/> | |
| Immunological Aspects of Implant Surgery | 484 |
| <i>P.A. Revell, B. Hercus, H. Altaf, S. Saeed, P. Curtis, R. Bhatt, T. Macfarlane, E. Damien</i> | |
| Cytokine Detection Protein Arrays for <i>in vitro</i> Evaluation of Biomaterials | 485 |
| <i>Y. Li, R.J. Schutte, A. Abu-shakra, S. Oshodi, W.M. Reichert</i> | |
| Hypersensitivity to CoCrMo-Debris from Metal/Metal Hip Endoprostheses | 486 |
| <i>H.G. Willert, G.H. Buchhorn, C.H. Lohmann</i> | |
| Lymphocyte/ Macrophage Interactions on Surface Modified Biomaterial Surfaces | 487 |
| <i>J.M. Anderson, W.G. Brodbeck, M.R. MacEwan, T. Matsuda</i> | |
| <i>in vitro</i> Assessment of Interactions Between T-Cells and Antigen Presenting Cells (APCs) When Challenged with Biomaterials: The CD40-CD40L Interaction | 488 |
| <i>R. Bhatt, S. Saeed, H. Altaf, P.A. Revell</i> | |
| Macrophage-Mediated Degradation of Polyurethanes: The Role of Phospholipase A₂ | 489 |
| <i>D.M. Dinnes, J.P. Santerre, R.S. Labow</i> | |
| Inhibition of Bone Ingrowth by a COX-2 Selective NSAID is Reversible | 490 |
| <i>S.B. Goodman, T. Ma, K. Miyanishi, A. Suen, M. Genovese, R.L. Smith</i> | |
| <hr/> | |
| Surgical Implant Retrieval and Analysis - 1 | 072 - ORAL |
| <hr/> | |
| Surgical Implant Retrieval and Analysis | 491 |
| <i>J.E. Lemons</i> | |
| Corrosion of Stainless Steel Sternotomy Wires Implanted up to 30 Years in the Human Body | 492 |
| <i>T. Hanawa, Y. Tomizawa, H. Nishida, M. Endo, D. Kuroda, K. Asami</i> | |
| <i>in-vivo</i> Corrosion of 155 Modular Hip Prostheses at the Taper Interface | 493 |
| <i>M. Windler</i> | |
| Microstructural Features of a Fractured High Nitrogen Stainless Steel Femoral Component - An Implant Retrieval Study | 494 |
| <i>E. Swarts, A. Kop, S. Miller, C. Keogh</i> | |
| Assessment of the Mechanical Properties of Retrieved Self-Curing Acrylic Bone Cement | 495 |
| <i>N. Dunne, D. Leonard, C. Daly, G. McHenry, J. Orr</i> | |
| Do Gamma Air Sterilized UHMWPE Liners Continue to Degrade During Implantation? | 496 |
| <i>S.M. Kurtz, M. Marcolongo, C.M. Rimnac, W. Hozack, J. Turner, V. Goldberg, M. Kraay, A. Edidin</i> | |
| Mechanisms of Healing Around Stent-Grafts Following Endovascular Treatment of Abdominal Aortic Aneurysms | 497 |
| <i>S. Lerouge, I. Salazkin, Z. Qin, J. Raymond, G. Cloutier, R. Guidoin, G. Soulez</i> | |
| <hr/> | |
| Biomaterial Surface Modifications - 4 | 073 - ORAL |
| <hr/> | |
| ToF-SIMS Imaging of Oligonucleotide Immobilization onto Patterned Plasma Polymer Interlayer Surfaces | 498 |
| <i>R. Metz, P.C.T. Nguyen, H.J. Griesser</i> | |
| A PEG-Based Co-Polymer for Protein-Resistant Surfaces Studied by <i>in situ</i> Ellipsometry and Neutron Reflectometry | 499 |
| <i>L. Feuz, F. Assi, T. Gutberlet, S. Tosatti, N.D. Spencer, M. Textor</i> | |
| Synthesis of Antimers for Photografting on Polymeric Surfaces Using Living Radical Photopolymerization Techniques | 500 |
| <i>R.P. Sebra, K.S. Masters, C.N. Bowman, K.S. Anseth</i> | |
| Preparation of Biointerface by Finely Designed Phosphorylcholine Polymers | 501 |
| <i>Y. Inoue, J. Watanabe, M. Takai, K. Ishihara</i> | |

| | |
|---|------------|
| Amphiphilic Copolymer Glycerol Methacrylate Networks: Synthesis and Biointeractions | 502 |
| <i>S. Rimmer, J. Maughan, S. MacNeil, M. German, S. Yun, N. Fullwood</i> | |
| Attachment and Growth of Human Microvascular Endothelial Cells on a Novel Vascular Prosthesis | 503 |
| <i>M.L.W. Knetsch, Y.B.J. Aldenhoff, L.H. Koole</i> | |
| <hr/> | |
| Cardiovascular Technologies - 2 | 074 - ORAL |
| <hr/> | |
| Mechano-Active Vascular Tissue Engineering Using a Very Elastic PLCL Scaffold | 504 |
| <i>Y.H. Kim, S.H. Kim, S.I. Jeong, B.S. Kim, J.H. Kwon, Y. Jung, Y.M. Lee, D.I. Kim</i> | |
| Mesenchymal Stem Cells (MSC) can be Differentiated into Endothelial Cells <i>in vitro</i> | 506 |
| <i>J. Oswald, S. Boxberger, B. Joergensen, M. Bornhaeuser, G. Ehninger, C. Werner</i> | |
| <i>in vivo</i> Evaluation of a Porous, Elastic, Biodegradable Patch for Reconstructive Cardiac Procedures | 507 |
| <i>K.L. Fujimoto, J. Guan, H. Oshima, T. Sakai, W.R. Wagner</i> | |
| Human Recombinant Elastin Polypeptides for Use in Cardiovascular Applications | 508 |
| <i>P. Klement, F.W. Keeley, K.A. Woodhouse</i> | |
| Effects of Mechanical Properties and Proteolytic Degradation on Angiogenic Process Extension into L1Ig6-Modified Fibrin Matrices <i>in vitro</i> | 509 |
| <i>H. Hall, L. Urech, J.A. Hubbell</i> | |
| <hr/> | |
| Controlled Release Systems - 4 | 075 - ORAL |
| <hr/> | |
| Design of a Polymeric BDNF Delivery System for Neural Progenitor Cell Transplants: Effect on Donor Cell Engraftment in the Ischemic Retina | 510 |
| <i>M.J. Mahoney, Y. Guo, P. Saloupis, D. Rickman</i> | |
| Time Course of Unstimulated and Growth Factor (IGF-I and TGF-β1) Stimulated Rat Tibial Healing | 511 |
| <i>G. Schmidmaier, B. Wildemann, D. Ostapowicz, B. Melis, N.P. Haas, M. Raschke</i> | |
| Release Kinetics of rhBMP-2 from PLGA Microspheres Embedded in a Porous Poly(Propylene Fumarate) Scaffold | 512 |
| <i>E. Jabbari, A.V. Florschutz, L.G. Pedersen, N. Liu, L. Lu, B.L. Currier, M.J. Yaszemski</i> | |
| Impregnation of Paclitaxel in Bioabsorbable Polymer | 513 |
| <i>O. Ayodeji, H. Powell, T. Sproule, K. Chan, D. Powell, D. Kniss, D. Tomasko, J. Lannutti</i> | |
| Sustained Delivery of Stabilized Proteins from Electrospun Tissue Scaffolds | 514 |
| <i>M.T. Cicerone, W.J. Li, R. Tuan, C.L. Soles, B.M. Vogel</i> | |
| Controlled Release of Two Proteins from a Porous Scaffold: Double Emulsion Coating | 515 |
| <i>J. Sohier, N. Cabrol, J. Bezemer, K. de Groot</i> | |
| <hr/> | |
| Absorbable Polymers - 3 | 076 - ORAL |
| <hr/> | |
| <i>in vitro</i> Mass Loss Profiles of Absorbable Sutures: Accelerated Protocols for Comparative Evaluation | 516 |
| <i>J.M. Lindsey III, J.T. Corbett, K.A. Carpenter, D.D. Greene, B.L. Anneaux, S.W. Shalaby</i> | |
| Glass Transition Behaviour and its Crystallinity Dependence of PLLA Studied by DSC | 517 |
| <i>J.F. Mano, J.L. Gómez Ribelles, N.M. Alves, M. Salmerón Sanchez</i> | |
| Effect of Sulfonium Zwitterions on Properties and Degradation of Biodegradable Polyurethanes | 518 |
| <i>R. Adhikari, P.A. Gunatillake, T.P.T. Le, S.J. Danon, K. Seymour, P. Bean, J.A. Werkmeister, J.A.M. Ramshaw, J.F. White, V. Glattauer, T.A. Tebb</i> | |
| Biocompatibility and Degradation of a Biodegradable Polyurethane Foam, Based on 1,4-Butanediiisocyanate | 519 |
| <i>B. van Minnen, M.B.M. van Leeuwen, B. Stegenga, C.E. Hissink, J. Zuidema, T.G. van Kooten, R.R.M. Bos</i> | |
| The Influence of Long-Term Storage of α-Hydroxypolyesters on their Physico-Chemical Properties | 520 |
| <i>M. Goekbora, D.C. Tunc</i> | |
| Isothermal Crystallisation of PCL/PLA Blends | 521 |
| <i>R.L. Prabhakar, S. Brocchini, J.C. Knowles</i> | |

| | |
|--|-------------------|
| Bone Cements - 3 | 077 - ORAL |
| A Comparison of Bone Cement Porosity Measurements Using 2D and 3D Methods | 522 |
| <i>B.D. Cox, R.K. Wilcox, M.C. Levesley, R.M. Hall</i> | |
| Cellular Response to a Nanocomposite Bone Cement | 523 |
| <i>S. Shortkroff, J. Garcia, T.S. Thornhill</i> | |
| Biomechanical Fatigue Testing of a Hip Stem with Precemented Layer Inserted in a Sawbone | 524 |
| <i>W. Schneider, H. Weber, N.A. Abt</i> | |
| The Effect of Shrinkage on Stresses in a Mantle of Curing Acrylic Bone Cement | 525 |
| <i>J.F. Orr, N.J. Dunne, J. Hingston, G. McGuinness, J.B. Mitchell, N.O. Cabrera</i> | |
| Validation of the Small Punch Test Technique to Measure the Mechanical Properties of Acrylic Bone Cement | 526 |
| <i>N. Dunne, D. Leonard, C. Daly, G. McHenry, J. Orr</i> | |
| The Effect of Gamma Sterilization Dose on the Handling Characteristics of Bone Cement | 527 |
| <i>H.E. Brinkerhuff, M.E. Hawkins, D. Yakimicki, G. Jacobs</i> | |
| Cutting Edge Stent Technologies | 078 - ORAL |
| Perspectives on Functional Stents and Biomaterials | 528 |
| <i>C.W. Widenhouse</i> | |
| Effect of Laser Micro Welding on Corrosion Behaviour of Biomedical Alloy Wires in a Pseudo-Physiological Environment | 529 |
| <i>E. Kobayashi, M. Takatsugu, K. Uenishi, K.F. Kobayashi</i> | |
| Amorphous Oxide Film on Stainless Steel for Cardiovascular Applications | 530 |
| <i>C.C. Shih, C.M. Shih, Y.Y. Su, S.J. Lin</i> | |
| Nitinol or Nitinol? An <i>in vitro</i> Pitting Study of Commercially Available Nitinol Wires | 531 |
| <i>T. Ashton, R. Guidoin, S. Lerouge, P. Doppelt, A.P. Legrand, M.F. Guidoin, G. Soulez, Y. Douville</i> | |
| Evaluation of Biostable Polyurethane Silicone Copolymers (Elast-Eons) as Drug Eluting Polymers for Stent Coating | 532 |
| <i>A.D. Padsalgikar, X. Nguyen, I.M. Griffiths</i> | |
| Total Joint Replacements | 079 - ORAL |
| The Effects of Geometric Constraints and Bearing Materials on <i>in vitro</i> Surface Wear of Knee Joint Arthroplasty | 533 |
| <i>C.R. Blanchard, J.Q. Yao, M.P. Laurent, T.S. Johnson, R.D. Crowninshield</i> | |
| Comparison of Polyethylene Resin and Consolidation: A Knee Simulator Study | 534 |
| <i>V. Good, K. Widding, C. Alley</i> | |
| The Influence of Femoral Condylar Lift Off on the Wear of Artificial Knee Joints | 535 |
| <i>L.M. Jennings, C.J. Bell, E. Ingham, R. Komistek, M.H. Stone, J. Fisher</i> | |
| Simulator Testing for Posterior Stabilized TKA | 536 |
| <i>M. Shen, J. Krevolin, J. Norris, C. Rieker, R. Schoen, M. Jasty, B. Burroughs, O. Muratoglu, W.H. Harris</i> | |
| Polymeric Biomaterial Wear Test Rig Validated to ASTM F732-00 and Against Clinical Data | 537 |
| <i>T.J. Joyce, D. Monk, P. Thompson, P. Chiu, A. Unsworth, S.M. Green</i> | |
| The Effect of Microstructure on the Mechanical Properties of UHMWPE | 538 |
| <i>L. Pruitt, K. Simis, A. Bistolfi, A. Bellare</i> | |
| Immunological Aspects of Reconstructive Medicine - 2 | 080 - ORAL |
| Maturation of Dendritic Cells Upon Contact with Poly(Lactic-co-Glycolic) Acid | 539 |
| <i>M. Yoshida, J.E. Babensee</i> | |
| HA Activates T Cells and Causes Inflammation in Liver and Spleen from Rabbits Following Intraosseous Implantation | 540 |
| <i>S. Saeed, K. Hing, P.A. Revell</i> | |
| Interleukin-1 Modulates the Formation of a Periprosthetic Membrane in Mice | 541 |
| <i>N.J. Epstein, B. Bragg, B.A. Warne, T. Ma, J.P. Spanogle, R.L. Smith, S.B. Goodman</i> | |
| Innate Immune Response to Human Mesenchymal Stem Cell Implantation in Immunocompromised Mice | 542 |
| <i>Z. Xia, P. Taylor, S. Gordon, Z. Cui, J.T. Triffitt</i> | |

| | |
|---|------------|
| Macrophages but not Monocytes Adhere to Adsorbed Albumin <i>in vitro</i> | 543 |
| <i>T. Brevig, J. Wei, R.A. Kahn, O.C. Hansen, L.H. Pedersen, H. Xiaong, P. Kingshott</i> | |
| Immunologically Tolerant Porcine Pancreatic Islets for Xenotransplantation | 544 |
| <i>D. Xie, J.L. Contreras, C.A. Smyth</i> | |
| <hr/> | |
| Surgical Implant Retrieval and Analysis - 2 | 081 - ORAL |
| <hr/> | |
| Slipped Capital Femoral Epiphysis Screws, a Conundrum of Design, Biomaterials and Biomechanics | 545 |
| <i>A.M. Kop, E. Swarts</i> | |
| Diagnosis of Subclinical Infection in Orthopaedic Joint Implants | 546 |
| <i>N. Baldini, L. Savarino, C. Tarabusi, A. Pellacani, A. Giunti</i> | |
| Prevention of Postsurgical Adhesion with Photosensitive Polygalacturonic Acid Films | 547 |
| <i>M.W. Lee, C.L. Hung, Y.J. Wang</i> | |
| Post-Mortem Retrieval of 38 Canine THRs with Implant Durations up to 11.7 Years: The Dog as a Model for Human THR | 548 |
| <i>C.P. Skurla, G.E. Pluhar, D.L. Wheeler, S.P. James</i> | |
| Surface Roughness Analysis of Christensen Metal TMJ Prostheses | 549 |
| <i>V.C. Ram, S. Saha</i> | |
| Analysis of Explanted Bioprosthetic Heart Valves | 550 |
| <i>J.E. Barber, N.B. Ratliff, I. Vesely</i> | |
| <hr/> | |
| Surface Engineering of Biodegradable Polymers - 2 | 082 - ORAL |
| <hr/> | |
| Surface Modification of Biodegradable Polymers with Layer-By-Layer Coatings | 551 |
| <i>H. Thissen, Y.P. Li, L. Meagher, W.B. Tsai</i> | |
| Tissue Engineering Nascent Cartilage Using Surface Modified PLLA Microspheres in an Intermittent Stirred-Flow Bioreactor | 552 |
| <i>S.J. Curran, R. Chen, J.M. Curran, J.A. Hunt, D.F. Williams</i> | |
| Glow Discharge Plasma Modification of PDLLA Stimulates the Adsorption of Proteins and Modulates Adhesion and Proliferation of MG63 Osteoblast-Like Cells and Fetal Rat Calvarian Cells | 553 |
| <i>C.M. Alves, Y. Yang, D.L. Carnes, J.L. Ong, V.L. Sylvia, D.D. Dean, R.L. Reis, C.M. Agrawal</i> | |
| Using Biological Polymers to Improve Cell Affinity of PLLA-Based Scaffolds | 554 |
| <i>M.G. Cascone, L. Lazzeri, S. Danti, L.P. Serino, M. Arispici, P. Giusti</i> | |
| <hr/> | |
| Regenerative Medicine - 2 | 083 - ORAL |
| <hr/> | |
| Engineering of Adipose Tissue: Mechanical Evaluation on Animal Models | 555 |
| <i>A. Borzacchiello, E. Milella, C. di Bartolo, A. Pastorello, L. Ambrosio, L. Nicolais</i> | |
| Controlled Release from Biodegradable Polymeric Scaffolds for Repair of Segmental Bone Defects | 556 |
| <i>E.L. Hedberg, H.C. Kroese-Deutman, C.K. Shih, R.S. Crowther, D.H. Carney, A.G. Mikos, J.A. Jansen</i> | |
| Influence of Modified Extracellular Matrices on Ti6Al4V Implants on Binding and Release of VEGF | 557 |
| <i>C. Wolf, T. Hanke, D. Scharnweber, K. Peters, C.J. Kirkpatrick, H. Worch</i> | |
| HA-Based Materials for Soft and Hard Connective Tissues: <i>in vitro</i> Reconstruction and Clinical Applications | 558 |
| <i>R. Cortivo, B. Zavan, C. Tonello, P. Brun, G. Abatangelo</i> | |
| <hr/> | |
| Biomaterial Adsorbents in Blood Purification | 084 - ORAL |
| <hr/> | |
| A Novel Carbon Device for the Treatment of Sepsis | 559 |
| <i>C.A. Howell, S.R. Sandeman, G.J. Phillips, A.W. Lloyd, S.V. Mikhalovsky, J.G. Davies, S.R. Tennison, O. Kozynchemko, J.D.S. Gaylor, J.M. Courtney</i> | |
| Single-Chain Antibody Fragment-Based Adsorbent for Blood Purification | 560 |
| <i>C. Daniels, G. Ameer</i> | |
| Immobilized DNA Adsorbents for Hemoperfusion | 561 |
| <i>Y.J. Wang, Y.T. Yu, Z.J. Li</i> | |
| Study on Molecular Recognition Mechanism for Endotoxin | 562 |
| <i>Z. Yuan, M. Yu, J.H. Li, Y. Ma</i> | |

| | |
|---|-------------------|
| Bioglass | 085 - ORAL |
| Tailoring the Structure, Resorbability and Bioactivity of Macroporous Bioactive Glass Scaffolds for Tissue Engineering of Bone | 563 |
| <i>J.R. Jones, L.M. Ehrenfried, L.L. Hench</i> | |
| Mechanical Characterization of a Three-Dimensional Bioactive Glass Fibres Scaffold for Tissue Engineering Applications | 564 |
| <i>L. Moimas, E. Pirhonen, C. Schmid</i> | |
| Histomorphometric Evaluation of Implants Coated with Bioactive Glass by a CO₂ Laser .. | 565 |
| <i>E. Vedel, N. Moritz, H. Ylänen, A. Yli-Urpo, M. Hupa</i> | |
| Biodegradation Controllable Bioactive Glass-Ceramics of High Mechanical Strength | 566 |
| <i>H.S. Ryu, J.H. Seo, K.S. Park, H. Kim, K.S. Hong, J.P. Lee, B.S. Chang, C.K. Lee, D.J. Kim</i> | |
| Skin Tissue Engineering - 2 | 086 - ORAL |
| Smart Scaffolds or Smart Cells? Steps Towards the Development of a Synthetic Scaffold for Skin Reconstruction | 567 |
| <i>S. MacNeil, S. Tao, J.W. Haycock, S. Mai, C. Hunter, D. Norton, A. Ryan</i> | |
| Development of a Co-Cultured Skin Model Using Biocomposite Cell Support Membranes . | 568 |
| <i>N.T. Dai, C.H. Chiang, M.K. Yeh, D.D. Liu, E.F. Adams, A.G.A. Coombes</i> | |
| The Graft of a Human Endothelialized Reconstructed Skin Accelerates the Time of Revascularization | 569 |
| <i>P.L. Tremblay, V. Hudon, F. Berthod, L. Germain, F.A. Auger</i> | |
| Development of Emodin Loaded Silk Fibroin Coated Liposomes for the Treatment of Chronic Dermal Wounds | 570 |
| <i>A.B. Mathur, A.S. Gobin, R. Newman</i> | |
| Imaging of Molecules in Biomedical Samples - 2 | 087 - ORAL |
| Scientific Programs and Funding Opportunities at the National Institute of Biomedical Imaging and Bioengineering | 571 |
| <i>C.A. Kelley</i> | |
| Ingrowth of Osteoclasts and hMSC in PHB-Scaffolds for Tissue Engineering: CLSM Studies | 572 |
| <i>T. Hanke, M. Wollenweber, H. Domaschke, D. Scharnweber, G. Schmack, K. Gliesche, H. Worch</i> | |
| Transferrin Receptor Molecular Imaging Using Tc-99m Labeled Transferrin-Chitosan Conjugates | 573 |
| <i>H.J. Jeong, E.M. Kim, I.K. Park, S.M. Kim, H.S. Bom, C.S. Cho, S.M. Lim, C.G. Kim</i> | |
| Imaging Hydrolytic Degradation of Advanced Biocomposites by 3-D X-Ray Microtomography | 574 |
| <i>M.H. Patel, R.E. Cameron</i> | |
| Cardiovascular Technologies - 3 | 088 - ORAL |
| Vascular Wall Cell Injection and Endothelial Cell Seeding to Tissue Scaffold Acellularized by Cold Isostatic Pressing | 575 |
| <i>T. Fujisato, S. Funamoto, H. Nishioka, W. Kamata, N. Yamahigashi, K. Yoshida, K. Niwaya, A. Kishida, T. Nakatani, S. Kitamura</i> | |
| Toward a Tissue-Engineered Heart: Defining Collagen Structure/Function Relations in Load-Bearing Cardiac Structures | 576 |
| <i>A.R. Jahangir, J.M. Lee</i> | |
| The Effect of Collagen Fiber Architecture on the Flexural Properties of Native and Chemically Modified Pericardium | 577 |
| <i>S.A. Mirnajafi, M. Scott, B. Zubiante, M.S. Sacks</i> | |
| New Insights into Aortic Valve Mesostructure Using Controlled Manipulation and Elliptical Polarization | 578 |
| <i>T.C. Doehring, I. Vesely</i> | |

| | |
|--|------------|
| Biomaterials Education Forum | 089 - ORAL |
| Swedish National Program of Graduate Education in Biomaterials | 579 |
| <i>P. Thomsen, J. Gold</i> | |
| Proactive Development of Biomaterials Education – Report of a 2003 SFB Survey | 580 |
| <i>J.M. Karp, H. Winet, E.A. Friis</i> | |
| Development of New Bioengineering Curricula at Rice University | 581 |
| <i>J.L. West, A. Saterbak, K.Y. San</i> | |
| Cell-Material Interactions - 1 | 090 - ORAL |
| Cyclic Mechanical Load Influences Human Macrophage Activation | 582 |
| <i>L.A. Matheson, J.P. Santerre, J.M. Lee, R.S. Labow</i> | |
| Synergistic Effects of Extracellular Matrix Proteins with Flexible Substrate in Promoting Cell Adhesion | 583 |
| <i>F. Haq, R. Rao, S. Stice, G. Zhang</i> | |
| Optical Coherence Microscopy for <i>in-situ</i> Monitoring of Cell Growth in Scaffold Constructs | 584 |
| <i>M.T. Cicerone, J.P. Dunkers, N.R. Washburn, F.A. Landis, J.A. Cooper</i> | |
| Osteopromoting Properties of New Injectable Fibrin-Bioceramic Composite for Bone Regeneration | 585 |
| <i>G. Daculsi, E. Goyenvalle, E. Aguado, M. Bilban, K. Bittner, C. Gobin, R. Spaethe</i> | |
| Scaffold Fabrication | 091 - ORAL |
| Polymer Composites as Scaffolds for Tissue Engineering | 586 |
| <i>L. Ambrosio, S. Battista, A. Borzacchiello, C. Borselli, F. Causa, R. de Santis, P. Netti, L. Nicolais, S. Zeppetelli</i> | |
| Porous Elastic Composite Scaffolds for Tissue Engineering | 587 |
| <i>V.V. Meretoja, A.O. Helminen, J. Korventausta, J.V. Seppälä, T.O. Närhi</i> | |
| The Limitation of Implant Size in Bone Tissue Engineering | 588 |
| <i>H. Yuan, M. van den Doel, K. de Groot, C.A. van Blitterswijk, J.D. de Bruijn</i> | |
| The Effect of rhBMP-2 on Canine Osteoblasts Seeded onto 3D Bioactive Polycaprolactone Scaffolds | 589 |
| <i>B. Rai, S.H. Teoh, K.H. Ho, F. Chen, Y. Kamal, D. Hutmacher, C. Tong</i> | |
| Proteins Trapped in Porous Silica: Biomaterials Scaffolds | 590 |
| <i>M.A. Brook, J. Brennan, Z. Zhang, D. Chen, Y. Gao</i> | |
| Mechanical and Structural Properties of Polycaprolactone Scaffolds Made by Selective Laser Sintering | 591 |
| <i>S. Das, A. Adewunmi, J.M. Williams, C.L. Flanagan, A. Engel, S.J. Hollister, S. Feinberg</i> | |
| Forming Scaffolds, Forming Tissues: Integrated Free-Form Fabrication for Tissue Engineering | 592 |
| <i>S.J. Hollister</i> | |
| Tissue Engineered Cartilage | 092 - ORAL |
| Advances in Cartilage Engineering Research | 593 |
| <i>Y.L. Cao, W. Liu, L. Cui</i> | |
| Effect of Biomaterial Morphology on the Deposition of Collagen in Tissue Engineered Cartilage Constructs | 594 |
| <i>A. Crawford, A. Frazer, S. Dickinson, T. Sims, A.P. Hollander, P.V. Hatton</i> | |
| Chondrocytes-Cartilage Substitute Test Material | 595 |
| <i>C.G. Frondoza, A. Sohrabi, M.G. Overstreet, P.V. Phan, A. Polotsky, A. Shikani, D. Fink, D.S. Hungerford</i> | |
| Growth of Tissue Engineered Osteochondral Implants in Nude Mice | 596 |
| <i>C. Müller-Mai, S. Tietze, P. Dehl, M. Sittinger, U. Gross</i> | |
| Tissue-Engineered Meniscal Cartilage: Histological and Biomechanical Results in a Rabbit Model | 597 |
| <i>S.W. Kang, J.H. Park, J.S. Lee, K.Y. Lee, S.M. Son, C.Y. Choi, B.S. Kim</i> | |
| Different Action on the Chondrogenesis of Human Articular Chondrocytes with Hyaluronic Acid and Collagen Matrix | 598 |
| <i>T. Tsuchiya, N. Banu, S. Tsutsumi</i> | |

| | |
|---|------------|
| Strain Distribution in Cartilage of Articulating Joint Surfaces | 599 |
| <i>C.W. Lewis, W.C. Bae, F.W. Smith, S.P. James, C.E. Kawcak, R.L. Sah, D.L. Wheeler</i> | |
| <hr/> | |
| Smart Materials for Gene Delivery - 1 | 093 - ORAL |
| <hr/> | |
| New Polymeric Biomaterials for Gene Delivery | 600 |
| <i>S.W. Kim</i> | |
| Biomimetic Polymeric Carriers for DNA Therapeutic Delivery | 602 |
| <i>P.S. Stayton, A.S. Hoffman, N. Murthy, C. Cheung, V. Bulmus, J. Cuschieri, R. Maier, N. Fausto</i> | |
| pH-Sensitive Nano-Crystals of Carbonate Apatite for Efficient Gene Delivery and Expression in Mammalian Cells | 603 |
| <i>E.H. Chowdhury, M. Nagaoka, A. Maruyama, T. Akaike</i> | |
| Stabilized Plasmid-Lipid Particles for Systemic Cancer Gene Therapy | 604 |
| <i>P.R. Cullis</i> | |
| Non-Viral Cell Transfection Using Alginate-Chitosan Nanoparticles | 605 |
| <i>K.L. Douglas, M. Taheri, M. Tabrizian</i> | |
| Substrate-Mediated DNA Delivery from Hyaluronic Acid Hydrogels | 606 |
| <i>T. Segura, L.D. Shea</i> | |
| Controlled Intracellular Delivery of Oligonucleotide-Peptide Conjugates and Antisense Inhibition of Human Telomerase | 607 |
| <i>T. Kubo, Z. Zhelev, B. Rumiana, H. Ohba, M. Matsukisono, Y. Akebiyama, M. Fujii</i> | |
| <hr/> | |
| Molecular Compatibility of Materials | 094 - ORAL |
| <hr/> | |
| Molecular Biocompatibility of Implant Materials | 608 |
| <i>L.L. Chou</i> | |
| Focal Adhesions of Osteoblasts on Poly(d,l-lactide)/Poly(vinyl alcohol) Blends by Confocal Fluorescence Microscopy | 609 |
| <i>C.A. Khatri, G. Du, E.S. Wu, F.W. Wang</i> | |
| Changes of Inflammatory Cell Influx and Cytokines During Transition from Acute Inflammation to Fibrous Repair Around Implanted Materials | 610 |
| <i>C. Gretzer, L. Emanuelsson, E. Liljensten, P. Thomsen</i> | |
| Zinc/Magnesium Incorporation into Titanium Implants Triggers Signal Transduction and Bone Formation in Primary Human Osteoblast | 611 |
| <i>H. Zreiqat, C. Knabe, M. Shakibaei, R.J. Radlanski, P. Evans</i> | |
| The Hard Segment of Polyurethane with Tumor-Promoting Activity Mediated by Connexin 43 and its Phosphorylation on V79 Cell Line | 612 |
| <i>C.R. Wang, T. Xi</i> | |
| Organization and Dynamics of Cell Adhesion Components of Osteoblasts on Modified Titanium Surfaces | 613 |
| <i>J.G.B. Nebe, A. Diener, F. Lüthen, P. Becker, R. Lange, U. Beck, H.G. Neumann, J. Rychly</i> | |
| The Use of Proteomics to Investigate Cell/Biomaterials Surface Interactions | 614 |
| <i>M.A. Woodruff, C.A. Scotchford, D.M. Grant, P. Jones, D.F. Farrar</i> | |
| <hr/> | |
| Injectable Biodegradable Polymers | 095 - ORAL |
| <hr/> | |
| <i>in situ</i> Curing Biomimetic Materials in Regenerative Medicine | 615 |
| <i>J.A. Hubbell, M.P. Lutolf, G. Raeber, N. Tirelli, P. van de Weterine, R. Schoenmakers</i> | |
| <i>in situ</i> Photopolymerizable Drug Delivery Matrix: Tensile Property, Degradation Products, Tissue Adhesiveness, and Efficacy <i>in vivo</i> | 616 |
| <i>W.J. Kao, J.L. Zilinski, G.J. Martinez-Diaz, D. Nelson, R. Witte</i> | |
| Growth Factor Release from Injectable, Enzymatically-Degradable Hydrogel Composites for Cartilage Tissue Engineering | 617 |
| <i>T.A. Holland, J.K. Tessmar, Y. Tabata, A.G. Mikos</i> | |
| Self-Assembling Peptide Nanomaterials as Injectable Lubricants for Osteoarthritic Joints | 618 |
| <i>L.M. Carrick, C.J. Bell, E. Ingham, A. Aggeli, N. Boden, T.A. Waigh, J. Fisher</i> | |
| Innovative Heparin-Binding Polyurethane Hydrogel: Synthesis and Properties | 619 |
| <i>P. Petrini, S. Farè, S. Bozzini, M.C. Tanzi</i> | |
| Injectable Thermosensitive Hydrogels for Intratumor Release Depot and Embolization Agent | 620 |
| <i>K.Y. Chang, P. Kan, M.H. Yeh, M.F. Hsieh, S.H. Jan, X.Z. Lin</i> | |

| | |
|---|------------|
| Injectable Biodegradable Polyurethanes for Tissue Engineering: Effect of Phosphorylcholine | 621 |
| <i>R. Adhikari, P.A. Gunatillake, T.P.T. Le, S.J. Danon, K. Seymour, P. Bean, H. Thissen, J.A. Werkmeister, J.A.M. Ramshaw, J.F. White, V. Glattauer, T.A. Tebb</i> | |
| <hr/> | |
| Apatite Formation - the Critical Step for Osteointegration? | 096 - ORAL |
| <hr/> | |
| What Kind of Material Bonds to Living Bone? | 622 |
| <i>T. Kokubo</i> | |
| Influence of Protein Incorporation in the Nucleation and Growth of Biomimetic Calcium Phosphate Coatings | 624 |
| <i>H.S. Azevedo, I.B. Leonor, C.M. Alves, R.J. Goldsmith, R.L. Reis</i> | |
| Thermodynamics and Kinetics Study of Calcium Phosphates Precipitation in Simulated Body Fluid | 625 |
| <i>X. Lu, C.W. Szeto, Y. Leng</i> | |
| Apatite Formability Attributed to Calcium Phosphate Concentration Gradient Induced by Huge Surface Charges of Hydroxyapatite Ceramic Electrets | 626 |
| <i>S. Nakamura, M. Nakamura, K. Shinohara, K. Handa, A. Obata, Y. Sekijima, T. Kobayashi, K. Yamashita</i> | |
| <i>in vitro</i> Dissolution of Calcium Sulfate: Evidence of Bioactivity | 627 |
| <i>H. Chan, D. Mijares, J.L. Ricci</i> | |
| Mimicking Bone Formation for a Synthetic Load-Bearing, Bioresorbable, Bone-Graft Substitute | 628 |
| <i>M.J. Olszta, M. Sivakumar, L.B. Gower</i> | |
| Optimal Modification of Polymer Surfaces for Calcium Phosphate Deposition and Cell Attachment | 629 |
| <i>C. Choong, J. Triffitt, Z.F. Cui, A. Oyane</i> | |
| <hr/> | |
| Biocompatibility and Biological Safety - 2 | 106 - ORAL |
| <hr/> | |
| Esterase Specificity for the Biodegradation of Different Polycarbonate-Urethanes | 630 |
| <i>R.S. Labow, L.A. Matheson, D. Sa, J.P. Santerre</i> | |
| The Cytotoxic Assessment of Carbon Adsorbents | 631 |
| <i>L.M. Barnes, M.C. Murphy, M. Melillo, G.J. Phillips, J.G. Davies, A.W. Lloyd, S.V. Mikhalovsky</i> | |
| <i>in vitro</i> Evaluation of Elast-Eon 2A Susceptibility to Metal Ion Oxidation | 632 |
| <i>C. Jenney, A. Karicherla, T. Troutman, A. Salerno</i> | |
| <i>in vitro</i> Biocompatibility Testing of Matrices for Tissue Engineering: Cell Viability vs. Proliferation | 633 |
| <i>J.B. Ulreich, A.M. Fellah, D. Yuen, S.T. Li</i> | |
| Influence of Degradable and Non-Degradable Polymers on the Synthesis and Release of Hydrolytic Activities in U937 Cells | 634 |
| <i>L.A. Matheson, J.I. Malowany, J.P. Santerre, R.S. Labow</i> | |
| Cautions and Considerations in the Performance of Compendial Tests When Qualifying Biomaterials | 635 |
| <i>R.M. Malczewski, P. Rafidison</i> | |
| Biocompatibility Evaluation of Ca₂KNa(PO₄)₂ Ceramics | 636 |
| <i>J. Niu, Z. Zhang, L. Zhou, D. Jiang</i> | |
| Surface Characteristics of Biomaterials Determine Recruitment of Foreign Body Giant Cells at Material Interface | 637 |
| <i>J. Emmanuel, J. Walter, S. Broyles</i> | |
| <hr/> | |
| Plasma and Ion Beam Processes for Biomaterial Surface Preparation | 098 - ORAL |
| <hr/> | |
| Application of Plasma Immersion Ion Implantation to Surface Modification of Biomaterials | 638 |
| <i>N. Huang, P. Yang, Y.X. Leng, J. Wang, J.Y. Chen, H. Sun, G.J. Wan</i> | |
| Surface Modification of Biomaterials Using Plasma Immersion Ion Implantation (PIII) | 639 |
| <i>M.M.M. Bilek, K. Newton-McGee, R.N. Tarrant, D.R. McKenzie, C. Dos Remedios</i> | |
| Diamondlike Carbon Films for Micro-Patterning Cell Growth | 640 |
| <i>O.R. Monteiro, K.A. Bjornstad, I.G. Brown</i> | |
| Negative-Ion Implantation into Polymers and its Application to Nerve Regeneration Guide Tube | 641 |
| <i>J. Ishikawa, H. Tsuji, H. Satoh, Y. Gotoh</i> | |

| | |
|---|------------|
| Ion Beam Induced Macromolecule Transfer in Biological Cells | 642 |
| <i>T. Viliathong, L.D. Yu, P. Apavatjirut, B. Phanchaisri, S. Sangyuenyongpipat, S. Anuntalabhochai, I.G. Brown</i> | |
| Blood Compatibility of Metal Oxide Surfaces Prepared by Metal Plasma Immersion Ion Implantation and Deposition | 643 |
| <i>M.F. Maitz, T. Fitz, M.T. Pham, E. Richter</i> | |
| Deposition of Amine Containing Films from Hyperthermal Silazane and Allyl Amine Ions | 644 |
| <i>A. Choukourov, H. Biederman, S. Tepavcevic, Y. Choi, C. Wu, L. Hanley</i> | |
| <hr/> | |
| Progress Towards Globally Recognized Biomaterials Regulatory Approval | 099 - ORAL |
| <hr/> | |
| Global Biomaterials Regulation and the Meaning of Risk | 645 |
| <i>A. Brandwood, E. Duncan</i> | |
| Material Qualification Strategy: Material Characterization and Equivalency Studies | 646 |
| <i>R.M. Malczewski, K.L. Ulman, W.D. Inman</i> | |
| Material Qualification Strategy: Compliance or Risk Management? | 647 |
| <i>P. Rafidison, K.L. Ulman</i> | |
| Medical Devices Testing & Quality Assurance – An Indian Experience | 648 |
| <i>G.S. Bhuvaneshwar</i> | |
| Regulatory Considerations for the Introduction of New or Modified Biomaterials in the United States | 649 |
| <i>A.D. Gantt</i> | |
| Towards Globally Harmonized Post-Market Regulation: The Work of Study Group 2 of the Global Harmonisation Task Force | 650 |
| <i>J.E. Garcia</i> | |
| Risk Assessment and Evaluation of Medical Devices: A Case Study Using Endovascular Grafts | 651 |
| <i>D.B. Abel</i> | |
| <hr/> | |
| Biomaterial Surface Modifications - 5 | 100 - ORAL |
| <hr/> | |
| Molecular Surface Engineering Platforms to Switch the Characteristics of Immobilised Biopolymers | 652 |
| <i>C. Werner, T. Pompe, M. Teese, M. Nitschke</i> | |
| Protein-Rejecting Silicone Surface Immobilization of Poly(ethylene oxide) by Covalent Bonds | 653 |
| <i>H. Chen, M.A. Brook, H. Sheardown</i> | |
| Surface Treatment with a New Silanated Derivative of Tetraethylene Glycol for Biotechnological Applications | 654 |
| <i>P.S. Sit, D. Bolikal, J.H. Melman, M.D. Treiser, J. Kohn</i> | |
| Quantitative Evaluation of Ti6Al4V Implants with and without an Electrochemically Deposited CaP Coating | 655 |
| <i>O. Reigstad, C.B. Johansson, A. Wennerberg, M. Røkkum, A. Reigstad</i> | |
| Biostability of Silicone-Modified Poly(carbonate urethane) | 656 |
| <i>E. Christenson, M. Dadsetan, M. Ebert, K. Stokes, R. Ward, A. Hiltner, J. Anderson</i> | |
| Surface Design with PEG-b-oligocation for Non-Fouling Biointerface | 657 |
| <i>Y. Katsuyama, Y. Nagasaki, K. Kataoka</i> | |

| | |
|---|------------|
| Vascularization in Tissue Engineering and Biomaterial Applications - 1 (Biological Issues) | 101 - ORAL |
| Vascularization in Tissue Engineering and Biomaterial Applications Part A – Biological Issues | |
| Issues | 658 |
| <i>P. Netti</i> | |
| <i>in vitro</i> Studies on Cell Structure and Function of Human Endothelial and Osteoblast Cocultures on Fibroin Nets | 659 |
| <i>R.E. Unger, K. Peters, A. Motta, C. Migliaresi, C.J. Kirkpatrick</i> | |
| A Collagen-Based Gene Delivery System with Polyethylenimine-DNA Complexes | 660 |
| <i>I. Lau, J.L. West</i> | |
| Increased Neovascularisation and Cardiac Regeneration After Application of a Collagenous Cardiac Scaffold on Damaged Myocardium | 661 |
| <i>M.J. van Amerongen, M.C. Harmsen, A.H. Petersen, L.F. de Leij, M.J.A. van Luyn</i> | |
| Umbilical Cord Blood-Derived Cells in Alginate Scaffolds Induce Neovascularization <i>in vivo</i> | 662 |
| <i>A. Liebmann-Vinson, K. DeLuca, R. Xu, W. Porter, J.A. Rowley, M. Heidaran</i> | |
| New Biomaterials - The Composite Approach - 4 | 102 - ORAL |
| Production, Structure and Properties of Hydroxyapatite/Polysulfone Composite Developed for Hard Tissue Replacement | |
| <i>M. Wang, B. Chua, C.Y. Yue</i> | |
| Human Osteoblast Behaviour on a New PEEK/TCP/TiO₂ Compound | 664 |
| <i>M.F. Harmand, J.P. Cougoulic</i> | |
| Bone-Bonding Ability of Glass-Ceramic Apatite-Wollastonite – Polyethylene Composites .. | 665 |
| <i>J.A. Juhasz, S. Ishii, S.M. Best, M. Kawashita, M. Neo, T. Kokubo, T. Nakamura, W. Bonfield</i> | |
| Human Osteoblast Interaction with Porous Polyurethane/Ca P Composite Scaffolds for Bone Engineering | 666 |
| <i>S. Farè, G. Ciapetti, L. Draghi, S. Pagani, N. Baldini, M.C. Tanzi</i> | |
| Apatite-Forming Ability of Organic-Inorganic Hybrids Synthesized from Hydroxyethylmethacrylate and Titanium Alkoxide | 667 |
| <i>T. Miyazaki, H. Akita, E. Ishida, M. Ashizuka, C. Ohtsuki, M. Tanihara</i> | |
| Apatite-Formation on Alginate Gels Modified with Silanol Groups: An Approach Toward Alginate-Apatite Hybrids | 668 |
| <i>C. Ohtsuki, K. Hosoya, M. Kamitakahara, S. Ogata, M. Tanihara, T. Miyazaki</i> | |
| Controlled Release Systems - 5 | 103 - ORAL |
| PTMC Based Nanoparticles as Biodegradable Carriers for Controlled Drug Release | 669 |
| <i>Z. Zhang, M.A. Foks, D.W. Grijpma, J. Feijen</i> | |
| Injectable Supramolecular Hydrogels Based on Poly(ethylene oxide)-<i>b</i>-Poly[(R)-3-hydroxybutyrate]-<i>b</i>- Poly(ethylene oxide) Triblock Copolymers and α-Cyclodextrin | 670 |
| <i>X. Li, X.P. Ni, Z.H. Zhou, K.W. Leong, J. Li</i> | |
| Design of an Injectable Interferon-γ Delivery System Using a Photo-Crosslinked Elastomer | 671 |
| <i>F. Gu, B. Amsden</i> | |
| Microwave Synthesis and Drug Release Behavior of PCL/PEG/PCL Triblock Copolymers .. | 672 |
| <i>Z.J. Yu, L.J. Liu</i> | |
| Microporous Polycaprolactone Matrices for Controlled Drug Delivery | 673 |
| <i>H.I. Chan, Y. Perrie, A.G.A. Coombes</i> | |
| Synthesis of a Urethane-Based Biodegradable Polymeric Drug Delivery System | 674 |
| <i>M. Li, H. Chen, A. Wong, J.P. Santerre</i> | |

| | |
|--|------------|
| Cell-Material Interactions - 2 | 104 - ORAL |
| Cellular/Polymer Interactions as a Material Design Tool 675 <i>J.P. Santerre, R.S. Labow</i> | |
| Characterization of Cell Proliferation and Migration in Response to PEO-PMMA Comb Polymer Tethered Epidermal Growth Factor 676 <i>L.B. Richardson, S.L. Hess, K.T. Tran, A. Wells, L.G. Griffith</i> | |
| Optimization of Bone Marrow Grafts by Surface Design with Comb Copolymer and Peptides 677 <i>A. Au, C. Boehm, G.F. Muschler, L.G. Griffith</i> | |
| Preparation of a Laminin-Apatite Composite Layer on Titanium Metal and its Cell-Adhesive Property 678 <i>M. Uchida, A. Oyane, A. Ito, H.M. Kim, T. Kokubo</i> | |
| Studies on the Effects of Titanium and Cobalt-Chromium-Alloys on Angiogenesis <i>in vitro</i> 679 <i>K. Peters, F. Stenzel, E. Eisenbarth, D. Velten, R.E. Unger, J. Breme, G. Ziegler, C.J. Kirkpatrick</i> | |
| Tissue Inducing Biomaterials - 4 | 105 - ORAL |
| Microporosity Enhances Bioactivity of Synthetic Bone Graft Substitutes 680 <i>K.A. Hing, S. Saeed, B. Annaz, T. Buckland, P.A. Revell</i> | |
| Mechanism of Osteoinduction by Pseudowollastonite (psW) Ceramic 681 <i>L. Brown, Z. Luklinska, P.N. de Aza, S. de Aza, M. Anseau, F.J. Hughes, I.J. McKay</i> | |
| Capillary Vessel Network Integration by Inserting a Vascular Pedicle Enhances Bone Formation in Tissue Engineered Bone Using Novel Hydroxyapatite Ceramics 682 <i>N. Tamai, S. Akita, A. Myoui, M. Nishikawa, H. Yoshikawa</i> | |
| Hydroxyapatite Formation and Osteoblast Adhesion to Bioactive Glass Fibres 683 <i>H.C. Lee, J.E. Gough</i> | |
| A Study of Changing Process from No-Life Ca-P Ceramics to Life Tissue 684 <i>S.P. Li, H.L. Dai, Y.H. Yan, X.Y. Wang, Y. Leng</i> | |
| Comparative Study of Apatite Formation on Porous TCP in RSBF Under Static and Dynamic Systems 685 <i>C.L. Deng, X.L. Wang, Y. Wu, H.S. Fan, J.Y. Chen, X.D. Zhang</i> | |
| Biocompatibility and Biological Safety - 3 | 007 - ORAL |
| The Characterisation of Antigen Presenting Cells in the Bone-Implant Interface & in Response to Biomaterials 686 <i>H. Altaf, P.A. Revell</i> | |
| Cell Structure and Genetic Reactivity to Orthopaedic Materials 687 <i>D.O. Meredith, M.O. Riehle, A.S.G. Curtis, R.G. Richards</i> | |
| Chromium(VI) Ions Induce Caspase-3-Independent Osteoblast Cytotoxicity 688 <i>M. Overstreet, J. Ha, D. Hungerford, C.G. Frondoza</i> | |
| Tissue Response to Epicardial TiN and Silicone Elastomer Pacemaker Materials 689 <i>A. Johansson, L. Emanuelsson, R. Hill, J. Eckerdal, S. Nilsson, P. Thomsen</i> | |
| Lipid Covering of Implant Material Alters Cell Adhesion and Tissue Regenerative Capacities 690 <i>F. Feyerabend, P. Adamietz, R. Bredehorst, H. Clemens, A. Slobodianski, M. Schossig, R. Willumeit</i> | |
| New Approach to Test Growth Behaviour of Cells for Tissue Engineered Collagenous Scaffolds 691 <i>P. Buijtenhuijs, L. Buttafoco, A.A. Poot, J. Feijen, I. Vermes</i> | |
| (Nano) Particles for Therapeutic Applications | 107 - ORAL |
| Dispersion of Pharmaceutical Powders as Aerosols for Inhalation 692 <i>H.K. Chan</i> | |
| Novel Y₂O₃ Microspheres for Minimally Invasive and Local Radiotherapy of Cancer 693 <i>M. Kawashita, T. Kokubo, Y. Inoue, N. Araki, Y. Nagata, M. Hiraoka, Y. Sawada</i> | |
| Photothermal Tumor Therapy Using Metal Nanoshells 694 <i>A. Lowery, P. O'Neal, L. Hirsch, N. Halas, J. West</i> | |

| | |
|---|------------|
| MR Imaging of Radioactive Holmium-Loaded Polymer Microspheres for Treatment of Liver Tumours | 695 |
| <i>J.F.W. Nijsen, J.H. Seppenwoolde, S.W. Zielhuis, C.J.G. Bakker, B.A. Zonnenberg, P.P. van Rijk, A.D. van het Schip</i> | |
| Oxidative Triggered Release of Doxorubicin from Poly(sulfide) Nanoparticles | 696 |
| <i>A. Rehor, N. Tirelli, J.A. Hubbell</i> | |
| <hr/> | |
| Mechanical Properties of Materials | 108 - ORAL |
| <hr/> | |
| Estimation of Strength of Cell Adhesion to Photo-Responsive Culture Surface by Quartz Crystal Microbalance Technique | 697 |
| <i>J. Eda, K. Sumaru, T. Kanamori, M. Kameda, Y. Tada, T. Shinbo</i> | |
| Viscoelastic Homogeneity in Rat Tail Intercaudal Discs | 698 |
| <i>S.Y. Chuang, M. Huoh, C. Vo, T.P. Hedman</i> | |
| The Effects of Long Term Ovariectomy on Fracture Healing in a Rat Osteopenia Model ... | 699 |
| <i>R. Rajaratnam, G. Yee, A.K. Low, Y. Yu, J. Jansen, A. Diwan, W.R. Walsh</i> | |
| Topographical Analysis of the Dynamic Mechanical Properties of Meniscus and Cartilage in an ACL Deficient Ovine Model | 700 |
| <i>R.C. Appleyard, A. Seneviratne, Y. Khatib, M. Cesana, H. Jones, G.A.C. Murrell</i> | |
| The Design & Development of a Simulator for <i>in vitro</i> Testing of Metatarsophalangeal Prostheses | 701 |
| <i>T.J. Joyce, S.M. Green, A. Unsworth</i> | |
| Acetabular Cup Micromotion: “Articulating” Loading Produces Significant Differences | 702 |
| <i>A.S. Litsky, C.I. Karanfilov</i> | |
| <hr/> | |
| Polymeric Biomaterials | 109 - ORAL |
| <hr/> | |
| Injectable Biodegradable Polyurethanes for Tissue Engineering | 703 |
| <i>P.A. Gunatillake, R. Adhikari, T.P.T. Le, S.J. Danon, K. Seymour, C. McFarland, P. Bean, S. Mitchell, A. Dalton, J.A. Werkmeister, J.A.M. Ramshaw, J.F. White, V. Glattauer, T.A. Tebb</i> | |
| Smart Hyperbranched Polymers for the Purification of Biomolecules | 704 |
| <i>S.R. Carter, S. Rimmer, A. Sturdy, M. Webb</i> | |
| Barrier Coatings to Counter Metal Ion Oxidation – <i>in vitro</i> Study Results | 705 |
| <i>A. Karicherla, C.R. Jenney</i> | |
| Novel Radiopaque Polymer for Interventional Radiology | 706 |
| <i>O. Jordan, H. Hilborn, O. Levrier, P.H. Rolland, D.A. Rüfenacht, E. Doelker</i> | |
| Kinetics of PEG-Diacrylate Macromer Polymerization within a Multicomponent Interpenetrating Network (IPN) System | 707 |
| <i>R.P. Witte, A. Blake, C. Palmer, W.J. Kao</i> | |
| <hr/> | |
| Vascularization In Tissue Engineering - Biological Issues - 2 | 110 - ORAL |
| <hr/> | |
| Vascularization in Tissue Engineering and Biomaterial Applications Part B – Biological Issues | 708 |
| <i>S. Williams</i> | |
| Bioactive Microporous PEG/YIGSR Polyurethaneurea for Use as Small Diameter Vascular Grafts | 709 |
| <i>H.W. Jun, J.L. West</i> | |
| Pore Size Controls Angiogenesis in Subcutaneously Implanted Porous Matrices | 710 |
| <i>A.J. Marshall, T. Barker, E.H. Sage, K.D. Hauch, B.D. Ratner</i> | |
| Melt Spinning and Fibre Winding of Trimethylenecarbonate(TMC)-Based Polymers for Tissue Engineering Small Diameter Blood Vessels | 711 |
| <i>L. Buttafoco, N.P. Boks, A.A. Poot, P.J. Dijkstra, I. Vermes, J. Feijen</i> | |
| Modulated Anchorage of Fibronectin at Polymer Substrates Controls Angiogenesis | 712 |
| <i>T. Pompe, N. Jørgensen, M. Markowski, L. Renner, K. Salchert, C. Werner</i> | |

DNA Delivery Using PVA-DNA Composites Formed by Ultra-High Pressure Technology 713
T. Kimura, T. Furuzono, K. Miyazaki, A. Okuno, Y. Ohya, T. Ouchi, S. Mutsuo, Y. Kitamura, H. Yoshizawa, A. Kishida

Scaffolds Engineered to Optimize Localized DNA Delivery 714
K.W. Riddle, D.J. Mooney

Nanoparticle-Type Gene Carriers Having Hydrophobic Side Groups 715
T. Yamaoka, Y. Mizutani, T. Kitagawa, A. Murakami

CAP-Pluronic Based Coatings for Controlled Release of Plasmid DNA 716
N. Ravi, D. Puleo

The Study of Tissue-Engineered Bone with hBMP-4 Gene Modified Bone Marrow Stromal Cells in Repairing Mandibular Defects of Rabbits 717
X. Jiang, Z. Zhang, C. Chen

Biomaterialised Polysaccharide Capsules with Programmed Release for Human Mesenchymal Stem Cell and Gene Delivery 718
D.W. Green, I. Leveque, D. Walsh, X.B. Yang, K.A. Partridge, S. Mann, R.O.C. Oreffo

Type-I Collagen Matrix for the Local Drug Delivery Treatment of Gum Diseases 719
S. Gunasekaran, P. Ramasamy, J. Andrews

Physicochemical Characterization of Novel Polyion Complex Chitosan - Carboxymethyl Konjac Glucomannan Nanoparticles 720
J. Du, R. Sun, S. Zhang, D.J. Yang, C.D. Xiong

The Response of Rat Bone Marrow Cells Cultured with or without Dexamethasone to Starch-Based Microparticle Drug Delivery Carriers 721
G.A. Silva, A. Pedro, F.J. Costa, R.L. Reis, O.P. Coutinho

Synthesis and Biodegradation of Novel Azo-Polymer for Colon-Specific Drug Delivery 722
J.H. Chen, Q.Y. Chen, J.L. Sheng

Evaluating the Potential Use of MTX-Loaded Porous Hydroxyapatite for Localised Treatment of Osteogenic Sarcoma 723
L. di Silvio, N. Gurav, E. Ibrahim, P. Gupta, J. Merry, R. Sambrook

Control-Released Hepatocyte Growth Factor Enhances the Efficacy of Cardiomyocyte Transplantation by Increasing the Survival Rate of the Donor Cells 724
K. Tambara, G.U. Premaratne, Y. Sakakibara, H. Nakajima, N. Kanemitsu, M. Yamamoto, M. Ozeki, Y. Tabata, M. Komeda

Multicomponent Patterned Surfaces for Control of *ex vivo* T Cell Activation 725
J. Doh, D.J. Irvine

Electrochemical μ -Contact Printing of Thiolated Silicon Oxide Surfaces by Generation of Reactive Thiolsulfonates/Thiolsulfonates 726
E. Pavlovic, A.P. Quist, L. Nyholm, A. Pallin, U. Gelius, S. Oscarsson

Nanostructured Terrain for Supporting Neurite Growth 727
G. Zhang, Y.P. Zhao, W. Kisaalita, C. Keith, J.G. Fan, F. Haq, D. Dyer, G. Sawaya, K. Uyesugi

Fabrication of Large Area B Cell Array Using a Newly Synthesized Patternable Poly(allylamine)-g-Poly(ethylene oxide) Graft Copolymer 728
H. Kim, J. Doh, D. Irvine, R. Cohen, P. Hammond

Replication Molding of Ordered Sub-Micron Sized Features in Poly(Urethane Urea) 729
K.R. Milner, M. Balmer, A.J. Snyder, C.A. Siedlecki

Mechanisms Controlling Increased Vascular Cell Adhesion to Nano-Structured Polymer Films 730
D.C. Miller, K.M. Haberstroh, T.J. Webster

Neural Replacement 114 - ORAL

A Tissue Engineering Approach in Understanding Regenerative Failure in the Central Nervous System 731
R.J. Gilbert, R.V. Bellamkonda

Adhesivity and Mechanical Properties of PEG Hydrogels Influence Neurite Extension 732
J.W. Gunn, B.K. Mann

Methylcellulose-Laminin Conjugate for Neural Tissue Engineering Applications: Fabrication and Characterization 733
S.E. Stabenfeldt, M.C. LaPlaca

Hydrogel Nerve Guides Enhance Regeneration in the Injured Spinal Cord 734
P.D. Dalton, E. Tsai, C.H. Tator, M.S. Shoichet

Cell-Adhesive Macro-Porous Dextran Scaffolds for Neural Tissue-Engineering 735
S.G. Levesque, I. Ying, M.S. Shoichet

PEI/EVAL Blended Membrane for Culture of Cerebellar Granule Neuronal Cells 736
K.Y. Chang, K.H. Hsieh, T.H. Young, L.W. Chen

Bone Cements - 4 115 - ORAL

Using Nanotechnology to Improve the Mechanical Behaviour of Acrylic Bone Cement 737
N.J. Dunne, J. Hill, T. McNally, J.F. Orr

Shelf-Life Analysis of BPO Containing Solution Bone Cement : Effects of Gamma Sterilization and Antibiotic 738
J.B. Shim, J.L. Gilbert

Flexural Properties of Oligomer-Modified and Glass-Fiber Reinforced Acrylic Bone Cement with Semi-IPN Structure 739
M.A. Puska, I. Kangasniemi, A. Yli-Urpo, P.K. Vallittu

Effect of Size of PMMA Beads on Setting Parameters and Rheological Properties of Injectable Bone Cements 740
L. Hernández, I. Goñi, M. Gurruchaga

Analysis and Investigation of the Adhesive Strength of Ceramic and Bone Cement in Knee Arthroplasty 741
S. Leyen, S. Vetter, H. Plank

Novel Hydrophilic, Partially Degradable and Bioactive Bone Cements Containing Starch and a Bioactive Glass 742
L.F. Boesel, H.S. Azevedo, R.L. Reis

Overcoming Diffusion Limitations in Tissue Engineering 116 - ORAL

Overcoming Diffusion Limitations in Tissue Engineering 743
I. Constantinidis

Bone Tissue Engineering in a Rotating Bioreactor: Measurement of Nutrient Diffusion and Flow-Induced Transport in Three-Dimensional Matrices 744
E. Botchwey, K. Wiegand, C. Laurencin

Strategies for Vascularising Tissue Constructs: Microencapsulation of VEGF-Secreting Cells 745
J.J. Vallbacka, M.V. Sefton

The Role of Vascularization in 3-D Tissue Engineering 746
W.A. Morrison, A. Messina, Z. Lokmic, R. Idrizi, M. Findlay, F. Stillaert, A. Ramakrishnan, S.O.P. Hofer, Y. Tanaka, E.W. Thompson, G.M. Mitchell

Does Scaffold Architecture Influence Oxygen Gradients in Cartilaginous Tissue Engineered Constructs? 747
J. Malda, T. Woodfield, F. van der Vloodt, F. Kooy, D.E. Martens, J. Tramper, C.A. van Blitterswijk, J. Riesle

Risk Assessment of Nanoparticles and Nanotechnologies for Human Health 748
A.M. Gatti

The Effect of Cobalt and Nickel Ions and Alloy Particulates on the Regulation of Chemokine Receptors CXCR1, CXCR2 and Mac-1 Expression 750
K. Fujiyoshi, J.A. Hunt

Health Risk of Inhaled (Nano)-Particles..... 751
P.H.M. Hoet, A. Nemmar, B. Nemery

Biological Tolerance of Different Nanoparticles in a Rat Model – Clinical and Histological Findings 752
T. Hansen, J.P. Boutrand, R. Eloy, G. Clermont, A. Alves, A.M. Gatti, C.J. Kirkpatrick

Detection of CoCr Particles in the Spleen of Guinea Pigs Six Weeks After their Intra-Osseous Implantation..... 753
P.A. Revell, A.M. Gatti, A. Gambarelli, E. Monari, B. Hercus, S. Saeed, T. MacInnes

Influence of Fluorapatite on the Properties of Thermally Sprayed Hydroxyapatite Coatings..... 754
K.A. Bhadang, K.A. Gross

Effects of Ball Milling Time on the Introduction of Defects in Carbonated Apatite..... 755
A.J. Melville, K.A. Gross, J.S. Forsythe, L.M. Rodríguez-Lorenzo

in vivo Comparisons of TiO₂ Blasted- and Fluoride Modified Implants in Rabbit Bone 756
C.B. Johansson, A. Wennerberg, K. Boström-Junemo, A. Holmen, S. Hansson

Characterisation and Implementation of Surface-Bound PEG-Liposomes as an Ocular Drug Delivery System..... 757
A. Tarasova, H.J. Griesser, M.D. Willcox, L. Meagher

Characterisation of Polysaccharide Coatings for Biomedical Applications..... 758
J. Wu, H.J. Griesser, M.D. Willcox, L. Meagher

Ethanethiol Plasma Polymer Coatings for Biomaterials Applications..... 759
S.K. Øiseth, T.R. Gengenbach, P.G. Hartley, G. Johnson, K.M. McLean

Surface Analysis of Sodium Polystyrene Sulfonate Grafted onto Poly(ethylene terephthalate) Surfaces..... 760
L.J. Gamble, M. Ciobanu, V. Migonney, D.G. Castner

Control of Osteopontin Orientation/Conformation on Surfaces for Cell Adhesion..... 761
L. Liu, S. Chen, B. Ratner, S. Jiang

Surface Characterization of Holmium Loaded Poly (L-Lactic Acid) Microspheres 762
S.W. Zielhuis, J.F.W. Nijssen, R. Figueiredo, B. Feddes, A.D. van het Schip

Surface Characterization of Titanium-Silver Alloys for Medical Applications 763
H.M. Shim, K.T. Oh, K.N. Kim

Characterization of Adsorbed Proteins and their Substrate 764
Ch.C. Dupont-Gillain, P.G. Rouxhet

X-Ray Surface Scattering for the Structural Analysis of Adsorbed Proteins at Hydrated Interfaces 765
C. Pavloski, M.L. Schlossman, S.S. Lateef, C. Wu, P. Eng, T. Trainor, L. Hanley

Surface Modification by Photograft Polymerization of Poly(ethylene glycol) Methacrylate(PEGMA)..... 766
T.E. Kim, H.D. Park, K.D. Park

Biostability of Poly(ether urethane urea) Containing Modified Dehydroepiandrosterone .. 767
E. Christenson, M. Wiggins, A. Hiltner, J. Anderson

Gas Plasma Treatment of Poly(DL-lactic acid) Films and its Influence on the Adhesion and Proliferation of Osteoblast-Like Cells..... 768
C.M. Alves, Y. Yang, D.L. Carnes, J.L. Ong, V.L. Sylvia, D.D. Dean, R.L. Reis, C.M. Agrawal

Surface Characterization of Solid Solution/Dispersion Coatings..... 769
K. Wormuth, L. Lawin

Study of Competitive Adsorption of Proteins on Biomaterial Surface with RfS..... 770
X.Y. Lü, Y. Huang, Y.P. Zhong

| | |
|---|-----|
| A Permanent Heprin Coating | 771 |
| <i>M.S. Sheu, S. Su, R. Nichter, T.L. Lin</i> | |
| Functionalisation of the Surface of Surgical Sutures Using Bioactive Glass and Ceramic Coatings | 772 |
| <i>J.J. Blaker, S.E. Rebeling, S.N. Nazhat, A.R. Boccaccini</i> | |
| Characteristics of Protein Interaction with Metallic Surfaces | 773 |
| <i>I. Trausch, N. Istephanous, K. Rohly, D. King</i> | |
| Pulsed Laser Ablation Deposition (PLAD) of Biomedical Grade Poly(Dimethylsiloxane) | 774 |
| <i>M.W. Kayo, W.S. Kim, D.J. Urbaniak, R. Singh, E.P. Goldberg</i> | |
| IGF-I Coated Suture Material Improves Healing of Colon Anastomosis in Rats | 775 |
| <i>T. Fuchs, G. Schmidmaier, C. Surke, C. Haebler, B. Wildemann, G. Schuhmacher, C. Krieglstein, N. Senninger, P. Neuhaus, M.J. Raschke</i> | |
| Characterization of Titanium Surfaces and Composites Fabricated Using Laser-Based Methods | 776 |
| <i>J.L. Ricci, S. Mamidwar, J.L. Simon, P. Jacobs, H. Alexander</i> | |
| Improving the Wettability and Bonding Strength of EVAL on 316L Stainless Steel by RF Plasma Pretreatment | 777 |
| <i>Y. Yuan, M. Ying, Z.L. Yin, C.S. Liu</i> | |
| Improving the Biocompatibility of Glucose Sensors by Improvements in Protein Passivation | 778 |
| <i>S.J. Geelhood, K. Brownlow, T.A. Horbett, W.K. Ward, M.D. Wood</i> | |
| Nitric Oxide-Releasing Monolayer Protected Gold Clusters | 779 |
| <i>A. Rothrock, R. Donkers, M. Schoenfish</i> | |
| Low Temperature-Triggered Cell Release from Temperature-Responsive Culture Surfaces as a Sensitive Index for Cell Adhesion Strength Revealed by Fibronectin Synergy Sequence Co-Immobilization | 780 |
| <i>M. Ebara, M. Yamato, T. Aoyagi, A. Kikuchi, K. Sakai, T. Okano</i> | |
| Study on Biological Behavior of Ti(Ta)O₂ Film Fabricated by Magnetron Sputtering | 781 |
| <i>J.Y. Chen, Y.X. Leng, P. Yang, G.J. Wan, H. Sun, J. Wang, N. Huang</i> | |
| Hydrophilic Surface Modification of Silicone for Biomedical Applications by Gamma Irradiation of High pH Monomer Solutions | 782 |
| <i>D.J. Urbaniak, M.W. Kayo, E.P. Goldberg</i> | |
| Powder Processing and “in vivo” Evaluation of a Titanium Porous Coating Implant | 783 |
| <i>M.V. Oliveira, L.M.R. Vasconcellos, Y.R. Carvalho, C.A.A. Cairo, L.C. Pereira, J.B. Campos</i> | |
| Characterization of Epidermal Growth Factor-Modified Polydimethyl Siloxane | 784 |
| <i>B.J. Klenkler, H.D. Sheardown</i> | |
| Pore Characteristics and Oxide Thickness of the Surface Oxides of the Titanium Implants Electrochemically Formed in a Mixed Electrolyte | 785 |
| <i>E. Byon, Y.T. Sul, Y. Jeong, T. Albrektsson</i> | |
| Preparation and Surface Modification of Electrospun Nanofibrous Polymer Scaffolds for Tissue-Engineered Skin | 786 |
| <i>Y.M. Ju, K.D. Ahn, S.W. Chun, D.K. Han</i> | |
| Improved Titanium Coatings for Biomedical Applications Using Cold Gas Spraying | 787 |
| <i>P.H. Shipway, C.A. Scotchford, B. Sim, D.G. McCartney, D. Zhang</i> | |
| AFM and QCM-D Studies in Liquid of Fibrinogen and Vitronectin on Ti and Ta Surfaces | 788 |
| <i>A.G. Hemmersam, S. Antoranz Contera, M. Foss, J.K. Jensen, P. Andreasen, F. Besenbacher</i> | |
| Encapsulation of Luminescent Quantum Nanodots in Silica Nanocapsules for Biological Labeling | 789 |
| <i>X.T. Yang, N. Huang, Y. Zhang</i> | |
| Effect of Surface Properties on Interaction of 316L Stainless Steel with HCA Endothelial Cells | 790 |
| <i>K. Rohly, N. Istephanous, D. Untereker, I. Trausch, A. Belu, B. Sahli</i> | |
| Laser Surface Treatment of β Titanium Alloys for Creating High Topographical Changes | 791 |
| <i>F. Guillemot, V.N. Tokarev, C. Belin, M.C. Porté-Durrieu, C. Baquey, S. Lazare</i> | |
| Nuclear Microscopy: A Powerful Tool to Characterize Biomaterials and the Bone/Biomaterials Interface | 792 |
| <i>Y. Barbotteau, J.L. Irigaray, E. Jallot, Ph. Moretto</i> | |
| Quantification of <i>Enterococcus faecalis</i> Adhesion Forces to Medical Grade Polymeric Surfaces Using AFM | 793 |
| <i>A. Sénéchal, S.D. Carrigan, M. Tabrizian</i> | |

| | |
|---|-----|
| A Novel Screw Design for Improving the Fatigue Life of Interlocking Nails | 794 |
| <i>A.S. Litsky, K.A. Johnson, R.L. Aper, S.C. Roe</i> | |
| Development of an Enduring Musculo-Tendinous Junction Using Fine Fibers | 795 |
| <i>A.S. Litsky, D.B. Melvin, M.T. Byrne, B.R. Gramza, R.V. Gundlapalli, D.L. Korvick</i> | |
| A Laboratory Based Analysis of the Long Term Stability of a New Conservative Hip Prosthesis | 796 |
| <i>S. Sturridge, J. Hua, S.P. Ahir, J. Witt, P. Nielsen, R. Bigsby, G.W. Blunn</i> | |
| Bone Remodeling in CAII Deficient and Calbindin-D28k KO Mice | 797 |
| <i>D.S. Margolis, J.A. Szivek, Y.H. Lien, L.W. Lai, G.A. Kastis, H.H. Barrett</i> | |
| The Ovariectomized Goat as a Model for Testing Biomaterials and Prosthetic Devices in Osteopenic Bone | 798 |
| <i>L. Li, H.Q. Chen, W.C. Wu, M.S. Chen, H. Zhen, L.L. Weng</i> | |
| Stress Around RSA Marker Holes in a Polyethylene Tibial Component | 799 |
| <i>T. Johnson, M. Dharia, D. Levine</i> | |
| Effect of Model Parameters on Theoretical Bone Adaptation Following Primary Hip Arthroplasty | 800 |
| <i>A.W.L. Turner, R.M. Gillies, W.R. Walsh</i> | |
| Analysis and Testing of a New Locking Blade Plate | 801 |
| <i>T. Johnson, D. Levine, R. Kenyon, R. Wiley, J. Isham, L. Kirkpatrick, B. Kincaid</i> | |
| Experimental Simulation of Aseptic Loosening of Cemented Femoral Stems Using a Spectrum of Complex Joint Loads Based on Daily Activities | 802 |
| <i>C.R. Blanchard, S.M. Humphrey, P.C. Noble, J.S. Hertzler, J.W. Alexander, E.M. Domanski, J.D. Johnston</i> | |
| Biomaterials Researches to Improve the Biofunctionality of an Mixed Fixing System for Long Bone Fractures | 803 |
| <i>V.I. Antoniac, M. Negrusoiu, D. Laptoiu, M. Miculescu</i> | |
| Bone Tissue Engineering: Evaluation of Material Geometry and Hydrophilicity in Static & Perfusion Culture | 804 |
| <i>P.V. Jackson, J.A. Hunt, P.J. Doherty, A. Cannon, P. Gilson</i> | |
| Thermo-Chemical Study of the Hydrolysis of Amorphous Calcium Phosphate | 805 |
| <i>S. Somrani, M. Banu, C. Rey, A. Tofighi, M. Jemal</i> | |
| Finite Element and Photoelastic Analysis of a New Conservative Hip Prosthesis | 806 |
| <i>S.P. Ahir, S. Sturridge, J. Hua, J. Witt, P. Nielsen, R. Bigsby, G.W. Blunn</i> | |
| A Weight-Bearing Animal Study of a New Bone-Prosthesis Interface (HA Coated Multilayered Mesh Structure) | 807 |
| <i>H. Kusakabe, T. Sakamaki, K. Nihei, Y. Oyama, S. Yanagimoto, M. Ichimiya, J. Kimura, Y. Toyama</i> | |
| High Cycle Fatigue Properties of High Carbon Porous Coated Cobalt-Chromium Based Forgings | 808 |
| <i>B. Aboud, C.M. Franks, T. Smith</i> | |
| Effects of Stress Rates on Corrosion Fatigue of Ti-6Al-4V Alloy | 809 |
| <i>A. Nakajima, Y. Goto, J. Komotori</i> | |
| Succinylated Collagen Scaffold Inducing Physiological Mineralization | 810 |
| <i>H.H. Cho, S.N. Park, H. Suh</i> | |
| Human Osteoblastic Cells Discriminate Between Amelogenin-Like Proteins of Similar Size | 811 |
| <i>E. Riksen, H. Berner, J. Reseland, J.E. Ellingsen, C. Andersson, S. Gestrelus, S.P. Lyngstadaas</i> | |
| Effect of a Suture with a Uniform Width on Stress Distribution at Cranial Bone Fronts | 812 |
| <i>P. Odame, J.L. Borke, J.C. Yu, G. Zhang</i> | |
| Effect of Radiation Dose on DBM Osteoinduction | 813 |
| <i>B. Han, Z. Yang, E. Shors, L. Shibata, M. Nimni</i> | |
| Deer Antler: Biomimetic Surfaces for the Development of Transcutaneous Amputation Prostheses | 814 |
| <i>C. Pendegrass, C. Hoare, B. Annand, P. Unwin, A.E. Goodship, G.W. Blunn</i> | |
| Effect of Sterilization on the Clinical Wear of Hylamer Cups | 815 |
| <i>T. Donaldson, P. Williams, L. Andrusak, M. Sutton, I. Clarke</i> | |
| Thermal Generation and Dissipation Behavior of Various Bearing Materials in a Hip Joint Simulator | 816 |
| <i>S. Tsai, P. Aldinger, G. Hunter, R.L. Thornberry, A. Salehi</i> | |
| Testing of Nitrogen S-Phase Coatings for Application on Stainless Steel Femoral Heads in Total Hip Replacements | 817 |
| <i>C. Pina, K.L. Dahm, P.A. Dearnley, J. Fisher</i> | |

| | |
|--|-----|
| Hollow Calcium Phosphate Microcarriers for Bone Regeneration: <i>ex vivo</i> Biomechanical Assessment | 818 |
| <i>B.G. Santoni, T. Motta, D.L. Wheeler</i> | |
| Apparent Modulus of Fused vs. Unfused Femoral Impaction Grafts | 819 |
| <i>A.D. Heiner, T.D. Brown, J.J. Callaghan</i> | |
| Bone Formation on a Photochemically Etched Titanium Surface | 820 |
| <i>C.N. Emeagi, R.D. Marsh, A.E. Goodship, M. Amrich, G.W. Blunn</i> | |
| Three-Dimensional Finite Element Analysis of the Human Mandible: Stress and Distortions within Ceramic and Metal Dental Implants | 821 |
| <i>A.H. Choi, R.C. Conway, B. Ben-Nissan</i> | |
| Design and FEA of a New Type of Multi-Part Osseointegrated Implant Part II: FE Model of Distally Truncated Femur | 822 |
| <i>L. Zheng, J.M. Luo, B.C. Yang, J.Y. Chen, X.D. Zhang</i> | |
| Design and FEA of a New Type of Multi-Part Osseointegrated Implant Part I: Design and Finite Element Analysis | 823 |
| <i>L. Zheng, J.M. Luo, B.C. Yang, J.Y. Chen, X.D. Zhang</i> | |
| <i>in vitro</i> Tissue Culture Model for Assessing Soft Tissue-Porous-Coated Implant Anchorage | 824 |
| <i>L. Gan, R. Kandel, R. Gundlapalli, R.M. Pilliar</i> | |
| Murine Osteoclastogenesis Induced by Interleukin-1 is Dependent on RANKL, but Independent of TNF Alpha | 825 |
| <i>T. Ma, K. Miyanishi, A. Suen, N. Epstein, T. Tomita, R.L. Smith, S.B. Goodman</i> | |
| The Effect of rhBMP-7 on Distraction Osteogenesis | 826 |
| <i>M. Mandu, R. Hamdy, M. Kawaguchi, M. Tabrizian</i> | |
| A Study on Tissue Engineering Scaffold Material of Nano-Apatite and Polyamide Composite | 827 |
| <i>J. Wei, Y. Li, X. Peng, L. Zhang, J. Han</i> | |
| Bone Remodelling in a Conservative Femoral Component for Hip Replacement Surgery .. | 828 |
| <i>M. Shoeb, M.J. Coathup, J. Witt, P.S. Walker, G.W. Blunn</i> | |
| Study of Finite Element Model of Human Mandible Based on CT Data | 829 |
| <i>J.M. Luo, X.J. Wang, L. Zheng, J.Y. Chen, X.D. Zhang, C.Y. Bao, C. Liu, J. Wu</i> | |
| Heparan Sulfate Loaded Poly(ϵ-caprolactone) Microparticles for Bone Repair | 830 |
| <i>E. Luong-Van, L. Grøndahl, V. Nurcombe, S. Cool</i> | |
| Solute Diffusion from Hydrogels formed from Multi-Functional Poly(Vinyl Alcohol) Macromers | 831 |
| <i>D. Mawad, P. Martens, R. Odell, K.S. Anseth, L.A. Poole-Warren</i> | |
| Preparation and Characterization of Chinese Medicine Immobilized onto Calcium Phosphate Biomaterials | 832 |
| <i>S.X. Qu, J. Weng, B. Feng, H.D. Xie, W. Zhao, J. Wang, C.X. Jiang</i> | |
| Evaluation of Chitosan/Dextran Sulphate Nanoparticles for Delivery of Proteins and Peptides | 833 |
| <i>Y. Chen, V.J. Mohanraj</i> | |
| Polyion Complex Micelle Nanocarrier of Dendritic Photosensitizer for Photodynamic Therapy | 834 |
| <i>W.D. Jang, N. Nishiyama, K. Kataoka</i> | |
| Water-in-Silicone Oil Emulsions as Delivery Vehicles for Proteinaceous Materials | 835 |
| <i>P.M. Zelisko, J. Ranger-Coo, M.A. Brook</i> | |
| <i>in vitro</i> Studies on the Effects of a Series of Aromatic Dimethyliminofuranes on Percutaneous Penetration | 836 |
| <i>Y. Song, L. Strekowski, B. Michniak</i> | |
| Transdermal Delivery of Methylxanthines with Chemical Enhancers | 837 |
| <i>R. Thakur, B. Michniak</i> | |
| Iontophoretic Delivery of Amitriptyline Hydrochloride and Clomipramine Hydrochloride | 838 |
| <i>Y. Wang, B. Michniak</i> | |
| Injectable Thermosensitive Chitosan Hydrogel Containing Biodegradable Microspheres for the Delivery of Protein and Hydrophilic Drug | 839 |
| <i>J.W. Bae, H.D. Park, K.D. Park</i> | |
| Gentamicin Coated Implants in Prophylaxis of Infection. A Comparison of Local vs. Systemic Application in Rats | 840 |
| <i>M. Lucke, B. Wildemann, C. Surke, R. Schiller, N.P. Haas, M. Raschke, G. Schmidmaier</i> | |

| | |
|---|-----|
| The Preparation of Surfactant-Free Nanoparticles Using Poly(L-lactide)Poly(ethylene glycol) as a Coating Material | 841 |
| <i>J.W. Nah, M.K. Jang, Y.I. Jeong</i> | |
| Characterization of a Bisphosphonate Eluting Porous Orthopaedic Implant | 842 |
| <i>J.D. Boby, C. White, J.J. Krygier, D. Karabasz, D. Little, M. Tanzer</i> | |
| Pegylated Chitosan Microspheres for a Nasal Vaccine Delivery System | 843 |
| <i>H.L. Jiang, I.K. Park, N.R. Shin, H.S. Yoo, T. Akaike, C.S. Cho</i> | |
| Intracellular Uptake and Inclusion Ability of Hybrid Polymer Particles Bearing Disaccharides Encapsulated Fluorescence Probe Dio as Drug Model | 844 |
| <i>T. Hiratsuka, M. Goto, T. Akaike, Y. Kondo</i> | |
| Elution of IGF-I from Calcium Sulafte Pellets | 845 |
| <i>B.E. Blum, L.H. Morris, J.P. Moseley, W.O. Haggard</i> | |
| Peptide Delivery Using PEGylated Phospholipids: Effects of Peptide and PEG Size | 846 |
| <i>B. Ashok, I. Rubinstein, H. Önyüksel</i> | |
| Kinetics of the Bone Response and Regeneration Process in Rat Bone Defects Filled with TGF-β1 Loaded Calcium Phosphate Cement | 847 |
| <i>E.J. Blom, E.S. Tadjoeidin, C.T. Smit, J. Klein-Nulend</i> | |
| Synthesis of MPEG/Polyester Diblock Copolymers as Drug Carrier and Evaluation of Drug Release Profiles | 848 |
| <i>J.M. Kim, J.Y. Yoo, K.S. Seo, J.K. Jeong, M.S. Kim, S.H. Cho, G.S. Khang, H.B. Lee</i> | |
| Controlled Release of BCNU from Locally Implantable Multi-Layered PLGA Wafer Containing Pore Forming Excipient | 849 |
| <i>G.S. Chae, J.S. Lee, J.K. Jeong, M.S. Kim, S.H. Cho, H.B. Lee, G.S. Khang</i> | |
| Bone Implant Surfaces Designed for <i>in situ</i> BMP-2 Delivery and Targeted Implant Integration | 850 |
| <i>H.P. Jennissen, M. Chatzinikolaidou</i> | |
| Hollow Calcium Phosphate Microcarriers for Bone Regeneration: <i>in vitro</i> Osteoproduction | 851 |
| <i>B.G. Santoni, T. Motta, G.E. Pluhar, A.L. Koenig, D.L. Wheeler</i> | |
| Facile Chemical Modification of the Poly(L-histidine) for a New pH-Sensitive Polypeptide | 852 |
| <i>S. Asayama, H. Kawakami, S. Nagaoka</i> | |
| Tricalcium Phosphate Micromatrix for Oral Insulin Delivery: A Proof-of-Concept Study .. | 853 |
| <i>W. Paul, C.P. Sharma</i> | |
| Calcium Phosphates Hybridised Poly(ϵ-caprolactone) Membranes for Antibiotic Drug Releases | 854 |
| <i>H.W. Kim, J.C. Knowles, H.E. Kim</i> | |
| Controlled Drug Release from Gravity Spun Polycaprolactone Fibres | 855 |
| <i>M.R. Williamson, A.G.A. Coombes</i> | |
| Tuneable Silicone Matrices for Sustained Release of Actives | 856 |
| <i>D.C. Gantner, P.C. Klykken, V.A. Raul, G.K. Schalaus II, X. Thomas</i> | |
| Physicochemical Characterisation of Injectable Polymeric Gels for Use in the Treatment of Periodontal Disease | 857 |
| <i>G.P. Andrews, D.S. Jones, A.D. Woolfson</i> | |
| Bioceramics with Engineered Porosity Gradients, for Long-Term Controlled Drug Delivery | 858 |
| <i>A.J. Ruys, P. Parakala, A. Clerc</i> | |
| Sustained Release of Active Enzymes from Silicone Matrices | 859 |
| <i>P.C. Klykken, D.C. Gantner, X. Thomas, M.S. Gebert, I. Mazeaud, M. Saldajeno, R. Bott</i> | |
| Permeability of Fibrous Nonwoven PGA Scaffolds After Different Degradation Time | 860 |
| <i>J.S. Li, A.W.T. Shum, A.F.T. Mak</i> | |
| Fabrication and Structural Characterization of Porous Biodegradable Homogeneous PLGA Scaffolds | 861 |
| <i>A.W.T. Shum, J.S. Li, A.F.T. Mak</i> | |
| Biomimetic Morphologies in Synthetic Polymers via Melt Processing of Co-Continuous Immiscible Polymer Blends | 862 |
| <i>K.P. Le, R.L. Lehman, J.D. Idol, P.M. Ward, K. VanNess, J.K. Lynch, T.J. Nosker, R.W. Renfree, J. Joshi</i> | |
| Octacalcium Phosphate Tissue Engineering Microscaffolds | 863 |
| <i>Y. Liu, J.E. Barralet, R.M. Shelton</i> | |
| Tissue Regeneration Technology Utilizing Agrobiological Resources as the Scaffold of Mammalian Cells | 864 |
| <i>T. Takezawa</i> | |

| | |
|---|-----|
| Seeking for a Good Bone Tissue Engineering Scaffold | 865 |
| <i>H. Yuan, J.D. de Bruijn, M. van den Doel, K. de Groot, C.A. van Blitterswijk</i> | |
| Construction of Microspheres and Porous Scaffolds via Enzymatic Degradation of Poly(2-ethyl-2-oxazoline)/Poly(L-lactide) Triblock Copolymers | 866 |
| <i>G.H. Hsiue, C.H. Wang, K.R. Fan</i> | |
| Preparation of Pore Size Gradient PCL Scaffolds by a Novel Centrifugation Method | 867 |
| <i>I.K. Park, S.H. Oh, S.H. Cho, J.H. Lee</i> | |
| Systematic Selection of Solvents for the Fabrication of 3D PLGA Scaffolds for Tissue Engineering | 868 |
| <i>Y. Cao, T.I. Croll, A.J. O'Connor, G.W. Stevens, J.J. Cooper-White</i> | |
| Preparation and <i>in vitro</i> Characterization of PDLGA/β-TCP/PLA-PEG Composite Scaffolds | 869 |
| <i>R. Sun, J. Du, G.F. Pan, S. Zhang, Z.P. Zhang, C.D. Xiong</i> | |
| Fibrous, Elastic Scaffolds Fabricated from Biodegradable Poly(ester urethane) Urea and Collagen | 870 |
| <i>J.J. Stankus, J. Guan, W.R. Wagner</i> | |
| Application of PLGA-Collagen Hybrid Mesh for the Construction of Osteochondral Implants | 871 |
| <i>G. Chen, T. Sato, H. Ohgushi, T. Ushida, T. Tateishi</i> | |
| Open Cell Polylactic Acid (OPLA) as a Scaffold for Tissue Engineering: Physico-Chemical Characterisation and <i>in vitro</i> Degradation | 872 |
| <i>M.F. Guidoin, Z. Zhang, A.P. LeGrand, M. Baslé, A. Traoré, B. Bresson, S. Wang, R. Famery, J.F. Durette, R. Guidoin</i> | |
| Fabrication of Self-Organized Porous Films - Tissue Engineering Scaffolds and Biomedical Devices | 873 |
| <i>M. Tanaka, M. Takebayashi, K. Sato, M. Shimomura</i> | |
| Fabrication of Biodegradable Nanofibrous Scaffold for Tissue Engineering | 874 |
| <i>O.H. Kwon, I.S. Yi, W. Meng, I.K. Kang, Y. Ito</i> | |
| Biodegradable Polyurethane for Fused Deposition Modelling | 875 |
| <i>T. Moore, R. Adhikari, P. Barton, P.A. Gunatillake</i> | |
| Materials Selection, Structure Design and Construction of Scaffold for Liver Tissue Engineering | 876 |
| <i>Q.L. Feng, X.H. Wang</i> | |
| Fabrication of 3D PLGA Scaffolds with Controlled Microstructure via TIPS Techniques | 877 |
| <i>S.A. Lim, A.J. O'Connor, G.W. Stevens, J.J. Cooper-White</i> | |
| Biodegradable Polymer Matrices for Biomedical Applications Using Supercritical Carbon Dioxide as a Foaming Agent | 878 |
| <i>A.S. Riding, A.K. Whittaker, L. Grøndahl, D.J.T. Hill</i> | |
| Characterising the Architecture and Gelation Kinetics of Protein-Based Gels for Tissue Engineering | 879 |
| <i>H.I. Hadisaputra, A.J. O'Connor, G.W. Stevens, J.J. Cooper-White</i> | |
| The Role of Microporosity in Synthetic Porous Ceramics | 880 |
| <i>B. Annaz, K.A. Hing, M. Kayser, T. Buckland, L. di Silvio</i> | |
| Stacked Multi-Layer Chitosan/Soybean Protein Isolate/Bioactive Glass Constructs Aimed at Mimicking Natural Biomineralized Lamellar Structure | 881 |
| <i>R.M. Silva, J.F. Mano, R.L. Reis</i> | |
| Production of Collagen from Skin and Fabrication into Cell Culture Matrix | 882 |
| <i>J.M. Lee, S.H. Wang, J.H. Jang, A.R. Cho, J. Lee</i> | |
| Neural Stem Cell Surface Markers Analysed by Parallel Cell Binding Assays on Antibody Microarrays | 883 |
| <i>I.K. Ko, K. Kato, H. Iwata</i> | |
| Distinct Two Populations of Insulin-Positive Cells Derived from Mouse Embryonic Stem Cells | 884 |
| <i>H. Shimada, T. Ibij, H. Sato, H. Iwata</i> | |
| Cell Culture Surface for Differentiation of Mouse ES Cells to Neuronal Fate | 885 |
| <i>H. Yamazoe, Y. Murakami, H. Iwata</i> | |
| The Regulation of Embryonic Stem Cell Differentiation by Fusion Protein of LIF (Leukemia Inhibitory Factor)-IgG Fc | 886 |
| <i>Y. Hagiwara, M. Nagaoka, T. Akaike</i> | |
| Repair of the Osteochondral Defect in Rabbit Knee Joint with a Bone-Cartilage Composite Created by Transgenic Tissue Engineering | 887 |
| <i>S.B. Lu, D. Zhang, Q. Zhao</i> | |

| | |
|--|-----|
| Effect of Hydrophilicity on Mouse Embryonic Stem Cell Adhesion | 888 |
| <i>S. Pattanawong, J. Harrison, R. Mollard, K.A. Gross, H. Beh, J.S. Forsythe</i> | |
| The Use of Cell Sorting for the Isolation of Stem Cells | 889 |
| <i>R.V. Walker, J.A. Hunt, N.P. Rhodes</i> | |
| Isolation of Putative Oral Mucosal Stem Cells | 890 |
| <i>K. Izumi, S.E. Feinberg</i> | |
| Biocompatibility of PLA Scaffolds Using Human Bone Fetal Cells | 891 |
| <i>M.O. Montjovent, N. Burri, L. Mathieu, C. Scaletta, E. Federici, P.E. Bourban, J.A.E. Manson, P.Y. Zambelli, L. Applegate, D.P. Pioletti</i> | |
| Proliferation and Differentiation of Myeloid Leukemia Cells M1 on/in Gel Matrices | 892 |
| <i>H. Sato, X.J. Zhang</i> | |
| Osteogenic Differentiation of Alginate Microencapsulated Mesenchymal Stem Cells for Bone Formation: An <i>in vitro</i> Study | 893 |
| <i>A.S. Abbah, W.W. Lu, W.G. Liu, D. Chan, K.D.K. Luk, K.M.C. Cheung, J.C.Y. Leong</i> | |
| Fabrication of Mesenchymal Stem Cell Sheets for Tendon/Ligament Tissue Engineering .. | 894 |
| <i>H.W. Ouyang, S.L. Toh, J.C.H. Goh, T.E. Tay, P.T. Nhan</i> | |
| Separation and Purification of Bone Marrow Stromal Cells Using Membrane Filtration | 895 |
| <i>Y. Gomei, Y. Shindo, T. Mori, T. Uyama, A. Umezawa, A. Higuchi</i> | |
| Proliferation and Differentiation of Rat Bone Marrow Stem Cells on PGA-Collagen Sponge | 896 |
| <i>M. Fujita, E. Sato, H. Maeda, Y. Kameyama, Y. Hiraoka, Y. Tabata, S. Ozono, H. Negishi, T. Kawase, Y. Kinoshita</i> | |
| Expansion of CD34+ Cells on Polymeric Scaffolds Surface-Immobilized with Hematopoietic Growth Factors | 897 |
| <i>C. Chai, Q. Feng, X.S. Jiang, K.W. Leong, H.Q. Mao</i> | |
| <i>ex vivo</i> Expansion of Hematopoietic Primitive Cells on ECM Molecule-Immobilized Scaffold | 898 |
| <i>Q. Feng, X.S. Jiang, C. Chai, W.S. Lim, K.W. Leong, H.Q. Mao</i> | |
| Swelling of Fumarate-Based Hydrogels Affects Osteogenic Differentiation of Embedded Marrow Stromal Cells | 899 |
| <i>J.S. Temenoff, H. Park, E. Jabbari, T.L. Sheffield, R.G. LeBaron, C.G. Ambrose, A.G. Mikos</i> | |
| Osteogenic Differentiation of Human Mesenchymal Stem Cells Photoencapsulated in PEG Hydrogels | 900 |
| <i>C.R. Nuttelman, M.C. Tripodi, K.S. Anseth</i> | |
| Osteogenic Response of Bone Marrow Stromal Cells from Normal and Ovariectomized Rats to bFGF and BMP-2 | 901 |
| <i>T. Haque, H. Uludag, R.F. Zernicke, S.R. Winn</i> | |
| Osteogenic Differentiation of Human Mesenchymal Stem Cells: Induction of Both Osteoblast- and Adipocyte-Specific Markers | 902 |
| <i>U. Hempel, M. Poppe, S. Boxberger, D. Scharnweber</i> | |
| Umbilical Cord Stromal Cells: More Than Just 'Jelly Cells' | 903 |
| <i>M. Eblenkamp, J. Hintermair, U. Hopfner, S. Potthoff, V.R. Jacobs, E. Wintermantel, J. Aigner</i> | |
| <i>in vitro</i> Osteoblast Characteristics of Adult Human Adipose-Derived Cells | 904 |
| <i>J.B. Chen, Y. Yu, S. Nicklin, P.C. Stephens, W.R. Walsh</i> | |
| Evaluation of Porous Calcium Phosphate Ceramic as a Scaffold for Mesenchymal Stem Cells | 905 |
| <i>L. di Silvio, N. Gurav, E. Ibrahim, J. Merry, R. Sambrook</i> | |
| Effect of Ipriflavone on Osteogenic Differentiation of Muscle-Derived Stem Cells | 906 |
| <i>J.W. Jang, E.J. Kim, B. Lee, C.W. Han, M.S. Kim, S.H. Cho, H.B. Lee, G. Khang</i> | |
| Osteogenic Differentiation of Rat Bone Marrow Stem Cells Using SIS Sponges | 907 |
| <i>E.J. Kim, H.W. Shin, M.S. Kim, S.H. Cho, H.B. Lee, G.S. Khang</i> | |
| Controlling Embryonic Stem Cell Differentiation with Fibrin-Based Scaffolds | 908 |
| <i>U.H. Shah, D. Gottlieb, S.E. Sakiyama-Elbert</i> | |
| Marine Biostructures: Innovative Osteoinductive and Osteoconductive Matrices for Mesenchymal Stem Cells | 909 |
| <i>D.W. Green, X.B. Yang, M. Kelly, D. Howard, K.A. Partridge, R.O.C. Oreffo</i> | |
| Human Umbilical Cord Wharton's Jelly as a Source of Mesenchymal Progenitors Capable of Expressing a Functional Osteogenic Phenotype | 910 |
| <i>R. Sarugaser, D. Lickorish, J.E. Davies</i> | |
| Biological Characterization of Human Bone Fetal Cells | 911 |
| <i>M.O. Montjovent, N. Burri, E. Federici, C. Scaletta, E. Offord, P.E. Bourban, J.A.E. Manson, P.Y. Zambelli, D.P. Pioletti, L. Applegate</i> | |

| | |
|---|-----|
| Embryonic Stem Cell Derived Macrophages Reporting Inflammatory Processes | 912 |
| <i>C. Szesny, G. Zwadlo-Klarwasser, S. Neuss, W. Jahnen-Dechent, B. Denecke</i> | |
| Behaviour of Bone Marrow Stromal Cells on and within Alginate Gels for Potential Use in Tissue Engineering Procedures | 913 |
| <i>M.A. Lawson, L. Wang, R.M. Shelton, J.E. Barralet, J.T. Triffitt</i> | |
| Differentiation of MSC Towards a Nucleus Pulposus-Like Phenotype: Synergistic Effects of Hypoxia and TGF-β | 914 |
| <i>M.V. Risbud, A. Guttapalli, T.J. Albert, I.M. Shapiro</i> | |
| Effect of Direct Electrical Stimulation on Osteoblast-Like Cells | 915 |
| <i>I.A. Kim, S.A. Park, Y.M. Kang, C.H. Lee, H.J. Shin, J.W. Shin</i> | |
| Addition Effect of Fibroblast Growth Factor on the Proliferation and Differentiation of Human Adipogenic Precursor Cells on Different Substrates | 916 |
| <i>S. Inoue, Y. Tabata</i> | |
| Supported Lipid Bilayer Based Surface Modifications – An Approach to Control Cell Attachment and Cell Differentiation | 917 |
| <i>D. Dahlborg, F. Höök, P. Ericsson, J. Gold</i> | |
| Observation and Estimation of Osteoblast Differentiation Markers Cultured in/on the Three-Dimensional Apatite Fiber Scaffold | 918 |
| <i>N. Kanzawa, T.J. Fujimi, K. Izawa, H. Uchida, H. Morisue, M. Matsumoto, Y. Toyama, M. Aizawa</i> | |
| Case Report of Revision Total Hip Arthroplasty: Comparison Between Homologous Deep-Frozen Bone Graft and Heterologous Freeze-Dried Bone Graft | 919 |
| <i>C.R. Galia, C.A. Macedo, R. Rosito, L.F. Moreira, D.R. Marinho</i> | |
| Polycapropactone/Hydroxyapatite/Hyaluronic Acid Scaffolds for Bone-Tissue Engineering | 920 |
| <i>M.K. Yoo, H.Y. Kweon, H.C. Lee, C.S. Cho</i> | |
| Correlation of Demineralized Bone Matrix Physical Properties and Growth Factors | 921 |
| <i>B.E. Blum, L.C. Miller, J.P. Moseley, W.O. Haggard</i> | |
| Primary Osteoblast Cell Response to Sol-Gel Derived Bioactive Glass Foams | 922 |
| <i>M.M. Pereira, M.H.R. Guimarães, P. Valerio, M.F. Leite, A.M. Goes</i> | |
| Preparation of PLLA-PLGA Scaffolds by Thermally Induced Phase Separation | 923 |
| <i>D.S. Lee, H.D. Kim, K.C. Shin</i> | |
| Morphology Studies of Thermosensitive Chitosan Hydrogels Using LSCM | 924 |
| <i>K.E. Crompton, T.F. Scott, D.I. Finkelstein, M.K. Horne, K.A. Gross, J.S. Forsythe</i> | |
| Nano-Coated Coralline Hydroxyapatite for Load Bearing Applications | 925 |
| <i>B. Ben-Nissan, A. Milev, R. Vago, M.R. Conway, W.R. Walsh, A. Diwan</i> | |
| Tethered Epidermal Growth Factor as a Substrate for Bone Regeneration | 926 |
| <i>V.H. Fan, J.W. Wright, A.H. Wells, L.G. Griffith</i> | |
| Lubricous Properties of Regenerated Cartilage Using Fibroin Sponge | 927 |
| <i>K. Yamamoto, Y. Morita, M. Sonobe, Y. Tamashima, Y. Tamada, N. Tomita</i> | |
| Anti-Scaffold Concept: Application to Tissue Engineering | 928 |
| <i>A. Montebault, C. Viton, A. Domard</i> | |
| Effect of Growth Factors Incorporated in a Poly(D,L-Lactide) Drug Carrier on Osteoclasts and Osteoblasts <i>in vitro</i> | 929 |
| <i>B. Wildemann, M. Lübberstedt, A. Kadow-Romacker, N.P. Haas, M. Raschke, G. Schmidmaier</i> | |
| Effect of Interaction of Polyurethane Ether V.A.C. Foam with Vascular Endothelial Growth Factor in Simulated Wound Fluid | 930 |
| <i>D.V. Kilpadi, C. Loeffler, J. Kalns</i> | |
| <i>in vitro</i> Analysis of a Bioactive, Biodegradable Material for Bone Repair | 931 |
| <i>A. Kumarasuriyar, R. Jackson, L. Grøndahl, M. Trau, V. Nurcombe, S. Cool</i> | |
| Mineralised Bone Nodule Formation on Bioactive Gel-Glass Foam Scaffolds | 932 |
| <i>J.R. Jones, J. Selvakumaran, L.L. Hench</i> | |
| The Ability of Bioactive Fibers Sintered at Different Temperatures to Buffer pH and Enhance Bone Marrow Stem Cell Proliferation | 933 |
| <i>B.M. Hatcher, J.F. Schumacher, A.B. Brennan</i> | |
| Implantation of Microencapsulated Transgenic Cells Secreting hBMP2 in Bone Tissue Engineering | 934 |
| <i>X.H. Duan, K.W. Xu, Y. Mao</i> | |
| Preparation and Characterization of Collagen-Hydroxyapatite Composites Used for Bone Tissue Engineering Scaffold | 935 |
| <i>L.R. Liu, L.H. Zhang, F.J. Wang, X.M. Li, Q.Q. Zhang</i> | |

| | |
|---|--------------|
| The Effect of Sintering Temperature of Hydroxyapatite Ceramics on Osteoprotegerin (OPG) and RANKL Expression in Osteoblast | 936 |
| <i>C.Y. Wang, Y.R. Duan, C.Y. Bao, B. Markovic, J. Barbara, C.R. Howlett, H. Zreiqat, X.D. Zhang</i> | |
| HA/TCP with Collagen Coating as a Scaffold Seeding Bone Marrow Stromal Cells for Tissue Engineering | 937 |
| <i>Y.F. Tan, H.S. Fan, C.Y. Bao, L.L. Zhang, J.R. Xu, X.D. Zhang</i> | |
| Experimental Study on the Osteoinduction of Calcium Phosphate Biomaterials <i>in vivo</i> and the Capability of Supporting Osteoblast Proliferation <i>in vitro</i> | 938 |
| <i>C.Y. Bao, Y.F. Tan, H.S. Fan, C.L. Deng, X.Y. Ling, Y. Cao, W. Li, X.D. Zhang</i> | |
| Statistical Analysis on the Osteoinductivity of Three Kinds of Calcium Phosphate Ceramics in Different Animal Species | 939 |
| <i>C.Y. Bao, H.L. Wang, H.S. Fan, J.R. Xu, Y.F. Tan, Y. Cao, X.D. Yang, X.D. Zhang</i> | |
| A Study of Changing Process from Non-Life Ca-P Ceramics to Life Tissue | 940 |
| <i>S.P. Li, H.L. Dai, Y.H. Yan, X.Y. Wang, Y. Leng</i> | |
| Phenotypic Differences in Migration of Smooth Muscle Cells in Synthetic PEG Hydrogels | 941 |
| <i>G.P. Raeber, M.P. Lutolf, J.A. Hubbell</i> | |
| <i>in vitro</i> Cytocompatibility Study of Biomimetic Apatite Incorporated in Chitosan Spongy Scaffold | 942 |
| <i>I. Manjubala, I. Ponomarev, I. Wilke, K.D. Jandt</i> | |
| Multi-Layer Scaffold for Culturing Biphasic Joint Cartilage <i>in vitro</i> | 943 |
| <i>C.J. Liao, Y.R. Lin, S.F. Chaing, C.F. Chen</i> | |
| Cellular Response of Chondrocyte Seeded on PLGA Scaffold Under Various Cycles of Intermittent Hydrostatic Pressure | 944 |
| <i>I.H. Cho, H.J. Shin, Y.J. Kim, C.H. Lee, S.A. Park, Y.M. Kang, J.W. Shin, K.D. Park, K.S. Jee</i> | |
| Electrospun Collagen and Chitosan-PLLA Membrane for Guided Bone Regeneration | 945 |
| <i>H.J. Baek, K.H. Kim, J.E. Jung, J.Y. Lee, Y. Ku, C.P. Chung, S.J. Lee</i> | |
| Repair of Articular Cartilage Defect with Tissue Engineering Autogenous Chondrograft: A Porcine Model | 946 |
| <i>C.C. Tsai, H. Chiang, M.C. Lin, T.F. Kuo, C.H. Hsieh, H.S. Lee, M.H. Chen, Y.Y. Huang, C.C. Jiang</i> | |
| Conformation Transition of Silk Fibroin Induced by Blending Degummed Silk | 947 |
| <i>C.B. Cao, Q. Lv, Y. Zhang, X.L. Ma, H.Z. Zhai, H.S. Zhu</i> | |
| <hr/> | |
| Poster Area 2 - Tuesday, 18/05/2004, 08:00-18:00 | 122 - POSTER |
| <hr/> | |
| Tissue Integration into a Porous Polymeric Surface <i>in vivo</i> | 948 |
| <i>E.M. Pirhonen, F.E. Weber</i> | |
| β-TCP/PLGA Open Porous Scaffolds for the Prevention of Alveolar Bone Loss After Tooth Extraction: Evaluation in a Mini-Pig Model | 949 |
| <i>P.N.R. Nair, H.U. Luder, F.A. Maspero, K. Ruffieux, J.H. Fischer, J. Schug</i> | |
| Fiber Property Effects on Shape Recovery of Ni-Ti Alloy Fiber Embedded Denture-Base Resin After Smart Repair | 950 |
| <i>K. Hamada, F. Kawano, K. Asaoka</i> | |
| Hydrogen Embrittlement of Ti and Ti-6Al-4V Alloy in Fluoride Solution | 951 |
| <i>K. Yokoyama, T. Ogawa, K. Asaoka, J. Sakai</i> | |
| Redox Initiated Glass Ionomer Cements for Biomedical Applications | 952 |
| <i>D. Xie, W. Wu, A. Puckett, J.W. Mays</i> | |
| Effects of Ammonium Hexafluorosilicate on Acid Resistance of Enamel and Dentin | 953 |
| <i>A. Kawasaki, T. Suge, K. Ishikawa, T. Matsuo</i> | |
| Deformation Properties of Biomedical Ti-6Al-7Nb Alloy Removable Partial Denture | 954 |
| <i>T. Yoneyama, V. Srimanepong, H. Doi, E. Kobayashi, N. Wakabayashi, H. Hamanaka</i> | |
| Methods for the Determination of Fracture Toughness of Dental Luting Cements | 955 |
| <i>D. Leonard, G.J. McHenry, J.F. Orr, C.A. Mitchell</i> | |
| Probing the Fundamental Relationship Between Polymerization Shrinkage Stress and Degree of Conversion | 956 |
| <i>H. Lu, J.W. Stansbury, C.N. Bowman</i> | |
| Finite Element Analysis of Glass Fiber Reinforced Composite for Fixed Partial Dentures: The Effect on Reinforcement by the Vertical Thickness of Glass Fiber Framework | 957 |
| <i>A. Shinya, D. Yokoyama, E.S. Säilynoja, T. Matsuda, A. Shinya, N. Nakabayashi, H. Gomi</i> | |
| Cytotoxicity and Biocompatibility of DLC Coated on Acrylic Resin Teeth | 958 |
| <i>H. Aoki, K. Ozeki, G. Li, T. Uchi, Y. Fukui</i> | |

| | |
|---|------------|
| Relationship Between Width of Fissure and Penetrating Ability of Pit and Fissure Sealants | 959 |
| <i>S. Talungjit, K. Wayakanon, S. Poolthong</i> | |
| Wear Evaluation of Dental Restorative Composites | 960 |
| <i>P.J. Walsh, C.A. Mitchell, J.F. Orr, F.J. Buchanan</i> | |
| Interaction of a Bioglass Composite Liner with Dentine | 961 |
| <i>P. Shah, T.F. Watson, S. Deb</i> | |
| Fatigue Property of Super-Elastic Ti-Ni Alloy Dental Castings | 962 |
| <i>T. Yoneyama, J. Kasuga, H. Doi, E. Kobayashi, H. Hamanaka</i> | |
| Occlusion of Dentinal Tubules with Ammonium Hexafluorosilicate for Treatment of Dentin Hypersensitivity | 963 |
| <i>T. Suge, A. Kawasaki, K. Ishikawa, T. Matsuo</i> | |
| Biomechanical Measurements of Ca-Incorporated, Oxidized Implants in Rabbit Bone | 964 |
| <i>Y.T. Sul, C.B. Johansson, T. Albrektsson</i> | |
| Removal Torque Measurements of Mg-Incorporated, Oxidized Implants in Rabbit Bone | 965 |
| <i>Y.T. Sul, P. Johansson, C.B. Johansson, E. Byon, T. Albrektsson</i> | |
| Design and Evaluation of Sol-Gel Peptide-Enriched Dressing for Improving Osteoblast Adhesion to Ti Surfaces | 966 |
| <i>C. di Bello, M. Morpurgo, R. Gambaretto, S. Pizzinato, A. Bagno, A.M. Menti, M.T. Conconi, P.P. Parnigotto, M. Guglielmi, M. Dettin</i> | |
| Surface Activated PEEK-Based Endosteal Implants | 967 |
| <i>B.L. Anneaux, J.O. Hollinger, S.C. Budsburg, L.K. Fulton, S.W. Shalaby</i> | |
| Design, Manufacture and Characterization of a Composite Mandible Model for Dental Implants Rehabilitation | 968 |
| <i>R. de Santis, F. Mollica, L. Ambrosio, L. Nicolais</i> | |
| Analysis of Dentin-Restoration Interface | 969 |
| <i>R. de Santis, F. Mollica, D. Prisco, L. Ambrosio, S. Rengo, L. Nicolais</i> | |
| Augmentation of Alveolar Bone Using PGA Tube Filled with β-TCP/Collagen Composite | 970 |
| <i>T. Matsuno, T. Nakamura, K. Kuremoto, T. Kobayashi, T. Satoh, Y. Shimizu</i> | |
| Fatigue in Shear of Composite Bonded to Bovine Enamel Using Phosphoric Acid and Two Self-Etching Systems | 971 |
| <i>S. Williamson, L. Dillon, L. Zardiackas</i> | |
| Sinus Lift Augmentation and Dental Implant Placement Using CaP Bioceramic and Fibrin Matrix in Sheep: A Preclinical Study | 972 |
| <i>A. Saffarzadeh, O. Gauthier, M. Bilban, Y. Delmotte, M. Bagot D'arc, K. Bittner, R. Spaethe, C. Gobin, G. Daculsi</i> | |
| Effect of Size Distribution of Alumina on the Microstructure of Dental Alumina/Glass Composites | 973 |
| <i>X. Cao, J. Tian</i> | |
| Effect of Magnitudes of Interference on Bone-Implant Interface Contact Pressures | 974 |
| <i>H.Y. Yu, X.Y. Jiang, Z.R. Zhou</i> | |
| Complex Glasses to Dental Composite | 975 |
| <i>R.E.L. Palácio, C.A.C. Zavaglia</i> | |
| Evaluation of Fracture Toughness of a Fiber Dental Composite Through Cyclic Loading | 976 |
| <i>J.L. Drummond, L. Lin, K. Mieske, L. Al-Turki</i> | |
| Hydroxyapatite Formation on and Inside of Cotton Fibrilla with an Oxysulfate Solution | 977 |
| <i>J.F. Liu, S. Hayakawa, K. Tsuru, A. Osaka</i> | |
| Effect of HA Morphology on the <i>in vitro</i> Response to Hydroxyapatite-Polyethylene Composites | 978 |
| <i>Y. Zhang, K.E. Tanner, N. Gurav, L. di Silvio</i> | |
| Suitability of Polyethylene-Bioglass Ceramic Composites as Biocompatible Materials | 979 |
| <i>D.K. Pattanayak, D. Srivastava, R. Iyer, B.T. Rao, T.R. Rama Mohan</i> | |
| Synthesis, Characterization and Biocompatibility Evaluation of Titanium Bioglass Ceramic Composites | 980 |
| <i>S. Mehrotra, D.K. Pattanayak, B.T. Rao, T.R. Rama Mohan</i> | |
| Self-Reinforced Composites of β-TCP and Bioabsorbable Polymer <i>in vitro</i>: Comparison of Two Matrix Polymers | 981 |
| <i>T. Niemelä, M. Kellomäki, P. Törmälä</i> | |
| Development of Porous Tricalcium Phosphate Ceramics from Calcium-Phosphate Fibers for a Matrix of Biodegradable Ceramics/Polymer Hybrids | 982 |
| <i>M. Aizawa, M. Ito, T. Miyashita, Y. Takeoka, M. Rikukawa, I. Okada</i> | |

| | |
|--|------|
| Biodegradable Hydrogels for Controlled Release of Antibiotics for Treatment of Osteomyelitis | 983 |
| <i>K. Burugapalli, K. Veena, V. Choudhary, A.K. Dinda</i> | |
| The Experimental Study of CPC/rhBMP-2 Compounds Implanted in Bone of Rabbits | 984 |
| <i>W. Zhang, C. Hou, Y. Wang, A. Chen, S. Wang</i> | |
| Porous Alumina Bioceramics Modified with Bioglass Coating | 985 |
| <i>J. Liu, Y. Hu, X. Miao</i> | |
| Effect of Macromer Grafted Nano-Hydroxyapatite on Compressive Mechanical Properties of Poly(Propylene Fumarate) Scaffolds | 986 |
| <i>E. Jabbari, J.A. Gruetzmacher, L. Lu, B.L. Currier, M.J. Yaszemski</i> | |
| Carbon Phosphate Bioactive Composites | 987 |
| <i>J. Chlopek, B. Szaraniec</i> | |
| Novel Nanophase Ceramic/Polymer Composites with Selectively Tailored Mechanical Properties for Use as Orthopaedic/Dental Biomaterials | 988 |
| <i>A.J. Dulgar-Tulloch, K. Leventis, R. Bizios, R.W. Siegel</i> | |
| Surface Topography and Composition Effects on Osteoblast-Like Cell Response to Bioactive Composites | 989 |
| <i>S.M. Rea, R.A. Brooks, S.M. Best, N. Rushton, W. Bonfield</i> | |
| Analysis of the Young's Modulus and Fracture Behaviour of a Particulate-Filled Biocomposite | 990 |
| <i>J.A. Juhasz, S.M. Best, M. Kawashita, N. Miyata, T. Kokubo, T. Nakamura, W. Bonfield</i> | |
| Fabrication of Biodegradable Polymer/Hydroxyapatite Hybrid Materials | 991 |
| <i>Y. Takeoka, R. Kunibu, M. Ishikawa, H. Yoshikawa, M. Aizawa, M. Rikukawa, K. Sanui</i> | |
| Tribological Properties of Bioactive Composites in the Presence of Proteins | 992 |
| <i>M. Wang, M. Chandrasekaran</i> | |
| Mechanical Behaviour and Properties of Hydroxyapatite Reinforced Polyethylene Developed as an Analogue Bone Replacement Material | 993 |
| <i>M. Wang, P.K. Lai, W. Bonfield</i> | |
| <i>in vitro</i> Characterization of the Osteointegration Potential of a Polymer-Ceramic Composite | 994 |
| <i>A. Tang, K.L. Dionisio, W. Werbel, X.E. Guo, H.H. Lu</i> | |
| <i>in vivo</i> and <i>in vitro</i> Evaluation of a Novel Ceramic Polylactide Composite | 995 |
| <i>W.R. Walsh, M. Borden, A. Butler, D. Hartright, D. Acton, A. Perry, R. Stanford, L. Yee, R.M. Gillies</i> | |
| Organic-Inorganic Bioactive Fibers for Bone Tissue Engineering | 996 |
| <i>B.M. Hatcher, A.B. Brennan</i> | |
| Fabrication of a Bioactive Calcium Phosphate Paste with Cellulose Acetate | 997 |
| <i>T. Kawai, C. Ohtsuki, T. Miyazaki, H. Inada, M. Kamitakahara, M. Tanihara</i> | |
| Mechanical Characterisation of Degradable Composites: Retention of Mechanical Properties in Aqueous Media | 998 |
| <i>G.A. Aitchison, G.S. Walker, I.A. Jones, C.D. Rudd</i> | |
| Phase Composition and Mechanical Properties of Hot Pressed HAp-ZrO₂ Composites | 999 |
| <i>A. Slosarczyk, A. Rapacz-Kmita, Z. Paszkiewicz</i> | |
| The Effect of Hydroxyapatite Addition on the Mechanical and Biological Properties of Polysulfone Implants | 1000 |
| <i>J. Chlopek, P. Rosól</i> | |
| Effect of Coupling Agents on the Local Mechanical Properties of Bioactive Composites by the Nano-Indentation Technique | 1001 |
| <i>E. Ho, M. Marcolongo</i> | |
| Stability and Cellular Activity of Fluoridated Hydroxyapatite/Collagen Composites | 1002 |
| <i>B.H. Yoon, S. Lee, H.E. Kim</i> | |
| Chitosan-Gelatin/Calcium Phosphate Biocomposites | 1003 |
| <i>K.D. Yao, Y.J. Yin, L.G. Zhao, J.F. Cui, F. Zhao, C.Y. Wang, X.M. Guo</i> | |
| Hierarchical Self-Assembling of Nano-Fibril of Mineralized Collagen for Bone Graft | 1004 |
| <i>F.Z. Cui, W. Zhang, S.S. Liao</i> | |

| | |
|---|------|
| Recombinant Human Elastin Polypeptides Self-Assemble into Materials with Elastin-Like Properties | 1005 |
| <i>C.M. Bellingham, M.A. Lillie, J.M. Gosline, K.A. Woodhouse, R. Stahl, E.E. Sitarz, F.W. Keeley</i> | |
| Decellularized Porcine Right Ventricle as a Scaffold for Artificial Myocardial Tissue | 1006 |
| <i>T. Bindeballe, T. Walles, H. Mertsching</i> | |
| Decellularisation and Recellularisation of Porcine Patella Tendon for ACL Reconstruction | 1007 |
| <i>J.H. Ingram, S. Korosis, J. Fisher, E. Ingham</i> | |
| A New Collagen Dura Substitute for Use as an Onlay or a Suturable Graft | 1008 |
| <i>J.B. Ulreich, P. Hansen, M.J.N. White, D. Way, M.H. French, W.Y. Ho, K. Fryburg, A.J. Hamilton, D. Yuen, S.T. Li</i> | |
| Effect of Proteoglycans on the Differentiation of ATDC5 Cells To Chondrocytes | 1009 |
| <i>W.C.V. Yang, S.C. Chang</i> | |
| Urothelium Regeneration Using Viable Cultured Urothelial Cell Sheets Grafted on Demucosalized Gastric Flaps | 1010 |
| <i>Y. Shiroyanagi, M. Yamato, Y. Yamazaki, H. Toma, T. Okano</i> | |
| Platelet Gel Accelerates Bone Repair Process After Tibial Osteotomy: Preliminary <i>in vivo</i> Results | 1011 |
| <i>N. Baldini, L. Savarino, E. Cenni, C. Tarabusi, D. Dallari, C. Stagni, A. Cenacchi, A. Giunti</i> | |
| Engineered Dermal Scaffold for Improved Skin Regeneration | 1012 |
| <i>L.L.H. Huang, H.C. Lin, M.H. Tai, Y.K. Wang, G.M. Liu</i> | |
| Thiolated Gelatin Matrices for Tissue Engineering Applications: Cell Matrix Interaction .. | 1013 |
| <i>B. Han, C. Blalock, N. Wegner, Z. Yang, M. Nimni</i> | |
| Acellular Biological Tissues Fixed with a Naturally Occurring Crosslinking Agent (Genipin) Used to Repair a Defect in the Right Ventricle of a Rat Model | 1014 |
| <i>S.C. Chen, Y. Chang, H.J. Wei, P.H. Lai, L.C. Yu, H.W. Sung</i> | |
| Bioactive Pericardial Acellular Matrices | 1015 |
| <i>H.D. Park, H.J. Kim, C.H. Kim, K.D. Park</i> | |
| <i>in vitro</i> Synthesis of Osteoinductive Extracellular Matrix for Bone Tissue Engineering | 1016 |
| <i>N. Datta, H.L. Holtorf, J.A. Jansen, A.G. Mikos</i> | |
| Heparinized Small Intestinal Submucosa (SIS) for Cardiovascular Applications | 1017 |
| <i>K.S. Jee, H.D. Park, J.S. Shin, K.D. Park</i> | |
| Gelatine Foam Material as a Scaffold for Osteoblasts Cells | 1018 |
| <i>R. Rohanizadeh, M. Swain, R.S. Mason</i> | |
| Myocardial Tissue Engineering - Characterisation of Different Biological Matrices Under Mechanical Stress | 1019 |
| <i>T. Calliess, B. Wachsmann, T. Bindeballe, T. Walles, A. Lenz, K. Müller-Stahl, T. Kofidis, H. Mertsching</i> | |
| Non-Collagenous Components and Growth Factors in the Biomimetic Coating of Titanium Implants | 1020 |
| <i>S. Bierbaum, T. Hanke, D. Scharnweber, H. Worch, U. Hempel, K.W. Wenzel, S. Tippelt, R. Funk, E. Pilling, U. Eckelt</i> | |
| Functional Restoration of Spinal Cord Defect Using Collagen Filaments | 1021 |
| <i>S. Yoshii, M. Oka, M. Shima, A. Taniguchi, Y. Taki, M. Akagi</i> | |
| Elastin Hydrogels: Assembly, Self-Organization, Construction and Properties of Cross-Linked Recombinant Human Tropoelastin | 1022 |
| <i>S.M. Mithieux, S.G. Wise, J.E.J. Rasko, A.S. Weiss</i> | |
| Polymer Supported Polarized Extra Cellular Matrix Hybrid for Soft Tissue Formation | 1023 |
| <i>B. Atthoff, C. Adelöw, J. Hilborn</i> | |
| Developing Natural Hard Tissue as Scaffolds for Tissue Repairs | 1024 |
| <i>M. Martina, D.W. Hutmacher, S. Valiyaveetil</i> | |
| Hydroxyapatite Coating on Hyaluronic Acid Sponge for Bone Tissue Engineering | 1025 |
| <i>F. Rosso, G. Marino, D. Pressato, A. Giordano, V. Coccoli, A. Barbarisi</i> | |
| Timed Scaffold Degradation: Overcoming Diffusion Limitations in Bone Tissue Engineering | 1026 |
| <i>M.D. Dupree, S.R. Pollack, E.M. Levine, C.T. Laurencin</i> | |
| Optimal Design of Organoid-Scaffold Systems Based on Model Analysis of Oxygen Diffusion/Consumption | 1027 |
| <i>K. Sumaru, T. Kanamori</i> | |

| | |
|--|------|
| Preparation and Evaluation of Novel Scaffolds Composed of PLLA Porous Hollow Fibers for Oxygen and Nutrient Supply | 1028 |
| <i>T. Yamaoka, R. Nakamura, H. Yamane, A. Murakami, Y. Kimura</i> | |
| Woven Scaffolds from Partially Bioresorbable Bicomponent Fibers for Tissue Engineering | 1029 |
| <i>R.D. Sumanasinghe, M.W. King</i> | |
| Effect of Incubation Conditions and Enzyme Cocktails on the <i>in vitro</i> Degradation Behaviour of Different Starch-Based Biomaterials | 1030 |
| <i>H.S. Azevedo, R.L. Reis</i> | |
| Optimization of the Injection Moulding Processing Conditions of Novel Starch/Poly(lactic acid) Biomaterials | 1031 |
| <i>V.C. Correlo, L.F. Boesel, N.M. Neves, R.L. Reis</i> | |
| The Biocompatibility and Physico-Chemical Characterisation of Polycaprolactones | 1032 |
| <i>M.H. Mohammad, G.J. Phillips, A.W. Lloyd, M. Santin</i> | |
| Incorporation of Poly-L-Lysine into Biomimetically Mineralized Poly(Lactide-Co-Glycolide) Films | 1033 |
| <i>A.C. Jayasuriya, L. Darjatmoko, K. Shin, D.H. Kohn</i> | |
| Self-Aggregation and Thermo-Responsive Properties of Biodegradable Poly(ethylene glycol)-Poly(L-lactide) Amphiphilic Diblock Copolymers | 1034 |
| <i>L. Jongpaiboonkit, Z. Zhou, X. Ni, J. Li</i> | |
| High Strength Bioresorbable Fibres | 1035 |
| <i>J. Rose, A. Bull, N. Macauley, M. Hall, D. Morsley</i> | |
| Controlled Degradation of Poly-Lactic Acid Polymers | 1036 |
| <i>J. Rose</i> | |
| Functionalized Polyisopropylacrylamide-Based Hydrogel with Sensitive Temperature-Response | 1037 |
| <i>T. Aoyagi, K. Yamamoto, R. Koto, T. Yoshida</i> | |
| An Alternative Preparation of Poly(lactide-co-glycolide) -co- Poly(L-lysine) Block Copolymer via a Macro-Initiator | 1038 |
| <i>P. Cass, G.G. Qiao, J. Cooper-White</i> | |
| Melt/Solid Polycondensation of High-Molecular-Weight of Poly(L-Lactic Acid) | 1039 |
| <i>S.I. Moon, S.H. Hyon, S. Tsutsumi</i> | |
| Synthesis and Characterization of Novel Biodegradable Copolymers Composed of Ricinoleic Acid and L-Lactic Acid | 1040 |
| <i>A. Kishida, M. Ninomiya, Y. Ohya, T. Ouchi, T. Furuzono</i> | |
| Electrospun Absorbable Microfiber Constructs I: Effect of Electrospinning and Radiation on Polymer Properties | 1041 |
| <i>M.S. Taylor, J.M. Lindsey III, B.L. Anneaux, Y. Doyle, S.W. Shalaby</i> | |
| Effect of Radiation and Radiochemical Sterilization on Biomechanical Properties of Absorbable Osteoprene Sutures | 1042 |
| <i>M.S. Taylor, B.L. Anneaux, K.A. Carpenter, Y. Doyle, L.K. Fulton, S.W. Shalaby</i> | |
| Radiochemically Sterilized Absorbable Tissue Adhesive: A Preliminary Report | 1043 |
| <i>M.A. Vaughn, W.S.W. Shalaby, C.W. Woods, Y. Doyle, S.W. Shalaby</i> | |
| Adhesive Joint Strength Retention of Absorbable Tissue Adhesives | 1044 |
| <i>M.A. Vaughn, M. Shalaby, C.W. Woods, S.W. Shalaby</i> | |
| The Copolymers Polylactide/Glicolide Reinforced with Carbon Fibres - Experimental Study Results | 1045 |
| <i>T. Cieslik, M. Adwent, G. Bajor, A. Bielecka, D. Sabat, J. Chłopek</i> | |
| The Poly(Lactic Acid) Degradation <i>in vitro</i> and <i>in vivo</i> and Tissues Responses After Implanted | 1046 |
| <i>W. Zhu, Q. Peng, S. Qiou, Y. Liou, X. Zhu</i> | |
| Preparation of pH-Sensitive Nano-Particles from AB-Type Diblock Copolymer of Poly(Aspartic Acid) and Polylactide as Degradable Biomedical Materials | 1047 |
| <i>H. Arimura, Y. Ohya, T. Ouchi</i> | |
| Improved Synthesis with High Yield and Increased Molecular Weight of Poly(α,β-malic acid) by Direct Polycondensation | 1048 |
| <i>T. Kajiyama, H. Kobayashi, T. Taguchi, Y. Komatsu, K. Kataoka, J. Tanaka</i> | |
| Suture Degradation and Mechanical Characteristics | 1049 |
| <i>J.R. Field, R. Stanley</i> | |
| Long Term Evaluation of a Polylactide Film in a Retrosternal Pericardial Adhesion Model | 1050 |
| <i>G.B. Cornwall, W.R. Walsh, J. Iliopoulos, K. Thomas, E. Dona, K. Kleinhenz, C. Manganas, D. Newman</i> | |

| | |
|---|------|
| Effects of the Monomer Content to the <i>in vitro</i> Properties in P(L/D)LA 96/4 Fibres | 1051 |
| <i>V. Ellä, M. Kellomäki, P. Törmälä</i> | |
| Citotoxicity Study of Microspheres of PLLA/ PEO Blends Loaded with Vancomycin | 1052 |
| <i>A.S. Ceroni Filho, D.C. Coraça, A.R. Santos Jr., E.A.R. Duek</i> | |
| Obtention and Degradation Studies of Poli(β-Hidroxybutirate)/Poli(L- Lactic Acid), PHB/PLLA Blends | 1053 |
| <i>M. Vanin, E.A.R. Duek, C.C. Santana</i> | |
| Oxidation-Responsive Polymeric Vesicles | 1054 |
| <i>A. Napoli, N. Tirelli, J.A. Hubbell</i> | |
| Fixation of Mandibular Fractures with PDLLA/HA Compound Plates of Preparation and an Animal Study | 1055 |
| <i>T. Wan, S.P. Li, Y.H. Yan, J.H. Li, X. Jiang, Z.B. Li, T.Q. Hu</i> | |
| Synthesis and Applications of Biodegradable Thermosensitive Poly(amino acid)s | 1056 |
| <i>H. Uyama, Y. Tachibana, M. Kurisawa, S. Kobayashi</i> | |
| Protein Immobilization on the Surface of Injectable Radiopaque Polymeric Microspheres | 1057 |
| <i>K. Saralidze, Y.B.J. Aldenhoff, T. Hackeng, M.L.W. Knetsch, L.H. Koole</i> | |
| Synthesis of Unsaturated Fumarate-Based Macromers and their Cross-Linked Hydrogels | 1058 |
| <i>J.K. Tessmar, C.R. Rieger, M.A. Burrell, A.G. Mikos</i> | |
| PCL Particle-Loaded PLGA Solution as Injectable Bulking Agent | 1059 |
| <i>S.H. Oh, S.H. Yuk, J.Y. Lee, J.H. Lee</i> | |
| Lack of Immunogenicity of PEG-Based Hydrogel Used as a Tissue Sealant in Laparoscopic Porcine Partial Nephrectomy | 1060 |
| <i>J.B. Ulreich, E.L. Park, M.H. French, W.Y. Ho, J.R. Talley, M.J.N. White, J. Linehan, N. Ullrich, S. Ramakumar</i> | |
| Evaluation of the Cytocompatibility of a Novel Poly(Caprolactone Fumarate) Injectable Scaffold with Human Fetal Osteoblast Cells | 1061 |
| <i>E. Jabbari, M.L. Ceridon, T.E. Hefferan, L.G. Pedersen, L. Lu, B.L. Currier, M.J. Yaszemski</i> | |
| Thermo-Sensitive Injectable Hydrogels as Synthetic Extracellular Matrices for Hepatocyte Culture | 1062 |
| <i>H.C. Chen, J.P. Chen</i> | |
| Novel Thermoresponsive Comb-Like Copolymer Hydrogels for Use in Cartilage Tissue Engineering | 1063 |
| <i>J. Collett, S. Rimmer, P.V. Hatton</i> | |
| Studies of “Intelligent” Bioerodible Hydrogel Potentially as Injectable Biomaterials | 1064 |
| <i>J.D. Ding, W. Zhu, S.F. Duan, B.B. Wang, Y. Zhang, S.C. Ji, S. Graeter, Hong Zhang, Huan Zhang</i> | |
| Synthesis of PEG and Polyester Block Copolymer as Thermoreversible Materials | 1065 |
| <i>K.S. Seo, N.H. Lim, M.S. Kim, S.H. Cho, G.S. Khang, H.B. Lee</i> | |
| Preparation and Characterization of Cross-Linked Multi-Branch Polyester as Biodegradable Materials | 1066 |
| <i>K. Yamamoto, Y. Nakashima, T. Aoyagi</i> | |
| Anti-Inflammatory and Cytoprotective Action of Novel Synthetic MSH Peptides in Human Skin Keratinocytes | 1067 |
| <i>J.W. Haycock, S. Haldar, R.J. Elliott, N.H. Williams, S. MacNeil</i> | |
| Clinical Evaluation of a Plasma Polymer Surface for Culture and Transfer of Keratinocytes for Chronic Wounds | 1068 |
| <i>S. MacNeil, M. Moustafa, R.D. Short, D.B. Haddow, M. Jarmalowicz, C. Simpson, R. Warner, M. Glover, F.M. Creagh, S. Heller, D. Ralston, M. Brotherston</i> | |
| α-Melanocyte Stimulating Hormone Anti-Inflammatory Action in Human Dermal Fibroblast Cells: Application in Skin Tissue Engineering | 1069 |
| <i>R.P. Hill, S. MacNeil, J.W. Haycock</i> | |
| The Construction of Two Kinds of Collagen Dermis and the Comparison of their Properties | 1070 |
| <i>Q.Q. Zhang, L.R. Liu, X.M. Li, L.H. Zhang, D.R. Ma</i> | |
| An <i>in vivo</i> Evaluation of a Bioactive Composite Matrix for Dermal Regeneration | 1071 |
| <i>J. Louis, K.W. Ng, H.N. Achuth, J. Lu, S. Moochhala, D.W. Hutmacher</i> | |
| Collagen Isolation from Porcine Small Intestinal Submucosa and Application of Collagen as Wound Healing | 1072 |
| <i>S.H. Kim, H.W. Shin, J.S. Choi, S.J. Lee, M.S. Kim, S.H. Cho, G.S. Khang, H.B. Lee</i> | |
| Biocompatibility Evaluation and Characterization of Small Intestinal Submucosa for Wound Dressing | 1073 |
| <i>H.W. Shin, S.H. Kim, J.S. Choi, S.J. Lee, M.S. Kim, S.H. Cho, G.S. Khang, H.B. Lee</i> | |

| | |
|--|-------------|
| Effects of Collagen Sponge Dressing Delivering Epidermal Growth Factor on Collagen Fibril Regeneration and Biomechanical Wound Strength | 1074 |
| <i>A.R. Cho Lee, H. Moon, J. Lee</i> | |
| Preparation of Semi-Interpenetrating Polymer Networks Composed of Silk Fibroin and Poloxamer Macromer for Wound Dressing Application..... | 1075 |
| <i>M.K. Yoo, H.Y. Kweon, H.C. Lee, C.S. Cho</i> | |
| Characteristics and Biocompatibility Studies of GD-Crosslinked Collagen Sponges..... | 1076 |
| <i>T.L. Tsou, S.T. Tang, Y.C. Huang, J.R. Wu, H.J. Wang</i> | |
| Application of Biocompatible Human Placental Collagen in Tissue Engineering | 1077 |
| <i>J. Venugopal, S. Ramakrishna</i> | |
| Cell and Tissue Response to Bioactive Nanoparticles Developed as Antibacterial Agents | 1078 |
| <i>S. Molugu, L. Qu, F.J. Stutzenberger, Y.P. Sun, J. Tzeng, R.A. Latour</i> | |
| Influence of Urinary Conditioning Film to Ceramic, Metal and Polymer Surfaces..... | 1079 |
| <i>C.I. Pereni, D.M. Grant, R. Bayston</i> | |
| Silver Containing Na₂Ca(SiO₂)₃ Gel Glasses with Bioactive and Antibacterial Properties..... | 1080 |
| <i>M. Catauro, M.G. Raucci, F. de Gaetano, A. Buri, A. Marotta</i> | |
| Development and Characterisation of Antibacterial Dental Composites | 1081 |
| <i>D. Leung, D. Spratt, A. Young</i> | |
| Bacterial (S. Epidermidis) Adhesion on PVC and DLC/Ag/CF₄ Coatings..... | 1082 |
| <i>M. Katsikogianni, I. Spiliopoulou, D. Dowling, Y.F. Missirlis</i> | |
| Sterilization with Chlorine Dioxide | 1083 |
| <i>S. Powis, S.K. Williams, E. Mueller</i> | |
| Probing in Aqueous Phase the Surface Structure of Naturally Adhered Gram-Negative Bacteria (Shewanella putrefaciens) by Atomic Force Microscopy | 1084 |
| <i>F. Gaboriaud, S. Bailet, F. Jorand</i> | |

Poster Area 1 - Wednesday, 19/05/2004, 08:00-18:00

124 - POSTER

| | |
|--|-------------|
| Surface Analysis of Foley Catheter Materials | 1085 |
| <i>E.L. Williams, I.G. Turner</i> | |
| Surface Modification of Poly(ethylene-co-vinyl alcohol)(EVA): Hydroxyapatite Immobilization and Control of Periodontal Ligament Cells Differentiation | 1086 |
| <i>K. Matsumura, S.H. Hyon, N. Nakajima, H. Iwata, S. Tsutsumi</i> | |
| Immobilizing Gelatin on Polylactide Film Surface to Improve its Cell Affinity | 1087 |
| <i>J.Z. Bei, Y.Q. Wan, B. He, S.G. Wang</i> | |
| Surface Modification of PLGA by Controlled Hydrolysis or Aminolysis..... | 1088 |
| <i>T.I. Croll, A.J. O'Connor, G.W. Stevens, J.J. Cooper-White</i> | |
| Low Pressure Plasma Surface Modification of Polyhydroxyalkanoate Films for Modulating Cellular Response | 1089 |
| <i>M. Teese, T. Pompe, M. Nitschke, N. Herold, R. Zimmermann, C. Werner</i> | |
| Surface Modified Biodegradable Microparticles for Tissue Engineering..... | 1090 |
| <i>H. Thissen, K.Y. Chang, T.A. Tebb, W.B. Tsai, V. Glattauer, J.F. White, J.A.M. Ramshaw, J.A. Werkmeister</i> | |
| Cell Attachment, Morphology and Proliferation on Surface Modified Poly(L-lactic acid)..... | 1091 |
| <i>M. Yamaguchi, K. Hirakawa, K. Nakamura, M. Kamiya, M. Kodaka, T. Kanamori, T. Shinbo</i> | |
| High Intensity Plasma Ion Nitriding of Orthopedic Materials | 1092 |
| <i>R. Wei, T. Booker, C. Rincon, J.H. Arps</i> | |
| Studies of Tissue Engineering Porous Scaffolds Composed of Biodegradable Polymers..... | 1093 |
| <i>J.D. Ding, J.C. Zhang, L.B. Wu, Hong Zhang, D.Y. Jing, W. Zhu, S. Graeter, J.G. Sun, S.F. Duan</i> | |
| Corrosion Resistance and Biocompatibility of Stainless Steel Modified by ELID (Electrolytic In-Process Dressing) Grinding | 1094 |
| <i>M. Mizutani, M. Haneda, J. Komotori, K. Katahira, H. Ohmori</i> | |
| The Effect of Diamond Like Carbon and Hydroxyapatite Coatings on Soft Tissue Reactions to External Fixation Screws Under Load..... | 1095 |
| <i>T.J. Smith, A. Galm, R. Wells, S. Pedersen, A.E. Goodship, G.W. Blunn</i> | |
| Fluorinated Additives for the Preparation of Cell Adhesive Polymer Substrates..... | 1096 |
| <i>M.J. Ernsting, G. Bonin, R.S. Labow, J.P. Santerre</i> | |
| Enhance Cell Adhesion on Fabric Surface by Pulse Plasma Surface Modification and AAC Grafting | 1097 |
| <i>Y.P. Chiang, J.P. Chen</i> | |

| | |
|---|-------------|
| Effects of Surface Property of Collagen-Elastin Matrix on Calcification | 1098 |
| <i>R. Mallipeddi, E. Lee, B.K. Warrior, S. Neau, C.H. Lee</i> | |
| Creation of Non-Fouling Surface for High Performance Immunoassay with Quantum Dots | 1099 |
| <i>T. Jomura, T. Takahashi, Y. Nagasaki, K. Kataoka</i> | |
| Structural Dependence of Apatite Formation on Titanium Oxide Film in a Simulated Body Fluid | 1100 |
| <i>Y. Cao, L.P. Wang, B. Zhang, B.C. Yang, C.Y. Bao, J.Y. Chen, J.M. Feng, X.D. Zhang</i> | |
| Mediating Specific Cell Adhesion to Low-Adhesive Diblock Copolymers by Instant Modification with RGD-Peptides | 1101 |
| <i>M. Hacker, E. Lieb, J. Tessmar, J. Fiedler, C. Dahmen, U. Hersel, H. Kessler, M.B. Schulz, A. Göpferich</i> | |
| Nitrogen Incorporated Carbon Films Preparation and the Films Interaction with Platelet | 1102 |
| <i>F. Wen, N. Huang, J. Wang, H. Sun, Y.W. Liu</i> | |
| Behavior of Plasma Protein Adsorption on Ti-O Thin Film | 1103 |
| <i>P. Yang, N. Huang, Y.X. Leng, J.Y. Chen, H. Sun, J. Wang, G.J. Wan</i> | |
| Galactosylated Collagen Enhanced the Functions of Hepatocyte in Capsules | 1104 |
| <i>Y.N. Wu, X.W. Wang, H.Q. Mao, H. Yu</i> | |
| Novel Biomimetic Treatment to Improve Titanium Surfaces Osteointegration Capability | 1105 |
| <i>E. Sandrini, C. Giordano, R. Chiesa, G. Rondelli, A. Cigada</i> | |
| Surface Modification of Phosphoric Acid Anodized Implant Titanium Alloys | 1106 |
| <i>E. Krasicka-Cydzik</i> | |
| Encrustation Behaviour of Selected Ceramic, Metallic and Polymeric Surfaces in an <i>in vitro</i> Experimental Model | 1107 |
| <i>C.I. Pereni, D.M. Grant</i> | |
| Anode Glow Discharge Plasma Treatment Enhances Adsorption of Cell-Binding Proteins on Titanium Plates | 1108 |
| <i>M. Hosaka, Y. Shibata, H. Yamamoto, T. Miyazaki</i> | |
| Inflammatory Response to Oxidised Surface with Mg²⁺-Ions Incorporated <i>in vivo</i> | 1109 |
| <i>A. Göransson, C. Gretzer, A. Johansson, Y.T. Sul, A. Wennerberg</i> | |
| Osteoblast Behavior on Amorphous Carbon Films | 1110 |
| <i>R. Olivares, S.E. Rodil, H. Arzate, S. Mulh</i> | |
| Surface Characterization of Titanium (Ti) and Calcium Phosphate/Titanium Thin Films and HOS Cell Responses | 1111 |
| <i>I.H. Jung, S.U. Kim, H.Y. Shin, J.Y. Jung, M.J. Mo, K.S. Kim, W.K. Lee, J.S. Ko</i> | |
| Surface Modification of Titanium by Phosphorus Plasma Immersion Ion Implantation | 1112 |
| <i>X.Y. Liu, R.W.Y. Poon, P.K. Chu, C.X. Ding</i> | |
| Increase of Bioactivity by Hydrogen Ion Implantation into Silicon Wafer | 1113 |
| <i>X.Y. Liu, R.W.Y. Poon, R.K.Y. Fu, P.K. Chu, C.X. Ding</i> | |
| Surface Characterization of Titanium (Ti) and Calcium Phosphate/Ti Film and Cellular Responses of Osteoblasts | 1114 |
| <i>I.H. Jung, S.U. Kim, H.Y. Shin, J.Y. Jung, M.J. Mo, K.S. Kim, W.K. Lee, J.S. Ko</i> | |
| Characterization and <i>in vitro</i> Cytotoxicity Studies of Diamond-Like Carbon Coatings on Ti-13Nb-13Zr Alloy Produced by Plasma Immersion | 1115 |
| <i>E.T. Uzumaki, C.S. Lambert, P.L. Moreira, A.R. Santos Jr., C.A.C. Zavaaglia</i> | |
| Plasma Treatment and Hydrolysis Behaviour of CaloMER, a Shape Memory Polymer | 1116 |
| <i>L. de Nardo, S. Polizu, S. Farè, M.C. Tanzi, L.H. Yahia</i> | |
| Hydroxyapatite Coating on Micro-Arc Oxidation Treated Ti Surface and <i>in vitro</i> Response | 1117 |
| <i>L.H. Li, S. Lee, B.H. Yoon, H.E. Kim</i> | |
| Biocompatibility of Ultrathin Hydrogels Prepared by Sequential Chemical Reactions on Substrate Surface | 1118 |
| <i>H. Yamashita, T. Serizawa, M. Akashi</i> | |
| Fabrication and Characterisation of Chemical Gradient Surfaces for Cell Culture | 1119 |
| <i>J.D. Whittle, D. Barton, M.R. Alexander, R.D. Short, A.J. Beck, P.C. Eaves, A.G. Shard</i> | |
| The Blood Compatibility of Silk Fibroin Films Modified by CO₂ Plasma | 1120 |
| <i>C.B. Cao, Y. Zhang, X.L. Ma, H.Z. Zhai, H.S. Zhu</i> | |
| Effect of Surface Characteristics of Metallic Biomaterials on Interaction with Osteoblast Cells | 1121 |
| <i>L. Bren, L. English, J. Fogarty, R. Policoro, A. Zsidi, J. Vance, J. Drelich, C. White, S. Donahue, N. Istephanous, K. Rohly</i> | |
| Retrieved Zirconia/UHMWPE/Hydroxyapatite in THR's After 8-9 Years <i>in vivo</i> - A Case Review | 1122 |
| <i>D.D. Green, T.K. Donaldson, W. Walter Jnr, B. Willie, R. Bloebaum, I.C. Clarke</i> | |

| | |
|--|------|
| ATZ – A New Material with a High Potential in Joint Replacement | 1123 |
| <i>S. Begand, Th. Oberbach, W. Glien</i> | |
| The Development of Polycrystalline Diamicorn Compact (PDC) for Arthroplasty Bearing Applications | 1124 |
| <i>J. Taylor, B. Pope, C. Gardinier, T. Bunton, T. Medford, D. Blackburn</i> | |
| Improved Performance of Fully Coated Beaded Implants | 1125 |
| <i>T. Johnson, D. Wentz, J. Jennings, R. Kenyon, J. Crumley, D. Aquilo</i> | |
| Heel Strike Kinematics Influence UHMWPE Anterior Post Contact | 1126 |
| <i>T.S. Johnson, M. Vora, T.P. Andriacchi</i> | |
| Metal-On-Metal Hip Replacements; Effect of Swing Phase Load on Wear, Wear Particles and Metal Ion Release | 1127 |
| <i>S. Williams, M.H. Stone, E. Ingham, J. Fisher</i> | |
| High-Sensitivity Measurement of Polyethylene Wear Using a Radioactive Tracer Technique | 1128 |
| <i>J.H. Arps, D.C. Eberle, M.B. Treuhaft, C.M. Wall</i> | |
| The Influence of Mobile Bearing Knee Prostheses Kinematics on their Wear Behaviour | 1129 |
| <i>C.B. Rieker, R. Schön, G. Liebenritt, P. Gnepf, J. DesJardins, M. LaBerge</i> | |
| The Influence of Vitamin E on the Wear Behaviour of UHMWPE | 1130 |
| <i>C.B. Rieker, R. Schön, G. Liebenritt, P. Gnepf, W. Schneider, N.A. Abt</i> | |
| Surface-Texture Design to Generate Narrowly Distributed UHMWPE Particles with Specific Sizes and Shapes | 1131 |
| <i>H.W. Fang, S.M. Hsu, J.V. Sengers</i> | |
| Sintering Parameters of Ultra High Molecular Weight Polyethylene Composites Used in Artificial Joints | 1132 |
| <i>M. Rezaei, N.G. Ebrahimi</i> | |
| Influence of Bovine Serum Lubricant Changeover Time on the Wear of PTFE Biomaterial Against Stainless Steel | 1133 |
| <i>T.J. Joyce, K. Mendham, S.M. Green, A. Unsworth</i> | |
| Preparation and Properties of Alumina Femur Ball Prosthesis for Artificial Hip Joint | 1134 |
| <i>X.Y. Wang, J.H. He, H.L. Dai, L. Jia, X.M. Chen, S.P. Li</i> | |
| Effect of Hip Simulator Test Conditions on the Wear of Polyethylene Acetabular Cups Fabricated from 7.5 Mrad Crosslinked-Remelted GUR 1020 UHMWPE | 1135 |
| <i>H. McKellop, F.W. Shen, W. McGarry, D. McNulty, K. Greer</i> | |
| Wear Volume Estimation from Wear Debris Morphology: Pitfalls and Special Considerations | 1136 |
| <i>P. Williams, K. Yamamoto, M. Masaoka, H. Oonishi, I. Clarke</i> | |
| Improved Longevity of the Artificial Joints by Grafting of Biocompatible Phospholipid Polymer on the Polyethylene Liner | 1137 |
| <i>T. Moro, Y. Takatori, K. Ishihara, T. Konno, Y. Takigawa, K. Nakamura, H. Kawaguchi</i> | |
| Simulator Comparison of XLPE Wear with 36mm CoCr and Oxidized Zirconia Balls in Smooth and Roughened Condition | 1138 |
| <i>I.C. Clarke, D.D. Green, P.A. Williams, V. Good</i> | |
| New Configuration Parameter for the Bearing Surfaces of Metal-On-Metal Artificial Joint for Predicting Wear | 1139 |
| <i>T. Masuda, Y. Nakanishi, H. Higaki, H. Miyagawa</i> | |
| Correlation Between <i>in vivo</i> and <i>in vitro</i> Wear Rates of UHMWPE | 1140 |
| <i>C. Blanchard, A. Patil, M. Laurent, J. Yao, J. Lemons, K. Niemann, R. Crowninshield</i> | |
| Failure Predictions of Conventional and Highly Crosslinked UHMWPE | 1141 |
| <i>J.S. Bergström, S.M. Kurtz, C.M. Rimnac</i> | |
| Effects of Resin and Dose on Wear and Mechanical Properties of Crosslinked Thermally Stabilized UHMWPE | 1142 |
| <i>Y.S. Liao, K. Greer, M. Hanes, D. McNulty</i> | |
| Biomolecular Boundary Lubrication of Total Joint Replacements | 1143 |
| <i>A.P.D. Elfick, J. Zhao, K. Healy, A. Unsworth, L. Pruitt</i> | |
| Fabrication and Properties of Titanium Nitride and Titanium Nitride/Apatite Functionally Graded Material for Abrasion Resistant Implant | 1144 |
| <i>F. Watari, H. Kondo, Y. Tamura, A. Yokoyama, M. Omori, T. Hirai, M. Uo, T. Kawasaki</i> | |
| Simulation Studies of the Five Most Commonly Used THR Implants in Finland | 1145 |
| <i>M. Selenius, S.S. Santavirta, R. Lappalainen</i> | |

| | |
|---|------|
| Hip Simulator Wear of Metal-Backed Large and Thin Crosslinked UHMWPE Acetabular Liners | 1146 |
| <i>A. Essner, G. Schmidig, P. Setti, L. Herrera, A. Wang</i> | |
| Titanium-Based Metal Matrix Composite: A Candidate for Metal-Metal Cervical Disc Implants? | 1147 |
| <i>M.L. Powell, J.B. Medley, R. Varano</i> | |
| Influence of Contact Pressure on Frictional and Wear Characteristics in Artificial Hip Joint | 1148 |
| <i>K. Otsuka, H. Higaki, Y. Nakanishi</i> | |
| Sealing the Acetabular Bone-Implant Interface Against Wear Particle Migration | 1149 |
| <i>M.J. Coathup, J. Blackburn, T.J. Smith, A.E. Goodship, G.W. Blunn</i> | |
| Effects of Wear Particles from Metallic Implant Materials on the Pro-Inflammatory State of Endothelial Cells <i>in vitro</i> | 1150 |
| <i>K. Peters, D.R. Haynes, T.N. Crotti, R.E. Unger, C.J. Kirkpatrick</i> | |
| Mice Lacking Interleukin 1 Receptor Show Diminished Cytokine Response to Titanium Particles | 1151 |
| <i>N.J. Epstein, W. Bragg, B.A. Warme, T. Ma, K. Miyanishi, S.B. Goodman, R.L. Smith</i> | |
| Temporal Response of Mononuclear Cells to Titanium Particles <i>in vivo</i>: RNA Expression in a Murine Model of Periprosthetic Inflammation | 1152 |
| <i>N.J. Epstein, K. Miyanishi, T. Ma, B.A. Warme, T. Tomita, S.B. Goodman, R.L. Smith</i> | |
| Ion Release in Stable Hip Arthroplasties Using Metal-On-Metal Bearings | 1153 |
| <i>N. Baldini, L. Savarino, M. Greco, R. Rotini, A. Giunti</i> | |
| Polyurethane Wear Debris Generated by the Knee Motion Machine (KMM) from an Interpositional Knee Arthroplasty Device | 1154 |
| <i>J.L. Pavlovic, M. Travanty, J.L. Anderson, C.M. Agrawal</i> | |
| Wear Behavior of Radiation Crosslinked Polyethylene with a High Degree of Crystallinity | 1155 |
| <i>A. Bistolfi, Y.L. Lee, A. Bellare</i> | |
| 3-Point Bend Fatigue Test of a Polymeric Medial Knee Implant: Simulation of a Concave Tibial Plateau | 1156 |
| <i>J.L. Pavlovic, M. Travanty, J.L. Anderson, P. Buscemi</i> | |
| Sustained Present of Transforming Growth Factor β1 (TGF-β1) to Encapsulated Hepatocytes Mimicking the Stimulatory Effects of 3D Co-Culture | 1157 |
| <i>S.M. Chia, P.C. Lin, C.H. Quek, H.Q. Mao, H. Yu</i> | |
| Amplification of Antioxidant Property and Enzyme Inhibitory Activity by Conjugation and Polymerization of Catechins | 1158 |
| <i>H. Uyama, J.E. Chung, M. Kurisawa, N. Ihara, S. Kobayashi</i> | |
| Elution Characteristics of Teicoplanin and Vancomycin from Calcium Sulfate Pellets | 1159 |
| <i>J.P. Moseley, K.C. Richelsof, L.H. Morris, C. van der Straeten, J.E. Parr</i> | |
| Graft Copolymers of Starch and Butyl Methacrylate as Biodegradable Matrices for Controlled Drug Release | 1160 |
| <i>I. Echeverria, I. Silva, M. Gurruchaga, I. Goñi</i> | |
| Oral Delivery of LMW Heparin via Surface Coated Chitosan/PEG/Alginate Microspheres in Rabbits | 1161 |
| <i>T. Joseph, T. Chandy, G.S. Das, G.H.R. Rao</i> | |
| Study on the Applied Properties of Tobramycin-Loaded Calcium Phosphate Cement | 1162 |
| <i>C.S. Liu, C.J. Wang, Y. Huang, T.Y. Chen, Y. Chen</i> | |
| Controlled Release Bone Morphogenetic Protein of Chitosan Microspheres | 1163 |
| <i>F.P. Chen, C.S. Liu, Y. Wang</i> | |
| Evaluation of Liposome Stability Using Environmental Scanning Electron Microscopy | 1164 |
| <i>A.R. Mohammed, N. Bock, A.G.A. Coombes, M. Fitzgerald, Y. Perrie</i> | |
| Poly(methyl vinyl ether-<i>block</i>-lactide) Particles | 1165 |
| <i>S. Rimmer, P. Sarker</i> | |
| Local Delivery of Pamidronate on a K-Wire Increases Bone Mineralization and Volume of Femoral Fractures in Rats | 1166 |
| <i>N. Amanat, R. Brown, D. Little, L. Bilston</i> | |
| The Drug-Loaded Intracellular pH Sensitive Polymeric Micelles | 1167 |
| <i>Y.S. Bae, S. Fukushima, K. Kataoka</i> | |
| Zinc Phosphate Ceramic Nanoparticles for Oral Insulin Delivery | 1168 |
| <i>W. Paul, C.P. Sharma</i> | |
| Chitosan Based Microparticles for Oral Insulin Delivery | 1169 |
| <i>M.R. Rekha, C.P. Sharma</i> | |

| | |
|--|------|
| Carbonate Apatite Hydrogel as a Carrier of Protein | 1170 |
| <i>Y. Yokogawa, Y. Shiotsu, F. Nagata, K. Kato, M.R. Mucalo, M. Watanabe</i> | |
| The Design of Injectable Paclitaxel Microemulsion Containing PLGA for Sustained Release | 1171 |
| <i>S.K. Chon, B.K. Kang, S.Y. Jeong, M.S. Kim, S.H. Cho, H.B. Lee, G.S. Khang</i> | |
| pH Sensitive Nanogels Possessing PEG-COOH Tethered Chain Surface for High Performance Drug Delivery Materials | 1172 |
| <i>H. Hayashi, M. Iijima, K. Itaka, Y. Nagasaki, K. Kataoka</i> | |
| Controlled TGF-β3 Release from Porous Poly(ϵ-caprolactone) Carriers | 1173 |
| <i>Z.G. Tang, R.A. Black, J.M. Curran, D.F. Williams, A.D. Metcalfe, M.W.J. Ferguson</i> | |
| Orthopaedic Implant as Drug Delivery System: Numerical, <i>in vitro</i> and <i>in vivo</i> Approaches | 1174 |
| <i>B. Peter, O. Gauthier, J. Guicheux, J.M. Bouler, H. van Lenthe, R. Müller, P.Y. Zambelli, D.P. Pioletti</i> | |
| Application of Biocompatible Polymeric Rods as Implants for Enhanced Cartilage Regeneration | 1175 |
| <i>Y.J. Yook, J.H. Hwang, I.K. Shim, J.Y. Lee, S.Y. Lee, H.J. Ahn, S.H. Lee, M.C. Lee, K.D. Park, S.J. Lee</i> | |
| Effect of Membrane-Forming Time on Drug Load, Encapsulation Efficiency and Release Behaviour of Alginate/Poly-L-Arginine-Chitosan Complex Microcapsules | 1176 |
| <i>S.B. Wang, A.Z. Chen, M.Y. Chen, F.H. Xu, L.J. Weng, M.F. Wang</i> | |
| Controlled Release Based on Dissolution of Calcium Carbonate Layer on Poly(vinyl alcohol) Hydrogel Surface | 1177 |
| <i>D. Ogomi, T. Serizawa, M. Akashi</i> | |
| A Novel Biodegradable Amphiphilic Triblock Copolymer Consisting of Poly(<i>R</i>)-β-hydroxybutyrate] and Poly(ethylene oxide) and its Self-Association Property .. | 1178 |
| <i>J. Li, X. Ni, X. Li, X. Wang, Z. Zhou, K.W. Leong</i> | |
| Delivery from an Alginate Hydrogel Layer | 1179 |
| <i>P. Peng, N. Voelcker, S. Kumar, R. Smart, H.J. Griesser</i> | |
| Synthesis of Functionalized Polysuccinimide as a Drug Carrier | 1180 |
| <i>N.H. Lim, K.S. Seo, S.Y. Jeung, M.S. Kim, S.H. Cho, G. Khang, H.B. Lee</i> | |
| Therapeutic Angiogenesis in Limb Ischemia by Controlled Release of Basic Fibroblast Growth Factor | 1181 |
| <i>A. Marui, K. Doi, T. Kushibiki, Y. Tabata, M. Komeda</i> | |
| <i>in vitro</i> Release Behaviors of Alginate/Poly-L-Arginine-Chitosan Complex Microcapsules | 1182 |
| <i>S.B. Wang, A.Z. Chen, M.Y. Chen, F.H. Xu, L.J. Weng, M.F. Wang</i> | |
| Enhancement of Fracture Healing by Locally Applied Growth Factors from PDLLA Coated Osteosynthetic Implants | 1183 |
| <i>G. Schmidmaier, B. Wildemann, J. Heeger, F. Cromme, T. Gäbelein, M. Raschke</i> | |
| Stimulation of Osteogenesis by Means of Sustained Delivery of Androgenic Adrenal and Testicular Hormones | 1184 |
| <i>H. Bughuzzi, M. Tucci, A. Tsao, G. Russell, R. Patel</i> | |
| Electrospun Poly (lactic-co-glycolic acid)(PLGA) Microparticles for Controlled Drug Delivery System | 1185 |
| <i>J.Y. Lee, M.H. Lee, W.H. Park, B.M. Min, S.J. Lee</i> | |
| Evaluation of DHAQ-Load PELGE Nanoparticles Residence in Blood Circulation | 1186 |
| <i>Y.R. Duan, Z.R. Zhang</i> | |
| Synthesis Thermosensitive Block Copolymers and Applications | 1187 |
| <i>C.Y. Choi, T.H. Kim, S.Y. Chae, T.W. Chung, J.W. Nah</i> | |
| The Preparation of Low Molecular Water-Soluble Chitosan Nanoparticles Containing the Anticancer Agent | 1188 |
| <i>M.K. Jang, J.T. Jang, J.W. Nah</i> | |
| Influence of Nitinol Wire Surface State on Cell-Wire Interactions and Polymer Coating Adherence | 1189 |
| <i>W.M. Carroll, Y. Rochev, B. Clarke, M. Burke, A. Gorelov, D.J. Bradley, D.L. Plumley</i> | |
| Regulation of Cell Adhesion Signaling by Synthetic Glycopolymer Matrix in Primary Cultured Hepatocyte | 1190 |
| <i>S.H. Kim, T. Akaike</i> | |
| MC3T3-E1 OBs are a Suitable Substitute for Primary OB Behaviour in Terms of ζ-Potential Analysis of HA and βTCP <i>in vitro</i> | 1191 |
| <i>I.O. Smith, M.J. Baumann, L.R. McCabe, M.A. Griffin</i> | |
| Effect of Cyclic Strain on Inflamed Ligament Cells Propagated on Flexible Silicone Membrane | 1192 |
| <i>K. Lahiji, A.V. Polotsky, T. Johnson, D.S. Hungerford, C.G. Frondoza</i> | |

| | |
|--|------|
| Reversal of Diabetes in NOD Mice by Immunoisolation of BTC3 Cells in Novel Polymer Macrocapsules | 1193 |
| <i>P.D. Nair, S. Safley, C.J. Weber, A. Sambanis, R.M. Nerem</i> | |
| Relationship of Membrane Micromechanics and Morphology of Cells Adhered on Different Polymers | 1194 |
| <i>P.S. Sit, J. Kohn</i> | |
| Neutrophil Interaction with Distinct Moieties in Biomimetic Hydrogels | 1195 |
| <i>A.G. Gonzalez, A. Gobin, J. West, L.V. McIntire, C.W. Smith</i> | |
| Cell and Bacteria Cytocompatibility on Different Hydrophilic Biodegradable Polyurethanes | 1196 |
| <i>L.G. Harris, K. Gorna, S. Gogolewski, R.G. Richards</i> | |
| Host Response of Vagina Mucosa to Lactic Acid | 1197 |
| <i>B.K. Warriar, S. Cheeti, C.H. Lee</i> | |
| Effects of 60 Hz Sinusoidal Magnetic Field on Proliferation of Rat Glioma Cell Line C6 | 1198 |
| <i>A.R. Sul, S.N. Park, J.M. Cha, H. Suh</i> | |
| Cell Behaviour and Mechanical Characterisation of Enzymatically Cross-Linked Gelatin | 1199 |
| <i>E. Broderick, Y. Rotchev, M. Griffin, A. Pandit</i> | |
| Evaluation of the <i>in vitro</i> Biocompatibility of Novel Porous Hydroxyapatite Bone Substitutes | 1200 |
| <i>P.V. Hatton</i> | |
| Analysis of Effects of Surface Passivation of Nitinol and Stainless Steel Wires on HUVEC Gene Expression | 1201 |
| <i>E. McLucas, M. O'Brien, W. Carroll, T.J. Smith</i> | |
| A Comparative QCM-D Study of Preosteoblastic Attachment and Spreading on Tantalum and Chromium | 1202 |
| <i>M. Foss, J. Justesen, M. Duch, A.L. Stranne, J. Chevallier, C. Modin, F.S. Pedersen, F. Besenbacher</i> | |
| Differential Effects of Green Tea Polyphenol on Cellular Responses in Normal Cells vs. Cancer Cells and its Possible Mechanisms | 1203 |
| <i>D.W. Han, B.J. Park, I.S. Lee, K.Y. Lee, J.K. Kim, S.H. Hyon, J.C. Park</i> | |
| Effects of Activated Platelet Concentrates on Fibroblasts, Osteoblasts, and Endothelial Cell Cultures | 1204 |
| <i>N. Baldini, E. Cenni, G. Ciapetti, D. Granchi, L. Savarino, F. Perut, S. Pagani, D. Dallari, M.L. Brandi, A. Giunti</i> | |
| New Method for Platelet-Rich Plasma (PRP) Preparation: Selective Precipitation of Erythrocyte with Poly-L-Glutamic Acid | 1205 |
| <i>E. Sumida, K. Akiyoshi, Y. Iwasaki, S. Kasugai</i> | |
| Study of the Cellular Adhesion Functions Regulated by Immobilized EGF | 1206 |
| <i>K. Ogiwara, M. Nagaoka, T. Akaike</i> | |
| Cell Attachment and Growth on Sericin Membranes | 1207 |
| <i>M. Nagura, Y. Yamashita, A. Ohtorii, Y. Gotoh, Y. Ohkoshi, A. Teramoto, K. Abe, T. Yamamoto</i> | |
| The Effect of Biomimetic Liquid Crystalline Structure on Cell Behaviour | 1208 |
| <i>J. Xu, J. Ji, J. Shen</i> | |
| Selective Adhesion of Sugar-Modified Cells on a Phospholipid Polymer with Hydrazide Groups | 1209 |
| <i>E. Tabata, K. Kurita, Y. Iwasaki, K. Akiyoshi</i> | |
| Preparation of Pluronic Gels and Animal Cells Behaviour on the Pluronic Membranes | 1210 |
| <i>T. Yamamoto, K. Sugiyama, A. Higuchi</i> | |
| Differences in Early Apoptosis/Cell Death on Titanium and Copper <i>in vitro</i> | 1211 |
| <i>F. Suska, C. Gretzer, M. Esposito, P. Tengvall, P. Thomsen</i> | |
| The Study of Fibroblast and Osteoblast Migration on Several Extracellular Matrices Using Cell Tracking System | 1212 |
| <i>D.W. Han, B.J. Park, I.S. Lee, K.Y. Lee, J.K. Kim, J.C. Park</i> | |
| Characterization of Cellular Response: Pheochromocytoma Cell Growth on Macroporous Poly(2-hydroxyethyl methacrylate) | 1213 |
| <i>T.W. Carone, D.J. Osterhout, J.M. Hasenwinkel</i> | |
| Cellular Attachment to MAP-Binding Motif and Derivatives | 1214 |
| <i>M.P. Olivieri, M.F. Swartz, M.I. Hurley, R.M. Wollman, R.F. Maine, P.A. Link</i> | |
| Influence of Concentration of RGD Peptide Immobilised onto Polyvinylidene Fluoride on Adhesion of FRF | 1215 |
| <i>Z. Ademovic, J. Salber, D. Klee, H. Hoecker</i> | |

| | |
|---|-------------|
| ThermoMechanical Properties and Cells Interaction of CaloMER, Shape Memory Polymers..... | 1216 |
| <i>S. Farè, M. Danielli, L. de Nardo, M.C. Tanzi</i> | |
| Experimental Researches Concerning Metabolic Chemical Phenomenon at the Bone Tissue-Metallic Implant Interface..... | 1217 |
| <i>D. Bunea, I. Patrascu, F. Miculescu, L.T. Ciocan, I. Antoniac</i> | |
| Transplantation of Adrenocortical Cells Among Allorats Using Biodegradable Material as Cell Carrier..... | 1218 |
| <i>J. Zhang, W. Li, X.B. Zhang, F. Cheng, H.M. Jin, T.P. Wu</i> | |
| Effects on Lipid Metabolism of Substrate Inducing Hepatocyte Adhesion via Asialoglycoprotein Receptors..... | 1219 |
| <i>O. Petillo, A. Calarco, A. Giordano, N. D'Apuzzo, S. Margarucci, E. Farina, M. Moracci, M. Carteni, M. de Rosa, G. Peluso</i> | |
| Tissue Engineered Long-Term Extracellular Matrix Maturation of Osteoblasts on Biodegradable Polymeric Scaffolds for Bone Regeneration..... | 1220 |
| <i>S.F. El-Amin, M. Kofron, E. Botchwey, G.W. Stewart, R.S. Tuan, C.T. Laurencin</i> | |
| Evaluation of Synovial Type A Cells and Macrophages for Phagocytic Index and Inflammatory Mediators..... | 1221 |
| <i>M. Tucci, H. Benghuzzi</i> | |
| Mineralization of Organic Templates Modulates the Distribution of Cell Contacts..... | 1222 |
| <i>E.V. Leonova, P.H. Krebsbach, D.H. Kohn</i> | |
| Ultrasound Elastography of Fibrous Non-Woven PGA Scaffold in Compression..... | 1223 |
| <i>A.W.T. Shum, Y.P. Zheng, A.F.T. Mak</i> | |
| Synthesis of Polymeric Tissue Scaffolds Using a Biocompatible Calcium Initiator..... | 1224 |
| <i>J. Colwell, N. Guerrouani, F. DeFilippis, E. Wenstrup-Byrne, O. Giani, A. Mas, G. George, F. Schué</i> | |
| Study on the Electrospun Biodegradable Polymer Nonwoven as a Use for Tissue Engineering Matrix..... | 1225 |
| <i>H. Kim, K. Lee, J. Lee, B. Lee, C. Kim</i> | |
| Preparation and Characterization of Silk Fibroin Sponges as Cell Support..... | 1226 |
| <i>Y. Tamada, N. Tomita</i> | |
| Fabrication of Inhomogeneous Biodegradable Polymer Scaffold..... | 1227 |
| <i>J.S. Li, A.F.T. Mak</i> | |
| Poly(Ester Amide)s as Biodegradable Scaffolds for Tissue Engineering..... | 1228 |
| <i>P.A.M. Lips, I.W. Velthoen, P.J. Dijkstra, J. Feijen, F. Chiellini, E. Chiellini</i> | |
| Thin Collagen Gel Membrane Useful for the Three-Dimensional Reconstruction of an Epithelial-Mesenchymal Model..... | 1229 |
| <i>T. Takezawa, A. Nitani, T. Shimo-Oka</i> | |
| Pressed Silk Sheet Useful for the Three-Dimensional Reconstruction of a Hard Connective Tissue..... | 1230 |
| <i>K. Ozaki, C. Takabayashi, T. Takezawa</i> | |
| High Performance Liquid Chromatographic Assay for Amino Acid in Collagen Scaffold..... | 1231 |
| <i>Q.Q. Zhang, X.M. Li, M. Wang, L.R. Liu</i> | |
| Novel Biomaterial for Bone Tissue Engineering..... | 1232 |
| <i>S. Lakshmi, J.D. Bender, Y.E. Greish, P.W. Brown, H.R. Allcock, C.T. Laurencin</i> | |
| Non-Toxic Injection-Moulded Scaffolds..... | 1233 |
| <i>H. Haugen, H. Schlicht, M. Brunner, J. Will, J. Aigner, E. Wintermantel</i> | |
| Poly(ϵ-caprolactone) Scaffolds for Tissue Engineering Prepared by Compression Moulding and Salt Leaching Method..... | 1234 |
| <i>S.H. Barbanti, E.A.R. Duek, C.A.C. Zavaglia</i> | |
| Modifying Cellular Responses to Electrostatically Spun Tissue Engineering Scaffolds..... | 1235 |
| <i>K.D. Andrews, R.A. Black, J.A. Hunt</i> | |
| Production of Versatile Tissue Engineering Scaffolds Using Electrostatic Spinning..... | 1236 |
| <i>K.D. Andrews, R.A. Black, J.A. Hunt</i> | |
| Interaction of Mobile Phones with Superficial Implants..... | 1237 |
| <i>H. Virtanen, J. Tuppurainen, A. Toropainen, R. Lappalainen</i> | |
| Nanomechanical Analysis of a Mineralized Hydrogel Bone Mimic..... | 1238 |
| <i>C.M. Klapperich, J. Song, C.R. Bertozzi</i> | |
| Functional Polymer Microspheres for Selective Cleavage of Mismatched DNA..... | 1239 |
| <i>S. Oba, H. Handa, H. Kawaguchi</i> | |
| Water Contact Angle Analysis of Thermoresponsive Graft Copolymer Hydrogels Using the Captive Bubble Technique..... | 1240 |
| <i>J. Collett, S. Rimmer, P.V. Hatton</i> | |

| | |
|---|------|
| Silicone Pacemaker Lead Insulation Performance | 1241 |
| <i>A. Braly, K. Cobian, J. Miller, M. Paulsen, M. Ebert</i> | |
| Preliminary Work on the Development of a Novel Detection Method for Osteoporosis | 1242 |
| <i>M.R. Towler, P. Moran, S. Chowdhury, M.J. German, N.S. Lawson, H.M. Pollock, J. Saunders, I. Pillay, D. Lyons</i> | |
| Protein/DNA Arrays for Transcription Factors in Relation to Osteoinductivity | 1243 |
| <i>Y. Yu, J.L. Yang, J.B. Chen, W.R. Walsh</i> | |
| Nanoindentation Assessment of Rabbit Finger Joint Cartilage | 1244 |
| <i>L.A. Pruitt, C. Li, K.B. King</i> | |
| Improved Experimental Methodologies for <i>in vitro</i> Tests from a Single Sample by Means of ESEM | 1245 |
| <i>E. Engel, C. Aparicio, J.M. Manero, F.J. Gil, S. Serrano, J.A. Planell</i> | |
| Efficiency of Reflux Extraction versus Sonication for the Recovery of Buffing Compound from Porous Coated Implants | 1246 |
| <i>M.T. Hooper, J.P. Moseley, S.J. Bible</i> | |
| Development of a Capillary Electrophoresis Method for the Quantitation of Collagen Methylation | 1247 |
| <i>J. Zhang, H.P. Wei, C.H. Quek, S.M. Chia, H. Yu</i> | |
| Development of High-Sensitive Cytotoxic Detection System Using HSP70B Promoter | 1248 |
| <i>K.I. Wada, L. Xu, T. Okano, A. Taniguchi</i> | |
| Determination of Residual Acrylamide Monomer in Medical Polyacrylamide Hydrogel by HPLC | 1249 |
| <i>Z.Y. Wan, P. Zhao, T.F. Xi</i> | |
| Viscoelastic Recovery in Rat-Tail Intercaudal Discs | 1250 |
| <i>S.Y. Chuang, D.H. Le, T.P. Hedman</i> | |
| Experimental Study on Pull-Out Strength of Bone Screw Fixed by Self-Hardening Calcium Phosphate Paste; Biopex-R | 1251 |
| <i>D. Kondo, T. Hattori, K. Morikawa, S. Niwa, K. Sato</i> | |
| Effect of the Dimensions of Specimen and Fixture on Small Punch Test Results | 1252 |
| <i>M. Shen, C.R. Treadwell, M. Goyhetché</i> | |
| Torsion Strength Enhancement of Injection Molded Bioabsorbable Interference Screws Through Mold Cavity Gate Modification | 1253 |
| <i>J. Brunelle</i> | |
| Determination of Contact Pressures in the Canine Stifle Joint | 1254 |
| <i>C.L. Bliss, J.A. Szivek, A.B. Schnepf, J.T. Ruth</i> | |
| Effect of Bone Mineral Density on Bone Screw Insertion Torque – A Study with Peripheral Quantitative Computed Tomography (pQCT) and Human Femoral Bone | 1255 |
| <i>A. Koistinen, S.S. Santavirta, H. Kröger, J. Töyräs, R. Lappalainen</i> | |
| Characterization of the Torsional Properties of Stainless Steel and Titanium Alloys Used as Implants | 1256 |
| <i>M. Roach, J. McGuire, S. Williamson, J. Bogan, L. Zardiackas</i> | |
| Mechanical Properties and Mechanisms of Fatigue Crack Nucleation of Two Austenitic Stainless Steels Used as Biomaterials | 1257 |
| <i>A.C.A. Mazzei, E.J. Giordani, F.C. Almeida, I. Ferreira</i> | |
| Kink, Flow and Retention Properties of Conventional and Innovative Urinary Catheters | 1258 |
| <i>E.L. Williams, I.G. Turner</i> | |
| Microstructural and Mechanical Characterization of Human Bones | 1259 |
| <i>C. Bindal, I. Ucok, S. Zeytin, A.H. Ucisik</i> | |
| Barbed Suture Anchoring Strength: Applicability to Dissimilar Polymeric Materials | 1260 |
| <i>N.P. Ingle, M.W. King, J.C. Leung, S. Batchelor</i> | |
| A Simple Compression Test to Predict the Mechanical Stability of Synthetic Bone Graft Extenders in Impaction Grafting | 1261 |
| <i>B. Grimm, A.W. Miles, I.G. Turner</i> | |
| Detection of Cellular Traction Forces by Microfabricated Silicon Force Sensors | 1262 |
| <i>N. Tymchenko, S. Petronis, L.M. Bjursten, B. Kasemo, J. Gold</i> | |
| Influence of an Electric Field on the Molecular Response for Biomaterials & Biosensors | 1263 |
| <i>C.S. Tang, R. Hauert, B. Keller, J. Vörös, M. Textor</i> | |
| Improvement of Load-Bearing Metallic Implants by Novel Coatings | 1264 |
| <i>F. Heidenau, M. Feldmann, F. Stenzel, G. Ziegler</i> | |

| | |
|---|--------------|
| Gradient Libraries for Combinatorial and High-Throughput Investigations of Polymeric Biomaterials | 1265 |
| <i>E.J. Amis, N.R. Washburn, C.G. Simon, S.B. Kennedy</i> | |
| Rational Design of Affinity-Based Drug Delivery Systems | 1266 |
| <i>B.C. Hick, D.J. Maxwell, S.R. Parsons, S.E. Sakiyama-Elbert</i> | |
| Multivariate Analysis of Protein Exchange on Physicochemically Modulated Substrates | 1267 |
| <i>T. Pompe, L. Renner, P. Uhlmann, K. Salchert, C. Werner</i> | |
| Prediction of Fibrinogen Adsorption on Polymer Surfaces Using an Artificial Neural Network | 1268 |
| <i>D. Knight, J. Smith, N. Weber, J. Kohn, K. Rasheed</i> | |
| Combinatorial Screening of Chondrocyte Response to Tissue Engineering Hydrogels | 1269 |
| <i>N.R. Washburn, M.D. Weir, W.J. Li, R.S. Tuan</i> | |
| A Statistics-Based HTP Approach to Designing Cell Signaling Biomaterials | 1270 |
| <i>J.A. Rowley, P. Haaland, J. Garvin, B.H. Neo, M. Heidaran</i> | |
| Drug Release Implant Design Simplified with Sophisticated Nonlinear Models | 1271 |
| <i>E. Suokas, A. Bulsari, N. Ashammakhi, M. Veiranto, P. Törmälä</i> | |
| Modelling by Percolation Theory of the Behaviour of Porous Biomaterials Used as Bone Substitute | 1272 |
| <i>Y. Barbotteau, J.L. Irigaray, J.F. Mathiot</i> | |
| <hr/> | |
| Poster Area 2 - Wednesday, 19/05/2004, 08:00-18:00 | 125 - POSTER |
| <hr/> | |
| Preparation of Bioactive Polyethylene/Titania Composites with Mechanical Properties Analogous to those of Natural Bone | 1273 |
| <i>H. Takadama, M. Hashimoto, Y. Takigawa, M. Mizuno, T. Kokubo</i> | |
| Thermal Spraying of Novel Hydroxyapatite-Based Composites: Processing-Characteristics-Properties Relationships | 1274 |
| <i>K.A. Khor, H. Li, P. Cheang</i> | |
| Development of Multilayer Calcium Phosphate-Chitosan Films | 1275 |
| <i>M. Kunal, K. Ramkumar, N. Rameshbabu, T.S. Sampathkumar</i> | |
| Bioresorbable Composite Scaffolds Processed by Supercritical Fluid Foaming | 1276 |
| <i>L. Mathieu, P.E. Bourban, D.P. Pioletti, P.Y. Zambelli, L. Applegate, J.A.E. Manson</i> | |
| Deposition of Bone-Like Apatite on Modified Silk Fibroin Films from Simulated Body Fluid | 1277 |
| <i>R. Kino, T. Ikoma, J. Tanaka, T. Asakura</i> | |
| Chemical Crosslinked Hydroxyapatite/Collagen Composite and its Cytocompatibility | 1278 |
| <i>X.Y. Lin, Y.F. Tan, X.T. Wen, J. Lu, H.S. Fan, X.D. Zhang</i> | |
| Development of a Titanium/Ca-P Composite | 1279 |
| <i>L.X. Luo, D.Y. Ying</i> | |
| A Novel Extracellular Matrix Based on Polypyrrole/Collagen Composites | 1280 |
| <i>W.J. Sung, K.H. Park, K.C. Lee</i> | |
| Preparation and Evaluation of a Hydroxyapatite/Collagen/Chitosan Scaffold as Potential Bone Repair Materials | 1281 |
| <i>F. Lin, X.H. Wang, Y.N. Yan, R.D. Wu, R.J. Zhang, J.P. Lu</i> | |
| Colloidal β-TCP Facilitate Cross-Linking and Cell-Compatibility of Collagen Composites | 1282 |
| <i>H. Yamamoto, Y. Shibata, M. Hosaka, T. Miyazaki</i> | |
| Polyurethane-Organosilicate Nanocomposites for Biomedical Use | 1283 |
| <i>K. Styan, D. Martin, L. Poole-Warren</i> | |
| Modification of Synthetic Laminin Peptide on/in the Molecularly Aligned Crab Tendon Chitosan and its Application for Nerve Regeneration Guide Tube | 1284 |
| <i>A. Matsuda, H. Kobayashi, S. Itoh, K. Kataoka, J. Tanaka</i> | |
| Development and Characterization of pH Responsive Chitosan and Chitosan/HA Scaffolds Processed by a Microsphere-Based Aggregation Route | 1285 |
| <i>P.B. Malafaya, R.L. Reis</i> | |
| Apatite Formation on the poly(ϵ-caprolactone) Hybrid Linked by Siloxane Group and Containing Calcium Salt | 1286 |
| <i>S.H. Rhee, J.J. Yoo, H.J. Kim</i> | |
| Apatite Formation on Organic Polymer Coated with Ceramic Thin Film Synthesized from Aqueous Solution | 1287 |
| <i>T. Yao, K. Sato, D. Onodera, T. Matsumoto</i> | |

| | |
|---|------|
| Bioactive Composites as GBR Membranes in the Treatment of Rabbit Calvarial Bone Defect | 1288 |
| <i>T. Tirri, M. Peltola, T. Närhi, J. Rich, J. Seppälä, A. Yli-Urpo</i> | |
| Composite Biomaterials for Laryngeal and Tracheal Reconstructions | 1289 |
| <i>E. Pamula, S. Blazewicz</i> | |
| Study of Morphology and Property Profiles in Segmented Biomedical Polyurethane Nanocomposites | 1290 |
| <i>B. Finnigan, D. Martin, P. Halley, R. Truss</i> | |
| Ionic Biodegradable Resins for the Fabrication of Temporary Bone Fracture Fixation Systems | 1291 |
| <i>L. Yang, J.P. Santerre, R.M. Pilliar</i> | |
| <i>in vitro</i> Degradation Study of Polymer-Glass Composites | 1292 |
| <i>R.L. Prabhakar, S. Brocchini, J.C. Knowles</i> | |
| Processing of HA/UHMWPE Composite for Orthopaedic Applications | 1293 |
| <i>L.M. Fang, P. Gao, Y. Leng</i> | |
| The Influence of Hydroxyapatite on Poly-L-Lactide Physico-Chemical Properties | 1294 |
| <i>D.C. Tunc, M. Goekbora</i> | |
| The Organic-Inorganic Interaction Between HAP and Gelatin | 1295 |
| <i>M.C. Chang, T. Ikoma, J. Tanaka</i> | |
| Strengthening of Calcium Phosphate Cements by Compounding Aragonite Whiskers | 1296 |
| <i>M. Kon, L.M. Hirakata, Y. Miyamoto, H. Kasahara, K. Asaoka</i> | |
| Biodegradable Cellulose Based Nanocomposites | 1297 |
| <i>S. Choi, M.S. Cho, Y. Lee, J.D. Nam, J.H. Lee, D.H. Lee</i> | |
| <i>in vivo</i> Biological Performance of Two Composites Associating Macroporous Biphasic Calcium Phosphate and Fibrin Sealant | 1298 |
| <i>G. Daculsi, F. Jegoux, E. Goyenvalle, E. Aguado, M. Bagot D'arc</i> | |
| Graded Porous Zirconia as a Preform for Bioceramic Composites | 1299 |
| <i>Y. Hu, J. Liu, X. Miao</i> | |
| Composite Approach to Hydroxyapatite-Gelatin in Tissue Regeneration and Controlled Release | 1300 |
| <i>H.W. Kim, J.C. Knowles, H.E. Kim</i> | |
| Fabrication and Characterization of Bioactive and Degradable Wollastonite/PHBV Composite Scaffolds | 1301 |
| <i>J. Chang, H.Y. Li, Z. Wang</i> | |
| Investigation into Inclusion Bodies in <i>Serratia</i> N14 | 1302 |
| <i>H. Lugg, R. Sammons, P. Yong, L. Macaskie, P. Marquis</i> | |
| Poly(E-Caprolactone) Matrix Composites for Use in Bone Repair - Improved Performance via Surface Initiated Polymerisation | 1303 |
| <i>G.S. Walker, G. Jiang, I.A. Jones, C.D. Rudd, C.A. Scotchford</i> | |
| Dynamic Mechanical Properties of Polylactide Composites with Nanograde and Conventional Hydroxyapatite | 1304 |
| <i>W. Xia, K.E. Tanner</i> | |
| Composite Fiber of PDLA/HA Produced by Melt Spinning Technology | 1305 |
| <i>T. Wan, S.P. Li, Y.H. Yan, J.H. Li, X. Jiang, L. Jia</i> | |
| Study of Osteoblast Phenotypic Expression in Human Mesenchymal Stem Cells on Metallic and Ceramic Materials | 1306 |
| <i>F.R. Pu, J. Curran, N.P. Rhodes, J.A. Hunt</i> | |
| Improved Osteointegration of Metallic Implants of Different Surface Texture by the Use of Bone Morphogenetic Protein-3 (BMP-3) | 1307 |
| <i>S.A. Esenwein, S. Esenwein, G. Herr, G. Muhr, C.H. Hartwig</i> | |
| The Effect of Rapidly Resorbable Calcium Phosphates on the Expression of Bone-Related Genes and Proteins <i>in vitro</i> | 1308 |
| <i>C. Knabe, G. Berger, R. Gildenhaar, D. Reif, C.R. Howlett, H. Zreiqat</i> | |
| Osteoclast Resorption of Hydroxyapatite Bone Substitute Materials <i>in vitro</i> | 1309 |
| <i>H. Lucas, H. Zreiqat, K.A. Gross, C. Holding, D.M. Findlay, M. Wallwork, D.R. Haynes</i> | |
| Peptide Coated Vascular Grafts: An <i>in vivo</i> Study in Sheep | 1310 |
| <i>A. Hill, C. Li, F. Tio, Y. Zheng, M. Imran</i> | |
| A Method to Enhance Osteoblast Differentiation on Tricalcium Phosphate | 1311 |
| <i>M.D. Ball, D. O'Connor, A. Pandit</i> | |

| | |
|---|--------------|
| A Comparison of Two Barrier Membranes and Bone Formation Around Bone Anchored Hearing Aid Implants. A Pilot Study in Dogs | 1312 |
| <i>S. Sommerlad, D. Mackenzie, C.B. Johansson, R. Atwell</i> | |
| Construction of Micro-Patterned Poly (Ethylene Glycol) Brush Surface for Controlling Protein and Cell Interactions | 1313 |
| <i>T. Satomi, H. Otsuka, Y. Nagasaki, Y. Horiike, K. Kataoka</i> | |
| $\alpha_2\beta_1$ Integrin-Specific Collagen Mimetic Surfaces That Support Osteoblastic Differentiation | 1314 |
| <i>C.D. Reyes, A.J. García</i> | |
| Helical Rosette Nanotubes: A More Effective Orthopaedic Implant Material | 1315 |
| <i>A.L. Chun, H. Fenniri, T.J. Webster</i> | |
| Cell Death Induced by Prosthetic Metal Ions in Human Chondrocytes | 1316 |
| <i>P. Long, A. Srinivas, M. Overstreet, M. Hungerford, C.G. Frondoza</i> | |
| New Approach Towards Protein Adsorption and Exchange | 1317 |
| <i>M. Halter, G. Szollosi, I. Derenyi, J. Vörös</i> | |
| Novel Substrate to Study the Effect of Surface-Associated Peptide Mobility and Rigidity in Modulating Macrophage Behavior | 1318 |
| <i>J. Li, J.M. Phillips, W.J. Kao</i> | |
| Bone Cell (MG63) Attachment to Protein Coated Silicon Wafers | 1319 |
| <i>Å Rosengren, A. Vitina, S. Oscarsson</i> | |
| Effect of RGD-Grafted Thermoreversible Polymers on Bone Marrow Stromal Cell Growth and Alkaline Phosphatase Activity | 1320 |
| <i>X. Jiang, J. Bai, H. Uludag, Z. Zhang</i> | |
| Surface Properties of a Fibronectin Derived Peptide That Regulates Trypsin Phosphorylation | 1321 |
| <i>M.P. Olivieri, R.F. Maine, P.A. Link, R.M. Wollman, W.J. Kao, J. Li</i> | |
| Platelet Receptor Interactions with Polymer-Adsorbed Ligands Observed by a Quartz Crystal Microbalance Sensor | 1322 |
| <i>N. Weber, J. Kohn</i> | |
| Biocompatible Macroporous Silica Monoliths with Entrapped Proteins | 1323 |
| <i>Z. Zhang, Y. Chen, R. D'souza, J.D. Brennan, M.A. Brook</i> | |
| <i>in vitro</i> Biocompatibility of Hydrolytically Degraded Poly(D,L-lactic acid) | 1324 |
| <i>S. Yoneda, W.F. Guthrie, D.S. Bright, C.A. Khatri, F.W. Wang</i> | |
| Superior Osteoblastic Responses on Biphasic Calcium Phosphate (BCP) of HA/TCP | 1325 |
| <i>Y.M. Kong, I.K. Jun, S. Lee, H.E. Kim</i> | |
| Chemical Composition and Surface Preparation Level Influence on Metallic Implants Biointegrability | 1326 |
| <i>D. Bunea, F. Miculescu, L.T. Ciocan, M. Miculescu</i> | |
| <hr/> | |
| Poster Area 3 - Wednesday, 19/05/2004, 08:00-18:00 | 126 - POSTER |
| <hr/> | |
| <i>in vitro</i> Effect of Enamel Matrix Derivative on Human Blood Monocyte Expression of Growth Factors and Other Cell Mediators | 1327 |
| <i>M. Werthén, C. Gretzer</i> | |
| Analysis of UHMWPE Particle Shape Effects on Bioactivity from the Physical Viewpoint of Phagocytosis Process | 1328 |
| <i>H.W. Fang, S.M. Hsu, J.V. Sengers</i> | |
| Activation of Leukocytes at Dip-Coated Calcium Phosphate Layers on Shape Memory Alloys | 1329 |
| <i>D. Bogdanski, S.A. Esenwein, O. Prymak, M. Epple, G. Muhr, M. Köller</i> | |
| Macrophage Attachment to PEG Modified 'Soft' AC Plasma Polymer Surfaces | 1330 |
| <i>P. Kingshott, R.A. Kahn, T. Brevig, J. Wei, X. Hou, L.H. Petersen, Z. Ademovic, B. Winter-Jensen</i> | |
| <i>in vitro</i> and <i>in vivo</i> Inflammatory Reaction to Starch-Based Biomaterials. Cellular and Chemical Mediators | 1331 |
| <i>A.P. Marques, R.L. Reis, J.A. Hunt</i> | |
| Macrophage Response to Modified ePTFE Facial Membranes | 1332 |
| <i>A.F. Chandler-Temple, L. Grøndahl, A.I. Cassidy, A. Whittaker, E. Wentrup-Byrne</i> | |
| Delayed Type Hypersensitivity in Patients Undergoing Total Hip Replacement | 1333 |
| <i>D. Granchi, E. Cenni, G. Ciapetti, L. Savarino, A. Giunti, N. Baldini</i> | |
| Systemic and Local Tissue Response to Titanium Corrosion | 1334 |
| <i>D.G. Olmedo, D. Tasat, M.B. Guglielmotti, R.L. Cabrini</i> | |

| | |
|--|-------------|
| The Agglomeration of Polyethylene Particles in the Cell Culture Environment | 1335 |
| <i>A.P.D. Elfick, S.M. Green, A. McCaskie, M. Birch</i> | |
| The Effect of Material Surface Chemistry on the Macrophage-Mediated Foreign Body Reaction..... | 1336 |
| <i>E. Christenson, M. Dadsetan, J. Jones, A. Hiltner, J. Anderson</i> | |
| Alteration of Innate Defence Cell Functions by Mineral Dust Nano-Particles | 1337 |
| <i>D. Boraschi, M. Lucarelli, E. Monari, A.M. Gatti</i> | |
| Lymphocyte Reactivity and Metal Ion Levels in Patients with Metal-On-Metal Hip Arthroplasty | 1338 |
| <i>N.J. Hallab, S. Anderson, M. Caicedo, A. Skipor, P. Campbell, J.J. Jacobs</i> | |
| Measurement and Modulation of Cytokine Profiles Induced by Biomaterials..... | 1339 |
| <i>N.R. Washburn, M.D. Weir, F.W. Wang, L.O. Bailey</i> | |
| Osteoprotegerin Has Therapeutic Effects on Established Osteolysis in a Rat Model | 1340 |
| <i>K.J. Kim, K. Kaneko, M. Iwase, T. Itoh, M. Kawashima</i> | |
| Novel Metalloporphyrin Derivatives as an Antioxidant for Medical Devices | 1341 |
| <i>H. Kawakami, E. Kawamura, S. Asayama, S. Nagaoka</i> | |
| Inhibitory Effects of Cobalt Ions on the Endothelial Cell Cycle. Implications for Impairment of Wound Healing | 1342 |
| <i>K. Peters, A. Scholz, R.E. Unger, C. Lubesder-Martellato, M. Stürzl, C.J. Kirkpatrick</i> | |
| Identification of Nanoscale Topography for Aortic Valve Scaffold Design..... | 1343 |
| <i>S. Brody, C. Peppiatt, A. Pandit</i> | |
| The Fibrillar Organization of Type I Collagen Markedly Effects the Motility of Skin Cells | 1344 |
| <i>N.B. Larsen, D. Selmeczi, S. Mosler</i> | |
| Bio-Nanotechnology: Increased Functions of Osteoblasts on Nano-Structured Polymer Composites | 1345 |
| <i>T.A. Smith, T.J. Webster</i> | |
| Plasma Deposition and Treatment Processes for Micro- and Nano-Patterning Biomedical Polymers..... | 1346 |
| <i>P. Favia, E. Sardella, R. Gristina, A. Milella, G.S. Senesi, L. Detomaso, R. d'Agostino</i> | |
| Engineering Extracellular Matrix for Modulation of Cell Behaviours | 1347 |
| <i>S. Ng, Y. Zhou, S.M. Chia, H. Yu</i> | |
| Fabrication of Shape Specific Biodegradable Porous Polymeric Scaffolds with Controlled Interconnectivity by Solid Free-Form Microprinting | 1348 |
| <i>E. Jabbari, K.W. Lee, A.C. Ellison, M.J. Moore, J.A. Tesk, M.J. Yaszemski</i> | |
| Micropatterning Growth Plate Chondrocytes on Nitrogen and Ammonia Treated Surfaces | 1349 |
| <i>N. Bullet, D. Bullet, M. Iordanova, S. Lerouge, F. Winnik, M.R. Wertheimer, F. Mwale</i> | |
| Biological Characterization of Commercially Low Temperature Cofiring Ceramics..... | 1350 |
| <i>L. Rebenklau, J. Uhlemann, M. Thümmeler, K.J. Wolter</i> | |
| Application of Nanosphere-Based Vaccine for Prevention of HIV Infection..... | 1351 |
| <i>T. Akagi, T. Kaneko, M. Baba, M. Akashi</i> | |
| Microstructured Surfaces for Cell Guidance | 1352 |
| <i>R. Barbucci, Y. Ito, S. Lamponi, A. Magnani</i> | |
| Engineered, Surface-Tethered Polymer Layers for Regulation of Surface Properties and Cell Behavior | 1353 |
| <i>S.B. Rahane, S.M. Kilbey, A.T. Metters</i> | |
| Micropatterned Polyelectrolyte Multilayers as Platforms for Controlling Cell Activity..... | 1354 |
| <i>M.C. Berg, S.Y. Yang, P.T. Hammond, M.F. Rubner</i> | |
| Micro-Engineered Coatings for Antifouling and Biofouling Release of Micro-Organisms.... | 1355 |
| <i>A.W. Feinberg, M.L. Carman, T.G. Estes, J.F. Schumacher, L.H. Wilson, J.A. Finlay, J.A. Callow, M.E. Callow, A.B. Brennan</i> | |
| Nanostructure of Type I Collagen Self-Assembled in the Presence of Alginate..... | 1356 |
| <i>S.W. Tsai, R.L. Liu, F.Y. Hsu, Y.J. Wang</i> | |
| Fabrication of Bio Microactuator Using Cultured Cardiomyotes and PDMS Microstructures..... | 1357 |
| <i>Y. Tanaka, K. Morishima, M. Ebara, T. Shimizu, M. Yamato, M. Tokeshi, T. Okano, T. Kitamori</i> | |
| Fabrication and Evaluation of Uniformly Sized Nanoporous Alumina for Human Osteoblast Cell Culture | 1358 |
| <i>E.L. Swan, K. Popat, T.A. Desai</i> | |
| Injectable Apatite and Polymer Biomimetic Nano-Composite Cement for Bone Tissue Engineering..... | 1359 |
| <i>J. Wei, Y. Li, X. Peng, L. Zhang</i> | |

| | |
|---|------|
| Mesoporous Bioglass Films by Sol-Gel | 1360 |
| <i>Q. Yang, C. Wang, T. Troczynski</i> | |
| Preparation of Chitosan-Collagen-Gelatin Membranes with Surface Micropatterns for the Applications in Tissue Engineering | 1361 |
| <i>B.Y. Yu, P.S. Chou, C.A. Chen, S.S. Kung, Y.M. Sun</i> | |
| Control Over Protein and Cell Attachment on Functionalised Polyethylene Surfaces by Laser Ablation | 1362 |
| <i>B. Muir, G. Johnson, J. Hayes, H. Thissen</i> | |
| Effect of Time and Micropatterns on the Behaviour of Preosteoblastic Cells | 1363 |
| <i>J. Justesen, L.K. Andersen, S. Antoranz Contera, M. Duch, O. Hansen, M. Lorentzen, J. Chevallier, M. Foss, F.S. Pedersen, F. Besenbacher</i> | |
| Microfabricated Wells for Single Cell Attachment in a 2.5-Dimensional Environment | 1364 |
| <i>M.R. Dusseiller, D. Schlaepfer, A. Koenig, R. Kroschewski, M. Textor</i> | |
| Novel Fabricated Matrix via Electrospinning for Tissue Engineering | 1365 |
| <i>H. Kim, M. Khil, S. Kim, K. Lee, S.R. Bhattarai</i> | |
| Characterization of Poly (D- lactic acid) Nonwoven Mats with Triallyl Isocyanurate via Electrospinning and Effect of γ-Irradiation | 1366 |
| <i>H. Kim, S. Hyon, Y. Ahn, D. Cha, K. Lee</i> | |
| Electrospun Nanofibrous Polyurethane Membrane as Wound Dressing | 1367 |
| <i>H. Kim, M. Khil, D. Cha, I. Kim, N. Bhattarai</i> | |
| Scanning Near-Field Photolithography: A New Route to Biological Nanostructures | 1368 |
| <i>K.S.L. Chong, S. Sun, G.J. Leggett</i> | |
| Biomimetic Micro- and Nanofibrous Scaffold for Enhanced Cartilage Regeneration | 1369 |
| <i>I.K. Shim, J.H. Hwang, H.J. Ahn, S.H. Lee, M.C. Lee, S.J. Lee</i> | |
| Influence of Alginate on Collagen II Fibrillogenesis | 1370 |
| <i>S.J. Chang, S.M. Kuo, Y.J. Wang, C.H. Cheng, H.E. Lu, C.L. Weng</i> | |
| Cell Spheroid Formation on the Nano-Micro Fabricated Polyimide | 1371 |
| <i>S. Nagaoka, K. Ashiba, Y. Okuyama, H. Kawakami, Y. Suzuki, M. Iwaki</i> | |
| The Effect of Nanofiber Alignment on the Cell Proliferation and ECM Production | 1372 |
| <i>C.H. Lee, H.J. Shin, Y.M. Kang, I.H. Cho, I.A. Kim, J.W. Shin</i> | |
| Topographic Morphology of Macrophage-Like Cells on Nanostructured Surface of PEG/PMMA Blend Film by Demixing Polymer Technology | 1373 |
| <i>G. Fan, A. Fall, J.C. Abanulo, W.E. Collins</i> | |
| Modification and Patterning of Surfaces Using Electrochemistry and Molecular Assembly Approach | 1374 |
| <i>C.S. Tang, R. Hauert, B. Keller, J. Vörös, M. Textor</i> | |
| Templated Thermoreversible Copolymer Membranes | 1375 |
| <i>J.P. Bearinger, T.J. Makarewicz, C.A. Orme, S. Letant, D.J. Maitland</i> | |
| Production of Micro-Capillary Patterned Lamellar Scaffolds for Tissue Engineering by Using Pressure Micro Moulding Imprinting Technology | 1376 |
| <i>E.T. Baran, K. Tuzlakoglu, R.L. Reis</i> | |
| Micropatterned Biodegradable Materials for Guiding the Differentiation of Endothelial Cells into Capillary Structures | 1377 |
| <i>Y.C. Wang, C.C. Co, C.C. Ho</i> | |
| A Quartz Crystal Microbalance Study of Biomolecular Adsorption on Polymer Films | 1378 |
| <i>M.S. Lord, B.K. Milthorpe</i> | |
| Investigation of the L-Cysteine/Au Interface Using Photoelectron Spectroscopy | 1379 |
| <i>M.M. Beerbom, R. Gargagliano, N. Dam, R. Schlaf</i> | |
| Biointerfaces for Real-Time Detection of Human Cytokine Biomarkers by QCM & SPR | 1380 |
| <i>S.D. Carrigan, P. Prince, G. Scott, M. Tabrizian</i> | |
| Detection of a K-ras Point Mutation with DNA-Conjugated Microspheres by Surface Plasmon Resonance | 1381 |
| <i>Y. Sato, A. Okumura, K. Suzuki, H. Kawaguchi</i> | |
| Validation of a High Throughput System to Test Antiarrhythmic Drugs | 1382 |
| <i>D.C. Leistriz, P. Molnar, A. Jamshidi, A. Natarajan, J.J. Hickman</i> | |
| Design of Electrochemical Biosensor in Healthcare Chip for Multi-Item Blood Analysis | 1383 |
| <i>M. Takai, S. Shinbashi, Y. Himuro, H. Ogawa, Y. Horiike, K. Ishihara</i> | |
| Enzyme Inhibition-Based Biosensors for Monitoring Toxicity of Metallic Ions | 1384 |
| <i>K.J. Bundy, M. Winterhalter, R. Coller, J.T. Jacob, J.J. Bi, F. Woods</i> | |

| | |
|--|------|
| The Synthesis and Characterization of Organic-Inorganic Hybrid Molecularly Imprinted Polymer Binding Cholesterol | 1385 |
| <i>C.I. Lin, Y.C. Huang, Y.D. Lee</i> | |
| Surface Plasmon Resonance (SPR) Study on the Interaction Between Lectin and PEGylated Gold Nanoparticles Possessing Regulated Density of Lactose on the Surface: Application to the High Sensitive Bioassay | 1386 |
| <i>S. Takae, Y. Akiyama, H. Otsuka, T. Nakamura, Y. Nagasaki, K. Kataoka</i> | |
| Sol-Gel Based Nitric Oxide Sensors | 1387 |
| <i>S.W. Weinman, J.H. Shin, M.H. Schoenfish</i> | |
| Interlocked Structure of Ligand-Polyrotaxane Conjugates for Enhancing Multivalent Interaction | 1388 |
| <i>H. Utsunomiya, M. Eguchi, T. Ooya, N. Yui</i> | |
| <i>in situ</i> Biosensing of Stress Signal from Living Cells Using a PMP Complex | 1389 |
| <i>S. Ikeno, T. Haruyama</i> | |
| Photopolymerization for Amplification and Detection of Biomolecular Recognition Events | 1390 |
| <i>H.D. Sikes, K.L. Rowlen, C.N. Bowman</i> | |
| Development of a Novel Biosensor for Detection of Cyanobacterial Toxins in Drinking Water | 1391 |
| <i>R.J. Campbell, P. Monis, C.P. Saint, N.H. Voelcker</i> | |
| Surface Characterization of Titanium Implant Materials | 1392 |
| <i>A.C.A. Mazzei, I. Ferreira, G.M. Reis Jr., P.T. Cintra</i> | |
| Electrochemical Characterisation of Thin Titanium Films on Plasma-Pretreated PEEK Substrates | 1393 |
| <i>A. Kirbs, R. Lange, K. Schröder, A. Ohl, H.G. Neumann, U. Beck</i> | |
| The Development and Characterisation of Porous Ti-6Al-4V Manufactured by Hot Isostatic Pressing for Orthopaedic Applications | 1394 |
| <i>M.A. Ashworth, M.H. Jacobs, P. Unwin, G. Blunn</i> | |
| Design on the New Medical Titanium Alloy TZNT for Implant | 1395 |
| <i>Z. Li, L. Zhou, J. Li, Y. Cai, L. Wang, K. Wang</i> | |
| Relationship Between Fatigue Characteristics and Microstructure of New Beta Type Titanium Alloy, Ti-29Nb-13Ta-4.6Zr, for Biomedical Applications | 1396 |
| <i>T. Akahori, M. Niinomi, H. Fukui, A. Suzuki</i> | |
| Effect of Cyclic Mechanical Stretch and Titanium Particles on Prostaglandin E₂ Production by Human Macrophages <i>in vitro</i> | 1397 |
| <i>T. Fujishiro, T. Nishikawa, N. Shibamura, T. Akisue, S. Takikawa, T. Niikura, M. Kurosaka</i> | |
| Ion Release from Ti-Ni Alloy with Electrolytic Treatments | 1398 |
| <i>T. Yoneyama, O. Fukushima, H. Doi, E. Kobayashi, H. Hamanaka</i> | |
| Mechanical Properties of Nickel-Free Stainless Steel with Nitrogen Absorption Treatment | 1399 |
| <i>D. Kuroda, T. Hanawa</i> | |
| Production of an Orthopedic Titanium Alloy by Powder Metallurgy | 1400 |
| <i>V.A.R. Henriques, C.R.M. Silva, J.C. Bressiani</i> | |
| Research and Development of Biomedical Titanium Alloys for Surgical Implant Materials | 1401 |
| <i>Z. Yu, L. Zhou, K. Wang</i> | |
| Porous Ti-6Al-4V Bone Replacement Materials Produced by Selective Laser Sintering (SLS) | 1402 |
| <i>C. Foster, M.A. Ashworth, M.H. Jacobs, G. Blunn, P.S. Unwin</i> | |
| Corrosion Resistance, Nickel Ion Release and Cytotoxicity of Super Stainless Steel Skeletal Anchorage System (SAS) | 1403 |
| <i>K.J. Kang, K.T. Oh, D.K. Kang, K.N. Kim, Y.S. Park</i> | |
| Mechanical and Electrochemical Consideration for the Corrosion Behaviour of Titanium and Some of its Alloys Used as Implant Devices | 1404 |
| <i>J.C.R. Mirza, E. Vasilescu, P. Drob, A.L. Santana</i> | |

| | |
|---|-------------|
| Effects of Geometrical and Chemical Designs on Biomechanical Properties and Histologic Reactions in Ti Based Implants | 1405 |
| <i>K.H. Lee, B.H. Lee, Y.D. Kim</i> | |
| Surface Plasmon Resonance Biosensing by Heterobifunctional Poly (Ethylene Glycol) Tethered Chain Surface | 1406 |
| <i>K. Uchida, T. Ishii, Y. Nagasaki, M. Kato, T. Takahashi, H. Otsuka, K. Kataoka</i> | |
| Dissolution of Calcium Phosphates in Acidified Solution of Simulated Body Fluid | 1407 |
| <i>S.V. Dorozhkin, E.I. Dorozhkina, R. Rohanizadeh</i> | |
| Protein Adsorption Properties of Stainless-Steel and Titanium Modified with Alginate Acid | 1408 |
| <i>T. Yoshioka, K. Tsuru, S. Hayakawa, A. Osaka</i> | |
| Bioactivity of Ceramic Coating on Ti6Al4V Fabricated by Microarc Plasma Oxidation | 1409 |
| <i>L.R. Shen, X.Y. Liu, C.H.L. Liu, S.C.H. Kwok, P.K. Chu</i> | |
| Bioactivity of Plasma Sprayed Nano-TiO₂ Coating | 1410 |
| <i>X.Y. Liu, Y. Zeng, C.X. Ding, P.K. Chu</i> | |
| Corrosion Resistance of NiTi After Nitrogen, Oxygen, and Hydrogen Plasma Immersion Ion Implantation | 1411 |
| <i>R.W.Y. Poon, X.Y. Liu, J.C.Y. Chung, K.W.K. Yeung, W.W. Lu, K.M.C. Cheung, P.K. Chu</i> | |
| <i>in vitro</i> Platelet Adhesion and Activation of Amorphous Carbon Films Deposited on Polyethylene Terephthalate by Plasma Immersion Ion Implantation - Deposition | 1412 |
| <i>J. Wang, S.C.H. Kwok, N. Huang, P. Yang, P.K. Chu</i> | |
| Fighting Biofilm Formation on the Surface of Medical Devices: A Novel Coating Composition and Process | 1413 |
| <i>M.R. Trebella, T. Madsen, G. Cook</i> | |
| <i>in vivo</i> Evaluation of Electrochemically Micromachined Bioactive Ti Alloy Surfaces | 1414 |
| <i>X. Lu, Y. Leng, X.D. Zhang, J.Y. Chen, J.R. Xu, Q.Y. Zhang, C.L. Deng, L. Qin, C.W. Chan</i> | |
| Ti-O Film Synthesized by PIII-D with Semi-Conductive Characteristic for Improvement of Haemocompatibility | 1415 |
| <i>G.J. Wan, N. Huang, Y.X. Leng, P. Yang, J.Y. Chen, H. Sun, J. Wang, P.K. Chu</i> | |
| Deposition of Titanium Flat Thin Films: Correlation Between Deposition Conditions and Film Properties | 1416 |
| <i>K. Cai, J. Brozek, M. Müller, J. Bossert, K.D. Jandt</i> | |
| Blood Compatibility of Phosphorus Doped Diamond-Like Carbon Films Fabricated by Plasma Immersion Ion Implantation - Deposition | 1417 |
| <i>S.C.H. Kwok, J. Wang, P.K. Chu</i> | |
| Boronizing of Pure Niobium | 1418 |
| <i>M. Usta, I. Özbek, M. Ipek, C. Bindal, A.H. Ucisik</i> | |
| Grafting of PNIPAAm onto PS and PET Surfaces by Photoinitiation: XPS Characterization and Tests of Cell Growth and Detachment | 1419 |
| <i>P.S. Curti, M.R. Moura, E. Radovanovic, C.V. Nakamura, A.F. Rubira, E.C. Muniz</i> | |
| Proteins on Plasma Deposited Thermo-Responsive Polymer: Adsorption and Activity Study | 1420 |
| <i>X. Cheng, B.D. Ratner</i> | |
| Construction Chitosan Nanoparticle Multilayers via Layer-By-layer Self-Assembled Method | 1421 |
| <i>Q. Tan, J. Ji, D. Fan, F. Sun, J. Shen</i> | |
| Covalent Neutravidin Immobilization of NH₃ RF Plasma Surface Modified Polystyrene on a Biochip | 1422 |
| <i>X. Gao, Ch. Hollenstein, M. Schawaller, H.J. Mathieu</i> | |
| Probing the Surface Chemistry of Skelite | 1423 |
| <i>B. Amsden, G. Misra</i> | |
| Multi-Conjugated Heparin as Surface Modifying Biomaterials | 1424 |
| <i>H.J. Chung, H.D. Park, K.D. Park</i> | |
| Surface Properties of Bioactivated ePTFE Membranes | 1425 |
| <i>E. Wentrup-Byrne, S. Suzuki, L. Grøndahl, D. Leavesley</i> | |
| Atmospheric Pressure Plasma Technologies as a Route to Biomaterial Coatings | 1426 |
| <i>A.J. Goodwin, D. Futter, A. Hynes, S.R. Leadley, J.M. Curtis</i> | |
| Intraosseous Implantation of Four Kinds of Surfaces Ti-Based Implants <i>in vivo</i> | 1427 |
| <i>J.H. Wei, B.L. Liu, X.M. Wang, D.H. Li, W. Ma</i> | |

| | |
|--|------|
| Development of a New Method Using a Laser Scanning to Process a Metal Surface of a Human Joint Prosthesis | 1428 |
| <i>K. Sugamoto, M. Hirao, Y. Mori, K. Oka, T. Sasaki, H. Yoshikawa</i> | |
| Submicrocrystalline Titanium with Bioactive Coating is Bulk Composite for Medical Application | 1429 |
| <i>A.V. Karlov, Yu.R. Kolobov, Yu.P. Sharkeev, I.A. Khlusov, A.D. Bratchikov, E.F. Dudarev, G.A. Shashkina</i> | |
| Grafting of RGD Peptides onto Titanium: Study of their Distribution and Stability by β-Imager | 1430 |
| <i>M.C. Porté-Durrieu, F. Guillemot, J. Amédée, C. Baquey</i> | |
| Adsorption of Human Immunoglobulin G to Poli(β-hidroxybutirate) (PHB), Poli(L- Lactic Acid) (PLLA) and PHB/PLLA Blends | 1431 |
| <i>M. Vanin, E.A.R. Duek, C.C. Santana</i> | |
| Poly(L-Lactide) Membranes with Biomimetic Nanolayer for Efficient Bone Induction for Tissue Regenerative Therapy | 1432 |
| <i>J.E. Chung, J.Y. Lee, K.H. Kim, H.J. Baek, C.P. Chung, S.J. Lee</i> | |
| Molecular Design of β-Hairpin Peptides Having Arg-Gly-Asp-Ser Sequence for Biomaterials | 1433 |
| <i>Y. Hirano, T. Iuchi, M. Kayahara, Y. Hori, M. Oka</i> | |
| HA-BG Composite Coating Prepared by Multi-Step HA-BG Codeposition in Ethanol | 1434 |
| <i>X. Chen, Y. Jiao, S. Li, L. Jia</i> | |
| Calcium-Phosphate – Calcium-Sulphate Bone Cements Setting Time Measurements and Compression Strength | 1435 |
| <i>A. Gisep, B. Rahn</i> | |
| Dicalcium Pyrophosphate Cement: Effect of Powder to Liquid Ratio and <i>in-vitro</i> Degradation | 1436 |
| <i>L.M. Grover, D.F. Farrar, C. Ansell, U. Gbureck, J.E. Barralet</i> | |
| Production Methodology and Reactivity of Silica Substituted α Phase Tricalcium Phosphate | 1437 |
| <i>C.L. Camiré, S. Jegou Saint-Jean, I. McCarthy, C. Mochales-Palau, L. Lidgren, J.A. Planell, M.P. Ginebra</i> | |
| Preparation and Study of the Reactivity of Sr-Substituted Alpha Tricalcium Phosphates | 1438 |
| <i>S. Jegou Saint-Jean, C.L. Camiré, C. Mochales-Palau, S. Hansen, I. McCarthy, M.P. Ginebra</i> | |
| Role of Collagen Fibres in Bone-Bonding of Crystalline Hydroxyapatite Implant | 1439 |
| <i>Q.Z. Chen, W.W. Lu, C.T. Wong, K.M.C. Cheung, J.C.Y. Leong, K.D.K. Luk</i> | |
| Partial Conversion of CaP Cement Powder to pCHA Determined by XRD, FTIR and TGA | 1440 |
| <i>M. Geiger, A. Hina, S. Sofia, B. Perez-Ramirez</i> | |
| A Preliminary Study of Zinc Based Glass Polyalkenoate Cements for Orthopaedic Applications | 1441 |
| <i>D. Boyd, M. Towler</i> | |
| Effect of N,N,Dimethyl-Para-Toluidine on the Mechanical and Chemical Properties of Orthopaedic Bone Cement | 1442 |
| <i>S. Madigan, G.I. Insley, M.R. Towler</i> | |
| Effect of Magnesium, Zinc, and Fluoride Ions on Osteoblast Proliferation and Phenotype Expression | 1443 |
| <i>R.Z. LeGeros, M. Grzanna, A. Polotsky, S. Lin, C.G. Frondoza</i> | |
| Use of Foreign Ions in Ca-P Cements for the Control of Processing, Setting Reaction and Physico-Chemical Characteristics | 1444 |
| <i>A. Tofighi, C. Rey, D.D. Lee</i> | |
| A New Chemical Process to Rapidly Synthesize Ultrafine Bioactive Glass Precursor Powder | 1445 |
| <i>Y. Cai, L. Zhou, K. Wang, Z. Yu, J. Niu</i> | |
| Growth of HAp from SBF Solutions on Cholesterol Disks and Crystals: An Insight into a Pathological Calcification? | 1446 |
| <i>D. Laird, M.R. Mucalo</i> | |
| Fluorapatite Mullite Glass-Ceramic Sputter Coatings for Biomedical Applications | 1447 |
| <i>J. Bibby, N.L. Bubb, D.J. Wood, J. Colligon, R. Valizadeh, P.M. Mummery</i> | |
| Mg-Substituted Tricalcium Phosphates and Biphasic Calcium Phosphates: Formation and Properties | 1448 |
| <i>R.Z. LeGeros, D. Mijares, A.M. Gatti, J.P. LeGeros</i> | |

| | |
|---|------|
| Needle-Like Nanocrystal Powder of Hydroxyapatite Prepared from Aqueous Slurry | 1449 |
| <i>J. Weng, Q. Peng, S.X. Qu, B. Feng, X.M. Li</i> | |
| Bioceramic Composites from Ti Containing Phosphate Glasses | 1450 |
| <i>L. Berzina, R. Cimmins, A. Skagers, G. Salms, J. Bossert</i> | |
| Effects of Sintering Temperature on Structure and MC3T3-E1 Affinity of HA Derived from Natural Bone | 1451 |
| <i>Y. Gao, J. Xi, Y.D. Gong, N.M. Zhao, X.F. Zhang</i> | |
| Calcium Phosphate Biocement with Carbon Fibre Reinforcement | 1452 |
| <i>H.L. Dai, X.Y. Wang, J.H. He, J.H. Li, S.P. Li</i> | |
| On the Relationship Between Strains Generated During Bone Cement Polymerisation and the Relief Mechanisms Observed Using Acoustic Emission | 1453 |
| <i>M. Browne, A. Roques, A. Rooke, A. Taylor</i> | |
| Acoustic Emission Assessment of the Effect of Unloading on the Fatigue Life of Bone Cement | 1454 |
| <i>A. Roques, M. Browne, A. Taylor</i> | |
| Failure Prediction of Bone Cement During Fatigue Using Viscoelastic Modeling | 1455 |
| <i>A. Roques, M. Browne</i> | |
| Compositional Dependence of Apatite Formation for PMMA-Based Bone Cement | 1456 |
| <i>S.B. Cho, S.B. Kim, K.J. Cho, C. Ohtsuki, M. Kamitakahara</i> | |
| The Effect of Pore Size on the Tensile Strength of Acrylic Bone Cement | 1457 |
| <i>S.A. Bledsoe, F.W. Cooke, P.J. Czuwala, D.A. McQueen</i> | |
| The Effects of Gamma Sterilization Dose on the Mechanical Behavior of Bone Cement | 1458 |
| <i>H.E. Brinkerhuff, M.E. Hawkins, D. Yakimicki</i> | |
| Physical and Radiopaque Characterisation of Acrylic Bone Cements Containing an Organobismuth Compound as a Radiopacifier | 1459 |
| <i>S. Abdulghani, F. Kjellson, J.C. Behiri</i> | |
| Biocompatibility of a Novel Iodine-Containing Radiopaque Bone Cement | 1460 |
| <i>C.S.J. van Hooy-Corstjens, Y.B.J. Aldenhoff, M. von Walter, H. Erli, S.K. Bulstra, R. Kuijjer, L.H. Koole</i> | |
| Static Mechanical Properties of Acrylic Bone Cements Containing an Organobismuth Compound as a Radiopacifier | 1461 |
| <i>S. Abdulghani, J.C. Behiri</i> | |
| Evaluation of a Synthetic Bone Defect Model for Screening Injectable Bone Cements | 1462 |
| <i>G. Lewis, M. Carroll, J. Xu</i> | |
| Estimation of the Minimum Number of Test Specimens for Fatigue Testing (G_{min}) of Acrylic Bone Cement | 1463 |
| <i>G. Lewis, A. Sadhasivini</i> | |
| Effect of Sterilization Method on the Polymerization Kinetics of Acrylic Bone Cement | 1464 |
| <i>G. Lewis, S.R. Mishra, J. Losby</i> | |
| Mixing of Acrylic Bone Cement - Current Theatre Practices | 1465 |
| <i>N.J. Dunne, C. Daly, D.E. Beverland, G. Carey, J.F. Orr</i> | |
| Computational Analysis of Bone Cement Thermal Shrinkage About the Stem/Cement Interface | 1466 |
| <i>J.A. Hingston, G.B. McGuinness, L. Looney, N.J. Dunne, J.F. Orr</i> | |
| Dynamic Mechanical Analysis of Two-Solution Bone Cements: Diffusion Limitations During Polymerization | 1467 |
| <i>S.J. Warner, J.B. Shim, J.L. Gilbert</i> | |
| Evaluation of Mechanical Degradation of Acrylic Bone Cement from Hip Arthroplasty Revision Surgery | 1468 |
| <i>L. Pruitt, L. Al-Marashi, E. Young, M. Gudiel, T.A. Petrie, A. Hetherington, P. Goldstein, D. Ebenstein, M. Ries</i> | |
| Evaluating Chitosan/β-Tricalcium Phosphate Microspheres as a Constituent to PMMA Cement | 1469 |
| <i>S.M. Kuo, S.J. Chang, C.H. Kuo, P.C. Chen, C.J. Chen</i> | |
| Effect of Radiopacifier Nanoparticles on Compressive and Tensile Properties of Bone Cement | 1470 |
| <i>Y.L. Lee, A. Bellare, T.S. Thornhill</i> | |
| Mechanical Properties of an Acrylic Bone Cement with a Monomer Soluble Contrast Media | 1471 |
| <i>F. Kjellson, B. Brudeli, S. Abdulghani, I. McCarthy</i> | |
| Calcium Phosphate Bone Paste (BIOPEX-R) as Absorbent Bone Displacement Materials 1 - The Effect of Blood Incorporation - | 1472 |
| <i>T. Umeda, M. Hirano, H. Takeuchi, Y. Musha</i> | |

| | |
|---|------|
| The Effect of Antibiotics-Loaded Calcium Phosphate Bone Paste (BIOPEX-R) | 1473 |
| <i>T. Umeda, M. Suzuki, M. Hirano, H. Takeuchi, H. Moriya</i> | |
| Calcium Phosphate Bone Paste (BIOPEX-R) as Absorbent Bone Displacement Materials 2 | |
| — The Trial to Porous Scaffold — | 1474 |
| <i>T. Umeda, M. Hirano, H. Takeuchi, Y. Musha</i> | |
| Tissue Response to Silicon Nitride Based Ceramics | 1475 |
| <i>C.C. Guedes e Silva, B. König Jr., M. Yoshimoto, A. Allegrini Jr., M. Carbonari, A.H.A. Bressiani, J.C. Bressiani</i> | |
| Mechanical Properties of a Novel Calcium Phosphate Bone Substitute Material Produced by Bacterial Biosynthesis | 1476 |
| <i>A.C. Thackray, R.L. Sammons, P.M. Marquis</i> | |
| Fabrication of Transparent Hydroxyapatite Sintered Bodies with High Crystal Orientation by Spark Plasma Sintering | 1477 |
| <i>Y. Watanabe, T. Ikoma, Y. Suetsugu, J. Tanaka, Y. Moriyoshi</i> | |
| Formation of Mesopores from Alpha-TCP Porous Bodies and their Characteristics of Protein Adsorption | 1478 |
| <i>M. Kitamura, C. Ohtsuki, S. Ogata, M. Kamitakahara, M. Tanihara</i> | |
| Porous Bioceramic Scaffolds Prepared by a Novel Route of Polymer Gelation | 1479 |
| <i>L.F. Liang, J. Weng, B. Feng, S.X. Qu, X.M. Li</i> | |
| The Wear of Various Biomaterials Against Zirconia Ceramic | 1480 |
| <i>T.J. Joyce, C. Twiss, C. Allen, A. Unsworth</i> | |
| Biomechanical and Histomorphometric Assessment of Healing of Rabbit Radial Defects with TCP Putty | 1481 |
| <i>A.S. Lyons, E.J. Eschbach, T. Motta, A. Pierce, D.L. Wheeler</i> | |
| Comparative Study of Bony Ingrowth into Porous Calcium Phosphate Bone Substitution Materials at Six Weeks Post Implantation: Orthogem and Vitoss | 1482 |
| <i>C. Emeagi, M. Coathup, W. Lo, A. Goodship, G. Blunn</i> | |
| Effect of the Tricalcium Phosphate Phase on Behaviour of Hydroxyapatite Ceramics | 1483 |
| <i>C. Ribeiro, E.C.S. Rigo, P. Sepulveda, J.C. Bressiani, A.H.A. Bressiani</i> | |
| Effects on New Bone Formation of Altered Crystalline Structure and Strength of CaSO₄ Pellets | 1484 |
| <i>R.M. Urban, T.M. Turner, D.J. Hall, S.I. Infanger, N. Cheema, T.H. Lim, J. Moseley, M. Carroll, M. Roark</i> | |
| Preparation of β-TCP Bioceramic Powder with Grain Structure of Lamellar Cleavage | 1485 |
| <i>X.Y. Wang, H.L. Dai, X. Jiang, J.H. Li, Y.H. Yan, S.P. Li</i> | |
| Properties of a Chitosan-Bonded Self Hardening Paste with Hydroxyapatite | 1486 |
| <i>M. Ito, S. Nagasawa, T. Yoshida, N. Terashima, H. Mizoguchi, H. Yagasaki</i> | |
| Cortical Bone Ingrowth and Bonding to Solid and Porous Ceramics | 1487 |
| <i>B.K. Milthorpe, R. Kao, O. Standard, M.A. Knackstedt, A.C. Jones, A. Sakellariou, T.J. Senden</i> | |
| Development of Bone Substitute Materials – Calcium Phosphate Scaffold Materials | 1488 |
| <i>J.P. Gittings, I.G. Turner, A.W. Miles</i> | |
| Mechanical Testing of ApaPore-60 as a Bone Graft Extender in a Femoral Model | 1489 |
| <i>K.L. Phipps, J. Pegrum, N. Smith, G. Blunn</i> | |
| An Injectable Calcium Sulfate-Based Bone Graft Putty Using HPMC as the Plasticizer | 1490 |
| <i>R.M. Urban, T.M. Turner, D.J. Hall, S.I. Infanger, N. Cheema, T.H. Lim, K. Richelsoph</i> | |
| Biomechanical Testing of Osteoconductive Disks for Cranioplasty in an Ovine Model | 1491 |
| <i>A.S. Lyons, A.S. Turner, E.J. Eschbach, Q. Liu, J. McGlohorn, T. West, H.B. Seim III, D.L. Wheeler</i> | |
| Computer Simulation of Biomaterials Degradation <i>in vitro/vivo</i> | 1492 |
| <i>H.M. Wang, Y.H. Yan, S.P. Li</i> | |
| A New Preparation Technique of Porous Bioceramics with Controllable Macrostructure | 1493 |
| <i>X. Chen, C. Zeng, Y. Yan, S. Li, J. Li</i> | |
| Fibrillar Collagen Assembled in Presence of Glycosaminoglycans to Constitute Bioartificial Stem Cell Niches | 1494 |
| <i>K. Salchert, P. Welzel, J. Oswald, U. Streller, C. Werner</i> | |
| Effect of Hyaluronic Acid on the Rheology of Zinc/Malic Acid Hydrogels | 1495 |
| <i>N. Azuma, T. Ikoma, A. Osaka, J. Tanaka</i> | |
| Microstructures of Collagen-Hyaluronic Acid Hydrogels by Two-Photon Fluorescence Microscopy | 1496 |
| <i>S.N. Park, S.E. Wu, C.A. Khatri, H. Suh, F.W. Wang</i> | |
| Hyaluronan's Role in Synovial Fluid: A Rheological Investigation | 1497 |
| <i>W.E. Krause, K.N.M. Oates, R.H. Colby</i> | |

| | |
|---|------|
| Viscoelastic Properties of Hyaluronic Acid and its Novel Derivatives Solutions | 1498 |
| <i>A. Borzacchiello, F. Causa, L. Ambrosio, P.A. Netti, D. Renier, D. Bellini, L. Nicolais</i> | |
| Utilization of 3D Hyaluronan Based Scaffolds for <i>in vitro</i> Cultures of Rat Sciatic Nerve Cells | 1499 |
| <i>B. Zavan, R. Cortivo, C. Tonello, P. Brun, G. Abatangelo</i> | |
| Analysis of Poly (N-isopropylacrylamide) Ultrathin Layer Studied by Surface Plasmon Resonance | 1500 |
| <i>I. Hirata, H. Iwata, M. Okazaki</i> | |
| Bioartificial Hydrogels as Potential Matrices for Tissue Regeneration | 1501 |
| <i>L. Lazzeri, L.P. Serino, S. Danti, E. Sparvoli, N. Barbani, M.G. Cascone</i> | |
| Synthesis and Characterization of Hydrogels Formed from a Glycidyl Methacrylate Derivative of Galactomannan | 1502 |
| <i>A.V. Reis, O.A. Cavalcanti, A.F. Rubira, E.C. Muniz</i> | |
| Alginate Encapsulation of Mitochondrial Defective Human Fibroblasts | 1503 |
| <i>P.W. Stacpoole, N.E. Simpson, Z. Han, I. Constantinidis</i> | |
| Evaluating Chitosan as a Biomaterial | 1504 |
| <i>V. Hamilton, D.A. Rigney, J.L. Ong, Y. Yang, J.D. Bumgardner</i> | |
| An Alginate-PEG Hydrogel Enzymatically Crosslinked with Transglutaminase | 1505 |
| <i>M. Ritter Jones, P. Messersmith</i> | |
| Nano-Scale Interactions, Miscibility and Physical Properties of Novel Biomedical Membranes Composed by Chitosan/Soy Protein Blends | 1506 |
| <i>S.S. Silva, M.I. Santos, O.P. Coutinho, B.J. Goodfellow, J. Rocha, J.F. Mano, R.L. Reis</i> | |
| Fabrication of 3-Dimensional Microenvironment Based on Chitosan Under Physiological Conditions for HepG2 Proliferation | 1507 |
| <i>J.H. Zhu, X.J. Lao, H.T. Ho, H. Yu</i> | |
| Fabrication of Chitosan Membranes for Guided Tissue Regeneration | 1508 |
| <i>S.J. Chang, S.M. Kuo, T.W. Chen, T.C. Kuan, C.C. Chou</i> | |
| A Simple and <i>in-situ</i> Method for Fabricating Chitosan Microspheres | 1509 |
| <i>S.M. Kuo, S.J. Chang, L.C. Lin, C.H. Kuo, C.H. Su, M.S. Bair</i> | |
| Mammalian Cell Encapsulation in Monodisperse Subsieve-Sized (<100 μm) Capsules | 1510 |
| <i>S. Sakai, K. Kawabata, T. Ono, H. Ijima, K. Kawakami</i> | |
| Biodegradable Chitosan-Chondroitin Sulfate Sponge for the Controlled Released of Basic Fibroblast Growth Factor | 1511 |
| <i>F.L. Mi, Y.B. Wu, P.S. Wang, C.K. Peng, S.S. Shyu, S.H. Yu, M.F. Huang</i> | |
| Synthesis of Polysaccharide Scaffolds with Bioactive Substances for Tissue Engineering | 1512 |
| <i>Y.B. Wu, F.L. Mi, C.K. Peng, S.S. Shyu, S.H. Yu, M.F. Huang</i> | |
| The Wound Healing Effects of Fibroin/Alginate (FA) -Blended Sponge on Full Thickness Wounds | 1513 |
| <i>J.H. Lee, T.W. Ham, H.Y. Kweon, K.G. Lee, R.M. Baek, C.S. Ki, Y.H. Park</i> | |
| Alginate/Xyloglucan Beads for the Bioartificial Liver | 1514 |
| <i>S.J. Seo, J.L. Seo, M. Shirakawa, T. Akaike, Y.J. Choi, C.S. Cho</i> | |
| Properties and Wound Dressing Applications of Silk Fibroin/Alginate Blend Sponges | 1515 |
| <i>H.Y. Kweon, K. Lee, J. Yeo, S. Woo, S. Han, J. Lee, T. Ham, C. Ki, Y. Park</i> | |
| Production of Chitosan Microspheres by Spraying and Coagulation Process | 1516 |
| <i>M.A. Torres, R.S. Vieira, M.M. Beppu, C.C. Santana</i> | |
| Investigation of the Early Stages of “<i>in vitro</i>” Calcification Of Chitosan Membranes | 1517 |
| <i>C.G. Aimoli, M.M. Beppu, M.A. Torres</i> | |
| The Fractionation and Evaluation of Water-Soluble Chitooligosaccharides Prepared from Chitosan | 1518 |
| <i>J.C. Lin, C.W. Lin</i> | |
| An <i>in vitro</i> Degradation Study of Gels Made of Alginate and Gelatine | 1519 |
| <i>M.F. Guidoin, J.A. Hunt, D.F. Williams</i> | |
| An Evaluation of the Degradation of Alginate Fabrics for Use in Tissue Engineering | 1520 |
| <i>M.F. Guidoin, J.A. Hunt, R.T. Freeman, D.F. Williams</i> | |
| Assessment of ALGEL for Endovascular Embolization of Neurovascular Lesions in Preparation for Clinical Trials | 1521 |
| <i>T.A. Becker, D.R. Kipke</i> | |
| Oral Absorption of Water-Soluble Chitosan Depend on its Molecular Weight; <i>in vivo</i> and <i>in vitro</i> Study | 1522 |
| <i>S.Y. Chae, M.K. Jang, T.R. Jung, J.W. Nah</i> | |

| | |
|--|------|
| Chitosan Film Grafted with Fusion Protein of FGF-2 and Fibronectin-FGF for Tissue Regeneration Therapy | 1523 |
| <i>J.H. Hwang, J.Y. Lee, J.H. Jang, S.C. Kim, Y. Ku, C.P. Chung, S.J. Lee</i> | |
| Analysis of Mechanical Interaction Between Cell-Substratum and Application of the Tissue Engineering | 1524 |
| <i>I. Harada, T. Akaïke</i> | |
| Natural Origin Scaffolds with <i>in situ</i> Gradual Pore Forming Capability: Development and Characterization | 1525 |
| <i>A.M. Martins, P.B. Malafaya, H.S. Azevedo, M.I. Santos, O.P. Coutinho, R.L. Reis</i> | |
| Injectable Non-Toxic Crosslink Augmentation Improves Intervertebral Disc Fatigue Resistance | 1526 |
| <i>T.P. Hedman, D. Gray, B. Syed, P. Holden, B. Han, M. Nimni</i> | |
| Proliferation and Characterisation of Meniscal Chondrocytes on Collagen Beads | 1527 |
| <i>S.W. Tsai, J.A. Werkmeister, T.A. Tebb, J.F. White, V. Glattauer, W.B. Tsai, J.A.M. Ramshaw</i> | |
| Detection of Free Radicals in Photopolymerization Process of Non-Cell Adhesive Layers | 1528 |
| <i>M.D. Ridley, M.S. Jahan, D.E. Thomas, D.D. Greenberg, M.A. Ali, K.E. Gonsalves</i> | |
| Fibroblast Growth Factor 9 Enhances Chondrocyte Proliferation and Phenotype Expression in Monolayer and Microcarrier Cultures | 1529 |
| <i>R.T. Degnan, S. De, A.V. Polotsky, D.S. Hungerford, C.G. Fronzoza</i> | |
| Bioresorbable Scaffolds from Poly(L-lactide-co-glycolide) Synthesised with Low Toxic Zirconium Compound | 1530 |
| <i>E. Pamula, M. Blazewicz, B. Czajkowska, P. Dobrzynski, M. Bero</i> | |
| Evaluation of Spider Silks for Cartilage Tissue Engineering Applications | 1531 |
| <i>A.C. MacIntosh, A. Crawford, P.V. Hatton</i> | |
| Cyclic Mechanical Strain on Knitted PLGA Scaffolds | 1532 |
| <i>K. Moe, S.L. Toh, T.E. Tay, J.C.H. Goh, H.W. Ouyang</i> | |
| Fundamental and Experimental Studies for Cartilage Regeneration Using Total Joint Regeneration System | 1533 |
| <i>N. Tomita, Y. Seto, Y. Harada, H. Aoki, S. Wakitani, Y. Morita, Y. Tamada, K. Yamamoto, M. Sonobe, T. Suguro</i> | |
| The Culture of Mammalian Cells on 3D Biomimetic Scaffolds Produced by Endemic New Zealand Porifera | 1534 |
| <i>M. Kelly, C.A. Poole</i> | |
| <i>in vitro</i> Tissue Growth and Development in Fibrin Gel Remodeled by Neonatal Smooth Muscle Cells | 1535 |
| <i>J.J. Ross, R.T. Tranquillo</i> | |
| Processing, Characterisation and Biocompatibility of Iron-Phosphate Glass-Fibres for Tissue Engineering | 1536 |
| <i>I. Ahmed, C. Collins, M.P. Lewis, I. Olsen, J.C. Knowles</i> | |
| Bone Cells and Engineered Materials: Critical Issues in <i>in vitro</i> Testing of Candidate Materials | 1537 |
| <i>N. Baldini, G. Ciapetti, D. Granchi, E. Cenni, S. Pagani, A. Pellacani, D. Martini, L. Ambrosio, M.C. Tanzi, A. Giunti</i> | |
| Endothelial Cell Compatibility of Porous Nitinol | 1538 |
| <i>R.E. Unger, K. Peters, M. Assad, J. Schrooten, C.J. Kirkpatrick</i> | |
| Enhancing Glycoprotein Affinity to Hydroxyapatite Bone Substitutes <i>in vitro</i> and <i>in vivo</i> | 1539 |
| <i>S.A. Gittens, J.R. Matyas, R. Loebenberg, R.F. Zernicke, H. Uludag</i> | |
| The Cytokine-Activated Activity of Heparin-Inspired Poly(γ-glutamic acid)-Sulfonate for Tissue Engineering | 1540 |
| <i>M. Matsusaki, T. Serizawa, M. Akashi</i> | |
| Effect of Hydroxyapatite Scaffold Macropore Size on Osteoconductivity; an <i>in-vitro</i> Study | 1541 |
| <i>N. Gurav, G. Bailey, J. Merry, R. Sambrook, L. di Silvio</i> | |
| Interconnected Pore Networks with Controlled Morphology for Tissue Engineering Scaffolds | 1542 |
| <i>K.A. Gross, L.M. Rodríguez-Lorenzo</i> | |
| The Assembly of "Biostructural Units" as a New Strategy for Tissue Engineering | 1543 |
| <i>A.C.A. Wan, E.K.F. Yim, I.C. Liao, C. Chai, K.W. Leong</i> | |
| The Effect of Serum Proteins on the Uptake of Ions in PVA/PVP Hydrogels for Nucleus Pulposus Replacement | 1544 |
| <i>G.W. Fussell, J.D. Thomas, J. Scanlon, A.M. Lowman, M.S. Marcolongo</i> | |

| | |
|---|------|
| Compressive Stiffness of the Lumbar Functional Spinal Unit can be Modified by Nucleus Implant Parameter Variations | 1545 |
| <i>A. Joshi, S. Mehta, E. Vresilovic, A. Karduna, M. Marcolongo</i> | |
| Models of the Spinal Cord-Column Interaction During a Burst Fracture | 1546 |
| <i>R.J. Oakland, R.K. Wilcox, R.M. Hall, D.C. Barton</i> | |
| Do Vertebroplasty Cements Have the Optimum Mechanical Properties? | 1547 |
| <i>R.K. Wilcox</i> | |
| Assessment of Stability and Intervertebral Motion for a Cervical Disc Prosthesis | 1548 |
| <i>J.P. Rouleau, R.L. Conta</i> | |
| Computer Tomography Evaluation of Periprosthetic Bone Density Following Interbody Fusion | 1549 |
| <i>F. Likibi, M. Assad, G. Chabot, M.A. Leroux, C.H. Rivard</i> | |
| Porous Nitinol for Intervertebral Fusion: Mechanical Characterization | 1550 |
| <i>M.A. Thébault, S. Moreau, M. Assad, C.H. Rivard, A. Chernyshov, M.A. Leroux</i> | |
| Clinical Evaluation of Porous Nitinol as a Cervical Fusion Device | 1551 |
| <i>S. Moreau, M.A. Thébault, M. Assad, M.A. Leroux, N.G. Fomichev</i> | |
| Cervical Interbody Fusion Devices: A Load-Induced Subsidence Resistance Evaluation ... | 1552 |
| <i>M.A. Thébault, S. Moreau, M. Assad, C.H. Rivard, M.A. Leroux</i> | |
| Low Intensity Pulsed Ultrasound Enhances Fusion Mass in Posterior Spinal Fusion in Rabbit | 1553 |
| <i>C.W. Chan, K.M. Lee, H.Y. Yeung, Y.M. Chiu, L. Qin, K.S. Leung, J.C.Y. Cheng</i> | |
| Synergistic Effect of VEGF and BMP4 Incorporated Hydrogel in Osteogenesis of Non-Decorticated Posterior Spinal Fusion | 1554 |
| <i>J.C. Cheng, H.Y. Yeung, K.M. Lee, Y.M. Chiu, L. Qin, X. Guo, P. Chow, Y. Tabata</i> | |
| Influence of Implant Structure on Interbody Fusion: Porous Nitinol vs. Titanium Implants | 1555 |
| <i>F. Likibi, M. Assad, G. Chabot, M.A. Leroux, C.H. Rivard</i> | |
| Pre-Clinical Comparison of Adcon-L and Medishield Gels for Prevention of Dural Adhesions | 1556 |
| <i>J.T. Robertson, J.P. Moseley, J.M. Anderson, W.E. Haggard, J. Soble-Smith</i> | |
| Radiopaque Hydrogels for Possible Nucleus Pulposus Replacement | 1557 |
| <i>E.J.H. Boelen, C.S.J. van Hooy-Corstjens, S.K. Bulstra, A. van Ooij, L.W. van Rhijn, L.H. Koole</i> | |
| Novel Hydrophilized Nerve Guide Conduit Prepared by PLGA and Pluronic F127 | 1558 |
| <i>S.H. Oh, J.H. Lee</i> | |
| Axon Regeneration in Nerve Guidance Channels Made of Conductive Biodegradable Polymer | 1559 |
| <i>Z. Zhang, Z. Wang, G. Shi, C. Roberge, J. Li, L.H. Dao</i> | |
| Electrically Conductive Biodegradable Polymer-Mediated Electrical Stimulation on the Outgrowth of Neurites from PC12 Cells | 1560 |
| <i>Z. Zhang, M. Rouabhia, C. Roberge, G. Shi, P. Roche, J. Li, Z. Wang, L.H. Dao</i> | |
| Reconstruction of Neural Network by Self-Organized Polymer Substrates | 1561 |
| <i>A. Tsuruma, M. Tanaka, N. Fukushima, M. Shimomura</i> | |
| Surface Crosslinked Chitosan Tube with HDI: A Promising Guide for Peripheral Nerve Regeneration | 1562 |
| <i>W.L. Cao, D.H. Jing, Y.D. Gong, N.M. Zhao, X.F. Zhang</i> | |
| Assessment of Nerve Function After Reconstruction with a Modified Porous Chitosan Nerve Guide | 1563 |
| <i>J.M. Li, J. Xi, L. Zhu, X.F. Chen, W.L. Cao, M.Y. Cheng, Y.D. Gong, N.M. Zhao, X.F. Zhang</i> | |
| Preparation and Degradation Property of Composite Nerve Conduit | 1564 |
| <i>Y.H. Yan, T. Wan, J.H. He, S.P. Li, Y.N. Xu, H.R. Dong</i> | |
| The <i>in vitro</i> Effect of Air-Jet Sieved Hydroxyapatite on MC3T3-E1 Mouse Osteoblast Cell Differentiation | 1565 |
| <i>R.M. McMullen, M.J. Baumann, L.R. McCabe</i> | |
| Hematopoiesis in Porous Al₂O₃ and Apatite Foams for Bone Marrow Bioreactor | 1566 |
| <i>U.M. Gross, H. Schubert, I. Garrn, A. Berthold, T. Fietz, B. Reufi, W.U. Knauf</i> | |
| Cell Attachment on Novel Biomimetic Calcium Phosphate Materials | 1567 |
| <i>E.C. Kolos, A.J. Ruys, R. Rohanizadeh, M.M. Muir, G.J. Roger</i> | |
| Biological <i>in vitro</i> Evaluations of Three-Dimensional Scaffold Developed from Single-Crystal Apatite Fibers for Tissue Engineering of Bone | 1568 |
| <i>M. Aizawa, H. Shinoda, H. Uchida, I. Okada, T.J. Fujimi, N. Kanzawa, H. Morisue, M. Matsumoto, Y. Toyama</i> | |

| | |
|--|------|
| Trabecular Bone Ingrowth in Inert and Bioactive Materials with Identical Macroporosity | 1569 |
| <i>J. Malmström, E. Adolfsson, L. Emanuelsson, P. Thomsen</i> | |
| Biological Activity of HA-Based Biomaterial Mixes in a Critical Sized Rabbit Model | 1570 |
| <i>J.J.C. Arts, L.H.B. Walschot, N. Verdonschot, B.W. Schreurs, P. Buma</i> | |
| Tissue-Engineered Cartilage Formation Using a Fibrin-Hyaluronate Composite | 1571 |
| <i>S.H. Park, K.H. Jang, S.R. Park, C.Z. Jin, S.I. Chung, K.H. Park, B.H. Min</i> | |
| Application of Novel PLA/Chitosan Composite Materials on Bone Tissue Scaffolds | 1572 |
| <i>C.R. Zhou, L.H. Li</i> | |
| Hepatocytes Cultured on Extracellular Matrix and Peptide Membranes | 1573 |
| <i>K. Kobayashi, M. Hara, T. Akaike, C.S. Cho, T. Asakura, A. Higuchi</i> | |
| Regeneration of Cartilage Tissue by Using a Hybrid Mesh Scaffold of Biodegradable Synthetic Polymer PLGA and Collagen | 1574 |
| <i>G. Chen, T. Sato, T. Ohgushi, T. Ushida, T. Tateishi</i> | |
| Biocompatibility of Heat Exposed Chitosan Scaffold: <i>in vitro</i> and <i>in vivo</i> Approach | 1575 |
| <i>C.H. Kim, S.H. Lim, Y.J. Choi, K.S. Park, H.S. Park, Y.J. Jin, C.W. Park, Y.S. Son</i> | |
| Cytocompatible Scaffold Using Phospholipid Polymer Grafted with Poly(D,L-lactic acid) Segments | 1576 |
| <i>J. Watanabe, K. Ishihara</i> | |
| Bioartificial Kidney with Renal Tubule Epithelial Cells on Biocompatible Porous Membrane Modified by Phospholipid Polymer | 1577 |
| <i>H. Ueda, J. Watanabe, M. Takai, K. Ishihara</i> | |
| Cellular Reactions on Hydrophilic and Hydrophobic Titanium Implants During the First Implantation Weeks in Bone | 1578 |
| <i>C. Eriksson, K. Ohlson, H. Nygren</i> | |
| Biocompatibility of NGF-Grafted GTG Membranes for Peripheral Nerve Repair Using Cultured Schwann Cells | 1579 |
| <i>P.R. Chen, M.H. Chen, C.C. Tsai, F.H. Lin</i> | |
| Immunohistochemical Studies on the Expression of Bone Matrix Proteins with Different Bioimplants in a Rabbit Sinus Floor Augmentation Model | 1580 |
| <i>Z.M. Hu, S. Ho, S. Peel, G. Sándor, C. Clokie</i> | |
| Bone Regeneration with Resorbable Polylactide Membrane and Sponge in an Unstable Fracture Model in Rabbit Radius | 1581 |
| <i>W.Y. Ip, S. Gogolewski</i> | |
| Structure and Biodegradability <i>in vitro</i> of HA Microspheres | 1582 |
| <i>B. Feng, J. Weng, Y. Liang, Y. Xu, J.Y. Chen, Y. Cao, B.C. Yang, S.X. Qu, X.D. Zhang</i> | |
| Biomechanical Compatibility of Biomaterials with Biological Tissue to be Replaced | 1583 |
| <i>I. Knets, V. Vitinsh</i> | |
| Biodegradation Behaviour of Porous Calcium Polyphosphate in Hanks' Solution | 1584 |
| <i>S.J. Ding, C.W. Wang</i> | |
| The Comparison of Chitosan and Sodium Hyaluronate | 1585 |
| <i>C. Hou, Z. Tang, W. Zhang</i> | |
| Porous Beta-TCP as a Bone Graft Substitute | 1586 |
| <i>H. Inoue, H. Irie</i> | |
| Performance Enhancement of a Knotless Suture via Barb Geometry Modifications | 1587 |
| <i>J.C. Leung, G.L. Ruff, S.D. Batchelor</i> | |
| Synthetic Hydrogel as an Implant Material with Enhanced Biocompatibility and Biostability | 1588 |
| <i>J.H. Choi, B.H. Park, Y.A. Han, J.O. Lim</i> | |
| Development of Tube Type Nerve Guide for Nerve Tissue Regeneration Using Biodegradable Synthetic Polymers Through Electrospinning Method | 1589 |
| <i>C.B. Lee, P.H. Choung, D.J. Chung</i> | |
| Experimental Study of a Hybrid Artificial Trachea | 1590 |
| <i>H. Tsukada, H. Inoue, H. Osada</i> | |
| Effect of Cross Linking on Creep Resistance of Biostable Polyurethanes | 1591 |
| <i>P.A. Gunatillake, R. Adhikari, T.P.T. Le, A.D. Padsalgikar, J. Weksler, I.M. Griffiths</i> | |
| Hydrogels Prepared by Photoinitiator-Free UV Curing Technique and their Effect on Human Keratinocyte (HaCat) Cell Viability | 1592 |
| <i>S. Swami, L. Ng, C. Thomson</i> | |
| A New Synthesis Strategy to Prepare Biodegradable Polyurethanes for Tissue Engineering | 1593 |
| <i>S.A. Guelcher, E.J. Beckman, J.O. Hollinger</i> | |

| | |
|--|------|
| The Follow Up for 8 Years of Augmentation Rhinoplasty with Particulate Hydroxylapatite (HA) Artificial Bone in 50 Cases | 1594 |
| <i>X.J. Guo, X.L. Wu</i> | |

Poster Area 2 - Thursday, 20/05/2004, 08:00-18:00 128 - POSTER

| | |
|---|------|
| Development of a Novel Biodegradable Ophthalmic Biomaterial Based on Porous Silicon | 1595 |
| <i>Y.L. Khung, K. Williams, D. Coster, N.H. Voelcker</i> | |
| Porous Matrices Made from Collagen Immobilized PVA Hydrogel-Hydroxyapatite Composites for the Periphery Of Keratoprosthesis | 1596 |
| <i>H. Kobayashi, M. Kato, A. Matsuda, T. Taguchi, T. Ikoma, K. Kataoka, J. Tanaka</i> | |
| Mechanical Evaluation of Contact Lenses | 1597 |
| <i>M. Wang</i> | |
| Improved Mechanical Properties of Phospholipid Polymer Hydrogels Cross-Linked with Novel Bifunctional Monomer Bearing Phosphorylcholine Unit | 1598 |
| <i>T. Goda, Y. Kiritoshi, J. Watanabe, M. Takai, K. Ishihara</i> | |
| Friction of Hydrogel Contact Lenses: Long-Wear Silicone and Conventional Soft Disposable | 1599 |
| <i>V. Ngai, J.B. Medley, L. Jones</i> | |
| Corneal Staining with Group II and Silicone-Hydrogel Contact Lens Materials Used with PHMB-Based Disinfection Systems | 1600 |
| <i>L. Jones, J. Schickler, L. Sorbara, K. Dumbleton, N. MacDougall, S. Bayer</i> | |
| Quantification and Conformational State of Lysozyme Deposition on Daily Wear Etafilcon, Balafilcon and Lotrafilcon Contact Lens Materials | 1601 |
| <i>L. Jones, M. Senchyna, M.A. Glasier</i> | |
| <i>in vitro</i> Adsorption of Albumin and Lysozyme from Mixed Protein Solutions to Commercial Contact Lenses | 1602 |
| <i>H. Sheardown, L.W. Jones</i> | |
| The Surface Wettability of Worn and Unworn Contact Lenses | 1603 |
| <i>M. Nasso, B.J. Tighe</i> | |
| Adhesion of Lens Epithelial Cells to PMMA Polymers Involves Vitronectin | 1604 |
| <i>M.D.M. Evans, G. Pavon-Djavid, G. H elary, J.M. Legeais, V. Migonney</i> | |
| Corneal Implants for Refractive Error Correction | 1605 |
| <i>K.M. McLean, G.J. Beumer, B. Bojarski, G.Y.N. Chan, H. Chaouk, M.D.M. Evans, M. Fabbri, H.J. Griesser, B.A. Holden, T.C. Hughes, M. Jenkins, G. Johnson, W.S. Knower, T.P.T. Le, G.A. McFarland, G.F. Meijs, X. Nguyen, J.G. Steele, D.F. Sweeney, H. Thissen, S. Tout, A. Vannas, J.S. Wilkie, R.Z. Xie</i> | |
| Surface Characterisation of Pure Vision Contact Lenses Before and After Contact with RENU MultiPlus Lens Care Solution | 1606 |
| <i>L. Meagher, T.R. Gengenbach, H. Thissen, J. Bates</i> | |
| Hydrogel-Like Perfluoropolyethers | 1607 |
| <i>T.C. Hughes, G.Y.N. Chan, M.D.M. Evans, G. Johnson, W.S. Knower, T.P.T. Le, G. McFarland, K. McLean, X. Nguyen, D.F. Sweeney, J.S. Wilkie, R.Z. Xie</i> | |
| Characterization of Corneal Epithelial Cell Adhesion on Novel Hydrogels | 1608 |
| <i>C. Wallace, J. Bi, J.T. Jacob</i> | |
| Novel Methodology for Biocompatibility Assessment in the Immune Privileged Site: The "Anterior Chamber of Rabbit Eyes" Model | 1609 |
| <i>P.L. Lu, J.Y. Lai, G.H. Hsiue, K.H. Chen, W.M. Hsu</i> | |
| Selenium Coated Contact Lenses: Effect Upon Corneal Epithelial Cells and Bacterial Biofilm Attachment | 1610 |
| <i>T.W. Reid, S.M. Mathews, M.J. Grimson, J.E. Spallholz</i> | |
| The Antiscarring Effects of Carboxymethyl Chitosan Implant in Trabeculectomy in Rabbits | 1611 |
| <i>W.B. Wang, F.R. Hao, L.X. Jiang, Q.S. Gu</i> | |
| The Study of Symptomatic Comprehensive Treatment for Recurrent Aphthous Ulcer (RAU) with Biological Preparation Ocutilla | 1612 |
| <i>X.J. Guo, X.C. Ruan, D.Y. Su</i> | |
| Nanofibrous/Microfibrous Scaffolds: Effect of Seeding Techniques on Chondrocyte Adhesion | 1613 |
| <i>S. Shortkroff, J. Garcia, J.H. Yu, J. Lowery, T.S. Thornhill, G.C. Rutledge</i> | |
| Articular Chondrocyte Attachment and Gene Expression can be Modulated by Polymeric Substrates for Cell Transplantation | 1614 |
| <i>T.A. Mahmood, S. Miot, O. Frank, C.A. van Blitterswijk, R. Langer, I. Martin, J. Riesle</i> | |

| | |
|---|------|
| Chondrocyte Growth on Novel Porous Methacrylate Foams Produced Using Supercritical CO₂ | 1615 |
| <i>C.A. Scotchford, J.J.A. Barry, S.M. Howdle</i> | |
| The Effects of FGF-2 on the Compressive Modulus of Adult Canine Chondrocyte-Seeded Type II Collagen-GAG Scaffolds Grown in Serum-Free Medium | 1616 |
| <i>T. Gordon, A. Grodzinsky, M. Spector</i> | |
| Application of Porous Materials with Hydroxyapatite and Biopolymers Nanocomposites in Cartilage Tissue Engineering | 1617 |
| <i>T. Ikoma, I. Sekiya, T. Muneta, J. Tanaka</i> | |
| Injectable Biodegradable Polyurethanes for Cartilage Repair: Evaluation of Biocompatibility and Biodegradability | 1618 |
| <i>R. Adhikari, P.A. Gunatillake, T.P.T. Le, R. Mayadunne, S.J. Danon, K. Seymour, P. Bean, H.W. Thissen, J.A. Werkmeister, J.A.M. Ramshaw, J.F. White, V. Glattauer, T.A. Tebb</i> | |
| Regeneration of Articular Cartilage Using Beads and Polymer Gel Delivery Systems | 1619 |
| <i>J.F. White, V. Glattauer, T. Tebb, T. Gunatillake, R. Adihara, R. Mayadunne, J.A.M. Ramshaw, J.A. Werkmeister</i> | |
| Development of Osteochondral Tissue-Engineered Composite Constructs in Recirculation Column Bioreactors | 1620 |
| <i>N. Mahmoudifar, P.M. Doran</i> | |
| Effect of Culture Conditions and Cell Source on the Quality of Tissue Engineered Cartilage Constructs | 1621 |
| <i>P.V. Hatton, A. Crawford, A. Frazer, S. Fraser, S. Dickinson, A.P. Hollander</i> | |
| Human Chondrocyte Redifferentiation and Cartilage Tissue Formation Capacity is Regulated by Architecture and Composition of Porous PEGT/PBT Scaffolds | 1622 |
| <i>T. Woodfield, S. Miot, C.A. van Blitterswijk, J. Riesle, I. Martin</i> | |
| Polymer Scaffolds Fabricated with Organised Pore-Size Gradient Structures as a Model for Studying Zonal Organisation within Tissue Engineered Cartilage Constructs | 1623 |
| <i>T. Woodfield, J. de Wijn, T. Sims, A. Hollander, C.A. van Blitterswijk, J. Riesle</i> | |
| Effect of Scaffold Architecture on Composition of Tissue Engineered Cartilage | 1624 |
| <i>J. Malda, T. Woodfield, F. van der Vloodt, C. Wilson, D.E. Martens, J. Tramper, C.A. van Blitterswijk, J. Riesle</i> | |
| Tissue Ingrowth in Two Porous Polymers | 1625 |
| <i>N.N. Ramrattan, R.G. Heijkants, T.G. van Tienen, A.J. Schouten, R.P. Veth, P. Buma</i> | |
| Liquid Collagen Matrix for Cartilage Tissue Engineering | 1626 |
| <i>T. Walles, B. Giere, J. Schanz, P. Macchiarini, H. Mertsching</i> | |
| Porous-Graded Structures for Bone and Cartilage Tissues Engineering | 1627 |
| <i>A. Ravaglioli, A. Krajewski, M. Mazzocchi, C. Capiani, G. Abatangelo, S. Zaffagnini, E. Kon, M. Marcacci</i> | |
| Chitosan/PLGA Fibrous Composite Matrix for Cartilage Regeneration | 1628 |
| <i>I.K. Shim, J.H. Hwang, S.Y. Lee, H.C. Cho, M.C. Lee, S.J. Lee</i> | |
| Oral Glucosamine Hydrochloride in the Management of Osteoarthritis (OA) of the Knee | 1629 |
| <i>M. Maeda, K. Kaneko, O. Ohbayashi, Y. Inoue, H. Iwase</i> | |
| Polyvinyl Formal as Artificial Articular Cartilage for Joint Prosthesis | 1630 |
| <i>Y. Nakanishi, T. Takashima, T. Umeno, H. Higaki, H. Miura, Y. Iwamoto</i> | |
| Application of Avidin-Biotin Binding in Articular Cartilage Tissue Engineering | 1631 |
| <i>W.B. Tsai, M.C. Wang</i> | |
| The Effects of Biodegradable Polymers on the Phenotypes of Porcine Chondrocytes | 1632 |
| <i>W.B. Tsai, C.H. Chen, K.Y. Chang, J.F. Chen</i> | |
| Effect of Stiffness of Polycaprolactone Film on Chondrocyte Proliferation | 1633 |
| <i>F. Chen, S.H. Teoh</i> | |
| Fibrin-Based Bioadhesives for Cartilage Repair: An <i>in vitro</i> Study | 1634 |
| <i>Y.C. Wu, M.C. Lin, V. Glattauer, J.A. Werkmeister, J.A.M. Ramshaw, B.R. She, C.C. Tsai</i> | |
| Studies by Imaging TOF-SIMS of Early Bone Formation at Titanium Implants | 1635 |
| <i>H. Nygren, P. Sjövall, J. Lausmaa, C. Eriksson</i> | |
| Structural Evolution of End-Tethered PEO Layers Chemisorbed on Gold Studied by Specular Neutron Reflectometry: Effects on Protein Repulsion | 1636 |
| <i>L.D. Unsworth, Z. Tun, H. Sheardown, J.L. Brash</i> | |
| Soft X-Ray Spectromicroscopy of Fibrinogen on Polystyrene: Poly(methyl methacrylate) Polymer Blend Surfaces | 1637 |
| <i>J.L. Brash, R.M. Cornelius, A.P. Hitchcock, T. Araki, C. Morin, A. Scholl, A. Doran</i> | |

| | |
|---|-------------|
| Time-Lapse Observation of Cell Adhesion by Evanescent Field Imaging Technique..... | 1638 |
| <i>Y. Arima, K. Kato, H. Iwata</i> | |
| Imaging and Quantitation of Localised Fibronectin Interactions with Osteoblasts on Self Assembled Monolayers | 1639 |
| <i>B. Sim, C.A. Scotchford, P. O'Shea</i> | |
| Molecular Imaging of Technetium-Labeled Galactosyl-Methylated Chitosan for Liver-Specific Diagnosis | 1640 |
| <i>I.K. Park, H.J. Jeong, E.M. Kim, H.S. Bom, T. Akaike, C.S. Cho</i> | |
| Microarchitectural Characterisation of Collagen Orientation in Bovine Articular Cartilage | 1641 |
| <i>T. Scarpa, V. Barron, S. Brody, A. Pandit</i> | |
| Direct Imaging of Neural Cells in PEG Hydrogels: Factors Influencing Cell Survival, Proliferation, and Differentiation | 1642 |
| <i>M.J. Mahoney, K.S. Anseth</i> | |
| Influence of Water Content on Polarization Sensitive Optical Coherence Tomographic Imaging of Collagen..... | 1643 |
| <i>D.L. Stamper, M. Harman, M.J. Chilek, B. Liu, M.E. Brezinski</i> | |
| Real Time Three-Dimensional Analysis of <i>in vitro</i> Bone Formation by Marrow Mesenchymal Stem Cells | 1644 |
| <i>T. Kihara, M. Hirose, H. Machida, N. Kotobuki, A. Yoshida, A. Oshima, H. Ohgushi</i> | |
| <i>in vivo</i> Characterization of Bone Ingrowth into Scaffolds with Controlled Architectures Using Micro-CT | 1645 |
| <i>J.L. Simon, T. Dutta Roy, J.R. Parsons, E.D. Rekow, V.P. Thompson, J. Yoo, J.L. Ricci</i> | |
| Investigating Scaffold Interconnectivity with Micro-CT and Image Analysis | 1646 |
| <i>M.J. Moore, E. Jabbari, E.L. Ritman, L. Lu, B.L. Currier, M.J. Yaszemski</i> | |
| The Use of Desktop X-Ray Microtomography to Characterise Randomly Packed and Compacted Pharmaceutical Particulate Systems | 1647 |
| <i>G.E. Milroy, M. Dutt, C.Y. Wu, A.C. Bentham, B.C. Hancock, J.A. Elliott, R.E. Cameron</i> | |
| Bone and Artificial Bone Internal Structure Study with High Resolution 3D CT | 1648 |
| <i>X.G. Wang, J.M. Tian, C.Z. Zhang, Z.P. Guo</i> | |
| Peptide-Based Material Design from Barnacle Underwater Adhesive Protein..... | 1649 |
| <i>M. Nakano, J.R. Shen, Y. Urushida, Y. Mori, K. Kamino</i> | |
| Marine Adhesives as Candidates for new Biomaterial | 1650 |
| <i>J. Hedlund, M. Berglin, A. Sellborn, M. Andersson, L. Delage, P. Potin, H. Elwing</i> | |
| Design, Synthesis & Application of Skin Adhesive Hydrogels | 1651 |
| <i>R. Bahia, B.J. Tighe</i> | |
| Preparation of Improved Bioactive Tissue Adhesives Using Autologous Human Thrombin..... | 1652 |
| <i>C.Y. Su, T. Burnouf</i> | |
| Perfluoropolyether Corneal Onlays: Adhesive Development | 1653 |
| <i>T.C. Hughes, G.Y.N. Chan, M.D.M. Evans, G. Johnson, T.P.T. Le, G. McFarland, K.M. McLean, X. Nguyen, D.F. Sweeney, J.S. Wilkie, R.Z. Xie</i> | |
| An Adhesive and Elastic Biomaterial from Australian Frogs | 1654 |
| <i>Y. Peng, V. Glattauer, L.D. Graham, P.R. Vaughan, J.F. White, J.A. Werkmeister, M. Tyler, J.A.M. Ramshaw</i> | |

Poster Area 3 - Thursday, 20/05/2004, 08:00-18:00

129 - POSTER

| | |
|---|-------------|
| Trends in Heart Valve Replacement Prostheses: What Really Determines Valve Choice | 1655 |
| <i>M.B. Edwards, K.M. Taylor</i> | |
| A New Concept of a Flexibel Textile Heartvalve Prosthesis | 1656 |
| <i>F. Heim, B. Durand, N. Chakfé</i> | |
| Prevention of Bioprosthetic Porcine and Pericardial Valve Failure and Improved Patient Survival Using HMG-CoA Reductase Inhibitors | 1657 |
| <i>K.W. Gregory, Y. Wu, A. Starr, G. Grunkemeier</i> | |
| Active Contractile Properties of Aortic Valve Leaflets Under Flexure | 1658 |
| <i>W.D. Merryman, M.S. Sacks</i> | |
| Micromechanical Modeling of an Engineered Heart Valve Tissue as a Short-Fiber Composite | 1659 |
| <i>G.C. Engelmayr Jr., J.E. Mayer Jr., M.S. Sacks</i> | |
| Resorbable Stents: Manufacturing, Modification, Degradation Aspects | 1660 |
| <i>H. Hierlemann, M. Milwich, H. Planck, U. Schrimpf, K.E. Grund</i> | |

| | |
|---|------|
| The Vascutek Anaconda Endovascular Device Incorporating an Innovative Ring-Stent That Acts Both as a Seal and an Anchor | 1661 |
| <i>R. Guidoin, Y. Douville, M. Baslé, M. King, G.R. Marinov, Z. Zhang, R. Sumanasinghe, A.P. Legrand, M.F. Guidoin</i> | |
| The Stability of as Received, Heat Treated and Passivated Nitinol Wires and Stents in Body Fluid Environments | 1662 |
| <i>W.M. Carroll, M.J. Kelly</i> | |
| Effect of Biomaterial Surfaces and Tissue Substrates on Human Smooth Muscle Cell Proliferation Under PDGF Stimulus | 1663 |
| <i>M. Santin, M. Harrison, C. Morris, L. Mikhalovska, S. Fields, D. Teer, S. Mikhalovsky</i> | |
| Thermal Analysis of Duplex Stainless Steel Thermo-Stent; Weight Variation Study | 1664 |
| <i>Y.K. Kim, S.K. Kim, J.H. Lee</i> | |
| Animal Implantation Study of Surface Modified Stents Grafted with Sulfonated PEG: Blood Compatibility and Restenosis | 1665 |
| <i>Y.H. Kim, Y.M. Yoo, D.M. Song, S.H. Kim, Y. Jung, Y.G. Ko, Y. Jang, K.H. Chung</i> | |
| Development of Biodegradable Zig-Zag Helical Coil Coronary Stent | 1666 |
| <i>H. Yamane, K. Igaki, H. Tamai</i> | |
| Prevention of Restenosis by Drug Eluting Anti-Thrombogenic Multi-Layer Stent | 1667 |
| <i>Y. Byun, H.T. Moon, O.C. Jeon, J.H. Yoon</i> | |
| A Nanotechnology for the Production of a Ceramic Nanoporous Covering on Coronary Stents | 1668 |
| <i>S. Datta, A. Wilson, A. Krajewski, A. Ravaglioli, M. Mazzocchi, A. Maresta</i> | |
| Acrylic Terpolymers for Small Diameter Vascular Grafts | 1669 |
| <i>G.W. Fussell, A.N. Veleva, N.M. Lamba, S.L. Cooper</i> | |
| The Effect of Semi-Microporous SPEU Coated with Endothelial Cells on Blood Compatibility for Vascular Graft | 1670 |
| <i>E.H. Cho, Y.I. Yang, H.H. Choi, B.I. Min, S.S. Kim, J.K. Kim</i> | |
| Endothelial Cell Proliferation on Gravity Spun Polycaprolactone Fibres | 1671 |
| <i>M.R. Williamson, K.J. Woollard, H.R. Griffiths, A.G.A. Coombes</i> | |
| Are Venous Endothelial Cells Suitable for Arterial Graft Generation? | 1672 |
| <i>T. Walles, G. Bakker, C. Puschmann, H. Mertsching</i> | |
| Effect of Hydrophilicity on Protein Adsorption to the Polymeric Coating of a Novel Vascular Prosthesis | 1673 |
| <i>M.L.W. Knetsch, M. Schraven, Y.B.J. Aldenhoff, L.H. Koole</i> | |
| A Novel Elastomer for Small Diameter Blood Vessel Tissue Engineering | 1674 |
| <i>A. Webb, J. Yang, G. Ameer</i> | |
| Construction of a Viable and Metabolically Active 3-Dimensional Artificial Myocardial Graft in a Pulsatile Flow Bioreactor | 1675 |
| <i>A. Lenz, T. Kofidis, P. Akhyari, B. Wachsmann, K. Müller-Stahl, T. Calliess, M. Hofmann, H. Mertsching, A. Haverich</i> | |
| Mechano-Biological Interactions of Endothelial Cells | 1676 |
| <i>K. Coghlan, E. O'Cearbhaill, V. Barron, E. McLucas, M. O'Brien, M.D. Ball, C. Stenson-Cox, P.E. McHugh</i> | |
| Electrospun Tubular Scaffolds for Vascular Tissue Engineering | 1677 |
| <i>H.M. Powell, S. Mitra, D.A. Kniss, J.J. Lannutti, N. Flavahan</i> | |
| Grafting of a Bioartificial Cardiac Tissue Substitute in a Rat Model: Survival and Scaffold Kinetics | 1678 |
| <i>K. Mueller-Stahl, T. Kofidis, P. Akhyari, B. Wachsmann, A. Lenz, A. Just, H. Hecker, A. Haverich, H. Mertsching</i> | |
| Effects of Sex and Reproductive State on the Mechanical Properties of Bovine Cardiovascular Tissues | 1679 |
| <i>S.M. Wells</i> | |
| Nanoindentation of Calcifications from Atherosclerotic Carotid Arteries | 1680 |
| <i>L.A. Pruitt, D.G. Coughlin</i> | |
| Biodegradable Polyurethane Scaffolds Seeded with Skeletal Myoblasts: Progress Towards a Cardiac Patch | 1681 |
| <i>J.D. Fromstein, K.A. Woodhouse</i> | |
| Proteoglycan Skewness Angle Increases with Applied Load on Chordae Tendineae | 1682 |
| <i>J. Liao, I. Vesely</i> | |
| Application of Hylan Gels to Tissue-Engineered Heart Valves | 1683 |
| <i>Y. Shi, A. Garg, I. Vesely</i> | |

| | |
|--|-------------|
| Improved Mechanical Properties of Collagen Constructs Through Nutrition Fortified Culture | 1684 |
| <i>Y. Shi, H. Hsu, R. Jackson, I. Vesely</i> | |
| Effect of Holder Materials on the Contraction of Collagen-Based Constructs | 1685 |
| <i>Y. Shi, V. Pena, I. Vesely</i> | |
| Bioreactors for Developing Tissue-Engineered Collagen Constructs Under Static Tension | 1686 |
| <i>Y. Shi, B. Lawrence, I. Vesely</i> | |
| Biomechanical and Functional Studies on Tissue-Engineered Autologous Small-Calibred Vessels | 1687 |
| <i>J. Heine, K. Kallenbach, A. Haverich, H. Mertsching</i> | |
| Effect of Implantation Time on Filament Properties of Vascular Prosthesis | 1688 |
| <i>F. Dieval, I. Zbali, D. Mathieu, N. Chakfé, B. Durand</i> | |
| A New Porous Polymer for Tissue Engineering of Small Caliber Human Arterial Grafts | 1689 |
| <i>C.I. Guenter, S. Neuenschwander, M. Schiavoni, A. Mol, P. Neuenschwander, T. Teervort, G. Zund, M.I. Turina, S.P. Hoerstrup</i> | |
| Heparin Conjugated Star-Shaped PLLA as a Blood and Cell Compatible Material | 1690 |
| <i>D.H. Go, J.S. Lee, K.S. Jee, H.D. Park, K.D. Park</i> | |
| Spontaneous Surface Enrichment of Amorphous Phosphatidyl Choline Functionalised Poly-Trimethylene Carbonate | 1691 |
| <i>F. Nederberg, T. Bowden, J. Hilborn</i> | |
| Plasma Polymerized Surface Chemistries Influence Adhesion, Morphology and the Positioning of Cells | 1692 |
| <i>P. Thomsen, C. Berendsen, S. Bouaidat, H.K. Lilja-Fischer, S.G. Petersen</i> | |
| The Platelet Adhesion Behavior of Diamond-Like Carbon (DLC) Films with Different sp^3/sp^2 Ratio | 1693 |
| <i>Y.X. Leng, P. Yang, J.Y. Chen, J. Wang, H. Sun, G.J. Wan, N. Huang</i> | |
| Electrochemical Characterization and Immune System Activation in Blood by Electrode Materials in Pacemaker Applications | 1694 |
| <i>A. Norlin, P. Tengvall, A. Askendal, J. Pan, C. Leygraf</i> | |
| Acoustic Blood Biointerface Analysis (ABBA) of Surface Induced Complement Activation and Coagulation | 1695 |
| <i>M. Andersson, J. Andersson, M. Berglin, A. Sellborn, B. Nilsson, H. Elwing</i> | |
| Acoustic Blood Biointerface Analysis (ABBA) - The Effect of Substrate Molecular Mobility on Surface Induced Complement Activation and Plasma Coagulation..... | 1696 |
| <i>M. Berglin, A. Sellborn, M. Andersson, H. Elwing</i> | |
| Role of Sphingosine-1-Phosphate in the Endothelialization of Materials | 1697 |
| <i>D.L. Elbert, S.K. Hughes, B.K. Wacker</i> | |
| Thrombi Adherent to Biomaterials Serve as a Nidus for Bacterial Adhesion | 1698 |
| <i>S.F. Mohammad</i> | |
| Influence of Heparin Coating on DEHP Release from Polyvinyl Chloride | 1699 |
| <i>H.P. Wendel, S. Hildenbrand, R. Wodarz, H. Aebert, G. Ziemer</i> | |
| Blood Proteins in Contact with Materials: Adsorption and Removal by Oxidation | 1700 |
| <i>S. Caillou, J.L. Dewez, P.G. Rouxhet</i> | |
| Cellulose Acetate Hollow Fiber Membranes Modified by Phospholipid Polymers for Hemopurification | 1701 |
| <i>S.H. Ye, J. Watanabe, K. Ishihara</i> | |
| Antithrombogenic Polymer Alloy Containing Phospholipid Polymer | 1702 |
| <i>K. Ishihara, R. Ogawa, T. Hasegawa, D. Nishiuchi, J. Watanabe, Y. Iwasaki</i> | |
| <i>in vitro</i> Hemocompatibility Testing of PTFE with Immobilized Thrombomodulin | 1703 |
| <i>C. Sperling, U. Streller, M.F. Gouzy, U. König, C. Werner</i> | |
| Preparation of Hydrophobic Heparinized Polymer, Which can be Used for Hemocompatible Solvent Casting in Medical Device: MCK-Hepafilm Technology..... | 1704 |
| <i>H.T. Moon, J.H. Kim, J.K. Han, K.H. Lee, Y. Byun</i> | |
| Synthesis, Characterization and Blood Compatibility of Polymeric Materials from Polyamidoamines | 1705 |
| <i>A.R. Ray, R.K. Dey</i> | |
| Evaluation of Hemocompatibility of Graphite Coated Polyester Fabric Vascular Prosthesis, <i>in vitro</i> & <i>in vivo</i> Assays..... | 1706 |
| <i>H. Arabi, H. Mirzadeh, S.H. Ahmadi, S. Amanpour, Sh. Rabbani</i> | |

| | |
|---|------|
| A Novel Class of Nonthrombogenic Biomaterials with Zwitterionic Structure of Carboxybetaines | 1707 |
| <i>J. Zhou, X.P. Zang, Y.Z. Qiu, J. Shen, S.C. Lin</i> | |
| Improvement in Blood Compatibility of Immunoabsorbent Matrix for Hemoperfusion | 1708 |
| <i>W. Paul, C.P. Sharma</i> | |
| Anastomosis of Small Arteries Using a Soluble Stent and Biogluue | 1709 |
| <i>X.H. Wang, X.D. Liang, Y.N. Yan, R.J. Zhang, Y.W. Fan</i> | |
| Photoimmobilized Heparin and Resistance to Degradation | 1710 |
| <i>D.E. Babcock, J.L. Stanslaski, J.A. Chinn</i> | |
| Chemical Modification of Poly(Vinyl Chloride) with Tween 20 Improves its Blood-Compatibility | 1711 |
| <i>A. Jayakrishnan</i> | |
| Interaction of Serum Complement with Surfaces Carrying Amino Groups Studied with Surface Plasmon Resonance | 1712 |
| <i>M. Toda, T. Kitazawa, I. Hirata, Y. Hirano, H. Iwata</i> | |
| Adsorption of Kallikrein, Thrombin and Complement C5b-9 on Hydrophilic and Hydrophobic Titanium and Glass Surfaces After Exposure to Human Whole Blood | 1713 |
| <i>N. Yahyapour, C. Eriksson, P. Malmberg, H. Nygren</i> | |
| Platelet Adhesion to a Plasminogen-Specific Surface (Lysine-Derivatized Polyethylene) from Whole Blood | 1714 |
| <i>W.G. McClung, D.E. Babcock, J.L. Brash</i> | |
| Studies on a Novel Vascular Prosthesis | 1715 |
| <i>Y.B.J. Aldenhoff, M.L.W. Knetsch, L.H. Koole</i> | |
| Adhesion of Blood Platelets onto Poly(Urethane) Surfaces, Grafted with Dipyrindamole | 1716 |
| <i>Y.B.J. Aldenhoff, L.H. Koole</i> | |
| Cytokine Expression of Cultured Human Endothelial Cells Exposed to Biomaterials | 1717 |
| <i>J. Sun</i> | |
| Problems and Pitfalls of Real-Time RT-PCR from Blood Samples of Patients Undergoing CPB Surgery | 1718 |
| <i>A.K. Zimmermann, P. Simon, J. Seeburger, J. Hoffmann, G. Ziemer, H. Aebert, H.P. Wendel</i> | |
| Growth of Endothelial Cells on the Surface of PEO Modified Poly(Carbonate)Urethanes Containing Grafted GRGDSP-Peptides | 1719 |
| <i>J. Li, Y. Zhong, H. Tan, X. Xie, C.S. He, C. Fan</i> | |
| Chitosan-Polycaprolactone Blend Scaffolds Support Vasculature | 1720 |
| <i>A. Sarasam, L. Hess, M. Inhat, S.V. Madhally</i> | |
| Optimising the Cell Source and Biomaterials for the Generation of Vascularized Adipose Tissue <i>in vivo</i> | 1721 |
| <i>K.R. Knight, M.W. Findlay, K.M. Abberton, F. Stillaert, A. Ramakrishnan, E. Keramidaris, M. Hakelius, J.L. Kelly, A. Fitzgerald, A.J. Penington, P.J. Simmons, A. Messina, J.J. Cooper-White, E.W. Thompson, W.A. Morrison</i> | |
| Bioengineered Vascularized Myocardial Tissue by Multi-Step Transplantation of Layered Cell Sheets | 1722 |
| <i>T. Shimizu, Y. Isoi, H. Sekine, M. Yamato, A. Kikuchi, T. Okano</i> | |
| VEGF-Transfected Vascular Smooth Muscle Cells Promote Endothelialization and Capillary Formation | 1723 |
| <i>W. Elbjairami, J.L. West</i> | |
| Hydroxyapatite Nano-Crystals Induce Endothelial Cell Migration | 1724 |
| <i>S. Pezzatini, L. Morbidelli, R. Barbucci, A. Giachetti, A. Bigi, M. Ziche</i> | |
| Acellular Biological Tissues Loaded with a Novel Angiogenic Agent(Ginsenoside Rg₁) as a Tissue-Engineering Extracellular Matrix | 1725 |
| <i>H.C. Liang, Y.C. Huang, C.T. Chen, Y. Chang, P.H. Lai, H.W. Sung</i> | |
| Tissue Engineering of the Hybrid ePTFE Graft with Smooth Muscle Cells | 1726 |
| <i>Y.J. Choi, J.H. Koo, S.K. Choung, I. Noh</i> | |
| Compliant Polymer Scaffold for Vascular Implant | 1727 |
| <i>B. Asplund, J. Sperens, T. Mathisen, J. Hilborn</i> | |
| The Effect of Flow on Extracellular Matrix & Remodelling in the Tissue Engineered Vascular Construct | 1728 |
| <i>G. Donegan, J.A. Hunt, N.P. Rhodes, D.F. Williams</i> | |
| Quantification of Endothelial Cell Sprouting within Gel/Scaffold Tissue Engineering Devices | 1729 |
| <i>M. Oates, J.A. Hunt, D.F. Williams</i> | |

| | |
|--|------|
| Endothelial Progenitor Cells for Biomaterial Applications: Characterization and Interaction with Mature Endothelial Cells (HUVEC) | 1730 |
| <i>S. Fuchs, R.E. Unger, M.I. Hermanns, K. Peters, C.J. Kirkpatrick</i> | |
| The Study of Morphological Changes of Endothelial Cells Exposed to Shear Stress by Laminar Flow | 1731 |
| <i>S.A. Park, Y.J. Kim, I.A. Kim, Y.J. Lee, J.W. Shin</i> | |

Poster Area 1 - Friday, 21/05/2004, 08:00-18:00 130 - POSTER

| | |
|--|------|
| Characterisation of Biodegradable PLGA Nanoparticles by Atomic Force Microscopy | 1732 |
| <i>G. Poinern, Y. Chen, H. Benson, F. Jones, G. Parkinson</i> | |
| Design of Well-Defined Nano-Structured Hydrogels by Nanogel Engineering | 1733 |
| <i>N. Morimoto, Y. Iwasaki, K. Akiyoshi</i> | |
| Heterotelechelic Poly(ethylene glycol) Tethered Chain Surface on Gold for High-Performance Surface Plasmon Sensing | 1734 |
| <i>M. Kato, Y. Nagasaki, K. Uchida, T. Takahashi, K. Kataoka</i> | |
| Preparation and Characterization of Biocompatible Nanoparticles with Magnetic and Photoluminescent Properties | 1735 |
| <i>Y.C. Chung, C.J. Chen</i> | |
| Biocompatible Silver Nanoparticles Protected by Phosphorylcholine-Ended Disulfides | 1736 |
| <i>Y.C. Chung, I.H. Chen, C.J. Chen</i> | |
| Self-Assembled Biomimetic Phospholipid-Containing Monolayers onto Gold Surfaces | 1737 |
| <i>Y.C. Chung, Y.H. Chiu, Y.W. Wu</i> | |
| Investigation of Electrochemical Behavior of Nanostructured Carbon for Stimulation/Sensing Electrode Material | 1738 |
| <i>A. Norlin, J. Pan, C. Leygraf</i> | |
| Quantification of the Kinetics and Thermodynamics of Protein Adsorption Using Atomic Force Microscopy | 1739 |
| <i>R. Gettens, J.L. Gilbert, Z. Bai</i> | |
| Self Assembled Fibrinogen Structures Film on Selected Surfaces in Molecule Level | 1740 |
| <i>Z. Bai, J.L. Gilbert, R. Gettens</i> | |
| Evaluation of Cellular Compatibility and Blood Compatibility of Electrospun Bioabsorbable Nanofiber | 1741 |
| <i>C.N. Chen, C.C. Kuo, L.T. Chen</i> | |
| Targeted Delivery of Nanoparticles to Endothelial Cell Surface Markers for Enhanced MR Imaging | 1742 |
| <i>M.J. Iammarino, M.A. Ruegsegger</i> | |
| Preparation and Characterization of High-Density Molecular Brush Surfaces and their Interaction with Bio-Colloid | 1743 |
| <i>A. Kishida, C. Yoshikawa, A. Goto, M. Ejaz, T. Fukuda, K. Yamamoto, T. Kimura, K. Miyazaki, T. Furuzono, Y. Tsujii</i> | |
| Controlled Immobilization of Phosphorylcholine Polymer to Create Bio-Inspired Interface | 1744 |
| <i>R. Iwata, Y. Iwasaki, K. Akiyoshi</i> | |
| Polyphosphazene Coatings for Implants | 1745 |
| <i>R. Denk, M. Grunze</i> | |
| Novel Polyethylene Glycol Propionaldehydes for Protein Pegylation | 1746 |
| <i>C. Hyun, S. Nam, I. Kim, E. Jang</i> | |
| BioConjugate Enzyme with Phospholipid Polymers for Improvement of its Stability | 1747 |
| <i>D. Miyamoto, J. Watanabe, K. Ishihara</i> | |
| Silicone-Lipase Composite: Affecting Protein-Silicone Interaction by Tailoring the Polymeric Structure | 1748 |
| <i>A.R. Ragheb, M. Hrynyk, M.A. Brook</i> | |
| Preparation of Core-Stabilized Polyion Complex Micelles Entrapping Enzymes as Novel Bionano-Reactor System | 1749 |
| <i>A. Harada, A. Kawamura, M. Jaturanpinyo, X. Yuan, K. Kono, T. Takagishi, K. Kataoka</i> | |
| Suspension Culture of Anchorage-Dependent Cells Using Biodegradable Polymer Nanospheres | 1750 |
| <i>J.H. Ryu, S.S. Kim, S.W. Cho, C.Y. Choi, B.S. Kim</i> | |
| Fabrication of Micropatterned Surfaces within Subcellular Dimensions for Spatial Localization of Cell Adhesive Proteins | 1751 |
| <i>B. Ando, J. Watanabe, M. Takai, K. Ishihara</i> | |

| | |
|---|-------------|
| Study of Thrombin Inhibitors of NAPAP Analogues and Amidine Derivatives with Hydrocarbon Spacers for Surface Immobilization..... | 1752 |
| <i>C. Rauwolf, C. Sperling, M.F. Gouzy, C. Werner</i> | |
| Immobilized Hepatocyte Spheroids on Galactose Ligand-Conjugated Nanofiber Scaffold | 1753 |
| <i>K.N. Chua, W.S. Lim, H.F. Lu, C. Chai, P.C. Zhang, J. Wen, S. Ramakrishna, K.W. Leong, H.Q. Mao</i> | |
| The Study of Proceeding of Tio₂ Nanoparticles Entering Human Hepatoma Cells <i>in vitro</i> | 1754 |
| <i>S. Hu, S.P. Li, Y.F. Wang, X.Y. Cao</i> | |
| Preparation and Characterization of Nano Hydroxyapatite Sol | 1755 |
| <i>Y.F. Wang, Y.H. Yan, L. Jia, X.Y. Cao, S.P. Li</i> | |
| Preparation and Redispersion of Hydroxyapatite Nanoparticles..... | 1756 |
| <i>Y. Han, S. Li, J. He, J. Li</i> | |
| Detecting Diagnostic Markers in Whole Blood..... | 1757 |
| <i>B. Cornell, R. Fiddes, P. Jennings</i> | |
| Effects of Surface Segregation on the Ceramic-Cell Interface..... | 1758 |
| <i>C.C. Sorrell, O.C. Standard, J. Nowotny, A.J. Ruys</i> | |
| Fabrication of Nanostructured Collagen Fibrous Scaffolds | 1759 |
| <i>R. Murugan, S. Ramakrishna</i> | |
| Zirconia-Based Ceramics with Micro-, Meso- and Macroporous Structures..... | 1760 |
| <i>A. Karlov, S. Kulkov, S. Buyakova, I. Khlusov</i> | |
| Correlations Between Proteins Adsorption and Metallurgical Structure of Titanium Alloys..... | 1761 |
| <i>F. Guillemot, F. Prima, C. Baquey, M.C. Porté-Durrieu</i> | |
| <i>in vivo/in vitro</i> Fracture Characteristic of Apatite Ceramics | 1762 |
| <i>N. Hisamori, S. Ueda, K. Takai, M. Aizawa, H. Morisue, M. Matsumoto, Y. Toyama</i> | |
| Intramuscular Injection of Zinc-Containing Calcium Phosphate Powders as Potential Therapy for Zinc Deficiency Diseases..... | 1763 |
| <i>M. Otsuka, Y. Ohshita, S. Marunaka, Y. Matsuda, A. Ito, N. Ichinose, W.I. Higuchi</i> | |
| Preparation of Bioactive Titanium Metal via Anodic Oxidation Treatment in Sulphate Solution | 1764 |
| <i>B.C. Yang, H.M. Kim, X.D. Zhang, T. Kokubo</i> | |
| Effect of Sintering Temperature on Bioactivity and Degradability of the Sol-Gel Derived Glass in the System CaO-P₂O₅-SiO₂ | 1765 |
| <i>Y.J. Wang, X.F. Chen, N.R. Zhao, J.D. Ye, Y.D. Zheng, G. Wu, C.Y. Ning</i> | |
| Examinations of Bioactive Calcium Phosphate Formation on Bioceramics <i>in vitro</i> and <i>in vivo</i>..... | 1766 |
| <i>Y. Leng, R.L. Xin, J.Y. Chen, C.L. Deng, Q.Y. Zhang</i> | |
| Synthesis of Flexible Bioactive Materials by Modification of HEMA with Silanol Groups and Calcium Ions..... | 1767 |
| <i>M. Kamitakahara, C. Ohtsuki, T. Uchino, M. Tanihara, T. Miyazaki</i> | |
| Bonelike Apatite Formation on Synthetic Polymers Coated with Titanium Oxide..... | 1768 |
| <i>F. Balas, M. Kawashita, C. Ohtsuki, H.M. Kim, T. Kokubo, T. Nakamura</i> | |
| <i>in vitro</i> Bioactivity Test of a Bio-Composite | 1769 |
| <i>L.X. Luo, D.Y. Ying</i> | |
| Biomimetic Coating of Calcium Phosphate and Bovine Serum Albumin on Bioactivated Titanium | 1770 |
| <i>Y. Wu, B.C. Yang, Q.F. Yu, C.L. Deng, X.D. Zhang</i> | |
| Short-Term Cortical and Trabecular Bone Response to Thin Hydroxyapatite Coated Titanium Implants | 1771 |
| <i>S. Mohammadi, M. Esposito, L. Emanuelsson, P. Thomsen</i> | |
| Early Inflammatory Response in Soft Tissues Induced by Titanium and Calcium Phosphates with Different Surface Properties | 1772 |
| <i>D. Molnar, L. Rydén, A. Arvidsson, M. Esposito, C. Gretzer, A. Johansson, S. Mohammadi, F. Suska, P. Thomsen</i> | |
| The Properties of CaP Laser Clad Coatings: Investigation of the Processing Parameters..... | 1773 |
| <i>F. Lusquiños, J. Pou, A. de Carlos, M. Boutinguiza, J.L. Arias, B. León, M. Pérez-Amor, F.C.M. Driessens, S. Best, W. Bonfield</i> | |
| “<i>in vitro</i>” Bioactivity Evaluation of CaO-P₂O₅ Glass-Hydroxylapatite Thin Coatings Produced by Pulsed Laser Deposition | 1774 |
| <i>J.L. Arias, S. Liste, P. González, J. Serra, B. León, M.P. Ferraz, F.J. Monteiro, D. Giau, M. Pérez-Amor</i> | |
| Sol-Gel Derived Hydroxyapatite and Titania Thin Films on Titanium | 1775 |
| <i>H.W. Kim, J.C. Knowles, H.E. Kim</i> | |

| | |
|--|------|
| Osteointegration of Vacuum-Plasma-Sprayed (VPS) Titanium Implants with/without Hydroxyapatite Coating | 1776 |
| <i>A. Wilke, P. Knöll, H. Frank, M. Wilke, A. Thon, M. Kratz, M. Windler</i> | |
| Stress Analysis of Hydroxyapatite-Coated Implant by Finite Element Method –Influences of Thickness and Young’s Modulus of Hydroxyapatite Layer– | 1777 |
| <i>Y. Tanimoto, T. Hayakawa, K. Takahashi, K. Nemoto</i> | |
| Formation of Laminin-Apatite Composite Layer on Ethylene-Vinyl Alcohol Copolymer by a Biomimetic Process | 1778 |
| <i>A. Oyane, M. Uchida, A. Ito</i> | |
| Effects of Calcium Phosphate Ceramic Surface Coatings on Cell Attachment and Spreading | 1779 |
| <i>A.B. Schnepf, J.A. Szivek, D.S. Margolis, M.M. Fernandez, S.K. Williams</i> | |
| Calcium Phosphate Coating of Macroporous Polymer-Ceramic Scaffolds: Effect of Coating on Foreign Body Giant Cell Response | 1780 |
| <i>D. Lickorish, L. Guan, J.E. Davies</i> | |
| Novel Method of Hydroxyapatite Coating on Titanium Using Chemical Deposition | 1781 |
| <i>R. Rohanizadeh, M. Horsano, A. Bendavid, R.Z. LeGeros</i> | |
| Dense Hydroxyapatite Thin Film Prepared by 60°C Aged Polymeric Sol | 1782 |
| <i>D.S. Lee, H.S. Ryu, K.S. Hong, J.P. Lee, B.S. Chang, C.K. Lee</i> | |
| Tribology and Adhesion of Zirconia Nano-Coatings on Surface Treated Titanium | 1783 |
| <i>R. Roest, A.W. Eberhardt, B. Latella, R. Wuhler, B. Ben-Nissan</i> | |
| Pull-Out Tests of Electrically Polarized and Non-Polarized HAp-C in Femora and Tibiae of Canines | 1784 |
| <i>Y. Honda, S. Nakamura, M. Nakamura, T. Kobayashi, K. Yamashita</i> | |
| Electrochemically Deposited Calcium Phosphate Composites | 1785 |
| <i>P. Becker, B. Nebe, F. Lüthen, J. Rychly, H.G. Neumann</i> | |
| A Novel Process for Deposition of an Apatite-Mullite Glass-Ceramic on Ti6Al4V | 1786 |
| <i>K.T. Stanton, N. Healy, J.F. Vanhumbecck, S. Newcomb, R.G. Hill</i> | |
| Calcium Phosphate Coating Using a Temperature Difference System | 1787 |
| <i>H.M. Kim, J.Y. Choi, Y.J. Lee, J.S. Ko</i> | |
| Morphological Study on Newly Synthesized Calcium Phosphate Thin Films for the Improved Osteointegration | 1788 |
| <i>W.K. Lee, S.U. Kim, H.Y. Shin, J.Y. Jung, M.J. Mo, K.S. Kim, I.H. Jung, J.S. Ko</i> | |
| Assessing Interfacial Properties of Plasma Sprayed Bioceramic Coating on Metal Substrate Using Indentation Techniques | 1789 |
| <i>M. Wang, X.J. Ye, K.A. Khor</i> | |
| FT-IR Spectroscopy of β-TCP Bioceramics <i>in vitro</i> and <i>in vivo</i> | 1790 |
| <i>H.L. Dai, Y.H. Yan, X. Jiang, L. Jia, S.P. Li</i> | |
| Relating Microstructure to Shear Strength of Thin Calcium Phosphate Coatings | 1791 |
| <i>O.N.F. King, J.T. Czernuszka</i> | |
| Growth of a Bonelike Apatite Layer on Chitosan Microparticles After a Calcium Silicate Treatment | 1792 |
| <i>I.B. Leonor, P.B. Malafaya, E.T. Baran, M. Kawashita, R.L. Reis, T. Kokubo, T. Nakamura</i> | |
| The Role of Surface Chemistry and Porosity on the Adsorption of Inflammatory Mediators | 1793 |
| <i>M.C. Murphy, G.J. Phillips, A.W. Lloyd, J.G. Davies, S.V. Mikhalovsky</i> | |
| An Amino Acid-Based Adsorbents for Removal of Pathogenic Toxins | 1794 |
| <i>Y.T. Yu, Y.J. Wang</i> | |
| Preparation of New Amphiphilic Adsorbent (Dextran Sulfate and Cholesterol as Ligand) for the Removal of Low Density Lipoprotein | 1795 |
| <i>S.Q. Wang, Y.T. Yu, Q.P. Liu, L.S. Sun</i> | |
| Adsorptive Membranes for Virus Clearance from Human Blood Plasma Products | 1796 |
| <i>S.R. Wickramasinghe, D.W. Grainger, S.M. Husson, J.O. Carlson, B. Han</i> | |
| Synthesis and Characterisation of Novel Activated Carbon Matrices for Use in Extracorporeal Systems | 1797 |
| <i>S.T. Meikle, S.V. Mikhalovsky, S.R. Tennison</i> | |
| A New Nonviral Vector Delivered in a Fibrin Glue Matrix for Local Osteoblast Transfection | 1798 |
| <i>R. Stange, B. Wildemann, A. Stemberger, C. Hacker, C. Plank, N.P. Haas, M. Raschke, G. Schmidmaier</i> | |
| Polysaccharide Schizophyllan-Based Plasmid DNA Carrier | 1799 |
| <i>T. Nagasaki, T. Satoh, A. Uno, M. Hojo, K. Koumoto, M. Mizu, K. Sakurai, S. Shinkai</i> | |

| | |
|---|-------------|
| Effect of Poly(ethylenimine) on the Transfection Efficiency of Galactosylated Chitosan/DNA Complexes..... | 1800 |
| <i>T.H. Kim, J.E. Ihm, J.W. Nah, C.S. Cho</i> | |
| Targeted Gene Delivery into Antigen Presenting Cells by Mannosylated Chitosan..... | 1801 |
| <i>T.H. Kim, Y.J. Choi, J.W. Nah, C.S. Cho</i> | |
| Design of Artificial Nucleic Acid Chaperones for Genotyping | 1802 |
| <i>A. Maruyama, W.J. Kim, Y. Sato, T. Akaike</i> | |
| Transfection Activity of Cationic Lipids Having Polyamidoamine Dendrons..... | 1803 |
| <i>T. Takahashi, A. Harada, T. Takagishi, K. Kono</i> | |
| Receptor-Mediated Intracellular Delivery of PLGA Nanoparticles Coated with PLL-PEG-Folate Conjugate..... | 1804 |
| <i>S.H. Kim, J.H. Jeong, K.W. Chun, T.G. Park</i> | |
| Bio-Recognition Molecules onto Nano-Crystals of Carbonate Apatite for Cell-Targeted Gene Delivery and Expression | 1805 |
| <i>E.H. Chowdhury, K. Megumi, I. Harada, A.K. Kundu, T. Hoshiba, A. Maruyama, T. Akaike</i> | |
| Liver Targeting of Plasmid DNA with a Cationized Pullulan for Tumor Suppression..... | 1806 |
| <i>M. Yamamoto, J. Jo, K. Matsumoto, T. Nakamura, Y. Tabata</i> | |
| PEGylation Enhances Tumor Targeting of Plasmid DNA by an Artificial Protein with Repeated RGD Sequences, Pronectin, Cationized..... | 1807 |
| <i>H. Hosseinkhani, Y. Tabata</i> | |
| Electric Pulse-Triggered Gene Transfer into Adherent Cells on a DNA-Loaded Electrode .. | 1808 |
| <i>F. Yamauchi, K. Kato, H. Iwata</i> | |
| Glucosylated Polyethylenimine for Tumor-Targeting Gene Carrier | 1809 |
| <i>I.K. Park, S.E. Cook, H.L. Jiang, M.H. Cho, H.J. Jeong, E.M. Kim, T. Akaike, C.S. Cho</i> | |
| Preparation of Glycosylated Poly(4-vinyl imidazole) as a Gene Carrier | 1810 |
| <i>M.R. Park, J.E. Ihm, K.O. Han, I.K. Han, K.D. Ahn, C.S. Cho</i> | |
| Poly(4-vinylimidazole) as a Non-Viral Gene Delivery System..... | 1811 |
| <i>J.E. Ihm, K.O. Han, D.K. Han, K.D. Ahn, J.A. Hubbell, C.S. Cho</i> | |
| Bioactive Peptides for Non-Viral Gene Delivery | 1812 |
| <i>D. Trentin, S. Wechsler, J.A. Hubbell, H. Hall</i> | |
| Transfection of Rat Primary Hepatocytes Using a Novel Polyphosphoramidate Gene Carrier..... | 1813 |
| <i>W.S. Lim, K.N. Chua, X.L. Wang, P.C. Zhang, H.F. Lu, K.W. Leong, H.Q. Mao</i> | |
| Uptake of PLGA-Microspheres by Human Distal Lung Epithelium and Endothelium: A Co-Culture Model for Drug/Gene Delivery..... | 1814 |
| <i>M.I. Hermanns, S.C. Ma, R.E. Unger, S. Fuchs, W.M. Saltzman, C.J. Kirkpatrick</i> | |
| Novel Polymer-DNA Hybrid Polymeric Nanoparticles Based on Folate-Poly(2-ethyl-2-oxazoline)-Poly(D,L-lactide)..... | 1815 |
| <i>C.H. Wang, G.H. Hsiue</i> | |
| Thermal Sensitive Lipid-Like Micelles Composed of Poly(D,L-lactide)-g-Poly(2-methacryloyloxyethyl phosphorylcholine-co-N-isopropylacrylamide) Copolymers | 1816 |
| <i>C.L. Lo, K.M. Lin, G.H. Hsiue</i> | |
| Gene Transfection on Micropatterned Cells | 1817 |
| <i>F.L. Yap, D.K. Chatterjee, Y. Zhang</i> | |
| Anomalous Binding Profile of Phenylboronic Acid with N-acetylneuraminic Acid (Neu5Ac) in Aqueous Solution with Varying pH..... | 1818 |
| <i>H. Otsuka, E. Uchimura, H. Koshino, T. Okano, K. Kataoka</i> | |
| Galactosylated Polyethylenimine Grafted with Poly(vinyl pyrrolidone) as Hepatocyte-Targeting Gene Carrier..... | 1819 |
| <i>S.E. Cook, I.K. Park, M.H. Jo, E.M. Kim, H.J. Jeong, T. Akaike, C.S. Cho</i> | |
| Non-Viral Transfection of the Vasculature Though Self-Assembled Nanocoatings..... | 1820 |
| <i>B. Thierry, F. Winnik, Y. Merhi, L. Bilodeau, M. Tabrizian</i> | |
| Influence of Physicochemical Properties of Polyplexes Using Cationic Polypeptides on Gene Delivery | 1821 |
| <i>T. Kimura, T. Yamaoka, A. Murakami</i> | |
| Dependence of Grafting Degree and the Efficiency of Transgene Expression Mediated by Dextran-Grafted Polyethyleneimine | 1822 |
| <i>W.C. Tseng, C.H. Tang</i> | |
| Precisely Controlled Intracellular Delivery and Localization of DNA-Peptide Conjugates..... | 1823 |
| <i>T. Kubo, Z. Zhelev, B. Rumiana, H. Ohba, M. Matsukisono, Y. Akebiyama, M. Fujii</i> | |

| | |
|--|------|
| Microparticulate DNA Vaccines for the Treatment of High-Grade Cervical Lesions (CIN2/3) | 1824 |
| <i>S.P. Barman, M.L. Hedley</i> | |
| Bio-Nanoconstructs of Amphipathic Polypeptides Bearing Hydrophobic Amino Acid Side Group | 1825 |
| <i>T. Kaneko, M. Higashi, M. Matsusaki, M. Akashi</i> | |
| Injectable Radiopaque Polymeric Microspheres as New Traceable Bulking Agents | 1826 |
| <i>K. Saralidze, Y.B.J. Aldenhoff, M.L.W. Knetsch, L.H. Koole</i> | |
| Treatment of VX2 Tumors in Rabbit Liver by Radioactive Y₂O₃ Microspheres | 1827 |
| <i>N. Araki, Y. Nagata, M. Hiraoka, M. Kawashita, T. Kokubo, Y. Inoue, Y. Sawada</i> | |
| Effect of Surface Roughness on the Disperion of Aerosol Particles with Fractal Characteristics | 1828 |
| <i>N.Y.K. Chew, P. Tang, H.K. Chan, J.A. Raper</i> | |
| Electrostatic Charge Characterization of Pharmaceutical Aerosols Using Electrical Low Pressure Impactor (ELPI) | 1829 |
| <i>W. Glover, H.K. Chan</i> | |
| Measurement of Electrostatic Charge of Nebulised Aqueous Droplets with the Electrical Low Pressure Impactor | 1830 |
| <i>P. Kwok, H.K. Chan</i> | |
| Molecular Recognition by Stable Dispersion of Gold Nanoparticles Modified with Heterobifunctional Poly (ethylene glycol) | 1831 |
| <i>F. Aboshi, T. Takahashi, T. Ishii, Y. Nagasaki, H. Otsuka, K. Kataoka</i> | |
| Preparation of CdSe/ZnS Quantum Dots-PEG-b-PAMA Conjugate and Application for Immunohistochemistry | 1832 |
| <i>M. Nakamae, T. Takahashi, T. Ishii, Y. Nagasaki, K. Kataoka</i> | |
| Purification of Nanoparticles by Gel Filtration and Ultracentrifugation | 1833 |
| <i>G. Dalwadi, Y. Chen, S.K. Lee, H.A.E. Benson</i> | |
| Synthesis and Stabilization of Gold Nanoparticles with DOPA Modified Poly(ethylene glycol)s | 1834 |
| <i>L. Lin, R.A. Stile, P.B. Messersmith</i> | |
| The Affect of the Nano-Apatite on the Expression of the C-myc and p53 Gene in the Hepatocellular Carcinoma | 1835 |
| <i>X.Y. Cao, Z.T. Qi, J.H. He, Y.F. Wang, S.P. Li</i> | |
| Preparation, Characterization and Cytotoxicity of Well-Dispersed Fe₃O₄ Nanoparticles in Aqueous Solution and their Potential as Contrast Agents | 1836 |
| <i>F.Y. Chang, C.H. Su, Y.S. Yang, C.S. Yeh, C.Y. Tsai, C.L. Wu, M.T. Wu, D.B. Shieh</i> | |
| Interfacial Adsorption and Drug Release from “Pegylated” Liposomes | 1837 |
| <i>Y. Er, C.A. Prestidge, D. Fornasiero</i> | |
| Study on Mechanism of Stabilizer in Nano Hydroxyapatite Sol for Medical Application ... | 1838 |
| <i>Y.F. Wang, Y.H. Yan, J.H. Li, S.P. Li</i> | |
| Development of Novel Biomaterials Using Polymers of Deoxyribonucleic Acid | 1839 |
| <i>M.B. Lyles</i> | |
| Sunscreen Formulations Containing Polymers of Deoxyribonucleic Acid | 1840 |
| <i>M.B. Lyles</i> | |
| Formation and Dissolution Behavior of Biomimetic Mineral on 3-Dimensional Poly(lactide-co-glycolide) Scaffolds | 1841 |
| <i>K. Shin, R. Guffey, A.C. Jayasuriya, L. Luong, M. Outslay, D.H. Kohn</i> | |
| Novel Formulations of Y-PEG Derivatives and Method of Preparation Thereof | 1842 |
| <i>J. Lee, Y. Pak, C. Lim</i> | |
| Fabrication of Polyurethane Foam Which Has Negative Poisson’s Ratio; Preliminary Study | 1843 |
| <i>K.O. Park, J.C. Park, J.B. Choi, S.J. Lee, J.K. Kim</i> | |
| Biodegradation-Resist Polyurethane Elastomers: Advances in Understanding Domain Structure by Fourier Transform Infrared Spectroscopy | 1844 |
| <i>S.J. McCarthy, P.A. Gunatillake, R. Adhikari, G. Heath, G.F. Meijs</i> | |
| Permeability of Polyurethanes to Decamethyltetrasiloxane | 1845 |
| <i>C.R. McMillin, L. Beering, T. Mussivand</i> | |
| Characterization of Nano-Structured Thermoplastic Polyurethane Elastomer (TPUe) Nonwoven via Electrospinning: Development as a Wound Dressing | 1846 |
| <i>K. Lee, H. Kim, M. Khil, I. Kim, D. Lee</i> | |
| Photocontrol of Cell Adhesiveness: Development of Photoresponsive Culture Surface | 1847 |
| <i>Y. Tada, K. Sumaru, T. Kanamori, M. Kameda, J. Edahiro, T. Shinbo, Y. Yoshimi</i> | |

| | |
|---|------|
| Functionalized Polyisopropylacrylamide-Based Hydrogel with Sensitive Temperature-Response | 1848 |
| <i>T. Aoyagi, K. Yamamoto, R. Koto, T. Yoshida</i> | |
| Novel Cell Sheet Manipulator to Fabricate Three-Dimensional Tissue and to Quantify Cell Sheet Adhesiveness | 1849 |
| <i>K. Sato, T. Shimizu, Y. Isoi, M. Yamato, A. Kikuchi, T. Fujimoto, T. Okano</i> | |
| Effect of Solute Concentration of Phosphate Buffered Saline and Cell Media on Lower Critical Solution Temperature of Thermoresponsive Poly (N-isopropylacrylamide) | 1850 |
| <i>J. Collett, S. Rimmer, P.V. Hatton</i> | |
| Stability and Drug Release of Poly(N-Isopropylacrylamide-Co-Acrylamide) Modified Liposomes in Bovine Serum Solution | 1851 |
| <i>B.C. Shin, H.D. Han, H.S. Choi</i> | |
| pH/Thermal-Responsive Shell Cross-Linked Hollow Nanogels | 1852 |
| <i>H.C. Chiu, Y.H. Hsu, W.H. Chiang</i> | |
| Preparation and Phase Transition Behavior of PAAc-g-PNIPAAm-g-PEG Graft Copolymers in Aqueous Solution | 1853 |
| <i>Y.H. Hsu, C.H. Chen, W.H. Chiang, H.C. Chiu</i> | |
| Inductively Heated Shape Memory Polymer | 1854 |
| <i>P.R. Buckley, T. Wilson, J. Bearinger, G. McKinley, D.J. Maitland</i> | |
| Studies on Segmental Hydrophilic/Hydrophobic Polyurethanes for Biomedical Applications | 1855 |
| <i>K.H. Hsieh, Y.H. Lin, K.F. Chen</i> | |
| The <i>in-vitro</i> Evaluation of PCL/PLGA Copolymers as Bone Replacement Materials | 1856 |
| <i>J.T. Callaghan, Z.G. Tang, J.A. Hunt</i> | |
| Expression of Liver Specific Genes in Double Layered Co-Culture of Rat Hepatocytes and Human Umbilical Vein Endothelial Cells by Cell Sheet Engineering | 1857 |
| <i>Y. Kurosawa, Y. Shirai, T. Okano, A. Taniguchi</i> | |
| Structural Characterisation of Retrieved PCU Spacers Used in a Spinal Implant System ... | 1858 |
| <i>P. Petrini, M.C. Tanzi, D. Zurbrugg</i> | |
| Materials Characterization of Explanted Mechanical Heart Valves and Comparison to Patients Clinical Data | 1859 |
| <i>S. Farè, M.F. Brunella, G. Bruschi, L. Draghi, A. Cigada, E. Vitali</i> | |
| HAp/TCP Bioceramic Implants – Long Term Experience in Dental and Maxillofacial Surgery | 1860 |
| <i>A. Skagers, G. Salms, L. Berzina, R. Cimdins, L. Feldmane, I. Salma</i> | |
| Analysis of Retrieved Implants Using Electron Spin Resonance Technique | 1861 |
| <i>M.S. Jahan</i> | |
| Long Term <i>in vivo</i> Biostability of Poly(dimethylsiloxane)/poly(hexamethylene oxide) Mixed Macrodiol-Based Polyurethane Elastomers | 1862 |
| <i>A. Simmons, J. Hyvarinen, R.A. Odell, P.A. Gunatillake, D.J. Martin, K.R. Noble, L.A. Poole-Warren</i> | |
| Biocompatibility and Explant Analysis from PreClinical Trials of the Ventriassist Left Ventricular Assist System | 1863 |
| <i>N.L. James, G.A. Edwards, J.D. Begg, D.S. Esmore, J.C. Woodard</i> | |
| Biostability of Poly(ethylene-Terephthalate) Cords Used in a Spinal Implant System | 1864 |
| <i>U. Trommsdorff, D. Zurbrugg, W. Schneider</i> | |
| Evaluation of Elastin Damage and Loss in Explanted Bioprosthetic Heart Valves | 1865 |
| <i>M. Surucu, J. Smoke, I. Vesely</i> | |
| The Effects of <i>in vivo</i> Damage on UHMWPE Glenoid Components | 1866 |
| <i>L.A. Pruitt, M. Sinha, D. Zeltser, S.B. Gunther</i> | |
| The Relationship Between Patient Gait Path and Material Properties for UHMWPE Hip Sockets | 1867 |
| <i>J.F. Orr, S.M. Davey, F.J. Buchanan, D. Bennett</i> | |
| Effect of Surface Properties on Peri-Implant Wound Healing in Wild Type and Immunodeficient Mice | 1868 |
| <i>M.M. Hosseini, R. Fuhrmann, P. Reuter, J. Fink, R.P. Franke</i> | |
| Hip Resurfacing in Australia: A 2-Year Survival Analysis | 1869 |
| <i>R.L. Cordingley, L. Kohan, B. Ben-Nissan, D. Kerr, S. Czyniewski</i> | |
| Potential Risk of Sternal Wires | 1870 |
| <i>C.C. Shih, C.M. Shih, Y.Y. Su, S.J. Lin</i> | |
| Stripe Wear Pattern of Ceramic-Ceramic THR | 1871 |
| <i>T. Tateiwa, I.C. Clarke, T. Shishido, M. Manaka, K. Yamamoto</i> | |

| | |
|---|------|
| Results of 15-Year Clinical Study of Reaction Bonded Silicon Nitride Intervertebral Spacers | 1872 |
| <i>C.C. Sorrell, P.H. Hardcastle, R.K. Druitt, C.R. Howlett, E.R. McCartney</i> | |
| Catastrophic Failure and Retrieval Analysis of a Metal Tibial Base Plate | 1873 |
| <i>A.M. Butler, N. Isaka, W.R. Walsh</i> | |
| Novel Polyamidoamine (PAMAM) Side Chain Dendritic Nano Oligourethane (SCDOU) Architecture: Characterization and Biocompatibility Studies | 1874 |
| <i>S. Ghosh, A.K. Banthia</i> | |
| <i>in-vivo</i> Biocompatibility of New Radiopaque Polymeric Microspheres | 1875 |
| <i>K. Saralidze, P.J. Emans, R. Kuijter, Y.B.J. Aldenhoff, L.H. Koole</i> | |
| Effects of Polysiloxane Soft Segment Content on Biostability of Polyurethanes | 1876 |
| <i>J. Tan, C.R. Jenney</i> | |
| <i>in vivo</i> Evaluation of Elast-Eon 2A Susceptibility to Environmental Stress Cracking | 1877 |
| <i>C. Jenney, A. Karicherla, T. Troutman, A. Salerno</i> | |
| Susceptibility of Elast-Eon 2A to Metal Ion Oxidation: Results of an Accelerated <i>in vitro</i> Study | 1878 |
| <i>A. Karicherla, C.R. Jenney</i> | |
| Biocompatible Assessment of Fluoropolymer Coated Materials | 1879 |
| <i>S.F. Rose, I. George, S.R. Coulson, A.W. Lloyd</i> | |
| Study on Physical Properties and Cytotoxicity of Cross-Linked Chitosan Film | 1880 |
| <i>M.Y. Cheng, Y.D. Gong, N.M. Zhao, X.F. Zhang</i> | |
| Effects of Nano-Scaled Particles on Endothelial Cell Functions <i>in vitro</i> | 1881 |
| <i>K. Peters, R.E. Unger, A.M. Gatti, E. Monari, C.J. Kirkpatrick</i> | |
| Material Qualification Strategy: From Development to Hazard Assessment | 1882 |
| <i>K.P. Plotzke, R.M. Malczewski, S.D. Crofoot</i> | |
| <i>in vitro</i> Cytotoxicity Tests of Synthetic Hydrogels for Biomedical Application | 1883 |
| <i>V.P. Bavaresco, M.C. Reis, L. Petinari, S.C. Genari, C.A.C. Zavaglia</i> | |
| Synthesis and Use of a Radiolabeled Polymer for Understanding Fate and Distribution in the Body | 1884 |
| <i>M. Jovanovic, S. Varaprath, D.A. McNett, K.P. Plotzke</i> | |
| Optimizing Relationships Between Customers and Suppliers | 1885 |
| <i>W.D. Inman, K.P. Murphy, B.L. Jones</i> | |
| Using Alliances to Expand your Capabilities | 1886 |
| <i>K.P. Murphy, B.L. Jones</i> | |
| 2004: A Regulatory Perspective for the Scientific Review Process for Orthopedic Bone Cements | 1887 |
| <i>H. Demian</i> | |
| Material Qualification Strategy: Change Control and Customer Notification Process | 1888 |
| <i>P. Rafidison, K.L. Ulman</i> | |
| The Study of Nano Apatite Inhibit the Expression of Telomerase Gene of Human Hepatocarcinoma | 1889 |
| <i>X.Y. Cao, Z.T. Qi, Y.C. Han, L. Jia, S.P. Li</i> | |
| Evaluation of Magnetite for Hyperthermic Cancer Therapy | 1890 |
| <i>K.M. Spiers, J.D. Cashion, K.A. Gross</i> | |
| Effect of Ethylene Oxide Sterilization on the Wear of 5 Mrad Crosslinked-Remelted UHMWPE Acetabular Cups | 1891 |
| <i>H. McKellop, F.W. Shen, W. McGarry, M. Hanes</i> | |
| Failure Risk Assessment of TKA Designs Incorporating Highly Crosslinked UHMWPE | 1892 |
| <i>S.M. Kurtz, T. Harrigan, J.S. Bergström, C.M. Rimnac</i> | |
| Hip-Distractor Study of UHMWPE Cup Wear in Hip Simulator | 1893 |
| <i>I.C. Clarke, T. Mizoue, V. Good, P.A. Williams, A. Gustafson</i> | |
| The Determination of Thermal History of UHMWPE Using Enthalpy Kinetics | 1894 |
| <i>M.D. Allen, N.T. Hubbard, L.V. Hurst</i> | |
| UHMWPE Fatigue Test Method | 1895 |
| <i>R.S. Hastings, P.R. Tomaszewski, L.R. Wood, M.R. DiSilvestro</i> | |
| Nano-scale Mechanical Properties of Microstructurally Modified UHMWPE | 1896 |
| <i>L. Pruitt, A.M. Chakravartula, K. Simis, A. Bistolfi, A. Bellare</i> | |
| Establishing a Laboratory Procedure for the FTIR Analysis of UHMWPE Implant Components | 1897 |
| <i>S.J. Miller, R.E. Day, E. Swarts</i> | |

| | |
|---|-------------|
| The Bioglass as Calcium Phosphate-Boron Carbide for Osseous Filling | 1898 |
| <i>J.C. Zurita da Silva, L. Novaki, H.I. Tsai, E. Costa, L.T.P. Pereira, A.V.C. Andrade, C.P.F. Borges, S.R.M. Antunes, M.B. Marques, J.C. Bressiani, A.C.C. Cruz, F.A. Santos, S.M. Tebcherani</i> | |
| Effect of Protein Contained in Lubricant for Wear Properties of PVA Hydrogel as Artificial Cartilage | 1899 |
| <i>K. Nakashima, T. Murakami, Y. Sawae</i> | |
| Design Optimization and Stability Characteristics of a Press-Fit Monoblock Tibial Implant | 1900 |
| <i>C. Florio, R. Poggie, C. Sidebotham, D. Lewallen, A. Hanssen</i> | |
| The Use of CrN Coatings in Reducing UHMWPE Wear in Total Knee Replacement | 1901 |
| <i>A. Kamali, R. Farrar, P. Hatto, M. Stone, J. Fisher</i> | |
| The Effects of Scratched Femoral Components on UHMWPE Wear in Rotating Platform Mobile Bearing TKR | 1902 |
| <i>A. Kamali, R. Farrar, M. Stone, J. Fisher</i> | |
| Static and Dynamic Micromotion Test Method Comparisons for Blasted Ti-6-4 and Polished CoCrMo Alloy Modular Tibial Total Knee Components | 1903 |
| <i>D. McNulty, S. Swope, M. DiSilvestro, T. Dietz, T. Smith</i> | |
| Biodegradation of Synthetic Bioglasses with Different Crystallinity <i>in vitro</i> | 1904 |
| <i>Y.M. Zhang, Y.R. Cai, F. Monchau, A. Lefevre, Y.M. Zhao, H.F. Hildebrand</i> | |
| Bioactive Glass in Glass Ionomer Cement; Changes in Surfaces' Elemental Composition and Hardness During Immersion in Water up to 2 Months | 1905 |
| <i>H. Yli-Urpo, L.V.J. Lassila, P.K. Vallittu, T.O. Närhi</i> | |
| <i>in vivo</i> Analysis of Bioactivity of Borate Glass | 1906 |
| <i>R.F. Brown, N. Adams, R.K. Brow, B. Ahrens</i> | |
| The Manufacturing and <i>in vitro</i> Performance of 3-D Bioactive Glass Scaffolds | 1907 |
| <i>M.L. Grubb, T.M. Chu, J.A. Bethel, R.L. Duncan</i> | |
| Effect of CoCr Head Sphericity on UHMWPE Acetabular Insert Wear | 1908 |
| <i>M. Matsubara, A. Essner, G. Schmidig, A. Wang</i> | |
| Hydrophilic, Porous Ultra-High Molecular Weight Polyethylene for Orthopaedic Implants | 1909 |
| <i>R. King, K. Noblet, A. Hogan, M. Hanes, T. Smith</i> | |
| Post-Radiation Solvent Soaking Process for Highly Crosslinked UHMWPE | 1910 |
| <i>R. King, M. Hanes, T. Smith</i> | |