



SENSOR 2005

12th International Conference

Nurnberg, Germany
10 – 12 May 2005

Volume 1 of 2



Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

ISBN: 978-1-60423-524-1

Some format issues inherent in the e-media version may also appear in this print version.

ÜV1	Plenary Talk: 50 Years of Piezoresistive Sensors - History and State of the Art in Piezoresistive Sensor Technology	11
	<u>G. Gerlach</u> , TU Dresden; R. Werthschützky, TU Darmstadt (Germany)	
A1	Pressure / Force	
	Chairmen: G. Gerlach, TU Dresden (Germany) U. Kaiser, Endress+Hauser Holding AG, Reinach (Switzerland)	
A1.1	An Elasto-Optical Force Sensor	17
	<u>B. Arminger</u> , B. Zagar, Universität Linz (Austria)	
A1.2	A New Optical Waveguide Pressure Sensor Using Evanescent Field	19
	<u>G. Kodl</u> , G. Reichinger, Leoni AG, Nürnberg (Germany)	
A1.3	Decreasing Parasitics of Surface Micromachined Capacitive Pressure Sensors by Means of Quartz-Substrates	25
	<u>T. Schary</u> , M. Meiners, W. Lang, W. Benecke, IMSAS, Universität Bremen (Germany)	
A1.4	Metallic Digital Strain Gauges for Force and Torque Measurement	31
	<u>B.E. Jones</u> , T. Yan, R.T. Rakowski, Brunel Centre for Manufacturing Metrology, Uxbridge; M.J. Tudor, S.P. Beeby, N.M. White, University of Southampton, (Great Britain)	
A1.5	Piezoresistive SOI-Pressure Sensor for High Pressure and High Temperature Applications	33
	<u>J. von Berg</u> , Ch. Sonderegger, S. Bollhalder, C. Cavalloni, Kistler Instrumente AG, Winterthur (Switzerland)	
A1.6	Dry Pressure Sensor Based on a Spread Electromagnetic Field	39
	<u>C. Sehestedt</u> , J. Himmel, Fachhochschule KoblenzRheinAhrCampus, Remagen; F.J. Lohmeier, WIKA GmbH, Klingenberg; Z. Liu, Universität Siegen (Germany)	
A2	Microactuators	
	Chairmen: H.-J. Lilienhof, Fachhochschule Gelsenkirchen (Germany) R. Zengerle, IMTEK, Universität Freiburg (Germany)	
A2.1	Microball Valve for an Application in Time of Flight Mass Spectrometer	45
	<u>T. Injinaash</u> , J. Müller, TU Hamburg-Harburg (Germany)	
A2.2	Conducting Polymers for Microactuators	51
	<u>G. Urban</u> , D.G. Weis, J. Heinze, R. Kiefer, IMTEK, Universität Freiburg (Germany)	
A2.3	Effect of the Technology and the Design on Si-based Magnetostrictive Microactuator	55
	<u>B. Baffoun</u> , R. Lerch, Universität Erlangen-Nürnberg (Germany)	
A2.4	A Coupled Piezoelectric Actuator - Polymer Sensor System	61
	<u>A.J. Schmid</u> , U. Töpfer, Argillon GmbH, Redwitz; R. Ballas, H.F. Schlaak, TU Darmstadt (Germany)	
A2.5	Linearity Error of a High-Accuracy Electronic in Combination with an Integrated Capacitive Strain Sensor for Deflection Measurement of a Piezoelectric Beam Multilayer Actuator	67
	<u>R. G. Ballas</u> , H. F. Schlaak, TU Darmstadt; A. J. Schmid, Argillon GmbH, Redwitz (Germany)	

A3 Optical Sensors

Chairmen: E. Wagner, Fraunhofer Institute IPM, Freiburg (Germany)
C. Nachtigall, Erwin Sick AG, Waldkirch (Germany)

- A3.1 High-Temperature Resistant Infrared Sensing Head** 73
E. Keßler, V. Baier, U. Dillner, J. Müller, Institut für Physikalische Hochtechnologie, Jena;
 A. Berger, Micro-Hybrid Electronic GmbH, Hermsdorf;
 R. Gärtner, S. Meitzner, Raytek GmbH, Berlin;
 K.-P. Möllmann, Fachhochschule Brandenburg (Germany)
- A3.2 Micro Optical Distance Sensor - Actual Results from Prototypes** 79
U. Hollenbach, J. Mohr, Forschungszentrum Karlsruhe GmbH;
 T. Stautmeister, Micro-Optronik-Messtechnik GmbH, Langebrück (Germany)
- A3.3 Absolute Radius and Shape Measurements at Rotating Objects Using a Novel Laser Doppler Profile Sensor** 85
T. Pfister, L. Büttner, J. Czarske, TU Dresden; V. Jivishov, Universität Hannover (Germany)
- A3.4 Optical Method for Dynamic Force Generation and Measurement** 91
Y. Fujii, Gunma University (Japan)
- A3.5 Novel Applications in Spectroscopy Based on Quantum Cascade Lasers** 97
M. Braun, T. Beyer, S. Hartwig, G. Plescher, U. Tauer, A. Lambrecht,
 Fraunhofer Institute of Physical Measurement Techniques, Freiburg;
 C. Mann, Fraunhofer Institute of Applied Solid State Physics, Freiburg (Germany)
- A3.6 Axial 2D-Light Stripe Sensor for the Control of Forming Processes** 103
R. Munser, A. Jacobasch, Fraunhofer Institut für Informations- und Datenverarbeitung,
 Karlsruhe (Germany)

B1 Microsystems

Chairmen: M. Vellekoop, Universität Wien (Austria)
W. Lang, IMSAS, Universität Bremen (Germany)

- B1.1 An Alternative Method for Measuring the Responsivity of Thermopile Infrared Sensors** 109
T. Eick, A. Berger, D. Behrendt, Micro-Hybrid Electronic GmbH, Hermsdorf ;
 U. Dillner, E. Kessler, Institut für Physikalische Hochtechnologie, Jena (Germany)
- B1.2 Micro Pirani Pressure Sensor for Atmospheric Pressure** 115
M. Doms, A. Bekesch, J. Müller, TU Hamburg-Harburg (Germany)
- B1.3 Chip-Based Scanning Nano-Calorimeter** 121
T. Weiß, I. Moser, G. Igel, G.A. Urban, IMTEK, Universität Freiburg (Germany)
- B1.4 Miniaturised Arrays of Light-Sources Based on Silicon Technology: A Promising Approach for Novel Sensors and Lab-on-a-Chip Systems** 125
T. Gebel, L. Rebohle, W. Skorupa, T. Trautmann, nanoparc GmbH, Dresden-Rossendorf;
 A. Yankov, Forschungszentrum Rossendorf; G. Gauglitz, R. Frank, Universität Tübingen (Germany)
- B1.5 Measurement of Two Orthogonal Magnetic Flux Density Components with a Single Oscillating U-Shaped Micromachined Cantilever** 131
F. Keplinger, H. Hauser, TU Wien;
 R. Beigelbeck, Austrian Academy of Sciences, Wiener Neustadt (Austria)

B2 Wireless I

Chairmen: H.-R. Tränkler, Universität der Bundeswehr München, Neubiberg (Germany)
V. Gutnikov, University of St. Petersburg (Russia)

- B2.1 Power-Aware Sensor Systems for Smart Home Applications** 137
H. Ruser, O. Kanoun, H.-R. Tränkler, Universität der Bundeswehr München, Neubiberg (Germany)
- B2.2 Solar Powered Low-Power Sensor-Module with a Radio Communicaton and a User Interface** 143
E. Leder, A. Sutor, R. Lerch, Universität Erlangen-Nürnberg (Germany)
- B2.3 Wireless Sensors Powered by Smart Energy** 149
W. Heller, EnOcean GmbH, Oberhaching (Germany)
- B2.4 An Universal Programmable Sensor Interface (UPSI) for Autonomous Microsystems** 155
E. Mackensen, C. Müller, IMTEK, Universität Freiburg (Germany)
- B2.5 RFID – A Proven Fantastic Technology for Sensor Telemetry and Intelligent Sensor Management** 161
R. Jurisch, P. Peitsch, MICROSENSYS GmbH, Erfurt (Germany)

B3 Biosensors

Chairmen: F.W. Scheller, Universität Potsdam (Germany)
G. Gauglitz, Universität Tübingen (Germany)

- B3.1 A Sensor System for the Determination of Airborne Protease Enzymes in Industrial Environments** .. 167
I. Christie, T. Dexter, T. Cowburn, City Technology Ltd., Portsmouth (Great Britain)
- B3.2 A Novel Microsensor for the Measurement of the Transepidermal Water Loss of Human Skin** 173
B. Valentin, M. Mündlein, R. Chabicoovsky, J. Nicolics, TU Wien (Austria)
- B3.3 A Highly Sensitive Bio Screening Microsystem for Antibiotic Testing via Bacteria, Based on Conductivity Measurement** 179
E. Spiller, G.A. Urban, IMTEK, Universität Freiburg;
A. Schöll, R. Alexy, K. Kümmerer, Universitätsklinikum Freiburg (Germany)
- B3.4 Electrochemical Enzyme Biosensor for Gaseous Formaldehyde** 185
M. Hämmerle, A. Lauterbach, M. Schumacher, R. Moos, Universität Bayreuth (Germany)
- B3.5 Microsensors Chips for Measurement of Cellular Parameters** 189
C.E. Ferrante do Amaral, M. Brischwein, H. Grothe, B. Wolf, TU München (Germany)

ÜV2	Plenary Talk: Wireless Sensing and Communication	195
	<u>R. Weigel</u> , M. Huemer, Universität Erlangen-Nürnberg (Germany); A. Stelzer, A. Springer, Universität Linz (Austria)	
 A4 Sensor Principles		
Chairmen: J. Müller, TU Hamburg-Harburg (Germany) H.-J. Freitag, CiS Institut für Mikrosensorik gGmbH, Erfurt (Germany)		
A4.1	Use of a Zeolite Cover Layer for Improving Sensor Characteristics of P-Type Conducting Perovskites	201
	<u>K. Sahnner</u> , R. Moos, Universität Bayreuth (Germany); M. Matam, M. Post, ICPET National Research Council, Ottawa (Canada)	
A4.2	Microwave Sensor for Pneumatic and Hydraulic Cylinders	207
	<u>G. Trummer</u> , J. Lex, R. Gehring, MTS Mikrowellen-Technologie und Sensoren GmbH, Ottobrunn (Germany)	
A4.3	Piezoresistive Cantilever Magnetic Field Sensor	213
	<u>E. Peiner</u> , M. Oehler, A. Mofor, H. El-Shaer, A. Waag, TU Braunschweig; S. Dreyer, C. Jooss, Universität Göttingen; L. Doering, Physikalisch-Technische Bundesanstalt, Braunschweig (Germany)	
A4.4	New Type Magneto-Transistor	219
	<u>M. Kimura</u> , S. Takahashi, Tohoku-Gakuin University, Miyagi (Japan)	
 A5 Acceleration / Position		
Chairmen: B. Zagar, Universität Linz (Austria) H. Acker, Continental Teves AG & Co. oHG, Frankfurt (Germany)		
A5.1	Next Generation of Proximity and Position Sensors	225
	<u>G. Trummer</u> , C. Kurzhals, R. Gehring, D. Leistner, MTS Mikrowellen-Technologie und Sensoren GmbH, Ottobrunn (Germany)	
A5.2	New Magnetic Angle and Position Sensor With Tangent Output	231
	<u>Ch. Schott</u> , R. Racz, Sentron AG, Zug (Switzerland)	
A5.3	CMOS Distance Sensor Based on Photon Mixing Device	237
	<u>M. Scandiuzzo</u> , F. De Nisi, D. Stoppa, L. Gonzo, A. Simoni, Centre for Scientific and Technological Research, Povo; L. Pancheri, G.-F. Dalla Beta, University of Trento, Povo (Italy)	
A5.4	Resistive and Capacitive Single-Axis Tilt-Sensor Systems	243
	<u>G.C.M. Meijer</u> , H.M.M. Kerkvliet, University of Technology, Delft (The Netherlands)	
 A6 Flow		
Chairmen: F. Durst, Universität Erlangen-Nürnberg (Germany) W. Drahm, Endress + Hauser GmbH + Co., Freising (Germany)		
A6.1	Self-Monitoring Ultrasonic Gas Flowmeter Basing on Vortex and Cross Correlation Measurement	249
	<u>V. Hans</u> , L. Yaoying, Universität Duisburg-Essen (Germany)	
A6.2	Simulation of Sound Propagation in Turbulent Flows and Application to Ultra Sound Gas Flow Meters	255
	<u>A. Wilde</u> , Fraunhofer-Institut für integrierte Schaltungen, Dresden (Germany)	
A6.3	DEP Particle Separator with Adaptive Sensitivity	261
	<u>S. Kostner</u> , J.H. Nieuwenhuis, M.J. Vellekoop, TU Wien (Austria)	
A6.4	Micro Fluidic Flow Pressure Control Modules for Customer Specific Design in e.g. Analytical Applications	267
	<u>P. Brouwer</u> , J.C. Lötters, Bronkhorst High-Tech B.V., Ruurlo (The Netherlands)	

B4 Selftest/Calibration I

Chairmen: K. Schilling, Universität Würzburg (Germany)
B.E. Jones, Brunel Centre for Manufacturing Metrology, Uxbridge (Great Britain)

- B4.1 Self Monitoring of Sensors - The Instance of a Redundant Differential-Pressure-Vortex-Flowmeter** 273
R. Müller, M. Nuber, R. Werthschützky, TU Darmstadt (Germany)
- B4.2 Self-Test and Self-Calibration Concepts for Micromachined Inertial Sensors** 279
T. Link, I. Simon, D. Mintenbeck, H. Sandmaier, HSG-IMIT, Villingen-Schwenningen (Germany)
- B4.3 Enhanced Self-Diagnostics for a Safety-Relevant Automotive Sensor** 285
A. Wenzler, O. Glitza, Robert Bosch GmbH, Stuttgart (Germany)
- B4.4 Practical Technique for Minimizing the Number of Measurements in Bridge Sensor Signal Conditioning Calibration** 289
A. Kay, Texas Instruments Inc., Tucson (USA);
M. Ivanov, V. Schäffer, Texas Instruments, Erlangen (Germany)

B5 Selftest/Calibration II

Chairmen: R. Schwarte, Universität Siegen (Germany)
R. Neul, Robert Bosch GmbH, Gerlingen

- B5.1 Determining Measurement Uncertainty for a Sensorical Measurement System** 295
A. Weckenmann, T. Wiedenhöfer, Universität Erlangen-Nürnberg (Germany)
- B5.2 Optical Sensor Setup for Robust Quality Control Measurements on Large Cylindrical Structures** 299
M. Brandner, T. Thurner, TU Graz (Austria)
- B5.3 Novel Temperature Standards for High Temperature Calibration above 1100 °C** 305
J. Hartmann, F. Edler, K. Anhalt, S. Schiller, Physikalisch-Technische Bundesanstalt, Berlin (Germany)
- B5.4 A Reliable Low-Cost Wind Sensor** 311
H. Ruser, M. Horn, Universität der Bundeswehr München, Neubiberg (Germany)

B6 Wireless II

Chairmen: R. Weigel, Universität Erlangen-Nürnberg (Germany)
J. Sauerer, Fraunhofer Institut für Integrierte Schaltungen, Erlangen (Germany)

- B6.1 Linking RFIDs and Sensors for Logistical Applications** 317
R. Jedermann, C. Behrens, C. Gorecki, D. Westphal, W. Lange, J. Congil, R. Laur,
W. Benecke, W. Lang, IMSAS, Universität Bremen (Germany)
- B6.2 A Wireless Sensor Network Testbed Supporting Controlled In-building Experiments** 323
A. Wolisz, V. Handziski, A. Köpke, M. Kubisch, S. Fei Li, TU Berlin (Germany)
- B6.3 Maximizing Data Reliability in Wireless Sensor Networks** 329
S. Rhee, S. Liu, Millennial Net, Burlington (USA)
- B6.4 TAP-SNS - A Test Platform for Secure Communication in Wireless Sensor Networks for Logistic Applications** 335
Ch. Gorecki, Ch. Behrens, Ch. Zheng, D. Westphal, R. Jedermann, W. Lang, R. Laur,
Universität Bremen (Germany)

C1 Sensors and Energy Systems

Chairman: M. Voigt, VDI/VDE Innovation + Technik GmbH, Teltow

C1.1	The Status of Micro Fuel Cell Technology and its Contribution to the Energy Supply of Autonomous Sensors	341
	<u>R. Hahn</u> , Fraunhofer Institut IZM, Berlin	
C1.2	Miniaturized thermal generators	347
	<u>U. Pfeiffer</u> , THERM-O-TECH, St. Georgen	
C1.3	Integrable Ag₂O/Zn Batteries in Sensor Cards	353
	<u>C. Kretzschmar</u> , S. Stolle, H. Gießmann, P. Otschik, Fraunhofer IKTS, Dresden; F. Birke-Salam, VARTA Microbattery GmbH, Ellwangen	
C1.4	Energy Efficient Communication Technologies for Low-Power Applications	359
	<u>F. Meyering</u> , IMST GmbH, Kamp-Lintfort	

C2 Berichte aus MST-Sensorprojekten

Chairman: Y. Kaminorz, VDI/VDE Innovation + Technik GmbH, Teltow

C2.1	Medical Applications of Gas Sensors (LOCOMED)	363
	<u>M. Fleischer</u> , E. Simon, Siemens AG, München	
C2.2	Ex-Sensors in Silicon Technology	369
	<u>W. F. Maier</u> , K. Stöwe, T. Wolter, M. Seyler, Universität des Saarlands, Saarbrücken; R. Krage, GfG Gesellschaft für Gerätebau, Dortmund; D. Enderlein, HL-PLANARtechnik GmbH, Dortmund; W. Maurer, Ballard Power Systems AG, Kirchheim/Teck-Nabern	
C2.3	Standardized Primary Aroma Nose (SPAN), an Approach to Standardise Multisensor Arrays for the Detection of Key Food Odorants	375
	<u>D. Kohl</u> , J. Bock, A. Eberheim, N. Felde, Universität Gießen; P. Schieberle, U. Arzberger, J.-M. Liepe, Dt. Forschungsanstalt für Lebensmittelchemie, Garching; U. Sillmen, H. Rothenbacher, Miele&Cie. GmbH & Co., Oelde; L. Heinert, SH – Regeltechnik GmbH, Aßlar; U. Kiesewetter, Umweltsensortechnik GmbH, Geschwenda; H. Steinhart, Institut für Qualitätssicherung, Hamburg	
C2.4	Specific Detection of Various Organic Solvents by Means of Sensor Arrays with Internal Reference for Facilitated Calibration (PEGAS)	381
	<u>R. Krage</u> , GfG Gesellschaft für Gerätebau, Dortmund	
C2.5	SenSys – Sensorsystem to Increase the Safety of Natural Gas	385
	<u>H. Rump</u> , ETR Elektronik Technologie Rump GmbH, Dortmund	

Poster Session

P1 Mechanical Sensors

- P1.1 Application Aspects of Viscosity Sensors for Online Oil Condition Monitoring** 389
A. Agoston, C. Ötsch, AC²T research GmbH, Wiener Neustadt;
 B. Jakoby, TU Wien (Austria)
- P1.2 Automotive Powertrain & Chassis Torque Sensor Technology** 393
J. Gierut, Honeywell, Freeport (USA); R. Lohr, Transense Technologies, Bicester (Great Britain)
- P1.3 Robust Inclination Measurement with Liquid Based Capacitive Sensors** 399
T. Bretterklieber, H. Zangl, G. Brasseur, TU Graz (Austria)
- P1.4 Velocity Sensors with NIR-LEDs: Design and Performance** 405
J. Haus, CORRSYS-DATRON Sensorsysteme GmbH, Wetzlar (Germany)
- P1.5 Fine-Pressure Sensor in PCB-Technology** 411
R. Schulze, M. Hämmerle, Sauter AG, Basel (Switzerland)
- P1.6 Highly Sensitive Torque Sensor Utilising Amorphous Ferromagnetic Microwires as a Sensing Element** 417
A. Lonsdale, S. Sandacci, J. Gilkes, S. Tansley, Sensor Technology Ltd., Banbury (Great Britain)
- P1.7 Packaging Options for the Versatile Silicon Absolute Pressure-Sensing Element** 423
J. Ruohio, S. Kivi, M. Lyyra, U. Meriheinä, T. Syrjänen, M. Velichkov, VTI Technologies Oy, Vantaa (Finland)
- P1.8 High-Temperature Precision Pressure Sensors** 429
M. Nese, B.E. Seeberg, Presens AS, Oslo (Norway)

P2 Optical Sensors

- P2.1 UV Process Control Radiometers: Automated In-Situ Cross-Calibration Using Miniature Spectroradiometers** *manuscript not available*
R.D. McKeag, Centronic Ltd., Croydon; M. Stephenson, Solatell Ltd., Croydon (Great Britain)
- P2.2 Novel Optical Technique for Determination of MEMS Frequency Characteristics** 435
P. Karavaev, I.A. Sokolov, A.F. Ioffe Physico-Technical Institute, St. Petersburg (Russia)
- P2.3 Optoelectronic Sensors Based on Surface Plasmon Resonance. Modelling of Sensitivity** 439
V. Chegel, Y. Chegel, Y. Shirshov, National Academy of Sciences of Ukraine, Kiev (Ukraine)
- P2.4 Synchronous 3-D High-Speed Camera with Stereo-Beam Splitting** 443
T. Luhmann, Fachhochschule Oldenburg; K. Raguse, Volkswagen AG, Wolfsburg (Germany)
- P2.5 Energy Meter of Extreme Ultraviolet Radiation** 449
J. Mikołajczyk, Z. Bielecki, R. Rakowski, J. Wojtas, Military University of Technology, Warsaw (Poland)
- P2.6 Visualisation and Measurement of Condensed Water in Automobile Headlights** 455
M. Gulsch, C. Unverzagt, B. Henning, Universität Paderborn;
 S. Nolte, Hella KGaA Hueck & Co., Lippstadt (Germany)

P3 Smart Sensors

- P3.1 Intelligent Myoelectrical Control Assistance for Multifunctional Prosthesis** 461
V. Pavlov, V. Shkodyrev, State Polytechnic University of St. Petersburg (Russia)
- P3.2 smartGAS - A New Low Cost Infrared Gas Sensor for Domestic and Automotive Applications** 467
G. Wiegleb, C. Stein, Fachhochschule Dortmund;
 G. Knaup, W. Schmidt, F. Plotz, PerkinElmer optoelectronics GmbH, Wiesbaden (Germany)
- P3.3 Mathematical Moisture Compensation of Precision Measuring Instruments** 473
F. Hilbrunner, T. Fröhlich, G. Blumröder, TU Ilmenau (Germany)
- P3.4 Inertial Low Cost Navigation with INS Error Modelling and Kalman Filter** 479
M. Haid, M. Link, O. Loffeld, G. Marquardt, S. Melander, U. Schneider,
 Fraunhofer TEG, Stuttgart (Germany)
- P3.5 Support of PLC-Functionalities in Smart Sensors by Integration of IEC 61131 Programming Methods** 485
H. Smajic, H. Meier, Ruhr-Universität, Bochum (Germany)
- P3.6 RTD Integrated Thin-Film Temperature Resistance Measurements for Proven Mass Flow Meters "Vortex Principle"** 491
D. Kreissel, J. Holoubek, J. Polak, M. Gmür, M. Meier, Innovative Sensor Technology IST AG, Wattwil;
 O. Popp, Endress+Hauser Flowtec AG, Reinach (Switzerland)

P4 Technology

- P4.1 High Temperature Stability of Ti/TiN and TiN Heaters on Bulk Micromachined Membranes** 493
P. Lange, S. Puls, J. Syre, Fraunhofer ISIT, Itzehoe;
 B. Ohlsen, Fachhochschule Westküste, Heide (Germany)
- P4.2 Thermopneumatically Operated Print Head System for an Application in DNA-Chip Technology** 499
T. Injinaash, J. Müller, TU Hamburg-Harburg (Germany)
- P4.3 Removable Resists for the Micro System Technique** 505
M. Schirmer, D. Perseke, E. Zena, Allresist GmbH, Strausberg;
 D. Schondelmaier, I. Rudolph, B. Loechel, Bessy GmbH, Berlin (Germany)
- P4.4 Modelling of Field Induced Polarisation and Relaxation Effects in Tungsten Oxide Thick Films** 507
T. Sauerwald, D. Skiera, D. Kohl, Universität Gießen (Germany)
- P4.5 Development of a Test Structure for the Characterization of Piezoresistive Films in SiC** 511
D. Crescini, M. Romani, D. Marioli, A. Taroni, University of Brescia (Italy)
- Key-Words** 517
- Order Form for Proceedings** 521