

BCPC

International Symposium on  
Integrated Pest Management  
in Oilseed Rape  
2006

April 3-5, 2006  
Paulinerkirche, Göttingen, Germany

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571  
[www.proceedings.com](http://www.proceedings.com)

ISBN: 978-1-60423-609-5

Some format issues inherent in the e-media version may also appear in this print version.



## TABLE OF CONTENTS

### Foreword

**1 Foreword**

D V ALFORD, *BCPC, Cambridge, UK*

### INTRODUCTORY PAPERS

**2 The impact of rapeseed in Germany and Europe**

D BRAUER AND M SPECHT, *UFOP, Berlin, Germany*

**5 Integrating biological control within IPM for winter oilseed rape in Europe: an overview of the MASTER project**

I H WILLIAMS, *Rothamsted Research, Harpenden, UK*

### PARASITOID PAPERS

**8 Morphological and biological characteristics of *Meteorus gyrator***

**(Hymenoptera: Braconidae), a solitary endoparasitoid of cabbage moth larvae**

H ABBASIPOUR, *University of Shahed, Tehran, Iran*

**10 Distribution and biology of a potential classical biological control agent of root maggots in Canadian oilseed rape**

L D ANDREASSEN, K S HEMACHANDRA AND N J HOLLIDAY, *Animal Science/Entomology, Winnipeg, Canada*; U KUHLMANN, *CABI, Delémont, Switzerland*

**12 Cabbage seed weevil and its parasitoids in western Canada: an alien pest is challenged by endemic natural enemies**

L M DOSDALL, *University of Alberta, Edmonton, Canada*; G A P GIBSON, *Agriculture and Agri-Food Canada, Ottawa, Canada*; O O OLFERT, *Agriculture and Agri-Food Canada, Saskatoon, Canada*

**15 The use of DNA, morphometric and ecological data to distinguish ichneumonid parasitoids of two stem-mining pests of winter oilseed rape**

A W FERGUSON, H BARARI, R W PIPER, E SMITH AND I H WILLIAMS, *Rothamsted Research, Harpenden, UK*; D L J QUICKE, *Imperial College, Ascot, UK*

**17 Relationships between insect pests and their parasitoids in a winter oilseed rape crop**

A W FERGUSON, J M CAMPBELL, H BARARI, D J WARNER, N P WATTS AND I H WILLIAMS, *Rothamsted Research, Harpenden, UK*

**20 Integrated pest management of *Lygus* bugs in oilseed rape: identifying the key parasitoids by molecular analysis**

T D GARIEPY AND C GILLOTT, *University of Saskatchewan, Saskatoon, Canada*; M ERLANDSON, *Agriculture and Agri-Food Canada, Saskatoon, Canada*; U KUHLMANN, *CABI, Delémont, Switzerland*

**22 Classical biological control: an important tool to manage invasive alien insect pests in Canadian oilseed rape**

T HAYE AND U KUHLMANN, *CABI, Delémont, Switzerland*; L DOSDALL, *University of Alberta, Edmonton, Canada*; P G MASON, *Agriculture and Agri-Food Canada, Ottawa, Canada*

**25 Host specificity of European *Peristenus* species for biological control of *Lygus* bugs on oilseed rape in Canada**

T HAYE AND U KUHLMAN, *CABI, Delémont, Switzerland*; P G MASON AND H GOULET, *Agriculture and Agri-Food Canada, Ottawa, Canada*

- 28 **The impact of insecticide application and timing on parasitoid activity and levels of parasitism**  
Z KLUKOWSKI, *Agricultural University of Wroclaw, Poland*
- 31 **Levels of parasitism by ichneumonid wasps in various oilseed rape pests in eastern Austria**  
B KROMP AND P KRAUS, *LBIBA, Vienna, Austria*
- 34 **Biological control of cabbage seed weevil, a major pest of oilseed rape in North America: potential non-target effects and conflicts with weed biological control**  
F MULLER AND U KUHLMANN, *CABI, Delémont, Switzerland*; H BAUR, *Natural History Museum, Bern, Switzerland*; G A P GIBSON AND P G MASON, *Agriculture and Agri-Food Canada, Ottawa, Canada*; S VIDAL, *Georg-August University Göttingen, Germany*
- 37 **Determination to species of the endoparasitoid larvae of oilseed rape beetle pests**  
C NILSSON AND B AHMAN, *Swedish University of Agriculture, Alnarp, Sweden*
- 39 **Parasitoids of pollen beetles in Sweden – part of a strategy against pyrethroid resistance**  
C NILSSON AND B AHMAN, *Swedish University of Agriculture, Alnarp, Sweden*
- 41 **Can mustard seed meal increase the abundance of natural enemies of cabbage root fly in oilseed rape?**  
K RILEY AND N J HOLLIDAY, *University of Manitoba, Canada*; U KUHLMANN, *CABI, Delémont, Switzerland*; J WHISTLECRAFT, *Agriculture and Agrifood Canada, Ontario, Canada*
- 44 **The parasitism of ceutorhynchid stem weevils on *Brassica* host plants**  
B ULBER, M EICKERMANN AND D MENNERICH, *Georg-August University Göttingen, Germany*
- 47 **Effect of plant density and host plant architecture on the abundance and within-plant distribution of stem-mining pests and the level of parasitism**  
B ULBER AND K FISCHER, *Georg-August University Göttingen, Germany*
- 50 **Identity of parasitoids and their potential for biocontrol of oilseed rape pests in Europe**  
B ULBER AND K FISCHER, *Georg-August University Göttingen, Germany*;  
Z KLUKOWSKI, *Agricultural University of Wroclaw, Poland*; A LUIK AND E VEROMANN, *Estonian Agricultural University, Tartu, Estonia*; C NILSSON AND B AHMAN, *Swedish University of Agriculture, Alnarp, Sweden*; I H WILLIAMS, A W FERGUSON, R PIPER AND H BARARI, *Rothamsted Research, Harpenden, UK*
- 53 **Responses of *Tersilochus microgaster* and *Tersilochus obscurator* (Hymenoptera: Ichneumonidae) to volatile 2-phenylethyl-isothiocyanate**  
B ULBER AND R WEDEMEYER, *Georg-August University Göttingen, Germany*
- 56 **Dynamics of parasitoids in oilseed rape crops in Estonia**  
E VEROMANN, A LUIK AND R KEVVÄL, *Estonian Agricultural University, Tartu, Estonia*
- 58 **Wind direction and the direction of flights of parasitoids to oilseed rape: implications for IPM**  
I H WILLIAMS, H BARARI, D FREARSON AND A MCCARTNEY, *Rothamsted Research, Harpenden, UK*

## PREDATOR PAPERS

- 60 **Key predator species in oilseed rape crops – a review of literature and MASTER results**  
W B\_CHS AND D S FELSMANN, *BBA Braunschweig, Germany*; Z KLUKOWSKI, *Agricultural University of Wrocław, Poland*; A LUIK, *Estonian Agricultural University, Tartu, Estonia*; C NILSSON AND B AHMED, *Swedish University of Agriculture, Alnarp, Sweden*; ; B ULBER, *Georg-August University Göttingen, Germany*; I H WILLIAMS, *Rothamsted Research, Harpenden, UK*
- 64 **Spider assemblages in oilseed rape fields: impact of landscape context at different spatial scales**  
T DRAPELA , J G ZALLER, D MOSER AND T FRANK, *BOKU, Vienna, Austria*
- 66 **Predation rates and assessment of staphylinid beetle larvae from oilseed rape flower stands and their role in the regulation of pollen beetle larvae**  
D S FELSMANN AND W B\_CHS, *BBA, Braunschweig, Germany*
- 68 **The spatio-temporal within-field distribution of pest larvae and key predators in Germany, and the predators' effect on emergence of new pest generations**  
D S FELSMANN AND W B\_CHS, *BBA, Braunschweig, Germany*
- 71 **Management-related web densities, predation rates and prey composition of spiders (*Linyphiidae* and *Theridion impressum*) in oilseed rape fields**  
D S FELSMANN, O SCHLEIN AND W B\_CHS, *BBA, Braunschweig, Germany*
- 74 **A comparison of the pests, parasitoids and predators on winter and spring oilseed rape crops in Estonia**  
A LUIK, E VEROMANN, R KEVVÄI AND M KRUS, *Estonian Agricultural University, Tartu, Estonia*
- 76 **The effect of soil tillage on summer predator activity in a winter oilseed rape crop**  
N S MASON, A W FERGUSON, R HOLDGATE, S J CLARK AND I H WILLIAMS, *Rothamsted Research, Harpenden, UK*
- 79 **Feeding capacity and food preferences of key species of carabid beetles in oilseed rape fields**  
O SCHLEIN AND W B\_CHS, *BBA, Braunschweig, Germany*
- 81 **The ground beetle *Amara similata* as a predator of pest larvae in oilseed rape fields; ignored but influential in biological control?**  
O SCHLEIN AND W B\_CHS, *BBA, Braunschweig, Germany*
- 83 **Proof of pest larval consumption by predators using the PCR-technique and microscopical gut dissection**  
O SCHLEIN, W BÜCHS AND F NIEPOLD, *BBA, Braunschweig, Germany*
- 86 **The effects of non-inversion tillage systems in winter oilseed rape on ground beetles (Coleoptera: Carabidae)**  
J P T TWARDOWSKI, *Agricultural University of Wrocław, Poland*
- 89 **Spatial relationships between carabids and pest larvae in a winter oilseed rape crop**  
D WARNER, L J ALLEN-WILLIAMS, *University of Hertfordshire, Hatfield, UK*;  
A W FERGUSON AND I H WILLIAMS, *Rothamsted Research, Harpenden, UK*

## PATHOGEN PAPERS

- 92 **Integrating insect pathogens into oilseed rape cropping systems**  
H M T HOKKANEN, *University of Helsinki, Finland*

- 96 Effectiveness of entomopathogenic nematodes in the control of oilseed rape pests**  
H M T HOKKANEN, M ZEC-VOJINOVIC, G-B HUSBERG AND I MENZLER-HOKKANEN, *University of Helsinki, Finland*; W B\_CHS, *BBA, Braunschweig, Germany*; Z KLUKOWSKI, *Agricultural University of Wroclaw, Poland*; A LUIK, *Estonian Agricultural University, Tartu, Estonia*; C NILSSON, *Swedish University of Agriculture, Alnarp, Sweden*; B ULBER, *Georg-August University Göttingen, Germany*; I H WILLIAMS, *Rothamsted Research, Harpenden, UK*
- 99 Bee-mediated infection of inflorescence pests of oilseed rape by the entomopathogenic fungus *Metarhizium anisopliae***  
I H WILLIAMS, T M BUTT, N L CARRECK, S J CLARK, L IBRAHIM, E ISGER AND J K PELL, *Rothamsted Research, Harpenden, UK*
- 102 Application strategies for entomopathogenic nematodes in the control of oilseed rape pests**  
M ZEC-VOJINOVIC, I MENZLER-HOKKANEN AND H M T HOKKANEN, *University of Helsinki, Finland*
- 104 Natural occurrence of pathogens of oilseed rape pests in agricultural fields in Europe**  
M ZEC-VOJINOVIC AND H M T HOKKANEN, *University of Helsinki, Finland*; W B\_CHS, *BBA, Braunschweig, Germany*; Z KLUKOWSKI, *Agricultural University of Wroclaw, Poland*; A LUIK, *Estonian Agricultural University, Tartu, Estonia*; C NILSSON, *Swedish University of Agriculture, Alnarp, Sweden*; B ULBER, *Georg-August University Göttingen, Germany*; I H WILLIAMS, *Rothamsted Research, Harpenden, UK*

#### IPM PAPERS

- 107 The harmful entomofauna of oilseed rape in the Republic of Macedonia, with special emphasis on the regions of Skopje and Bitola**  
S BANDZO and Z DIMOV, *Institute of Agriculture, Skopje, Republic of Macedonia*
- 109 Are ecological theories useful elements in biological control programs? Practical problems with using life tables and predation theory**  
H CHI, *Taichung, Taiwan, Republic of China*
- 111 Development of a push-pull strategy for control of oilseed rape pests**  
S M COOK, L E SMART, M P SKELLERN, N P WATTS AND I H WILLIAMS, *Rothamsted Research, Harpenden, UK*
- 114 Control of the field slug in oilseed rape by seed treatment with pesticides**  
A ESTER AND H F HUITING, *Applied Plant Research Arable Farming, Lelystad, the Netherlands*
- 117 How to protect oilseed rape from slug herbivory**  
T FRANK, *BOKU, Vienna, Austria*; M BARONE, N ESCHER, J FRIEDLI AND F OBERHOLZER, *University of Bern, Switzerland*
- 120 Pollen availability and the distribution of pollen beetles and seed weevils in oilseed rape**  
D J T FREARSON, A W FERGUSON, J M CAMPBELL AND I H WILLIAMS, *Rothamsted Research, Harpenden, UK*
- 123 The influence of petals on numbers of pests and their parasitoids in oilseed rape**  
D J T FREARSON, A W FERGUSON, N LAUGIER AND I H WILLIAMS, *Rothamsted Research, Harpenden, UK*

- 126 The diel periodicity of within-crop flight by key parasitoids of oilseed rape pests**  
R HOLDGATE, A W FERGUSON, N S MASON, S J CLARK AND I H WILLIAMS, *Rothamsted Research, Harpenden, UK*
- 129 MASTER: construction of phenological models of key parasitoids in Europe and prospects for spray windows compatible with their conservation in winter oilseed rape**  
A JOHNEN *proPlant GmbH, Münster, Germany*; I H WILLIAMS AND A W FERGUSON, *Rothamsted Research, Harpenden, UK*; W B\_CHS, *BBA, Braunschweig, Germany*; Z KLUKOWSKI, *Agricultural University of Wroclaw, Poland*; A LUIK, *Estonian Agricultural University, Tartu, Estonia*; C NILSSON, *Swedish University of Agriculture, Alnarp, Sweden*; B ULBER, *Georg-August University Göttingen, Germany*
- 132 MASTER: validation of existing phenological models of the proPlant DSS for key pests in winter oilseed rape in different climatic areas in Europe and prospects for IPM**  
A JOHNEN *proPlant GmbH, Münster, Germany*; I H WILLIAMS AND A W FERGUSON, *Rothamsted Research, Harpenden, UK*; W B\_CHS, *BBA, Braunschweig, Germany*; Z KLUKOWSKI, *Agricultural University of Wroclaw, Poland*; A LUIK, *Estonian Agricultural University, Tartu, Estonia*; C NILSSON, *Swedish University of Agriculture, Alnarp, Sweden*; B ULBER, *Georg-August University Göttingen, Germany*
- 135 SIMONTO: ontogenetic models as a tool for decision making in arable crop protection**  
E JÖRG AND K FALKE, *ZEPP, Bad Kreuznach, Germany*; D ROBBBERG, *BBA, Kleinmachnow, Germany*
- 138 Laboratory tests on coating winter oilseed rape seeds against slugs**  
T KALUSKI AND J KOZLOWSKI, *Institute of Plant Protection, Poznan, Poland*
- 141 Pest status of phytophagous insects on winter oilseed rape crops in Poland**  
M KELM, *Agricultural University of Wroclaw, Poland*
- 143 Practical aspects of migration of stem weevils on winter oilseed rape**  
Z KLUKOWSKI, *Agricultural University of Wroclaw, Poland*
- 145 SkleroPro: a new disease- and yield-loss-related forecasting model for *Sclerotinia sclerotiorum* in winter oilseed rape in Germany**  
S KOCH, S DUNKER AND A VON TIEDEMANN, *Georg-August University Göttingen, Germany*; B KLEINHENZ, *Central Institution for Decision Support Systems in Crop Protection (ZEPP), Bad Kreuznach, Germany*; M RÖHRIG, *Information System for Integrated Plant Production (ISIP), Bad Kreuznach, Germany*; H FRIESLAND, *German Meteorological Service (DWD), Braunschweig, Germany*
- 148 The effect of microfertilizers on the number of pollen beetles on spring oilseed rape**  
M MAND, L METSPALU AND A LUIK, *Estonian Agricultural University, Tartu, Estonia*
- 151 Comparison of oilseed crop resistance to pests and disease in 2004**  
L NARITS, *Jõgeva PBI, Jõgeva, Estonia*
- 153 Technology of organic oilseed rape production and first studies of occurrence of pests natural enemies**  
D NERAD AND J ŠKE\_ÍK, *Union of Oilseeds Growers and Processors, Prague, Czech Republic*; P KUCHTOVÁ AND J KAZDA, *Czech University of Agriculture Prague, Czech Republic*

- 155 Evaluation of farming systems to enhance biological control in oilseed rape**  
 C NILSSON *Swedish University of Agriculture, Alnarp, Sweden*; W B\_CHS, *BBA, Braunschweig, Germany*; H M T HOKKANEN AND I MENZLER-HOKKANEN, *University of Helsinki, Finland*; Z KLUKOWSKI, *Agricultural University of Wroclaw, Poland*; A LUIK, *Estonian Agricultural University, Tartu, Estonia*; B ULBER, *Georg-August University Göttingen, Germany*; I H WILLIAMS, *Rothamsted Research, Harpenden, UK*
- 158 Effects of post-harvest soil tillage on the survival of key parasitoids of oilseed rape pests**  
 C NILSSON *Swedish University of Agriculture, Alnarp, Sweden*; B ULBER, *Georg-August University Göttingen, Germany*; I H WILLIAMS AND A W FERGUSON, *Rothamsted Research, Harpenden, UK*; Z KLUKOWSKI, *Agricultural University of Wroclaw, Poland*
- 161 Integrated beneficial management (IBM) in oilseed rape with tau-fluvalinate**  
 E E SPENCE, G HUART AND D KARMON, *Makhteshim Agan UK Ltd, Thatcham Business Village, UK*
- 163 Integrated farming of oilseed rape in a long-term economic view**  
 H H STEINMANN, *Georg-August University Göttingen, Germany*
- 166 Susceptibility of pollen beetles to insecticides on oilseed rape**  
 T THIEME AND U HOFFMANN, *Bio-Test Labor GmbH Sagerheide, Germany*;  
 F M\_HLSCHLEGEL, *Feinchemie Schwebda GmbH, Cologne, Germany*
- 169 Phenology of tersilochine parasitoids in Germany and prospects for spray windows compatible with their conservation**  
 B ULBER, O NITZSCHE AND R WEDEMAYER, *Georg-August University Göttingen, Germany*
- 172 Pollen beetles and landscape complexity: pest abundance, parasitisation and damage on oilseed rape**  
 C URL, J G ZALLER, T DRAPELA, D MOSER AND T FRANK, *BOKU, Vienna, Austria*
- 175 Effects of cropping systems and the surrounding field environment on insect pest incidence in organic winter oilseed rape**  
 M VALANTIN-MORISON, J-M MEYNARD AND T DORE, *INRA, Thiverval-Grignin, France*
- 178 Effects of turnip rape trap crops on oilseed rape pests in a network of organic farmers' fields**  
 M VALANTIN-MORISON AND L QUERE, *INRA, Thiverval-Grignin, France*
- 181 Species-specific responses of oilseed rape pests to different elements of landscape complexity**  
 J G ZALLER, T DRAPELA, D MOSER, C URL AND T FRANK, *BOKU, Vienna, Austria*

#### SOCIO-ECONOMIC PAPERS

- 184 Implementation of IPM strategies: constraints and motivations to change farming practices**  
 I MENZLER-HOKKANEN AND H M T HOKKANEN, *University of Helsinki, Finland*;  
 W B\_CHS, *BBA, Braunschweig, Germany*; Z KLUKOWSKI, *Agricultural University of Wroclaw, Poland*; A LUIK, *Estonian Agricultural University, Tartu, Estonia*;  
 C NILSSON, *Swedish University of Agriculture, Alnarp, Sweden*; B ULBER, *Georg-August University Göttingen, Germany*; I H WILLIAMS, *Rothamsted Research, Harpenden, UK*



**188 Pest problems in oilseed rape and how to deal with them: the farmers' perspective**

I MENZLER-HOKKANEN AND H M T HOKKANEN, *University of Helsinki, Finland*;  
W B\_CHS, *BBA, Braunschweig, Germany*; Z KLUKOWSKI, *Agricultural University of  
Wroclaw, Poland*; A LUIK, *Estonian Agricultural University, Tartu, Estonia*;  
C NILSSON, *Swedish University of Agriculture, Alnarp, Sweden*; B ULBER,  
*Georg-August University Göttingen, Germany*; I H WILLIAMS, *Rothamsted Research,  
Harpenden, UK*

**192 Oilseed rape growers' knowledge of and attitudes towards IPM**

I MENZLER-HOKKANEN AND H M T HOKKANEN, *University of Helsinki, Finland*;  
W B\_CHS, *BBA, Braunschweig, Germany*; Z KLUKOWSKI, *Agricultural University of  
Wroclaw, Poland*; A LUIK, *Estonian Agricultural University, Tartu, Estonia*;  
C NILSSON, *Swedish University of Agriculture, Alnarp, Sweden*; B ULBER,  
*Georg-August University Göttingen, Germany*; I H WILLIAMS, *Rothamsted Research,  
Harpenden, UK*