American Society of Civil Engineers

World Water and Environmental Resources Congress 2005

"Impacts of Global Climate Change"

May 15 – 19, 2005 Anchorage, Alaska, USA

Volume 1 of 9

Printed from e-media with permission by:

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571 www.proceedings.com

ISBN: 978-1-60423-627-9

Some format issues inherent in the e-media version may also appear in this print version.

Notices

Any statements expressed in these materials are those of the individual authors and do not necessarily represent the views of ASCE, which takes no responsibility for any statement made herein. No reference made in this publication to any specific method, product, process or service constitutes or implies an endorsement, recommendation, or warranty thereof by ASCE. The materials are for general information only and do not represent a standard of ASCE, nor are they intended as a reference in purchase specifications, contracts, regulations, statutes, or any other legal document.

ASCE makes no representation or warranty of any kind, whether express or implied, concerning the accuracy, completeness, suitability, or utility of any information, apparatus, product, or process discussed in this publication, and assumes no liability therefore. This information should not be used without first securing competent advice with respect to its suitability for any general or specific application. Anyone utilizing this information assumes all liability arising from such use, including but not limited to infringement of any patent or patents.

Copyright © 2005 by the American Society of Civil Engineers. All Rights Reserved.

Manufactured in the United States of America.

American Society of Civil Engineers ASCE International Headquarters 1801 Alexander Bell Drive Reston, VA 20191-4400 USA

Call Toll-Free in the U.S.: 1-800-548-2723 (ASCE) Call from anywhere in the world: 1-703-295-6300

Internet: http://www.pubs.asce.org

American Society of Civil Engineers World Water and Environmental Resources Congress 2005

TABLE OF CONTENTS

Volume 1

| Student and Younger Members Photo Contest | 1 |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Emerging Micro-pollutants in the Environment: Sorption and Mobility of Sulfonamide Antibiotics-A Potential Threat to Groundwater Contamination | 3 |
| Biodegradation of Pyrene in Soil Microcosms: Identification of a Toxic Intermediate | 12 |
| Application of Ozone-Membrane Filtration Hybrid Process for Drinking Water Treatment and Disinfection Byproducts Formation | 21 |
| Groundwater Contamination Source Identification Using Hybrid Optimization Methods | 29 |
| Membrane Filtration Processes for Removing Arsenic from Drinking Water Oakes, Kristina | 36 |
| Effects That Pesticides Have on Public Water Supplies | 43 |
| Conjunctive Use of Surface and Groundwater Resources with Emphasis on Water Quality | 52 |
| Analysis of uncertainty on water distribution hydraulics and water quality Pasha, M.F.K | 64 |
| Burst detection and location in water transmission pipelines | 76 |
| A comparison of Navier Stokes and network models to predict chemical transport in municipal water distribution systems. van Bloemen Waanders, B. | 88 |
| Denver Waters System Specific Study for the Stage 2 Disinfectants and Disinfection Byproducts Rule | 98 |
| Development of a JAVA based water distribution simulation capability for infrastructure interdependency analyses | 122 |
| Dynamic simulation of tracer in water distribution system | 130 |
| An Efficient Sampling-based Approach for the Robust Rehabilitation of Water Distribution Systems under Correlated Nodal Demands | 140 |

| Estimating Risk Measures for Water Distribution Systems using Metamodels Broad, Darren | . 152 |
|-----------------------------------------------------------------------------------------------------------------------|-------|
| An Evaluation of System Architectures for Contamination Warning Systems Janke, Robert | . 164 |
| Field measurements of unsteady friction effects in a trunk transmission pipeline | . 175 |
| A First-Order Reliability Method for Contaminant Detection and Isolation | . 187 |
| Fuzzy rules for hydraaulic reliability-based design and operation of water distribution systems Farmani,Raziyeh | . 194 |
| A Heuristic Methodology for Locating Monitoring Stations to Detect Contamination Events in Water Distribution Systems | . 203 |
| A Hybrid (MT - LP) Approach to Water Distribution Systems Inverse Modeling Preis, Ami | . 215 |
| Hydraulic simulation of water supply networks under control Deuerlein, Jochen | . 228 |
| Identifiability of contaminant source characteristics in steady-state and time- varying network flows | . 240 |
| Identification of discolouration risk through simplified modelling Boxall, Joby | . 244 |
| Importance of Dispersion in Network Water Quality Modeling | . 254 |
| Incorporating Spatial Correlation in a Markov Chain Monte Carlo Approach for Network Model Calibration | . 266 |
| An Integrated Approach to Vulnerability Assessment | . 274 |
| A Mixed Integer Approach for Obtaining Unique Solutions in Source Inversion of Drinking Water Networks | . 284 |
| A Model for Estimating the Acute Health Impacts Resulting from Consumption of Contaminated Drinking Water | . 295 |
| Modeling the Distribution of Demands between Tanks in a Water Supply System | . 306 |
| Modeling Urban Water Demand within a GIS using a Population Mobility Model | . 317 |
| Monte Carlo Simulation of Residential Water Demand: A Stochastic End Use Model | . 325 |
| Multi-Objective Design of Water Distribution Systems Using Cross Entropy Perelman,Lina | . 337 |

| Multiobjective Optimization for the Least-cost Design of Water Distribution Systems under Correlated Uncertain Parameters Babayan,Artem | 349 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Multistage Stochastic Optimization for Agricultural and Urban Water Management with Imperfect Forecasts Zhu,Tingju | 360 |
| Network Modeling to Demonstrate Efficacy of Improved Water Quality Monitoring | 371 |
| A Numerical Study of a 2D Multi-component Corrosion Model in a Water Distribution System Naser, Gholamreza | 380 |
| Planning and Operation of Large-Scale Water Distribution System with Hedging Rules Barros, Mario | 392 |
| Predicting Chlorine Residual Losses in Unlined Metalic Pipes Clark, Robert | 404 |
| Red Team-Blue Team Exercise for Locating Monitors in Distribution Systems Grayman, Walter | 413 |
| Reducing online contaminant monitoring uncertainty using a Bayesian belief network | 424 |
| Selection of Genetic Algorithm Parameters for Water Distribution System Optimization | 436 |
| A sensor location model to detect contaminations in water distribution networks | 448 |
| Solving the Inverse Problem of Deliberate Contaminants Intrusions into Water Distribution Systems | 460 |
| Source Location Inversion and the Effect of Stochastically Varying Demand McKenna, Sean | 466 |
| Staging of Master Planning of Water Distribution Systems Using Genetic Algorithm Optimization | 476 |
| Stochasticity of Demand and Probabilistic Performance of Water Networks | 487 |
| A Systematic Exploration of Uncertainty and Convergence of Inverse Transient Calibration for WDSs Jung,Bong Seog | 499 |
| A Theoretical Explanation for Peaking Factors | 511 |
| Use of Continuous Recording Water-Quality Monitoring Equipment for Conducting Water-Distrubution System Tracer Tests: The Good, The Bad and the Ugly | 523 |

| Using Continuous Monitors for Conducting Tracer Studies in Water Distribution Systems Panguluri, Srinivas | 531 |
|---------------------------------------------------------------------------------------------------------------------|-----|
| Using field measured transient responses in a water distribution system to assess valve status and network topology | 539 |
| Validation and Assessment of Integer Programming Sensor Placement Models Hart, William | 551 |
| Vulnerability Assessment of Water Distribution System to Chemical Intrusions | 562 |
| Water Distribution System Reliability under a Fire Flow Condition: a Probabilistic Approach | 574 |
| The Water Infrastructure Simulation Environment (WISE) Project | 586 |
| Water Quality Model Calibration by Means of Fast Messy Genetic Algorithm | 594 |
| Water Quality Sensor Placement in Water Networks with Budget Constraints Berry, Jonathan | 606 |
| Water Supply Threat Reduction Using Evolutionary Approaches Houck, Mark | 617 |
| Adaptive Control of Contaminants Releases by Boundary Actuators | 628 |
| Volume 2 | |
| Adaptive Decision Support System for Real-Time Operation of the Geum River Basin, Korea Labadie, John | 636 |
| Adaptive Management of the Guadalupe River Watershed, San Jose, CA | 648 |
| Assessment of Agricultural Production Vulnerability under Global Climate Change – An Overview of the Methodology | 660 |
| Conflict Resolution in Water Allocation Considering the Water Quality Issues | 668 |
| Desalination Emerging as a Potential Water Supply in California | 679 |
| Determining the "True Cost of Water" in an Automotive Manufacturing Plant Barkdoll, Brian | 685 |
| Development of Water Allocation Policies Considering the Demand Variations: A System Dynamics Approach | 692 |
| Extensions to the Water Rights Analysis Package Modeling System | 704 |

| Management | 716 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Draper,Stephen | |
| Integrated Impacts of and Adaptation Strategies for Climate Change in Metropolitan Areas; A Case Study of Boston Metropolitan Area | 722 |
| Joint Operating Policies Using Sampling SDP for the Geum River Basin in Korea Kim, Young-Oh | 730 |
| Limiting Factors of Vegetation Expansion on Sandbars Affected by Hydro- geomorphologic Changes in Sandy River | 739 |
| Optimal Water Supply Management using Dynamic Simulation | 747 |
| An Optimization Approach for Balancing Human and Ecological Flow Needs | 757 |
| Optimization of a Water Supply Portfolio in a Stochastic Demand/Supply Environment | 769 |
| An Overview of the Environmental and Water Resources Institute's "Guidelines for Integrated Water Resources Management" Project | 771 |
| Overview of Vulnerabilities of Coastally-Influenced Conveyance and Treatment Infrastructure in Greater Vancouver to Climate Change: Identification of Adaptive Responses Burton, Brent | 781 |
| Public Water Supply: What Is the Appropriate Federal Role? Cox, William | 793 |
| Reliability of reservoir firm yield determined from the historical drought of record Archfield, Stacey | 800 |
| Review of International and National Efforts Towards Integrated Water Resource Management Davis, Matthew | 808 |
| On Risk Analysis of Water Resources Systems under Non-Stationary Conditions | 811 |
| Sediment Management of the Oi River | 823 |
| Integrated Water Resources Management - Definitions and Philosophy Peralta, Richard | 834 |
| Tufts Watershed Loading Function: Best Management Practice Model For Decision Support | 845 |
| The Use of Continuous Watershed Modeling to Address Issues of Urbanization and Channel Stability in Southern California | 857 |
| Use of Indicators in Integrated Water Resources Management | 871 |

| Using Groundwater Artificial Neural Network Models for Adaptive Water Supply Management | 875 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Wanakule,Nisai | |
| Water Quality Modeling Tools to Support Adaptive Management Scholl, James | 888 |
| Water Quality Monitoring Network for River Systems : Use of Ordinary Kriging | 895 |
| Water Resources Planning through Group Model Building in the Okanagan Valley, British Columbia, Canada | 907 |
| Water Tariff Structure and Reform Needs for Socio-Economic Sustainability in India | 913 |
| Singh,Mamata | |
| Watershed Management Program in the Pajaro Valley, California, U.S.A.: An Integrative and Sustainable Approach to Stop Salt Water Intrusion and Avoid Depletion of Groundwater Resources. Fortin, Alexander | 923 |
| Actual Storm Events Outperform Synthetic Design Storms - A Review of SCS Curve Number Applicability | 935 |
| Alternative Circular Wet Well Configurations for Water and Wastewater Pumping Systems Werth,David | 948 |
| Application of Time Series Models to Analyze and Forecast the Influent Components of Wastewater Treatment Plants (WWTPs) | 958 |
| Applied Artificial Intelligence to Solve Water Resources and Environmental Problems Gueller, Sam | 969 |
| An Approach to Assessing Potential Compliance with the Proposed Stage 2 Disinfection By-Products Rule | 981 |
| Assessment of Groundwater Vulnerability to Nitrate Contamination in Gaza Strip, Palestine | 993 |
| An Assessment on Theoretical Techniques and Engineering Prevention of Debris Flow Disaster in China | 1005 |
| Assessment on Water Safety Degree of China's Regional Development Benqing, RUAN | 1011 |
| BOD Performance Correlation at Georgia WWTPs | 1022 |
| Characterization of Natural Organic Material in Alaska Drinking Water Sources using High Performance Size-Exclusion Chromatography with Ultraviolet Absorbance Detection | 1033 |

| Classifying total and effective impervious surfaces for urban hydrologic modeling Burian, Steven | . 1038 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| Comparison of lime and caustic addition for pH control and microbial communities on activated sludge settleability and plant performance? implications for the field | . 1049 |
| A Conceptual Framework for Managing Nitrate Contamination of the Gaza Coastal Aquifer, Palestine Almasri,Mohammad | . 1058 |
| Debris flow induced by ice-lake break in Tibet | . 1070 |
| Debris-Flow Hazards and Prevention Measures in Beijing | . 1077 |
| Design Considerations For Autothermal Thermophilic Aerobic Digestion | . 1085 |
| Development of a graphical assessment method for interpreting stream conductivity data | . 1095 |
| Development of Design Criteria for Regional Stormwater Management Facilities to Maintain Geomorphic Stability in Cedar Creek | . 1108 |
| Distribution of thickness of debris flow deposition | . 1118 |
| Effect of Plant-barriers on Debris Flow | . 1126 |
| Effect of turbulence on organic material biodegradation | . 1134 |
| Efficient Generation of Annual Exceedance Probability Maps | . 1140 |
| Estimating Seasonal and Diurnal variations in Influent Characteristics for Optimization of Aeration Operations: A Case Study for Applicability of Respirometric Techniques at Fairbanks, Alaska. Pinto,Ameet | . 1150 |
| Evaluating Micorbial Partitioning Differences Under Storm and Dry-weather Conditions Characklis, Gregory | . 1160 |
| Experimental Design of a Long-term Study on Landscape Irrigation Using Household Graywater Criswell, Melanie | . 1162 |
| Faecal Sludge Management, St. Elizabeth, Jamaica | . 1174 |
| Flood Control Decision Support System In Dongtiaoxi Basin | . 1185 |
| Flow Pattern of Fish Habitats in Engineered Streams | . 1191 |

| Formation and Decay of Trihalomethanes and Haloacetic Acids in Full-Scale Drinking Water Distribution Systems: A Case Study Singer, Philip | 1199 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| Fouling of Quartz Surfaces in a Low-Pressure High-Output (LPHO) Ultraviolet Disinfection Reactor Treating a Groundwater Source: Foulant Characterization, Distribution, and Phosphate Effects | 1211 |
| Frequency Characteristics of Long Duration Rainfall Events Loucks, Eric | 1223 |
| Impact of Booster Chlorination on THM Production: A Simulated Analysis Carrico,Brian | 1231 |
| Impact of Sewage Line Spills on Pathogen Levels in Recreational Waters | 1241 |
| Impact of Wastewater Reuse in Burlington County, New Jersey on Adjacent Wetlands Mattson,Crystal | 1252 |
| The influence of mining draining water on water environment in Zibo coal mine, Shandong province, China | 1263 |
| Intra-Storm Variability in Stormwater Quality and its Impacts on Microbial Partitioning | 1270 |
| | |
| Volume 3 | |
| Volume 3 Investigation of Cryptosporidium and Giardia Concentrations in Combined Sewer Overflow and Stormwater Runoff | 1275 |
| Investigation of <i>Cryptosporidium</i> and <i>Giardia</i> Concentrations in Combined Sewer Overflow and Stormwater Runoff | |
| Investigation of Cryptosporidium and Giardia Concentrations in Combined Sewer Overflow and Stormwater Runoff | 1289 |
| Investigation of Cryptosporidium and Giardia Concentrations in Combined Sewer Overflow and Stormwater Runoff | 1289 1300 |
| Investigation of Cryptosporidium and Giardia Concentrations in Combined Sewer Overflow and Stormwater Runoff | 1289 1300 1312 |
| Investigation of Cryptosporidium and Giardia Concentrations in Combined Sewer Overflow and Stormwater Runoff | 1289 1300 1312 1320 |
| Investigation of Cryptosporidium and Giardia Concentrations in Combined Sewer Overflow and Stormwater Runoff Arnone, Russell D. Legal Liability of Faculty on Applied Research Projects Orlins, Joseph Minimum Flow Estimated by the Froude Number Chen, Yen-Chang A Model of Flood and Waterlogging Disaster Loss Assessment Based on The Remote Sensing and GIS Spatial Information Grid Ding, Zhixiong Modeling and evaluating temperature dynamics in wastewater treatment plants Wells, Scott Operational System of Flood Disaster Monitoring and Assessment Using Space Technology in China | 1289 1300 1312 1320 1331 |

| Aristeidou, Kostas | |
|----------------------------------------------------------------------------------------------------------------------------------|-----|
| Probabilistic Approach to Residence-Time Distribution in Water Treatment Units Tzatchkov, Velitchko | i 1 |
| Probabilistic Approach to the Estimation of Urban Stormwater Pollution Loads of Receiving Waters Kuzin, Sergei | |
| Quantitative Assessment for the Effects of Non-point Source Pollution Loads on Water Environment of Plain Area | |
| Reservoir Watershed Management in Taiwan | 1 |
| Sensitivity of Detention Basin Volume to Rainfall Input Bohler, Bradford | 1 |
| Side by Side Evaluation of Stormwater Proprietary BMPs | 1 |
| Stormwater Hydrology in a Developing Coastal Plain Watershed | 1 |
| Structural Storm Water (Sedimenter-filter) Treatment BMP | 1 |
| Study on Warning and Emergency Stages of Tan-shui River Yeh,Keh-Chia | 1 |
| SWMM and SMADA Model Predictions vs. Field Data | 1 |
| Understanding Factors Affecting Odor Production from Anaerobically Digested Biosolids: Digester Srt, Dewatering and Polymer Type | 1 |
| 15 Years Experiences of Sustainable Urban Storm Drainage in the City of Malmo Sweden | |
| Analysis of Fecal Coliform Bacteria in Spring Creek Above Sheridan Lake In the Black Hills of South Dakota | 1 |
| Analyzing Potential Benefits of Low Impact Development in Reducing Combined Sewers Overflows | |
| Application of Polyacrilimide to Enhance Silt Fence Performance Barfield,Bill | 1 |
| Application of Real Time Control for CSO and SSO Abatement: Lessons Learned from 6 Years of Operation in Quebec City | |
| Application of SWMM5 for BMP/LID Quality Evaluation | 1 |
| Benefits of Sewerage System Real-Time Control | 1 |

| Best Management Practicies and Water Quality Standards - How to Bridge the Gap | 1560 |
|----------------------------------------------------------------------------------------------------------------------------------------------|------|
| Taylor,Scott | |
| BMP Design Based on Real-Time Quality Monitoring | 1567 |
| BMP Performance Comparisons: Examples from the International Stormwater BMP Database Barrett, Michael | 1571 |
| Canada's CSO Technologies Manual - A Comprehensive Design and Resource Manual Zukovs, George | 1580 |
| Capacity Assurance Program Planning: Cincinnati Case History Koran, Joseph | 1592 |
| Case Studies Using RTC As a NMC and As a Stormwater BMP | 1600 |
| City of Toronto's Wet Weather Flow Management Master Plan | 1611 |
| Conversion of an Urban Pond to a Water Quality Treatment Pond | 1631 |
| CSO Regulation in the Great Lakes Region of Canada and the United States - A Comparative Evaluation Zukovs, George | 1639 |
| A Design Aid for Conventional Silt Fence Technology | 1650 |
| Design and Pollutant Reduction of Vegetated Strips and Swales | 1663 |
| Determining BMP Inspection and Maintenance Costs for Structural BMPs in North Carolina | 1674 |
| Developing an Effective Urban Runoff Management Approach | 1680 |
| Development of Adjustment and Scaling Factors for Measured Suspended Solids Removal Performance of Stormwater Hydrodynamic Treatment Devices | 1692 |
| Development of an SSO Mitigation Plan: Lessons Learned from the Field | 1702 |
| Development of the Lake Tahoe Watershed Model: Lessons Learned Through Modeling in a Subalpine Environment | 1715 |
| Development of the San Diego Creek Natural Treatment System Master Plan Strecker, Eric | 1729 |
| Effect of Canopy Cover on the Volume of Rain Throughfall | 1742 |
| Effect of Detention Basin and BMP Shape and Outlet Type on Outlet Hydrology | 1750 |

| Experience with High-Rate Treatment of Stormwater in a Pilot Installation in Toronto, Ontario, Canada | 1762 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Factors Affecting Long-Term Performance of Wet Retention/Detention Basins by a Continuous Simulation Model Pandit, Ashok | 1774 |
| FAEST, a New Silt Fence Technology for Construction Sites | 1784 |
| Framework Design for BMP Placement in Urban Watersheds | 1796 |
| Gully Study Revisited | 1808 |
| Holistic Stormwater Management in Military Installations: LID retrofits, stream restoration, and pollution prevention at MCAS New River, North Carolina | 1818 |
| Hydraulic Properties of Cementitious Porous Pavement as a Filtration Interface for Rainfall-Runoff Treatment Sansalone, John | 1824 |
| Identifying Regional BMP Retrofit Opportunities | 1832 |
| Initial Operation of the Udall Natural Area Regional Stormwater Quality Best Management Practice | 1845 |
| Instream Steroid Hormone Levels in a CAFO-impacted Watershed and Biological Removal Strategies | 1856 |
| The Integrated Unit Process Design Approach for Urban Water Quality Design | 1868 |
| Integrating CSO Control Into Regional Watershed Management | 1880 |
| Integrating on-site water management practices: A field study in Prince George's County, Maryland | 1892 |
| International Perspective on BMPs/SUDS: UK - Sustainable Stormwater Management in The UK | 1903 |
| Volume 4 | |
| Japanese Project Spirit 21: Development and Testing of CSO Treatment Technologies and Instrumentation Systems Horie, Nobuyuki | 1915 |
| Laboratory Comparison of Oil Removal by Four Drain Inlet Inserts | 1922 |
| LID Solutions for an Industrial Site | 1934 |

| Long-Term Modeling of Structural BMPs using STORM within a Spreadsheet | 1945 |
|---------------------------------------------------------------------------------------------------------------------|------|
| Long-term Performance Modeling of Vegetative/Infiltration BMPs for Highways | 1950 |
| Measuring the Success of a CSO Control Program | 1958 |
| Methodology for Design and Optimization of Highway Detention Basins | 1967 |
| A Micro & Macro-Model Approach to Evaluating Greenroofs as a CSO Control in New York City Ostroff, Gary | 1979 |
| Modeling a Bioinfiltration Basin BMP Using Green-Ampt and Kinematic Wave Heasom, William | 1985 |
| Nutrient-Based ecological considerations for stormwater management basins: Ponds and wetlands Nietch, Christopher | 1997 |
| Occurrence and Relative Abundance of Mosquitoes in Stormwater Retention Facilities in North Carolina | 2009 |
| Performance Monitoring of a Stormwater Wetland Best Management Practice | 2019 |
| Performance of a Stormwater Wet Pond with Side Bank Filters | 2031 |
| The Performance of Conventional Silt Fence Technology When Not Placed on the Contour | 2043 |
| Phosphorus Trade Credits for Non-point Source Projects Earles, Thomas Andrew | 2053 |
| Pollutant Associations with Particulates in Stormwater | 2065 |
| Pollutant Removal Capacity of Stormwater Catchbasin Inserts Edwards, Findlay | 2077 |
| Real Time Control of CSOs: Overview and State of the Art | 2087 |
| Residential Manmade Lake System Design for Storm Water Treatment | 2093 |
| The Role of Stormwater Research in BMP Design ? Pathogens and Regulatory Demands | 2098 |
| Soil Structure Effects Associated with Urbanization and the Benefits of Soil Amendments Pitt,Robert | 2109 |
| Stormwater Pond and Wetland Maintenance Concerns and Solutions | 2121 |
| Stormwater Treatment Using Upflow Filters | 2133 |

| Strategies/Guidance for Managing Stormwater: Infiltration vs. Surface Water Discharge | 2145 |
|-----------------------------------------------------------------------------------------------------------|------|
| Clark,Shirley | |
| Sun Valley Park Storm Water Infiltration Basin Demonstration Project | 2157 |
| Update on EPA Guidance for the NPDES Municipal Storm Water Program Collins, James | 2167 |
| Use Attainability Analyses: Process and Examples | 2173 |
| Using GIS to Prevent Sanitary Sewer Overflows and Comply with CMOM Requirements Schaedler,Nathan | 2185 |
| Utility data archiving for risk management | 2192 |
| The Value of Infiltration- and Storage-Based BMPs for Stormwater Management | 2199 |
| Water Management in British Columbia: Issues and Influences | 2208 |
| Water Quality Assessment and TMDLs for the Flathead River Headwaters Planning Area, Montana Kratt, Kevin | 2215 |
| Wet Basins: Analysis of Nutrient and Metals Removals Larsen, Laura | 2241 |
| Wet Weather Flow Management in the Canadian Great Lakes Areas of Concern | 2251 |
| Wet-Weather Pollution from Commonly-Used Building Materials Clark, Shirley | 2263 |
| Anchor Ice Flooding in Jackson, WY Daly, Steven | 2275 |
| Assessing Long Term Domestic Water Needs in the Arctic | 2284 |
| Distribution and Transport of Fecal Bacteria in a Rural Alaskan Community | 2292 |
| Freezeup Ice Jam Control on the Deschutes River at Bend, OR - Ice Boom Design Criteria Re-Examined | 2302 |
| Geochemistry of surface-waters in mineralized and non-mineralized areas of the Yukon-Tanana Uplands | 2311 |
| Hubbard Glacier Advances Despite Global Warming | 2319 |
| Hydrologic and Hydraulic Factors for Railroad Crossing of Three Glacial Streams near Fairbanks, Alaska | 2331 |

| Hydrological Model Simulations and Physical Impacts of a Tundra Watershed Affected by Wildfire, Seward Peninsula, Alaska Liljedahl, Anna | 2343 |
|--------------------------------------------------------------------------------------------------------------------------------------------|------|
| Ice Control Structure Design Zufelt, Jon | 2345 |
| Investigating Survivability of Coliform in Extreme Environmental Conditions | 2356 |
| Mineralization, watershed geochemistry, and metals in fish from a subarctic river Gough, L.P | 2364 |
| A multi-scale assessment of As(V)-aluminum oxyhydroxide interactions Tanwar,Kunaljeet | 2375 |
| Numerical Simulation of Surface and Suspended Freeze-Up Ice Discharges Shen, Hung Tao | 2387 |
| Permafrost Controls on Hydrological Processes in a Changing Climate Hinzman,Larry | 2397 |
| Hydrodynamic effects of Knik Arm crossing causeway | 2399 |
| Seasonal Variations in Fecal Coliform Bacteria in a Cold Region Stream | 2411 |
| Seasonal Water Quality in Ship Creek, Alaska | 2419 |
| Thermokarst evolution in sub-arctic Alaska: A study case | 2424 |
| Addressing Surface Water Treatment Challenges in the North with Two-Stage Pressure Filtration | 2435 |
| Advances in Biologically-Based Sensors for Endocrine Disrupting Compounds in Water | 2442 |
| Chris Campbell | |
| Application of Temporal Neural Networks in Long-Lead Rainfall Forecasting | 2452 |
| Computational Platforms in Environmental Modeling | 2464 |
| Development of Inductive Receiving Water Model for Application in TMDLs | 2475 |
| Evaluation of Capacitive Desalination Technology for Drinking Water Treatment in Rural Alaska Traylor, Helen | 2487 |
| Functionalized nanoelectrode arrays for in-situ identification and quantification of regulated chemicals in water | 2494 |
| Impact of Climate change on Water Resources in Yongdam dam basin, Korea | 2505 |
| Integrated Chemiresistor Sensors with Preconcentrators for Monitoring Volatile Organic Compounds in Water Ho, Clifford | 2517 |

| Observations of Contamination Warning Systems for Water: What they should provide decision makers? Morley, Kevin | 2525 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| An Overview of U.S. EPA Research on Remote Monitoring and Control Technologies for Small Drinking Water Treatment Systems | 2527 |
| Parallelization of a 3-D coast circulation model for continental shelf circulation – QUODDY | 2533 |
| Shao,Zhiyu | |
| Parallelization of the WASH123D codePhase II: Coupled Two-Dimensional Overland and Three-Dimensional Subsurface Flows | 2542 |
| Volume 5 | |
| Real-Time Remote Monitoring of Drinking Water Quality Panguluri, Srinivas | 2554 |
| Scalability of Integer Programming Computations for Sensor Placement in Water Networks | 2564 |
| Scalable High-Performance Heuristics for Sensor Placement in Water Distribution Networks | 2577 |
| Use of Continuous Recording Water-Quality Monitoring Equipment for Conducting Water-Distribution System Tracer Tests: The Good, the Bad, and the Ugly | 2589 |
| Using Multi-Node Computers for Assesssing Flow and Transport at the Waste Isolation Pilot Plant, Carlsbad, NM | 2591 |
| Alaska Highway Construction | 2603 |
| The Columbia Basin Project- Its History and Future | 2614 |
| The Early History of Wastewater Treatment and Disinfection | 2616 |
| What Was the First University to Grant Environmental Engineering Degrees? Touhill,C. Joseph | 2623 |
| Antibiotic Resistance Analysis of Enterococci in Chester Creek | 2634 |
| Applicationof the AC/TC Bacterial Ratio for Watershed Quality Management of Stormwater Introduced Pathogens | 2641 |
| Arsenic (V) sorption on crab shell based chitosan | 2647 |

| Awwa Research Foundation Overview: Desalination, Salinity and Concentrate Management, and Future Research Plans | 2654 |
|---------------------------------------------------------------------------------------------------------------------------------|------|
| Biosorption of Pb(II) onto Citrus Pectin: Effect of Process Parameters on Metal Binding Equilibrium and Kinetics Balaria,Ankit | 2660 |
| Bubble Entrainment and Distribution in a Model Spillway with Application to TDG Minimization | 2669 |
| Bureau of Reclamation Activities and Research in Concentrate Management Irvine,Scott | 2681 |
| Characterization of Lead Dust Emissions at a Recreational Firing Ranges Duggan, John | 2690 |
| Clay Permeability Changes Flexible Wall Permeameter & Environmental Scanning Electron Microscope Selvam,Arun | 2695 |
| Climate Change and Human Health: Infrastructure Impacts to Small Remote Communities in the North Warren, John | 2701 |
| Concentrate Management: Status of the Joint Water Reuse & DesalinationTask Force Research Program | 2713 |
| Delay between Sensing and Response in Water Contamination Events Bristow,Elizabeth | 2724 |
| Detection and Control of Combined Sewer Overflow Events Using Embedded Sensor Network Technology Talley, Jeffrey | 2736 |
| Enhancing Oxygen Transfer in Subsurface-Flow Constructed Wetlands | 2748 |
| The Environmental Impact of Cruise Ships | 2760 |
| Estimating Urban Landscape Evapotranspiration | 2772 |
| Evaluation of Point-of-Use and Centralized Treatment Systems for Arsenic Removal in Small Drinking Water Systems in Alaska | 2782 |
| EWRI Task Committee Efforts on Establishing Concentrate Management Guidelines for Desalination and Water Reuse Hightower,Mike | 2790 |
| Field Comparison of Optical and Clark Cell Dissolved-Oxygen Sensors Fulford, Janice | 2797 |
| Getting to Zero Waste Wisconsin's Efforts to Minimize Global Climate Change Brachman, Steve | 2804 |
| Greenhouse Gas (GHG) Emissions From Publicly Owned Treatment Works (POTWs) and Innovative Abatement Technologies A Review | 2811 |

| Greenhouse Gases And Animal Agri Ritter, William | iculture: Extent Of Problem And Controls | 2820 |
|-------------------------------------------------------------|----------------------------------------------------------|------|
| | d methyl ester profiles of indicator organisms acking | 2829 |
| · · · · · · · · · · · · · · · · · · · | ronmental Studies Based On Surface Feature | 2836 |
| | potranspiration Landfill Cover for Use in Cold | 2848 |
| Implementing New Air Quality Stand Martin,F. Jason | lards for Incinerators | 2859 |
| A laboratory study of sediment phos Isazadeh, Siavash | sphorus flux in The Latian Dam Reservoir | 2866 |
| Managing Mosquitoes in Stormwater Metzger, Marco | r Treatment Devices | 2874 |
| Surface Water Management for Floor Hettiarachchi, Suresh | d Damage Reduction | 2887 |
| | Acid Yellow 17 Dye in a Semi-batch Bubble | 2906 |
| Mosquito Production from Storm Wa Kaufman, Michael G. | ater Catchment Systems in Michigan | 2915 |
| | wo-phase flow downstream of spillways for | 2923 |
| | ion for Sorting Source and Age of Fecal | 2935 |
| Three Cold-Region Locations | nspiration Landfill Cover Performance at | 2940 |
| A Py-GC/MS Investigation of Dissolv Seelen, Sarah | ved Organic Matter and DBPs | 2948 |
| Sizing UV Disinfection Systems for V Jones, Douglas | Water Reuse | 2957 |
| Soil-Lead Contamination Screening Marin, Maria | Tool | 2967 |
| | neral Quarries and Review of Innovative | 2977 |
| Storm Event Monitoring in the Great | Smoky Mountains National Park | 2982 |

| Sustainable and Climate Sensitive Hydrologic Design and Management of Hydrosystems | 2992 |
|-------------------------------------------------------------------------------------------------------------------------------------------|------|
| Teegavarapu,Ramesh | |
| Southeast Area Water Program Initiatives | 3003 |
| Voluntary Emission Reductions at a 300 MGD Municipal Wastewater Treatment Plant | 3008 |
| Henning,Thomas | |
| Abstract 7880 – Water Resources/Environmental Engineering Ethics | 3015 |
| The application of fuzzy system with recursive least squares method to mid and long-term runoff forecast | 3017 |
| A Dynamic Programming for Searching Rule Curves | 3025 |
| Evaluation of Advanced Genetic Algorithms Applied to Groundwater Remediation Design | 3034 |
| Expert Knowledge in Long-Term Groundwater Monitoring Optimization Process: The Interactive Genetic Algorithm Perspective Babbar, Meghna | 3043 |
| Hybrid Evolutionary Search Methods for Training an Artificial Neural Network Bekele, Elias | 3055 |
| The impact of objective function formulations on the optimal calibration of QUAL2E | 3065 |
| Aksoy,Aysegul | |
| Integrating Ecological Flow Regimes in Water Resources Management Using Multiobjective Analysis | 3071 |
| Interactive Genetic Algorithm for Inverse Groundwater Modeling | 3081 |
| Multiobjective Tools and Strategies for Calibrating Integrated Models Tang, Yong | 3093 |
| Optimal Groundwater Remediation Design Using Trust Region Based Meta- models within a Genetic Algorithm | 3103 |
| Optimal Load Allocations by Linkage of Evolutionary Optimization Algorithms with Inductive Models of Watershed Response | 3115 |
| Salient Issues in Comparing Performance of Multi-Objective Evolutionary Algorithms Kollat, Joshua | 3126 |
| Stochastic- Lagrangian Model (SLAM) for NAPL Remediation | 3136 |
| Stream Flowrate Forecasting using Genetic Programming Model in a Semi-arid Coastal Region | 3147 |

| Two-Dimensional Modeling of Tidally Induced Groundwater Level Fluctuations Hemmings, Isabelle | 3159 |
|-----------------------------------------------------------------------------------------------------------------------------------------|------|
| Using Sequential-Self Calibration Method to Identify Conductivity Distribution: Conditioning On Tracer Test | 3170 |
| Analysis of the Primal and Dual Problem for Long-Term Groundwater Monitoring Spatial Optimization | 3188 |
| Volume 6 | |
| Analytical Tools for Modeling Natural Attenuation Processes at Chlorinated Solvent Contaminated Sites | 3199 |
| Aquifer Parameters in Confined Porous Media Tyagi, Avdhesh | 3208 |
| Carbon Capture and Sequestration Options for Power Sector | 3212 |
| Comparison of Multi-Objective Evolutionary Algorithms for Long-Term Monitoring Design Kollat, Joshua | 3223 |
| Conjunctive Use of Surface and Groundwater Resources with Emphasis on Water Quality Karamouz, Mohammad | 3234 |
| Cost-Effective Sampling (CES) of Groundwater Monitoring Wells: A Data Review and Frequency Evaluation | 3246 |
| Development of a Remediation Optimization Model for Fort Ord Site OU2 Beckford, Omar | 3255 |
| Development of Novel Tracer Techniques for Better Understanding of Karst Transport Characteristics and Surface Water Influences | 3267 |
| Direct Electrolytic Reduction of Energetic Compounds (hexahydro-1,3,5-trinitro-1,3,5-triazine and 2,4,6-trinitrotoluene) in Groundwater | 3273 |
| Efficient Data Management Strategies for Large MODFLOW Models | 3285 |
| An Efficient Method for Assessing Uncertainty in Forecast of Computationally Intensive Groundwater Models | 3293 |
| Field experiments in transport of pesticides in tropical soils in Hawaii | 3301 |
| Groundwater Quantity and Quality Management: A Case Study of Kashan Aquifer, Central Iran | 3311 |
| Identification of Principal Directions of Anisotropy in Porous Media Neupauer,Roseanna | 3321 |

| Impact of Sea Level Rise on Saltwater Intrusion in Coastal Aquifers Tyagi,Avdhesh | 3333 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Improving site characterization and classifying attenuation processes using microbiological profiles, geochemistry, and artificial neural networks from landfill-leachate contaminated groundwater | 3345 |
| Investigation of Permeability Upscaling Experiments Using Deterministic Modeling and Monte Carlo Analysis Lowry,Thomas | 3353 |
| Management Alternatives for River-Alluvial Groundwater Supply Systems | 3361 |
| Modeling of Redox Zonation Downgradient of Landfill Sites | 3373 |
| Monitored Natural Attenuation and Enhanced Attenuation for Chlorinated Solvent Plumes - It's All About Balance | 3385 |
| Numerical Simulation of Saltwater Intrusion in Response to Sea-Level Rise | 3397 |
| Optimizing Long-Term Monitoring at BP Sites Using Multi-Objective Optimization Minsker, Barbara | 3405 |
| On Prior Parameter Structure Investigation to Parameter Uncertainty Tsai,Frank | 3410 |
| A Process-Based Transfer Function Approach to Model Tile Drain Hydrographs | 3422 |
| Stormwater runoff supplied to subsurface infiltration areas for groundwater recharge, Dane County, Wisconsin | 3434 |
| Transport of selected pesticides in Hawaii soils: Results from laboratory column experiments Ray,Chittaranjan | 3446 |
| French Drains To Mitigate Groundwater In Residential Areas | 3454 |
| Long-term groundwater behaviour in a fractured basalt aquifer with stochastic rainfall input under existing and future climate | 3466 |
| Identifying Optimal Sampling Design for Monitoring Multiple Contaminants under Uncertain Hydrogeology | 3478 |
| Impacts of sea-level rise on groundwater environment in coastal areas: Laboratory experiments, numerical analyses, and a case study in Turkey Fujinawa,Katsuyuki | 3483 |
| Method for Evaluating Groundwater Contaminant Plume Stability | 3490 |
| Recycling effects on TN and TP mass removal rates in a full-scale subsurface flow constructed wetland | 3498 |

| Analysis and Design of Infiltration Seawater Intakes | 3504 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Applicability and Experimental Verification of A Dam-Break Flood and Sediment Transport Model Tsai, Christina | 3516 |
| Application of acoustic Doppler current profilers for measuring three- dimensional flow fields and as a surrogate measurement of bedload transport | 3526 |
| Application of the Upwind Scheme to the Discontinuous Flow in Natural River | 3536 |
| Applications of 3D Hydrodynamic and Particle Tracking Models in the San Francisco Bay-Delta Estuary | 3547 |
| Applying the Energy-Momentum Method to Radial Gate Discharge Calibration | 3555 |
| Abutment Collar As a Scour Countermeasure in Compound Channels | 3565 |
| Burial of Short Cylinders Induced by Scour and Bedforms under Waves plus Currents Catano, Yovanni | 3577 |
| Calibration of Bulk Aquifer Parameters of Regional Models Using Hydraulic Disturbances Lal, Wasantha | 3589 |
| CFD Modeling of Spillway Performance Gessler, Daniel | 3600 |
| Characterization of particle cluster bedforms in mountain streams Strom,Kyle | 3610 |
| Coherent structures in a channel with groyne fields: A numerical investigation using LES | 3622 |
| Dam Break Flood Routing using HEC-RAS and NWS-FLDWAV | 3634 |
| Dam Break Modeling for Tandem Reservoirs - a Case Study using HEC-RAS and HEC-HMS Goodell, Christopher | 3643 |
| Design for Fish Passage at Bridges and Culverts | 3654 |
| Determining The 2-D Surface Velocity Field Around Hydraulic Structures With The Use Of A Large Scale Particle Image Velocimetry (LSPIV) Technique | 3664 |
| A Direct Solution to Normal Depth in Open Channels | 3676 |
| Dynamics of Sediment Release in a Hypereutrophic Lake | 3683 |
| Earth Dam Overtopping and Breach Outflow Temple,Darrel | 3695 |

| Effect of Channel Bed Corrugation on Hydraulic Jumps | 3703 |
|------------------------------------------------------------------------------------------------------------------------------|------|
| Effects of Fluidization on the Sedimentation Process | 3712 |
| Estimating the Dispersion Coefficient with an Acoustic Doppler Current Profiler Carr, Meredith | 3718 |
| Evaluation of Oceanographic Microstructure Methods for Hydraulics Problems | 3728 |
| Flooding Analysis using HEC-RAS Zufelt, Jon | 3737 |
| Graphical User Interface for ADCP Uncertainty Analysis | 3743 |
| The Horseshoe Vortex System Around a Circular Bridge Pier on Equilibrium Scoured Bed | 3755 |
| Hydraulic Model Study of Delta-Mendota Canal | 3767 |
| Hydraulic Modeling Beyond HEC-RAS | 3777 |
| Impact of Converging Chute Walls for RCC Stepped Spillways Hunt, Sherry | 3786 |
| Improving Performance of Low-Head Labyrinth Weirs Tullis,Blake | 3798 |
| The Integrated Hydrologic Model: A Field-Scale Application | 3807 |
| Integrated Modeling and Hydraulic Engineering | 3820 |
| Investigation of Flood Hazards on Alluvial Floodplains | 3821 |
| Volume 7 | |
| Laboratory Evaluation of a Shallow-Water Acoustic Doppler Profiling Flowmeter | 3833 |
| Large Eddy Simulation and Reynolds Averaged Navier-Stokes Simulations of Flow in a Realistic Pump Intake: A Validation Study | 3845 |
| Management Practice for Erosion and Sediment Control | 3857 |
| Model Study of Lock Extension for J. T. Myers Locks and Dam, Ohio River Hite, John | 3860 |
| Modeling and Model Validation of Wind-Driven Circulation in Upper Klamath Lake, Oregon Cheng, Ralph | 3871 |
| Modeling Steep Channels with Lateral Inflow Stockstill, Richard | 3875 |

| Net Transfer of Sediment from Floodplain to Channel on Three Southern U.S. Rivers | 3881 |
|-------------------------------------------------------------------------------------------------------|------|
| Lauer,J. | |
| Noncohesive sediment transport modeling with multiple size classes James, Scott C. | 3893 |
| Numerical Modeling of the Phosphorus Cycle in a Shallow Oxbow Lake | 3905 |
| Numerical Simulation of In-Stream Sediment Capture Structures | 3917 |
| Numerical Simulation of the Flow in Black Lake, Alaska | 3928 |
| Peeking Over the Computational Horizon: Numerical Simulation of a Swimming Fish | 3940 |
| Hotchkiss,Rollin | |
| Radar Stage Uncertainty Fulford, Janice | 3951 |
| Recent Development in Hydraulic Design of Power Plant Cooling Water Intake | |
| Structures | 3962 |
| Results of Near-Term Forecasting of Surface Water Supplies | 3974 |
| Stochastic GA-based Optimization Model for River Water Quality Management | 3986 |
| Rough Wall Flow Using K-OMEGA Turbulence model in FLUENT | 3998 |
| Scaling Dispersion Model for Pollutant Transport in Natural Rivers Deng,Zhi-Qiang | 4010 |
| Scour in non cohesive soil due to the impact of jet spillway out of ski jump | 4021 |
| Sediment Investigation and Stable Channel Design for the Lower Mud River Teal, Martin | 4032 |
| Sediment Transport Modeling in HEC-RAS Brunner, Gary | 4044 |
| Simple Methods for Energy Dissipation at Culvert Outlets Hotchkiss, Rollin | 4056 |
| Spur Dikes As an Abutment Scour Countermeasure | 4068 |
| Study on Turbidity Outflow Problems at the Shimokodori Dam | 4080 |
| A Systematic Procedure for Flow Model Verification and Validation Wang, Sam | 4092 |
| Task Committee on Experimental Uncertainty and Measurement Errors in Hydraulic Engineering: An Update | 4102 |

| Tests of Capability and Reliability of a Model Simulating Coastal Processes Ding, Yan | 4113 |
|--------------------------------------------------------------------------------------------------------------------------------|------|
| Two-dimensional Model Simulation of Local Scour Around Bridge Piers Duan, Jennifer G. | 4125 |
| Uncertainty of Index-Velocity Measurements at Culverts | 4137 |
| Validation of a 3D RANS Model to Predict Flow and Stratification Effects in River Dam Forebays Haque, Md. Manjurul | 4146 |
| Velocity and Suspended-Sediment Measurements Over Mobile Sand Dunes in a Laboratory Flume | 4158 |
| Velocity Profile Characteristics in Open Channel Flow over Two?Dimensional Dunes with Small Relative Submergence | 4170 |
| Analysis of ENSO impacts in Southwest Virginia | 4181 |
| Analysis of Streamflow Trends in the Upper Midwest Using Long-Term Flow Records | 4190 |
| Analysis of the Relations between Climatic Variability and Groundwater Level Variations in Wisconsin, USAGhanbari, Reza Namdar | 4202 |
| Application of DSPM and HEC-HMS in the Upper Red River of the North Basin Watershed Modeling | 4212 |
| Automated Hydrologic and Hydraulic Modeling Wallace, Robert | 4224 |
| Bayesian Spectral Analysis of Climatic and Hydrologic Time Series | 4232 |
| Climate change and feedbacks from vegetation succession: evidence from long- term ecological research sites | 4243 |
| Climate Change Impacts on Missouri River Basin Water Yields: the Influence of Temporal Scales | 4252 |
| Climate Change in Texas: Fact or Fiction | 4262 |
| Climate Impacts on Inland Navigation | 4274 |
| Climate Variability and Ecosystem Response: Concept Transfer from Natural to Agricultural and Hydrological Systems | 4282 |
| Climatic Aspects of Water Supply Planning | 4294 |

| Climatology of Extreme Precipitation at Long Term Ecological Research Sites | 4306 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Coupling of PnET-II3SL and SWAT for Modeling the Combined Effects of Forests and Agriculture on Water Availability | 4316 |
| Decision Support for Water Planning: the ZeroNet Water-Energy Initiative | 4326 |
| A Decision-Support-System for Integrated Water and Land Management in Agriculture-Dominated Watersheds: A conceptual study to Faria watershed, Palestine | 4337 |
| Jarrar,Ammar | |
| Distributed Modeling of Extreme Floods on Large Watersheds England, John | 4348 |
| Effect of Soil Condition on Channel Transmission Loss During Ephemeral Flow Events – Part 2 | 4360 |
| England, Jr., John F | 4300 |
| The effect of urbanization-induced rainfall variability on hydrologic response: linking mesoscale meteorological model output to an urban watershed model | 4370 |
| ENSO Impacts on Taiwans Water Supply | 4381 |
| Evaluating Effects of Climate Change on Source water Quality of Lake Cachuma, California Drago, Joseph | 4390 |
| Evaluating uncertainty in regional hydrologic impacts of climate change using different global models: A California case study | 4401 |
| Flood Peaks Distribution in a Tide Affected River Basin | 4408 |
| Flood Risk under Current and Future Climate Scenarios in Auckland City (New Zealand) Dayananda,KG | 4420 |
| Increasing HSPF Model Performance by Improving FTABLEs: Case Studies on the Illinois River Basin | 4422 |
| Interdecadal and Interannual Oceanic / Atmospheric Variability and United States Seasonal Streamflow Tootle, Glenn | 4432 |
| Long Range Forecast of Streamflow Using Support Vector Machine | 4442 |
| Modeling response of soil erosion and runoff to changes in precipitation and cover | 4451 |
| Nearing,Mark | |
| An Overview of Hydrology and Water Resources Studies on Climate Change: the California Experience | 4462 |

Volume 8

| Paired watershed study of land-use and climate change impact on small streams Schade, Trent | 4474 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Policies, Directions and Political Dynamics in the Future of Water Resources Management in the Midwest Clark, Gary | 4484 |
| Potential Effects of Climate Change and Variability on the Surface Water Resources of the Upper Midwest | 4493 |
| Quickbird Satellite Imagery for Riparian Management: Characterizing Riparian Filter Strips and Detecting Concentrated Flow in an Agricultural Watershed | 4503 |
| Regional Rainfall Frequency Analysis Based on Generalized Logistic Model Heo,Jun-Haeng | 4515 |
| Risk Analysis Methods for Water Resources Studies | 4527 |
| Software Integration for Watershed Studies: Hydrologic Engineering Center's Watershed Analysis Tool (HEC-WAT) | 4539 |
| Trends in Precipitation, Runoff, and In Channel Vegetation on the USDA-ARS Walnut Gulch Experimental Watershed Nichols, Mary | 4551 |
| Use of Radar-Based Precipitation Estimates for Runoff Prediction | N/A |
| Watershed Modeling for Mining Impacts in the Muskeg River Basin in Northern Alberta, Canada | 4560 |
| Effectiveness of High Resolution GCM Simulation For Water Resources Prediction in Korea Jeong, Chang Sam | 4572 |
| Intra- to Multi-Decadal Terrestrial Precipitation Regimes at the end of the 20th Century | 4581 |
| The LP3 Distribution and Its Use for Flood Frequency Analysis | 4593 |
| Agreements and Questions on Water Apportionment in the St. Mary and Milk Rivers | 4605 |
| Changing Policies in the U.S. Mexico Border Region: Effects on Water, Wastewater and Other Environmental Projects Under the Expanded Border Definition | 4612 |
| Killgore,Mark Devastation of the Indus River Delta | 4618 |
| Drought Frequency Analysis and Prediction in Sonora, Mexico | 4630 |

| Enviromental problem of drainage congestion in Mahanadi Delta, India: case study of a remedial direct cut | 4639 |
|----------------------------------------------------------------------------------------------------------------------------|------|
| Evaluation of Water Sector Performance: A Case Study Zahraie,Banafsheh | 4652 |
| Irrigation Adaptation to Changing Water Supply: Palestine as a Case Study Haddad,Marwan | 4664 |
| Regional Climate Change Impact Perspective on the Future Particulate C-N-P Flux in the Indo-Tibetan Brahmaputra Basin | 4676 |
| Small Island States in Indian and Atlantic Oceans: Vulnerability to Climate Change and Strategies for Adaptation | 4692 |
| Socio-economic devastation of Orissa Coast India, caused by unprecedented sea level rise during October 1999 super cyclone | 4704 |
| WEAP as a participatory tool for shared vision planning in the River Njoro Watershed in Kenya Jenkins, Marion W. | 4717 |
| Adapting to irrigation water scarcity due to climate change in eastern England | 4730 |
| An advisory service for regulated deficit irrigation | 4736 |
| Assessing Irrigation-Induced Selenium and Iron in the Lower Arkansas River Valley in Colorado Donnelly,Joseph | 4745 |
| Can Irrigation Scheduling Improve the Yield/Consumptive Use Ratio? | 4757 |
| Combining a River Basin Network Flow Model and Artificial Neural Networks for Salinity Control in an Irrigated Valley | 4769 |
| Concepts in Deficit Irrigation: Defining a Basis for Effective Management | 4781 |
| Considerations for the Design and Installation of SDI Systems in Humid Areas | 4789 |
| Cotton, Corn and Peanut Yield Under Subsurface Drip Irrigation | 4801 |
| Critical Management Issues When Using SDI in Humid Areas | 4811 |
| Downstream Response of Runoff, Sediment, and Phosphorous to Spatial Variations in Conservation Practice Implementation | 4823 |
| Drainage Challenges in Developing North Natomas Basin in Sacramento, California | 4833 |

| Enhancing Evapotranspiration Prediction to Improve Regional and Local Estimates of Agricultural Consumptive Water Use in Florida | 4842 |
|----------------------------------------------------------------------------------------------------------------------------------|------|
| Estimating Cotton Crop Water Use from Multispectral Aerial Imagery, 2003 Fitzgerald, Glenn | 4851 |
| Estimating Spatially Distributed Cotton Crop Water Use from Thermal Infrared Aerial Imagery French,Andrew | 4864 |
| Evaporation from American Falls Reservoir in Idaho via a Combination of Bowen Ratio and Eddy Covariance | 4875 |
| Evapotranspiration and Crop Water Productivity: Making Sense of the Yield-ET Relationship | 4892 |
| Evapotranspiration of Turfgrass Located Adjacent to a Fallow Desert Soil: A Quantitative Assessment of the | 4903 |
| Feasibility of Water Management Strategies for the Declining Ogallala Aquifer | 4914 |
| Field studies of water requirements for rice production and the effect on water quality Vories, Earl | 4922 |
| Genetic Programming of Crops to Sustain or Increase Yields under Reduced Irrigation | 4931 |
| Global Mapping of the Moisture Availability Index: Using the World Water and Climate Atlas | 4939 |
| EWRI World Water and Environmental Resource Congress Impacts of Global Climate Change | 4948 |
| Impact of Agricultural Water Conservation on Water Availability | 4958 |
| Impact of Net Radiation Estimation in Accurate Determination of Reference Evapotranspiration in Central Florida | 4972 |
| The Imperial Irrigation Decision Support System - Evolution from Project Planning to Operations | 4984 |
| Implementation of FAO-56 Penman-Monteith Evapotranspiration in a Large Scale Irrigation Scheduling Program | 4996 |
| Irrigation mangement in an irrigation district of the Veneto Region: a case study in the Berici Hills | 5007 |
| Landscape and turf irrigation auditing for small communities Thomas, Daniel | 5018 |

| Lysimetric evaluation of single- and two-source energy balance models for alfalfa, grain sorghum, and cotton in the Southern High Plains | 5029 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Microclimate Corrections for Urban Landscape Evapotranspiration | 5042 |
| Mini-Irrigation Technologies for Smallholders | 5051 |
| Nitrogen, phosphorus and salt transfers at the landscape scale in the Upper Klamath Basin of Oregon and California | 5063 |
| Penman-Monteith Estimates of Reservoir Evaporation Jensen, Marvin | 5075 |
| Volume 9 | |
| Policies to Address Asymmetric Externalities in Groundwater Extraction: The Case of Cherokee Strip in Butte County, California | 5099 |
| Recent Great Lakes Evaporation Model Estimates | 5149 |
| Regulated Deficit Irrigation to Optimize Water Application in a Commercial Viognier Vineyard Ortega-Farias, Samuel | 5160 |
| Remotely Sensed ET Computed bt SEBAL-Implications for Water Resource Planning in California Thoreson,Bryan | 5168 |
| A review of evaporation research on Japanese lakes | 5179 |
| Satellite-based Evapotranspiration by Energy Balance for Western States Water Management Allen,Richard | 5189 |
| SDI for Conserving Water in Corn Production | 5207 |
| Site selection for subsurface drip irrigation systems in the humid region | 5219 |
| Stochastic Net Profit-Water Functions: Assessing Changes in Irrigation Needs and Farm Profits to Public Policy and Climate Variability Brumbelow,Kelly | 5230 |
| Strategies for Attenuating Hypoxia in the Lower San Joaquin River, California | 5240 |
| Technologies to Minimize Water Quality Impacts of Irrigated Agriculture | 5244 |
| Water Quality Issues And Nutrient Management In The Nanticoke Watershed | 5251 |
| Alameda Creek Flood Control and Wetland Restoration Project | 5258 |

| Shields,Doug | |
|---------------------------------------------------------------------------------------------------|---------------------------|
| Assessment of In-stream Processes in Urban Streams of Sediment Total Maximum Daily Loads | |
| Channel-Forming Discharge and Hydraulic Geometry W Meanding Sand-Bed Rivers Copeland,Ronald | |
| Channel-Forming Flow: Representations and Variability Soar, Philip | / |
| Depth-Averaged Velocity in Channels with Submerged Vegetation Wilkerson, Gregory | |
| Design Discharge Procedures in the STREAM Spreadsh Ward, A. D. | neet Tools |
| Design Discharges As Described in the Draft Usda Nrcs Design Guide | |
| Design Discharges for Arroyos in an Urban Setting Mussetter,Robert | |
| Developing a Regional Engineering Model for Ecosyste Cheng, Hwai-Ping | m Restoration |
| Difficulties of Identifying Design Discharges in Steep, C in the Arid Southwestern United States | |
| Ecosystem-Based Restoration of the Illinois River: Systand Restoration Goals and Alternatives | |
| Effects of Bendway Weir Characteristics on Resulting F Thornton, Christopher | Flow Conditions |
| The Effects of Relative Submergence on Cluster Forma Streams | |
| Kramer, Casey | |
| Enhancement of Stage Monitoring Network in the Floric Pathak, Chandra | da Everglades |
| Wood | |
| The flooding and drying cycles in rain-fed seasonal me Loaiciga, Hugo | adows, central California |
| A Guidance Manual for Restoring Streams through Fish Diversions | |
| How Well Do the Rosgen Classification and Associated Simon, Andrew | |

| Hydrodynamic Investigation of Upper Mississippi River Freshwater Mussel Habitats | 5469 |
|------------------------------------------------------------------------------------------------------------------------------------|------|
| Young,Nathan | |
| Hydrologic and Hydraulic Considerations for the Ecological Restoration of the Emiquon along the Illinois River | 5481 |
| Hyporheic and Total Storage Exchange in Small Sand-Bed Streams Stofleth, John | 5493 |
| The Influence of Successional Development on Periphyton Scour Resistance | 5505 |
| Investigation of the Excavation, Transport and Beneficial Use of Illinois River Dredged Material Marlin, John | 5516 |
| A Laboratory Study of the Effects of Groyne Height on Sediment Behavior in Rivers | 5528 |
| Modeling the Impact of Riparian Buffer Systems on Bank Stability of an Incised Stream Langendoen, Eddy | 5540 |
| An Improved Model to Quantify Root-Reinforcement in Streambanks Using Fiber-Bundle Theory Pollen,Natasha | 5552 |
| One Wetland at a Time | 5564 |
| Overview of the Performance Optimization of the Everglades Construction Project Stormwater Treatment Area No. 3/4 Otis, Stephanie | 5573 |
| Physical Habitat Assessment and Historical Water Quality Analysis on the White River, South Dakota | 5584 |
| A Process-Based Ecological Model for River Network Management | 5596 |
| Rapid Stream Assessments of the Illinois River Watershed | 5607 |
| Rootwads and Stone Deflectors - 1 Year Later | 5619 |
| Situation and Prospect of Urban Stream Restortion in Korea | 5629 |
| Stream Restoration Design Using Sediment Transport Modeling and Risk Assessment Niezgoda, Sue L. | 5641 |
| Suspended-Sediment Transport Rates and Recurrence Intervals at the Effective Discharge | 5651 |
| Urban Stream Design for Ecological Services Restoration | 5663 |

| Water Management in Iraq - Capability Restoration and Implications for Historic Marsh Restoration | 5670 |
|---------------------------------------------------------------------------------------------------------------|------|
| Davis,Darryl | |
| Wetland Conversion on Agricultural Lands in the Northwest | 5679 |
| Analyzing Copper Plumbing Pipe Failures | 5688 |
| A GA LP Approach to Water Distribution Systems Optimal Design | 5695 |
| Impact of Sensor Performance on Protecting Water Distribution Systems from Contamination Events McKenna,Sean | 5701 |
| Reliable Optimal Design and Operation of Multiquality Networks: Unsteady Conditions Ostfeld,Avi | 5713 |
| Water Distribution Network Operational Optimization by Maximizing the Pressure Uniformity at Service Nodes | 5721 |
| Author Index | |