

The Institute of Electro-Optical Engineering

11th OptoElectronics and Communications Conference 2006

July 3 – 7, 2006
Kaohsiung, Taiwan, ROC

Volume 1 of 2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

ISBN: 978-1-60423-695-8

The Institute of Electro-Optical Engineering

11th OptoElectronics and
Communications Conference
2006

TABLE OF CONTENTS

VOLUME 1

Organic/inorganic light emitting diode

4A1-1 Gallium nitride-based emitters and detectors	1
4A1-2 The development of phosphor-free white-light light-emitting diodes	3
4A1-3 Luminance enhancement of organic light-emitting devices by microlens film attachment	5
4A1-4 High-mobility and air-stable organic thin-film transistor deposited under room-temperature	7

Nonlinear photonic signal processing

4B1-1 Carbon nanotubes for functional photonic devices	9
4B1-2 Filter-free wavelength converter using sagnac loop and brillouin selective optical carrier-rejection technique	11
4B1-3 Enhancement of the nonlinear polarization rotation in InGaAlAs multiple- quantum-well electro-absorption modulators	13
4B1-4 All optical analog-to-digital conversion by polarization modulation using nonlinear effect	15

THz and microwave

4C1-1 Terahertz gain in bulk semiconductors and superlattices	17
4C1-2 High-frequency surface acoustic wave devices based on AlGaIn/GaN/Al ₂ O ₃ multilayered structure	19
4C1-3 The cladding layers effects on the microwave propagation in p-i-n waveguide	21
4C1-4 Lightwave-microwave mixing performance of dual heterojunction pseudomorphic HEMT	N/A
4C1-5 On creating phantom resonance at targeted optical frequencies	23

Transmission fibers and systems

4D1-1 Effects of moisture and thermal shock on mechanical behaviour of silica optical fibres	25
4D1-2 Novel technique for measuring the relative-index difference of the fiber links by using OTDR	27
4D1-3 A novel method for evaluating fiber splice loss by monitoring leaked light power at the splicing worksite	29
4D1-4 Effect of cable structure on polarization mode dispersion in optical fiber ribbon cables	31
4D1-5 Reduction of temperature increase by longitudinal diffusion in bent hole- assisted fiber	33
4D1-6 The impact of receiver imperfections on the PMD-limited DPSK systems	35

TDM-PON

4E1-1 On TDM transport over passive optical network.....	37
4E1-2 Identification fibers with individually assigned brillouin frequency shifts for fault location in passive optical networks	39
4E1-3 Reconfigurable fibre-wireless networks using dynamic wavelength routing	41
4E1-4 Demonstration of 90 km reach GE-PON system accommodating 64 ONUs	43
Plenary 1.....	44
Plenary 2.....	46
Plenary 3.....	48
4E1-5 Upgrade scheme from TDM-PON to WDM-overlaid-PON	50

Transmission technologies

4F1-1 Long haul transoceanic transmission systems	52
4F1-2 10-Gb/s optical duo-binary DWDM transmission without dispersion compensation using low-dispersion-slope NZDSF (LS-NZDSF)	55
4F1-3 Experimental comparison of modulation format and multiplexing scheme for 12.5-GHz-spaced Nx10.7Gb/s WDM long-distance transmission	57
4F1-4 Performance enhancement on high-speed CWDM system by using offset-launch and DFE.....	59
4F1-5 Simultaneous improvement on Two 10-Gb/s channels with directly modulated lasers	61

Liquid crystal displays and devices

4A2-1 The best multi-domain VA mode for LCD TV	63
4A2-2 Photo-addressable bistable reflective liquid crystal display.....	64
4A2-3 Sixth-wave plates as thin film compensators for liquid crystal displays	66
4A2-4 Phototunable cholesteric liquid crystal cells with novel chiral dopants.....	68
4A2-5 Effects of rubbing strenght on contact angle of the liquid crystal on rubbed PVA thin film	70

Novel photonic materials and devices

4B2-1 All optical control of photonic crystal nanocavities	72
4B2-2 Si photonics	N/A
4B2-3 Chromaticity of inhomogeneous broadening effect on $\text{CaSr}_{1-x}\text{Al}_2\text{O}_4:\text{Eu}^{2+}$ phosphors.....	74
4B2-4 LiNbO_3 thin film on a sapphire substrate for nanometer-scale optical functional devices	76
4B2-5 The structural characteristics of InGaN/GaN multiple quantum wells observed by transmission electron microscopy.....	78
4B2-6 Accurate evaluation of APD noise characteristics for quantum cryptosystems.....	80

VCSEL

4C2-1 Coherent 2-dimensional arrays of photonic crystal vertical cavity lasers.....	82
4C2-2 Reduction of nonlinear distortion in quantum-dot vertical cavity surface emitting laser by light injection technique.....	85
4C2-3 Single mode InGaAs photonic crystal vertical-cavity surface-emitting lasers emitting at 1170nm	87

4C2-4 Investigation of sub-monolayer QD VCSELs in extended temperature range.....	89
4C2-5 Single mode InGaAs sub-monolayer quantum-dot photonic-crystal VCSELs	91
4C2-6 Polarization-switching VCSELs for dual-channel communications	93
4C2-7 Carrier relaxation study in an InGaN thin film with indium-rich nano-cluster structures	95

Fiber nonlinearities

4D2-1 Multi-wavelength nonlinear optical loop mirror with suppressed four-wave mixing components.....	97
4D2-2 Supercontinuum generation in a 1.37 μm zero-dispersion single-mode fiber pumped by nano-second optical pulses	99
4D2-3 Enhanced method for zero-dispersion wavelength mapping using two-pump optical parametric amplifier.....	101
4D2-4 All-fiber optical manchester coding using 2-m of bismuth-based highly nonlinear fiber	103
4D2-5 Single-frequency Brillouin lasing using single-mode As ₂ Se ₃ chalcogenide fiber	105
4D2-6 Optimization for fiber wavelength exchange with zero-dispersion wavelength fluctuations	107
4D2-7 Raman effect on parallel and orthogonal wavelength exchange.....	109
4D2-8 Nonlinear empirical equations for various single mode optical fibers	111

Signaling in PONs

4E2-1 Experimental demonstration of static and dynamic control of light-trail networks	113
4E2-2 Optical link reconfiguration with wavelength selectable OADMs in optical IP networks	115
4E2-3 Performance analysis of electronic-CDMA signaling in WDM packet networks	117
4E2-4 Current spreading of GaN light-emitting diodes using plasma treatment.....	119
4E2-5 First bi-directional, ultra long reach COF-PON	121
4E2-6 Jitter performance of cascaded remote-repeater-based FTTP systems	123
4E2-7 A high performance OBS metro ring networks for studying superior FDL length under guard-time effectiveness	125
4E2-8 IP over baseband DWDM and SDM	127

Ultra high speed transmission

4F2-1 Single channel transmission beyond 1 Tbit/s: technology and challenges.....	129
4F2-2 Optoelectronic time-division demultiplexing of 160-Gbit/s signal based on phase modulation and spectral filtering.....	131
4F2-3 160-Gb/s optical switching using a nonlinearity-enhanced highly-nonlinear fiber	133
4F2-4 Study of dispersion tolerance and its improvement in ultra-high speed optical fiber transmission	135
4F2-5 Ultra-high speed field demonstration using JGN II testbed	137

Organic light emitting diode

5A1-1 Electromagnetic modeling of OLEDs and its applications to advanced OLEDs	140
--	-----

5A1-2 Highly-bright white organic light-emitting diode	142
5A1-3 Influence of hole blocking layer on the electrical and optical characteristics of blue organic light-emitting diodes	144
5A1-4 High efficiency white organic light-emitting diodes with a single emissive layer	146
5A1-5 High efficiency white organic light-emitting devices	148

Optical MEMS and grating fabrication

5B1-1 Dynamic crosstalk of 3D-MEMS-based optical cross-connect switch and its reduction technique.....	150
5B1-2 Integration of micro-mirror array in silica-based planar lightwave circuit.....	152
5B1-3 Double-cavity micromachined filter with electrical actuation	154
5B1-4 Coupling efficiency control of vertically coupled microring resonator filter by micro-actuator	156
5B1-5 Fabrication and evaluation of large-coupling si bragg gratings on SOI rib waveguides employed by deep-RIE	158
5B1-6 Fabrication of high aspect ratio periodical structure on polymer using a micro-molding process	160

Optical buffer

5C1-1 Optical and electrical control of slow light in quantum-well and quantum- dot semiconductor devices	162
5C1-2 Optical buffering for next-generation routers	164
5C1-3 Modulation-doped inGaAlAs/inP semiconductor optical amplifier structures with high refractive index change at wavelength 1.55 μm	166
5C1-4 Low cost 10Gb/s CWDM DFB lasers	168

Fiber gratings and application

5D1-1 UWB-IR pulse generation method based on optical signal processing	170
5D1-2 Rectangular short pulse generation using linearly chirped fiber bragg gratings	172
5D1-3 Novel tunable dispersion controller for tunable pulse repetition-rate multiplication	174
5D1-4 New long period fiber gratings using screw.....	176
5D1-5 Birefringence reduction on superstructure FBGs	178

New laser source

5E1-1 A simple measurement method of α -factor in semiconductor lasers operating above threshold by injection locking.....	180
5E1-2 Photonic crystal lasers in inGaAsP on a SiO ₂ /si substrate	182
5E1-3 Low threshold membrane BH-DFB lasers using surface corrugation structure	184
5E1-4 GaInAsP/InP long-wavelength membrane BH-DFB lasers directly bonded on SOI substrate.....	186
5E1-5 Dynamic optical field analysis for self-pulsating two-section DFB lasers	188
5E1-6 All-solid-state quasi-white-light laser	190

Optical devices for WDM networks

5F1-1 Two-section DFB lasers and applications as wavelength converters and clock sources	192
---	-----

5F1-2 An AR coated double contact fabry-perot laser diode for lasing wavelength tuning	194
5F1-3 Dynamic range of cross-polarization modulation based multicast wavelength converters.....	196
5F1-4 Comparison of SPM and XPM suppression in 10-Gb/s WDM transmission systems.....	198
5F1-5 New WDM network architecture using multi-stage AWGs and its verification by the WTM method	200

Display components

5A2-1 Trend on flat panel display technology development	202
5A2-2 Photonic pre-processing of optical labels by multiwavelength sampling in an electro-absorption modulator.....	203
5A2-3 Three port fiber-optic red, green, blue to white color combiner	205
5A2-4 2-dimension optical trap lattice generated by DMD-DLP.....	207

Planar-lightwave-circuit technologies I

5B2-1 Recent progress on optical signal processing devices based on planar lightwave circuit technology	209
5B2-2 Compact arrayed-waveguide grating using low-refractive index material filled trenches.....	211
5B2-3 Low loss polysilane single-mode 1×N splitters with spot-size conversion circuits.....	213
5B2-4 A Y-junction polymer optical waveguide interleaver	215
5B2-5 Flat-passband arrayed waveguide grating employing cascaded Mach-Zehnder interferometers	217

E-O signal

5C2-1 Recent advances in electro-optical signal processing technology	N/A
5C2-2 Bi-directional module with a thermoplastic WDM lens	219
5C2-3 Realization of all-optical multi-functional logic gates by using cross gain modulation of semiconductor optical amplifiers.....	221
5C2-4 Demonstration of a high-speed GaAs-AlGaAs based untraveling carrier photodiode with improved design of absorption layer	223
5C2-5 High-speed electroabsorption modulator by two-step-undercut-wet-etching for above 40GHz application	225

Photonic crystal fibers

5D2-1 Interfacing to photonic crystal fibers	227
5D2-2 Applications of microstructured polymer optical fibers	229
5D2-3 Novel ultra broad-band rejection filter based on periodic micro-tapers in a holey fiber	231
5D2-4 Photonic crystal fiber couplers with air hole remaining taper region for wavelength-flattened characteristics	233

WDM-PON

5E2-1 WDM PON for next-generation optical broadband access networks	235
5E2-2 A survivable WDM passive optical network with colorless optical network units	238

5E2-3 A novel WDM-TDM passive optical network with video broadcasting capability using a reflective semiconductor optical amplifier	240
5E2-4 Synchronization stability of mutually coupled systems: a general discussion	242
5E2-5 A novel neural network model for path selection in optical networks	244

Nonlinear issues

5F2-1 Signal transition dependency of SPM effect in optical carrier-suppressed SSB transmission	246
5F2-2 Impact of polarization-mode dispersion and fiber nonlinearities on four-wave mixing efficiency	248
5F2-3 Temporal profile of nonlinear phase noise	250
5F2-4 Analysis of XPM on dispersion-managed WDM RZ-DPSK transmission	252
5F2-5 Performance improvement for NRZ transmission through bit-synchronous phase modulation	254

Planar-lightwave-circuit technologies II

5B3-1 Y. J. Chen, UMBC	N/A
5B3-2 Monolithically integrated 20-channel optical switch / VOA/ tap coupler array module on silica-based PLC	256
5B3-3 Widely tunable metal long-period waveguide grating filter	258
5B3-4 variable optical mode generator in a multimode waveguide	260
5B3-5 Step-width multimode-interference optical-waveguide coupler of $K = 0.15$	262

Pulse generation

5C3-1 High-power multi-10-GHz passively modelocked lasers	264
5C3-2 Real-time characterization of intensity and phase modulators at 10GHz using linear spectrographic techniques	266
5C3-3 Multi-wavelength ring laser using highly nonlinear semiconductor optical amplifier	268
5C3-4 S,C,L-band tunable pulse train generation by using a single SOA-based wavelength converter	270
5C3-5 Proposal of novel patterning effect controlling method by adjusting power and wavelength of assist light for all-optical delayed-interferometric switch using SOA	272

Photonic crystal fibers and fiber analysis

5D3-1 Multi-core photonic band-gap fiber splitters based on highly-selective non-proximity resonant coupling	274
5D3-2 Dispersion control in hexagonal-lattice photonic crystal fibers (H-PCFs)	276
5D3-3 Dispersion-flattened square-lattice photonic crystal fibers (S-PCFs)	278
5D3-4 Power splitting analysis of 3x3 photonic crystal fiber coupler	280
5D3-5 New approach for designing depressed inner cladding fibers	282

Optical switching and multiplexing in networks

5E3-1 A single-fiber self-healing CWDM metro access ring network for broadcast and dedicated broadband services	284
5E3-2 Estimation of crosstalk in holographic optical interconnection with shift-phase code multiplexing	286

5E3-3 An admission control for long-lived and short-lived flows in an optical hybrid switch	288
5E3-4 Multi-wavelength ethernet PON with RSOA based upstream modulators	290
5E3-5 Functional verification of synchronized control system for multimedia presentation in FTTH era.....	292
5E3-6 Design of a multi-slot optical code division multiple access system with hybrid system application	294

Advanced modulation format I

5F3-1 Modulation formats for optical burst mode detection	296
5F3-2 PMD- and dispersion-tolerance of RZ-QPSK homodyne detection using a polarization-multiplexed pilot carrier	298
5F3-3 Tolerance of misalignment between ASK and DQPSK modulation in ASK/DQPSK orthogonal modulation systems	300
5F3-4 Comparison of the chromatic dispersion penalty for PSK and DPSK signals.....	302
5F3-5 Optical filtering tolerances of 42.8-Gbit/s RZ-DQPSK modulation.....	304

Passive photonic modules

5B4-1 Semi-leaky optical isolator fabricated by surface activation wafer bonding	306
5B4-2 Low sidelobe AOTF with a new SAW guide	308
5B4-3 A sagnac interferometer based flat-top birefringent interleaver using ring cavity.....	310
5B4-4 A polarizer chip based on CMOS Cu-interconnect for optical telecommunications	312
5B4-5 Novel design of nonreciprocal phase shift optical isolators for wideband operation.....	314
5B4-6 Durability analysis of LC connector latch reliability based on stress-strain hysteresis energy density modeling	316
5B4-7 Fabrication of voltage-controllable light channel using liquid crystal with refractive index anisotropy.....	318

ZnO and nitrides

5C4-1 Investigation of optical properties of ZnO nanorods grown at low temperature	320
5C4-2 Room-temperature ultraviolet ZnO laser	322
5C4-3 Thermal degradation investigations for indium zinc oxide films prepared by radio frequency magnetron cosputtering.....	324
5C4-4 Characterization and theoretical modeling of light extraction enhancement in GaN photonic crystal light emitting diodes	326
5C4-5 Structural and morphological properties of InN large dots grown by atmospheric-pressure metalorganic chemical vapor deposition	328
5C4-6 Improvement of external extraction efficiency in GaN-based LED by using a SiO ₂ nano-mask.....	330
5C4-7 Contributions of sidewall illumination and current spreading to the light emission of InGaN/GaN light emitting diode arrays	332
5C4-8 High efficiency InGaN light emitting diodes with inclined undercut structure	334

Fiber sensors

5D4-1 Precision shape measurement using interferometrically interrogated Bragg grating sensors inscribed in multicore fiber	336
---	-----

5D4-2 Multiplexing of fiber-optic extrinsic Fabry-Perot interferometric sensors.....	N/A
5D4-3 Application of multiwavelength Raman fiber laser to long distance simultaneous measurement of strain and temperature	338
5D4-4 Optical fiber distributed sensor for localizing heating position using a multichannel grating	340
5D4-5 Small displacement sensing using the high cladding mode coupling loss of fiber Bragg grating	342

OBS and MPLS

5E4-1 OPSINET-II: An optical packet-switched IP-over-WDM network.....	344
5E4-2 Field experiment on photonic dynamic path networks with optical burst switching	346
5E4-3 All-optical time domain label separation by SOA-MZI self-switching scheme	348
5E4-4 Dynamic compensation control by GMPLS-plus	350
5E4-5 GMPLS-controlled all-optical WDM network demonstration using various optical switching nodes for 10Gb/s and 40Gb/s signals.....	352
5E4-6 Traffic-driven distributed LSP control for MPLS / GMPLS multi-layer networks	354
5E4-7 Traffic aggregation design & the supporting function for customer-owned optical IP networks	356

Advanced modulation format II

5F4-1 Generation and procession of 40Gbit/s advanced modulation format signals.....	358
5F4-2 Duobinary differential continuous-phase modulation format for optical communications.....	360
5F4-3 Analysis of modified duobinary RZ signal generation techniques, transmission and characteristics	362
5F4-4 Modulation format comparison for 40 Gb/s upgrade over existing 10 Gb/s DWDM systems at 50-GHz channel spacing	364
5F4-5 Performance of soliton DPSK signals	366
5F4-6 Impact of pulse duty cycle and fiber dispersion in long-haul RZ-DPSK transmission.....	368

Active photonic modules

6B1-1 Three-wavelength optical transceiver module for GE-PON using silicon bench-based PLC hybrid integration	370
6B1-2 10 Gbps x 4-channel optical polymer waveguide modules with pluggable package for consumer electronics.....	372
6B1-3 A modified TO-56 header for application of 10Gbps OSA package.....	374
6B1-4 High speed gain transient compensation.....	376
6B1-5 Low-cost fiber grating laser module package employing a hyperbolic fiber microlens	378
6B1-6 Simulation and experimental studies of gain modulation characteristics of semiconductor optical amplifier	380

QW lasers

6C1-1 Theoretical analyses of InGaAs/InAlAs FACQW compact and low-voltage switches	382
--	-----

6C1-2 High-performance InGaAsP lasers fabricated by Ion implantation induced QW intermixing	384
6C1-3 InP based white-light transverse junction light-emitting-diodes with record-wide(~580nm) optical bandwidth performance	386
6C1-4 High-power and high-efficiency 1.3-um super-luminescent diode for OCT.....	388
6C1-5 Raman determination of strain-stress release from MBE-grown lift-off In _x Ga _{1-x} As/GaAs heterostructures.....	390
6C1-6 Shape effects on optoelectronic properties of self-assembled InAs/GaAs quantum dots	392

VOLUME 2

Specialty fibers

6D1-1 Advances in poled fibre for novel fibre devices	394
6D1-2 Quasi-metallic photonic bandgap waveguide: hollow-core radially-chirped Bragg fiber	396
6D1-3 6-dB SBS threshold improved optical fiber compatible with standard SMF	398
6D1-4 SBS suppressed optical fiber employing partially Ge/F Co-doped core	400
6D1-5 Optimization of solution doping process for rare earth doped optical fiber fabrication	402

Next generation optical networks

6E1-1 Transmission medium of a next generation home network	404
6E1-2 Priority-based alternating routing for multiple classes of traffic in intelligent optical network.....	406
6E1-3 Experimental investigation of all-optical clock recovery in two-section DFB lasers	408
6E1-4 Dual-pass amplified reconfigurable optical add/drop multiplexer with 8.0 dB net gain.....	410
6E1-5 Lossless bessel-thompson filter by double series coupled microring resonator.....	412
6E1-6 Downstream transmission in a WDM passive optical network using a multiwavelength fiber ring laser source	414

Fiber devices and modules

6F1-1 A novel optoelectronic ferrule for optical interconnection modules	416
6F1-2 All-optical analog-to-digital conversion using optical delay line encoders	418
6F1-3 Micro-optic Mach-Zehnder inteferometric filter employing an optical plate with a periodic refractive index modulation	420
6F1-4 Horizontal Hemi-Frustum optical waveguide and its array fabrication for optical communication	422
6F1-5 Development of compact CPF module based on high-strength splicing and recoating technique	424
6F1-6 Spatial mode pattern generation using DMD along with ALP.....	426

Optical interconnection and photorefractive effects

6B2-1 Micro/nano-scale optical network:a new challenge for next generation	428
6B2-2 Interconnection module of optical image by using cross-polarized photorefractive four-wave mixing.....	430

6B2-3 All-optical logic gates using photorefractive two-wave mixing for two-dimensional information processing	432
6B2-4 Fabrication of photonic crystals by multi-exposure two-beam interference technique	434
6B2-5 Manipulation of recovery dynamics of photoreactive third-harmonic response in azo-copolymer thin films	436

Waveguides

6C2-1 Optical thin film for lithograph	438
6C2-2 Tunable laser with hollow waveguide distributed Bragg reflector.....	440
6C2-3 Study of integrated optical two-dimensional photonic bandgap sharp bend waveguide based on SOI waveguide	442
6C2-4 Multi-step wet etching for the fabrication of InGaAlAs/InGaAs/InP loop mirror and ring resonator	444

Specialty fibers

6D2-1 Power budget of side-spontaneous emissions of EDF evaluated with integrating sphere	446
6D2-2 Fabrication and performance of Cr-doped fibers by drawing tower	448
6D2-3 980 nm pump induced 800 nm upconversion in the double-clad Yb/Tm doped optical fiber	450
6D2-4 Development of a novel erbium-doped optical fiber incorporated with silicon nano-particles and its photoluminescence characteristics	N/A
6D2-5 400-nm-bandwidth emission from Cr-doped alumino-silicate fiber	452

Coding schemes for optical networks

6E2-1 Performance improvement with coherent DPSK-OCDMA system	454
6E2-2 Performance improvement of coherent OCDMA system using SSFBG encoder/decoder, code-shift-keying and balanced detection	456
6E2-3 Demonstration of 4-bit optical code conversion into 15-bit gold code at 10 Gbit/s by all-optical spread coding system for label recognition	458
6E2-4 Pilot-tone-based monitoring technique for DPSK systems.....	460
6E2-5 Optimal RZ modulation format for 40 Gb/s transmission systems	462

Optical burst networks

6F2-1 Virtual private networks over passive optical networks using subcarrier multiplexing	464
6F2-2 Service provisioning on survivable SONET/SDH networks with dual-ring interconnect	466
6F2-3 Feasibility analysis of LAUC-VF scheduling algorithm in OBS networks	468
6F2-4 Performance of low-delay burst transmission scheme for two-way based OBS networks.....	470
6F2-5 Burst overlap contention in FDL buffers and its resolution for an optical burst switching node	472
6F2-6 LLID-based VLAN services using logical group identification for EPONs	474

Fiber technologies and optical amplifiers

6B4-1 Looking forward optical fiber for communications	476
6B4-2 Stable new soliton bound states in mode-locked fiber lasers.....	478

6B4-3 Experimental investigation of gain transients in bi-directionally pumped raman amplifiers	480
6B4-4 Optical amplification characteristics of ti-diffused waveguides on erbium-doped LiNbO3 crystal	482
6B4-5 Near-infrared optical amplification by organic dye as active medium	484

WDM PON and analog transport

6C4-1 Challenges toward practical WDM PON.....	486
6C4-2 Highly redundant video delivery system in long-haul and dispersion-managed transmission system.....	488
6C4-3 Suppression of optical beat interference using gain-saturated RSOA in ONU for upstream WDM/SCM optical links.....	490
6C4-4 Carrier-to-interference ratio improvement for optical single sideband with carrier modulated signals in fiber-radio systems.....	492
6C4-5 A radio-on-DWDM transport system for PHS/VICS/ETC/SB applications	494

Fiber devices

6D4-1 Cladding-mode coupling in single-mode slab waveguides of varying curvature.....	496
6D4-2 High-cutoff-efficiency tunable short-pass fiber filter over 400 nm (1250 ~ 1650 nm) wavelength range	498
6D4-3 Complex frequency response of narrow-band optical filter measured by network analyzer.....	500
6D4-4 Fabrication and performance of asymmetric fiber microlenses using a single-step grinding technique.....	502
6D4-5 Coupling characteristics of the TEC fiber based on the Pb/Ge-codoped fiber	504
6D4-6 Core expansion of the Pb/Ge-codoped fiber by use of halogen lamps.....	506

Optical Networks and Application

1P-001 A study on optical label equalization for optical label swapping	508
1P-002 Fiber-optic true time-delay for 10-GHz planar phased array antennas	510
1P-003 Impact of input pump and signal powers on conversion performance of SOA FWM based wavelength converter	512
1P-004 Optical fiber acoustic hydrophone with a hybrid of mach-zehnder and sagnac interferometer.....	514
1P-005 Optimal placement of dispersion compensation unit in long-haul broadcast and selective DWDM passive optical networks.....	516
1P-006 A newly developed photonic switch fabric for bothway access communication.....	518
1P-007 Sensor applications in a next-generation home network.....	520
1P-008 Multiple-link failure recovery for survivable optical networks.....	522
1P-009 Timing in optical packet switching networks	524
1P-010 Experimental demonstration ofbit-rate-free OCDM system using SSFBG phase encoder and decoder	526
1P-011 Self-healing star-ring architecture for gigabit ethernet passive optical network	528
1P-012 Repeaterless transmission of directly modulated 10-Gb/s signal over 200 km using negative dispersion fiber	530
1P-013 Time-resolved optical beam induced current mapping of photonic device	532
1P-014 Demonstration of 1.25 Gb/s hybrid SMF and MMF transmission of a 1.5- μ m VCSEL.....	534

1P-015 Effectiveness of RSVP for the next generation home network applications.....	536
---	-----

Transmission System and Technologies

2P-001 Clock components in a nonreturn-to-zero signal generated by optical modulator.....	538
2P-002 Optical network unit robust for optical beat noise using reflective semiconductor optical amplifier in WDM/SCM-PON link.....	540
2P-003 All optical microwave filter using multiwavelength raman fiber ring laser.....	542
2P-004 HDTV/gigabit ethernet/CATV applications based on bidirectional hybrid DWDM-PON	544
2P-005 A bidirectional DWDM-PON based on VCSELs injection-locked technique and data comparator.....	546

Optical Fibers, Fiber Devices, and Optical Sensing

3P-001 Fast state of polarization changes induced by optical fiber handling at cable joints.....	548
3P-002 Microstructure analysis on the YAG core of Cr ⁴⁺ doped fiber amplifier	550
3P-003 Simply gain-flattened erbium fiber amplifier.....	552
3P-004 SOA-based switchable multiwavelength fiber ring laser using PM-interleaved sampled fiber grating	554
3P-005 Simultaneous measurement technique of the dispersion parameter and the length of an optical fiber based on a direct lasing mode detection	556
3P-006 Switchable multi-wavelength Er-doped fiber ring laser with few-mode fiber grating.....	558
3P-007 All-fiber wavelength-selective add/drop filter for CWDM by using long-period fiber gratings.....	560
3P-008 All fiber electro-optic modulation using a Sagnac fiber-loop with an internal twin-electrode fiber	562
3P-009 An analysis on depolarizer using polarization beam splitter loop structures.....	564
3P-010 All fiber electro-optic modulation using a polarimetric cell based on an internal twin-electrode fiber	566
3P-011 Simple technique for measuring Raman gain coefficient in optical fibers by using OTDR	568
3P-012 Robust numerical calculation of chromatic dispersion coefficients of optical fibers using chebyshev-lagrange interpolation polynomials	570
3P-013 Analysis of six-air-hole microstructured optical fibers with finite cladding	572
3P-014 The structure and properties of carbon films used as hermetical optical fiber coatings prepared by radio-frequency plasma enhanced chemical vapor deposition method with different hydrogen/methane ratio	574
3P-015 Exploration of time-clock modulation of light at twice its own frequency.....	576
3P-016 Analysis of the light propagation in the photonic crystal FIBR with compact 2D-FDTD method.....	578
3P-017 Novel pulsed doppler lidar technology with amplified reference beam storage.....	580

Optical Active/Passive Materials, Devices, and Modules

4P-001 A universal form for analyzing the three-layer kerr-like nonlinear optical waveguides.....	582
4P-002 Multi-channel wavelength division multiplexing using photonic crystal waveguide.....	584
4P-003 A new spectroscopy in hetero photonic crystals	586

4P-004 Proposal for DWDM applications in two-dimensional photonic crystals	588
4P-005 Wavelength switching in photonic crystal asymmetric mach-zehnder interferometers.....	590
4P-006 Temporal bifurcation of Brewster angles	592
4P-007 On making short-pitch periodic domain inversion on ferroelectric media using standing-laser-poling.....	594
4P-008 Optical interconnection with photorefractive connection module by using polymeric material.....	596
4P-009 Chiral thin films for optical filter application.....	598
4P-010 Characteristics improvement of C+L band EDFA by recycling the residual pump power	600
4P-011 Characteristics improvement of raman fiber amplifier by using signal/pump double pass scheme	602
4P-012 An X-Ray-LIGA-fabricated wavelength division multiplexer based on convave micrograting	604
4P-013 Automatic tracking optical coupler by using photorefractive material.....	606
4P-014 Number of multiplexed hologram in shift-phase code multiplexing	608
4P-015 Encryption technique using optical inverse filter for holographic memories.....	610
4P-016 Hybrid C+L band EDFA/raman fiber amplifer with shared 1480-nm pump laser	612
4P-017 A new approach of photonic crystal-based multi-channel wavelength division multiplexing performance improvement	614
4P-018 10-GHz dual-wavelength actively mode-Locked fiber ring laser stabilized by HNL-PCF	616
4P-019 Wavelength tunable Q-switched Er-doped fiber laser based on digital micro mirror array	618
4P-020 Multiwavelength generation in SOA-fiber ring laser using digital micro mirror array	620
4P-021 Singlemode 1 x 3 integrated optical branching circuit design using tapered directional coupler	622
4P-022 A wavelength-band selection grating using the frustrated-total-internal- reflection coupling structure.....	624
4P-023 Asymmetric ybranch waveguides with substrate prism	626
4P-024 Multiwavelength fiber laser based on multimode fiber bragg gratings using offset launch technique	628
4P-025 Photonic integration of InGaAs/InGaAsP laser using ion implantation induced quantum well intermixing	630
4P-026 Characterization of the newly designed bow tie-shaped nano-aperture	632
4P-027 Highly directional edge emission from a photonic-crystal waveguide structure.....	634
4P-028 Dilemmas of using the genetic algorithm in the design of diffractive optical elements.....	636
4P-029 Multiple-perturbation simulated annealing algorithm for diffractive optical elements	638
4P-030 Electro-magnetic MEMS actuator for variable optical attenuator applications.....	640
4P-031 Design of far-field implementation of near-field phase-shift patterns	642

Electro-Optical Semiconductor Materials, Devices, and Modules

5P-001 Bright luminescence and nonlinear absorption in I-VII semiconductor nanocrystals.....	644
5P-002 The technology of ellipsometry applied in the energy band gap of DSSC	646
5P-003 New blackbody light collectors for solar heaters	648
5P-004 Modified fresnel reflection for microwaves scattered from an interface- trapped lightwave.....	650

5P-005	Erbium doped silicon-on-insulator arrayed waveguide grating.....	652
5P-006	Optical recording characteristics of aluminum germanium nano-structures.....	654
5P-007	Characteristics of 850-nm InAlGaAs/AlGaAs vertical-cavity surface-emitting lasers with carrier blocking layer of various Al compositions.....	656
5P-008	Performance and analysis of electromagnetic susceptibility for a 2.5 Gbps optical transceiver module using carbon nanotubes	658
5P-009	The shielding effectiveness of the purified and unpurified carbon nanotubes/polymer composites.....	660
5P-010	High performance thin-film transistor with L-shaped block oxide	662
5P-011	Characterization of electrorefractive effect in GaAs/AlGaAs FACQW using heterodyne detection	664
5P-012	Forming nanorods InGaN-based LED structure through photoelectrochemical process	666
5P-013	Liquid contact luminescence study of many-body effects in semiconductor quantum wells	668
5P-014	Nearly white light from InGaN/GaN light- emitting diode grown with novel porous SiO ₂	670
5P-015	Blue chirped pulses generated by a self-seeding and gain-switching fabry-perot laser diode.....	672
5P-016	Analysis of second order gratings in grating-outcoupled surface-emitting lasers	674
5P-017	Studies of quantum-well intermixing process for InGaAs/InGaAsP multiple quantum wells	676

Optical Display Material, Devices, and System

6P-001	Near-white electroluminescence of PVK:MEH-BP-PPV blend	678
6P-002	Fiber-optic color combiner using a multimode air-clad holey fiber Coupler.....	680
6P-003	Erbium doped ZnO prepared by vapor-phase transport method.....	682
6P-004	The influence of rubbing conditions on the liquid crystal alignment	685
6P-005	A novel light pipe design based on scattering effect	687
6P-006	Microcavity effects on the optoelectronic characteristics of Tandem organic light emitting diodes	689
6P-007	Image quality evaluation of the fiber bundle using DMD-ALP	691
6P-008	Using tapered light Pipes with LEDs Array for illumination systems design.....	693
6P-009	Highly efficient of inverted OLED with N-doped electron injection layers.....	695
6P-010	Flexible substrate: novel arylene ether polymers	697
6P-011	Electric properties of indium-tin-oxide films deposited on flexible substrate at room temperature by RF magnetron sputtering	700
6P-012	Viscosity effect on the efficiency of inkjet printed film.....	702
6P-013	Study on the AZO transparent conductive thin film by pulse DC sputtering.....	704
6P-014	Innovative LED reflector to increase the illumination efficiency.....	706
6P-015	Novel emitters for OLED applications.....	710
6P-016	Polymer light emitting diodes devices based on polyfluorene containing Au nanoparticles	713
6P-017	The effect of cohost system on optical and electrical properties of white organic light emitting diodes	715
6P-018	Raman spectra crystallization characteristic analysis of excimer laser annealing si film with HREC method	717
6P-019	Color filters by metallic arrays.....	719
6P-020	Melt duration of excimer laser annealing si film with time-resolved optical reflection and transmission measurement.....	721

Emerging waveguide devices and applications

7B1-1 Fabrication of silica-based optical channel waveguide containing sampled grating by UV beam scanning	723
7B1-2 Reversal of UV sensitivity and loss reduction of SiON microring resonator by annealing	725
7B1-3 Fine observation of 3.3-micron CH ₄ absorption by efficient DFG using single-mode pump LD and QPM-LN waveguide	727
7B1-4 Novel tunable laser sources with cascaded DFB reflectors for multi-gas sensor applications	729
7B1-5 Temperature sensor using the spontaneous cut-off in a polymer-silica hybrid optical waveguide	731
7B1-6 Analysis and experiments of the excitation of surface plasmon resonance and plasmon coupled waveguide mode	733

Advanced technologies

7C1-1 Chromatic dispersion monitoring of CSRZ signal using extracted clock component	735
7C1-2 All-optical clock recovery using erbium-doped fiber ring laser incorporating an electro-absorption modulator and a linear optical amplifier	737
7C1-3 Reduction of gordon-mollenauer phase noise in dispersion-managed systems using spectral inversion	739
7C1-4 Patterning effect avoidance of SOA-based demultiplexer in 80-Gb/s OTDM system using RZ-DPSK modulation format	741
7C1-5 Spectrum-sliced WDM signals implemented with trellis-coding scheme	743

Fiber lasers

7D1-1 Gigabit soliton generation by means of moire grating and figure-8 fiber laser	745
7D1-2 Stabilization of a mode-locked er-doped fiber ring laser using an intracavity SOA	747
7D1-3 Fiber bragg grating based wavelength-spacing tunable erbium-doped fiber ring laser using degenerate four-wave mixing	749
7D1-4 Room temperature multiwavelength raman fiber laser using a few-mode fiber bragg grating	751
7D1-5 Polarization stable fiber lasers with sigma cavity	753

Theory and simulation of new photonic structures and devices

7B2-1 An analysis of one dimension graded-index photonic crystal	755
7B2-2 Multimode interference-based broad-band photonic crystal demultiplexers	757
7B2-3 Numerical study of MMI devices by complete EME technique	759
7B2-4 Visible photonic switching effect of a 2D ferromagnetic photonic crystal	761
7B2-5 Quantum mechanics simulation search of permanent microscopic dipoles for altering intrinsic brewster angles	763
7B2-6 Radiation of adiabatic dielectric tapered waveguides	765

Subsystems

7C2-1 10-Gbps experimental demonstration of high-speed switching node using EO beam-deflection switch	768
---	-----

7C2-2 Mode partition noise reduction of spectrally-sliced fabry-perot laser diode using gain-saturated semiconductor optical amplifier	770
7C2-3 Flatness compensation of WDM chips spectra by using backward-pumped fiber raman amplifiers	772
7C2-4 Simultaneous generation of DPSK and RF tone using a single DE-MZM for CD monitoring.....	774
7C2-5 Optimum filter design by a simple iterative method in the binary and duobinary NRZ systems	776

Fibers lasers and amplifiers

7D2-1 Comb filters and their applications for multiple wavelength fiber-SOA ring lasers	778
7D2-2 Multiwavelength peak power equalized lasers based on SOA using a sampled chirped fiber bragg grating	780
7D2-3 Maximum pump-signal four wave mixing generated power in a co-pumped distributed raman amplifier	782
7D2-4 Counter-pumped raman-mediated fiber optical parametric amplifiers	784
7D2-5 Gain and noise-figure measurement for optical amplifiers by using a broadband source and DWDM filters	786