

**2006 Optical Fiber
Communication Conference
National Fiber Optic Engineers
Conference**

Volume 1 of 6

**Anaheim, California
5-10 March 2006**

**IEEE Catalog Number: 06CH37816
ISBN: 1-55752-803-9**

Copyright © 2006 by The Optical Society of America

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republications permission, write to IEEE Copyrights Manager, IEEE Operations Center, 445 Hoes Lane, Piscataway, New Jersey USA 08854. All rights reserved.

IEEE Catalog Number: 06CH37816

ISBN: 1-55752-803-9

Additional Copies of This Publication Are Available from:

IEEE Service Center
445 Hoes Lane
Piscataway, NJ 08854

IEEE Service Center
445 Hoes Lane
Piscataway, NJ 08854

Phone: (800) 678-IEEE
(732) 981-1393

Fax: (732) 981-9667

E-mail: customer-service@ieee.org

Table of Contents

Slow Light in Bulk Materials and Optical Fibers	1
<i>Robert W. Boyd</i>	
Broad-bandwidth Brillouin slow light in optical fibers	16
<i>Miguel González Herráez, Kwang-Yong Song and Luc Thévenaz</i>	
Nonlinear Optical Fibers with Increased SBS Thresholds	19
<i>Scott Bickham, Andrey Kobayakov and Shenping Li</i>	
Fiber Designs for Reducing Stimulated Brillouin Scattering	22
<i>M.-J. Li, X. Chen, J. Wang, A. B. Ruffin, D.T. Walton, S. Li, D. A. Nolan, S. Gray, and L.A. Zenteno</i>	
Optical Demultiplexing of up to 200 Gb/s Data Employing Asymmetric Switching Pluses	25
<i>Jie Li, Anders Bernston and Gunnar Jacobsen</i>	
The Impact of Gating Timing Jitter on a 160 Gb/s Demultiplexer	28
<i>Darko Zibar, Leif K. Oxenlowe, Hans C. H. Mulvad, Jesper Mørk, Michael Galili, Anders T. Clausen, Palle Jeppesen</i>	
80+ GBit/s ETDM Systems Implementation: An overview of Current Technologies	31
<i>W S Lee</i>	
Clock extraction from 160-Gbit/s signal using optoelectronic phase-locked loop based on optical phase modulation and spectral filtering	34
<i>K. Igarashi, K. Katoh and K. Kikuchi</i>	
Demultiplexing 160/320 Gb/s to 40 Gb/s using a single SOA assisted by an optical filter	37
<i>E. Tangdiongga, Y. Liu, H. de Waardt, G.D. Khoe and H.J.S. Dorren</i>	
RSOA-based Optical Network Units for WDM-PON	40
<i>Cristina Arellano, Carlos Bock, Josep Prat and Klaus-Dieter Langer</i>	
Reducing the Backreflection Impact by Using Gain-Saturated SOA in WDM Single-fiber Loopback Access Networks	43
<i>Masamichi Fujiwara, Hiro Suzuki, and Katsumi Iwatsuki</i>	
Demonstration of a RSOA-based Wavelength Remodulation Scheme in 1.25 Gbit/s Bidirectional Hybrid WDM-TDM PON	46
<i>F. Payoux, P. Chanclou, T. Soret, N. Genay and R. Brenot</i>	
16 x 1.25 Gbit/s WDM-PON based on ASE-injected R-SOAs in 60 °C Temperature Range	49
<i>H.S. Shin, D.K. Jung, D.J. Shin, S.B. Park, J.S. Lee, I.K. Yun, S.W. Kim, Y.J. Oh and C.S. Shim</i>	
A Simple High-Speed WDM PON Utilizing a Centralized Supercontinuum Broadband Light Source for Colorless ONUs	52
<i>Bo Zhang, Chinlon Lin, Li Huo, Zhaoxin Wang, and Chun-Kit Chan</i>	
BER performance on access network using centralized light sources and single mode + multi mode fiber	55
<i>Jaedon Kim, S. S-H. Yam, David Gutierrez, and L. G. Kazovsky</i>	
Waveguide Amplifier Design and Integration	58
<i>S.V. Frolov</i>	
Waveguide Amplifier for All-Optical WDM Network	61
<i>T. Rogowski, S. Taccheo, J. Shmulovich and K. Ennser</i>	
Design and characterization of ultra-compact Er-doped waveguide amplifier based on bismuthate glass	64
<i>M.Ono, Y.Kondo, J.Kageyama, H.Hayashi, and N.Sugimoto</i>	
Waveguide amplifiers in sputtered films of Er³⁺-doped chalcogenide glass	67
<i>J. A. Frantz, L. B. Shaw, J. S. Sanghera, and I. D. Aggarwal</i>	
Transmission and Interactions of WDM Burst Signals in Cascaded EDFAs	70
<i>Andrew Lieu, Cechan Tian, and Takao Naito</i>	

Table of Contents

Recent Progress of Self-Assembled Quantum-Dot Optical Devices for Optical Telecommunication: Temperature- Insensitive 10 Gb/s Directly Modulated Lasers and 40 Gb/s Signal-Regenerative Amplifiers	73
<i>M. Sugawara, T. Akiyama, N. Hatori, M. Ishida, H. Ebe, T. Yamamoto, Y. Nakata, and Y. Arakawa</i>	
Advances in SiGe ICs for 40Gb/s signal equalization.....	76
<i>Hong Jiang and Ross Saunders</i>	
10Gb/s transmission over 300m OM3 fiber from 990- 1080nm with electronic dispersion compensation	79
<i>Y. Sun, M. E. Ali, K. Balearthy, R. L. Lingle Jr., S. E. Ralph and B. E. Lemoff</i>	
Experimental Results of EDC Based Receivers for 2400 ps/nm at 10.7 Gb/s for Emerging Telecom Standards.....	82
<i>Ali Ghiasi, Afshin Momtaz, Adil Dastur, Frank Chang, George Noh, Badri Gomatam, Edem Ibragimov, Abhijit Shanbhag, Oswin Schreiber, Eric Su, Keith Conroy, Ram Jambunathan and Jerry Wood</i>	
Receiver-side electronic dispersion compensation using passive optical field detection for low cost 10Gbit/s 600 kmreach applications.....	85
<i>A.D. Ellis, M.E. McCarthy</i>	
Application of Digital Equalization in Optical Transmission Systems	88
<i>A Faerbert</i>	
Silicon-Based Monolithic 4 4 Wavelength-Selective Cross Connect with On-Chip Micromirrors	91
<i>Chao-Hsi Chi, Jui-Che Tsai, Dooyoung Hah, Sagi Mathai, Ming-Chang M. Lee, and Ming C. Wu</i>	
Highly programmable Wavelength Selective Switch based on Liquid Crystal on Silicon switching elements	94
<i>Glenn Baxter, Steven Frisken, Dmitri Abakoumov, Hao Zhou, Ian Clarke, Andrew Bartos and Simon Poole</i>	
Four-Degree Hub Switch Module using Multi-Chip Planar Lightwave Circuit Integration Technology for Transparent ROADM Ring Interconnection	97
<i>T. Goh, M. Ishii, T. Mizuno, S. Kamei, I. Ogawa, H. Hirota, Y. Tamura, M. Kobayashi, M. Yanagisawa, S. Sohma, and A. Kaneko</i>	
Data Transmission through a 1014-Channel Two-Dimensional Array Wavelength Demultiplexer.....	100
<i>T. K. Chan, R. Jiang, N. Alic, S. Radic and J. E. Ford</i>	
A reconfigurable optical add-drop multiplexer architecture employing Opto-VLSI processing.....	103
<i>Chung-Kiak Poh, Kamal Alameh, and Zhenglin Wang</i>	
Compatibility of Flat-Passband, 200 GHz-Wide Wavelength-Selective Switch for 160 Gb/s Transmission Rates.....	106
<i>D. M. Marom, L. Möller, Y. Su, D. López, F. Pardo, F. Klemens, E. Bower, and E. Ferry</i>	
Design of multi-tier networks to support data-intensive applications.....	109
<i>Scott Davidow, Donald G. Duff, Brice T. Womack, Glenn J. Higgins, William C. Daus, Shujia Zhou, Elizabeth F. Martin</i>	
Multi-dimensional optical code processing in MPLS photonic routers	112
<i>G. Cincotti, M. Svaluto Moreolo, G. Manzacca, X. Wang, N. Wada and K.-I Kitayama</i>	
Waveband Switching Efficiency in WDM Networks: Analysis and Case Study.....	115
<i>Payam Torab, Virginia Huicheon, David Walters and Abdella Battou</i>	
A Generic Autonomous Clustering-Based Heterogeneous Waveband Switching Architecture in WDM Networks.....	118
<i>Mengke Li and Byrav Ramamurthy</i>	
40 Gbit/s Packet-Wavelength-Selective, Reconfigurable Optical Add/drop Multiplexing Using Label-Selectivity-Enhanced Optical En/Decoder and Wide-Passband AOTF	121
<i>Nobuyuki KATAOKA, Naoya WADA, Kyosuke SONE, Yasuhiko AOKI, Hiroshi MIYATA, Susumu KINOSHITA, Hideyuki MIYATA, Hiroshi ONAKA, and Ken-ichi KITAYAMA</i>	
Engineering Methodology for the Use of SOAs and CWDM Transmission in the Metro Network Environment.....	124
<i>N. Antoniadis, K.C. Reichmann, P.P. Iannone and A. M. Levine</i>	

Table of Contents

A Broadcast and Multicast-Enabled Switch Architecture Utilizing a Gateless Channel Selection Scheme.....	127
<i>Yong-Kee Yeo, Jianjun Yu and Gee-Kung Chang</i>	
Flexible FTTX Deployment using Segmented Ribbon and Bend Insensitive Fiber.....	130
<i>Patrick Van Vickle, Steve Stokes and George Mackie</i>	
The Use of Multi-Fiber Ferrules in FTTP Applications.....	137
<i>Dennis Knecht and James Luther</i>	
The Comparison and Evaluation of Textile Innerduct vs. Rigid Innerduct Installations and Applications	146
<i>John Hepfinger</i>	
Ribbon vs. Loose Tube Fiber Cabling.....	152
<i>Trevor Smith and Gary Bishop</i>	
SC/APC Fiber Optic Connectors Connected and Disconnected under High Optical Power.....	155
<i>Dimitrios Kokkinos, Costas Saravanos, Wendy Stanford, Wenjia Wang and Yan Hua</i>	
Laser Cleaving of Optical Connectors	161
<i>Joyce Kilmer, David C. Douglass, and Duane Dinkel</i>	
Transmission of 40 Gbps Signals through Metropolitan Networks Engineered for 10 Gbps Signals.....	170
<i>Mark Boduch, Ken Fisher, Oleg Leonov, James Grzyb, Ted Schmidt, Ross Saunders and Luc Ceuppens</i>	
Spectral Efficient Transmission of 40Gbps per Channel over 50GHz Spaced DWDM Systems using Optical Carrier Suppression, Separation and Optical Duobinary Modulation.....	173
<i>Lei Xu, Ting Wang, Arshad Chowdhury, Jianjun Yu, Gee-kung Chang, Kiyoshi Fukuchi, Toshiharu Ito</i>	
Field Measurements of PMD Using Four Common Measurement Techniques.....	183
<i>John W. Peters, Mustafa R Özgür, Osman S. Gebizliođlu and Douglas Teller</i>	
PMD Characterization of Installed Fiber Networks - Compromise Between Result Accuracy and Measurement Time.....	193
<i>A. Medeiros, S. Barcelos, E. Rigon, R. Rando, J. Seminario, M. Santos, R. Oliveira</i>	
Nonlinearity and dispersion control in small core lead silicate holey fibers by structured element stacking	199
<i>J.Y.Y. Leong, S. Asimakis, F. Poletti, P. Petropoulos, X. Feng, R.C. Moore, K.E. Frampton, T.M.Monro, H. Ebendorff-Heidepriem, W.H. Loh, and D.J. Richardson</i>	
Theory of adiabatic optical fiber and microfiber tapers	202
<i>M. Sumetsky</i>	
Nonlinearity enhancement of filled microstructured fibers operating in the nanowire regime	205
<i>Kris J. Rowland, Shahraam Afshar V. and Tanya M. Monro</i>	
Bi-doped silica fibers - a new active medium for tunable fiber lasers and broadband fiber amplifiers	208
<i>V.V. Dvoyrin, V.M. Mashinsky, E.M. Dianov, A.A. Umnikov, M.V. Yashkov, A.N. Guryanov</i>	
High nonlinearity Bismuth fibers and their applications.....	211
<i>T. Hasegawa, T. Nagashima, S.Ohara, and N. Sugimoto</i>	
Linear and Nonlinear Optical Properties of Single-Mode As₂Se₃ Chalcogenide Fiber.....	214
<i>Kazi S. Abedin</i>	
Silica-based highly nonlinear fiber with T =30/W/km and its FWM-based conversion efficiency.....	217
<i>Tetsuya Nakanishi, Masaaki Hirano, Toshiaki Okuno, and Masashi Onishi</i>	
High-Rate Photon-Efficient Laser Communications with Near Single Photon/bit Receiver Sensitivities	220
<i>D. O. Caplan, B. S. Robinson, M. L. Stevens, D. M. Boroson, and S. A. Hamilton</i>	
Digital Implementation of Soft Detection for 3-Chip-DBPSK with Improved Receiver Sensitivity and Dispersion Tolerance	223
<i>Xiang Liu</i>	
2-PSK Homodyne Receiver based on a Decision Driven Architecture and a Sub-Carrier Optical PLL.....	226
<i>Stefano Camatel, Valter Ferrero, and Pierluigi Poggiolini</i>	

Table of Contents

Coherent Detection of Phase-Shift Keying Signals Using Digital Carrier-Phase Estimation	229
<i>Kazuro Kikuchi</i>	
Phase Stabilisation of Coherent WDM Modulator Array.....	232
<i>T. Healy, F.C.Garcia Gunning, A.D. Ellis</i>	
10G-enabled Optical Network Architecture Directions for Video, Voice and Data: an MSO Perspective	235
<i>Bob Harris, and Bill Trubey</i>	
First experimental demonstration of combined multicast and unicast video streaming over an optical-label switching network.....	238
<i>Junqiang Hu, Zhong Pan, Zuqing Zhu, Haijun Yang, Venkatesh Akella, S. J. B. Yoo</i>	
Network design and cost analysis of optical VPNs.....	241
<i>Kostas N. Oikonomou, Rakesh K. Sinha</i>	
Secure Stealth Transmission over an Existing Public Fiber-Optical Network.....	244
<i>Bernard Wu and Evgenii Narimanov</i>	
Optical VPN in PON Using TDM-FDM Signal Format	247
<i>Yikai Su, Xiangqing Tian, Weisheng Hu, Lilin Yi, Peigang Hu, Yi Dong, and Hao He</i>	
Novel Optical Packet Switched Access Network Architecture	250
<i>Hiroshi Ueda, Toshinori Tsuboi, Hiroaki Kurokawa, Hiroyuki Kasai, Takumi Nomura</i>	
In-Band Quantum Key Distribution (QKD) on Fiber Populated by High-Speed Classical Data Channels.....	253
<i>Tiejun J. Xia, David Z. Chen, Glenn A. Wellbrock, Anton Zavrilyev, A. Craig Beal, and Keun M. Lee</i>	
An Experimental Analysis of Performance Fluctuations in High-Capacity Repeaterless WDM Systems	256
<i>B. Bakhshi, L. Richardson, E.A. Golovchenko, G. Mohs, and M. Manna</i>	
Mitigation of SPM Effect by using Manchester Code on Optical BPSK-SSB Transmission	259
<i>Katsumi Takano, Takashi Murakami, and Kiyoshi Nakagawa</i>	
Phase Conjugation for Increased System Robustness	262
<i>S.L. Jansen, D. van den Borne, G.D. Khoe, H. de Waardt, P.M. Krummrich, S. Spälter</i>	
A Fully Integrated Block Turbo Code FEC for 10 Gb/s Optical Communication Systems.....	265
<i>K. Ouchi, K. Kubo, T. Mizuochoi, Y. Miyata, H. Yoshida, H. Tagami, K. Shimizu, T. Kobayashi, K. Shimomura, K. Onohara and K. Motoshima</i>	
Suppression of Intrachannel Nonlinearities using BCJR Algorithm and Iterative Decoding	268
<i>Bane Vasic, Ivan B. Djordjevic, and Varsha S. Rao</i>	
Transient Gain Dynamics of Cascaded Erbium Doped Fiber Amplifiers with Re-configured Channel Loading.....	271
<i>D. C. Kilper, S. Chandrasekhar and C. A. White</i>	
Gain Reshaping Caused by Spectral Hole Burning in Long EDFA-based Transmission Links	274
<i>Dmitriy Kovsh, Stuart Abbott, Ekaterina Golovchenko, and Alexei Pilipetskii</i>	
Performance Enhancement of Raman-based Distributed Temperature Sensors using Simplex Codes	277
<i>G. Bolognini, J. Park, P. Kim, D. Lee, F. Di Pasquale, and N. Park</i>	
A novel strain- and temperature-sensing mechanism based on dynamic grating in polarization-maintaining erbium-doped fiber.....	280
<i>Xinyu Fan, Zuyuan He, and Kazuo Hotate</i>	
Frequency-shifted interferometer and its applications	283
<i>Bing Qi, Li Qian, Andrew Tausz, Yu Liu and Hoi-Kwong Lo</i>	
Fabrication of Micro-channels in Optical Fibers Using Femtosecond Laser Pulses and Selective Chemical Etching.....	286
<i>Y. Lai, K. Zhou, M. Dubov, L. Zhang, I. Bennion</i>	

Table of Contents

Experimental Demonstration of a Simple Time-of-flight Rangefinder Based on Semiconductor Optical Amplifier	289
<i>B.S.Gopalakrishnapillai, K.L.Lee, A.J. Lowery, M. Premaratne, S.Shinada, N.Wada, T.Miyazaki, A.Nirmalathas and C. Lim</i>	
Sensing an optical fiber surface by a microfiber with angstrom accuracy	292
<i>M. Sumetsky and Y. Dulashko</i>	
Distributed Brillouin Sensor Based on Brillouin Scattering for Structural Health Monitoring	295
<i>Xiaoyi Bao, Fabien Ravet, Lufan Zou</i>	
Wavelength- and Bandwidth-Tunable Filters Based on MEMS-actuated Microdisk Resonators »1 Input Port Through Port	298
<i>Jin Yao, Ming-Chang M. Lee, David Leuenberger and Ming C. Wu</i>	
All Fiber Dynamic Gain Equalizer Based on a Twisted Long Period Grating Written by High Frequency CO2 Laser Pulses	301
<i>T. Zhu and Y. J. Rao</i>	
SOI Technology for Microring Tunable Filters	304
<i>F. Giacometti, M. Gentili, M. Romagnoli, F. Cerrina</i>	
Hollow Waveguide Distributed Bragg Reflector for Widely Tunable Optical Devices Grating region	305
<i>Yasuki Sakurai, Hideaki Yamakawa, Yasushi Yokota, Akihiro Matsutani, Takahiro Sakaguchi and Fumio Koyama</i>	
Tunable optical add-drop multiplexer based on evanescent field coupling with long-period fiber gratings	308
<i>Young-Geun Han, Chang-Seok Kim and Sang Bae Lee</i>	
Tunable add/drop filter for CWDM system using cladding mode coupling assisted by long-period fiber gratings	311
<i>Myoung Jin Kim, Florence Y. M. Chan, Un-Chul Paek, and Byeong Ha Lee</i>	
Optical Tunable Asymmetric Interleaver	314
<i>Philip N. Ji, Arthur Dogariu, Lei Xu, Lei Zong, Ting Wang, Osamu Matsuda, Yuji Abe</i>	
A Novel Provisioning Framework for Dual-Node Interconnected SONET/SDH Rings	317
<i>Smita Rai, Lei Song, Biswanath Mukherjee, Ching-Fong Su and Takeo Hamada</i>	
An efficient scheduling scheme for on-demand lightpath reservations in reconfigurable WDM optical networks	320
<i>Xi Yang, Lu Shen, Ajay Todimala, Byrav Ramamurthy, Tom Lehman</i>	
Optical Multicasting and Full-mesh Wavelength-routing over Asymmetric Star Topology Network	323
<i>Osamu Moriwaki, Kazuto Noguchi, and Yoshihisa Sakai</i>	
Utilizing Path Diversity in Optical Packet Switched Interconnection Networks	326
<i>Assaf Shacham and Keren Bergman</i>	
Maximum Survivability under Multiple Failures	329
<i>Qingya She, Xiaodong Huang, and Jason P. Jue</i>	
On Protecting Dynamic Multicast Sessions in Survivable Mesh WDM Networks	332
<i>Hongbin Luo, Hongfang Yu, Lemin Li, and Sheng Wang</i>	
Exploiting Carrier Ethernet to Deliver Profitable New Services	335
<i>Enrique Hernandez-Valencia and Hector Menendez</i>	
Ethernet in the Other First Mile: North American Case Studies for IEEE 802.3ah in Applications Beyond FTTH	345
<i>Guy Swindell</i>	
Optical Network Architecture Choice for Ethernet Services - A CLEC's view	349
<i>Stevan E. Plote</i>	
High-Availability in Multipoint to Multipoint Ethernet for the Delivery of Triple Play Services	357
<i>Luis Aguirre-Torres and Gady Rosenfeld</i>	

Table of Contents

A Comparison of Optical Packet Switching Node Architectures based on Component Cost	363
<i>Ruth Van Caenegem, Didier Colle, Mario Pickavet, Piet Demeester</i>	
Progress in DWDM deployment in MCI's North American network	373
<i>D. L. Peterson Jr. and D. Pitchforth</i>	
Highly Reliable Ultra Long Haul Optical Transport Networks	376
<i>Chi-Hung Kelvin Chu, Mohcene Mezhoudi, Bohannon C. Jerome, Shirish N. Kher</i>	
Employing Slow Polarization Scrambling To Improve Performances For Ultra-Long Haul DWDM Systems	386
<i>Guodong Zhang, Pedro Meledina, Craig Sknolick, and Joseph T. Stango</i>	
Engineering and Planning Tool for an Ultra-Long-Haul Optical Mesh Transport System	392
<i>Sydney A. Taegar, Daniel A. Fishman, Diego L. Correa</i>	
Single Polarization Fibers and Applications	395
<i>Daniel A Nolan, Ming-Jun Li, Xin Chen and Joohyun Koh</i>	
Inelastic strain birefringence in optical fibers	398
<i>F. Dürr, H. G. Limberger, R. P. Salathé, A. D. Yablon</i>	
New Details of Spun Fibers Measured with an OFDR	401
<i>T. Geisler, P. Kristensen, O. Knop</i>	
Experimental validation of a method for low-PMD measurements	404
<i>Andrea Galtarossa, Luca Palmieri, Anna Pizzinat, Luca Schenato and Michele Guglielmucci</i>	
Spin Profiles Reconstruction in Low-PMD Fibers by Long Range Polarization-Sensitive Optical Coherence Tomography	407
<i>Maddalena Ferrario, Rudi Bratovich, Silvia M. Pietralunga, and Mario Martinelli</i>	
Polarization Properties of Photonic Crystal Fibers	410
<i>A. Petersson, J. Broeng, K. P. Hansen, M. D. Nielsen, H. R. Simonsen, C. Jakobsen, J. R. Folkenberg, T. Schreiber, F. Röser, O. Schmidt, J. Limpert, R. Iliew, F. Lederer, A. Tünnermann</i>	
Impact of Fiber Nonlinearities on Advanced Modulation Formats Using Electronic Pre-distortion	413
<i>R.-J. Essiambre and P. J. Winzer</i>	
Chromatic Dispersion Tolerance of Coherent Optical Communications Systems With Electrical Equalization	416
<i>B. Spinnler, P. M. Krummrich, E.-D. Schmidt</i>	
Electronic dispersion compensation by signal predistortion	419
<i>R. I. Killey, P. M. Watts, M. Glick and P. Bayvel</i>	
Unrepeated 20-Gbit/s QPSK Transmission over 200-km Standard Single-Mode Fiber Using Homodyne Detection and Digital Signal Processing for Dispersion Compensation	422
<i>Satoshi Tsukamoto, Kazuhiro Katoh and Kazuro Kikuchi</i>	
Mitigation of intra-channel nonlinear distortion in 42.7 Gb/s RZ transmission using a single chip optical equalizer	425
<i>V. Mikhailov, C. R. Doerr, L. L. Buhl, W. Lin, R. I. Killey and P. Bayvel</i>	
MLSE Receivers for Narrow-band Optical Filtering	428
<i>M. Rubsamen, P. J. Winzer and R.-J. Essiambre</i>	
Experimental Demonstration of 10 Gb/s NRZ Extended Dispersion-Limited Reach over 600km-SMF Link without Optical Dispersion Compensation	431
<i>N. Alic, G. C. Papen, R. E. Saperstein, R. Jiang, C. Marki, Y. Fainman and S. Radic</i>	
High-performance InP-based Optical Modulators	434
<i>Takayuki Yamanaka, Ken Tsuzuki, Nobuhiro Kikuchi, Eiichi Yamada, Yasuo Shibata, Hideki Fukano, Hiroki Nakajima, Yuichi Akage, and Hiroshi Yasaka</i>	
0.3 Vpp single-drive push-pull InP Mach-Zehnder modulator module for 43-Gbit/s systems	437
<i>K. Tsuzuki, K. Sano, N. Kikuchi, N. Kashio, E. Yamada, Y. Shibata, T. Ishibashi, M. Tokumitsu, H. Yasaka</i>	

Table of Contents

Dual-Depletion-Region Electro-Absorption Modulator at 1.55μm Wavelength for High-Speed and Low-Driving-Voltage Performance.....	440
<i>J.-W. Shi, A.-C. Shiao, C.-A. Hsieh, Y.-S. Wu, F.-H. Huang, S.-H. Chen, and J.-I. Chyi</i>	
70dB extinction-ratio LiNbO₃ optical intensity modulator for two-tone lightwave generation.....	443
<i>Tetsuya Kawanishi, Takahide Sakamoto, Masahiro Tsuchiya, Masayuki Izutsu, Shingo Mori and Kaoru Higuma</i>	
High Extinction Ratio Operation at 40-Gb/s Direct Modulation in 1.3-μm InGaAlAs-MQW RWG DFB Lasers.....	446
<i>K. Nakahara, T. Tsuchiya, T. Kitatani, K. Shinoda, T. Taniguchi, T. Kikawa, M. Aoki and M. Mukaikubo</i>	
Chirp Managed Laser (CML): A compact transmitter for dispersion tolerant 10Gb/s networking applications.....	449
<i>Daniel Mahgerefteh, Yasuhiro Matsui, Xueyan Zheng, Zhencan Frank Fan, Kevin McCallion, and Parviz Tayebati</i>	
A new technique for dynamic gain profile control in a multiwavelength backward-pumped discrete Raman amplifier.....	452
<i>Xiang Zhou and Martin Birk</i>	
OSNR Enhancement using a novel Pump-Wavelength Detuning Scheme for Forward-pumped Distributed Raman Amplification in a 40 Gb/s-based WDM in-line Amplifier Transmission System.....	455
<i>Takashi Kotanigawa, Hiroji Masuda, Toshiya Matsuda and Shinji Matsuoka</i>	
A New High-Power and Low-RIN Raman Pump Laser for Improved Performance in Long-Span Unrepeated WDM Transmission Systems.....	458
<i>G. Bolognini, S. Faralli, G. Sacchi, C. Cantini, F. Di Pasquale</i>	
Design of Gain-Flattened Highly Nonlinear Photonic Crystal Fiber Raman Amplifier Using a Single Pump: A Leakage Loss Approach.....	461
<i>Shailendra K. Varshney, K. Saitoh, T. Fujisawa, and M. Koshiba</i>	
Suppression of stimulated Raman scattering in a highpeak-power pulsed 1060 nm fiber MOPA source with purely single-mode output using W-type fiber.....	464
<i>J. K. Sahu, P. Dupriez, J. Kim, C. Codemard, J. Nilsson, and D. N. Payne</i>	
Backward Raman Amplification in Randomly-Birefringent and Spun Fibers.....	467
<i>A. Galtarossa, L. Palmieri, M. Santagiustina, L. Ursini</i>	
Silicon Based Lasers and Amplifiers via Stimulated Raman Scattering.....	470
<i>Haisheng Rong, Richard Jones, Ansheng Liu, Mario Paniccia, Oded Cohen and Dani Hak</i>	
Optical Parallel Processing Approach to All-order PMD Compensation.....	473
<i>A.M. Weiner, M. Akbulut, S.X. Wang and P.J. Miller</i>	
Compensation for PMD-induced time-variant waveform distortions in 43-Gbit/s NRZ transmission by ultra-wideband electrical equalizer module.....	476
<i>S.Wada, R. Ohhira, T. Ito, J. Yamazaki, Y. Amamiya, H. Takeshita, A. Noda and K. Fukuchi</i>	
All-fiber electrooptical polarization control.....	479
<i>O. Tarasenko, N. Myrén and W. Margulis</i>	
Effect of Nonlinearities on PMD System Degradations.....	482
<i>Magnus Karlsson and Henrik Sunnerud</i>	
Low Loss and Highly Reliable Polymer Optical Waveguides with Perfluorinated Dopant-free Core.....	485
<i>Yasuhiro Kuwana, Shotaro Takenobu, Kousuke Takayama, Shunsuke Yokotsuka and Shunichi Kodama</i>	
UV Written 2\times8 Optical Power Splitter for FTTH Applications.....	488
<i>Massimo Olivero and Mikael Svalgaard</i>	
Replicated Polymer Waveguides for Access Applications.....	491
<i>Y. Ishida, K. Hayamizu and H. Hosokawa</i>	
Low-biased microwave-photonic link using optical frequency or phase modulation and fiber-Bragg-grating discriminator.....	494
<i>Jinye Zhang and Thomas E. Darcie</i>	

Table of Contents

Radio-over-Fiber Distribution System with OEO Repeater for 3G Cellular Systems	497
<i>Kaoru Imai, Yukio Horiuchi and Noboru Edagawa</i>	
Subcarrier multiplexed signals: a tool for optical fiber system characterization.....	500
<i>M. R. Phillips</i>	
Proposal of RoF transmission system using 850 nm VCSEL and 1.3 mm SMF with low-frequency superposition technique.....	503
<i>Tsutomu Niiho, Koichi Masuda, Hiroyuki Sasai and Masaru Fuse</i>	
Full-Duplex 1Gbps 60GHz-band Radio-On-Fiber Access based on Loop-Back Optical Heterodyne Technique	506
<i>Tomohiro Taniguchi, Naoya Sakurai, Kiyomi Kumozaki and Takamasa Imai</i>	
60GHz Radio-on-Fiber Downlink Systems using Optically Injection-Locked Self-Oscillating Optoelectronic Mixers based on InP/InGaAs HPTs	509
<i>Jae-Young Kim, Jun-Hyuk Seo, Woo-Young Choi, Hideki Kamitsuna, Minoru Ida and Kenji Kurishima</i>	
Monolithic Vertical Integration of Metal-Oxide-Semiconductor Transistor with Subterranean Photonics in Silicon.....	512
<i>Tejaswi Indukuri, Prakash Koonath and Bahram Jalali</i>	
An optically pumped silicon evanescent laser operating continuous wave at 60 °C.....	515
<i>Hyundai Park, Alexander W. Fang, John E. Bowers, Richard Jones, Mario J. Paniccia and Oded Cohen</i>	
Multi-Frequency Laser Monolithically Integrating InGaAsP Gain Elements with Amorphous Silicon AWG	518
<i>M. H. Kwakernaak, W. K. Chan, N. Maley, H. Mohseni, L. Yang, D. R. Capewell, B. Kharas, V. Frantz, T. Mood, G. A. Pajer, D. A. Ackerman, J. G. Kim and D. H. Lee</i>	
Silicon impact-ionization multiplier for optical detection	521
<i>Hong-Wei Lee, Joshua L. Beutler, and Aaron R. Hawkins</i>	
Components for Quantum Cryptography	524
<i>H.Zbinden, G. Ribordy and D. Stucki</i>	
Effect of air hole size on transmission characteristics of fiber Bragg gratings written in holey fiber.....	527
<i>YoungJun Lee, Gil Hwan Kim, Young-Geun Han, Hyung Su Cho, Sang Bae Lee, Je-Myung Jeong, Chang Hyun Jeong, Chi Hwan Oh, Hee Jeon Kang</i>	
Brillouin suppression through longitudinal structural variation in high nonlinearity silica holey fibers	530
<i>F. Poletti, K. Furusawa, Z. Yussoff, P. Petropoulos, N. G. R. Broderick, T. M. Monro and D. J. Richardson</i>	
Brillouin scattering in optical fibers for high resolution wavelength and line width measurements	533
<i>K. U. Lauterbach and Th. Schneider</i>	
Investigation of fiber based gates for time division demultiplexing up to 640 Gbit/s	536
<i>V. Marembert, C. Schubert, C. Schmidt-Langhorst, M. Kroh, S. Ferber and H.G. Weber</i>	
Multimode Fiber enabling 40 Gbit/s multi-mode Transmission over Distances > 400 m.....	539
<i>P. Matthijsse, G. Kuyt, F. Gooijer, F. Achten, R. Freund, L. Molle, C. Caspar, Th. Rosin, D. Schmidt, A. Beling, Th. Eckhardt</i>	
Polarization-Independent OTDM Demultiplexer Based on a NOLM with a Polarization Diversity Loop	542
<i>Zhaoxin Wang, Li Huo, Chinlon Lin and Chun-Kit Chan</i>	
Cross-Polarization Modulation: theory and experiment of a multiple-wavelength system	545
<i>S. L. Woodward, M. R. Phillips, and Robin L. Smith</i>	
Probability Density Functions of Rotations in Loop-Synchronous Polarization Scrambling for Recirculating Loop Experiments.....	548
<i>L. Fomundam, J. Zweck, H. Xu, H. Jiao, and G.M. Carter</i>	
Optical frequency-domain modal dispersion measurement in multimode fibers using intermodal interferometer	551
<i>Tae-Jung Ahn, Suhei Moon, Soan Kim, Kyunghwan Oh, Dug Young Kim, Jens Kobelke, Kay Schuster and Johannes Kirchhof</i>	

Table of Contents

Differential mode delay analysis for a multimode optical fiber with Fourier-domain low-coherence interferometry	554
<i>J.Y. Lee, T-J. Ahn, S. Moon, Y. Jung, K. Oh, and D.Y. Kim</i>	
Fiber Strain Due to Spin during Draw	557
<i>J. W. Fleming</i>	
A Novel Fabrication Method of Versatile Holey Fibers with Low Bending Loss and Their Optical Characteristics	560
<i>Gil Hwan Kim, Young-Geun Han, Hung Su Cho, Sang Hyuck Kim, Sang Bae Lee, Kyung Shik Lee, Chang Hyun Jeong, Chi Hwan Oh, Hee Jeon Kang</i>	
Spinning-Induced Stress Distribution Affecting Beatlength in Constantly Spun Fibers	564
<i>Maddalena Ferrario, Silvia M. Pietralunga, Matteo Tacca, and Mario Martinelli</i>	
Fabrication of Cr-doped Fibers by Drawing Tower	567
<i>Yi-Chung Huang, Yu-Kuan Lu, Jian-Cheng Chen, Yi-Chen Hsu, Yu-Ming Huang, Huei-Min Yang, Maw-Tyan Sheen, Sheng-Lung Huang, Tao-Yuan Chang, and Wood-Hi Cheng</i>	
Negative Feedback Optical Amplifier Based on Cross-Gain Modulation in Erbium-doped Fiber Amplifiers	570
<i>Yoshinobu Maeda</i>	
Tunability of the gain spectrum in an erbium-doped fiber with depressed-cladding	573
<i>F. Poli, M. Foroni, A. Cucinotta, L. Ruggeri, L. Rosa, S. Selleri and P. Vavassori</i>	
An all-fiber low-noise hybrid Erbium-Brillouin amplified laser source	576
<i>Lilin Yi, Weisheng Hu, Yikai Su, Li Zhan, Zheng Zheng, Peigang Hu, Yi Dong, Ge Fan, Haigen Shen</i>	
50-nm Wavelength-Tunable Self-Oscillating Electro-Optic Frequency Comb Generator	579
<i>Takahide Sakamoto, Tetsuya Kawanishi, and Masayuki Izutsu</i>	
Stable multiwavelength actively mode-locked erbium-doped fiber ring laser based on distributed dispersion cavity	582
<i>Shilong Pan and Caiyun Lou</i>	
10 GHz actively mode-locked erbium-doped fiber ring laser using an electro-absorption modulator and a linear optical amplifier	585
<i>Lixin Xu, L. F. K. Lui, P. K. A. Wai, H. Y. Tam and M. S. Demokan</i>	
10GHz Dark-optical-comb Injection-Mode-Locked Semiconductor Optical Amplifier Fiber Laser with 400fs and 30nm Tunable Pulses	588
<i>Gong-Ru Lin and I-Hsiang Chiu</i>	
Transient Power Suppression in Raman Amplifier with Multi-Wavelength Pumping upon Channel Add drop	591
<i>Sun Hyok Chang, Hee Sang Chung, Kwangjoon Kim and Je Soo Ko</i>	
Hollow-Core Radially-Chirped Bragg Fiber for Quasi-Metallic Photonic Bandgap Light Confinement	594
<i>Michael C. Parker, Makiko Hisatomi and Stuart D. Walker</i>	
Stabilization of an Actively Mode-Locked Erbium-Doped Fiber Ring Laser by Multi-Harmonic Phase Modulation	597
<i>Jérôme Vasseur, Marc Hanna, John M. Dudley, Jianjun Yu, John R. Barry and Gee-Kung Chang</i>	
Distributed Raman Amplification on Fiber With Large Connector Losses	600
<i>Michael H. Eiselt</i>	
Efficient Generation of CW Supercontinuum in Optical Fiber Pumped by ASE Light	603
<i>Shenping Li, A. Boh Ruffin, and Dmitri V. Kuksenkov</i>	
Ultra-broadband near-infrared emission from Bi-doped lithium alumino silicate glasses for optical amplification	606
<i>Yasutake Ohishi and Takenobu Suzuki</i>	
Wavelength- and Width-Tunable Optical Pulses Generated from Four-Wave Mixing in a 35-cm Bismuth Oxide Highly Nonlinear Optical Fiber	609
<i>Mable Fok and Chester Shu</i>	

Table of Contents

Numerical and Experimental Study of an Alternate Multiwavelength Mode-Locked Fiber Ring Laser	612
<i>Jérôme Vasseur, Marc Hanna, John M. Dudley, Jianjun Yu, John R. Barry and Gee-Kung Chang</i>	
Novel spacing-tunable multiwavelength Raman fiber laser	615
<i>Xinyong Dong, P. Shum, C. C. Chan, and N. Q. Ngo</i>	
40 dB gain S-band depressed-cladding EDFA with double-pass configuration	618
<i>M. Foroni, L. Ruggeri, F. Poli, P. Gaboardi, A. Cucinotta, S. Selleri and P. Vavassori</i>	
Room-Temperature Tunable Multiwavelength Erbium-Doped Fiber Laser Based on Degenerate Four-Wave Mixing Effect in Dispersion-Shifted Fiber	621
<i>Young-Geun Han and Sang Bae Lee</i>	
Simultaneous all-optical inverted and non-inverted wavelength conversion using a single-stage fiber optical parametric amplifier	624
<i>Kenneth K. Y. Wong, Guo-Wei Lu and Lian-Kuan Chen</i>	
A design criterion for cleavage-robust microstructured fibers	627
<i>Véronique François and Seyed Sadreddin Aboutorabi</i>	
Application of the Magnus Expansion to Polarization Mode Dispersion and Polarization Dependent Loss	630
<i>Michael Reimer and David Yevick</i>	
Least Squares Procedure for Measuring Mueller Matrices	633
<i>Michael Reimer and David Yevick</i>	
CO₂-laser fabricated long-period grating sensors in graded-index multimode fibers	636
<i>Lei Su, Chao Lu and Kin Seng Chiang</i>	
Fiber optic sensor for simultaneous leak detection of hydrazine and nitrogen dioxide gases	639
<i>Alfred S. Andrawis and Josephine B. Santiago</i>	
Radial Basis Function network for Non-Linear EDC in Optical Communication OOK System	642
<i>G. Katz and D. Sadot</i>	
Gradient-Method based Adaptive Control of Tunable Dispersion Compensator that Minimizes Time-Domain Waveform Error	645
<i>Ken Tanizawa and Akira Hirose</i>	
Effect of residual dispersion and phase response ripple at 40 Gb/s using a tunable chirped fiber Bragg grating	648
<i>N. Cheng and J. C. Cartledge</i>	
Impulse response measurements using optical low coherence reflectometry with tunable source	651
<i>D. Engin , A. Eyal, R. Salvatore, M. Tur, X. Tong</i>	
Multi-channel Dispersion Compensator Based on a Flexible Structure	654
<i>Yitang Dai, Xiangfei Chen, Jie Sun, Yu Yao, and Shizhong Xie</i>	
À-Phase Shifted Fiber Bragg Grating-based Optical DPSK Demodulator with Optically Tunable Phase Shifter	657
<i>Tae-Young Kim, Swook Hann, Won-Taek Han, Chang-Soo Park, Masanori Hanawa, Sun-Jong Kim, Yune Hyun Kim</i>	
Spectral characteristics of side-polished endlessly single-mode photonic crystal fiber: waveguide dispersion	660
<i>Nan-Kuang Chen and Sien Chi</i>	
Highly Birefringent Long Period Gratings Fabricated with Femtosecond Laser	663
<i>Mykhaylo Dubov, Thomas D.P. Allsop, Amos Martinez, Vladimir Mezentsev, and Ian Bennion</i>	
A Novel Flat-band Long Period Grating with Special Index Apodization Induced by High Frequency CO₂ Laser Pulses	666
<i>Y. J. Rao and T. Zhu</i>	
Tunable Optical CDMA Encoder/Decoder based on Modified PN Code using FBG Array	669
<i>Wonkyoung Lee, Bong Kyu Kim, Heuk Park, and Kwangjoon Kim</i>	
Symmetry Study for Optical Signals with Orthogonal Polarizations	672
<i>W. Shieh, R. Hui, and X.Yi</i>	

Table of Contents

Low-Complexity Hybrid MLSE Equalizers for 10Gb/s Ethernet Multi-Mode Fiber Links.....	675
<i>K. Balemarthy and S. E. Ralph</i>	
Radiation mode analysis of tilted fiber gratings.....	678
<i>Yufeng Li</i>	
A Polarization Controller for Air-Core Photonic-Bandgap Fiber	681
<i>Matthew Terrel, Michel Digonnet, and Shanhui Fan</i>	
Huge birefringence in couplers made in microfibers.....	684
<i>Mathieu Gagne, Xavier Daxhelet, Nicolas Godbout, Suzanne Lacroix, and Mikaël Leduc</i>	
Impact of Four-Wave-Mixing on Microwave Photonic Filters.....	687
<i>G. Ning, D. Liu, P. Shum, H. Dong, S. Fu, M. Tang and Chongqing Wu</i>	
Ultra-Wide-band Low Loss and PDL 1x32 splitter Polymer Optical Waveguide	690
<i>Shotaro TAKENOBU, Yasuhiro KUWANA, Kohsuke TAKAYAMA, Shunsuke YOKOTSUKA, Shunichi KODAMA</i>	
Artificial Defects as Ingredients for Synthesizing Holey Fibers with Large Mode Area and Flat Chromatic Dispersion: An Emerging Technology for High Speed Transmission Platforms.....	693
<i>Kunimasa SAITOH, Nikolaos FLOROUS, and Masanori KOSHIBA</i>	
Programmable spectral design using the Binary Supergrating (BSG)	696
<i>D. Levner, M. F. Fay and J. M. Xu</i>	
A simply tunable optical CDMA encoder/decoder for two-dimensional cyclic permutable codes	699
<i>Seunghwan Chung, Chung-Keun Lee, Youngmin Kim, Yongjun Lim, Seung-Woo Seo and ByoungHo Lee</i>	
Spectral phase encoders for optical CDMA using anti-symmetric gratings.....	702
<i>Jose M. Castro and David. F. Geraghty</i>	
Unique all-fiber tunable filter using a single resonant-band LPG and nanoparticle dispersed electro-optic polymer.....	705
<i>S. Yin, J. E. Lee, Q. Chen, Q. Zhang, K. M. Reichard, D. H. Ditto, J. Mazurowski and M. J. Hackert</i>	
Optical Add/Drop Multiplexer with Asymmetric Bandwidth Allocation and Dispersion Compensation for Hybrid 10-Gb/s and 40-Gb/s DWDM Transmission.....	708
<i>D. A. Fishman, J. Ying, X. Liu, S. Chandrasekhar, and A. H. Gnauck</i>	
A wavelength switching operation of a Si-waveguide asymmetric Mach-Zehnder interferometer having a ferro-electric liquid crystal cladding.....	711
<i>R. Hoshi, K. Nakatsuhara, T. Nakagami</i>	
General approach to hitless switching and FSR extension for resonators in integrated photonic circuits.....	714
<i>þMilo a A. Popovi , Hermann A. Haus and Michael R. Watts</i>	
Hybrid Integrated Electrooptic Polymeric Digital Optical Switches (DOS's) with Lower Loss	717
<i>Wei Yuan, Seongku Kim, Harold R. Fetterman, William H. Steier, Raluca Dimu and Danliang Jin</i>	
Ultra-wide Temperature Range (-30~70 oC) Operation of Athermal AWG Module using Pure Aluminum Plate	720
<i>Junichi Hasegawa and Kazutaka Nara</i>	
Compact 1.31&1.49/1.55 m WDM using fiber type lens.....	723
<i>Tetsuya Gamano, Tarou Hattori, Keiichi Motojima and Shigeru Hirai</i>	
A simple tapered bismuth-based nonlinear optical fiber for low-loss coupling to single-mode silica fibers	726
<i>T. Hasegawa, T. Nagashima, and N. Sugimoto</i>	
An efficient flat-top all-fiber interleaving filter using fiber Gires-Tournois Etalons on a Michelson Interferometer.....	729
<i>Qijie Wang , Ying Zhang and Yeng Chai Soh</i>	
High-density Optical Wiring Technologies for Optical Backplane Interconnection using Downsized Fibers and Pre-installed Fiber Type Multi Optical Connectors.....	732
<i>Masaki Ohmura and Kazuhito Saito</i>	

Table of Contents

2-to-Many Lossless Optical Multicast Using an Optical Crosspoint Switch Matrix.....	735
<i>Nan Chi, Siyuan Yu, Zhuoran Wang</i>	
High-Speed Optical Switching of InAlGaAs/InAlAs Multi-Mode Interference Photonic Switch with Partial Index-Modulation Region (MIPS-P).....	738
<i>Shingo Kumai, Tomohiro Ishikawa, Atsuki Okazaki, Katsuyuki Utaka, Hidetaka Amanai, Kaori Kurihara, Kenji Shimoyama</i>	
Recovery Dynamics of Optically Excited Semiconductor Optical Amplifiers.....	741
<i>R. Giller and R.J. Manning</i>	
High-speed optical characterization of intensity and phase dynamics of a 1.55μm VCSEL for short-reach applications.....	744
<i>F. Fidler, S. Cerimovic, C. Dorrer</i>	
100 GHz Spaced 10 Gbit/s WDM over 10 oC to 70 oC using an uncooled DBR laser.....	747
<i>C. C. Renaud, M. J. Fice, I. Lealman, P. Cannard, L. Rivers, A. J. Seeds</i>	
Coaxial laser diode module with a front facet power monitor photo diode.....	750
<i>Atsushi Miki, Toshio Takagi, Hiroshi Inada, Yasuhiro Iguchi, Yasushi Fujimura, Hiromi Kurashima, Katsumi Uesaka and Hiromi Nakanishi</i>	
Helium Implanted Silicon Waveguide Photodetectors for Optical Power Monitors.....	753
<i>Y. Liu, C. W. Chow, W. Y. Cheung and H. K. Tsang</i>	
Demonstration of 28 GHz Ring Resonator Based Electro-Optic Polymer Modulator.....	756
<i>Hidehisa Tazawa, Ying-Hao Kuo, William H. Steier, Ilya Dunayevskiy, Harold R. Fetterman, Jingdong Luo and Alex K.-Y. Jen</i>	
Split-step Quasi-spectral Finite Difference Method for Nonlinear Optical Pulse Propagation.....	759
<i>T. Kremp</i>	
Phase Correcting Element for Intra-cavity Laser Beam Control.....	762
<i>F. K. Lau, C. W. Tee, X. Zhao, R. V. Penty, I. H. White, N. Michel and M. Krakowski</i>	
Optical Modulator Bias Monitoring with Two-Photon-Absorption in Si-APD in Advanced Modulation Formats Optical Transmitters.....	765
<i>Cechan Tian and Takao Naito</i>	
Widely tunable multi-channel grating cavity laser based on a light-deflector.....	768
<i>Oh Kee Kwon, Jong Hoi Kim, Kang Ho Kim, Eun Deok Sim, and Kwang Ryong Oh</i>	
All-Optical ASK Header and DPSK Payload Separator.....	771
<i>C. H. Kwok, C. W. Chow, H. K. Tsang and Chinlon Lin</i>	
Monolithically Integrated High Speed DFB BH Laser Arrays for 10Gbased LX4 Application.....	774
<i>Chien-chung Lin, Gideon Yoffe, Mark Emanuel, Steve Rishton, Dinh Ton, Sarah Zou, Bo Lu, Bardia Pezeshki</i>	
Inhibiting Pattern-Effects in Semiconductor Optical Amplifier using Carrier Reservoir in an Asymmetrical Multiple Quantum Well Structure.....	777
<i>S.M. Wan, H.K. Tsang and Y.S. Su, C.F. Lin</i>	
Burst mode operation of a DS-DBR widely tunable laser for wavelength agile system applications.....	780
<i>Ben Puttnam, Michael Dueser, Benn Thomsen, Polina Bayvel, Alessandro Bianciotto and Roberto Gaudino, Giacinto Busico, Lalitha Ponnampalam, David Robbins, Neil Whitbread</i>	
All-optical ultra-fast 2x2 switch based on XPM-induced polarization rotation in highly nonlinear fiber.....	783
<i>Gianluca Berrettini, Gianluca Meloni, Paolo Ghelfi, Antonella Bogoni, and Luca Potì</i>	
Link Performance of SOA-based Slow and Fast Light.....	786
<i>F. G. Sedgwick, C. J. Chang-Hasnain and Alexander V. Uskov</i>	
Novel Single Mode Laser Fabrication Using Focus Ion Beam (FIB) Etching.....	789
<i>Norman Kwong, Nong Chen, HaiHua Qi, Steven Chen, Jan-Shing Chen, Hernan Erlig, T.R. Chen</i>	
Technique for Highly Sensitive Measurement of Raman Gain Coefficient of Optical Fiber using Pump/Signal Sum-Frequency Lock-In-Detection.....	792
<i>Kazi S. Abedin</i>	

Table of Contents

ULH Systems with Strong Filters acting as Amplitude Regenerators	795
<i>Yuval Levy and Mark Shtaif</i>	
Relationship between the Achievable Distance of WDM Transmission Systems and Criterion of Quality for DCM.....	798
<i>J.-C. Antona and P. Sillard</i>	
Effect of Partially Polarized ASE Noise on Q-factor Estimation using OSNR.....	801
<i>J. H. Lee, D. M. Yeo, and Y. C. Chung</i>	
A simple analytical model for PMD temporal evolution	804
<i>Cristian Antonelli, Antonio Mecozzi, Misha Brodsky and Misha Boroditsky</i>	
Design of Raman-Based NOLM for Optical 2R Regeneration of RZ-DPSK Transmission	807
<i>Sonia Boscolo, Ranjeet Bhamber, and Sergei K. Turitsyn</i>	
High Extinction Ratio Pulse Generation From FM Modulated Signal by Using Dispersion Imbalanced Fiber Loop Mirror	810
<i>Shiquan Yang and Xiaoyi Bao</i>	
Pulse propagation effects at high bit rates.....	813
<i>A. N. Pilipetskii</i>	
Electronic Dispersion Compensation	816
<i>D. McGhan, M. O'Sullivan, M. Sotoodeh, A. Savchenko, C. Bontu, M. Belanger, K. Roberts</i>	
Fast residual chromatic dispersion monitoring for dynamic burst networks	831
<i>Lamia Meflah, Benn Thomsen, John Mitchell, Polina Bayvel</i>	
In-service Monitoring of Chromatic Dispersion and Polarization Mode Dispersion for RZ-DPSK signal based on Asynchronous Amplitude Histogram Evaluation	834
<i>Zhihong Li and Guifang Li</i>	
Chromatic Dispersion Monitoring Using Synchronous Sampling	837
<i>Y. Benlachtar, R. I. Killey, P. Bayvel</i>	
Volume Manufacturing and Deployment of Large-Scale Photonic Integrated Circuits	840
<i>Fred A. Kish, David F. Welch, Jacco L. Pleumeekers, Atul Mathur, Peter W. Evans, Ranjani Muthiah, Sanjeev Murthy, Mike Kauffman, Paul Freeman, Richard P. Schneider, Jr., Mehrdad Ziari, Charles H. Joyner, Jeffrey S. Bostak, Timothy Butrie, Andrew G. Dentai, Vincent G. Dominic, Sheila K. Hurtt, Masaki Kato, Damien J.H. Lambert, Richard H. Miles, Matthew L. Mitchell, Mark J. Missey, Radhakrishnan Nagarajan, Frank H. Peters, Stephen C. Pennypacker, Randal A. Salvatore, Rory Schlenker, Robert B. Taylor, Huan-Shang Tsai, Michael F. Van Leeuwen, Jonas Webjorn, Stephen G. Grubb, Michael Reffle, David G. Mehuys, Drew Perkins, and Jagdeep Singh</i>	
Error-free spectral encoding and decoding operation of InP O-CDMA encoder	843
<i>J. Cao, R. G. Broeke, N. Fontaine, W. Cong, C. Ji, Y. Du, N. Chubun, K. Aihara, Anh-Vu Pham, J. P. Heritage, B. H. Kolner, S. J. B. Yoo, F. Olsson, S. Lourdudoss, P. L. Stephan</i>	
Frequency Stability in High Speed Frequency Switching of Digitally Tunable Laser Using Ladder Filter.....	846
<i>S. Matsuo, S.-H. Jeong, T. Segawa, H. Okamoto, Y. Kawaguchi, Y. Kondo, H. Suzuki, and Y. Yoshikuni</i>	
External Cavity Wavelength Tunable Laser Utilizing On-Chip VOA.....	849
<i>S. Sudo, K. Mizutani, J. De Merlier, T. Okamoto, K. Tsuruoka, K. Sato and K. Kudo</i>	
A low-cost micro-BOSA using Si microlens integrated on Si optical bench for PON application.....	852
<i>H. Sasaki, M. Uekawa, Y. Maeno, K. Kotani, D. Shimura, R. Sekikawa, T. Takamori, T. Ori, K. Masuko, and Y. Katsuki</i>	
Integrated Optical Label Read and Payload Envelope Detection Circuit for Optical Label Swapping	855
<i>Brian R. Koch, Zhaoyang Hu, John E. Bowers, and Daniel J. Blumenthal</i>	
High power fiber oscillators and amplifiers	858
<i>Martin E. Fermann</i>	
Bi2O3-based Erbium doped fiber for Short Pulse Amplification.....	860
<i>Seiki Ohara, Tatsuo Nagashima, Tomoharu Hasegawa and Naoki Sugimoto</i>	

Table of Contents

Multiple phase-shift all-fibre DFB lasers	863
<i>N.Y.Voo and M. Ibsen</i>	
A 13C2H2 frequency-stabilized, polarization-maintained 1.54 μm erbium fiber ring laser with a new feedback system	866
<i>Keisuke Kasai, Masato Yoshida and Masataka Nakazawa</i>	
ASE-to-Signal Coupling Limitations to Generate Hundreds to Thousands of Optical Replica from a Unique Pulse	869
<i>A. Jolly, J.F. Gleyze and P. Le Boudec</i>	
Low Beat-Noise, Highly Polarized Tunable Fiber Ring Laser	872
<i>H. L. Liu, H. Y. Tam, W. H. Chung, P. K. A. Wai and N. Sugimoto</i>	
Polymer Fibre Bragg Gratings Tunable Laser	875
<i>H.Y. Liu, G.D. Peng, H.B. Liu and P. L. Chu</i>	
Real-time All-optical Waveform Sampling Using a Free-running Passively Mode-locked Fiber Laser as the Sampling Pulse Source	878
<i>Thanakom Kiatchanog, Koji Igarashi, Takuo Tanemura, Dexung Wang, Kazuhiro Katoh and Kazuro Kikuchi</i>	
Linear Frequency Resolved Optical Gating as a Line Monitoring Tool	881
<i>M.A.F. Roelens, P. Petropoulos, D.J. Richardson, M. Forzati, A. Djupsjöbacka and A. Berntson</i>	
High sensitivity all-optical sampling for 40 Gb/s signals	884
<i>Henrik Sunnerud, Mathias Westlund, and Peter A. Andrekson</i>	
Asynchronous Measurement of Chromatic Dispersion from Waveform Distortion	887
<i>Trevor B. Anderson and Sarah D. Dods</i>	
Monitoring Requirements for Optical Transparent Networks	890
<i>Wolfgang Grupp</i>	
A novel robust OSNR monitoring technique with 40-dB dynamic range using phase modulator embedded fiber loop mirror	893
<i>Yuen-Ching Ku, Chun-Kit Chan, Lian-Kuan Chen</i>	
Characterization of High-Speed Optical Pulses Based on Spectral Shearing Interferometry in Intensity Modulator with Bias Sweeper	896
<i>Yasuyuki Ozeki, Shigehiro Takasaka and Misao Sakano</i>	
Monolithically Integrated 1x32 Optical Splitter/Router using Low Loss Ripple MZI-based WDM Filter and Low Loss Y- Branch Circuit	899
<i>Kazutaka Nara, Noritaka Matsubara and Hiroshi Kawashima</i>	
Low Loss Arrayed Waveguide Grating with Mode Converters Designed by Wavefront Matching Method	902
<i>T. Saida, Y. Sakamaki, M. Tamura, M. Itoh, T. Hashimoto and H. Takahashi</i>	
Optical Waveguide Filters Using Nanophotonics	905
<i>T. W. Mossberg, C. Greiner, and D. Iazikov</i>	
Ultra low power consumption silica-based PLC switch using tapered narrow ridge structures	907
<i>K. Watanabe, Y. Hashizume, M. Kohtoku, M. Itoh and Y. Inoue</i>	
Need-oriented Waveguide Design Based on Wavefront Matching Method	910
<i>H. Takahashi, T. Saida, Y. Sakamaki, and T. Hashimoto</i>	
IRIS: Optical Switching Technologies for Scalable Data Networks	913
<i>Martin Zirngibl</i>	
Scalable All-Optical Compression/Decompression of Variable Length (40 to 1500 byte) Packets	915
<i>S. Rangarajan, H. N. Poulsen, and D. J. Blumenthal</i>	
Specification and operation of 160 Gbit/s/port interface optical packet switch prototype with narrow-band optical code label processor and high extinction ratio optical buffer	918
<i>Hideaki Furukawa, Naoya Wada, and Tetsuya Miyazaki</i>	

Table of Contents

Multi-path, multi-wavelength packet routing at 40Gb/s over an SOA based optical switch fabric with nanosecond reconfiguration time	921
<i>T. Lin, K. A. Williams, X. Janssens, R.V. Penty, I. H. White, M. Glick, M. Dales</i>	
Demonstration of a Complete and Fully Functional End-To- End Asynchronous Optical Packet Switched Network	924
<i>Reza Nejabati, Dimitrios Klonidis, Georgios Zervas, Dimitra Simeonidou, Michael O'Mahony</i>	
Microsecond Optical Burst Add-Drop Multiplexing for WDM Ring Networks.....	927
<i>H. Yoo, J. P. Park, S. Han, J. S. Cho, Y. H. Won, M.S. Lee, M. H. Kang, Y.-K. Seo, K. J. Park, C. J. Youn, H. C. Kim, J.-K. Rhee, and S.Y. Park</i>	
First demonstration of synchronization-free nanosecond label switching node utilizing 1x8 PLZT switch.....	930
<i>Ryo Inohara, K. Nishimura, and M. Usami</i>	
Optical Transceivers for Passive Optical Networks (PON)	933
<i>Wei-Ping Huang</i>	
Consolidation of a Metro Network into an Access Network based on Long-reach DWDM-PON	935
<i>Sang-Mook Lee, Sil-Gu Mun, and Chang-Hee Lee</i>	
Considerations and Recommendations for In-Service Out-of-Band Testing on Live FTTH Networks	941
<i>Nicholas Gagnon, André Girard, Michel Leblanc</i>	
Performance of Coherent Optical Square-16-QAM-Systems based on IQ-Transmitters and Homodyne Receivers with Digital Phase Estimation	949
<i>Matthias Seimetz</i>	
Access Transport Network for IPTV Video Distribution	959
<i>Mohamed El-Sayed, Ying Hu, Samrat Kulkarni, Newman Wilson</i>	
Insights on Delivering an IP Triple Play over GE-PON and GPON.....	967
<i>Mark Abrams and Ariel Maislos</i>	
Optical Network Foundation for Triple Play Services Roll-out	975
<i>Denis Gallant</i>	
The Role of Emerging Broadband Technologies on the Converged Packet-Based Network.....	981
<i>William Yue</i>	
Evolving a Fibre-to-the-Node Access Infrastructure.....	990
<i>Anthony Di Michele and Jean Huppe</i>	
The Role of MPLS in Delivering Triple-Play Services	996
<i>Amir Lahat</i>	
Building Light-Forest to Support Group Multicast Sessions in Mesh-based Optical Grid Networks	999
<i>Tanvir Rahman, Mohamed M. Ali and Georgios Ellinas</i>	
Managing and controlling GMPLS network resources for Grid applications.....	1002
<i>Michiaki Hayashi, Takahiro Miyamoto, Tomohiro Otani, Hideaki Tanaka, Atsuko Takefusa, Hidemoto Nakada, Tomohiro Kudoh, Naohide Nagatsu, Yasunori Sameshima and Shuichi Okamoto</i>	
QoS-aware Ingress Optical Grid User Network Interface: High-Speed Ingress OBS Node Design and Implementation	1005
<i>Georgios Zervas, Reza Nejabati, Dimitra Simeonidou, Mike O'Mahony</i>	
Demonstration of Automatic Multi-Reliability Service Class LSP Provisioning via Coordination of GMPLS/OIF-OUNI	1008
<i>Takuya Ohara, Wataru Imajuku, Mitsunori Fukutoku, and Masahiko Jinno</i>	
Design of MPLS/GMPLS multilayer network considering protection and restoration	1011
<i>Wataru Imajuku, Takuya Ohara, Ryota Takeshima, Tomohiko Uyematsu, and Ken-ichi Sato</i>	
Router-OXC Cooperation for Fault Recovery Employing GMPLS Control Plane for Photonic IX	1014
<i>Mitsunori Fukutoku, Tomohiko Kurahashi, Yukiyasu Tarui, Ippei Shake, Wataru Imajuku, Shuto Yamamoto and Koji Sasayama</i>	

Table of Contents

Nonlinear Limitations of Electronic Dispersion Pre- Compensation by Intrachannel Effects	1017
<i>A. Klekamp, F. Buchali, M. Audoin and H. Bülow</i>	
Electrical dispersion compensation for different modulation formats with optical filtering.....	1020
<i>Chunmin Xia, Werner Rosenkranz</i>	
Experimental Investigations of Mode Group Diversity Multiplexing on Multimode Fibre.....	1023
<i>Stefan Schöllmann, Chunmin Xia and Werner Rosenkranz</i>	
Experimental demonstration of postnonlinearity compensation in a multi-span DPSK transmission	1026
<i>G. Zhu, L.F. Mollenauer and C. Xu</i>	
Electronic Dispersion Compensation for Enhanced Optical Transmission.....	1029
<i>Fred Buchali</i>	
Experimental Demonstration of Slow Light via Four-Wave Mixing in Semiconductor Optical Amplifiers.....	1032
<i>Zhangyuan Chen, Bala Pesala and C. Chang-Hasnain</i>	
An automatic gain-controlled Raman/gain-clamped SOA for metro WDM networks with changes in span loss.....	1035
<i>H. H. Lee, S. G. Koo and D. Lee</i>	
Monolithically Integrated Widely Tunable Delayed Interference based 40Gbps Wavelength Converter	1038
<i>Wenbin Zhao, Milan L. Malanovic, Vikrant Lal, David Wolfson, Gregory Fish+ and Daniel J. Blumenthal</i>	
Monolithic Spatially-Filtered 10Gbps All-Optical Wavelength Converter with Enhanced Push-Pull Operation using Dual Inverted and Non-Inverted Inputs.....	1041
<i>Joseph A. Summers, Milan L. Maanovi, Vikrant Lal, Daniel J. Blumenthal</i>	
New operation scheme of SOA-MZI all-optical wavelength converter cancelling cross gain modulation.....	1044
<i>M. Hattori, K. Nishimura, R. Inohara and M. Usami</i>	
All-Optical DPSK Wavelength Converter Based on MZI with Integrated SOAs and Phase Shifters	1047
<i>B. Sartorius, C. Bornholdt, J. Slovak, M. Schlak, Ch. Schmidt, A. Marculescu, P. Vorreau, S. Tsadka, W. Freude, J. Leuthold</i>	
High efficiency, wide range and completely transparent wavelength conversion method using replicas generated by dual pump nearly-degenerated four-wave mixing in a Mach-Zehnder interferometer SOA	1050
<i>K. Otsubo, S. Tanaka, S. Tomabechi, K. Morito, and H. Kuwatsuka</i>	
The ‘Turbo-Switch’ - a Novel Technique to Increase the High-speed Response of SOAs for Wavelength Conversion.....	1053
<i>R.J. Manning, X. Yang, R.P. Webb, R. Giller, F.C. Garcia Gunning, A.D. Ellis</i>	
Fiber Parametric Amplifiers.....	1056
<i>Bob Jopson</i>	
A Novel Demultiplexer for Ultra High Speed Pulses Using a Perfect Phase-Matched Parametric Amplifier	1083
<i>Shunsuke Ono, Ryo Okabe, Fumio Futami, and Shigeki Watanabe</i>	
OTDR Technique for Characterization of Fiber Optic Parametric Amplifiers.....	1086
<i>Bengt-Erik Olsson, Thomas Torounidis, Magnus Karlsson, Henrik Sunnerud, and Peter Andrekson</i>	
Polarization-Independent Two-Pump Fiber Optical Parametric Amplifier with Polarization Diversity Technique	1089
<i>G. Kalogerakis, M. E. Marhic, and L. G. Kazovsky</i>	
Noise statistics of fiber optical parametric amplifiers	1092
<i>Per Kylemark, Magnus Karlsson, Thomas Torounidis and Peter A. Andrekson</i>	
Optical Networking Testbeds in Europe.....	1095
<i>Bernhard Fabianek</i>	
Optical Networking Testbeds in China.....	1098
<i>Jintong Lin and Jian Wu</i>	
Today's Optical Network Research Infrastructures for EScience Applications	1101
<i>Gigi Karmous-Edwards</i>	

Table of Contents

Network design for large Data Flow	1104
<i>Kees Neggers</i>	
Recent advances on laser processing in silica-based PLCs	1107
<i>M. Kohtoku, Y. Nasu and M. Abe</i>	
Single-step Fabrication of Raised Index X-Couplers via Direct UV Writing.....	1110
<i>F.R. Mahamd Adikan, C.B.E. Gawith, P.G.R. Smith, I.J.G. Sparrow, G.D. Emmerson and C. Riziotis</i>	
Fabrication and Investigation of Fast Response Variable Optical Attenuator on Silica Substrate.....	1113
<i>K. Tanaka, N. Kitano, Y. Abe, H. Komano, T. Chiba, M. Okawa, S. Kashimura, and H. Uetsuka</i>	
Ultra-compact 3-port WDM filter arrays based on novel planar lightwave circuit assembly technique	1116
<i>M. Harumoto, O. Shimakawa, K. Takahashi and M. Tamura</i>	
Tunable Gain Tilt Compensator Using Adiabatic Mode Multiplexing.....	1119
<i>R. Narevich, E. Narevicius, G. Heise, J. Dieckroeger, D. Krabe, S. Survaiya, P. Schicketanz, I. Vorobeichik, H.E. Wagner and S. Wang</i>	
Transmitter enabling Ultra-High Speed Transmission of Phase Modulated Data Signals up to 640 Gbit/s.....	1122
<i>M. Kroh, S. Ferber, C. Schmidt-Langhorst, V. Marembert, C. Schubert, R. Ludwig, and H. G. Weber</i>	
160 Gb/s Raman-Assisted Notch-Filtered XPM Wavelength Conversion and Transmission.....	1125
<i>M. Galili, L.K. Oxenlowe, H. C. H. Mulvad, D. Zibar, A.T. Clausen and P. Jeppesen</i>	
35 dB Channel Suppression in OTDM Add-Drop Multiplexing Based on Time-Frequency Signal Processing	1128
<i>P.J. Almeida, F. Parmigiani, M. Ibsen, K. Mukasa, P. Petropoulos, and D. J. Richardson</i>	
High-Speed Broadband Polarization-Independent Optical Clock Recovery in a Silicon Detector	1131
<i>Amir Ali Ahmadi, R. Salem and T. E. Murphy</i>	
Tunable all-optical wavelength conversion of 160 Gbit/s RZ signals based on cascaded SFG-DFG in PPLN waveguide	1134
<i>Hideaki Furukawa, Ampalavanapillai Nirmalathas, Naoya Wada, Satoshi Shinada, Hiroshi Tsuboya and Tetsuya Miyazaki</i>	
Reliability Evaluation of SBC's 'Fiber To The Node' Network	1137
<i>Mehran Esfandiari</i>	
FTTH Design Metrics for Greenfield Deployments.....	1144
<i>Mark Conner and Patricia Hanlon</i>	
Digital work design tools for FTTP.....	1154
<i>Aaron J. Johnson, George Collier, Stanley Sarana, Julie Charland, Antoine Dagenais, Danny McGranahan</i>	
Planar lightwave circuits for PON applications.....	1164
<i>Kenneth A. McGreer, Hao Xu, Calvin Ho, Nizar Kheraj, Qing Zhu, Marc Stiller, Jane Lam</i>	
Novel Passive Free Space Compact CWDM Technology for Outdoor Applications.....	1170
<i>J.J. Pan, Yousheng Wu, Joy C. Jiang, James Guo, Kejian Guan, and Yanfei Zheng</i>	
Raman Crosstalk Control in Passive Optical Networks.....	1174
<i>Barry Colella, Frank J. Effenberger, Cory Shimer, Feng Tian</i>	
The Foils of Ethernet Service Delivery: A Service Provider Perspective.....	1177
<i>Stevan E. Plote and Charles C. Coreil</i>	
Ethernet Service OAM - Overview, Applications, Deployment, and Issues	1183
<i>Don O'Connor</i>	
Demonstration of Ethernet OAM Functionality for Management of Layer 2 Switches connected to the Resilient Packet Ring equipment in the Metro Area Networks.....	1193
<i>Munefumi Tsurusawa, Hideaki Tanaka, Zvika Menahemi and Leon Bruckman</i>	
Packet and TDM Transport Integration: How, When and Why?.....	1202
<i>Steve Gringeri and Tom Rarick</i>	
Next-Generation Packet-Based Transport Networks Economic Study	1212
<i>Sunan Han, Don O'Connor, William Yue, Paul Havala</i>	

Table of Contents

Converged Network Management: Challenges and Solutions	1222
<i>Gorur. Y Praveen</i>	
The Lowest-loss of 0.35dB/km in an Aluminum-doped SM Optical Fiber	1232
<i>Ji Wang, Ming-jun Li and Daniel A. Nolan</i>	
Novel dispersion compensating fiber with fluorine-doped cladding for simultaneous realization of high dispersion compensation efficiency and low attenuation	1236
<i>Takashi Sasaki, Kazumasa Makihara, Masaaki Hirano, Tetsuya Haruna, Tomonori Kashiwada, Shinjiro Hagihara, and Masashi Onishi</i>	
Compact optical pulse compressor based on comb-like profiled fiber comprised of HNLf and hole-assisted fiber	1238
<i>Ryo Miyabe, Takashi Inoue, Yu Mimura, John M. Fini, Dennis J. Trevor, Jiro Hiroishi, Ryuichi Sugizaki, Misao Sakano and Takeshi Yagi</i>	
S/C/L-Band Wavelength Conversion by Cross-Polarization Modulation in a Dispersion-Flattened Nonlinear Photonic-Crystal Fiber	1241
<i>C. H. Kwok, C. W. Chow, H. K. Tsang, Chinlon Lin and A. Bjarklev</i>	
Optical intensity discriminator based on strongly enhanced ellipse rotation in circular-birefringence fiber	1244
<i>Takuo Tanemura and Kazuro Kikuchi</i>	
Enlargement of measurement range in a Brillouin optical correlation domain analysis system using double lock-in amplifiers and a single-sideband modulator	1247
<i>Kwang-Yong Song and Kazuo Hotate</i>	
Efficient Nonlinearity Cancellation through Optical Phase Conjugation into an Embedded Link with Asymmetrical Power Profiles	1250
<i>P. Minzioni, I. Cristiani, V. Degiorgio, L. Marazzi, A. Colciago, M. Martinelli, C. Langrock and M.M. Fejer</i>	
Cascadability and wavelength tunability assessment of a 2R regeneration device based on saturable absorber and semiconductor amplifier	1253
<i>M. Gay, L. Bramerie, A. O'Hare, D. Massoubre, J.L. Oudar and A. Shen</i>	
All-optical format conversion from NRZ-OOK to RZ-BPSK using SOA-MZI wavelength converter	1256
<i>Ken Mishina, Akihiro Maruta, Shunsuke Mitani, Toshiharu Miyahara, Kazuyuki Ishida, Katsuhiko Shimizu, Tatsuo Hatta, Kuniaki Motoshima and Ken-ichi Kitayama</i>	
Elimination of Data Pattern Dependence in SOA-based Differential-Mode Wavelength Converters using Optically-Induced Birefringence	1259
<i>S. Kumar, B. Zhang, and A. E. Willner</i>	
Data-Polarization-Insensitive Wavelength Conversion in a PPLN Waveguide by Cross-Polarization-Modulation of the Pump using an SOA	1262
<i>I. Fazal, S. Kumar, P. Saghari, L. C. Christen, Y. Li, A. E. Willner, C. Langrock, R. Roussev, and M. M. Fejer</i>	
A 2-m-long Reshaping Regenerator Based on a Highly Nonlinear Bismuth Oxide Fiber	1265
<i>Symeon Asimakis, Francesca Parmigiani, Periklis Petropoulos, David J. Richardson, Naoki Sugimoto and Fumihito Koizumi</i>	
Optical 3R Regeneration using a Clock-Modulated Pump and Higher-Order Four-Wave Mixing	1268
<i>I. Monfils, C. Ito, and J. C. Cartledge</i>	
A Wavelength-Maintaining Polarization-Insensitive All-Optical 3R Regenerator	1271
<i>Shelby J. Savage, Bryan S. Robinson, Scott A. Hamilton and Erich P. Ippen</i>	
Local structure analysis of Er in Er-doped fiber with Al co-doping	1274
<i>Tetsuya Haruna, Junji Iihara, Yoshihiro Saito, Kouji Yamashita, Shinji Ishikawa, Masashi Onishi and Takahiro Murata</i>	
Spectral Dependence of Polarization Hole-Burning	1277
<i>C. R. Davidson, A. N. Pilipetskii, M. Nissov, D. G. Foursa, H. Li, and Neal S. Bergano</i>	
Actively stabilized Brillouin fiber laser with high output power and low noise	1280
<i>Jihong Geng, Sean Staines, Zuolan Wang, Jie Zong, Mike Blake, and Shibin Jiang</i>	

Table of Contents

Population Inversion Factor Dependence of Photodarkening of Yb-doped Fibers and its Suppression by Highly Aluminum Doping	1283
<i>T. Kitabayashi, M. Ikeda, M. Nakai, T. Sakai, K. Himeno and K. Ohashi</i>	
Increased amplifier efficiency by matching the area of the doped fiber region with the fundamental fiber mode	1286
<i>J. M. Oh, C. Headley, M. J. Andrejco, A. D. Yablon, and D. J. DiGiovanni</i>	
Stabilizing a 10 GHz 0.8 ps asynchronously mode-locked Er-fiber soliton laser by deviation-frequency locking	1289
<i>Wei-Wei Hsiang, Chien-Yu Lin, Ng Kam Sooi, and Yinchieh Lai</i>	
Modelling of WDM terrestrial and submarine links for the design of WDM networks	1292
<i>Sebastien Bigo</i>	
Low-Density Parity-Check Codes for 40 Gb/s Transmission	1319
<i>Bane Vasic and Ivan B. Djordjevic</i>	
A novel perturbation method for signal-noise interaction in nonlinear dispersive fibers	1322
<i>M. Secondini, E. Forestieri and C. R. Menyuk</i>	
A Fast and Reliable Algorithm for Electronic Pre-Equalization of SPM and Chromatic Dispersion	1325
<i>Xiang Liu and Daniel A. Fishman</i>	
Novel Control Methods to Enlarge Dispersion Range of Tunable Dispersion Compensator Using Angled Etalons with Multiple Reflections	1328
<i>Toshiki Sugawara, Satoshi Makio and Makoto Takahashi</i>	
Fiber Bragg grating based dispersion compensator slope-matched for LEAF fiber	1331
<i>Yves Painchaud, Michel Poulin, Michel Morin and Martin Guy</i>	
High Index Contrast Photonics Components for Optical Data Communication	1334
<i>Alfred Driessen, Douwe H. Geuzebroek and Edwin J. Klein</i>	
Broadband Variable Chromatic Dispersion in Photonic-Band Electro-Optic Waveguide	1337
<i>Kensuke Ogawa, Kozue Tomiyama, Yong Tsong Tan, My The Doan, Yu Ming Bin, Dim-Lee Kwong, Shigeki Yamada, James B. Cole, Yoshifumi Katayama, Hiroshi Mizuta and Shunri Oda</i>	
Programmable, polarization-independent, and DWDM-capable chromatic dispersion compensator using a virtually-imaged phased-array and spatial light modulator	1340
<i>Ghang-Ho Lee, Shijun Xiao, and Andrew M. Weiner</i>	
Polarization Insensitive Wideband Tunable Dispersion Compensator with Integrated PLC type Polarization Diversity Circuit	1343
<i>Hiroshi Kawashima, Noritaka Matsubara and Kazutaka Nara</i>	
TCP performance experiment on OBS network testbed	1346
<i>Zhang W., Wu J., Xu K. and Lin J.T.</i>	
Spatial reuse on the optical burst transport network	1349
<i>Jaedon Kim, Yu-Li Hsueh, L. G. Kazovsky, Richard Rabbat, Takeo Hamada, and Ching-Fong Su</i>	
Link Dimensioning in Burst Switching-Based Optical Networks	1352
<i>JungYul Choi, JinSeek Choi and Minho Kang</i>	
Multicast Design Method Using Multiple Shared-Trees in OBS Networks	1355
<i>Hideki Tode, Hiroaki Honda, Koso Murakami</i>	
Burst Cloning with Load Balancing	1358
<i>Ji Li and Kwan L. Yeung</i>	
A New QoS Differentiation Scheme in Optical Burst Switching with On-the-fly Path Setup Mechanism	1361
<i>Yutaka Arakawa and Naoaki Yamanaka</i>	
Adaptive Load Balancing Routing Algorithm for Optical Burst-Switching Networks	1364
<i>Yu Du, Tao Pu, Hanyi Zhang, Yili Guo</i>	

Table of Contents

Buffer sizing in all-optical packet switches.....	1367
<i>Neda Beheshti, Yashar Ganjali, Ramesh Rajaduray, Daniel Blumenthal, Nick McKeown</i>	
Sub-Picosecond Pulse Generation at 134 GHz using a Quantum Dash-Based Fabry-Perot Laser Emitting at 1.56 μm.....	1370
<i>C. Gosset, K. Merghem, A. Martinez, G. Moreau, G. Patriarche, G. Aubin, J. Landreau, F. Lelarge and A. Ramdane</i>	
Ultra-High, 72 GHz Resonance Frequency and 44 GHz Bandwidth of Injection-Locked 1.55- μm DFB Lasers	1373
<i>Erwin K. Lau, Hyuk-Kee Sung, Ming C. Wu</i>	
Absorber Length Optimisation for Sub-Picosecond Pulse Generation and Ultra-Low Jitter Performance in Passively Mode-Locked 1.3μm Quantum-Dot Laser Diodes.....	1376
<i>M.G. Thompson, A.R. Rae, R.V. Penty, I.H. White</i>	
Short Optical Pulse Generator with function of fast wavelength sweeping.....	1379
<i>F. Hirabayashi, K. Igawa, Y. Tsuda and A. Otani</i>	
OSNR and jitter tolerant all-optical clock recovery at 40 Gbit/s using a quantum-dots based self-pulsating laser ...	1382
<i>B. Lavigne , J. Renaudier, F. Lelarge, O. Legouezigou, H. Gariah, G-H. Duan and S. Bigo</i>	
Compact RZ-DPSK Transmitter Applying a PhaseCOMB Laser as Carved Source	1385
<i>S. Bauer, H. Ding, J. Kreissl, M. Biletzke, B. Sartorius , L. Molle, C. Caspar, R. Freund, A. Umbach, A. Steffan</i>	
Performance of high-sensitivity OOK, PPM, and DPSK communications using high-power slab-coupled optical waveguide amplifier (SCOWA) based transmitters.....	1388
<i>D. O. Caplan, P. W. Juodawlkis, J. J. Plant, and M. L. Stevens</i>	
Directly-Modulated DS-DBR Tunable Laser for Uncooled C-band WDM System.....	1391
<i>Y. Liu, J. D. Ingham, R.G. S. Plumb, R.V. Penty, I. H. White, D. J. Robbins, N. D. Whitbread, A. J. Ward</i>	
Assessment of 40Gb/s Techniques for Metro/Regional Applications.....	1394
<i>Klaus Grobe, Lars Friedrich and Volker Lempert</i>	
Benchmarking Performance Characteristics for Delivering Ethernet Private Line Service in a Multi-vendor SONET Environment	1404
<i>Anthony Mazzeo, Chris Iliopoulos and Ron Kline</i>	
Optimal Traffic Hubbing and Grooming in Hybrid Networks	1414
<i>Ali Zolfaghari</i>	
The value of multiple degree ROADMs on metropolitan network economics	1422
<i>Mohcene Mezhoudi, Robert Feldman, Robert Goudreault, Bert Basch, Vijaya Poudyal</i>	
Architectural and Economic Impact of the Integration of SONET and DWDM Platforms.....	1430
<i>Sunan Han</i>	
Maintaining Availability in an Optical Backbone Network.....	1439
<i>Jeff Babbitt and Robert Best</i>	
Protection Capacity Savings Due to End-to-End Shared Backup Path Restoration in Optical Mesh Networks.....	1449
<i>N. Mallick</i>	
Inter-layer Communication for Improving Restoration time in Optical Networks.....	1455
<i>Américo Muchanga, Lena Wosinska and Fredrik Orava</i>	
Joint Working and Spare Capacity Design of Node-Inclusive Span-Restorable Optical Networks.....	1462
<i>John Doucette</i>	
Impact of multi-port card diversity constraints in mesh optical networks.....	1472
<i>Eric Bouillet, Jean-François Labourdette and Subir Biswas</i>	
Toward Transmission Applications with Microstructured Fibers.....	1480
<i>Katsusuke Tajima, Kenji Kurokawa, Kazuhide Nakajima, Kyozo Tsujikawa, and Izumi Sankawa</i>	
Penalty-free 40 Gb/s transmission in 1000 nm band over low loss PCF	1483
<i>Kenji Kurokawa, Kazuhide Nakajima, Kyozo Tsujikawa, Katsusuke Tajima, Takashi Matsui, and Izumi Sankawa</i>	

Table of Contents

Square Core Jacketed Air-Clad Fiber	1486
<i>J.R. Hayes, Joanne C. Baggett, Tanya M. Monro, D.J. Richardson, P. Grunewald and R. Allott</i>	
Extruded polymer preforms for high-NA polymer microstructured fiber.....	1489
<i>Heike Ebendorff-Heidepriem, Tanya Monro, Martijn A. van Eijkelenborg and Maryanne J. C. Large</i>	
Small-Radius 90°-Bent Single Mode Fiber for Optical Interconnection.....	1492
<i>Masahito Morimoto and Masao Shinoda</i>	
Digital Coherent Quadrature Phase-Shift-Keying (QPSK)	1495
<i>U. Koc, A. Leven, Y. Chen and N. Kaneda</i>	
Narrowband 2x10 Gbit/s Quaternary Intensity Modulation Based on Duobinary Modulation in Two Polarizations with Unequal Amplitudes	1498
<i>Selwan K. Ibrahim, Suhas Bhandare, Reinhold Noé</i>	
Optimum modulation format for high density and/or ultra long haul transmission at 40Gbit/s	1501
<i>G. Charlet and A. Klekamp</i>	
Experimental study comparing characteristics of 10-Gb/s RZ-AMI formats generated by CML and MZM-DI transmitters.....	1504
<i>S. Chandrasekhar, A. H. Gnauck, D. Mahgerefteh, X. Zheng, Y. Matsui, K. McCallion, Z. Fan, and P. Tayebati</i>	
Low Crosstalk Demodulators for 42.8 Gb/s WDM DPSK Systems.....	1507
<i>Lei Xu, Philip Nan Ji, Lei Zong, Ting Wang, Milorad Cvijetic, Osamu Matsuda and Tsutomu Tajima</i>	
High Output Power (2.45 Watts) Mid-IR Fiber Amplifier	1510
<i>XS. Zhu and R. K. Jain</i>	
High power cladding-pumped Raman fiber laser with true single-mode output at 1660 nm	1513
<i>C. A. Codemard, P. Dupriez, Y. Jeong, J. K. Sahu, M. Ibsen, J. Nilsson</i>	
Bi-doped silica fiber laser.....	1516
<i>E.M. Dianov, V.V. Dvoynin, V.M. Mashinsky, A.A. Umnikov, M.V. Yashkov, A.N. Guryanov</i>	
Yb-doped amplifier fiber with distributed filtering by resonant core-ring coupling.....	1519
<i>J. M. Fini, M. D. Mermelstein, M. F. Yan, R. T. Bise, A. D. Yablon, P. W. Wisk, and M. J. Andrejco</i>	
Tunable Er³⁺/Yb³⁺ codoped fiber amplifiers covering S-and C-Bands (1460 ~ 1580 nm) based on discrete fundamental-mode cutoff.....	1522
<i>Nan-Kuang Chen, Kuei-Chu Hsu, Hsiang-Jung Chang, Sien Chi and Yinchieh Lai</i>	
High average power harmonically mode locked femtosecond ring laser based on phosphate glass fiber	1525
<i>Dmitriy Panasenko, Pavel Polynkin, Alexander Polynkin, Jerome Moloney, Masud Mansuripur, and N. Peyghambarian</i>	
High power single-frequency Yb doped fiber amplifiers	1528
<i>Y. Jeong, J. Nilsson, D. B. S. Soh, C. A. Codemard, P. Dupriez, C. Farrell, J. K. Sahu, J. Kim, S. Yoo, D. J. Richardson, and D. N. Payne</i>	
Fairness of downstream TCP throughput among diversely located ONUs in a GE-PON system.....	1531
<i>Kazuho Ohara, Noriyuki Miyazaki, Keiji Tanaka, and Noboru Edagawa</i>	
Shared-Wavelength WDM-PON Access Network for Supporting Downstream Traffic with QoS.....	1534
<i>Huan Song, Biswanath Mukherjee, Youngil Park and Sunhee Yang</i>	
Simultaneous and Interleaved Polling: An Upstream Protocol for WDM-PON.....	1537
<i>Frederick Clarke, Suman Sarkar, and Biswanath Mukherjee</i>	
Queue Size Control for the LSTP-enabled GEAPON	1540
<i>Yuanqiu Luo, Ting Wang, Milorad Cvijetic and Shinya Nakamura</i>	
Maximized Optical Stream Share of Multicast Videos for Reducing Buffer and Packet Processing in WDM-PON.....	1543
<i>NamUk Kim, HyunHo Yun, JeongJu Yoo, TaeYeon Kim, ByongWhi Kim, Minhoo Kang</i>	

Table of Contents

Dynamic bandwidth allocation algorithm for Next Generation Access Network	1546
<i>Jung Min Joo and Yun Ji Ban</i>	
RF Video Overlay in an Ethernet Passive Optical Network	1549
<i>Fred Coppinger and David Piehler</i>	
Overlay of Broadcasting Signal in a WDM-PON	1552
<i>Jung-Hyung Moon, Ki-Man Choi and Chang-Hee Lee</i>	
Optical compensation of system impairments	1555
<i>C. R. Doerr</i>	
Experimental Demonstration of All-Optical “Missing Chip Detection” to alleviate Near-Far Effect in O-CDMA Systems	1610
<i>S. Kumar, P. Saghari, P. Ebrahimi, M. Haghi, V. R. Arbab, and A. E. Willner</i>	
Optimal Utility-Based Bandwidth Allocation Over Integrated Optical And WiMAX Networks	1613
<i>Peng Lin, Chunming Qiao, Ting Wang and Junqiang Hu</i>	
Synchronizing Optical Data and Electrical Control Planes in Asynchronous Optical Packet Switches	1616
<i>D. Wolfson, H. N. Poulsen, S. Rangarajan, Z. Hu, D. J. Blumenthal, G. Epps and D. Civello</i>	
Congestion Control Scheme in Optical Packet Switched Networks	1619
<i>Zheng Lu, David K. Hunter, and Ian D. Henning</i>	
Contention Avoidance By Composite Slot Assembling	1622
<i>Akbar Ghaffar, Pour Rahbar and Oliver Yang</i>	
Characterization of the economic impact of stranded bandwidth in fixed OADM relative to ROADM	1625
<i>J. Wagener and T. Strasser</i>	
Optical Networking in Non-Telecommunications Applications	1628
<i>David S. Levy and Michael Holt</i>	
The Physics Controlling the Sensitivity of Semiconductor Lasers to High Temperatures	1631
<i>A. R. Adams and S. J. Sweeney</i>	
Highly Reliable (<1000 FITs at 95°C) 1.5- ¼m DFB Laser with High-Mesa SIBH Structure for CWDM Systems	1634
<i>T. Takeshita, T. Tadokoro, R. Iga, Y. Tohmori, M. Yamamoto and M. Sugo</i>	
Wide Temperature (...20°C~100°C) operation of an uncooled direct-modulation 1.3 µm InGaAlAs MQW DFB laser for 10.7 Gbit/s SONET applications	1637
<i>H. Singh, K. Motoda, M. Mukaikubo, K. Okamoto, R. Washino, Y. Sakuma, K. Uchida, H. Yamamoto and K. Uomi</i>	
10Gbit/s FP-TOSA and PIN-ROSA for 10GBASE-LRM application	1640
<i>Y. Kurihara, S. Kato, T. Arayama, T. Okuda, S. Ishikawa, I. Watanabe, and J. Shimizu</i>	
Dilute Nitride Lasers and Photodetectors	1643
<i>J. S. Harris</i>	
Low-threshold CW 1.55-um GaAs-based lasers	1646
<i>S. R. Bank, H. P. Bae, H.B. Yuen, L. L. Goddard, M. A. Wistey, T. Sarmiento, and J. S. Harris</i>	
Metro WDM Networks Develop an Edge	1649
<i>Ian Redpath, Ron Kline, Dana Cooperson</i>	
DWDM System Architecture and Design Trade-Offs	1657
<i>Bert Basch, Roman Egorov, and Steven Gringeri</i>	
Study on Wavelength Cross-Connect Realized with Wavelength Selective Switches	1665
<i>Lei Zong, Philip Ji, Ting Wang, Osamu Matsuda and Milorad Cvijetic</i>	
40-Channel Ultra-Low-Power Compact PLC-Based ROADM Subsystem	1672
<i>Louay Eldada, Junichiro Fujita, Antonije Radojevic, Tomoyuki Izuhara, Reinald Gerhardt, Jiandong Shi, Deepti Pant, Fang Wang, Ali Malek</i>	

Table of Contents

Systems Integration & Testing Challenges for Next-Generation Optical Transport Networks (NGOTNs)	1681
<i>Muzaffer Kanaan and Ronald S. Bernhey</i>	
Interoperability and Optical Network Performance	1685
<i>Vishnu S. Shukla</i>	
Service Delivery Enhancements for OnFiber's Wholesale Metro Bandwidth Services Enabled by Deployment of Innovative WDM Transport Network	1689
<i>Michael Guess and Serge Melle</i>	
High Definition Video Broadcast Over Core IP Networks	1697
<i>Claudio R. Lima, Ray Huang, Jim Black, James Pan, Linda Chau, J.C. Straley, J.J. Yea</i>	
Revenue Recovery for Operational SONET/SDH Networks	1707
<i>Wee Teck Ng, Pankaj Risbood, Swarup Acharya and Edward Lafontaine</i>	
RESOURCES OPTIMIZATION OF INTEGRATION OF SEPARATE OPTICAL NETWORKS	1717
<i>Raymond Hai Ming Leung and Lian Kuan Chen</i>	
Modeling 40 Gb/s CSRZ-DPSK and RZ-DPSK trans-Atlantic Transmission with Dispersion Slope Compensation	1723
<i>W. T. Anderson, L. Liu, Y. Cai, J.-X. Cai, D. Kovsh, H. Li, A. N. Pilipetskii, M. Nissov, N. Bergano</i>	
1 b/s/Hz Coherent WDM Transmission over 112 km of Dispersion Managed Optical Fibre	1726
<i>T. Healy, A.D. Ellis, F.C. Garcia Gunning, B.Cuenot and M. Rukosueva</i>	
On Performance of Coherent Phase-Shift-Keying Modulation in 40 Gb/s Long-Haul Optical Fiber Transmission Systems	1729
<i>Y. Cai, L. Liu, A. N. Pilipetskii, M. Nissov, and N. S. Bergano</i>	
Optical Minimum-Shift Keying Format and Its Dispersion Tolerance	1732
<i>Jinyu Mo, Yang Jing Wen, Yi Dong, Yixin Wang, and Chao Lu</i>	
Modulation Parameter Tolerance for 8- and 16- APSK (Amplitude- and Phase- Shift Keying) Signals	1735
<i>Kenro Sekine, Nobuhiko Kikuchi and Shinya Sasaki</i>	
Opto-Electrical Filter for 40 Gb/s Optical Single Sideband Signal Generation	1738
<i>Daniel D. Fonseca, Adolfo V. T. Cartaxo and Paulo P. Monteiro</i>	
Analytical Investigation of Optimization, Performance Bound, and Chromatic Dispersion Tolerance of 4-Amplitude-Shifted-Keying Format	1741
<i>Jian Zhao, Li Huo, Chun-Kit Chan, Lian-Kuan Chen, Chinlon Lin</i>	
Effects of Cumulative PDG on the Scalability of SOA-based Optical Packet Switching Networks	1744
<i>Odile Liboiron-Ladouceur, Keren Bergman, Misha Borodisky and Misha Brodsky</i>	
PMD Rules for Physical Constraint-Based Routing in All Optical Networks	1747
<i>Y. R. Zhou, A. Lord, S. Santoni, D. Setti, T. Fischer, G. Lehmann, H. Bülow, H. Haunstein and A. Schinabeck</i>	
Phase-Preservation Capability of All-Optical Amplitude Regenerators Using Fiber Nonlinearity	1750
<i>Masayuki Matsumoto</i>	
Optimization on Cross-Gain-Modulating Power and Wavelength for Pulsed Data-pattern Reshaping in Optical-Clock Controlled Semiconductor Optical Amplifier	1753
<i>Yung-Cheng Chang, Chi-Ming Hung, Kun-Chieh Yu, and Gong-Ru Lin</i>	
Wavelength Dependent Channel Performance in Long Haul WDM Systems and its Usage in All Optical Networks	1756
<i>Matthias Schuster, Gottfried Lehmann, Dominic Schupke, Svetoslav Duhovnikov, and Gernot Göger</i>	
Simple Improvement of Error Correction Capability of Standard FEC using Repeated Trial-and-Error Method.	1759
<i>Jochen Leibrich and Werner Rosenkranz</i>	
Automatic Installation in QKD System Using Photon-Counting Optical Power Meter	1762
<i>W. Maeda, A. Tanaka, S. Takahashi and A. Tajima</i>	

Table of Contents

Experimental Demonstration of the Continuous Tuning of Microwave Photonic Filters by sinusoidal modulation of the filter coefficients	1765
<i>S. Sales, J. Mora, M.D. Manzanedo, R. Garcia-Olcina, J. Capmany, B. Ortega, D. Pastor</i>	
Linearity and Ultra-Linearization of Ring Resonator Based Modulators for Sub-Octave Bandpass Analog Optical Links	1768
<i>Hidehisa Tazawa and William H. Steier</i>	
Novel SOA-based Switch for Multiple Radio-over-Fiber Service Applications	1771
<i>Xin Qian, Tao Lin, Richard V. Penty, Ian H. White</i>	
Experimental Demonstration of Simultaneous All-Optical Frequency Conversion for Full-Duplex WDM RoF Systems	1774
<i>Ho-Jin Song, and Jong-In Song</i>	
Near-Single Sideband Modulation in Strong Optical Injection-Locked Semiconductor Lasers	1777
<i>Hyuk-Kee Sung, Erwin K. Lau and Ming C. Wu</i>	
Experimental investigation of multimode fiber bandwidth requirements for 5.2 GHz WLAN signal transmission	1780
<i>Michael Sauer, Andrey Kobayakov, Lenwood Fields, Frank Annunziata, Jason Hurley, Jacob George</i>	
160 GHz reciprocating optical modulator using uniform fiber Bragg gratings	1783
<i>Tetsuya Kawanishi, Satoshi Shinada, Takahide Sakamoto, Masayuki Izutsu, Satoshi Oikawa, Yasuhisa Shimakura and Kiichi Yoshiara</i>	
Evidence of noise compression by Cross Gain Compression in SOAs	1786
<i>G. Contestabile, R. Proietti, N. Calabretta, L. Giorgi and E. Ciaramella</i>	
Calculation of the bit-error ratio in wavelength-division-multiplexed return-to-zero systems when the nonlinear penalty is dominated by collision-induced timing jitter	1789
<i>Oleg V. Sinkin, Vladimir S. Grigoryan, John Zweck, and Curtis R. Menyuk</i>	
Baseband Optical Down-Sampling for High-Performance Analog Links	1792
<i>L.A. Johansson and L.A. Coldren</i>	
Dynamic optical signal processing via a recirculating loop	1795
<i>A. Zadok and A. Eyal</i>	
Novel NRZ-to-RZ format conversion with tunable pulsewidth using phase modulator and interleaver	1798
<i>Guo-Wei Lu, Lian-Kuan Chen, Chun-Kit Chan</i>	
10 Gbit/s All-Optical NRZ-to-RZ Data Format Conversion in a Dark-Optical-Comb Injected Semiconductor Optical Amplifier	1801
<i>Chi-Ming Hung, Kun-Chieh Yu, Yung-Cheng Chang, and Gong-Ru Lin</i>	
Optical Processing Based on Spectral Line-by-Line Pulse Shaping on a Phase Modulated CW Laser	1804
<i>Z. Jiang, D.E. Leaird, and A.M. Weiner</i>	
FWM wavelength conversion with pump suppression	1807
<i>Dimitrios Klonidis, Christina (Tanya) Politi, Emmanouil Dialynas, Michael O'Mahony, Dimitra Simeonidou and Alistair Poustie</i>	
Limits of Maximum-Likelihood Sequence Estimation in Chromatic Dispersion Limited Systems	1810
<i>A. Napoli, S. Savory, B. C. Thomsen, V. Curri, P. Poggiolini, P. Bayvel and R. I. Killey</i>	
A Novel Chromatic Dispersion Monitoring Technique Using Frequency-Modulated and Amplitude-Modulated Pilot Tones	1813
<i>Paul K. J. Park, S. B. Jun, and Y. C. Chung</i>	
A Novel Frequency-Offset Monitoring Technique in Direct-Detection DPSK Systems	1816
<i>H. C. Ji, Paul K. J. Park, J. H. Lee, and Y. C. Chung</i>	
Simultaneous Polarization Mode Dispersion and Chromatic Dispersion Monitoring Method in 40Gbit/s System by Polarization Modulation	1819
<i>Ying Shi, Minghua Chen, Shizhong Xie</i>	

Table of Contents

10 Gb/s transmission over 3 km at 850 nm using single-mode photonic crystal fiber, single-mode VCSEL, and Si-APD.....	1822
<i>Hideaki Hasegawa, Yosuke Oikawa, Toshihiko Hirooka, Masato Yoshida, and Masataka Nakazawa</i>	
Generation of 16-Gb/s MSK signal using a single 10-GHz SSB modulator and simplified encoder/decoder	1825
<i>Yi Dong, Peigang Hu, Yikai Su, Hao He, Weisheng Hu, and Jack Chang</i>	
Experimental Demonstration of a Novel All-Optical Multilevel 4-Amplitude-Shifted-Keying Coding/Decoding Scheme.....	1828
<i>Li Huo, Jian Zhao, Chinlon Lin, Chun-Kit Chan and Zhaoxin Wang</i>	
2.5 dB Sensitivity Improvement by Optimizing the Driving Voltage of an MZM and Electrical Filter Bandwidth of Optical Duobinary Transmission Systems.....	1831
<i>Yu-Chang Lu, Chia-Chien Wei, Jason (Jyehong) Chen, Cheng Tsao, Sien Chi, Kai-Ming Feng, Pao-Chi Yeh, Tzu-Yen Huang and Ching-Cheng Chang</i>	
A Novel PolSK Transceiver Based on Differential Demodulation: Assessment of Performance	1834
<i>P. Baroni, G. Bosco, A. Carena, P. Poggiolini</i>	
RZ/CSRZ-DPSK signal generation using only one Mach-Zehnder modulator	1837
<i>Yi Dong, Hao He, Yikai Su, and Weisheng Hu</i>	
New intradyne receiver with electronic-driven phase and polarization diversity.....	1840
<i>Josep M. Fabrega and Josep Prat</i>	
Information sharing based optimal routing for survivable Optical Burst Switching (OBS) network.....	1843
<i>Donghui Gao and Hanyi Zhang</i>	
Waveband Burst Switching ... A New Approach to Networking.....	1846
<i>R. Parthiban, C. Leckie, A. Zalesky and Rodney S. Tucker</i>	
A Fair Packet-Level Performance Comparison of OBS and OCS	1849
<i>Xin Liu, Chunming Qiao, Xiang Yu and Weibo Gong</i>	
A Novel Parallel Scheduling Protocol Based on JET in Optical Burst Switching.....	1852
<i>Yanjun Li, GuoQing Zhang and Lu Cao</i>	
Flexible 10.7 Gb/s DWDM transmission over up to 1200 km without optical in-line or post-compensation of dispersion using MLSE-EDC.....	1855
<i>John D. Downie, Michael Sauer, and Jason Hurley</i>	
Cooperation Method Considering Wavelength Assignment and Routing Problem in Optical Burst Switched Networks.....	1858
<i>Yusuke Hirota, Hideki Tode, Koso Murakami</i>	
All-optical Label Recognition with SOA-MZI Multistage Switching Scheme.....	1861
<i>Junya Kurumida, Hiroyuki Uenohara, and Kohroh Kobayashi</i>	
Resilience in All-Optical Label Swapping Networks.....	1864
<i>Ruth Van Caenegem, Didier Colle, Mario Pickavet, Piet Demeester</i>	
Multi-Hop Optical Label Swapping Using Synchronous Phase Modulation.....	1867
<i>Xingwen Yi, William Shieh and An Vu Tran</i>	
Label Stacking Using Spectral Amplitude Code Labels for Optical Packet Switching.....	1870
<i>P. Seddighian, S. Ayotte, J. B. Rosas...Fernández, J. Penon, S. LaRochelle, L. A. Rusch</i>	
Novel Tone-like Polarization Modulation-based Encoding Method Experimental Demonstrated on a 10G Data Channel over 130 Km.....	1873
<i>Bhadresh N. Pathak and David S. Levy</i>	
Demonstration of Asynchronous Ultrahigh Speed Optical Label Switching Using SSFBGs Label Recognizer	1876
<i>M. Sarashina, H. Tamai, K. Sasaki, and M. Kashima</i>	
Demonstration of DPSK-OCDMA with balanced detection to improve MAI and beat noise tolerance in OCDMA system	1879
<i>Xu Wang, N. Wada, T. Miyazaki and K. Kitayama</i>	

Table of Contents

Optical Code Generation Using Longitudinal Mode Modulation of 40Gbps Mode-locked Laser Diode	1882
<i>S. Oshiba, D. Tatsumi, H. Tamai, K. Sasaki, S. Kobayashi, Y. Ogawa</i>	
Non-uniform spectral encoding of measured mode-locked laser pulses for performance enhancement of optical CDMA networks.....	1885
<i>Y. Du, S. J. B. Yoo, and Z. Ding</i>	
Inter-channel crosstalk cancellation by encoding with adjacent channels in coherent WDM.....	1888
<i>Etsushi Yamazaki, Fumikazu Inuzuka, Atsushi Takada, Kazushige Yonenaga, and Toshio Morioka</i>	
Improving Optical Data Router Performance through Prime Packet Recycling	1891
<i>Joel W. Gannett and George Clapp</i>	
SLiT: Strongly connected Light-trail for Cost Efficient and Dynamic Optical Networking	1894
<i>Ashwin Gumaste, Shakesh Jain and Si Qing Zheng</i>	
Improving Vulnerability of Shared-Path Protection Subject to Double-Link Failures	1897
<i>Xu Shao, Luying Zhou, Teck Yoong Chai, Chava Vijaya Saradhi, Yixin Wang</i>	
Backup Reprovisioning After Network-State Updates in Survivable Mesh Networks.....	1900
<i>Lei Song, Jing Zhang, and Biswanath Mukherjee</i>	
A Practical Traffic Grooming Scheme in All-Optical Networks	1903
<i>Nizar Bouabdallah and Guy Pujolle</i>	
Enhancing Link Bundling Performance in GMPLS Transparent Networks.....	1906
<i>F. Cugini, N. Andriolli, L. Valcarengi, P. Castoldi</i>	
Large-capacity Hybrid WDM/SCMA-PON using Wavelength-locked Fabry-Perot Laser Diodes	1909
<i>Jin-Serk Baik and Chang-Hee Lee</i>	
A Novel Internetworking Scheme for WDM Passive Optical Network based on Remodulation Technique.....	1912
<i>Qiguang Zhao, Xiaofeng Sun, Yuen-Ching Ku, Chun-Kit Chan, Lian-Kuan Chen</i>	
Modulation characteristics of RSOA in hybrid WDM/SCM-PON optical link	1915
<i>Jeung-Mo Kang, Yong-Yuk Won, Sang-Hoon Lee and Sang-Kook Han</i>	
Optical beat interference suppression using semiconductor optical amplifier in reflective semiconductor optical amplifier based WDM/SCM-passive optical network.....	1918
<i>Yong-Yuk Won, Sang-Hoon Lee, Jeung-Mo Kang, Sang-Kook Han, Eui-Suk Jung and Byung-Whi Kim</i>	
Higher Bit Rates for Quasi-Linear Optical Data Transmission Systems via Constrained Coding	1921
<i>Vladimir Pechenkin and Frank R. Kschischang</i>	
Comparative Study of Spectrum-Sliced Incoherent Light Systems Employing SOA-Based Noise Suppression	1924
<i>Anoma D. McCoy, Peter Horak, Morten Ibsen and David J. Richardson</i>	
A Survivable WDM PON with Alternate-Path Switching	1927
<i>Xiaofeng SUN, Chun-Kit CHAN, and Lian-Kuan CHEN</i>	
10 Gb/s WDM-PON Upstream Transmission Using Injection-locked Fabry-Perot Laser Diodes.....	1930
<i>Zhaowen Xu, Yang Jing Wen, Chang-Joon Chae, Yixin Wang, and Chao Lu</i>	
Bidirectional Amplification with Linear Optical Amplifier in WDM-PON	1933
<i>Mun Seob Lee, Byung-Tak Lee, Bin Yeong Yoon and Bong Tae Kim</i>	
Optical Ring Services in GMPLS Based Mesh Networks: An Implementation of Optical GRID.....	1936
<i>Sugang Xu and Hiroaki Harai</i>	
Dimensioning of Active Broadcast Channels in Access IPTV Network.....	1939
<i>Lev B. Sofman, Bill Krogfoss, Anshul Agrawal</i>	
Specification of SLA Suvivability Requirements for Optical Path Protected Connections	1942
<i>D. A. A. Mello, G. S. Quitério, H. Waldman and D. A. Schupke</i>	

Table of Contents

Demonstration of an Extended Reach (425m) Ethernet System over Large Core Polymer Optical Fibers for Access/Edge Networks	1945
<i>Antonino Nespola, Pietro Spalla, Silvio Abrate, Daniel Cárdenas, Roberto Gaudino</i>	
Resilient Single-Fiber Ring Access Network using Coupler-based OADMs and RSOA-based ONUs	1948
<i>Carlos Bock, Cristina Arellano and Josep Prat</i>	
Fault-localization in WDM-PONs	1951
<i>Ju-Hee Park, Jin-Serk Baik, and Chang-Hee Lee</i>	
30Gb/s transmission over 40km directly modulated DFB laser-based SMF links without optical amplification and dispersion compensation for VSR and Metro applications	1954
<i>J.M.Tang, P.M.Lane and K.A.Shore</i>	
10.7 Gb/s CWDM system transmission with 8 channels in 140 nm bandwidth over 120 km using two SOAs	1957
<i>John D. Downie, Michael Sauer, and Jason Hurley</i>	
Tuned Attenuation Efficiency of a Silicon Photonic Variable Optical Attenuator with Supplementary Diodes	1960
<i>D.W. Zheng, J. Fong, H. Liang, C.C. Kung, W. Qian, and B.T. Smith</i>	
Efficient Design and Modeling of Doped-Fiber Amplifiers and Lasers	1966
<i>Igor Koltchanov, Olga Minchenkova and André Richter</i>	
Optical MEMS: Boom, Bust and Beyond	1976
<i>Chandra Mouli Ramani</i>	
1.25Gb/s Uplink Burst...mode Transmissions: System Requirements and Optical Diagnostic Challenges of EPON Physical-layer Chipset for Enabling Broadband Optical Ethernet Access Networks	1987
<i>Y. (Frank) Chang and G. Noh</i>	
Development of Cleanliness Specifications for Single-Mode Connectors with 1.25 and 2.5 mm Ferrules	1996
<i>Tatiana Berdinskikh, Andrea Ho, Jose Garcia, Carla Gleason, Sun-Yuan Huang, Joyce Kilmer, Steve Lytle, Tom Mitcheltree, Brian J. Roche, Heather Tkalec, Douglas H. Wilson and Frank (Yi) Zhang</i>	
Development of a Sophisticated Sub-Micro Fusion Splicer for FTTP Applications	2006
<i>Yoshinori Iwashita, Shigeru Saito and Tetsu Takashima</i>	
FTTh Design and Deployment Guidelines for Civil Work, Fiber Distribution and Numbering	2012
<i>Hadi A. Hmida, Garth C. Corder, Abdulwaheed Amer and Furaih F. Shalan</i>	
Using FEC Code for Improving the WDM/SCM - PON Performance	2022
<i>Dong-Min Seol, Seung-Hyun Jang, Chul-Soo Lee, Eui-Suk Jung, Byoung-Whi Kim</i>	
Challenges in Testing Resilient Packet Ring	2030
<i>Praveen Chathnath</i>	
Experimental investigation of XPM-induced birefringence in mixed-fiber transparent optical networks	2038
<i>S. Pachnicke, E. Voges, E. De Man, E. Gottwald and J. Reichert</i>	
Reducing the OBP Protection Switching Time in WDM Mesh Networks	2041
<i>Lei Wang, Hanyi Zhang and Ludi Zheng</i>	
Software Solution to Decrease RSVP-TE Signaling Processing Time in ASON	2045
<i>Lei Wang, Xiaoping Zheng, Hanyi Zhang and Zhiyu Zhou</i>	
Prototype demonstration of integrating MPLS/GMPLS network operation and management system	2050
<i>Kenichi Ogaki, Masanori Miyazawa, Tomohiro Otani and Hideaki Tanaka</i>	
Performance Optimization of Dynamic All-Optical Networks	2058
<i>Richard S. Wolff, Kevin Repasky, Brendan Mumeey, Adam Green, Wenhao Lin</i>	
Designing Fiber-Deep Telephony Networks for Continued Evolution	2067
<i>Ken Chauvin</i>	
Physical Network Configuration of Next Generation Home Network	2077
<i>Kimio Oguchi, Takayoshi Okodo, Kunio Tojo, and Kohei Okada</i>	

Table of Contents

Business Class Services over a GPON Network	2082
<i>Stephen Smith</i>	
Carrier Class Ethernet Service Delivery Migrating SONET to IP & Triple Play Offerings	2092
<i>Joe Mocerino</i>	
A "Black-Link" Approach for Sharing Optical Fiber Infrastructure and Enabling Multi-Services	2098
<i>Ahmad Atieh, Pablo Perez, Robin Andrew and Fahim Sheikh</i>	
Optical Ethernet is Evolving as a Delivery Vehicle for Retail Metro Services	2103
<i>Paul Kloppenburg</i>	
Broadband Photonic Crystal Passive Filters for Monolithically Integrated InP Photonic Integrated Circuits	2113
<i>Marcelo Davanço, Aimin Xing, Evelyn L. Hu, Daniel J. Blumenthal and James Raring</i>	
Magneto-photonic crystal slab waveguides with lower-refractive-index claddings	2116
<i>Naoya Kono and Masanori Koshiba</i>	
Photonic Crystals For Communications: Stopping Light and Miniaturized Non-Reciprocal Devices	2119
<i>Shanhui Fan, Mehmet Fatih Yanik, Zheng Wang, Michelle Povinelle, and Sunil Sandhu</i>	
Nanotechnology for Optical Networks	2122
<i>Edward H. Sargent</i>	
A nanophotonic 4x4 wavelength router in Silicon-on-insulator	2125
<i>P. Dumon, W. Bogaerts, D. Van Thourhout, G. Morthier, R. Baets, P. Jaenen, S. Beckx, J. Wouters, T. Farrell, N. Ryan, E. Grivas, E. Kyriakis-Bitaros, G. Halkias and I. McKenzie</i>	
Nonlinearity-Tolerant In-band OSNR Monitoring for Synchronous Traffic Using Gated-Signal RF Spectral Analysis	2128
<i>Xiangqing Tian, Yikai Su, Weisheng Hu, Lufeng Leng, Peigang Hu, Lilin Yi, Yi Dong, Hao He</i>	
Improved Polarization-Nulling Technique for Monitoring OSNR in WDM Network	2131
<i>H. Y. Choi, J. H. Lee, S. B. Jun, Y. C. Chung, S. K. Shin and S. K. Ji</i>	
Polarization-Nulling Method for Monitoring OSNR in WDM Network	2134
<i>Y. C. Chung</i>	
Effect of PDL on OSNR Monitoring Technique using Polarization-Nulling Method	2136
<i>J. H. Lee and Y. C. Chung</i>	
Optical Performance Monitoring Technique Using Delay Tap Asynchronous Waveform Sampling	2139
<i>Sarah D. Dods and Trevor B. Anderson</i>	
Bending and Connection Loss Measurement of PON Branching Fibers with Individually Assigned Brillouin Frequency Shifts	2142
<i>Nazuki Honda, Daisuke Iida, Hisashi Izumita and Fumihiko Ito</i>	
Nonlinear optical devices based on carbon nanotubes	2145
<i>Y. Sakakibara, K. Kintaka, T. Itatani, S. Matsuzaki, T. R. Schibli, K. Minoshima, S. Namiki, E. Itoga, M. Tokumoto, K. Ishida and H. Kataura</i>	
Ultrashort-Cavity Passively Mode-Locked Fiber Lasers using Carbon Nanotubes	2148
<i>Shinji Yamashita, Yong-Won Song, Sze Y. Set and Kevin Hsu</i>	
Enhanced Passive Mode-Locking of Fiber Lasers Using Carbon Nanotubes Deposited onto D-Shaped Fiber	2151
<i>Yong-Won Song, Chee Seong Goh, Sze Y. Set, Kok Hann Fong, and Shinji Yamashita</i>	
Polymer saturable absorber materials in 1.5 μm band using PMMA and PS with single-wall carbon nanotubes	2154
<i>Masataka Nakazawa, Seiji Nakahara, Toshihiko Hirooka, Masato Yoshida, Toshikuni Kaino and Kyoji Komatsu</i>	
A Systematic Study of Supercontinuum Generation at 1.06μm in Holey Fibers with Dispersion Flattened Profiles	2157
<i>M. L. V. Tse, P. Horak, F. Poletti, N. G. R. Broderick, J. H. V. Price, J. R. Hayes, D. J. Richardson</i>	

Table of Contents

Supercontinuum and Gas Cell in a Single Microstructured Fiber.....	2160
<i>G. Genty, T. Ritari, and H. Ludvigsen</i>	
Performance of Advanced Modulation Formats in Optically-Routed Networks.....	2163
<i>G. Raybon</i>	
A Comparison between Multi-level Modulation Formats: 21.4-Gbit/s RZ-DQPSK and POLMUX-RZ-DPSK.....	2166
<i>D. van den Borne, S. L. Jansen, G. D. Khoe, H. de Waardt and E. Gottwald</i>	
True PRBS Transmission of DQPSK by Differential Precoder Employing Parallel Prefix Network.....	2169
<i>Yoshiaki Konishi, Kazuyuki Ishida, Kazuo Kubo and Takashi Mizuochi</i>	
Coherent WDM: The Achievement of High Information Spectral Density through Phase Control within the Transmitter	2172
<i>A.D.Ellis, F.C.Garcia Gunning, T.Healy</i>	
Coherent Demodulation of Optical 8-Phase Shift-Keying Signals Using Homodyne Detection and Digital Signal Processing	2175
<i>Satoshi Tsukamoto, Kazuhiro Katoh and Kazuro Kikuchi</i>	
40-Gbit/s All-Optical Header Processing for Packet Routing.....	2178
<i>J. P. Wang, B. S. Robinson, S. A. Hamilton and E. P. Ippen</i>	
Bit- and Packet-Level Self-Synchronization for All-Optical Label-Switched Network Nodes with Transparency to Network-Traffic	2181
<i>D. Apostolopoulos, O. Zourarakis, D. Petrantonakis, P. Bakopoulos, D. Tsiokos, E. Kehayas and H. Avramopoulos</i>	
All-Optical Packet Switching by MMI-BLD Optical Flip-Flop.....	2184
<i>Mitsuru Takenaka, Maura Raburn, Koji Takeda, and Yoshiaki Nakano</i>	
An Opto-VLSI Correlator for Optical Header Recognition	2187
<i>Rong Zheng, Muhsen Aljada, Zhenglin Wang, and Kamal Alameh</i>	
Polarization and Bit-Length Independent All-Optical Logic Gate based Active Correlator for Bit Serial Label Processing	2190
<i>B.S.Gopalakrishnapillai, K.L.Lee, A.Nirmalathas, C. Lim, S.Shinada, N.Wada and T.Miyazaki</i>	
Novel Concept for All-Optical Clock Recovery from NRZ Format PRBS Data Streams.....	2193
<i>J. Slovak, C. Bornholdt, S. Bauer, J. Kreissl, M. Schlak, and B. Sartorius</i>	
Integrated Photonic/RF 40-Gb/s Burst-mode Optical Clock Recovery for Asynchronous Optical Packet Switching	2196
<i>Zhaoyang Hu, Brian R. Koch, John E. Bowers, and Daniel J. Blumenthal</i>	
All-optical Signal Processing based on Self-induced Effects in a Vertical Cavity Semiconductor Switch.....	2199
<i>Nicola Calabretta, Claudio Porzi and Mircea Guina</i>	
Experimental Investigation of Security Issues in OCDMA.....	2202
<i>Z. Jiang, D.E. Leaird, and A.M. Weiner</i>	
Security Issues on Spectral-Phase-Encoded Optical CDMA with Phase-masking Scheme	2205
<i>Fei Xue, Yixue Du, S.J. B. Yoo, Zhi Ding</i>	
511-chip SSFBG and DFG-based optical thresholder enabled compound data rate (10Gbps~622Mbps) OCDMA experiment for multiple service provisioning platform.....	2208
<i>Taro Hamanaka, Xu Wang, Naoya Wada and Ken-ichi Kitayama</i>	
A Sixteen-User Time-slotted SPECTS O-CDMA Network Testbed	2211
<i>Wei Cong, Chunxin Yang, R. P. Scott, V. J. Hernandez, N. K. Fontaine, J. P. Heritage, B. H. Kolner and S. J. B. Yoo</i>	
Optimizing System Performance of Free-Space Optical MIMO Links with APD Receivers	2214
<i>Neda Cvijetic, Stephen G. Wilson, Maité Brandt-Pearce</i>	
The MV Aerial Power Grid at VHF/UHF rivals Fiber in Capacity	2217
<i>G. N. Srinivasa Prasanna</i>	

Table of Contents

FTTH remote fiber monitoring using optical wavelength domain reflectometry (OWDR) and wavelength coded tag (WCT).....	2220
<i>Yao Li, Daoyi Wang, and Jing Li</i>	
Localization of Fiber Failures in WDM PON by Reusing Downstream Light Sources.....	2223
<i>E. S. Son, K. W. Lim, K. H. Han, and Y. C. Chung</i>	
Characterizing Fiber Patchcord Bending Effects.....	2226
<i>K.B. Bradley, A.E. Hauth, R.J. Lingle, P. Wang, and W.C. White</i>	
Experiences from the Acreo National Broadband Testbed.....	2229
<i>Claus Popp Larsen, Loa Andersson, Anders Berntson, Anders Gavler, Tanja Kauppinen, Christer Lindqvist, Tove Madsen and Jonas Mårtensson</i>	
Field trial of a 1250-km Private Optical Network Based on a Single-Fiber, Shared-Amplifier WDM System.....	2235
<i>Michael H. Eiselt, Lara D. Garrett, Jay M. Wiesenfeld, William D. Bragg, Jeffrey L. Cox, Arnold D. Hill, Kevin L. Sharp, Brian T. Teipen, Richard J. Baca, Marvin R. Young, Robert W. Tkach</i>	
DSP-Based Oscillator Technology Greatly Simplifies Timing Architectures in Multi-Service Platforms	2241
<i>Mike Petrowski and Roger Clark</i>	
Integrating Optical and Wireless Services in the Access Network.....	2249
<i>Yuanqiu Luo, Ting Wang, Steve Weinstein, Milorad Cvijetic and Shinya Nakamura</i>	
Rate-Adaptive Multiple Sub-carrier-Based Transmission for Broadband Infrared Wireless Communication.....	2259
<i>Jelena Grubor, Volker Jungnickel, Klaus-Dieter Langer</i>	
Solving wireless backhaul issues with optical fiber.....	2269
<i>Allen Dixon</i>	
WiMAX Services over Transport Networks	2275
<i>Dayou Qian, Dirceu Cavendish, TingWang</i>	
New Problems on Wavelength Assignment in ULH Networks.....	2285
<i>Angela L. Chiu, Guangzhi Li, and Dah-Min Hwang</i>	
Limitations of Scaling Switching Capacity by Interconnecting Multiple Switches	2294
<i>Ramu Ramamurthi, Jean-François Labourdette and Eric Bouillet</i>	
Model-based Optimal Optical Network Planning and Operations	2302
<i>Mukesh Dalal, Armand Prieditis and Biswanath Mukherjee</i>	
Network Architecture Modeling and Design.....	2307
<i>Mark Wendel, Lucy Yong, Clint Bishard</i>	
TM mode optical waveguide isolator with 8.8 dB/mm nonreciprocal propagation induced by ferromagnetic MnAs.....	2310
<i>T. Amemiya, H. Shimizu, Y. Nakano, P. N. Hai, M. Yokoyama, M. Tanaka</i>	
11.4dB Isolation on an Amplifying AlGaInAs/InP Optical Waveguide Isolator.....	2313
<i>W. Van Parys, D. Van Thourhout, R. Baets, B. Dagens, J. Decobert, O. Le Gouezigou, D. Make, R. Vanheertum and L. Lagae</i>	
Chip-to-chip optical interconnects	2316
<i>J. A. Kash, F. E. Doany, L. Schares, C. L. Schow, C. Schuster, D. M. Kuchta, P. K. Pepeljugoski, J. M. Trehwella, C. W. Baks, R. A. John, L. Shan, Y. H. Kwark, R. A. Budd, P. Chiniwalla, F. R. Libsch, J. Rosner, C. K. Tsang, C. S. Patel, J. D. Schaub D. Kucharski, D. Guckenberger, S. Hegde, H. Nyikal, R. Dangel, F. Horst, B. J. Offrein, C. K. Lin, A. Tandon, G. R. Trott, M. Nystrom, D. Bour, M. R. T. Tan, D. W. Dolfi</i>	
25-Gbps operation of 1.1-μm-range InGaAs VCSELs for high-speed optical interconnections	2319
<i>N. Suzuki, H. Hatakeyama, K. Fukatsu, T. Anan, K. Yashiki, and M. Tsuji</i>	
40-Gb/s Serial-to-Parallel and Parallel-to-Serial Conversion with an Optically Clocked Transistor Array.....	2322
<i>Ryohei Urata, Ryo Takahashi, Tetsuya Suemitsu, and Hiroyuki Suzuki</i>	
2.5 Gbit/s modulation of 1300 nm single-mode photonic crystal VCSELs	2325
<i>S. Bischoff, F. Romstad, M. Juhl, M. Madsen, J. Hanberg and D. Birkedal</i>	

Table of Contents

High Power, High Speed, Single-Mode Wafer-Bonded AlInGaAs-based LW-VCSELs at 70 °C	2328
<i>M. Mehta, V. Robbins, S. Lester, D. Mars, D. Bour, F. Mertz, J.E. Bowers and J. Miller</i>	
Low phase-noise 40GHz optical pulses from a self-starting electroabsorption-modulator-based optoelectronic oscillator	2331
<i>Myunghun Shin, Preetpaul S. Devgan, Vladimir S. Grigoryan, Prem Kumar, Yong-Duck Chung and Jeha Kim</i>	
Incoherent Microwave Photonic filters with complex coefficients using stimulated Brillouin scattering	2334
<i>A. Loayssa and J. Capmany</i>	
Photonic Signal Processing of High-Speed Signals	2337
<i>Robert A. Minasian and Erwin H. W. Chan</i>	
All-optical M-ary ASK Signal Demultiplexer Based on Photonic Analog-to-digital Conversion With Bitwise Signal Allocation	2340
<i>Takashi Nishitani, Tsuyoshi Konishi and Kazuyoshi Itoh</i>	
Demonstration and Evaluation of All-optical Digital-to-analog Conversion Using Pulse Pattern Recognition Based on Optical Correlation Processing	2343
<i>T. Nishitani, T. Konishi, K. Itoh and H. Furukawa</i>	
RF-Photonic Generation of High-Power Ultrawideband Arbitrary Waveforms using Predistortion	2346
<i>Bartosz Bortnik, Jason Chou, Bahram Jalali, Harold R. Fetterman and Ilya Y. Poberezhskiy</i>	
Realistic designs of silica hollow-core photonic bandgap fibers free of surface modes	2349
<i>R. Amezcua-Correa, N. G. R. Broderick, M. N. Petrovich, F. Poletti, D. J. Richardson, V. Finazzi and T. M. Monro</i>	
Advances and limitations in the modeling of fabricated photonic bandgap fibers	2352
<i>F. Poletti, M. N. Petrovich, R. Amezcua-Correa, N. G. Broderick, T. M. Monro and D. J. Richardson</i>	
A large mode area elliptical hollow photonic crystal fiber	2355
<i>Walter Belardi, Géraud Bouwmans, Laurent Provino, Vincent Pureur, and Marc Douay</i>	
Wide-Band Single-Mode Photonic Band-Gap Fiber with Extended Triangular Lattice and Capillary Core	2358
<i>R. Goto, N. Guan, K. Takenaga, S. Matsuo, K. Himeno and K. Ohashi</i>	
Loss and bandgap analysis in air-core photonic bandgap fiber for IR transmission	2361
<i>Jonathan Hu and Curtis R. Menyuk</i>	
Depressed-index-core singlemode bandgap fiber with very large effective area	2364
<i>R. Jamier, P. Viale, S. Février, J.-M. Blondy, S. L. Semjonov, M. E. Likhachev, M. M. Bubnov, E. M. Dianov, V. F. Khopin, M. Y. Salganskii, A. N. Guryanov</i>	
Reducing losses in photonic crystal fibres	2367
<i>T. A. Birks</i>	
Dispersion tolerant alternative 10-Gb/s transmitters and implications for WDM optical networking	2370
<i>S. Chandrasekhar</i>	
Line Optimization in Long-Haul Transmission Systems with 42.8-Gbit/s RZ-DQPSK Modulation	2373
<i>D. van den Borne, S. L. Jansen, G. D. Khoe, H. de Waardt and E. Gottwald</i>	
Long-Haul 40 Gb/s RZ-DPSK Transmission with Long Repeater Spacing	2376
<i>J.-X. Cai, M. Nissov, W. Anderson, M. Vaa, C. R. Davidson, D. G. Foursa, L. Liu, Y. Cai, A. J. Lucero, W. W. Patterson, P.C. Corbett, A. N. Pilipetskii, and Neal S. Bergano</i>	
The Power of Dispersion Management for 10-Gb/s and 40-Gb/s Systems	2379
<i>D. F. Grosz, A. Agarwal, A. P. Küng, D. N. Maywar, and T. I. Lakoba</i>	
DWDM and Single Channel Fibre Nonlinear Thresholds for 43 Gb/s ASK and DPSK Formats Over Various Fibre Types	2382
<i>A. Klekamp, R. Dischler and W. Idler</i>	
Performance of NRZ and Duobinary Modulation Formats in Rayleigh and ASE-dominated Dense Optical Links	2385
<i>C. F. Marki, N. Alic, M. Gross, G. Papen, S. Esener, S. Radic</i>	

Table of Contents

10Gb/s Bidirectional Transmission in a 116km Reach Hybrid DWDM-TDM PON	2388
<i>E. K. MacHale, G. Talli and P. D. Townsend</i>	
Scalable and Multi-service Passive Optical Access Infrastructure Using Variable Optical Splitters	2391
<i>H. Ramanitra, P. Chanclou, Z. Belfqih, M. Moignard, H. Le Bras and D. Schumacher</i>	
Scalability of Carrier-distributed WDM-PON for Ethernet Services; GbE to future 100 GbE.....	2394
<i>Hiroataka Nakamura, Hiro Suzuki, and Katsumi Iwatsuki</i>	
High-density Optical Burst Switched Access Network combining WDM and TDM over a Passive Optical Infrastructure.....	2397
<i>Carlos Bock, Josep Prat and S. D. Walker</i>	
Field Trials with channel bit rates of 160 Gbit/s	2400
<i>Ralph Leppla, Sascha Vorbeck, Malte Schneiders, Werner Weiershausen, Michael Schmidt, Martin Witte, Fred Buchali, Eugen Lach, Esther Le Rouzic, Suzanne Salaiin and S. B. Papernyi, K. Sanapi</i>	
FSK-WDM to IM-OTDM conversion for fiber-to-the-premises access networks.....	2403
<i>J. J. Vegas Olmos, J.P. Turkiewicz, M. Garcia Larrode, I. Tafur Monroy, A.M.J. Koonen V. Polo, A. Ausiro, and J. Prat</i>	
Cost-Effective Fiber-to-the-Home System Using Remote Repeater	2406
<i>An Vu Tran, Chang-Joon Chae, and Rodney S. Tucker</i>	
Rapidly Reconfigurable Phase Code Generation and Recognition using Fiber Bragg Gratings	2409
<i>Zhaowei Zhang, Chun Tian, Mohd R. Mokhtar, Periklis Petropoulos, David J Richardson, Morten Ibsen</i>	
511-chip, 500Gchip/s OCDMA En/decoders Based on Equivalent Phase-shift Method	2412
<i>Yitang Dai, Xiangfei Chen, Yu Yao, Jie Sun, and Shizhong Xie</i>	
Fiber Bragg Grating Technologies and Applications in Sensors.....	2415
<i>I. Bennion and L. Zhang</i>	
Virtual distributed Gires-Tournois etalon based on phase-modulated wideband chirped fiber grating.....	2418
<i>Xuwen Shu, Kate Sugden, Ian Bennion</i>	
Transfer of orbital angular momentum between acoustic and optical vortices in optical fiber	2421
<i>Pedram Z. Dashti, Fares Alhassen, Henry P. Lee</i>	
Demonstrating Frequency-Periodic Gaussian Filtering for WDM-DPSK Detection	2424
<i>A. D'Errico, R. Proietti, L. Giorgi, G. Contestabile, and E. Ciaramella</i>	
Fabrication of 1D and 2D grating structures	2427
<i>Dmitrii Yu. Stepanov and Sachin Surve</i>	
Physical Layer Impairment Aware Routing Algorithms based on Analytically Calculated Q-factor	2430
<i>Christina (Tanya) Politi, Vasilis Anagnostopoulos, Chris Matrakidis and Alexandros Stavdas</i>	
Optimized traffic grooming as a way to mitigate the effect of chromatic dispersion in metro/regional WDM networks	2433
<i>A.C. Houle, B. Jaumard and Y. Solari</i>	
Fair Routing and Wavelength Assignment in All-Optical Networks.....	2436
<i>Yvan Pointurier, Maite Brandt-Pearce, Tao Deng and Suresh Subramaniam</i>	
RWA Using Wavelength Ordering for Crosstalk Limited Networks	2439
<i>Jun He and Maite Brandt-Pearce</i>	
Detection and Mitigation of Soft Failure due to Polarization-Mode Dispersion in Optical Networks.....	2442
<i>J. Zweck and C.R. Menyuk</i>	
Considering transmission impairments in configuring wavelength routed optical networks.....	2445
<i>R. Cardillo, V. Curri and M. Mellia</i>	
iOPEN: Integrated Optical Ethernet Network for Efficient Dynamically Reconfigurable Service Provisioning.....	2448
<i>Chava Vijaya Saradhi, Luying Zhou, Chai Teck Yoong, Shao Xu, Kumaran Veerayah, Wang Yixin, Lu Chao</i>	

Table of Contents

A New Efficient Online-Optimization Approach for SDH/SONET-WDM Multi Layer Networks	2451
<i>Martin Köhn</i>	
Cross Phase Modulation-based, Tunable Wavelength Conversion of 10-Gbit/s NRZ Signal Using 1-m Bismuth Oxide-based Nonlinear Optical Fiber.....	2454
<i>Ju Han Lee, Tatsuo Nagashima, Tomoharu Hasegawa, Seiki Ohara, Naoki Sugimoto and Kazuro Kikuchi</i>	
Continuous-Wave Supercontinuum Generation from an Erbium-Doped Fiber Ring Laser Incorporating a Highly Nonlinear Optical Fiber.....	2457
<i>Ju Han Lee and Kazuro Kikuchi</i>	
Propagation of 10-Gb/s RZ data through a slow-light fiber delay-line based on parametric process	2460
<i>Lilin Yi, Weisheng Hu, Yikai Su, Lufeng Leng, Jian Wu, Xiangqin Tian, Guangtao Zhou, Li Zhan</i>	
Efficient Supercontinuum Generation in a Ultra Compact Silica Highly Nonlinear Fiber	2463
<i>Masanori Takahashi, Masateru Tadakuma, Jiro Hiroishi, Ryuichi Sugizaki, and Takeshi Yagi</i>	
Flat Supercontinuum Generation in a Dispersion-Flattened Nonlinear Photonic Crystal Fiber with Normal Dispersion.....	2466
<i>K. K. Chow, Y. Takushima, Chinlon Lin, C. Shu and A. Bjarklev</i>	
Ultra High Gain Fiber Optical Parametric Amplifier.....	2469
<i>Thomas Torounidis, Peter A. Andrekson and Bengt-Erik Olsson</i>	
All-Optical Phase and Amplitude Regeneration of DPSK Signals Based on Phase-Sensitive Amplification	2472
<i>Kevin Croussore, Cheolhwan Kim, Yan Han, Inwoong Kim and Guifang Li</i>	
PIN Photodiode Modules for 80 Gbit/s and Beyond	2475
<i>A. Beling</i>	
Analysis of High-Performance Near-Ballistic Uni-Traveling-Carrier Photodiode at a 1.55 μm Wavelength	2478
<i>Y.-S. Wu, J.-W. Shi, and P.-H. Chiu</i>	
Photodiode with Partially Depleted Absorber, Leaky Optical Waveguide, and Distributed-Bragg-Reflector (DBR) for High-Power and High-Bandwidth-Responsivity Product Performance	2481
<i>W.-Y. Chiu, J.-W. Shi, W.-K. Wang, Y.-S. Wu, Y.-J. Chan, Y.-L. Huang, and R. Xuan</i>	
Recent Advances in Avalanche Photodiodes	2485
<i>Joe C. Campbell</i>	
Packet-by-packet all-optical burst-mode 3R regeneration in an optical-label switching router	2516
<i>Masaki Funabashi, Zuqing Zhu, Zhong Pan, and S. J. B. Yoo</i>	
Burst mode 10Gbps optical header recovery and lookup processing for asynchronous variable-length 40Gbps optical packet switching	2519
<i>H. N. Poulsen, D. Wolfson, S. Rangarajan and D. J. Blumenthal</i>	
Petabit-per-Second Routers: Optical vs. Electronic Implementations.....	2522
<i>Rodney S. Tucker</i>	
Reconfigurable All-Optical Packet Switching Based on Fiber Bragg Gratings	2525
<i>C. Tian, Z. Zhang, M. Ibsen, M. R. Mokhtar, P. Petropoulos, D.J. Richardson</i>	
Reconfigurable all-optical logic gate based on a single SOA with improved dynamics.....	2528
<i>Gianluca Berrettini, Antonio Malacarne, Paolo Ghelfi, Antonella Bogoni and Luca Poti</i>	
Optical clock pulse-train generator for asynchronous arbitrary-length optical packet processing.....	2531
<i>Tatsushi Nakahara, Ryo Takahashi, Takako Yasui, and Hiroyuki Suzuki</i>	
4\times4 high speed switching subsystem with VOA (< 10 μs) using PLZT beam deflector for optical burst switching.....	2534
<i>Y. Kai, Y. Takita, Y. Aoki, A. Sugama, S. Aoki and H. Onaka</i>	
Design of microstructured single-mode fiber combining large mode area and high rare earth ion concentration.....	2537
<i>L. Lavoute, P. Roy, A. Desfarges-Berthelemot, V. Kermene, S. Fevrier</i>	

Table of Contents

Large Area Higher-Order-Mode Fibers for Bend-Resistant, Broadband Transmission and Pulse Compression.....	2540
<i>S. Ramachandran, J.W. Nicholson, S. Ghalmi, M.F. Yan, P. Wisk, E. Monberg and F.V. Dimarcello</i>	
Microstructured and multicore fibers and fiber lasers	2543
<i>N. Peyghambarian, M. Fallahi, H. Li, L. Li, A. Mafi, M. Mansuripur, J.V. Moloney, R.A. Norwood, D. Panasenko, A. Polynkin, P. Polynkin, T. Qiu, A. Schülzgen, V.L. Temyanko, J. Wu, S. Jiang, A. Chavez, J. Geng, C. Spiegelberg</i>	
Analysis of Coating Temperature Increase in Fibers under High Power and Tight Bending	2546
<i>M. Bigot-Astruc, P. Sillard, S. Gauchard, P. Le Roux, E. Brandon</i>	
Bend-induced distortion in microstructure and solid fibers with very large mode area.....	2549
<i>John M. Fini</i>	
Observation of ignition induced by a high power light input at a butt-joint splice with refractive index matching material.....	2552
<i>Ikutaro Ogushi, Hisashi Izumita, Kuniaki Tanaka, Fumihiko Ito, and Masahito Arii</i>	
Coating damage suppression in hole-assisted fiber for high optical power wiring.....	2555
<i>Takashi Matsui, Kazuhide Nakajima, Kenji Kurokawa, Katsusuke Tajima, Koji Ieda and Izumi Sankawa</i>	
Quantum Key Distribution for Reconfigurable Optical Networks	2558
<i>R. J. Runser, T. E. Chapuran, P. Toliver, M. S. Goodman, R. J. Hughes, C. G. Peterson, K. McCabe, J. E. Nordholt, K. Tyagi, P. Hiskett, and N. Dallmann</i>	
Ultra-fast differential-phase-shift quantum key distribution using single-photon detectors based on up-conversion in periodically poled lithium niobate waveguides.....	2561
<i>H. Takesue, T. Honjo, K. Inoue, E. Diamanti, C. Langrock, M. M. Fejer and Y. Yamamoto</i>	
Temperature independent transmission for 10 Gbps 300m-MMF using low driving-current quantum dot laser	2564
<i>T. Yamabana, S. Ide, K. Mori, T. Yamamoto, M. Kawai, M. Sugawara, M. Ishida and Y. Arakawa</i>	
Design Trade-off for high PMD routes in installed transmission systems.....	2567
<i>A Hamel, P. Gavignet, S. Salaun, J Poirrier</i>	
Dynamic Polarization Mode Dispersion (PMD) and PMD Compensator Model and Their Application to the Study of PMD Compensator Speed Requirement.....	2570
<i>Chongjin Xie, Dieter Werner and Herbert Haunstein</i>	
Non-Intrusive Estimation of PMD-Induced Penalty via High Speed, High Resolution Spectral Polarimeter	2573
<i>S. X. Wang, A. M. Weiner, M. Boroditsky, M. Brodsky</i>	
Novel optical-wireless access network architecture for simultaneously providing broadband wireless and wired services	2576
<i>Gee-Kung Chang, Jianjun Yu, Zhensheng Jia and Jianguo Yu</i>	
WDM OFM-based Radio-over-Fiber Distribution Antenna System Employing GCSR Tunable Lasers	2579
<i>M. García Larrodé, A. M. J. Koonen and J. J. Vegas Olmos</i>	
A ROF downstream link with optical mm-wave generation using optical phase modulator for providing broadband optical-wireless access service.....	2582
<i>Jianjun Yu, Gee Kung Chang, Zhensheng Jia, Lilin Yi, Yikai Su, Ting Wang</i>	
Comparison of two Optical Switching Architectures to Provide a Broadband Connection to Train Passengers.....	2585
<i>Bait Lannoo, Didier Colle, Mario Pickavet, Piet Demeester</i>	
A Star-Ring-Bus Architecture for WDM Fiber-Wireless System	2588
<i>Hung-Yu Chiou, Peng-Chun Peng, Kai-Ming Feng, Wei-Ren Peng, JyeHong Chen, Hao-Chung Kuo, Shing-Chung Wang, and Sien Chi</i>	
Optimum Placement of Multiple Optical Network Units (ONUs) in Optical-Wireless Hybrid Access Networks.....	2591
<i>Suman Sarkar, Biswanath Mukherjee, and Sudhir Dixit</i>	

Table of Contents

Triple Play Services over a Converged Optical/Wireless Network	2594
<i>Junqiang Hu, Dayou Qian, Haijun Yang, Ting Wang, Steve Weinstein, Milorad Cvijetic and Shinya Nakamura</i>	
Accurate Time Transfer utilizing the Frame Synchronization in an SDH-network.....	2597
<i>Per Olof Hedekvist, Ragne Emardson, Mattias Nilsson, Niklas Berg, Leslie Pendrill, Kenneth Jaldehag, Sven-Christian Ebenhag, Per Jarlemark, Jan Johansson, Carsten Rieck, Håkan Nilsson and Peter Löthberg</i>	
Suppression of Raman-Induced Pilot Tone Crosstalk Using Optical Allpass Filters	2600
<i>Mark D. Feuer</i>	
Chromatic dispersion monitoring technique using birefringent fiber loop	2603
<i>Yuen-Ching Ku, Chun-Kit Chan, Lian-Kuan Chen</i>	
Measurement of Localized Heating in Fiber Optic Components with Millimeter Spatial Resolution.....	2606
<i>B. J. Soller, D. K. Gifford, M. S. Wolfe, M. E. Froggatt, M. H. Yu and P. F. Wysocki</i>	
Performance characterization of components with phase ripple for different 40Gb/s formats	2609
<i>H. Bissessur, C. Bastide, A. Hugbart</i>	
Measurement of Passive Optical Components Using a Carrier and Single Sideband.....	2612
<i>David J. Krause, John C. Cartledge, Lukas Jakober and Kim Roberts</i>	
WDM Reconfigurable Optical Delay Buffer for Optical Packet Switched Networks	2615
<i>Arshad Chowdhury, Yong-kee Yeo, Jianjun Yu, Gee-kung Chang and Ting Wang</i>	
Error-free 31-hop cascaded operation of an optical packet switching router with all-optical 3R regeneration	2618
<i>Zhong Pan, Zuqing Zhu, Masaki Funabashi, Haijun Yang, O. Aytug Karalar, Robert A. Marsland and S. J. B. Yoo</i>	
The European Network of Excellence e-Photon/ONE on optical networks.....	2621
<i>F. Neri, P. Poggiolini and F. Callegati</i>	
Variable Sized Packet Routing in a Complete 12×12 Photonic Network.....	2624
<i>Benjamin A. Small, Benjamin G. Lee, and Keren Bergman</i>	
Label-based Path Switching and Error-free Forwarding in a Prototype Optical Burst Switching Node using a Fast 4×4 Optical Switch and Shared Wavelength Conversion	2627
<i>Abdullah Al Amin, Katsuhiro Shimizu, Mitsuru Takenaka, Ryo Inohara, Kohsuke Nishimura, Yukio Horiuchi, Masashi Usami, Yutaka Takita, Yutaka Kai, Yasuhiko Aoki, Hiroshi Onaka, Toshiharu Miyahara, Tatsuo Hatta, Kuniaki Motoshima and Yoshiaki Nakano</i>	
Novel techniques for optical packet generation with highspectral efficiency and high receiver sensitivity.....	2630
<i>Jianjun Yu, Yong-Kee Yeo, Arshad Chowdhury, Gee-Kung Chang, Ting Wang</i>	
A large variable delay, fast reconfigurable optical buffer based on multi-loop configuration and an optical crosspoint switch matrix	2633
<i>Nan Chi, Zhuoran Wang and Siyuan Yu</i>	
All-Optical High Speed NOR Gate Based on Two Photon Absorption in Silicon Wire Waveguides.....	2636
<i>T.K. Liang, L.R. Nunes, M. Tsuchiya, K.S. Abedin, T. Miyazaki, D. Van Thourhout, P. Dumon, R. Baets and H.K. Tsang</i>	
10Gb/s and 40Gb/s WDM Multi-Casting using a Hybrid Integrated Mach-Zehnder Interferometer	2639
<i>D. Reading-Picopoulos, F. Wang, Y. J. Chai, R. V. Penty, I. H. White</i>	
High-Resolution Control of Optical Phase for Code-Empowered Networking.....	2642
<i>S. Etemad, A. Agarwal, T. Banwell, P. Delfyett, S. Galli, J. Jackel, B. Little++, R. Menendez, and P. Toliver</i>	
Crosstalk analysis applied to Wavelength Selective Switches.....	2645
<i>Thierry Zami, Bruno Lavigne, Elodie Balmefrezol</i>	
Time-spreading/wavelength-hopping OCDMA experiment using PLC encoder/decoder with large spread factor	2648
<i>Koichi Takiguchi, Tomohiro Shibata, and Hiroshi Takahashi</i>	
Highly Efficient, Wavelength-Selective Out-coupling of Cladding Mode Using Tilted Fiber Grating and Micro-etched Cladding.....	2651
<i>Shinyoung Yoon, Seihyoung Lee, Hyunseo Kang, Jeongyoun Jeong, Chonghee Yu, and Bongtae Kim</i>	

Table of Contents

Optimizing Operating Conditions to Reduce Data Pattern Dependence Induced by Slow Light Elements.....	2654
<i>Lin Zhang, Ting Luo, Wen Zhang, Changyuan Yu, Yan Wang and A. E. Willner</i>	
12-GHz-Bandwidth SBS Slow Light in Optical Fibers.....	2657
<i>Zhaoming Zhu, Andrew M. C. Dawes, Daniel J. Gauthier, Lin Zhang and Alan E. Willner</i>	
Orthogonal Polarization Heterodyne OSNR Monitoring Technique Insensitive to Polarization Effects.....	2669
<i>Chongjin Xie, Daniel C. Kilper, Lothar Möller, and Roland Ryf</i>	
Integrated holographic filters for flat-passband optical multiplexers	2672
<i>D. Iazikov, C. M. Greiner, and T. W. Mossberg</i>	
Compact, Low Cost Chip Scale Triplexer WDM Filters.....	2675
<i>Wei Chen, Brent Little, Wenlu Chen, Sai Chu, John Hryniewicz, Dave Gill, Oliver King, Fred Johnson, Roy Davidson, Kevin Donovan, and John Gibson</i>	
Tunable Narrowband Optical Filter in CMOS.....	2678
<i>M. S. Rasras, D. M. Gill, S. S. Patel, A. E. White, K.Y. Tu, Y. K. Chen, D. Carothers, A. Pomerene, M. J. Grove, D. Sparacin, J. Michel, M. Beals and L. C. Kimerling</i>	
High performance ‘Drop and Continue’ functionality in a Wavelength Selective Switch	2681
<i>Steven Frisken, Hao Zhou, Dmitri Abakoumov, Glenn Baxter, Simon Poole, Heider Ereifej, Peter Hallemeier</i>	
Compact grating couplers between optical fibers and Silicon-on-Insulator photonic wire waveguides with 69% coupling efficiency.....	2684
<i>F. Van Laere, G. Roelkens, J. Schrauwen, D. Taillaert, P. Dumon, W. Bogaerts, D. Van Thourhout and R. Baets</i>	
375 THz Parametric Translation of Modulated Signal from 1550nm to Visible Band	2687
<i>R. Jiang, R. Saperstein, N. Alic, M. Nezhad, C. McKinstrie, J. Ford, Y. Fainman and S. Radic</i>	
High Reliability 49 dB Gain, 13W PM Fiber Amplifier at 1550 nm with 30 dB PER and Record Efficiency	2690
<i>P. Wysocki, T. Wood, A. Grant, D. Holcomb, K. Chang, M. Santo, L. Braun, G. Johnson</i>	
Four-fold reduction in the speed of light at practical power levels using Brillouin scattering in a 2-m Bismuth-oxide fiber	2693
<i>C. Jáuregui, H. Ono, P. Petropoulos, D.J. Richardson</i>	
wavelength-tunable femtosecond pulse generation based on comb-like profiled fiber comprised of HNLF and zero dispersion-slope NZDSF	2696
<i>T. Inoue, N. Kumano, M. Takahashi, T. Yagi, and M. Sakano</i>	
Ultra-High-Bandwidth (>35 GHz) Electrooptically-Modulated VCSEL.....	2699
<i>A. Paraskevopoulos, H.J. Hensel, W.D. Molzow, H. Klein, N. Grote, N.N. Ledentsov, V.A. Shchukin, C. Möller, A.R. Kovsh, D.A. Livshits, I.L. Krestnikov, S.S. Mikhrin, P. Matthijsse, G.Kuyt</i>	
10-Gbps 1.3 and 1.55-μm InP-based VCSELs: 85°C 10-km Error-free Transmission and Room Temperature 40-km Transmission at 1.55-μm with EDC.....	2702
<i>N. Nishiyama, C. Caneau, J. D. Downie, M. Sauer and C.-E. Zah</i>	
First Demonstration of a Polarization Insensitive Low Time Jitter and Optical Noise Tolerant All-Optical Clock Recovery at 40 Hz Using a Self-Pulsating Laser Tandem	2705
<i>B.Lavigne, J. Renaudier, F. Lelarge, O. Legouezigou, H. Gariah and G.H. Duan</i>	
A 40 Gb/s 3R Burst Mode Receiver with 4 integrated MZI switches.....	2708
<i>D. Petrantonakis, G.T. Kanellos, P. Zakyntinos, N. Pleros, D. Apostolopoulos and H. Avramopoulos</i>	
Low Drive Voltage, Negative Chirp 40 Gb/s EAModulator/ Widely-Tunable Laser Transmitter, Using Quantum-Well-Intermixing.....	2711
<i>W. Raring, L.A. Johansson, E.J. Skogen, M.N. Sysak, H.N. Poulsen, S.P. DenBaars, and L.A. Coldren</i>	
A 17-Gb/s low-power optical receiver using a Ge-on-SOI photodiode with a 0.13-μm CMOS IC.....	2714
<i>L. Schares, C. L. Schow, S. J. Koester, G. Dehlinger, R. John, and F. E. Doany</i>	
Error-free 320 Gb/s SOA-based Wavelength Conversion using Optical Filtering	2717
<i>Y. Liu, E. Tangdiongga, Z. Li, H. de Waardt, A. M. J. Koonen, G.D. Khoe, H.J.S. Dorren, Xuewen Shu and Ian Bennion</i>	

Table of Contents

Ultra-Wideband Wavelength Conversion over 300 nm by Cascaded SOA-Based Wavelength Converters	2720
<i>Motoharu Matsuura, Naoto Kishi, and Tetsuya Miki</i>	
Demonstration of Anomalous Dispersion in a Solid, Silica-based Fiber at $\lambda < 1300$ nm.....	2723
<i>S. Ramachandran, S. Ghalmi, J.W. Nicholson, M.F. Yan, P. Wisk, E. Monberg and F.V. Dimarcello</i>	
New Field Trial Distance Record of 3040 km on Wide Reach WDM with 10 and 40 Gbps Transmission Including OC-768 Traffic Without Regeneration.....	2726
<i>David Z. Chen, Tiejun J. Xia, Glenn Wellbrock, Pavel Mamyshev, James J. Zik, Steve Penticost, Guido Grosso, Allen Dismukes, Philippe Perrier, Hervé Fevrier</i>	
Athermal AWGs for colourless WDM-PON with ...40oC to +70oC and underwater operation	2729
<i>L. Leick, M. Boulanger, J. G. Nielsen, H. Imam and J. Ingenhoff</i>	
10 x 107-Gbit/s Electronically Multiplexed and Optically Equalized NRZ Transmission over 400 km	2732
<i>G. Raybon, P. J. Winzer, and C. R. Doerr</i>	
Improved Margin in Long-Haul 40 Gb/s Systems Using Bit-Synchronously Modulated RZ-DQPSK.....	2735
<i>J.-X. Cai, M. Nissov, C. R. Davidson, W. Anderson, Y. Cai, A. N. Pilipetskii, D. G. Foursa, W. W. Patterson, P. C. Corbett, A. J. Lucero, and Neal S. Bergano</i>	
1.6-b/s/Hz Spectrally Efficient 40 x 85.6-Gb/s Transmission Over 1,700 km of SSMF Using POLMUX-RZ-DQPSK	2738
<i>D. van den Borne, S. L. Jansen, E. Gottwald, P. M. Krummrich, G. D. Khoe, and H. de Waardt.</i>	
Distribution of Fiber-Generated Polarization Entangled Photon-Pairs over 100 km of Standard Fiber in OC-192 WDM Environment.....	2741
<i>Chuang Liang, Kim Fook Lee, Jun Chen, and Prem Kumar</i>	
100Gbit/s DQPSK Transmission Experiment without OTDM for 100G Ethernet Transport	2744
<i>Masahiro Daikoku, Itsuro Morita, Hidenori Taga, Hideaki Tanaka, Tetsuya Kawanishi, Takahide Sakamoto, Tetsuya Miyazaki and Takahisa Fujita</i>	
Integrated 100 Gbit/s ETDM Receiver in a Transmission Experiment over 480 km DMF	2747
<i>Rainer H. Derksen, Gottfried Lehmann, Claus-Jörg Weiske, Colja Schubert, Reinhold Ludwig, Sebastian Ferber, Carsten Schmidt-Langhorst, Michael Möller and Joachim Lutz</i>	
Demonstration of a class-B microwave-photonic link using optical frequency modulation and complementary fiber-Bragg-grating discriminators	2750
<i>Thomas E. Darcie, Jinye Zhang, Peter F. Driessen, and J. J. Eun</i>	
Orthogonal Frequency Division Multiplexing for Adaptive Dispersion Compensation in Long Haul WDM Systems	2753
<i>Arthur James Lowery, Liang Du and Jean Armstrong</i>	
Fibre core shape transitions for optical interfacing.....	2756
<i>K. Lai, A. Witkowska, S. G. Leon-Saval, W. J. Wadsworth and T. A. Birks</i>	
Degree-4 node using a single wavelength-selective switch.....	2759
<i>C. R. Doerr</i>	
Scaling of Most-Likely Traffic Patterns of Hose- and Cost-Constrained Ring and Mesh Networks	2762
<i>Steven K. Korotky and Kostas N. Oikonomou</i>	
Cost Effective Architectures for Core Transport Networks	2765
<i>R. Batchellor and O. Gerstel</i>	
Demonstration of 2.5 Gbps Optical Burst Switched WDM Rings Network.....	2768
<i>Jaedon Kim, Jinwoo Cho, Mayank Jain, David Gutierrez, Leonid G. Kazovsky, Ching-Fong Su, Richard Rabbat and Takeo Hamada</i>	
Field Trial of 3-WDM×10-OCDMA×10.71 Gbps, Trulyasynchronous, WDM/DPSK-OCDMA Using Hybrid E/D Without FEC and Optical Threshold	2771
<i>Xu Wang, Naoya Wada, Tetsuya Miyazaki, Gabriella Cincotti and Ken-ich Kitayama</i>	

Table of Contents

320-Gb/s Capacity (32 Users × 10 Gb/s) SPECTS O-CDMA Local Area Network Testbed.....	2774
<i>V. J. Hernandez, W. Cong, R. P. Scott, C. Yang, N. K. Fontaine, B. H. Kolner, J. P. Heritage, S. J. B. Yoo</i>	
Experimental Demonstration of an Interference-Avoidance- Based Protocol for O-CDMA Networks	2777
<i>P. Saghari, P. Kamath, V. Arbab, M. Haghi, A. E. Willner, J. A. Bannister, J. D. Touch</i>	
Field Trial of Signaling Interworking of Multi-carrier ASON/GMPLS Network Domains	2780
<i>S. Okamoto, T. Otani, Y. Sone, W. Imajuku, K. Ogaki, M. Miyazawa, I. Nishioka, K. Miyazaki, A. Nagata, S. Seno, D. Ishii, S. Okamoto, N. Arai, and H. Otsuki</i>	
The First Application-driven Lambda-on-Demand Field Trial over a US Nationwide Network.....	2783
<i>Yukio Tsukishima, Akira Hirano, Naohide Nagatsu, Takuya Ohara, Wataru Imajuku, Masahiko Jinno, Yoshihiro Takigawa, Kazuo Hagimoto, Luc Renambot, Byungil Jeong, Jason Leigh, Tom DeFanti, Alan Verlo, Linda Winkler</i>	
Directly-Modulated Self-Seeding Reflective SOAs as Colorless Transmitters for WDM Passive Optical Networks.....	2786
<i>Elaine Wong, Ka Lun Lee and Trevor Anderson</i>	
10 GHz 0.5 ps Pulse Generation in 1000 nm Band in PCF for High Speed Optical Communication	2789
<i>Kenji Kurokawa, Katsusuke Tajima and Kazuhide Nakajima</i>	
Uncooled, Optical Injection-Locked 1.55 mm VCSELs for Upstream Transmitters in WDM-PONs	2792
<i>Elaine Wong, Xiaoxue Zhao, Connie J. Chang-Hasnain, Werner Hofmann and Markus C. Amann</i>	
Over 100km Bidirectional, Multi-channels COF-PON without Optical Amplifier	2795
<i>Gyaneshwar C. Gupta, Masayuki Kashima, Hideyuki Iwamura, Hideaki Tamai, Takashi Ushikubo, Takeshi Kamijoh</i>	
Faraday Effect in Long Telecom Fibers with Randomly Varying Birefringence	2798
<i>Misha Brodsky, A. A. Sirenko, A. Zavriyev and A. Trifonov</i>	
Epitaxy-free 1.53 μm quantum dot laser.....	2801
<i>S. Hoogland, V. Sukhovatkin, I. Howard, S. Cauchi, L. Levina, E.H. Sargent</i>	
Compact, Full C-Band, Widely Tunable Optical Dynamic Dispersion Compensators	2804
<i>Wei Chen, Wenlu Chen, Sai Chu, Brent Little, John Hryniewicz, Dave Gill, Oliver King, Fred Johnson, Roy Davidson, Kevin Donovan, John Gibson, Hua Jiao and Gary Carter</i>	
Polarization-independent tunable dispersion compensator comprised of a silica arrayed waveguide grating and a polymer slab.....	2807
<i>C. R. Doerr, L. L. Buhl, M. A. Cappuzzo, E. Y. Chen, A. Wong-Foy, L. T. Gomez, R. Blum and H. Bulthuis</i>	