

Proceedings of the 2006 IEEE International Frequency Control Symposium and Exposition

**Miami, Florida
4-7 June 2006**

Volume 1 of 2



**IEEE Catalog Number:
ISBN:**

**06CH37752
1-4244-0073-2**

**Copyright © 2006 by The Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republications permission, write to IEEE Copyrights Manager, IEEE Operations Center, 445 Hoes Lane, Piscataway, New Jersey USA 08854. All rights reserved.

IEEE Catalog Number: 06CH37752
ISBN: 1-4244-0073-2
LOC: 87654207

Additional Copies of This Publication Are Available from:

IEEE Service Center
445 Hoes Lane
Piscataway, NJ 08854
IEEE Service Center
445 Hoes Lane
Piscataway, NJ 08854
Phone: (800) 678-IEEE
 (732) 981-1393
Fax: (732) 981-9667
E-mail: customer-service@ieee.org

TABLE OF CONTENTS

Plenary Talk

| | |
|--|---|
| Terahertz Spectroscopy and Applications | 1 |
| <i>Frank C. De Lucia, Ohio State University</i> | |

Mindlin Session I

| | |
|--|---|
| The Impact of Finite Element Analysis on the Design of Quartz Resonators | 9 |
| <i>Yook-Kong Yong, Rutgers University; Mihir S. Patel, Rutgers University; Sonal Srivastava, Rutgers University; Masako Tanaka, Seiko Epson Corp.; Tsutomu Imai, Seiko Epson Corp.</i> | |

| | |
|---|----|
| Alternate Analysis of a Strip Resonator with Tilted Edges in Crystal Class of 32 | 23 |
| <i>Morio Onoe, University of Tokyo; Shigetaka Kaga, Nihon Dempa Kogyo Co., Ltd.</i> | |

| | |
|---|----|
| The Determination of Electrical Parameters of Partially Plated Quartz Crystal Plates with the Consideration of Dissipation | 32 |
| <i>Ji Wang, Ningbo University; Wenhua Zhao, Ningbo University; Jianke Du, Ningbo University</i> | |

| | |
|--|----|
| Parameters Extraction and Design Optimization for AT-cut Quartz Resonator Based on Mindlin's 2D Model | 36 |
| <i>S.-Y. Pao, National Taiwan University; M.K. Chao, TXC Corporation; Tim Wang, TXC Corporation; David Chang, TXC Corporation; C.S. Lam, TXC Corporation; P.Z. Chang, National Taiwan University</i> | |

| | |
|--|----|
| Trapped Torsional Vibrations in Elastic Plates | 40 |
| <i>Min K. Kang, University of Texas at Austin; Rui Huang, University of Texas at Austin; Terence Knowles, Texzec, Inc.</i> | |

Frequency Synthesis

| | |
|---|----|
| Diophantine Frequency Synthesis a Number Theory Approach to Fine Frequency Synthesis | 48 |
| <i>Paul P. Sotiriadis, Johns Hopkins University</i> | |

| | |
|---|----|
| High Performance VCXO with 622.08MHz Fundamental Quartz Crystal Resonator | 54 |
| <i>Makoto Watanabe, Nihon Dempa Kogyo Co., Ltd; Mitoshi Umeki, Nihon Dempa Kogyo Co., Ltd.; Masanobu Okazaki, Nihon Dempa Kogyo Co., Ltd.</i> | |

| | |
|--|----|
| A Regenerative Frequency Comb | 60 |
| <i>Huascar Ascarrunz, Liminal Systems Inc.; Archita Hati, NIST; Craig Nelson, NIST; David A. Howe, NIST; Fred L. Walls, Total Frequency Inc.</i> | |

| | |
|--|-----------|
| Strategies for Reducing Noise-Coupling Effects in Fractional-N Frequency Synthesizers | 65 |
| <i>Dai Jiang, University College London; Paul V. Brennan, University College London;</i> | |
| <i>Hongyu Wang, University College London</i> | |

Optical Lattice Clock: Precision Frequency Measurement

| | |
|--|-----------|
| Optical Lattice Clock: Precision Frequency Measurement | 70 |
| <i>Tomoya Akatsuka, University of Tokyo; Masao Takamoto, University of Tokyo; Feng-Lei Hong, AIST;</i> | |
| <i>Yasuhisa Fujii, AIST; Michito Imae, AIST; Hidetoshi Katori, University of Tokyo</i> | |

| | |
|---|-----------|
| Stability Measurements of the Ca and Yb Optical Frequency Standards | 74 |
| <i>C.W. Oates, NIST; C.W. Hoyt, NIST; Y. Le Coq, NIST; Z.W. Barber, NIST; T.M. Fortier, NIST;</i> | |
| <i>J.E. Stalnaker, NIST; S.A. Diddams, NIST; L. Hollberg, NIST</i> | |

| | |
|--|-----------|
| Fiber Frequency Dissemination with Resolution in the 10⁻¹⁸ Range | 80 |
| <i>O. Lopez, Université Paris 13; C. Daussy, Université Paris 13; A. Amy-Klein, Université Paris 13;</i> | |
| <i>Ch. Chardonnet, Université Paris 13; F. Narbonneau, LNE-SYRTE; M. Lours, LNE-SYRTE;</i> | |
| <i>G. Santarelli, LNE-SYRTE</i> | |

| | |
|---|-----------|
| From Optical Lattice Clocks to the Measurement of Forces in the Casimir Regime | 83 |
| <i>Peter Wolf, LNE-SYRTE; Pierre Lemonde, LNE-SYRTE; Astrid Lambrecht, Université Pierre et Marie</i> | |
| <i>Curie; Sébastien Bize, LNE-SYRTE; Arnaud Landragin, LNE-SYRTE; André Clairon, LNE-SYRTE</i> | |

Device & Material Characterization Methods

| | |
|---|-----------|
| SH Waves in a Circular Cylindrical Layered Piezoelectric Structure with Initial Stress | 93 |
| <i>Jianke Du, Ningbo University; Xiaoying Jin, Ningbo University; Ji Wang, Ningbo University;</i> | |
| <i>Yunying Zhou, Ningbo University</i> | |

| | |
|---|-----------|
| Thermal Characterization for Reliability Assessment of Solidly Mounted Resonators | 97 |
| <i>B. Ivira, IMEP-lab at Minattec; Ph. Benech, IMEP-lab; F. Ndagijimana, IMEP-lab; R.Y. Fillit, Ecole</i> | |
| <i>Nationale Supérieure des Mines de Saint Etienne; G. Parat, CEA-LETI; P. Ancey, STMicroelectronics</i> | |

| | |
|--|------------|
| Characterization of Mechanical and Piezoelectric Properties of the AlN Thin Film in a Composite Resonator Structure | 104 |
| <i>Qingming Chen, University of Pittsburgh; Qing-Ming Wang, University of Pittsburgh</i> | |

FBAR & EMAT Sensors

| | |
|---|------------|
| Mass Sensitive Thin Film Bulk Acoustic Wave Resonators | 111 |
| <i>M. Loschonsky, University of Freiburg - IMTEK; D. Eisele, University of Freiburg - IMTEK; L.M. Reindl,</i> | |
| <i>University of Freiburg - IMTEK</i> | |

| | |
|--|------------|
| High Frequency Viscosity Sensing with FBARs | 117 |
| <i>Jan Weber, Siemens AG; Mathias Link, Siemens AG; Robert Primig, Siemens AG;</i> | |
| <i>Dana Pitzer, Siemens AG; Matthias Schreiter, Siemens AG</i> | |

| | |
|---|------------|
| High Quality Factors of Silicon Membranes with Piezoelectric Actuation and Detection Scheme for Biosensing Purpose in Liquid Media | 123 |
| <i>C. Ayela, LAAS-CNRS; T. Lëichlé, LAAS-CNRS; C. Bergaud, LAAS-CNRS; L. Nicu, LAAS-CNRS; E. Cattan, IEMN-CNRS; C. Soyer, IEMN-CNRS; M. Pugnère, CPBS</i> | |

| | |
|--|------------|
| Development of an Ultra-Small Angular Rate Sensor Element with a Laminated Quartz Tuning Fork | 129 |
| <i>Takahiro Ohtsuka, Nihon Dempa Kogyo Co., Ltd.; Takahiro Inoue, Nihon Dempa Kogyo Co., Ltd.; Masahiro Yoshimatsu, Nihon Dempa Kogyo Co., Ltd.; Hideryo Matsudo, Nihon Dempa Kogyo Co., Ltd.; Masanobu Okazaki, Nihon Dempa Kogyo Co., Ltd.</i> | |

| | |
|--|------------|
| Energy-Trapping Torsional-Mode Resonators for Liquid Sensing | 133 |
| <i>Min K. Kang, University of Texas at Austin; Rui Huang, University of Texas at Austin; Terence Knowles, Texzec, Inc.</i> | |

| | |
|---|------------|
| Remote Electromagnetic Excitation of High-Q Silicon Resonator Sensors | 139 |
| <i>Frieder Lucklum, Johannes Kepler University Linz; B. Jakoby, Johannes Kepler University Linz; P. Hauptmann, Otto-von-Guericke University; N.F. de Rooij, University of Neuchâtel</i> | |

Optical Lattice Clocks II

| | |
|---|------------|
| High Spectral Resolution and Accuracy Studies for a Sr Optical Lattice Clock | 145 |
| <i>S.M. Foreman, University of Colorado; M.M. Boyd, University of Colorado; A.D. Ludlow, University of Colorado; T. Zelevinsky, University of Colorado; S. Blatt, University of Colorado; T. Ido, University of Colorado; J. Ye, University of Colorado</i> | |

| | |
|--|------------|
| Hyperpolarizability Effects and Accuracy Evaluation of a 87Sr Optical Lattice Clock | 149 |
| <i>Rodolphe Le Targat, LNE-SYRTE; Anders Brusch, LNE-SYRTE; Xavier Baillard, LNE-SYRTE; Mathilde Fouché, LNE-SYRTE; Olivier Tcherbakoff, LNE-SYRTE; Giovanni D. Rovera, LNE-SYRTE; Pierre Lemonde, LNE-SYRTE</i> | |

| | |
|--|------------|
| Optical Frequency Standard Based on Ballistic Ca Atoms | 156 |
| <i>T. Nazarova, Physikalisch-Technische Bundesanstalt; C. Degenhardt, Physikalisch-Technische Bundesanstalt; Ch. Lisdat, Physikalisch-Technische Bundesanstalt; H. Schnatz, Physikalisch-Technische Bundesanstalt; U. Sterr, Physikalisch-Technische Bundesanstalt; F. Riehle, Physikalisch-Technische Bundesanstalt</i> | |

Devices & Materials

| | |
|--|------------|
| A Two-Dimensional Analysis of the Effect of Periodic Electrodes on Surface Acoustic Wave Resonators | 161 |
| <i>Ji Wang, Ningbo University; Zhan Li, Ningbo University; Jianke Du, Ningbo University</i> | |

| | |
|---|------------|
| Bandwidth Improvement Methods in Acoustically-Coupled Thin Film BAW Devices | 165 |
| <i>Vinay Kulkarni, University of Massachusetts Lowell; Kanti Prasad, University of Massachusetts Lowell; Bradley Barber, Skyworks Solutions, Inc.</i> | |

| | |
|---|------------|
| Simple Design Technique for High Q-Factor Bragg Reflector Resonators with Reflectors of Arbitrary Thickness | 172 |
| <i>Jean-Michel le Floch, University of Western Australia; Michael E. Tobar, University of Western Australia; Dominique Cros, XLIM-UMR CNRS; Jerzy Krupka, Warsaw University of Technology</i> | |

| | |
|--|------------|
| Dual-Mode Crystal Resonator with Stable Parameters of Both Modes in Wide Temperature | 177 |
| <i>I.V. Khomenko, Omsk State Technical University; A.V. Kosykh, Omsk State Technical University; A.N. Lepetaev, Omsk State Technical University</i> | |
| Resonators with Inclined Excitation Field: The New Concept of Oscillation Modes Control | 183 |
| <i>Alexander N. Lepetaev, Omsk State Technical University; Anatoly V. Kosykh, Omsk State Technical University</i> | |
| Compound Resonators and Microweighing Sensors | 186 |
| <i>Arthur Ballato, US Army CERDEC</i> | |
| Low Temperature Mechanical Properties of Nanocrystalline Diamond Films | 192 |
| <i>Thomas H. Metcalf, Naval Research Laboratory; Brian H. Houston, Naval Research Laboratory; James E. Butler, Naval Research Laboratory; Tatyana Feygelson, GeoCenters, Inc.</i> | |
| Adaptive Control System for Czochralski Growth of Large-Diameter Langasite-Type Crystals | 196 |
| <i>Dhaval S. Shah, University of Central Florida; Christine F. Klemenz, University of Central Florida</i> | |
| Swept Frequency Acoustic Time Domain Reflection Measurement for Extraction of Acoustic Mode Velocities | 200 |
| <i>Erica D. Wells, University of Central Florida; Donald C. Malocha, University of Central Florida</i> | |
| Calculation of Bi-Mesa Structures Suitable for Mounting | 205 |
| <i>Shigeyoshi Goka, Tokyo Metropolitan University; Yusuke Mase, Tokyo Metropolitan University; Hitoshi Sekimoto, Tokyo Metropolitan University; Yasuaki Watanabe, Tokyo Metropolitan University</i> | |
| Nonlinear Characterization of Electrostatic MEMS Resonators | 209 |
| <i>Manu Agarwal, Stanford University; Kwan Kyu Park, Stanford University; Rob N. Candler, Stanford University; Bongsang Kim, Stanford University; Matthew A. Hopcroft, Stanford University; Saurabh A. Chandorkar, Stanford University; Chandra M. Jha, Stanford University; Renata Melamud, Stanford University; Thomas W. Kenny, Stanford University</i> | |
| Predictions and Measurement of Mass Loading Effects on Quartz Bulk Acoustic Wave Resonators | 213 |
| <i>I. Mateescu, National Institute of Materials Physics; C. Bran, National Institute of Materials Physics; S. Ballandras, FEMTO-ST; D. Gachon, FEMTO-ST</i> | |
| Frequency Control Components | |
| An Improved Overtone Crystal Oscillator with Microprocessor Temperature Compensation | 217 |
| <i>Xianhe Huang, University of Electronic Science and Technology of China; Wei Wei, University of Electronic Science and Technology of China; Feng Tan, University of Electronic Science and Technology of China; Wei Fu, University of Electronic Science and Technology of China</i> | |
| Two Crystals and Frequency Pulling in Precision 100 MHZ OXCO | 221 |
| <i>D.V. Bogomolov, Valpey-Fisher Inc.</i> | |
| Frequency Synthesizer Using Dual Offset Mixing for Low Phase Noise and Narrow Resolution | 224 |
| <i>Ki-Jae Song, Samsung Electronics; Jae-Il Lee, Samsung Electronics; Hyun-Seop Shin, Samsung Electronics</i> | |

| | |
|--|------------|
| Low Phase Noise Amplifier and Oscillator Using Feed-Forward Technique at 10 GHz | 228 |
| <i>A. Hati, NIST; Craig Nelson, NIST; David Howe, NIST</i> | |
| A Colpitts-Type Crystal Oscillator for Gigahertz Frequency | 233 |
| <i>Norio Nomura, Epson Toyoco Corp.; Yuji Aoyagi, Epson Toyoco Corp.; Chao-Kai Chang, Nihon University; Keita Asano, Nihon University; Yoshifumi Sekine, Nihon University</i> | |
| Development of PLL Module with Diamond SAW Resonator | 237 |
| <i>Satoshi Fujii, Seiko Epson Corp.; Yutaka Takada, Seiko Epson Corp.; Masaru Aoki, Digital Signal Technology, Inc.</i> | |
| Adaptive Dynamic Temperature Compensation: The Further Improving of DTCXO Stability in Non-stationary Temperature Conditions | 241 |
| <i>Anatoly Kosykh, Omsk State Technical University</i> | |
| Ultra Low Phase Noise Stratum-3 TCXO with High Output Power | 247 |
| <i>R. Boroditsky, Raltron Electronics Corp.; J. Gomez, Raltron Electronics Corp.; S. San-Pedro, Raltron Electronics Corp.</i> | |
| Interim Report on the Round Robin Result of Phase Jitter Measurement in Crystal Oscillators and SAW Oscillators | 251 |
| <i>Mitsuaki Koyama, Nihon Dempa Kogyo Co., Ltd.; Tomoyuki Hosoda, Kyocera Kinseki Corporation; Toshikazu Uchiyama, Epson Toyocom Corporation</i> | |
| Using High-Speed ADC in Frequency Offset and Phase Noise Measurement | 255 |
| <i>Shang-Shian Chen, Chunghwa Telecom Co. Ltd.; Chia-Shu Liao, Chunghwa Telecom Co. Ltd.</i> | |
| Timing & Clocks I | |
| A Time Interval Measurement Technique Based on Time – Space Relationship Processing | 260 |
| <i>Wei Zhou, Xi'dian University; Xiaojuan Ou, Xi'dian University; Hui Zhou, Xi'dian University; Bing Wang, Xi'dian University; Xiguang Yang, Xi'dian University</i> | |
| A Time and Frequency Measurement Technique Based on Length Vernier | 267 |
| <i>Hui Zhou, Xi'dian University; Wei Zhou, Xi'dian University</i> | |
| Frequency Biases in Pulsed Atomic Fountain Frequency Standards Due to Spurious Components in the Microwave Spectrum | 273 |
| <i>T.P. Heavner, NIST; J.H. Shirley, NIST; F. Levi, INRIM; D. Yu, KRISS; S.R. Jefferts, NIST</i> | |
| Optical Clocks Based on Quantum Emitters | 277 |
| <i>Wei Zhuang, Peking University; Deshui Yu, Peking University; Jingbiao Chen, Peking University</i> | |
| Beyond Fountain | 281 |
| <i>Jingbiao Chen, Peking University; Xiaoji Zhou, Peking University; Xuzong Chen, Peking University</i> | |
| Development of an Optical Lattice Clock in NMIJ, AIST | 284 |
| <i>Masami Yasuda, NMIJ, AIST; Feng-Lei Hong, NMIJ, AIST; Takayuki Kurosu, NMIJ, AIST; Takuya Kohno, NMIJ, AIST; Jun Ishikawa, NMIJ, AIST; Atsushi Onae, NMIJ, AIST; Shin-ichi Ohshima, NMIJ, AIST; Hidetoshi Katori, University of Tokyo</i> | |

| | |
|---|------------|
| TDMA Network Time Synchronization and Navigation Using DGPS | 287 |
| <i>Nan Wu, Beijing Institute of Technology; Hua Wang, Beijing Institute of Technology;</i> | |
| <i>Jingming Kuang, Beijing Institute of Technology; Qiang Liu, Beijing Institute of Technology;</i> | |
| <i>Zhiming Bi, Beijing Institute of Technology</i> | |
| The Brazilian Atomic Fountain Primary Frequency Standard | 291 |
| <i>A. Bebeachibuli, Instituto de Física de São Carlos; R.F. Alves, Instituto de Física de São Carlos;</i> | |
| <i>S.T. Müller, Instituto de Física de São Carlos; V.S. Bagnato, Instituto de Física de São Carlos;</i> | |
| <i>D.V. Magalhães, Instituto de Física de São Carlos</i> | |
| Joint Analysis and Simulation of Time Synchronization-Relative Navigation | |
| Performance of a Kind of Wireless TDMA Network | 295 |
| <i>Qiang Liu, Beijing Institute of Technology; Jingming Kuang, Beijing Institute of Technology; Zhiming Bi, Beijing</i> | |
| <i>Institute of Technology; Hua Wang, Beijing Institute of Technology; Nan Wu, Beijing Institute of Technology</i> | |
| Time Synchronization Performance Analysis and Simulation of a | |
| Kind of Wireless TDMA Network | 299 |
| <i>Qiang Liu, Beijing Institute of Technology; Jingming Kuang, Beijing Institute of Technology; Zhiming Bi, Beijing</i> | |
| <i>Institute of Technology; Hua Wang, Beijing Institute of Technology; Nan Wu, Beijing Institute of Technology</i> | |
| The USNO Rubidium Fountain | 304 |
| <i>Steven Peil, US Naval Observatory; Scott Crane, US Naval Observatory; Thomas Swanson, US Naval</i> | |
| <i>Observatory; Chris R. Ekstrom, US Naval Observatory</i> | |
| Radioactive Counting Clock | 307 |
| <i>Shankar Radhakrishnan, Cornell University; Amit Lal, Cornell University</i> | |
| Resonant Sensors | |
| Measurement of Concentration in Solutions Using Ultrasonic Light Diffraction | |
| Effect Based on Bragg Mode | 312 |
| <i>Kiyoshi Ikeda, Shinshu University</i> | |
| Resonant Properties of GaPO₄ Resonator Device Coated with Plasma | |
| Polymerized Styrene Film | 318 |
| <i>Hidenobu Aizawa, AIST; Yoshiharu Inoue, Nihon University; Kazunori Yamada, Nihon University;</i> | |
| <i>Mitsuo Hirata, Nihon University; Mitsuaki Koyama, Nihon Dempa Kogyo Co., Ltd.;</i> | |
| <i>Shigeru Kurosawa, AIST</i> | |
| Separate Determination of Liquid Properties with Lamb Wave Devices | 322 |
| <i>ZhiJun Chen, Shanghai Jiao Tong University; Tao Han, Shanghai Jiao Tong University; WenKang Shi, Shanghai</i> | |
| <i>Jiao Tong University; XiaoJun Ji, Shanghai Jiao Tong University; LiangEr Li, Zhejiang Ocean University</i> | |
| Characterization of Polymer Nanocomposite Thin Films Using Quartz Resonator Sensor | 328 |
| <i>Lifeng Qin, University of Pittsburgh; Hongbin Cheng, University of Pittsburgh;</i> | |
| <i>Qing-Ming Wang, University of Pittsburgh</i> | |

Manufacturing

- Development of the RF SAW Filters Based on PCB Substrate** 334
Youngjin Lee, Korea Institute of Ceramic Eng. & Tech.; Jongin Im, Korea Institute of Ceramic Eng. & Tech.; Seunghye Lee, Samsung Electro-Mechanics Co., Ltd.
- Evaluating Optical Contact Bonds Using Thin-Film ZnO Transducers** 338
Fred S. Hickernell, University of Arizona
- Manufacturing Optimization for Improved Reliability in TCXO Oscillator Designs** 343
Michael Logue, MtronPTI; Robert Cermins, IBM
- Design of Mini-Modular Oscillator Using RF and Microwave Design Techniques** 351
N.Y. Kozlovski, University of Central Florida; D.R. Gallagher, University of Central Florida; D.C. Malocha, University of Central Florida; E. Hague, MtronPTI

Physical Sensors

- Wireless SAW Based High Temperature Measurement Systems** 358
R. Fachberger, Carinthian Tech Research AG; G. Bruckner, Carinthian Tech Research AG; R. Hauser, Carinthia University of Applied Sciences; L. Reindl, IMTEK, Albert-Ludwigs University of Freiburg
- Experimental Measurements and Modeling of Aluminum Reflection Gratings on YZ LiNbO₃ for OFC SAW Sensors** 368
N. Saldanha, University of Central Florida; D. Puccio, University of Central Florida; D.C. Malocha, University of Central Florida
- A Second Generation In-Car Tire Pressure Monitoring System Based on Wireless Passive SAW Sensors** 374
B. Dixon, Transense Technologies plc; V. Kalinin, Transense Technologies plc; J. Beckley, Transense Technologies plc; R. Lohr, Transense Technologies plc
- Design of Rayleigh SAW Resonators for Applications as Gas Sensors in Highly Reactive Chemical Environments** 381
Ivan D. Avramov, Institute of Solid State Physics

Miniature Oscillators

- Reliability of Silicon Resonator Oscillators** 389
Wan-Thai Hsu, Discera, Inc.
- Low-Voltage, Crystal Controlled Comb Spectrum Oscillator for Injection Locked STW Based Clocks with Improved Stability** 393
Ivan D. Avramov, Institute of Solid State Physics
- Miniature Oven Controlled Crystal Oscillator (OCXO) on a CMOS Chip** 401
Jaehyun Lim, Pennsylvania State University; Kyusun Choi, Pennsylvania State University; Hyunsoo Kim, Pennsylvania State University; Thomas Jackson, Pennsylvania State University; David Kenny, SaRonix

| | |
|---|-----|
| Characterization of a Radiation-Pressure-Driven Micromechanical Oscillator | 405 |
| <i>Mani Hossein-Zadeh, California Institute of Technology; Hossein Rokhsari, California Institute of Technology; Ali Hajimiri, California Institute of Technology; Kerry Vahala, California Institute of Technology</i> | |

Single Ion Optical Clocks I

| | |
|---|-----|
| 88Sr+ Single-Ion Optical Frequency Standard | 409 |
| <i>P. Dubé, National Research Council; A.A. Madej, National Research Council; J.E. Bernard, National Research Council; A.D. Shiner, National Research Council</i> | |

| | |
|---|-----|
| Progress Toward an Optical Frequency Standard Based on a Single Indium Ion | 415 |
| <i>Y.H. Wang, Max Planck Research Group; T. Liu, Max Planck Research Group; A. Stejskal, Max Planck Research Group; Y.N. Zhao, Max Planck Research Group; J. Zhang, Max Planck Research Group; Z.H. Lu, Max Planck Research Group; R. Dumke, Max Planck Research Group; L.J. Wang, Max Planck Research Group; Th. Becker, Max Planck Institute for Quantum Optics</i> | |

| | |
|---|-----|
| An Ultraviolet Diode Laser System for Laser Cooling Trapped Ytterbium Ions | 420 |
| <i>J. Cox, Massachusetts Institute of Technology; M. Cetina, Massachusetts Institute of Technology; F.X. Kärtner, Massachusetts Institute of Technology; D. Kielpinski, Griffith University</i> | |

SAW Biosensors

| | |
|--|-----|
| Interferometric Observation of Surface Acoustic Wave Phase Fronts | 424 |
| <i>Andreas Gollwitzer, University of Bayreuth; Andreas Lerner, University of Bayreuth; Gerhard Fischerauer, University of Bayreuth</i> | |

| | |
|---|-----|
| SAW Hydrogen Sensor with Electropolymerized Polyaniline Nanofibers | 428 |
| <i>K. Kalantar-zadeh, RMIT University; A.Z. Sadek, RMIT University; W. Wlodarski, RMIT University; Y.X. Li, Shanghai Institute of Ceramics; X.F. Yu, Shanghai Institute of Ceramics</i> | |

Voltage Controlled Oscillators

| | |
|---|-----|
| Novel Multi-Coupled Line Resonators Replace Traditional Ceramic Resonators in Oscillators/VCOs | 432 |
| <i>Ulrich L. Rohde, Synergy Microwave Corporation; Ajay K. Poddar, Synergy Microwave Corporation</i> | |

| | |
|--|-----|
| A Local Oscillator for Chip-Scale Atomic Clocks at NIST | 443 |
| <i>A. Brannon, University of Colorado; M. Janković, University of Colorado; J. Breitbarth, University of Colorado; Z. Popović, University of Colorado; V. Gerginov, University of Notre Dame; V. Shah, University of Colorado; S. Knappe, NIST; L. Hollberg, NIST; J. Kitching, NIST</i> | |

| | |
|--|-----|
| Low-Power, 4.6-GHz, Stable Oscillator for CSAC | 448 |
| <i>Stefania Römisch, Spectral Research; Robert Lutwak, Symmetricom</i> | |

| | |
|---|-----|
| Treatment of Flicker Noise in Oscillators and Methods of its Suppression | 452 |
| <i>Dmitry P. Tsarapkin, MPEI</i> | |

Single Ion Optical Clocks II

- 171Yb+ Single-Ion Optical Frequency Standard at 688 THz** 457
*Chr. Tamm, Physikalisch-Technische Bundesanstalt; B. Lipphardt, Physikalisch-Technische Bundesanstalt;
H. Schnatz, Physikalisch-Technische Bundesanstalt; R. Wynands, Physikalisch-Technische Bundesanstalt;
S. Weyers, Physikalisch-Technische Bundesanstalt; T. Schneider, Physikalisch-Technische Bundesanstalt;
E. Peik, Physikalisch-Technische Bundesanstalt*

- Absolute Optical Frequency Measurements with a Fractional Frequency
Uncertainty at 1×10^{-15}** 462
*J.E. Stalnaker, NIST; S.A. Diddams, NIST; K. Kim, NIST; L. Hollberg, NIST; E.A. Donley, NIST;
T.P. Heavner, NIST; S.R. Jefferts, NIST; F. Levi, IEN; T.E. Parker, NIST*

- Femtosecond Laser Meets Field Emission Tip – A Sensor for the Carrier Envelope Phase?** 470
*Peter Hommelhoff, Stanford University; Catherine Kealhofer, Stanford University;
Mark A. Kasevich, Stanford University*

Miniature Devices

- A 10MHz Piezoresistive MEMS Resonator with High Q** 475
J.T.M. van Beek, Philips Research; P.G. Steeneken, Philips Research; B. Giesbers, Philips Research

- Langasite Beam Resonators: Theoretical and Experimental Investigations** 481
*F. Sthal, FEMTO-ST; E. Bigler, FEMTO-ST; J. Maisonnnet, FEMTO-ST;
R. Bourquin, FEMTO-ST; B. Dulmet, FEMTO-ST*

- Parallel-Coupled Square-Resonator Micromechanical Filter Arrays** 485
*John R. Clark, Discera, Inc.; Minfan Pai, Discera, Inc.; Barry Wissman, Discera, Inc.;
Guohong He, Discera, Inc.; Wan-Thai Hsu, Discera, Inc.*

- Frame Enclosed Resonator for Miniature Oven Controlled Crystal Oscillator (OCXO)** 491
*Hyunsoo Kim, Pennsylvania State University; Thomas Jackson, Pennsylvania State University; Jaehyun Lim,
Pennsylvania State University; Kyusun Choi, Pennsylvania State University; David Kenny, SaRonix*

- Orthogonal Frequency Coding for Use in Ultra Wide Band Communications and Correlators** ... 494
D.R. Gallagher, University of Central Florida; D.C. Malocha, University of Central Florida

Optical Components

- The Impact of Frequency Comb Stability on Optical Arbitrary Waveform Generation** 500
*C.-B. Huang, Purdue University; Z. Jiang, Purdue University; D.E. Leaird, Purdue University;
A.M. Weiner, Purdue University*

- A New OEO Design Using Optical Phase Modulation and Modulation Suppression** 507
G. John Dick, Jet Propulsion Laboratory; Nan Yu, Jet Propulsion Laboratory

- Optimized Optical Links for High Spectral Purity Ku-Band Signal Distribution** 513
*Bertrand Onillon, LAAS-CNRS; Jacques Rayssac, LAAS-CNRS; Olivier Llopis, LAAS-CNRS;
Benoît Bénazet, Alcatel Alenia Space*

| | |
|---|-----|
| A Characterization Bench to Analyse Various Types of Optical WGM Resonators for High Spectral Purity Microwave Sources Applications | 519 |
| <i>S.B. Constant, LAAS-CNRS; P.H. Merrer, LAAS-CNRS; B. Onillon, LAAS-CNRS; X. Dollat, LAAS-CNRS; O. Llopis, LAAS-CNRS; L. Ghisa, ENSSAT-FOTON; Y. Dumeige, ENSSAT-FOTON; P. Féron, ENSSAT-FOTON; G. Cibiel, CNES</i> | |

TSM Biosensors

| | |
|---|-----|
| Real Time Kinetic Analysis with Quartz Crystal Resonator Sensors | 528 |
| <i>Ralf Lucklum, Otto-von-Guericke University; Steffen Doerner, Otto-von-Guericke University; Thomas Schneider, Otto-von-Guericke University; Benedikt Schlatt-Masuth, Otto-von-Guericke University; Thomas Jacobs, Otto-von-Guericke University; Peter Hauptmann, Otto-von-Guericke University</i> | |

| | |
|---|-----|
| Efficient Immobilization Methods of Antibody on Quartz Crystal Microbalance Immunosensors | 535 |
| <i>Shigeru Kurosawa, AIST; Hidenobu Aizawa, AIST; Jong-Won Park, AIST; Kazuhiko Ishihara, University of Tokyo</i> | |

| | |
|---|-----|
| Characterization of Extracellular Matrix (ECM) Produced by MC3T3 Cells Using Thickness Shear Mode (TSM) Resonators | 538 |
| <i>Fang Li, University of Pittsburgh; Qing-Ming Wang, University of Pittsburgh; James H-C. Wang, University of Pittsburgh</i> | |

| | |
|---|-----|
| ZnO Nanotip-Based QCM Biosensors | 545 |
| <i>Zheng Zhang, Rutgers University; Hanhong Chen, Rutgers University; Jian Zhong, Rutgers University; Ying Chen, Rutgers University; Yicheng Lu, Rutgers University</i> | |

| | |
|--|-----|
| Probing Interparticle Adhesion of Dry and Wet Granular Materials with the Quartz Crystal Microbalance | 550 |
| <i>Diethelm Johannsmann, Clausthal University of Technology; Nelson J. d'Amour, Stanford University; Kay K. Kanazawa, Stanford University; Johan J.R. Stalgren, Stanford University; Curt W. Frank, Stanford University; M. Rodahl, Q-Sense AB</i> | |

Materials & Devices

| | |
|--|-----|
| Absolute Vibrational Displacement Measurements Based on Laser Speckle Method with Burst Resonator Driving | 554 |
| <i>Yasuaki Watanabe, Tokyo Metropolitan University; Sunao Ishii, Tokyo Metropolitan University; Shigeyoshi Goka, Tokyo Metropolitan University; Hitoshi Sekimoto, Tokyo Metropolitan University; Masahiko Kato, Toshiba Microelectronics Corp.; Teruyoshi Tsuda, Yahoo Japan Corp.</i> | |

| | |
|--|-----|
| Study of PMN-PT Single Crystals for Resonator Applications | 559 |
| <i>H.T. Wong, Hong Kong Polytechnic University; K.W. Kwok, Hong Kong Polytechnic University; H.L.W. Chan, Hong Kong Polytechnic University</i> | |

| | |
|--|-----|
| Measurements of Doubly-Rotated-Cuts of Langasite Isomorph | 563 |
| <i>Yoonkee Kim, U.S. Army Communications-Electronics RD&E Center</i> | |

Oscillator Modeling & Analysis

| | |
|---|------------|
| A Low-Power Low-Voltage VCO with Wide Range Tuning Controlled by Adaptive Neural Network | 567 |
| <i>Babak Menbari, Arak University; Amir Abolfazl Suratgar, Arak University</i> | |
| Phase-Noise Analysis for Single and Dual-Mode Colpitts Crystal Oscillators | 575 |
| <i>Xiaojuan Ou, Xi'dian University; Wei Zhou, Xi'dian University; Hongbo Kang, Xi'an University of Post and Telecommunications</i> | |
| A Stochastic Model of "Sleeping Sickness" of Crystal Oscillators | 582 |
| <i>Yuriy S. Shmaliy, Guanajuato University; Remi Brendel, LPMO du CNRS</i> | |
| ADEV Calculated from Phase Noise Measurements and its Possible Errors Due to FFT Sampling | 587 |
| <i>Po-Cheng Chang, National Standard Time & Frequency Lab., TL; Shang-Shian Chen, National Standard Time & Frequency Lab., TL; Shinn-Yan Lin, National Standard Time & Frequency Lab., TL</i> | |
| Timing & Clocks II | |
| A Clock Algorithm Based on Wavelet Entropy | 591 |
| <i>Jianxun Li, Xi'an University of Technology; Xizheng Ke, Xi'an University of Technology; Deqiang Ding, Xi'an Communication College</i> | |
| Analysis on the Characterization of Clock Behavior with Wavelet Entropy | 595 |
| <i>Jianxun Li, Xi'an University of Technology; Xizheng Ke, Xi'an University of Technology; Li Zhao, Xi'an University of Technology</i> | |
| Investigation of an Optimum Sampling Interval for a Local Clock TIE Model with an Unbiased FIR Filtering Algorithm | 599 |
| <i>Jorge Munoz-Diaz, Guanajuato University; Yuriy S. Shmaliy, Guanajuato University; Luis Arceo-Miquel, Guanajuato University; Oscar Ibarra-Manzano, Guanajuato University</i> | |
| Experimental Comparison of the Unbiased FIR Estimation vs. the Sawtooth Correction in GPS-Based Timekeeping | 604 |
| <i>Luis Arceo-Miquel, Guanajuato University; Yuriy S. Shmaliy, Guanajuato University; Jorge Munoz-Diaz, Guanajuato University; Oscar Ibarra-Manzano, Guanajuato University</i> | |
| Study on Broadcast Control Model of Beidou/Changhe Integrated Navigation System | 609 |
| <i>Shuzhou Li, Xi'an University of Technology; Xizheng Ke, Xi'an University of Technology; Jianxun Li, Xi'an University of Technology</i> | |
| Increasing the Modulation Depth of the WWVB Time Code to Improve the Performance of Radio Controlled Clocks | 615 |
| <i>John P. Lowe, NIST; Ken C. Allen, NTIA</i> | |
| A New Algorithm of Detecting and Correction Cycle Slips in Dual-Frequency GPS | 622 |
| <i>Gun Li, Chinese Academic of Sciences; Yong-Hui Hu, Chinese Academic of Sciences; Wei Zhou, Xi'dian University</i> | |

| | |
|--|-----|
| Real-Time Monitoring of Clock Statistics | 628 |
| <i>C.F. Matthee, CSIR NML</i> | |
| GPS Carrier Phase Analysis Noise on the USNO-PTB Baseline | 631 |
| <i>Demetrios Matsakis, USNO; Mark Lee, USNO; Rolf Dach, AIUBE; Urs Hugentobler, AIUBE; Z. Jiang, BIPM</i> | |
| Optical Links and RF Distribution for Antenna Arrays | 637 |
| <i>Shouhua Huang, Jet Propulsion Laboratory; Malcolm Calhoun, Jet Propulsion Laboratory; Robert Tjoelker, Jet Propulsion Laboratory</i> | |
| Study of an Optimal Algorithm for Combing TWSTFT and GPS CV Comparisons | 642 |
| <i>Gun Li, Chinese Academic of Sciences; Yong-Hui Hu, Chinese Academic of Sciences; Chong-Xia Zhong, Chinese Academy of Sciences; Wei Zhou, Xi'dian University</i> | |

Progress in New Materials

| | |
|--|-----|
| New Materials and New Devices for Filtering in Radio-Communication Systems | 649 |
| <i>Jacques Detaint, IMPMC Universités Paris VI et Paris VII; Bernard Capelle, IMPMC Universités Paris VI et Paris VII; Yves Epelboin, IMPMC Universités Paris VI et Paris VII</i> | |
| Comparison of High Temperature Crystal Lattice and Bulk Thermal Expansion Measurements of LGT Single Crystal | 658 |
| <i>T.R. Beaucauge, University of Maine; E.P. Beenfeldt, University of Maine; S.A. Speakman, Oak Ridge National Laboratory; W.D. Porter, Oak Ridge National Laboratory; E.A. Payzant, Oak Ridge National Laboratory; M. Pereira Da Cunha, University of Maine</i> | |
| GaPO₄ Stiffness and Piezoelectric Constants Measurements Using the Combined Thickness Excitation and Lateral Field Technique | 664 |
| <i>P. Davulis, University of Maine; J.A. Kosinski, U.S. Army RDECOM; M. Pereira Da Cunha, University of Maine</i> | |
| Sensitivity of Electroelastic Effect to Nonlinear Material Behavior in Langasite Resonators | 670 |
| <i>Haifeng Zhang, University of Nebraska-Lincoln; Joseph A. Turner, University of Nebraska-Lincoln; Jiashi Yang, University of Nebraska-Lincoln; John A. Kosinski, U.S. Army CECOM</i> | |
| In-Situ Al:Ti-co-Doped La₃Ga_{5.5}Ta_{0.5}O₁₄ Films for High-Q Resonators | 676 |
| <i>C.F. Klemenz, University of Central Florida; A. Sayir, NASA Glenn Research Center</i> | |

WGM Oscillators

| | |
|--|-----|
| Using Precision Oscillators and Interferometers to Test Fundamental Physics | 681 |
| <i>Michael E. Tobar, University of Western Australia; Paul L. Stanwix, University of Western Australia; Alison C. Fowler, University of Western Australia; Eugene N. Ivanov, University of Western Australia; John G. Hartnett, University of Western Australia; Clayton R. Locke, University of Western Australia; Peter Wolf, SYRTE, Observatoire de Paris</i> | |
| Impact of Stabilizing Networks on Phase Noise in Microwave Bridge Oscillators | 685 |
| <i>Dmitry P. Tsarapkin, MPEI; Sergey S. Kozlov, MPEI</i> | |

| | |
|--|-----|
| Progress Report for a New Cryogenic Sapphire Oscillator | 691 |
| <i>R.T. Wang, Jet Propulsion Laboratory; G.J. Dick, Jet Propulsion Laboratory;</i> | |
| <i>R.L. Tjoelker, Jet Propulsion Laboratory</i> | |

| | |
|--|-----|
| New Temperature Compensated Sapphire-Rutile Resonator Oscillator | 695 |
| <i>Y. Kersalé, FEMTO-ST; N. Boubekeur, FEMTO-ST; M. Chaubet, CNES; N. Bazin, FEMTO-ST;</i> | |
| <i>V. Giordano, FEMTO-ST</i> | |

Small Clocks

| | |
|--|-----|
| Active Light Shift Stabilization in Modulated CPT Clocks | 699 |
| <i>V. Shah, NIST; P.D.D. Schwindt, NIST; V. Gerginov, NIST; S. Knappe, NIST;</i> | |
| <i>L. Hollberg, NIST; J. Kitching, NIST</i> | |

| | |
|---|-----|
| Progress Toward a 10-15 Stable Ion Clock for Deep Space Applications | 702 |
| <i>J.D. Prestage, Jet Propulsion Laboratory; S. Chung, Jet Propulsion Laboratory; T. Le, Jet Propulsion</i> | |
| <i>Laboratory; L. Lim, Jet Propulsion Laboratory; L. Maleki, Jet Propulsion Laboratory</i> | |

| | |
|---|-----|
| Lamp Stabilization Using Ion Waves: Smart-Clock Technology to Eliminate Light-Shift Variations | 706 |
| <i>James Camparo, The Aerospace Corporation</i> | |

| | |
|---|-----|
| Electrolytic Fabrication of Atomic Clock Cells | 711 |
| <i>Fei Gong, Princeton University; Yuan-Yu Jau, Princeton University; Katharine Jensen, Massachusetts</i> | |
| <i>Institute of Technology; William Happer, Princeton University</i> | |

Mindlin Session II

| | |
|---|-----|
| An Accurate Two-Dimensional Theory of Vibrations of Isotropic Elastic Plates | 715 |
| <i>Peter C.Y. Lee, Princeton University</i> | |

| | |
|--|-----|
| Complex Branches of Dispersion Equations and Mindlin's Angle for Tilted Edges | 723 |
| <i>Morio Onoe, University of Tokyo</i> | |

| | |
|---|-----|
| Modified Lee Plate Equations for the Vibration Analysis of Piezoelectric Plates with Consideration of Stiffness and Mass of Electrodes | 732 |
| <i>Ji Wang, Ningbo University; Guojun Chen, Beijing Chengjing Electronics Co., Ltd.;</i> | |
| <i>Jianke Du, Ningbo University</i> | |

Measurement Techniques & Noise

| | |
|---|-----|
| Thermal Characterization of Crystal Ovens Used in Phase Noise Measurement System | 736 |
| <i>F. Sthal, FEMTO-ST; S. Galliou, FEMTO-ST; P. Abbé, FEMTO-ST; N. Franquet, FEMTO-ST;</i> | |
| <i>X. Vacheret, FEMTO-ST; P. Salzenstein, FEMTO-ST; E. Rubiola, FEMTO-ST; G. Cibié, CNES</i> | |

| | |
|--|-----|
| Comparison of AM Noise in Commercial Amplifiers and Oscillators at X-Band | 740 |
| <i>A. Hati, NIST; D.A. Howe, NIST; C.W. Nelson, NIST</i> | |

| | |
|--|------------|
| The Properties of Time and Phase Variances in the Presence of Power Law Noise for Various Systems | 745 |
| <i>Victor S. Reinhardt, Raytheon Space and Airborne Systems</i> | |
| The Measurement of AM Noise of Oscillators | 750 |
| <i>Enrico Rubiola, FEMTO-ST</i> | |
| On the 1/f Frequency Noise in Ultra-Stable Quartz Oscillators | 759 |
| <i>Enrico Rubiola, FEMTO-ST; Vincent Giordano, FEMTO-ST</i> | |
| Precision Timing & Transfer | |
| Relativity and Timing in X-Ray Pulsar Navigation | 767 |
| <i>N. Ashby, University of Colorado; D.A. Howe, NIST</i> | |
| Time Transfer by Laser Link: The T2L2 Experiment on Jason 2 | 771 |
| <i>P. Guillemot, CNES - French Space Agency; K. Gasc, CNES; I. Petitbon, CNES; E. Samain, CNRS/GEMINI; P. Vrancken, CNRS/GEMINI; J. Weick, CNRS/GEMINI; D. Albanese, CNRS/GEMINI; F. Para, CNRS/GEMINI; J.-M. Torre, CNRS/GEMINI</i> | |
| Towards Sub-10-16 Transcontinental GPS Carrier-Phase Frequency Transfer: A Simulation Study | 779 |
| <i>Christine Hackman, University of Colorado; Judah Levine, NIST and University of Colorado</i> | |
| ThêoH Bias-Removal Method | 788 |
| <i>D.A. Howe, NIST; J. McGee-Taylor, NIST; T. Tasset, NIST</i> | |
| Thin Film Devices | |
| Method of Fabricating Multiple-Frequency Film Bulk Acoustic Resonators in a Single Chip | 793 |
| <i>Li-Peng Wang, Intel Corporation; Eyal Ginsburg, Intel Corporation; Dora Diamant, Intel Corporation; Qing Ma, Intel Corporation; Zhenyu Huang, Intel Corporation; Zhigang Suo, Harvard University</i> | |
| Multilayer Film Piezoelectric Lamb Wave Resonator for Several GHz Applications | 797 |
| <i>Hisanori Matsumoto, Hitachi, Ltd., Central Research Laboratory; Atsushi Isobe, Hitachi, Ltd., Central Research Laboratory; Kengo Asai, Hitachi, Ltd., Central Research Laboratory</i> | |
| Conceptual Designs of a High Q, 3.4 GHz Thin Film Quartz Resonator | 801 |
| <i>Mihir S. Patel, Rutgers University; Yook-Kong Yong, Rutgers University</i> | |
| Development of High Frequency Bulk Acoustic Wave Resonator Using Thinned Single-Crystal Lithium Niobate | 810 |
| <i>D. Gachon, FEMTO-ST; G. Lengaigne, FEMTO-ST; L. Gauthier-Manuel, FEMTO-ST; V. Laude, FEMTO-ST; S. Ballandras, FEMTO-ST</i> | |

Materials for Frequency Control

| | |
|--|-----|
| Integration of SiGe MEMS Resonators with CMOS: Shifting System Level Paradigms in Frequency Control | 813 |
| <i>Emmanuel P. Quevy, Silicon Clocks Inc.</i> | |

| | |
|---|-----|
| Ultra Stable Oscillators Dedicated for Space Applications: Oscillator and Quartz Material Behaviors vs Radiation | 814 |
| <i>Gilles Cibiél, CNES; Vincent Candelier, C-MAC Frequency Products; Jacques Lamboley, C-MAC Frequency Product; Bruno Boizot, LSI - Ecole Polytechnique; Pierre Guibert, ICMCB-CRPAA - Université de Bordeaux; Alain Largeteau, ICMCB-CRPAA - Université de Bordeaux; Jean-Jacques Boy, LCEP - FEMTO-ST; Jean-François Carlotti, LCEP - FEMTO-ST; Christophe Inguibert, DESP - ONERA-CERT</i> | |

| | |
|---|-----|
| Study of Paramagnetic Properties of Fe³⁺ Ions to Realizing Whispering Gallery Maser Oscillator | 823 |
| <i>K. Benmessai, FEMTO-ST; P.-Y. Bourgeois, FEMTO-ST; M. Oxborrow, NPL; N. Bazin, FEMTO-ST; Y. Kersalé, FEMTO-ST; V. Giordano, FEMTO-ST</i> | |

Manufacturing Devices & Systems

| | |
|---|-----|
| Microcontroller-Based Temperature Compensation Scheme for Two-Port SAW Oscillators | 827 |
| <i>Bernd Roith, University of Bayreuth; Andreas Gollwitzer, University of Bayreuth; Andreas Lerner, University of Bayreuth; Gerhard Fischerauer, University of Bayreuth</i> | |

| | |
|--|-----|
| Fabrication of Periodically Poled Domains Transducers on LiNbO₃ | 831 |
| <i>E. Courjon, FEMTO-ST; N. Boudin, FEMTO-ST; G. Lengaigne, FEMTO-ST; L. Gauthier-Manuel, FEMTO-ST; W. Daniau, FEMTO-ST; S. Ballandras, FEMTO-ST; P. Paruch, University of Geneva; J. M. Triscone, University of Geneva; J. Hauden, Photline Technologies SA</i> | |

| | |
|---|-----|
| High Overtone Bulk Acoustic Resonators Built Using Aluminum Nitride Thin Films Deposited onto AT-cut Quartz Plates | 835 |
| <i>J. Masson, FEMTO-ST; D. Gachon, FEMTO-ST; L. Robert, FEMTO-ST; N. Bazin, FEMTO-ST; J.-M. Friedt, FEMTO-ST; G. Martin, FEMTO-ST; S. Alzuaga, FEMTO-ST; R. Rodolphe, FEMTO-ST; B. Guichardaz, FEMTO-ST</i> | |

| | |
|---|-----|
| Nickel Vibrating Micromechanical Disk Resonator with Solid Dielectric Capacitive-Transducer Gap | 839 |
| <i>Wen-Lung Huang, University of Michigan; Zeying Ren, University of Michigan; Clark T.-C. Nguyen, University of Michigan</i> | |

| | |
|---|-----|
| Ultraprecision Finishing Process for Improving Thickness Distribution of Quartz Crystal Wafer by Utilizing Atmospheric Pressure Plasma | 848 |
| <i>Kazuya Yamamura, Osaka University; Yasuhisa Sano, Osaka University; Yuzo Mori, Osaka University; Masafumi Shibahara, Hyogo Prefectural Institute of Technology</i> | |

Microwave Dielectric Oscillators

| | |
|--|------------|
| A Low Phase Noise Microwave Sapphire Loop Oscillator | 852 |
| <i>D. Green, Poseidon Scientific Instruments; C. McNeilage, Poseidon Scientific Instruments; J.H. Searls, Poseidon Scientific Instruments</i> | |
| Development of Ultra Low Phase Noise X-Band Oscillators | 861 |
| <i>R. Boudot, FEMTO-ST; S. Gribaldo, LAAS-CNRS; Y. Gruson, FEMTO-ST; N. Bazin, FEMTO-ST; E. Rubiola, FEMTO-ST; O. Llopis, LAAS-CNRS; V. Giordano, FEMTO-ST</i> | |
| Ultra-Low Phase Noise Ceramic Based Dielectric Resonator Oscillators | 869 |
| <i>Jeremy Everard, University of York; Konstantinos Theodoropoulos, University of York</i> | |
| Dielectric Resonator Oscillator Using the Coupling Between a Coplanar Waveguide (CPW) and a TE_{01δ} a Mode Dielectric Resonator | 875 |
| <i>Hee Sang Noh, Kyung Hee University; Ihn S. Kim, Kyung Hee University</i> | |
| 2nd Harmonic Power Enhancement of FET DRO with Additional Dielectric Resonator | 878 |
| <i>Johann Kwon, Kyung Hee University; Ihn S. Kim, Kyung Hee University</i> | |
| A Low Phase Noise 1.3 GHz Dielectric Resonator Oscillator | 882 |
| <i>P. Stockwell, Poseidon Scientific Instruments; D. Green, Poseidon Scientific Instruments; C. McNeilage, Poseidon Scientific Instruments; J.H. Searls, Poseidon Scientific Instruments</i> | |