

2006 Bipolar/BiCMOS Circuits and Technology Meeting Proceedings

**Maastricht, Netherlands
8-10 October 2006**



**IEEE Catalog Number: 06CH37813
ISBN: 1-4244-0458-4**

**Copyright © 2006 by The Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republications permission, write to IEEE Copyrights Manager, IEEE Operations Center, 445 Hoes Lane, Piscataway, New Jersey USA 08854. All rights reserved.

IEEE Catalog Number: 06CH37813

ISBN: 1-4244-0458-4

ISSN: 1088-9299

Additional Copies of This Publication Are Available from:

IEEE Service Center

445 Hoes Lane

Piscataway, NJ 08854

IEEE Service Center

445 Hoes Lane

Piscataway, NJ 08854

Phone: (800) 678-IEEE

(732) 981-1393

Fax: (732) 981-9667

E-mail: customer-service@ieee.org

Table of Contents

Linearization Techniques at the Device and Circuit Level	1
<i>L.C.N. de Vreede and M.P. van der Heijden</i>	
Linear Efficiency Load-pull Measurements on GaAs HBT versus Si BJT for EDGE and OFDM Modulation.....	9
<i>L.C.M van den Oever, R.M. Heeres, H.F.F. Jos</i>	
Analysis of Temperature Modulation on a SiGe Power Amplifier Non Linearity.....	13
<i>L. Leyssenne, J.M. Pham, P. Jarry, E. Kerhervé, and Daniel Saïas</i>	
MEMS-Based Reconfigurable Multi-band BiCMOS Power Amplifier.....	17
<i>A.J.M. de Graauw, P.G. Steeneken, C. Chanlo, J. Dijkhuis, S. Pramm, A. van Bezooijen, H.K.J. ten Dolle, F. van Straten, P. Lok</i>	
Miniaturized Quad-Band Front-End Module for GSM using Si BiCMOS and Passive Integration Technologies	21
<i>A.J.M. de Graauw, A. van Bezooijen, C. Chanlo, A. den Dekker, J. Dijkhuis, S. Pramm, and H.K.J. ten Dolle</i>	
Physical Description of the Mixed-Mode Degradation Mechanism for High Performance Bipolar Transistors.....	25
<i>T. Vanhoucke, G.A.M. Hurkx, D. Panko, R. Campos, A. Piontek, P. Palestri, L. Selmi</i>	
Analysis of Factors Contributing to Common-Base Avalanche Instabilities in Advanced SiGe HBTs	29
<i>Curtis M. Grens, John D. Cressler, and Alvin J. Joseph</i>	
Electrothermal Phenomena in Bipolar Transistors and ICs: Analysis, Modeling, and Simulation	33
<i>N. Rinaldi, V. D'Alessandro, and F. M. De Paola</i>	
Reliability Issues in SiGe HBTs Fabricated on CMOS-Compatible Thin-Film SOI.....	41
<i>Marco Bellini, Tianbing Chen, Chendong Zhu, John D. Cressler, and Jin Cai</i>	
Unified Analysis of Degraded Base Current in SiGe:C HBTs after Reverse and Forward Reliability Stress	45
<i>M. Ruat, N. Revil, G. Pananakakis and G. Ghibaudo</i>	
A BiCMOS Technology Featuring a 300/330 GHz (fT / fmax) SiGe HBT for Millimeter Wave Applications	49
<i>B. A. Orner, M. Dahlström, A. Pothiawala, R. M. Rassel, Q. Liu, H. Ding, M. Khater, D. Ahlgren, A. Joseph, J. Dunn</i>	
A 0.13µm thin SOI CMOS technology with low-cost SiGe:C HBTs and complementary high-voltage LDMOS.....	53
<i>L. Boissonnet, F. Judong, B. Vandelle, L. Rubaldo, P. Bouillon, D. Dutartre, A. Perrotin, G. Avenier, P. Chevalier, A. Chantre and B. Rauber</i>	
A 205/275GHz fT/fmax Airgap Isolated 0.13µm BiCMOS Technology featuring on-chip High Quality Passives	57
<i>S. Van Huylenbroeck, L. J. Choi, A. Sibaja-Hernandez, A. Piontek, D. Linten, M. Dehan, O. Dupuis, G. Carchon, F. Vleugels, E. Kunnen, P. Leray, K. Devriendt, X. P. Shi, R. Loo, E. Hijzen and S. Decoutere</i>	
Simultaneous Integration of SiGe High Speed Transistors and High Voltage Transistors	61
<i>R.K. Vyta, T.F. Meister, K. Aufinger, D. Lukashevich, S. Boguth, H. Knapp, J. Bock, H. Schafer and R. Lachner</i>	
RF, Analog and Mixed Signal Technologies for Communication ICs - An ITRS Perspective.....	65
<i>W. Margaret Huang, Herbert S. Bennett, Julio Costa, Peter Cottrell, Anthony A. Immorlica Jr., Jan-Erik Mueller, Marco Racanelli, Hisashi Shichijo, Charles E. Weitzel, and Bin Zhao</i>	
A High-Slew Rate SiGe BiCMOS Operational Amplifier for Operation Down to Deep Cryogenic Temperatures	72
<i>Ramkumar Krishivasan, Yuan Lu, Laleh Najafizadeh, Chendong Zhu, John D. Cressler, Suheng Chen, Chandradevi Ulaganathan, and Benjamin J. Blalock</i>	
86dB. 10Gb/s SiGe Transimpedance Amplifier Using Photodiode Capacitance Neutralization and Vertical Threshold Adjustment.....	76
<i>Adrian Maxim</i>	
A 70 MHz - 4.1 GHz 5th-Order Elliptic gm-C Low-Pass Filter in Complementary SiGe Technology	80
<i>Yuan Lu, Ramkumar Krishivasan, Wei-Min Lance Kuo, Xiangtao Li, John D. Cressler, Hans Gustat, and Bernd Heinemann</i>	

Table of Contents

A 3.5GHz Low Power Programmable Transversal Filter RFIC Implemented in 47GHz SiGe Technology.....	84
<i>Vasanth Kakani, Xuefeng Yu, Foster F. Dai, Richard C. Jaeger</i>	
SiGe BiCMOS Precision Voltage References for Extreme Temperature Range Electronics	88
<i>Laleh Najafizadeh, Chendong Zhu, Ramkumar Krishivasan, John D. Cressler, Yan Cui, Guofu Niu , Suheng Chen, Chandradevi Ulaganathan , Benjamin J. Blalock , and Alvin J. Joseph</i>	
Quantitative Analysis of Errors in On-Wafer S-Parameter Deembedding Techniques for High Frequency Device Modeling.....	92
<i>Rob Groves, Jing Wang, Lawrence Wagner and Ava Wan</i>	
BJT Base and Emitter Resistance Extraction from DC Data	96
<i>Colin C. McAndrew</i>	
Simultaneous Extraction of Collector and Substrate Series Resistance by Simple DC Measurement.....	100
<i>Tianbing Chen, Tracey L. Krakowski, Andy Strachan, Yun Liu, Alexei Sadovnikov, and Je Babcock</i>	
Joint Extraction of the Base and Collector Resistances with the Base-Collector Capacitance Split of HBT/BJT Transistors	104
<i>Z. Huszka, E. Seebacher and W. Pflanzl</i>	
Compact Modeling of GaAs Heterojunction Bipolar Transistors using the new Mextram 3500 model.....	108
<i>R. van der Toorn, J.C.J. Paasschens, J.J. Dohmen, R.M.T. Pijper</i>	
Substrate Current Injection and Latchup in Complementary Vertical Bipolar Processes.....	112
<i>Andy Strachan</i>	
10A 12V 1 chip DC/DC converter IC using bump technology.....	118
<i>Kazutoshi Nakamura, Kenichi Matsushita, Norio Yasuhara, Koichi Endo, Fumito Suzuki, Morio Takahashi and Akio Nakagawa</i>	
High RF performances asymmetric spacer NLD莫斯 integration in a 0.25μm SiGe:C BiCMOS Technology.....	122
<i>Bertrand Szelag, Dorothée Muller, Jocelyne Mourier, Caroline Arnaud, Halim Bilgen, Fabienne Judong, Alexandre Giry, Denis Pache, Agustin Monroy</i>	
A Modular 0.18 um Analog / RFCMOS Technology Comprising 32 GHz FT RF-LDMOS and 40V Complementary MOSFET Devices.....	126
<i>Zachary Lee, Robert Zwingman, Jie Zheng, Will Cai, Paul Hurwitz, and Marco Racanelli</i>	
A Concurrent Fully-Integrated BiFET LNA for W-CDMA/IEEE 802.11a Applications	130
<i>C. P. Moreira, E. Kerherve, P. Jarry, D. Belot</i>	
A 77 GHz (W-band) SiGe LNA with a 6.2 dB Noise Figure and Gain Adjustable to 33 dB	134
<i>Ralf Reuter, Yi Yin</i>	
A 5GHz Series Coupled BiCMOS Quadrature VCO with Wide Tuning Range	138
<i>Vasanth Kakani, Foster F. Dai and Richard C. Jaeger</i>	
Design and Scaling of SiGe BiCMOS VCOs Above 100GHz.....	142
<i>S. T. Nicolson, K.H.K Yau, K.A. Tang, P. Chevalier, A. Chantre, B. Sautreuil, and S. P. Voinigescu</i>	
Turn-On Voltage Control in BSCR and LDMOS-SCR by the Local Blocking Junction Connection	146
<i>V.A. Vashchenko and P.J. Hopper</i>	
Deep Trench NPN Transistor for Low-RON ESD Protection of High- Voltage I/Os in Advanced Smart Power Technology.....	150
<i>A. Gendron, C. Salamero, N. Nolhier, M. Bafleur, P. Renaud, P. Besse</i>	
GaAs HBT ESD Diode Layout and its Relationship to Human Body Model Rating.....	154
<i>Douglas A. Teeter, Kathy Muñoz, David Widay, Mike Fresina</i>	
Human Body Model ESD Protection of RF Bipolar Circuits	158
<i>Paul Davis and Brian Horton</i>	
Characterization and Modeling of Intermodulation Linearity in a 200 GHz SiGe HBT Technology	162
<i>Guofu Niu, Ying Li, Zhiming Feng, Jun Pan, and David C. Sheridan</i>	

Table of Contents

Impact of Collector-Base Space Charge Region on RF Noise in Bipolar Transistors	166
<i>Kejun Xia and Guofu Niu</i>	
SiGe Profile Optimization for Improved Cryogenic Operation at High Injection.....	170
<i>Yan Cui, Guofu Niu, Yun Shi, Chendong Zhu, Laleh Najafizadeh and John D. Cressler, and Alvin Joseph</i>	
Influence of the Ge Profile on VBE and Current Gain Mismatch in Advanced SiGe BiCMOS NPN HBT with 200 GHz fT.....	174
<i>M. Dahlstrom, K. Walter, S. Von Bruns, R.M. Malladi, Kim M. Newton and A.J. Joseph</i>	
Substrate Transfer: an Enabling Technology for System-in-Package Solutions	178
<i>R. Dekker</i>	
Above IC RF MEMS and BAW filters: fact or fiction?	186
<i>P. Ancey</i>	
Lithography for the 32-nm Node and Beyond.....	191
<i>J. N. Burghartz, M. Irmscher, F. Letzkus, J. Kretz, and D. Resnick</i>	
Applications of SiGe Material for CMOS and Related Processing.....	196
<i>S. Monfray, T. Skotnicki, P. Coronel, S. Harrison, D. Chanemougame, F. Payet, D. Dutartre, A. Talbot, S. Borel</i>	
Design and Modeling of mm-Wave Monolithic Transformers	203
<i>Tak Shun D. Cheung and John R. Long</i>	
Lumped Modeling of Differentially Driven Symmetric Inductors for RF IC Design.....	207
<i>E. Ragonese, A. Scuderi, T. Biondi, A. Italia, and G. Palmisano</i>	
Demonstration of three-dimensional 35nF/mm² MIM Capacitor integrated in BiCMOS Circuits	211
<i>J.C. Giraudin, F. Badets, JP. Blanc, E. Chataigner, A. Bajolet, T. Jagueneau, C. Rossato and P. Delpech</i>	
Integrated BiCMOS 10 GHz S-Parameter Module	215
<i>Jangsup Yoon, Robert M. Fox, and William R. Eisenstadt</i>	
RF Switch on Standard SiGe-CMOS Technology for System-on-a-chip Radio Transceivers.....	219
<i>Domenico Zito and Bruno Neri</i>	
SiGe BiCMOS for Analog, High-Speed Digital and Millimetre-Wave Applications Beyond 50 GHz	223
<i>S.P. Voinigescu, T. Chalvatzis, K.H.K. Yau, A. Hazneci, A. Garg, S. Shahramian, T. Yao, M. Gordon, T.O. Dickson, E. Laskin, S.T. Nicolson, A.C. Carusone, L. Tchoketch-Kebir, O. Yuryevich, G. Ng, B. Lai, and P. Liu</i>	
A 64-bit High-Speed Read-Write Look-Up Table Memory Implemented in GaAs HBT	231
<i>Andre G. Metzger and Peter M. Asbeck</i>	
Low-Power, Low-Phase Noise SiGe HBT Static Frequency Divider Topologies up to 100 GHz.....	235
<i>E. Laskin, S. T. Nicolson, P. Chevalier, A. Chantre, B. Sautreuil, S. P. Voinigescu</i>	
A Low Power 12.5Gb/s SiGe Limiting Amplifier Using a Feed-forward Adjustable Threshold Loss-Of-Signal Detector	239
<i>A. Maxim, D. Smith</i>	
250-GHz self-aligned Si/SiGeC HBT featuring an all-implanted collector.....	243
<i>P. Chevalier, C. Raya, B. Geynet, F. Pourchon, F. Judong, F. Saguin, T. Schwartzmann, R. Pantel, B. Vandelle, L. Rubaldo, G. Avenier, B. Barbalat, and A. Chantre</i>	
Development of a Cost-Effective, Selective-Epi, SiGe:C HBT Module for 77GHz Automotive Radar	247
<i>Jay P. John, Jim Kirchgessner, Matt Menner, Hernan Rueda, Francis Chai, Dave Morgan, Jill Hildreth, Morgan Dawdy, Ralf Reuter, and Hao Li</i>	
Experimental Study of Metallic Emitter SiGeC HBTs.....	251
<i>B. Barbalat, F. Judong, L. Rubaldo, P. Chevalier, M. Proust, C. Richard, G. Borot, B. Vandelle, F. Saguin, D. Dutartre, N. Zerounian, F. Aniel and A. Chantre</i>	
Schottky Barrier Diodes for Millimeter Wave SiGe BiCMOS Applications.....	255
<i>R.M. Rassel, J.B. Johnson, B.A. Orner, S.K. Reynolds, M.E. Dahlström, J.S. Rascoe, A.J. Joseph, B.P. Gaucher, J.S. Dunn, S.A. St. Onge</i>	

Table of Contents

High Performances 3D Damascene MIM Capacitors Integrated in Copper Back-End Technologies.....	259
<i>S. Crémér, C. Richard, D. Benoit, C. Basset, J.-P. Manceau, A. Farcy, C. Perrot, N. Segura, M. Marin, S. Bécu, S. Boret, M. Thomas, S. Guillaumet, A. Bonnard, P. Delpech and S. Bruyère</i>	
5.8 GHz RF Transceiver LSI Including On-Chip Matching Circuits	263
<i>Minoru Nagata, Hideaki Masuoka, Shin-ichi Fukase, Makoto Kikuta, Makoto Morita, Nobuyuki Itoh</i>	
5-GHz WLAN Standards Compliant Image Reject Radio Receiver on Low-cost SiGe-CMOS Technology	267
<i>Domenico Zito and Bruno Neri</i>	
A SiGe BiCMOS 9.75/10.6GHz Frequency Synthesizer for DBS Satellite LNB Down-Converters Using Half-Rate Oscillators.....	271
<i>A. Maxim, M. Gheorghe, C. Turinici</i>	
Ruggedness Improvement by Protection	275
<i>André van Bezoijken, Anton de Graauw, Lennart Ruijs, Skule Pramm, Christophe Chanlo, Henk Jan ten Dolle, Freek van Straten, Reza Mahmoudi, and Arthur H.M. van Roermund</i>	
Compact Modeling of High Frequency Correlated Noise in HBTs.....	279
<i>P.Sakalas, J.Herricht, A.Chakravorty, M.Schroter</i>	
Modeling of Intrinsic Base Majority Carrier Thermal Noise for SiGe HBTs Including Fringe BE Junction Effect.....	283
<i>Kejun Xia and Guofu Niu</i>	
Fully coupled dynamic self heating model for power SOI Lateral Insulated Gate Bipolar Transistors.....	287
<i>S. Gamage, V. Pathirana and F. Udrea</i>	
A Broadband and Scalable On-Silicon-Chip Inductor Model for Varying Substrate Resistivities.....	291
<i>J. C. Guo and T. Y. Tan</i>	