

# **2006 IEEE/ION Position, Location and Navigation Symposium**

**Coronado, CA  
24-27 April 2006**

**Volume 1 of 3**



**IEEE Catalog Number:  
ISBN:**

**06CH37724  
0-7803-9453-4**

**Copyright © 2006 by The Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republications permission, write to IEEE Copyrights Manager, IEEE Operations Center, 445 Hoes Lane, Piscataway, New Jersey USA 08854. All rights reserved.

IEEE Catalog Number: 06CH37724  
ISBN: 0-7803-9453-4  
Library of Congress: 2005932177

**Additional Copies of This Publication Are Available from:**

IEEE Service Center  
445 Hoes Lane  
Piscataway, NJ 08854  
IEEE Service Center  
445 Hoes Lane  
Piscataway, NJ 08854  
Phone: (800) 678-IEEE  
(732) 981-1393  
Fax: (732) 981-9667  
E-mail: [customer-service@ieee.org](mailto:customer-service@ieee.org)

# IEEE/ION PLANS 2006 MEETING

## TABLE OF CONTENTS

### Session A1: Advanced Inertial Sensing Technology

|                                                                                                                                                                                                                                                                    |    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>Estimation of the Roll Angle in a Spinning Guided Munition Shell</b><br>R. Kreichauf, E. Lindquist , <i>Honeywell Laboratories</i> -----                                                                                                                        | 1  |
| <b>A New Quartz Monolithic Differential Vibrating Beam Accelerometer</b><br>O. Le Traon, D. Janiaud, M. Pernice, S. Masson, S. Muller, <i>Onera, France</i> ;<br>J-Y. Tridera, <i>DGA/LRBA, France</i> -----                                                       | 6  |
| <b>Performance Analysis of Tactical Grade Inertial Systems for MWD Process</b><br>M. El-Gizawy, <i>The University of Calgary, Canada</i> ; A. Noureldin, <i>Royal Military College of Canada</i> ;<br>N. El-Sheimy, <i>The University of Calgary, Canada</i> ----- | 16 |
| <b>Current Capabilities of MEMS Capacitive Accelerometers in Harsh Environment</b><br>J-M. Stauffer, <i>Colibrys SA, Switzerland</i> -----                                                                                                                         | 23 |
| <b>Quartz Dual Axis Rate Sensor (QDARS)</b><br>R. Jaffe, S. Simshauser, <i>BEI Systron Donner Inertial Division</i> ; A.M. Madni, <i>BEI Technologies, Inc.</i> ---                                                                                                | 26 |
| <b>Ship Augmented Gravity Enhancement (SAGE)</b><br>J. DeWall, M.B. May, J. Eyth, <i>Pennsylvania State University</i> -----                                                                                                                                       | 36 |

### Session B1: Advanced Integrated Navigation Technology

|                                                                                                                                                                                              |    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>Analysis of an Ultra Tightly Coupled GPS/INS System in Jamming</b><br>E.J. Ohlmeyer, <i>Naval Surface Warfare Center</i> -----                                                            | 44 |
| <b>Time-Differenced Carrier Phase Measurements for Tightly Coupled GPS/INS Integration</b><br>J. Wendel, O. Meister, R. Mönikes, G.F. Trommer, <i>University of Karlsruhe, Germany</i> ----- | 54 |
| <b>A Development of WAAS-Aided Flight Inspection Truth System</b><br>E. Kim, U. Peled, T. Walter, J.D. Powell, <i>Stanford University</i> -----                                              | 61 |
| <b>Spacecraft Entry Navigation Using Sigma Point Kalman Filtering</b><br>M.C. Heyne, R.H. Bishop, <i>The University of Texas at Austin</i> -----                                             | 71 |

|                                                                                                                                                                                                                                                                                                                                                                           |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>IMU Data Generation From the Defined Motion Using the NDI Controller Design Technique</b><br>Ö. Atesoglu, <i>Aselsan, Inc., Turkey</i> -----                                                                                                                                                                                                                           | 80  |
| <b>SINS Rapid In-Motion Alignment Based on Nonlinear Filter</b><br>Z. Xiong, Y. Hao, F. Sun, <i>Harbin Engineering University, China</i> -----                                                                                                                                                                                                                            | 86  |
| <b>Session C1: Atmospheric Effects &amp; Modeling</b>                                                                                                                                                                                                                                                                                                                     |     |
| <b>Decorrelation of Troposphere Across Short Baselines</b><br>D. Lawrence, <i>Novariant Corporation</i> ; R.B. Langley, D. Kim, <i>University of New Brunswick, Canada</i> ;<br>F-C. Chan, B. Pervan, <i>Illinois Institute of Technology, Chicago</i> -----                                                                                                              | 94  |
| <b>An Improved Regularization Method to Estimate Near Real-time Systematical Errors and Ionosphere Suitable for GPS Medium-long Baselines</b><br>X. Luo, Y. Yuan, J. Ou, <i>Chinese Academy of Science, China</i> ; J. Wang, <i>University of New South Wales, Australia</i> ; K. Zhang, <i>Chinese Academy of Science, China</i> -----                                   | 103 |
| <b>Advanced Ionospheric Modelling for GNSS Single Frequency Users</b><br>M.A. Aragón, A.F. Amarillo Fernández, <i>TEC-ETN, ESTEC/ESA, The Netherlands</i> -----                                                                                                                                                                                                           | 110 |
| <b>Improving Ionospheric Corrections in the Asia Pacific Region</b><br>C-S. Ho, S-S. Jan, Y-C. Lin, <i>National Cheng Kung University, Taiwan</i> -----                                                                                                                                                                                                                   | 121 |
| <b>Session D1: Advanced Navigation Concepts for Urban &amp; Indoor</b>                                                                                                                                                                                                                                                                                                    |     |
| <b>Optimal Sensor Placement for Agent Localization</b><br>D.B. Jourdan, N. Roy, <i>Massachusetts Institute of Technology</i> -----                                                                                                                                                                                                                                        | 128 |
| <b>Data Fusion for Mobile-Aided Localization in 4G Wireless Communication Systems</b><br>S. Frattasi, <i>Aalborg University, Denmark</i> ; M. Monti, <i>Konica srl, Italy</i> ; M. Antonini, M. Ruggieri, <i>"Tor Vergata", University, Italy</i> ; R. Prasad, <i>Aalborg University, Denmark</i> -----                                                                   | 140 |
| <b>Integrated GPS/TOA Navigation Using a Positioning and Communication Software Defined Radio</b><br>A. Brown, J. Nordlie, <i>NAVSYS Corporation</i> -----                                                                                                                                                                                                                | 147 |
| <b>Indoor Mapping and Positioning Using Impulse Radios</b><br>W. Guo, N.P. Filer, <i>The University of Manchester, U.K.</i> ; R. Zetik, <i>Ilmenau University of Technology, Germany</i> -----                                                                                                                                                                            | 153 |
| <b>Initialization and Online-Learning of RSS Maps for Indoor / Campus Localization</b><br>B.B. Parodi, H. Lenz, A. Szabo, H. Wang, <i>Siemens AG, Corporate Technology, Germany</i> ;<br>J. Horn, <i>Helmut-Schmidt University/University of the Federal Armed Forces, Germany</i> ;<br>J. Bamberger, D. Obradovic, <i>Siemens AG Corporate Technology, Germany</i> ----- | 164 |
| <b>A Database Method to Mitigate the NLOS Error in Mobile Phone Positioning</b><br>B. Li, A.G. Dempster, C. Rizos, <i>University of New South Wales, Australia</i> ; H.K. Lee, <i>Hankuk Aviation University, Korea</i> -----                                                                                                                                             | 173 |
| <b>Self Localization Techniques for Wireless Sensor Networks</b><br>M. Youssef, <i>The University of Calgary, Canada</i> ; A. Nouredin, <i>Royal Military College of Canada</i> ;<br>A.F. Yousif, N. El-Sheimy, <i>The University of Calgary, Canada</i> -----                                                                                                            | 179 |

## Session A2: Sensor Software & Signal Processing

### Symmetric Phase-Only Matched Filter (SPOMF) for Frequency-Domain Software

#### GNSS Receivers

M. Miller T. Nguyen, *Air Force Research Laboratory/SNRN*; C. Yang, *Sigtem Technology, Inc.* -----187

### Analysis and Practical Comparison of Wireless LAN and Ultra-Wideband Technologies for Advanced Localization

S. Galler, J. Schroeder, G. Rahmatollahi, *University of Hannover, Germany*; K. Kyamakya, *University of Klagenfurt, Austria*; K. Jobmann, *University of Hannover, Germany*-----198

### Kalman Filtering for Acquisition of GNSS Signals in Highly-Manoeuvrable Receivers

F.D. Nunes, F.M. Sousa, J.M. Leitão, *Instituto de Telecomunicações, Portugal*-----204

### Insights Into Jammer Mitigation Via Space-Time Adaptive Processing

K.F. McDonald, P.J. Costa, R.L. Fante, *The MITRE Corporation*-----213

### A Data Fusion Approach for Improved Positioning in GSM Networks

M. Zhang, S. Knedlik, P. Uolkosold, O. Loffeld, *University of Siegen, Germany*-----218

### A Multi-Objective Approach in GNSS Code Discriminator Design

J-C. Juang, *National Cheng Kung University, Taiwan*-----223

### A Constructive and Autonomous Integration Scheme of Low-Cost GPS/MEMS IMU for Land Vehicular Navigation Applications

K-W. Chiang, *National Cheng-Kung University, Taiwan*; S. Nassar, N. El-Sheimy, *The University of Calgary, Canada*-----235

## Session B2: Integration of Inertial Systems with Satellite

### Performance of Honeywell's Inertial/GPS Hybrid (HIGH) for RNP Operations

C. Call, M. Ibis, J. McDonald, K. Vanderwerf, *Honeywell International, Aerospace*-----244

### TARSUS - A New Generation State of the Art Tactical Artillery Survey and Gun Laying System

M. Eren, Ö. Atesoglu, D.R.L. Guner, *ASELSAN Inc., Turkey*-----256

### Architecture and System Performance of SPAN - NovAtel's GPS/INS Solution

S. Kennedy, J. Hamilton, H. Martell, *NovAtel Inc., Canada*-----266

### A Systems Approach to Ionospheric Delay Compensation

D.P. Michal, H.A. Klotz, R.M. Hoven, *The Boeing Company*-----275

### Post-processing GNSS/INS Measurements Using a Tightly Coupled Fixed-Interval Smoother Performing Carrier Phase Ambiguity Resolution

R. Mönikes, A. Teltschik, J. Wendel, G.F. Trommer, *University of Karlsruhe, Germany*-----283

### System Design and Performance Analysis of Extended Kalman Filter-Based Ultra-Tight GPS/INS Integration

D. Li, J. Wang, *The University of New South Wales, Australia*-----291

|                                                                                                      |     |
|------------------------------------------------------------------------------------------------------|-----|
| <b>A Deeply Coupled GPS/INS Integrated Kalman Filter Design Using a Linearized Correlator Output</b> |     |
| J.W. Kim, D-H. Hwang, S.J. Lee, <i>Chungnam National University, South Korea</i> -----               | 300 |

## **Session C2: Receiver and Antenna Technology I**

|                                                                                                                 |     |
|-----------------------------------------------------------------------------------------------------------------|-----|
| <b>Radiation Pattern Analysis of Aircraft Mounted GPS Antennas and Verification Through Scale Model Testing</b> |     |
| B.R. Rao, E.N. Rosario, R.J. Davis, <i>The MITRE Corporation</i> -----                                          | 306 |

|                                                                                                                                                                                |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Stabilizing the Phase Response of Blind Array Processors for GNSS Interference Cancellation</b>                                                                             |     |
| G. Carrie, F. Vincent, <i>ENSICA, France</i> ; T. Deloues, <i>Onera/DEMR, France</i> ; D. Pietin, <i>DGA/LRBA, France</i> ; A. Renard, F. Letestu, <i>Thales, France</i> ----- | 319 |

|                                                                          |     |
|--------------------------------------------------------------------------|-----|
| <b>Phase Compensation in GPS Array Processing Using a Software Radio</b> |     |
| S.K. Kalyanaraman, M.S. Braasch, <i>Ohio University</i> -----            | 324 |

|                                                                                                                                                 |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Empirical Mode Decomposition and Blind Source Separation Methods for Antijamming with GPS Signals</b>                                        |     |
| V. Kamath, Y-C. Lai, <i>Arizona State University</i> ; L. Zhu, <i>Beijing Jiaotong University, China</i> ; S. Urval, <i>Qualcomm Inc.</i> ----- | 335 |

|                                                                                                                                                                           |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>An Enhanced Correlation Processing Multipath Mitigation Technique for BOC Signals</b>                                                                                  |     |
| V. Heiries, <i>ENSAE (Supaero), France</i> ; D. Roviras, <i>Enseeiht/IRIT, France</i> ; V. Calmettes, <i>ENSAE (Supaero), France</i> ; L. Ries, <i>CNES, France</i> ----- | 342 |

|                                                                                           |     |
|-------------------------------------------------------------------------------------------|-----|
| <b>Strobe Pulse Design for Multipath Mitigation in BOC GNSS Receivers</b>                 |     |
| F.M. Sousa, F.D. Nunes, J.M. Leitão, <i>Instituto de Telecomunicações, Portugal</i> ----- | 348 |

## **Session D2: Navigation Technologies Applied to DARPA Grand Challenge**

|                                                                                                                                        |     |
|----------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Managing Complexity in an Autonomous Vehicle</b>                                                                                    |     |
| J.C. Bebel, B.L. Raskob, A.C. Parker, <i>University of Southern California</i> ; D.J. Bebel, <i>Northrop Grumman Corporation</i> ----- | 356 |

|                                                                                                                                                                           |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Autonomous off-road Driving in the DARPA Grand Challenge</b>                                                                                                           |     |
| E. Jones, B. Fulkerson, E. Frazzoli, H. Samuelli, <i>University of California, Los Angeles</i> ; D. Kumar, R. Walters, J. Radford, R. Mason, <i>The Golem Group</i> ----- | 366 |

|                                                                                                                 |     |
|-----------------------------------------------------------------------------------------------------------------|-----|
| <b>Utilization of Position and Orientation Data for Preplanning and Real Time Autonomous Vehicle Navigation</b> |     |
| W. Whittaker, <i>Carnegie Mellon University</i> ; L. Nastro, <i>Applanix Corporation</i> -----                  | 372 |

|                                                                                                                       |     |
|-----------------------------------------------------------------------------------------------------------------------|-----|
| <b>Kat-5: Systems Based on a Successful Paradigm for the Development of Autonomous Ground Vehicles</b>                |     |
| P.M. Kinney, M. Dooner, J. Nagel, <i>Tulane University</i> ; P.G. Trepagnier, <i>The Gray Insurance Company</i> ----- | 378 |

## **Session A3: Inertial Measurement Unit Technology**

|                                                                                              |     |
|----------------------------------------------------------------------------------------------|-----|
| <b>Northrop Grumman's Family of Fiber-Optic Based Inertial Navigation Systems</b>            |     |
| C. Volk, J. Lincoln, D. Tazartes, <i>Northrop Grumman, Navigation Systems Division</i> ----- | 382 |

|                                                                                                                                                                                                                                                                                                                                                          |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Advances in Ruggedized Quartz MEMS Inertial Measurements Units</b><br>R. Jaffe, <i>BEI Systron Donner Inertial Division</i> ; T. Aston, A.M. Madni, <i>BEI Technologies, Inc.</i> -----                                                                                                                                                               | 390 |
| <b>Designing Vibration and Shock Isolation Systems for Micro Electrical Machined Based Inertial Measurement Units</b><br>T. Braman, O. Grossman, <i>Honeywell Int.</i> -----                                                                                                                                                                             | 400 |
| <b>Test and Evaluation of High Performance Micro Electro-mechanical System Based Inertial Measurement Units</b><br>S.J. Pethel, <i>Navigation Technology Associates, Inc.</i> -----                                                                                                                                                                      | 405 |
| <b>A Method for Multiple Fault Detection and Isolation of Redundant Inertial Navigation Sensor Configurations</b><br>D. Skoogh, A. Lennartsson, <i>Swedish Defense Research Agency, Sweden</i> -----                                                                                                                                                     | 415 |
| <b>Session B3: Integrated Navigation for Precision &amp; Non-precision Landing Approaches</b>                                                                                                                                                                                                                                                            |     |
| <b>Characteristics of Navigation Errors During Sikorsky Helicopter GPS/WAAS Non-precision Approaches</b><br>D.P. Stapleton, <i>Innovative Solutions International - Mike Monroney Aeronautical Center</i> -----                                                                                                                                          | 426 |
| <b>Flight Test Evaluation of Various Terrain Referenced Navigation Techniques for Aircraft Approach Guidance</b><br>M. Uijt de Haag, A. Vadlamani, <i>Ohio University</i> -----                                                                                                                                                                          | 440 |
| <b>An Integrity Monitoring Technique for Multiple Failures Detection</b><br>I. Martini, G.W. Hein, <i>University FAF Munich, Germany</i> -----                                                                                                                                                                                                           | 450 |
| <b>WAAS-Based Threat Monitoring for a Local Airport Monitor (LAM) that Supports Category I Precision Approach</b><br>J. Rife, S. Pullen, T. Walter, E. Phelts, <i>Stanford University</i> ; B. Pervan, <i>Illinois Institute of Technology</i> ; P. Enge, <i>Stanford University</i> -----                                                               | 468 |
| <b>Code-Carrier Divergence Monitoring for the GPS Local Area Augmentation System</b><br>D.V. Simili, B. Pervan, <i>Illinois Institute of Technology</i> -----                                                                                                                                                                                            | 483 |
| <b>Session C3: Ground and Space-based Augmentation Systems</b>                                                                                                                                                                                                                                                                                           |     |
| <b>EGNOS Performance Monitoring Using the DLR's Experimental Verification Network</b><br>B. Belabbas, S. Graf, T. Noack, <i>German Aerospace Center, Germany</i> -----                                                                                                                                                                                   | 494 |
| <b>Assessment of Nominal Ionosphere Spatial Decorrelation for LAAS</b><br>J. Lee, S. Pullen, S. Datta-Barua, P. Enge, <i>Stanford University</i> -----                                                                                                                                                                                                   | 506 |
| <b>Ionospheric Information Broadcasting Methods for Standardization in SBAS L5</b><br>R. Prieto-Cerdeira, J. Samson, <i>European Space Agency / ESTEC, The Netherlands</i> ; J. Ventura-Traveset, <i>European Space Agency, France, EGNOS Project Office, France</i> ; B. Arbesser-Rastburg, <i>European Space Agency / ESTEC, The Netherlands</i> ----- | 515 |

|                                                                                          |     |
|------------------------------------------------------------------------------------------|-----|
| <b>Availability of the EGNOS Service for a Land Mobile User</b>                          |     |
| P. Kovář, L. Seidl, F. Vejražka, <i>Czech Technical University, Czech Republic</i> ----- | 524 |

|                                                                                                                                                       |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>An Augmented GPS/EGNOS Localization System for Alpine Rescue Teams Based on a VHF Communication Infrastructure</b>                                 |     |
| F. Dominici, A. Defina, F. Dovis, <i>Politecnico di Torino, Italy</i> ; P. Mulassano, M. Gianola, <i>Istituto Superiore Mario Boella, Italy</i> ----- | 531 |

## **Session D3: Advanced Navigation Concepts for Urban & Indoor Navigation II**

|                                                               |     |
|---------------------------------------------------------------|-----|
| <b>A Prototype Personal Navigation System</b>                 |     |
| W. Soehren, W. Hawkinson, <i>Honeywell Laboratories</i> ----- | 539 |

|                                                                                |     |
|--------------------------------------------------------------------------------|-----|
| <b>Location Determination in Indoor Environments for Pedestrian Navigation</b> |     |
| G. Retscher, <i>Vienna University of Technology, Austria</i> -----             | 547 |

|                                                                                      |     |
|--------------------------------------------------------------------------------------|-----|
| <b>Performance of Hybrid Positioning System Combining GPS and Television Signals</b> |     |
| J-Y. Do, M. Rabinowitz, P. Enge, <i>Stanford University</i> -----                    | 556 |

|                                                                                                                            |     |
|----------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Accuracy Enhancement for UWB Indoor Positioning Using Ray Tracing</b>                                                   |     |
| Y-H. Jo, <i>Core Logic, Inc., South Korea</i> ; J-Y. Lee, D-H. Ha, S-H. Kang, <i>Handong University, South Korea</i> ----- | 565 |

|                                                                                                         |     |
|---------------------------------------------------------------------------------------------------------|-----|
| <b>PMD-Based Mobile Node Position Monitoring</b>                                                        |     |
| F. Hasouneh, S. Knedlik, V. Peters, O. Loffeld, <i>Center for Sensor Systems, (ZESS), Germany</i> ----- | 569 |

## **Session A4: MEMS Inertial Sensor Technology**

|                                                                                                                                                                              |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Multi-Sensor Inertial Array Technologies for Advanced MicroSystems</b>                                                                                                    |     |
| T. Hudson, S. Holt, P. Ruffin, <i>U.S. Army (AMRDEC)</i> ; J. McKee, M. Whitley, M. Kranz, <i>Morgan Research Corp.</i> ; E. Tuck, <i>The Aegis Technologies Group</i> ----- | 574 |

|                                                                |     |
|----------------------------------------------------------------|-----|
| <b>Type I and Type II - Micromachined Vibratory Gyroscopes</b> |     |
| A.M. Shkel, <i>University of California – Irvine</i> -----     | 586 |

|                                                                                                             |     |
|-------------------------------------------------------------------------------------------------------------|-----|
| <b>Oscillation Loop for a Resonant Type MEMS Accelerometer and its Performance</b>                          |     |
| C. Hyun, J.G. Lee, <i>Seoul National University, Korea</i> ; T. Kang, <i>Konkuk University, Korea</i> ----- | 594 |

|                                                                                                                                                                        |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Patterned Polymer Bonding With 3-D Capability for Microelectromechanical Systems (MEMS) Inertial Sensors</b>                                                        |     |
| E.J. Tuck, G. Tuck, M. Buncick, <i>Aegis Technologies Group, Inc.</i> ; T. Hudson, <i>U.S. Army (AMRDEC)</i> ; T. Buckner, <i>Aegis Technologies Group, Inc.</i> ----- | 599 |

|                                                                                                         |     |
|---------------------------------------------------------------------------------------------------------|-----|
| <b>Hybrid Methodology for Development of MEMS</b>                                                       |     |
| R.J. Pryputniewicz, R.T. Marinis, A.R. Klempner, P. Hefti, <i>Worcester Polytechnic Institute</i> ----- | 606 |

## **Session B4: Integration of Inertial Systems with Satellite Navigation Systems II**

|                                                                  |     |
|------------------------------------------------------------------|-----|
| <b>Carrier Phase Coherence as a Sequential Correlation Issue</b> |     |
| J.L. Farrell, <i>VIGIL, Inc.</i> -----                           | 614 |



|                                                                                                                                                                                                                                                                                                             |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>A GPS Aided Full Linear Accelerometer Based Gyroscope-free Navigation System</b><br>A. Buhmann, C. Peters, M. Cornils, Y. Manoli, <i>University of Freiburg, Germany</i> -----                                                                                                                           | 622 |
| <b>Novel Position Estimation for GPS and Low-Cost INS Fusion</b><br>M. Uenoyama, H. Nakamura, H. Nishitani, <i>Nara Institute of Science and Technology, Japan</i> -----                                                                                                                                    | 630 |
| <b>High Latitude Trials of Modern Russian Marine Compasses</b><br>A.G. Andreev, V.C. Ermakov, M.B. Mafter, <i>Perm Scientific-Industrial Instrument Making Co., Russia</i> ;<br>V.I.Kokorin, <i>Krasnoyarsk State University, Russia</i> ; C.V. Rumyantsev,<br><i>Yamal Atomic Icebreaker, Russia</i> ----- | 636 |
| <b>Bringing RTK to Cellular Terminals Using a Low-cost Single-frequency AGPS Receiver and Inertial Sensors</b><br>L. Wirola, K. Alanen, J. Käppi, J. Syrjärinne, <i>Nokia Technology Platforms, Finland</i> -----                                                                                           | 645 |
| <b>Session C4: Infrastructure Applications of Positioning, Navigation, &amp; Timing Technology</b>                                                                                                                                                                                                          |     |
| <b>The Evolution of the National Geodetic Survey's Continuously Operating Reference Station Network and Online Positioning User Service</b><br>W. Stone, <i>NOAA - National Geodetic Survey</i> -----                                                                                                       | 653 |
| <b>Measurement of Backscattered GPS Signals</b><br>T. Lindgren, <i>Luleå University of Technology, Sweden</i> ; E. Vinande, D. Akos, D. Masters, P. Axelrad,<br><i>University of Colorado - Boulder</i> -----                                                                                               | 664 |
| <b>Application of Wavelet Analysis to GPS Deformation Monitoring</b><br>Y. Min, <i>Jiangxi Normal University, China</i> ; H. Guo, <i>Nanchang University, China</i> ; C. Zou,<br><i>Jiangxi Normal University, China</i> -----                                                                              | 670 |
| <b>Session D4: Alternatives to GNSS</b>                                                                                                                                                                                                                                                                     |     |
| <b>Flash-LADAR Inertial Navigator Aiding</b><br>J. Campbell, M.M. Miller, AFRL/Sensors Directorate; M. Uijt de Haag, D. Venable,<br>M. Smearcheck, <i>Ohio University</i> -----                                                                                                                             | 677 |
| <b>Geomagnetic Navigation Beyond the Magnetic Compass</b><br>F. Goldenberg, <i>Goodrich Corporation</i> -----                                                                                                                                                                                               | 684 |
| <b>Possible Optimizations for the US Loran System</b><br>G. Johnson, M. Wiggins, <i>Alion Science &amp; Technology</i> ; P.F. Swaszek, L. Hartshorn,<br><i>University of Rhode Island</i> ; R. Hartnett, <i>U.S. Coast Guard Academy</i> -----                                                              | 695 |
| <b>Ultra-Tight Integration of Pseudolites With INS</b><br>R. Babu, J. Wang, <i>University of New South Wales, Australia</i> -----                                                                                                                                                                           | 705 |
| <b>A Positioning Technology for Classically Difficult GNSS Environments From Locata</b><br>J. Barnes, C. Rizos, M. Kanli, A. Pahwa, <i>University of New South Wales / Locata Corporation</i><br><i>Pty Ltd, Australia</i> -----                                                                            | 715 |
| <b>Sensitivity Analysis of An Integrated Vision and Inertial System</b><br>B.K.H. Soon, S. Scheduling, <i>Australian Centre for Field Robotics, Australia</i> -----                                                                                                                                         | 722 |

|                                                                                |     |
|--------------------------------------------------------------------------------|-----|
| <b>A Two-Stage Fuzzy Logic Approach for Wireless LAN Indoor Positioning</b>    |     |
| A. Teuber, B. Eissfeller, T. Pany, <i>University FAF Munich, Germany</i> ----- | 730 |

## **Session A5: Inertial Sensor Test & Evaluation**

|                                                                                                                                                                                                                    |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>The New Calibrating Algorithm for the Low-Cost Fiber-Optics Gyroscope</b>                                                                                                                                       |     |
| P. Guo, <i>BeiHang University, China</i> ; M. Wang, <i>Shanghai Jiaotong University, China</i> ; Z. Ren, <i>BeiHang University, China</i> ; H. Qiu, <i>Beijing YHLT Science &amp; Technology, Inc, China</i> ----- | 739 |

|                                                                        |     |
|------------------------------------------------------------------------|-----|
| <b>Using A Gimbal to Calibrate Inertial Measurement Units</b>          |     |
| G. Reddy, H. Herr, <i>Massachusetts, Institute of Technology</i> ----- | 744 |

|                                                                                                                           |     |
|---------------------------------------------------------------------------------------------------------------------------|-----|
| <b>A Least-Squares Normalized-Error Regression Algorithm With Application to the Allan Variance Noise Analysis Method</b> |     |
| B.E. Grantham, <i>U.S. Army, AMRDEC</i> ; M.A. Bailey, <i>Navigation Technology Associates, Inc.</i> -----                | 750 |

|                                                                                     |     |
|-------------------------------------------------------------------------------------|-----|
| <b>Characterization of Non-Linear Error Terms for Vibrating Beam Accelerometers</b> |     |
| R. Sutherland, L.M. Overstreet, <i>Honeywell Defense &amp; Space</i> -----          | 757 |

|                                                                                              |     |
|----------------------------------------------------------------------------------------------|-----|
| <b>An Efficient Method for Evaluating the Performance of MEMS IMUs</b>                       |     |
| X. Niu, C. Goodall, S. Nassar, N. El-Sheimy, <i>The University of Calgary , Canada</i> ----- | 766 |

## **Session B5: Inertial Navigation Applications for Space, Commercial, & Military Systems**

|                                                                                                                  |     |
|------------------------------------------------------------------------------------------------------------------|-----|
| <b>A High G, MEMS Based, Deeply Integrated, INS/GPS, Guidance, Navigation and Control Flight Management Unit</b> |     |
| T.M. Buck, J. Wilmot, <i>Honeywell International</i> ; M.J. Cook, <i>Rockwell Collins</i> -----                  | 772 |

|                                                                                                                                  |     |
|----------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Enhanced Capabilities for Legacy Missiles through Technology Insertion</b>                                                    |     |
| P.B. Renfro, A.M. Wright, <i>U.S. Army Research, Development &amp; Engineering Command</i> ; T.B. Medley, <i>NTA, Inc.</i> ----- | 795 |

|                                                                                                                    |     |
|--------------------------------------------------------------------------------------------------------------------|-----|
| <b>Study of Real-time Filtering for an Inertial Measurement Unit (IMU) With Magnetometer in a 155mm Projectile</b> |     |
| V. Fleck, E. Sommer, M. Brökelmann, <i>ISL, French-German Research Institute of Saint-Louis, France</i> -----      | 803 |

|                                                                                                        |     |
|--------------------------------------------------------------------------------------------------------|-----|
| <b>A Micro Air Vehicle Navigation System</b>                                                           |     |
| B.B. Mohr, <i>Honeywell Laboratories</i> ; D.L. Fitzpatrick, <i>Honeywell, Defense and Space</i> ----- | 808 |

|                                                                                                                    |     |
|--------------------------------------------------------------------------------------------------------------------|-----|
| <b>Simplified Survey System User Trial</b>                                                                         |     |
| G.S. Graham, P.K. Couch, <i>U.S. Army RDECOM</i> ; K.R. Peake, <i>Navigation Technology Associates, Inc.</i> ----- | 814 |

|                                                                                                                           |     |
|---------------------------------------------------------------------------------------------------------------------------|-----|
| <b>A Crosswind Hazard Study With Using FDR Data</b>                                                                       |     |
| C-S. Ho, C-T. Weng, <i>National Cheng Kung University, Taiwan</i> ; M. Guan, <i>Aviation Safety Council, Taiwan</i> ----- | 818 |

|                                                                                                                                                                                                                   |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Comparison of INS Transfer Alignments Through Observability Analysis</b><br>W. Gao, <i>Harbin Institute of Technology, China</i> ; Z. Xiong, Y. Hao, F. Sun, <i>Harbin Engineering University, China</i> ----- | 823 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|

## **Session C5: GPS & Galileo**

|                                                                                                                                                                                                                                                                                                                                                                                                                                               |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Performance Analysis of GPS and Galileo Receivers in Urban Automatic Vehicle Location</b><br>H. Liu, <i>Shanghai Galileo Industries/Shanghai Institute of Microsystem and Information Technology/National University of Defense Tech., China</i> ; Q. Shi, G. Li, <i>Shanghai Galileo Industries/Shanghai Institute of Microsystem and Information Technology, China</i> ; J. Wan, <i>National University of Defense Tech, China</i> ----- | 830 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|

|                                                                                                                                                                                                         |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Signal Performance and Measurement Noise Assessment of the First L2C Signal-in-space</b><br>A. Simsky, J-M. Sleewaegen, P. Nemry, J. Van Hees, <i>Septentrio Satellite Navigation, Belgium</i> ----- | 834 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|

|                                                                                                                                                                                                                                                                                                               |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>L1/L2CS GPS Receiver Implementation With Fast Acquisition Scheme</b><br>D.W. Lim, <i>Chungnam National University, South Korea</i> ; S.W. Moon, <i>Navicom, South Korea</i> ; C. Park, <i>Chungbuk National University, South Korea</i> ; S.J. Lee, <i>Chungnam National University, South Korea</i> ----- | 840 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|

|                                                                                                                                                                                                                            |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Galileo L1c - Acquisition Complexity: Cross Correlation Benefits, Sensitivity Discussions on the Choice of Pure Pilot, Secondary Code, or Something Different</b><br>P.G. Mattos, <i>STMicroelectronics, U.K.</i> ----- | 845 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|

|                                                                                                                                                                                                        |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Tracking Complex Modulation Waveforms - How to Avoid Receiver Bias</b><br>A.R. Pratt, J.I.R. Owen, <i>DSTL, U.K.</i> ; G.W. Hein, J.A. Avila-Rodriguez, <i>University FAF Munich, Germany</i> ----- | 853 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|

|                                                                                                                                           |     |
|-------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Controlling the Galileo L1 OS Signal Emissions With Satellite Baseband Filters</b><br>A.R. Pratt, J.I.R. Owen, <i>DSTL, U.K.</i> ----- | 865 |
|-------------------------------------------------------------------------------------------------------------------------------------------|-----|

|                                                                                                                                                                                               |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Improved Maximum-Likelihood Time Delay Estimation for GPS Positioning in Multipath, Interference and Low SNR Environments</b><br>M. Sahmoudi, M.G. Amin, <i>Villanova University</i> ----- | 876 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>MBOC: The New Optimized Spreading Modulation Recommended for GALILEO L1 OS and GPS L1C</b><br>G.W. Hein, <i>University FAF Munich, Germany</i> ; J.W. Betz, <i>The MITRE Corporation</i> ; J-A. Avila-Rodriguez, <i>University FAF Munich, Germany</i> ; C.J. Hegarty, <i>The MITRE Corporation</i> ; S. Wallner, <i>University FAF Munich, Germany</i> ; L.S. Lenahan, <i>GPS Joint Program Office</i> ; A.R. Pratt, <i>Orbstar Consulting, U.K.</i> ; J.J. Rushanan, <i>The MITRE Corporation</i> ; J.I.R. Owen, <i>DSTL, U.K.</i> ; A.L. Kraay, <i>The MITRE Corporation</i> ; J-L. Issler, <i>CNES, France</i> ; T. Stansell, <i>Stansell Consulting</i> ----- | 883 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|

## **Session D5: Advanced Navigation Concepts for Urban & Indoor Navigation**

|                                                                                                                                                                          |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Use of a Vector Delay Lock Loop Receiver for GNSS Signal Analysis in Bad Signal Conditions</b><br>T. Pany, B. Eissfeller, <i>University FAF Munich, Germany</i> ----- | 893 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|

|                                                                                                                                                               |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Innovative Indoor Geolocation Using RF Multipath Diversity</b><br>D. E. Gustafson, J. M. Elwell, J. A. Soltz, <i>Charles Stark Draper Laboratory</i> ----- | 904 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|

|                                                                                                                                                                                                                                                                        |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Signal Propagation Analysis and Signature Extraction for GNSS Indoor Positioning</b><br>M. Andreotti, M. Aquino, M. Woolfson, J. Walker, T. Moore, <i>University of Nottingham, U.K.</i> -----                                                                      | 913  |
| <b>Inertial Sensor Enhanced Mobile RTK Solution Using Low-Cost Assisted GPS Receivers and Internet-Enabled Cellular Phones</b><br>K. Alanen, L. Wirola, J. Käppi, J. Syrjärinne, <i>Nokia Technology Platforms, Finland</i> -----                                      | 920  |
| <b>A Deep Integration Estimator for Urban Ground Navigation</b><br>D. Landis, T. Thorvaldsen, B. Fink, P. Sherman, S. Holmes, <i>The Charles Stark Draper Laboratory</i> --                                                                                            | 927  |
| <b>Navigation Message Bit Identification Using Coherent Code Processing</b><br>R.K. Douglas, W.E. Lillo, <i>The Aerospace Corporation</i> -----                                                                                                                        | 933  |
| <b>RAIM and Complementary Kalman Filtering for GNSS Reliability Enhancement</b><br>H. Leppäkoski, <i>Tampere University of Technology, Finland</i> ; H. Kuusniemi, <i>Fastrax Ltd., Finland</i> ;<br>J. Takala, <i>Tampere University of Technology, Finland</i> ----- | 948  |
| <b>An Anti-Jam GPS Receiver, Using Markov Chain, Monte Carlo Integration</b><br>M.C. Bromberg, <i>Private Consultant</i> ; I.F. Proгри, <i>California State Polytechnic University –Pomona</i> ----                                                                    | 957  |
| <b>Session A6: Novel Applications Enabled by Emerging Sensor Technology</b>                                                                                                                                                                                            |      |
| <b>Advanced Borehole Attitude Determination Without Measuring Axial Angular Rate Component</b><br>Y.I. Binder, T.V. Paderina, Y.A. Litmanovich, <i>Central Scientific &amp; Research Institute, Russia</i> -----                                                       | 963  |
| <b>The Application of GPS on the Buoy Monitoring System</b><br>J-C. Zheng, <i>Jimei University, China</i> ; Z-H. Chen, <i>Shanghai Maritime Safety Administration, China</i> ----                                                                                      | 969  |
| <b>Marine Mammal Marker (MAMMARK) Dead Reckoning Sensor for In-Situ Environmental Monitoring</b><br>G.H. Elkaim, E. Decker, G. Oliver, <i>University of California - Santa Cruz</i> ; B. Wright, <i>Boulder Creek</i> ----                                             | 976  |
| <b>Autonomous Ground Vehicle Navigation Using Integrated GPS and Laser-scanner Measurements</b><br>M. Joerger, B. Pervan, <i>Illinois Institute of Technology</i> -----                                                                                                | 988  |
| <b>Navigation Error Analysis for the Rocketplane XP</b><br>K.M. Betts, R.C. Rutherford, <i>bd Systems, Inc.</i> -----                                                                                                                                                  | 998  |
| <b>Model Free Subspace H-infinity Control for an Autonomous Catamaran</b><br>G.H. Elkaim, <i>University of California - Santa Cruz</i> ; B.R. Woodley, <i>NeoGuide Sysetms Inc.</i> ;<br>R. Kelbley, <i>University of California - Santa Cruz</i> -----                | 1005 |
| <b>A Localization System Using Geostationary Colocated Satellites for Location Based Services in Interactive TV</b><br>M. Gross, G. Harles, G. Krier, <i>SES ASTRA SA, Luxembourg</i> ; T. Nicolay, <i>Saarland University, Germany</i> -----                          | 1014 |
| <b>Session B6: Part 1: Underwater Navigation</b>                                                                                                                                                                                                                       |      |
| <b>Simplified Target Location Estimation for Underwater Vehicles</b><br>S.K. Rao, <i>Naval Science and Technology Laboratory, India</i> -----                                                                                                                          | 1021 |

|                                                                                                                                                                          |      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Terrain Aided Underwater Navigation Using Point Mass and Particle Filters</b><br>K.B. Anonsen, O. Hallingstad, <i>University Graduate Center (UniK), Norway</i> ----- | 1027 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|

|                                                                                                                                                                               |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Pseudo Linear Kalman Filter for Underwater Target Location Using Intercept Sonar Measurements</b><br>S.K. Rao, <i>Naval Science and Technology Laboratory, India</i> ----- | 1036 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|

|                                                                                                                                                      |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Application of Statistical Estimators for Underwater Target Tracking</b><br>S.K. Rao, <i>Naval Science and Technology Laboratory, India</i> ----- | 1040 |
|------------------------------------------------------------------------------------------------------------------------------------------------------|------|

## **Session B6: Part 2: Precision Agriculture**

|                                                                                                                                                                                                                                                |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Agricultural 3D Maps with Stereovision</b><br>F. Rovira-Más, <i>Polytechnic University of Valencia, Spain</i> ; Q. Zhang, M. Kise, <i>University of Illinois at Urbana-Champaign</i> ; J.F. Reid, <i>John Deere Technology Center</i> ----- | 1045 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|

|                                                                                                                                              |      |
|----------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Ionospheric Effects on GPS Signals in Real Time Kinematic (RTK) Applications</b><br>A. Iyiade, <i>Patronics International, U.K.</i> ----- | 1054 |
|----------------------------------------------------------------------------------------------------------------------------------------------|------|

|                                                                                                                                                                                                                                  |      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Dynamic Testing of GPS Receivers on Agricultural Aircraft for Remote Sensing and Variable-rate Aerial Application</b><br>S.J. Thomson, L.A. Smith, <i>USDA, ARS, Application and Production Technology Research Unit</i> ---- | 1067 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|

## **Session C6: Receiver & Antenna Technology II**

|                                                                                                                                                                                                            |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Orbiting GPS Receiver Modified to Track New L2C Signal</b><br>T.K. Meehan, D. Robison, T.N. Munson, L.E. Young, <i>Jet Propulsion Laboratory</i> ; S. Stoyanov, <i>ITT Space Systems Division</i> ----- | 1071 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|

|                                                                                                                                                                                                                                        |      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Fast Signal Acquisition Technology for New GPS/Galileo Receivers</b><br>W. De Wilde, J-M. Sleewaegen, A. Simsky, J. Van Hees, C. Vandewiele, E. Peeters, J. Grauwen, F. Boon, <i>Septentrio Satellite Navigation, Belgium</i> ----- | 1074 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|

|                                                                                                                       |      |
|-----------------------------------------------------------------------------------------------------------------------|------|
| <b>Standardized GPS Simulation Scenarios for SPS Receiver Testing</b><br>C. Hay, <i>Spirent Federal Systems</i> ----- | 1080 |
|-----------------------------------------------------------------------------------------------------------------------|------|

|                                                                                                                                                                           |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>A Simple Multipath Delay Estimator Based on Alternating Projection Algorithm</b><br>H. Saarnisaari, V. Tapio, <i>Centre for Wireless Communications, Finland</i> ----- | 1086 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|

|                                                                                                                                             |      |
|---------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Can Code Redundancy be Used to Improve GNSS Receiver Acquisition Sensitivity?</b><br>S. Turunen, <i>Nokia Corporation, Finland</i> ----- | 1094 |
|---------------------------------------------------------------------------------------------------------------------------------------------|------|

|                                                                                                                                                                                                                                                                                                |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Impact of the Acquisition Searching Strategy on the Detection and False Alarm Probabilities in a CDMA Receiver</b><br>D. Borio, <i>Politecnico di Torino, Italy</i> ; L. Camoriano, <i>Istituto Superiore Mario Boella, Italy</i> ; L. Lo Presti, <i>Politecnico di Torino, Italy</i> ----- | 1100 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|

|                                                                                                                                        |      |
|----------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Open GNSS Receiver Platform</b><br>P.J. Mumford, K. Parkinson, A.G. Dempster, <i>University of New South Wales, Australia</i> ----- | 1108 |
|----------------------------------------------------------------------------------------------------------------------------------------|------|

|                                                                                                                      |      |
|----------------------------------------------------------------------------------------------------------------------|------|
| <b>Development of Software GPS+ Receiver Testbed</b>                                                                 |      |
| P.K. Sagiraju, A. Panchul, D. Bhupathiraju, G.V.S. Raju, D. Akopian, <i>University of Texas at San Antonio</i> ----- | 1114 |

|                                                                                                                                      |      |
|--------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>A Novel Approach in the Detection and Characterisation of CW Interference of GPS Signal Using the Receiver Estimation of C/No</b> |      |
| A.T. Balaei, A.G.Dempster, J. Barnes, <i>University of New South Wales, Australia</i> -----                                          | 1120 |

## **Session D6: The Future of Aerospace: Progress, Safety & Efficiency**

|                                                                                                               |      |
|---------------------------------------------------------------------------------------------------------------|------|
| <b>Prior Probability Model Development to Support System Safety Verification in the Presence of Anomalies</b> |      |
| S. Pullen, J. Rife, P. Enge, <i>Stanford University</i> -----                                                 | 1127 |

|                                                                                                                                                                                     |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>GNSS Real Performance Monitoring and CNS/ATM Implementation</b>                                                                                                                  |      |
| K. Van Dyke, J. Parmet, C. Dufresne, A. Hansen, <i>DOT/RITA/Volpe Center</i> , R. Cole, J. Campbell, J. She, Y. Bian, R. Loh, <i>Innovative Solutions International, Inc.</i> ----- | 1137 |

|                                                             |      |
|-------------------------------------------------------------|------|
| <b>Velocity and Acceleration From Unaided Carrier-Phase</b> |      |
| J.L. Farrell, <i>VIGIL, Inc.</i> -----                      | 1145 |

|                                                                                        |      |
|----------------------------------------------------------------------------------------|------|
| <b>Safety Requirements for Unmanned Aerial Vehicles (UAV) in Future Civil Airspace</b> |      |
| R. Loh, Y. Bian, T. Roe, <i>Innovative Solutions International</i> -----               | 1151 |

|                                                                       |      |
|-----------------------------------------------------------------------|------|
| <b>Professional Publishing Trends of Recent GPS Doctoral Students</b> |      |
| L.A. Mallette, <i>Pepperdine University</i> -----                     | 1164 |