

Society of Petroleum Engineers

SPE/IADC
Drilling Conference and Exhibition
2007

“Reaching Out to
Discover and Recover”

February 20-22, 2007
Amsterdam, The Netherlands

Volume 1 of 2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

ISBN: 978-1-60423-732-0

Some format issues inherent in the e-media version may also appear in this print version.

Society of Petroleum Engineers
SPE/IADC
Drilling Conference and Exhibition
2007

TABLE OF CONTENTS

Volume 1

Successful PDC/RSS Vibration Management Using Innovative Depth-of-Cut Control Technology: Panna Field, Offshore India	1
<i>Anil Jaggi and Sunil Upadhaya, BG E&P India Ltd., and Ashabikash Roy Chowdhury, Hughes Christensen</i>	
Casing Collapse Strength Reduction Under Lateral Loads From Yielding Shales in the Daqing Oil Field	15
<i>Chi Ai and Wanchun Zhao, Daqing Petroleum Inst., and Boyun Guo, U. of Louisiana at Lafayette</i>	
Backing Off a Free Drillstring: Planning and Execution on a World-Class ERD Well	21
<i>Johan Eck-Olsen, Statoil ASA, and Brandon M. Foster, K&M Technology Group</i>	
C125 Casing—A Viable Solution for HPHT in Mild, Sour Service Applications	31
<i>Bruce E. Urband, Grant Prideco, and Steve Morey, BP America</i>	
Maximizing Drilling Performance With State-of-the-Art BHA Program	46
<i>David C-K Chen, and Min Wu, Halliburton Sperry Drilling Services</i>	
Evolutionary Well-Construction Method That Challenges Convention	59
<i>P.D. Howlett, M.T. Wardley, and C. Black, Caledus Ltd.; D. Reed, Senergy Ltd.; and G. Begg, Talisman U.K. Ltd.</i>	
UniTong Combined Tong for Drilling Operations	71
<i>Helge-Ruben Halse, V-Tech A/S</i>	
Novel Approach for Estimating Pore Fluid Pressures Ahead of the Drill Bit	77
<i>John Jones, Marathon Oil Co., and Martin D. Matthews and William Standifird, Knowledge Systems Inc.</i>	
Step Changes Needed To Modernize T&D Software	90
<i>Colin J. Mason, BP Exploration, and David C.-K. Chen, Halliburton Sperry Services</i>	
Application of Novel Technology Improves Drilling Performance in Multilateral Field Development Offshore West India—Reducing Risk and Increasing Production	102
<i>Anil Jaggi, Sanjeev Gera, and Sunil Upadhyay, BG Group; Manoj Gupta, Ashok Thorat, and Jon Ruzska, Inteq; and Sandeep Tatake, Hughes Christensen Co.</i>	
Trapped Annular Pressure—A Spacer Fluid That Shrinks	113
<i>B. Bloys and M. Gonzalez, Chevron; R. Hermes, Los Alamos Natl. Laboratory; R. Bland, R. Foley, and R. Tijerina, Baker Hughes Drilling Fluids; J. Davis and T. Cassel, Baker Oil Tools; J. Daniel, I. Robinson, and F. Billings, Lucite Intl.; and R. Eley, I</i>	
New Offshore Rigless Intervention System	123
<i>David Harris and Paul G. Adams, BJ Tubular Services</i>	
Fractured Wellbore Stress Analysis: Sealing Cracks To Strengthen a Wellbore	128
<i>Hong (Max) Wang, Halliburton; Brian F. Towler, U. of Wyoming; and Mohamed Soliman, Halliburton</i>	

New Assembly Drills Without Reactive Torque	143
<i>Robert Southard, Southard Drilling Technologies</i>	
Development and Utilization of a Bit-Based Data-Acquisition System in Hard-Rock PDC Applications	150
<i>Paul Pastusek, Eric Sullivan, and Tommy Harris, Hughes Christensen Co.</i>	
Field-Test Results of an Acoustic MWD System	160
<i>J.M. Neff, XACT Downhole Telemetry Inc., and P.L. Camwell, Extreme Engineering Ltd.</i>	
Catastrophic Drillstring Failures Caused by Downhole Friction Heating—An Increasing Trend	171
<i>Lucien Hehn, Michael Jellison, Kevin Wyble, and R. Brett Chandler, Grant Prideco, and Jeff Shepard, GlobalSantaFe</i>	
Kikeh Batch Setting: Case Study	185
<i>Chris Flannery and Benjamin Choo, Murphy Sabah Oil Co. Ltd.</i>	
Design, Development, and Qualification of a Threaded and Coupled Connector for a Sour-Service-Compatible Completion and Workover Riser	193
<i>Gordon Craig, Greg Bailey, and Roger Ethridge, Grant Prideco, and Wes Byrne, Baker Oil Tools</i>	
Step Change in Remote Exploration	207
<i>Randall Scott Shafer, ConocoPhillips</i>	
Multiskilling as a Key Factor for Economically Viable Operations in a Mature Oil Province: Oseberg East as a Case Example	215
<i>Jan Ove Dagestad, Erland Saeverhagen, and Eugene Nathan, Inteq, and Sigurd Knutsen, Norsk Hydro</i>	
Tubing Buckling Analysis With Expansion Joints	221
<i>Robert F. Mitchell, Halliburton DEDS</i>	
How Good is the Torque-Drag Model?	232
<i>Robert F. Mitchell and Robello Samuel, Halliburton DE&DS</i>	
A Systematic Approach to Drilling and Delivering Wells in Severely Depleted Sands at Ram Powell (GOM)	241
<i>D.R. Algu, Shell Intl. E&P; E. van Oort, S. Landgrave, and L. Grant, Shell EP Americas; and D. Hillburn, MI-Swaco</i>	
Improving Security on Offshore Installations	249
<i>Donald Struthers, George Esson, and Ronald Ferguson, Poseidon Maritime (U.K.) Ltd.</i>	
The Effect of Hydraulic Vibrations on Initiation of Buckling and Axial Force Transfer for Helically Buckled Pipes at Simulated Horizontal Wellbore Conditions	254
<i>Elie R. Barakat, Chevron, and Stefan Miska, Mengjiao Yu, Petru-Aurelian Simionescu, and Nicholas Takach, U. of Tulsa</i>	
Improving Formation Strength Tests and Their Interpretation	262
<i>Eric van Oort, Shell E&P Americas, and Richard Vargo, Halliburton Energy Services</i>	
Real-Time Digital Interpretation of Subsea Blowout Preventer Tests	275
<i>Warren J. Winters and Tim A. Burns, BP America Inc., and Ronald B. Livesay, Hecate Software Inc.</i>	
Deployment of an SeROP Predictor Tool for Real-Time Bit Optimization	284
<i>Christine A. Guerrero and Bobbie Jo Kull, Chevron Energy Technology Co.</i>	
Deployment of a Riserless Mud-Recovery System Offshore Sakhalin Island	298
<i>J.D. Brown, V.V Urvant, and J.L. Thorogood, CJSC Elvay Neftegaz, and N.L Rolland, AGR Subsea A/S</i>	

Enhanced Cementing Practices Address Unique Issues Found With Solid Expandable Tubular Applications	308
<i>James Heathman, Halliburton, and Eduardo Arredondo and Akin Olufowoshe, Enventure Global Technology</i>	
Casing-Drilling Step Improvement: PDC Successfully Drills Out Casing Bit and Finishes Hole Section at Lowest Cost	321
<i>Ian Johnstone, Alistair Chomley, Gheorghe Cernev, Mahbub Hoq, Geoff Atherton, Santos Simon Cornel, and Martin Jacobs, Hughes Christensen</i>	
Drilling Tests of an Active Vibration Damper	339
<i>Martin E. Cobern, Carl A. Perry, Jason A. Barbely, and Daniel E. Burgess, APS Technology Inc., and Mark E. Wassell, APS Oilfield Services Ltd.</i>	
Drilling With Liner on Horizontal Oil Wells	349
<i>M. Terrazas, M. Estrada, V.M. López, and A. Jardines, Pemex E&P; E. Díaz, Hydril Co.; and M. Fisher, Weatherford</i>	
Assuring Stability in Extended-Reach Wells—Analyses, Practices, and Mitigations	358
<i>Stephen M. Willson and Stephen T. Edwards, BP America Inc.; Anthony Crook and Adam Bere, Rockfield Software Ltd.; Daniel Moos and Pavel Peska, GeoMechanics Intl. Inc.; and Nigel Last, BP plc</i>	
Cementing Considerations for Casing While Drilling: Case History	372
<i>Robert D. Strickler, ConocoPhillips, and Pablo Solano, Halliburton</i>	
Connection Qualification for Casing-Drilling Application	376
<i>Qing Lu, Grant Prideco; Jiang Wu, Chevron; and Dan Hannahs, Grant Prideco</i>	
Mathematical Temperature Simulators for Drilling Deepwater HT/HP Wells: Comparisons, Applications, and Limitations	381
<i>David Stiles and Mark Trigg, ExxonMobil Development Co.</i>	
The Next Major Step in Total Hands-Free Pipe Handling—No Derrickman in the Derrick Racking and Unracking Pipe	405
<i>Dave Richard, Iron Derrickman Ltd.</i>	
Are Swelling-Elastomer Technology, Preperforated Liner, and Intelligent-Well Technology Suitable Alternatives to Conventional Completion Architecture?	409
<i>Gary P. Hertfelder and Kurt Koerner, Plains E&P Co.; Allen Wilkins, Easywell; and Lilian Izquierdo, Schlumberger</i>	
Design of Well Barriers To Combat Circulation Losses	422
<i>Bernt S. Aadnoy, Mesfin Belayneh, and Miguel Arriado, U. of Stavanger, and Roar Flateboe, BP</i>	
Kick Detection and Control in Oil-Based Mud: Real Well-Test Results Using Microflux Control Equipment	429
<i>Helio Santos and Erdem Catak, Impact Solutions Group; Joe Kinder, Secure Drilling; and Paul Sonnemann, Chevron ETC</i>	
Combination of Drilling With Casing and Stage Tool Cementing: A Unique Approach to Mitigating Downhole Conditions	439
<i>R. Robinson, SandRidge Energy, and S. Rosenberg, B. Lirette, and A.C. Odell, Weatherford Intl. Ltd.</i>	
The Introduction of Electromagnetic LWD Technology in Saudi Arabia—A Case History and Future Application to Underbalanced Campaigns	450
<i>Muqem, M.A., Jarrett, C.M., Jeffri, A.M., Saudi Aramco, and Weisbeck, D., Mallahy, M., Forge, N., and Branch, A.J., Weatherford</i>	
Field Result of Equivalent-Circulating-Density Reduction With a Low-Rheology Fluid	459
<i>Bolivar, N. and Young, J., Hibernia Management and Development Co. Ltd.; Dear, S., ExxonMobil Development Co.; and Massam, J., and Reid, T., M-I Swaco</i>	

World's First Annular Safety Valve for Dual Concentric Water Injection	465
<i>K.A. Pearce and H.G. Skorve, Hibernia Management and Development Co. Ltd., and M. Grini, ExxonMobil Development Co.</i>	
Managed-Pressure Drilling Reduces China Hard-Rock Drilling by Half	472
<i>Chen Shen and Xinming Niu, Sinopec Corp., and Steve Nas and Calvin Holt, Weatherford Intl. Ltd.</i>	
Unique Pivot Stabilizer Geometry Advances Directional Efficiency and Borehole Quality With a Specific Rotary-Steerable System	485
<i>Steve Barton, Alan Clarke, and Daniel G. Perez, ReedHycalog, and Simon Peach, Weatherford Intl. Ltd.</i>	
Design, Construction, and Optimisation of Big-Bore Gas Wells in a Giant Offshore Field	503
<i>B.M. Clancey, A.S.D. Khemakhem, and T.F. Bene, RasGas Co. Ltd., and M.H. Schmidt, ExxonMobil Development Co.</i>	
Implementation of ROP Management Process in Qatar North Field	512
<i>Stephen M. Remmert and Joseph W. Witt, RasGas Co. Ltd., and Fred E. Dupriest, ExxonMobil Development Co.</i>	
Drilling Without WOB: Dream or Reality? An Effective Field Test by Total Angola	522
<i>Christophe Simon, DrillScan; David Goyallon, Total E&P Angola; Jean-Paul Poloce, Total S.A.; Hedi Sellami and Laurent Gerbaud, École des Mines de Paris; and Alfazazi Dourfaye, Varel Europe</i>	
The Evolution of a TAML L-4 Multilateral System To Meet the Challenges of a BP Deepwater Subsea Well	533
<i>Ken Horne and Robbie Allam, BP; Mark Glaser and Peter Chandler, Weatherford Intl. Ltd.; and Thilo Scharf, Schlumberger</i>	
Magnolia Deepwater Experience—Frac-Packing Long Perforated Intervals in Unconsolidated Silt Reservoirs	547
<i>Luke F. Eaton and W. Randall Reinhardt, ConocoPhillips Co.; J. Scott Bennett, Devon Energy Corp.; and Kenyon Blake and Hugo Morales, Schlumberger</i>	

VOLUME 2

Lessons Learned on Sand-Control Failure and Subsequent Workover at Magnolia Deepwater Development	561
<i>George Colwart, Robert C. Burton, Luke F. Eaton, and Richard M. Hodge, ConocoPhillips Co., and Kenyon Blake, Schlumberger</i>	
Qualifying a New Expandable Reservoir Completion System	578
<i>Pierre-Charles Wood and Don Duhrkopf, BP, and Annabel Green, Weatherford</i>	
High-Integrity Wellbore Surveys: Methods for Eliminating Gross Errors	585
<i>Roger Ekseth, Gyrodata; Torgeir Torkildsen, Statoil ASA; Andrew Brooks, Baker Hughes Inteq; John Weston, Gyrodata; Erik Nyrrnes, Statoil ASA; Harry Wilson, Baker Hughes Inteq; and Kazimir Kovalenko, Gyrodata</i>	
Aggressive Drilling Parameters Capitalize on Cutter Technology and PDC Frame Advancement in Mature Field	602
<i>Peter Langille, Marathon Oil Co., and Jason Hildebrand and Kyle Massie, Hughes Christensen</i>	
Detailed Post-Event Analysis of Drilling Problems Significantly Alters the Root Cause Reality for Technical Sidetracks	616
<i>Marit Blaasmo, Arne V. Singelstad, and Kjetil Bekkeheien, Statoil</i>	
Improved Method for Use of Chelation to Free Stuck Pipe and Enhance Treatment of Lost Returns	624
<i>John K. Montgomery, Stuart R. Keller, SPE, Nancy Krahel, ExxonMobil Upstream Research Company and Martin V. Smith, SPE, ExxonMobil Development Company</i>	

Achieving Shoe-to-Shoe Drilling Performance in Hole-Opening Application With Rotary-Steerable Systems	631
<i>Heisig, G., Hood, J., Okewunmi, S., and Robnett, E., Baker Hughes Inteq</i>	
Hydraulic Predictions for Polymer-Thickened Foam Flow in Horizontal and Directional Wells	643
<i>Z. Chen, M. Duan, S.Z. Miska, M. Yu, and R.M. Ahmed, U. of Tulsa, and J. Hallman, Weatherford Intl. Ltd.</i>	
Effects of RPM and ROP on PDC Bit Steerability	653
<i>Stephen Ernst, Paul Pastusek, and Paul Lutes, Hughes Christensen</i>	
PDC Casing Drilling Improves HS&E, Cuts Drilling Costs—West Africa	664
<i>Klaas Hartsema, Shell Gabon, Enis Aliko, Jaime Campos, Lester Clark, Franck Delgado, Peter Folling, and John Wingate, Hughes Christensen</i>	
Demonstrating Managed-Pressure Drilling With the ECD Reduction Tool.....	681
<i>R.K. Bansal, D. Brunnert, and R. Todd, Weatherford; P.A. Bern, BP Exploration; and R.V. Baker and C. Richard, BP America</i>	
Effect of Length: Diameter Ratio on Collapse Test Results and Frame Design.....	686
<i>P.D. Pattillo, BP America</i>	
Hydraulic Blowout Control Requirements for Big-Bore and HP/HT Developments: Validation With Field Experience	692
<i>P. Oudeman, Shell Intl. E&P</i>	
Encountering an Unexpected Tar Formation in a Deepwater Gulf of Mexico Exploration Well.....	702
<i>M.H. Weatherl, Chevron North America E&P Co.</i>	
Premature Yielding Identified in First Comprehensive 2-million-lbm Deepwater Landing String Test Program	712
<i>Dale W. Bradford, BHP Billiton; Michael L. Payne, BP; Donald E. Schultz, Nexen; Burt A. Adams, Oil & Gas Rental Services; and Kurt D. Vandervort, Mohr Engineering Div.</i>	
Application of Purpose-Built Rig Technology Results in Step Change of Drilling Time, Cost, and Opportunities.....	732
<i>E.S. Kolstad, New Tech Engineering; L.D. Steinke, and L.S. Brady, Williams Production RMT Co.; and S.P. Marchand, Helmerich & Payne Intl. Drilling Co.</i>	
Application of Enhanced Ultrasonic Measurements for Cement and Casing Evaluation	739
<i>C. Morris and L. Sabbagh, Schlumberger; R. Wydrinski and J. Hupp, BP; and R. van Kuijk and B. Froelich, Schlumberger</i>	
CIDS to Orlan: Transformation and Startup of Sakhalin's Ice-Resistant Drilling Platform.....	754
<i>Anthony M. Higgins, Boris Zuskov, and Paul Vande Zande, ExxonMobil Development Co.</i>	
Development of a Subsea TTRD Capability West of Shetland.....	764
<i>Robert Johansen, BP Exploration Operating Co. Ltd., and Angus MacLeod, Leading Edge Advantage</i>	
Applying Risk Analysis to Casing While Drilling.....	777
<i>Houtchens, B., Foster, J., and Tessari, R., Tesco Corp.</i>	
Drilling and Completing Intelligent Multilateral MRC Wells in Haradh Inc-3	784
<i>Fahad Al-Bani and Ahmad Shah Baim, Saudi Aramco, and Suresh Jacob, WellDynamics Inc.</i>	
Strain-Based Design of Tubulars for Extreme Service Wells.....	791
<i>J. Nowinka and T. Kaiser, Noetic Engineering Inc., and B. Lepper, Shell Canada Ltd.</i>	
Lubricants Enabled Completion of ERD Well	800
<i>Jonny Holand, Svein Arne Kvamme, Tor Henry Omland, Arild Saasen, and Knut Taugbøl, Statoil, and John Jamth, Intertek West Lab</i>	

Drilling, Completion, and Openhole Formation Evaluation of High-Angle Wells in High-Density Cesium Formate Brine: The Kvitebjørn Experience, 2004–2006	808
<i>Per Cato Berg, Erik Sandtorv Pedersen, ?shild Lauritsen, Nader Behjat, and Siri Hagerup-Jenssen, Statoil, and Siv Howard, Gunnar Olsvik, John D. Downs, Mike Harris, and Jim Turner, Cabot Specialty Fluids</i>	
Overcoming the Loss of a Primary Barrier in an HP/HT Well—Investigation and Solution	825
<i>Alan Humphreys, Total France, and Robert Ross, Baker Oil Tools</i>	
Predrill Estimation of Subsalt Fracture Gradient: Analysis of the Spa Prospect to Validate Nonlinear Finite Element Stress Analyses	835
<i>J.T. Fredrich, BP America; B.P. Engler and J.A. Smith, Sandia Natl. Laboratories; and E.C. Onyia and D.N. Tolman, ConocoPhillips</i>	
How Much Is Left of Your Centralizer After Exiting a Casing Window in an Extended-Reach Horizontal Multilateral? Modeling, Yard Tests, and Field Results From Alaska’s West Sak Development	843
<i>E.M. Peterson, M.R. Greener, and E.R. Davis, ConocoPhillips, and D.T. Craig, Baker Oil Tools</i>	
Two Salt-Dome Wells Successfully Drilled With Casing-While-Drilling Technology	850
<i>David Veltri, Yuma, and Tommy Warren and Robert Tessari, Tesco Corp.</i>	
Self-Healing Cement—Novel Technology To Achieve Leak-Free Wells	856
<i>P. Cavanagh, Suncor Energy Inc., and C.R. Johnson, S. LeRoy-Delage, G. DeBruijn, I. Cooper, D. Guillot, H. Bulte, and B. Dargaud, Schlumberger</i>	
Beryl Alpha—Reaching Out To Recover: An Extended-Reach Drilling Upgrade Project on a 30-Year-Old Rig	869
<i>Richard N. Cutt, ExxonMobil Development Co.</i>	
More Ultradeepwater Drilling Problems	888
<i>John Shaughnessy and William Daugherty, BP America; Rick Graff, Chevron North American E&P Co.; and Todd Durkee, Anadarko Petroleum Corp.</i>	
Deepwater Drillship Operations and Upgrade	896
<i>O. De Bonnafos, Pride Foramer, and G.H. Zijderveld, GustoMSC</i>	
Wellbore Stress Indicators While Drilling: A Comparison of Induced Features From Wireline and LWD High-Resolution Electrical Images	919
<i>G. Lindsay, Inteq; S. Ong, Baker Atlas; and S. Morris and J. Lofts, Inteq</i>	
Further Development, Field Testing, and Application of the Wellbore Strengthening Technique for Drilling Operations	930
<i>Giin-Fa Fuh and Dave Beardmore, ConocoPhillips Co., and Nobuo Morita, Waseda U.</i>	
Improved Well Construction Enabled by Next-Generation Top-Drive Casing Running and Drilling Tools	942
<i>Egjill Abrahamsen and Doug Reid, Weatherford Intl. Inc.</i>	
Floation of 10³/₄-in. Liner—A Method Used To Reach Beyond 10 km	947
<i>Johan Eck-Olsen, Rune Haugom, Geir Løklingsholm, and Håkon Sletten, Statoil ASA</i>	
A New Drillstring Fatigue Supervision System	956
<i>O. Vincké and D. Averbuch, Inst. Français du Pétrole; S. Tollet, Cybermetix; B. Lefevre, Vam Drilling; and D. Dupuis, Pride Intl.</i>	
Dope-Free Tubular Connections, Through Research and Development to Field Trial and Implementation: A North Sea Case History	964
<i>Henrik B. Andersen, Marcus P. Hummer, and Rasmus C. Engell, Maersk Oil, and Lionel Verdillon and Arnaud Pardé, Vallourec & Mannesmann Tubes</i>	
Coiled Tubing Re-Entry Whipstocks: The Next Evolutionary Step in Drilling Practices for Mature-Field Development	968
<i>Garry Garfield and Gordon Mackenzie, Baker Oil Tools</i>	

Recent Metal-to-Metal Sealing Technology for Zonal Isolation Applications Demonstrates Potential for Use in Hostile HP/HT Environments	973
<i>Garry Garfield and Gordon Mackenzie, Baker Oil Tools</i>	
First Gas Field Developed Using Exclusively Dope-Free Casing and Tubing Connections—Statoil Snøhvit	977
<i>Gabriel Carcagno and Tomás Castiñeiras, Tenaris, and Dag Johan Eiane, Statoil</i>	
Drill Faster, Deeper, and Further With Ultrahigh-Torque Third-Generation Double-Shoulder Connections	985
<i>R. Brett Chandler, Andrei Muradov, and Michael J. Jellison, Grant Prideco, and Manuel E. Gonzalez and Jiang Wu, Chevron</i>	
Drilling for Coalbed Methane in the San Juan Basin With Coiled Tubing: Results, Learnings, and a World First	999
<i>Sam Noynaert and Dale Pumphrey, BP America; Tony Pink, Schlumberger; and Tug Eiden, Fred Hartensteiner, and Chip Nelson, BP America</i>	
Study on Gelation and Freezing Phenomena of Synthetic Drilling Fluids in Ultradeepwater Environments	1013
<i>Gandelman, R.A., Leal, R.A.F, Gonçalves, J.T., Aragão, A.F.L., Lomba, R.F., and Martins, A.L., SPE, Petrobras</i>	
Improvements in Operations Using a High Efficiency Jackup	1021
<i>Gordon Hart and Allan Ramsing, Maersk Contractors</i>	
Optimization of Deep Drilling Performance: Benchmark Testing Drives ROP Improvements for Bits and Drilling Fluids	1027
<i>Arnis Judzis, TerraTek; Ronald G. Bland, Baker Hughes; David A. Curry, Hughes Christensen; Alan D. Black and Homer A. Robertson, TerraTek; Matthew J. Meiners, Hughes Christensen; and Timothy C. Grant, U.S. DOE</i>	
Recovery of a Damaged Jackup Following Hurricane Rita	1039
<i>R.W.P. Stonor, M.J.R. Hoyle, Noble Denton Consultants Ltd., and J.N. Brekke and C. Keaton, GlobalSantaFe Inc.</i>	
A 200 C, 35,000-psi HP/HT MWD Tool: Development Program, Architecture, Mission Profile, and Prototype Testing Results to Date	1052
<i>J.C. Mayes, B.E. Boling, D.M. Mootoo, and Meghan O’Keefe, Schlumberger, and W.J. Gwilliam, U.S. DOE</i>	
Application of Small Vibration Logging Tool Yields Improved Dynamic Drilling Performance	1063
<i>Daniel Perez, Russ Lockley, Alan J. Clarke, and Chris M. Hanley, ReedHycalog</i>	
Are Preflushes Really Contributing to Mud Displacement During Primary Cementing?	1076
<i>D.J. Guillot and J. Desroches, Schlumberger, and I. Frigaard, U. of British Columbia</i>	
Extreme Drilling Environment Forces Evolution of Rotary Steerable Systems and Rotary Steerable Bit Technology	1084
<i>Bronwyn Cox and Louis Romo, BP America Production Co.; Brett Champion and Osman Maung, Schlumberger D&M; and Kirk Card and Steve Barton, ReedHycalog</i>	
Deepwater Blowout—A Case History: Shallow Gas Hazards Hide in the Weeds	1109
<i>William Flores Jr., John B. Garner, and Chris Scarborough, Boots & Coots</i>	
Special Issues in the Stress Analysis of Casing Strings in Steam-Injection Wells: Mathematical Development and Design	1112
<i>R. Garside, TNK-BP; P.D. Pattillo, and P.D. Pattillo II, BP America; U.B. Sathuvalli, Blade Energy Partners</i>	
Integrating Safety Leadership and Cultural Change	1120
<i>George Siokos, Enterprise Development Network, and John Karish, Ensco Intl. Inc.</i>	