

Society of Petroleum Engineers

1<sup>st</sup> International Oil Conference  
and Exhibition In Mexico  
2006

August 31 – September 2, 2006  
Cancun, Mexico

Volume 1 of 2

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571  
[www.proceedings.com](http://www.proceedings.com)

ISBN: 978-1-60423-798-6

# Copyright and Use Restrictions

## Copyright 2007, Society of Petroleum Engineers

Material included in this *Proceedings* is copyright protected. Electronic reproduction, distribution, or storage of any part of an SPE-copyrighted paper for commercial purposes without the written consent of the Society of Petroleum Engineers is prohibited. Permission to reproduce in print is restricted to an abstract of not more than 300 words; illustrations may not be copied. The abstract must contain conspicuous acknowledgment of where and by whom the paper was presented. For photocopying beyond the above permissions, libraries and other users dealing with the Copyright Clearance Center (CCC) Transactional Reporting Service must pay a base fee of \$3 per copyrighted article plus \$0.25 per page to CCC, 222 Rosewood Drive, Danvers, Massachusetts 01923 U.S.A. For other permissions, contact Librarian, SPE, 222 Palisades Creek Drive, Richardson, Texas 75080-2040 U.S.A.

Use of SPE member or author contact information included on this CD for commercial purposes or reproduction of that information in whole or in part, in any form or medium, is strictly prohibited and subject to legal action. Contact SPE to inquire about rental of mailing lists.

This CD of the 2007 SPE Production and Operations Symposium was produced by SPE. This product contains Adobe® Reader® Software. Permission to print and distribute content from this product must be obtained from SPE. Duplication of replication products is absolutely prohibited without written permission from SPE and Adobe. Adobe, the Adobe logo, and Reader are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Material on the CD was reproduced from original papers and/or electronic files provided by the authors. Some discrepancies are inevitable. Please advise SPE of errors so corrections can be made to the electronic versions of the article. Send corrections by e-mail to [pdf@spe.org](mailto:pdf@spe.org) or mail to the SPE Americas Office, attention Technical Paper Administrator.



Society of Petroleum Engineers

1<sup>st</sup> International Oil Conference and Exhibition In Mexico  
2006

**TABLE OF CONTENTS**

**VOLUME 1**

<b>Five Years of Ongoing Conformance Work in the Central Mallet Unit CO<sub>2</sub> Flood in West Texas Yields Improved Economics for Operator</b> .....	1
<i>M. Honnert, Occidental Permian Ltd., and P. Creel, R. Tate, and D. Everett, Halliburton</i>	
<b>Why the LWD and Wireline Gamma Ray Measurements May Read Different Values in the Same Well</b> .....	15
<i>A. Mendoza, U. of Texas at Austin; D.V. Ellis, Schlumberger Doll-Research; and J.C. Rasmus, Schlumberger Sugarland Technology Center</i>	
<b>Block to Block Interaction Effect in Naturally Fractured Reservoirs</b> .....	24
<i>A. Shariat, U. of Calgary; A.R. Behbahaninia, Kish Petroleum Engineering Co.; and M. Beigy, Pars Oil and Gas Co.</i>	
<b>Simulation of Microbial Enhanced Oil Recovery</b> .....	31
<i>M.R. Ghadimi, Natl. Iranian Oil Co., and M. Ardjmand, Islamic Azad U.</i>	
<b>A Review of Over 100 Polymer Gel Injection Well Conformance Treatments in Argentina and Venezuela: Design, Field Implementation, and Evaluation</b> .....	46
<i>C. Norman, SPE, B. Turner, SPE, and J.L. Romero, SPE, Tiorco Inc., and G. Centeno, SPE, and E. Muruaga, T ecpetrol</i>	
<b>Application of Intelligent Completions to Optimize Waterflood Process on a Mature, North Sea Field: A Case Study</b> .....	62
<i>A. Ajayi and M. Konopczynski, WellDynamics Inc., and Ø. Tesaker, Statoil</i>	
<b>Use of Reservoir Simulation for Optimizing Recovery Performance of One of the Iranian Oil Fields</b> .....	70
<i>A. Taheri and V.A. Sajjadian, NIOC</i>	
<b>Application of Integrated Reservoir Studies and Probabilistic Techniques to Estimate Oil Volumes and Recovery, Tengiz Field, Republic of Kazakhstan</b> .....	81
<i>K. Dehghani, S. Jenkins, D.J. Fischer, and M. Skalinski, Tengizchevroil Kazakhstan</i>	
<b>Simplified Method for Characterizing Fractured Carbonate Media</b> .....	99
<i>C. Pérez-Rosales, E. Luna, and E. Serrano, Inst. Mexicano del Petróleo</i>	
<b>Integrated Project Management in South Mexico and Well Construction Optimization on Deep and Depleted Carbonates</b> .....	106
<i>M. Jenrette and J. Murillo, Halliburton de Mexico, and H. Mandujano, Pemex</i>	
<b>Zonal Isolation Within Highly Fractured Carbonates in Southeastern Mexico—Special Cementing Operations</b> .....	128
<i>W. Vargas, Halliburton de Mexico; M.A. Lozada, Petroleos Mexicanos; and C.E. Ledesma and C. Caballero, Halliburton de Mexico</i>	
<b>Case History—Application of a New PDC Bit Design in Deep Cretaceous and Jurassic Hard Formations in Southern Mexico</b> .....	138
<i>C.A. Bejarano, G. Muñoz, and G. Perez, Halliburton Project Management; C. Cortina, Halliburton Security DBS; and R. Palomo, Pemex</i>	
<b>Closing the Well-Centric Production Optimization Loop Using Intelligent Completions</b> .....	152
<i>G. Vachon, P. Vega, and J. Lee, Baker Hughes ProductionQuest</i>	
<b>PI-Mode Production Over Bottomwater</b> .....	159
<i>Y. Wang, U. of Houston; E. Laine, Eric Laine and Assocs. Inc.; and C.A. Ehlig-Economides, Texas A&amp;M U.</i>	

<b>Subsurface Integrated Production Systems</b> .....	168
<i>Olegario Rivas, Schlumberger</i>	
<b>Development of an Integrated Solution for Perforation, Production, and Reservoir Evaluation</b> .....	177
<i>J. Jaua and O. Rivas, Schlumberger, and A. Mejías, Repsol YPF</i>	
<b>Isolating Unwanted Water Production: The Through-Tubing Inflatable Solution</b> .....	187
<i>G.M. Kelbie, G.L. Garfield, and G.R.J. Mackenzie, Baker Oil Tools</i>	
<b>Well Location Selection from Multiple Realisations of a Geomodel Using Productivity Potential Maps—A Heuristic Technique</b> .....	195
<i>N.Y. Guerra, Empresa Colombiana de Petroleos, ECOPETROL, and R. Narayanasamy, Heriot-Watt U.</i>	
<b>Permeability Vertical-to-Horizontal Anisotropy in Indonesian Oil and Gas Reservoirs: A General Review</b> .....	217
<i>B. Widarsono, A. Muladi, and I. Jaya, LEMIGAS</i>	
<b>Multicomponent OBC (4C) Imaging Over Pamberi, LRL Block, Offshore Trinidad</b> .....	234
<i>T.D. Johns and C. Vito, WesternGeco, and R. Clark and R. Sarmiento, EOG Resources</i>	
<b>Advanced Technology to Reduce Water Cut: Case Studies From the Pemex Southern Region</b> .....	239
<i>G.A.F. Romo and H.H. Leyva, Pemex, and R.B. Aguilar, C.C. Campos, L. Eoff, and D. Dalrymple, Halliburton</i>	
<b>Coiled Tubing Deployed Re-Entry Whipstocks—Technology Overview and Case Histories</b> .....	245
<i>G.R.J. Mackenzie and S.B. Wilson III, Baker Oil Tools</i>	
<b>Impact of the Viscosity Reduction on the Productivity Index Using a Simulation Study in Two Networks in the Gulf of Mexico</b> .....	249
<i>M. Ramírez-Garnica, O. Cazarez-Candía, J. Clavel-López, R. Nares, P. Schacht, and M. Cabrera, Inst. Mexicano del Petróleo</i>	
<b>Formation Pressure Application for Correlating Miocene Turbidite Reservoirs in the Deepwater Gulf of Mexico</b> .....	256
<i>C. Russell and N. Luise, Eni Petroleum; G. Kuecher, Knowledge-Reservoir; and J. Lee, Baker Atlas</i>	
<b>Applications of Artificial Neural Networks and Dipole Sonic Anisotropy in Low Porosity, Naturally Fractured, Complex Lithology Formations in the Southern Land Region of México</b> .....	268
<i>E.O.J. Bueno and I.C. Pérez, PEMEX, and G. Escamilla, H. Mesa, B. Ponce, R. Graham, C. Kessler, and J. Murillo, Halliburton Energy Services</i>	
<b>A New Model to Describe Particle Movement and Deposition in Porous Media</b> .....	281
<i>A. Kalantari-Dahaghi, J. Moghadasi, and V. Gholami, Petroleum U. of Technology, Iran</i>	
<b>Test Design for Vertical Permeability Determination From a Conventional Pressure-Buildup Test</b> .....	289
<i>C.A. Ehlig-Economides, M. Nduonyi, and J. Abiazie, Texas A&amp;M U.</i>	
<b>Developing of Fully Automatic Webpage Simulator for Single-Well Study</b> .....	297
<i>M. Ibrahim, Suez Canal U., and R.A. Wattenbarger, Texas A&amp;M U.</i>	
<b>Production Performance Monitoring Workflow</b> .....	308
<i>M. Stundner and G. Nunez, Schlumberger</i>	
<b>Successful Implementation of Well Management To Increase Hydrocarbon Production: A South Region of PEMEX E&amp;P Case History</b> .....	314
<i>J.A. Arévalo-Villagrán, T. Gutiérrez-Acosta, F. Ascencio-Cendejas, H. Cinco-Ley, M.A. Lozada-Aguilar, and M. Lysandrou, PEMEX E&amp;P</i>	
<b>A New Method for Acid Stimulation Without Increasing Water Production: Case Studies From Offshore Mexico</b> .....	325
<i>G.H. Reza, Pemex, and E. Soriano, L. Eoff, and D. Dalrymple, Halliburton</i>	

<b>Consideration for Future Stimulation Options is Vital in Deciding Horizontal Well Drilling and Completion Schemes for Production Optimization</b> .....	332
<i>J.B. Surjaatmadja, B.W. McDaniel, L.E. East, and J. Pyecroft, Halliburton</i>	
<b>Using Laboratory Flow Experiments and Reactive Chemical Transport Modeling for Designing Waterflooding of the Agua Fría Reservoir, Poza Rica-Altamira Field, Mexico</b> .....	342
<i>P. Birkle, Inst. de Investigaciones Eléctricas; K. Pruess and T. Xu, Lawrence Berkeley Natl. Laboratory; and R.A.H. Figueroa, and M. Díaz López, Petróleos Mexicanos</i>	
<b>Improved Oil Recovery by Seismic Vibration: A Preliminary Assessment of Possible Mechanisms</b> .....	358
<i>C. Huh, U. of Texas at Austin</i>	
<b>Successful Application of a Novel Fracturing Fluid in the Chicontepec Basin, Mexico</b> .....	374
<i>S. Centurion, M. Rengifo, M. Cortona, and F. Padilla, BJ Services Co. and A. Lavalle, Petroleos Mexicano</i>	
<b>Best Practice and Case Study of Interwell Tracer Program Designs</b> .....	380
<i>H. Cubillos, CEPSA; H. Torgersen and C. Chatzichristos, IFE; and M. Lamela, CEPSA</i>	
<b>A Holistic Approach to Production Assurance</b> .....	391
<i>D. Gonzalez and A. Jamaluddin, Schlumberger</i>	
<b>Old and Modern Well Log Data and Its Reliability Through a Novel Certification Process</b> .....	397
<i>R. Camacho V., G. Lobato-Barradas, and S. Berumen Campos, Pemex, and A. Daal, B. Martell, D. Adams, E. Cruz, and V. Hernandez, Neuralog Inc.</i>	
<b>Thermal Design of Wells Producing Highly Viscous Oils in Offshore Fields in the Gulf of Mexico</b> .....	402
<i>F. Ascencio-Cendejas, Pemex E&amp;P, and O. Reyes-Venegas and M.A. Nass, Scandpower Petroleum Technology Inc.</i>	
<b>Enhanced Oil Recovery by Utilization of Multilateral Wells on the Troll West Field</b> .....	412
<i>F. Berge, Halliburton; E. Ruyter and T. Grønås, Norsk Hydro; and A. Vasicek, Halliburton</i>	
<b>Integrating Geology and Velocity Data to Constrain Pressure Prediction in Foldbelts</b> .....	420
<i>B.A. Couzens-Schultz, C.A. Hedlund, and C.E. Guzman, Shell Intl. Petroleum Co. Inc.</i>	
<b>H2S Associated to Heavy Oils in Reservoirs under Primary Production: Cases of Grimbeek and El Alba Fields in Gulf of San Jorge Basin-Argentina</b> .....	438
<i>A.N. Cavallaro and M. Cerroni, Repsol YPF; M.I. Alberdi, NeOTechnology; and H. Oстера, Ingeis</i>	
<b>Advanced Technology Improves Drilling Economics/Sets New Benchmark, Southeast Mexico</b> .....	444
<i>A. Urbieto, M. Martinez, and P. Escareño, Pemex, and A. Arias, R. Portillo, E. Castellanos, R. Buske, J. Overstreet, and J. Dick, Hughes Christensen</i>	
<b>Internal Corrosion Direct Assessment for Multiphase Flow Pipeline Systems</b> .....	458
<i>P.G. Puente and C. Collado, Scandpower PT</i>	

## VOLUME 2

<b>Predicting Reservoir Compaction and Casing Deformation in Deepwater Turbidites using a 3D Mechanical Earth Model</b> .....	467
<i>C. Sayers, L. den Boer, D. Lee, and P. Hooyman, Schlumberger, and R. Lawrence, Murphy E&amp;P Co. USA</i>	
<b>Application of an Evolutionary Algorithm in Well Test Characterization of Naturally Fractured Vuggy Reservoirs</b> .....	474
<i>S. Gómez, IIMAS-UNAM; G. Fuentes, IMP; R. Camacho, Pemex E&amp;P; M. Vásquez, Pemex E&amp;P-IPN; J.M. Otero and A. Mesero, MatCom-UH; N. del Castillo, IIMAS-UNAM</i>	

<b>Optimize Drilling and Reduce Casing Strings Using Remote Real-Time Well Hydraulic Monitoring</b> .....	480
<i>E. Tollefsen, R.B. Goobie, S. Noeth, C. Sayers, L. den Boer, P. Hooyman, and G. Akinniranye, Schlumberger; J. Cooke, Helis Oil &amp; Gas Co. L.L.C.; and R. Thomas and E. Carter, PPI Technology Services</i>	
<b>Gas-Liquid-Solid Coupled Flow Modelling in Fractured Carbonate Gas Reservoir with High H<sub>2</sub>S-Content</b> .....	493
<i>D. Zhimin and G. Xiao, The State Key Laboratory of Oil and Gas Reservoir Geology and Exploitation, and Z. Yong, Y. Xuefeng, S. Gaojun, and W. Yong, Southwest Petroleum U.</i>	
<b>Innovative Technology/Best Practices Maximizes ROP Saving the Operator \$1.5 Million USD in Chicontepec Project, Mexico</b> .....	502
<i>J. Quiroga, Pemex; R. Valera and A. Fernandez, Schlumberger; and A. Arias and H. Bravo, Hughes Christensen</i>	
<b>Feasibility Study of In-Situ Combustion in Naturally Fractured Heavy Oil Reservoirs</b> .....	514
<i>F. Tabasinejad and R. Karrat, Petroleum U. of Technology, Iran, and S. Vossoughi, U. of Kansas</i>	
<b>Integrated Reservoir Modeling for Evaluating Field Development Options in Agua Fria, Coapechaca and Tajin Fields of Chicontepec Basin</b> .....	524
<i>S. Takahashi, Japan Oil, Gas, and Metals Natl. Corp.; M. Abbaszadeh, Innovative Petrotech Solutions Inc.; K. Ohno, Japan Oil, Gas, and Metals Natl. Corp.; and H.S. Soto and L.O.A. Cancino, PEMEX Exploration y Production</i>	
<b>Long Term Comparative Evaluation of HCl-Formic Acid System Used to Stimulate Carbonate Formations at Severe Conditions in Saudi Arabia</b> .....	538
<i>H.A. Nasr-El-Din, S.M. Al-Drweesh, Saudi Aramco, and L. Sierra, M. van Domelen, and T. Welton, Halliburton</i>	
<b>Improving Performance of the Naturally Fractured Carbonate Reservoirs by Means of Various Stimulation and Completion Techniques</b> .....	551
<i>H. Jahediesfanjani and F. Civan, U. of Oklahoma</i>	
<b>Production Optimization of Turbidite Reservoirs in Russia—A Pilot Field Development Case Study</b> .....	563
<i>T. Kryuchkova, Sibneft; V. Igoshkin, Geoseis; I. Edelman, Sibneft; and H. Ruiz, N. Kalita, P. Poettmann, and B. Voicu, Schlumberger</i>	
<b>Experimental Study on Applicability of Water Alternating CO<sub>2</sub> Injection in the Secondary and Tertiary Recovery</b> .....	574
<i>S.A.T. Nezhad, M.R.R. Mojarad, S.J. Paitakhti, J.S. Moghadas, and D.R. Farahmand, Sahand U. of Technology</i>	
<b>Miscible Gas-Oil Gravity Drainage</b> .....	578
<i>M. Verlaan and P. Boerrigter, Shell E&amp;P</i>	
<b>Pressure Monitoring: Key for Waste Management Injection Assurance</b> .....	586
<i>F. Fragachán, A. Ovalle, and T. Shokanov, M-I Swaco</i>	
<b>Outcrop Characterisation of Fractured Cretaceous Carbonate Reservoirs, Zagros Mts, Iran</b> .....	595
<i>I. Sharp, P. Gillespie, and A. Lønøy, Norsk Hydro Research Centre; S. Horn, Roxar; and D. Morsalnejhad, Natl. Iranian Oil Co.</i>	
<b>Effect of Pressure in a Well With a Vertical Fracture With Variable Conductivity and Skin Fracture</b> .....	614
<i>Gonzalez-Chavez, Miguel Alejandro, PEMEX E&amp;P, and Cinco-Ley, Heber, PEMEX E&amp;P and UNAM</i>	
<b>Decline Curve Analysis of Fractured Reservoirs with Fractal Geometry</b> .....	625
<i>R. Camacho-Velázquez, Pemex E&amp;P; G. Fuentes-Cruz, IMP; and M. Vásquez-Cruz, Pemex E&amp;P-IPN</i>	

<b>Use of Amine/PHPA System to Drill High Reactive Shales in the Orito Field in Colombia</b> .....	639
<i>X. Guerrero, Q'Max Solutions Inc.; M. Guerrero, Petrominerales Colombia Ltd.; and B. Warren, Q'Max Solutions Inc.</i>	
<b>Evaluation of Commingled Reservoir Properties Using Production Logs</b> .....	646
<i>B.D. Poe Jr., W.K. Atwood, J. Kohring, and K. Brook, Schlumberger</i>	
<b>Design Criteria for Improved Performance of Fractured Wells</b> .....	661
<i>B.D. Poe Jr., Schlumberger</i>	
<b>Assessment of Oilfield Souring Mechanisms by Mass Spectrometry Analysis of the Stable Sulfur Isotopes Ratio</b> .....	671
<i>M.O. Martins and L.C.C. Marques, Petrobras S.A.</i>	
<b>Inflow Profiles Obtained With Pulsed Neutron Logs in Subcritical-Velocity Wells</b> .....	676
<i>B.D. Poe Jr. and R.J. Butsch, Schlumberger</i>	
<b>Conceptual Model Design Studies for a Self-Sustained and Complete Productive Utilization of High-Viscosity/Extraheavy-Oil Onshore Reservoir in Mexico</b> .....	688
<i>F. Ascencio-Cendejas, Pemex E&amp;P, and O. Reyes-Venegas, Scandpower Petroleum Technology Inc.</i>	
<b>Including Nonisothermal Effects in Models for Acidizing Hydraulically Fractured Wells in Carbonate Reservoirs</b> .....	693
<i>F. Civan, U. of Oklahoma</i>	
<b>Implications of Linearization in Analytical Modeling of Matrix-Fracture Transfer Functions With Skin Effect</b> .....	698
<i>M.L. Rasmussen and F. Civan, U. of Oklahoma</i>	
<b>Determining Parameters of Matrix-Fracture Interface Fluid Transfer From Laboratory Tests</b> .....	714
<i>F. Civan and M.L. Rasmussen, U. of Oklahoma</i>	
<b>Innovative MPD Techniques Improve Drilling Success in Mexico</b> .....	726
<i>A. Miller, G. Boyce, L. Moheno, J. Arellano, and J. Murillo, Halliburton Energy Services, Inc. and M.Á.A. de la Serna, A.U. Lopez, and Á.M. Corona, Pemex</i>	
<b>Future Exploitation Strategy Using Integrated Subsurface-to-Surface Methodology: Field Case Study—Litoral De Tabasco Asset</b> .....	737
<i>A. Rosales and J. Barrera</i>	
<b>New Life for a Mature Oil Province via a Massive Infill Drilling Program</b> .....	752
<i>J.G. Flores and W. Gaviria, Schlumberger, and J. Lorenzon, J.L. Alvarez, and A. Presser, Petrobras Energia S.A.</i>	
<b>A General Method for the Flow Diagnosis and Interpretation of Well Tests</b> .....	759
<i>F. Ascencio C., Pemex; F. Samaniego-V., UNAM; H.C. Ley, Pemex and UNAM; and J.-P. Feraud, Schlumberger</i>	
<b>Stability Analysis of Gas Lift Wells Used for Deepwater Oil Production</b> .....	762
<i>I. Guerrero-Sarabia and Y.V. Fairuzov, Natl. Autonomous U. of Mexico</i>	
<b>Simulation of Nitrogen Injection Into Naturally Fractured Reservoirs Based on Uncertain Properties and Proper Matrix Grid Resolution</b> .....	769
<i>O.A. Vicencio, Pemex, and K. Sepehrnoori, U. of Texas at Austin</i>	
<b>Effect of Gas Recycling on the Enhancement of Condensate Recovery, Case Study: Hassi R'Mel South Field, Algeria</b> .....	780
<i>H. Adel, Sonatrach; D. Tiab, U. of Oklahoma; and T. Zhu, U. of Alaska Fairbanks</i>	
<b>New Life for a Mature Oil Province via the Integration of Improved Oil Recovery Methods</b> .....	789
<i>W. Gaviria and J.G. Flores, Schlumberger, and J. Lorenzon, J.L. Alvarez, and A. Presser, Petrobras Energia S.A.</i>	

<b>Thermal Simulation and Economic Evaluation of Heavy-Oil Projects</b> .....	795
<i>E.R. Rangel-German, Natl. Autonomous U. of Mexico and Secretary of Energy, Mexico; S. Camacho-Romero and U. Neri-Flores, Natl. Autonomous U. of Mexico and Schlumberger; and W. Theokritoff, Schlumberger</i>	
<b>Conformance While Fracturing: Technology Used To Reduce Water Production in North Mexico</b> .....	806
<i>A. Torres, Pemex; J. Peano, Tecpetrol; and E. Lopez, R. Ramirez, and D. Dalrymple, Halliburton</i>	
<b>Rigless Tubing Repair Using Permanent and Retrievable Patches at Prudhoe Bay, Alaska</b> .....	815
<i>J.Y. Julian, T.W. Cahalane, and D.A. Cismoski, BP Exploration (Alaska) Inc.; J. Burton, ProActive Diagnostics Services Inc.; and E.L. Savage, Weatherford Inc.</i>	
<b>Fracture Porosity of Naturally Fractured Reservoirs</b> .....	827
<i>D. Tiab, D.P. Restrepo, and A. Igboke, U. of Oklahoma</i>	
<b>Pressure Transient Analysis of Partially Penetrating Wells in a Naturally Fractured Reservoir</b> .....	840
<i>K. Slimani, Sonatrach; D. Tiab, U. of Oklahoma; and K. Moncada, Schlumberger</i>	
<b>Estimation of Average Reservoir Pressure and Drainage Area in Naturally Fractured Reservoirs—Tiab’s Direct Synthesis</b> .....	860
<i>A.O. Igboke and D. Tiab, SPE, U. of Oklahoma</i>	
<b>Superior Zonal Isolation Provided by Ultralightweight Cementing Technology Increases Profitability of Wells in Difficult-to-Cement Areas</b> .....	873
<i>D. Kulakofsky and A. Avalos, Halliburton, and R. Hernandez, Tapia Petroleos Mexicanos</i>	
<b>Heavy-Oil Field Development and Reservoir Management Challenges in Producing Onshore Shallow Reservoirs in Suriname</b> .....	884
<i>H. Kartoredjo, K. Moe Soe Let, G. Nadeson, and B. Nandlal, Staatsolie Maatschappij N.V.</i>	
<b>New Representative Curves for Gas Lift Optimization</b> .....	893
<i>R. Salazar-Mendoza, Inst. Mexicano del Petroleo</i>	
<b>Gelation Kinetics of an Organically Cross-Linked Gel at High Temperature and Pressure</b> .....	897
<i>G.A. Al-Muntasher, Delft U. of Technology and Saudi Aramco; H.A. Nasr-El-Din, Saudi Aramco; and P.L.J. Zitha, Delft U. of Technology</i>	
<b>Log Data Preparation: A Real Opportunity To Save Money and Time</b> .....	905
<i>R. Barbato, A. Quaglia, J.C. Porras, R. Panesso, and J. Soria, Inter-Rock C.A.</i>	
<b>Calibration of Parameters Used in the Processing of Nuclear Magnetic Resonance Data, Acquired in Heavy- to Extraheavy-Oil Reservoirs, by Integrating Core, Production, and Conventional Log Data With Magnetic Resonance Data—Orinoco Belt, Eastern Venezuela</b> .....	910
<i>H. Hernandez and J. Odreman, PDVSA, and Y. Moya and F. Tineo, Baker Atlas</i>	
<b>On a Well-Test Pressure Theory of Analysis for Naturally Fractured Reservoirs, Considering Transient Interporosity Matrix, Microfractures, Vugs, and Fractures Flow</b> .....	914
<i>H. Pulido, Pemex; F. Samaniego V., J. Rivera, and F. Díaz, UNAM; and G. Galicia, IMP</i>	
<b>Organically Crosslinked Polymer System for Water Reduction Treatments in Mexico</b> .....	924
<i>J. Vasquez, I. Jurado, and A. Santillan, Halliburton, and R. Hernandez, Pemex</i>	

**AUTHOR INDEX**