

Petroleum Society of CIM

**8<sup>th</sup> Canadian International  
Petroleum Conference and  
58<sup>th</sup> Annual Technical Meeting of  
the Petroleum Society**

**CIPC 2007**

**“Because Technology Changes Everything”**

**June 12- 14, 2007  
Calgary, Canada**

**Volume 1 of 2**

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571  
[www.proceedings.com](http://www.proceedings.com)

**ISBN: 978-1-60423-180-9**

**Some format issues inherent in the e-media version may also appear in this print version.**



Petroleum Society of CIM

8<sup>th</sup> Canadian International Petroleum Conference and  
58<sup>th</sup> Annual Technical Meeting of the Petroleum Society

**TABLE OF CONTENTS**

**Volume 1**

**Completions**

- A New Device Designed for Direct Yield Stress Measurements of Cement Spacer ..... 1  
*C. L. Gordon*

- Investigation of Effect of Equivalent Diameter Definitions on Determination of Pressure Losses of Non-Newtonian Fluids in Annuli ..... 7  
*B. Demirdal*

- Laboratory and Field Studies of Plug Removal in Heavy Oil Reservoir With New Plug Removal Agent-Biological Enzyme: Mechanism and Removal ..... 11  
*Y. Wang*

- Optimum Well Completion Strategies in Reservoirs with Bottom and Edge Water Invasion ..... 12  
*J. C. Hernandez*

- Development of a Mathematical Model for Casings Running Through Medium to High Curvature Wells ..... 25  
*A. C. Seibi*

**Heavy Oil & Bitumen Recovery I – Thermal Processes**

- Prediction of Hydrogen Sulphide Production in SAGD Projects ..... 26  
*H. F. Thimm*

- A History Match of CSS Recovery in the Grosmont ..... 30  
*J. Novak*

- Economic Optimization and Uncertainty Assessment of Commercial SAGD Operations ..... 40  
*C. Yang*

- A Unified Model for Prediction of CSOR in Steam-Based Bitumen Recovery ..... 52  
*N. Edmunds*

- Clarifications on Oil/Heavy Oil Recovery Under Ultrasonic Radiation Through Core and 2D Visualization Experiments ..... 64  
*K. Naderi*

**Reservoir Characterization**

- Bituminous Ore Characterization by Integrating Low-Field NMR With Density and Particle Size Distribution Measurements ..... 75  
*Y. Niu*

- New Generation of Micromodels and Image Analysis for the Study of Dispersion in Porous Media ..... 84  
*D. Fisher*

- Effect of Oil/Brine Ratio on Interfacial Tension in Surfactant Flooding ..... 85  
*Y. P. Zhang*

|  |    |
|--|----|
| <b>X-Ray Absorption Studies of Local Structure in Iron Alkylphosphonate Ester Organogels .....</b> | 96 |
| <i>B. P. Grady</i>   |    |

|  |     |
|--|-----|
| <b>Characterization of Fracture Network System of the Midale Field .....</b> | 113 |
| <i>D. Bogatkov</i>   |     |

|  |     |
|--|-----|
| <b>Characterization of Matrix Wettability and Mass Transfer From Matrix to Fractures .....</b> | 125 |
| <i>A. Gupta</i>  |     |

## **Reservoir Simulation I**

|  |     |
|--|-----|
| <b>Fully Coupled Numerical Modelling of Ground Surface Uplift in Steam Injection .....</b> | 126 |
| <i>S. Yin</i>  |     |

|   |     |
|---|-----|
| <b>New Solution for Anisotropic Formation Damage Due to Produced Water Re-Injection .....</b> | 140 |
| <i>R. Salehi Mojarrad</i>   |     |

|  |     |
|--|-----|
| <b>Coupled Geomechanics—Reservoir Simulation of UTF Phase A Project Using a Full Permeability Tensor .....</b> | 147 |
| <i>J. Du</i>   |     |

|   |     |
|---|-----|
| <b>Finite Element Modelling of Structural Shale Fracturing Around a Well Under Steam Stimulation.....</b> | 163 |
| <i>S. Xue</i>   |     |

|  |     |
|--|-----|
| <b>A New Method for Treating Wells in Reservoir Simulation .....</b> | 164 |
| <i>G. M. Gessel</i>  |     |

## **Graduate Student Presentation I**

|  |     |
|--|-----|
| <b>Study of the Settling Characteristics of Tailings .....</b> | 170 |
| <i>S. C. Motta Cabrera</i>                                     |     |

|   |     |
|---|-----|
| <b>Flow of Ultra-Dispersed Particles Through Porous Media .....</b> | 171 |
| <i>A. Zamani</i>  |     |

|  |     |
|--|-----|
| <b>Oil-in-Water Emulsion Blocking Mechanism Through Porous Media .....</b> | 172 |
| <i>K. Zeidani</i>  |     |

|  |     |
|--|-----|
| <b>Wall Fouling and Water Uptake in Lubricated Oil-Water Pipelines .....</b> | 173 |
| <i>M. M. A. Sayeed Rushd</i>   |     |

|  |     |
|--|-----|
| <b>Reservoir/Horizontal Well Coupling Using a Modified Homogenous Wellbore Model .....</b> | 174 |
| <i>P. Gui</i>  |     |

|  |     |
|--|-----|
| <b>A Mixed-Integer Nonlinear Programming MINLP) Approach for an Optimal Integrated Oil Production System and Facilities Design .....</b> | 175 |
| <i>C. Seong Khor</i>   |     |

## **Heavy Oil – Non-Thermal Investigations**

|   |     |
|---|-----|
| <b>Dynamic Modelling of Solution-Gas Drive in Heavy Oils.....</b> | 176 |
| <i>M. Shahvali</i>  |     |

|  |     |
|--|-----|
| <b>Wormhole Related Cold Heavy Oil Production Insights From Field Observations .....</b> | 177 |
| <i>M. Saltuklaroglu</i>  |     |

|  |     |
|--|-----|
| <b>Effect of Foaminess on the Performance of Solution Gas Drive in Heavy Oil Reservoirs.....</b> | 178 |
| <i>A. B. Alshmakhy</i>   |     |

|   |     |
|---|-----|
| <b>Cold Flow: A Multi-Well Cold Flow (Production) Model.....</b>  | 191 |
| <i>B. Tremblay</i>  |     |
| <b>Study of Hydrated Clay Reactions to Various Cations Using Low-Field NMR .....</b>  | 203 |
| <i>P. M. Chung</i>  |     |
| <b>Polymer Flooding</b>   |     |
| <b>Polymer Flood Application to Improve Heavy Oil Recovery at East Bodo .....</b>   | 211 |
| <i>F. R. Wassmuth</i>   |     |
| <b>Hydrophobically Associating Polymers for Oil Field Applications .....</b>  | 224 |
| <i>K. C. Taylor</i>   |     |
| <b>Comparative Performance of Polymer Based Fluids Invasion into Oil Saturated Formations.....</b>  | 232 |
| <i>R. B. Z. L. Moreno</i>   |     |
| <b>Polymer Flood Technology for Heavy Oil Recovery .....</b>  | 241 |
| <i>F. R. Wassmuth</i>   |     |
| <b>Performance of Polyacrylamide-Chromium (III) Gel in Carbonate Porous Media: Effect of Source of Crosslinker on Disproportionate Permeability Reduction and Gel Strength.....</b> | 253 |
| <i>L. Kuzmichonok</i>   |     |
| <b>Numerical Simulation of Oil Recovery after Cross-Linked Polymer Flooding .....</b>   | 268 |
| <i>C. Xie</i>   |     |
| <b>Heavy Oil &amp; Bitumen Recovery II – Solvent Processes</b>  |     |
| <b>Optimization of Solvent Aided Process.....</b>   | 278 |
| <i>S. Gupta</i>   |     |
| <b>Design of Steam-Hexane Injection Wells For Gravity Drainage Systems.....</b>   | 290 |
| <i>M. E. McCormack</i>  |     |
| <b>Impacts of Concentration Dependence of Diffusion Coefficient on VAPEX Drainage Rates .....</b>   | 304 |
| <i>T. Okazawa</i>   |     |
| <b>Thermal Solvent Reflux and Thermal Solvent Hybrid Experiments .....</b>  | 310 |
| <i>J. Ivory</i>   |     |
| <b>Measurements and Modelling of Phase Behaviour and Viscosity of a Heavy Oil-Butane System .....</b>   | 322 |
| <i>A. Yazdani</i>   |     |
| <b>Production</b>   |     |
| <b>Coning Diagnostics .....</b>   | 333 |
| <i>R. O. Baker</i>  |     |
| <b>An Integrated Sand Cleanout System by Employing Jet Pumps.....</b>   | 334 |
| <i>S. Chen</i>  |     |
| <b>Plunger Lift Analysis, Troubleshooting and Optimization .....</b>  | 344 |
| <i>O. L Rowlan</i>  |     |
| <b>Production Data Analysis— Future Practices for Analysis and Interpretation .....</b>   | 359 |
| <i>D. Ilk</i>   |     |

|   |     |
|---|-----|
| <b>A Theoretical Model for Optimizing Surfactant Usage in a Gas Well Dewatering Process .....</b>   | 360 |
| <i>H. Li</i>  |     |
| <b>Well Management Increases Hydrocarbon Production in Mature Fields: PEMEX E&amp;P Case History.....</b>   | 370 |
| <i>J. A. Arévalo-Villagrán</i>  |     |
| <b>Graduate Student Presentation II</b>   |     |
| <b>Integrated Modelling, Risk Assessment and Decision Support for Facilitating Management of Geologic Storage of CO<sub>2</sub>.....</b>  | 379 |
| <i>X. S. Qin</i>  |     |
| <b>A Fundamental Study on the Coalescence of Bitumen Drops in Water .....</b>   | 380 |
| <i>P. Esmaeili</i>  |     |
| <b>Seismic Monitoring of Cold Heavy Oil Production Reservoir .....</b>  | 381 |
| <i>T. Wang</i>  |     |
| <b>Quantification of Distillation Effects in Steam-Additive Injection .....</b>   | 382 |
| <i>N. Jaiswal</i>   |     |
| <b>A Pilot-Scale Landfarming System for the Disposal of Oil Sands Tailings in Northwestern Canada.....</b>  | 383 |
| <i>X. D. Zhang</i>  |     |
| <b>A Biosurfactant Enhanced Land Treatment Technology for Oil Sands Tailings Disposal in Northwestern Canada.....</b>   | 384 |
| <i>Q. G. Lin</i>  |     |
| <b>Drilling</b>   |     |
| <b>Permeability Estimation From Inflow Data During Underbalanced Drilling.....</b>  | 385 |
| <i>S. Farshidi</i>  |     |
| <b>Reducing Formation Damage With Microbubble Based Drilling Fluid: Understanding the Blocking Ability .....</b>  | 397 |
| <i>N. Bjorndalen</i>  |     |
| <b>Method of Optimizing Motor and Bit Performance for Maximum ROP .....</b>   | 412 |
| <i>H. R. Motahhari</i>  |     |
| <b>Pressure Drop at the Bit During Foam Drilling .....</b>  | 418 |
| <i>M. E. Ozbayoglu</i>  |     |
| <b>Identifying Viable EOR Thermal Processes in Canadian Tar Sands .....</b>   | 427 |
| <i>E. J. Manrique</i>   |     |
| <b>Heavy Oil &amp; Bitumen Recovery III – SAGD Variations</b>   |     |
| <b>The Impact Of of Oil Viscosity Heterogeneity on the Production Characteristics of Tar Sand and Heavy Oil Reservoirs. Part II: Intelligent, Geotailored Recovery Processes in Compositionally Graded Reservoirs .....</b> | 443 |
| <i>I. D. Gates</i>  |     |
| <b>Unlocking Bitumen in Thin and/or Lower Pressure Pay Using Cross SAGD (XSAGD) .....</b>   | 459 |
| <i>J. L. Stalder</i>  |     |
| <b>Improving the Performance of Classic SAGD With Offsetting Vertical Producers.....</b>  | 468 |
| <i>K. A. Miller</i>   |     |

|   |     |
|---|-----|
| <b>Energy Optimization of Bitumen Production by Using Hybrid SAGD-ISC Recovery Processes .....</b>  | 477 |
| <i>I. Gates</i>   |     |
| <b>SAGD With a Longer Wellbore .....</b>  | 478 |
| <i>R. Parappilly</i>  |     |
| <b>Reservoir Simulation II</b>  |     |
| <b>Two-Phase Flow With Heat Transfer in a Bitumen-Filled Fracture .....</b>   | 495 |
| <i>I. D. Gates</i>  |     |
| <b>Monitoring and Modelling in Coupled Geomechanics Processes.....</b>  | 496 |
| <i>M. B. Dusseault</i>  |     |
| <b>Simultaneous Estimation of Relative Permeability and Porosity/Permeability Fields by History Matching Production Data .....</b>                | 506 |
| <i>D. Eydunov</i>   |     |
| <b>Recovery Performance of Steam-Alternating- Solvent (SAS) Process in Fractured Reservoirs.....</b>  | 516 |
| <i>A. Suat Bagci,. O. M. Samuel</i>   |     |
| <b>A Simulation Study of Effects of Operational Procedures in CO<sub>2</sub> Flooding Projects for EOR and Sequestration.....</b>                 | 527 |
| <i>K. Vidiuk</i>  |     |
| <b>Facilities and Production Optimization</b>   |     |
| <b>Microbial Treatment of a Sulphide-laden Stream in a Continuous Biofilm Reactor .....</b>   | 540 |
| <i>K. M. Tang</i>   |     |
| <b>Development of a Downhole Separator and Intensifier for Coiled Tubing Jetting .....</b>  | 543 |
| <i>J. J. Kolle</i>  |     |
| <b>A New Approach for Multicomponent Vapor Solid Equilibrium Calculations in Gas Hydrate Formation .....</b>                                      | 554 |
| <i>A. Bahadori</i>  |     |
| <b>Is a Paradigm Shift in Produced Water Treatment Technology Occurring at SAGD Facilities?.....</b>  | 567 |
| <i>W. F. Heins</i>  |     |
| <b>Arresting Production Decline of a Mature Offshore Field Using Horizontal Sidetracks .....</b>  | 568 |
| <i>S. Bhattacharya</i>  |     |
| <b>Reserves and Business Issues</b>   |     |
| <b>Canadian Reserves Disclosure: Lessons From Three Years of NI 51-101 .....</b>  | 578 |
| <i>D. Elliot</i>  |     |
| <b>Oil and Gas Development and the Potential for Contamination of Moose (Alces alces) in Northeast BC.....</b>                                    | 579 |
| <i>C. Maundrell</i>   |     |
| <b>The Pitfalls of Capital Budgeting When Costs Correlate to Oil Price. Is the Real-Options Approach Superior to Traditional Valuation? .....</b> | 584 |
| <i>R. F. Schiozer</i>   |     |
| <b>Reserves Uncertainty Calculation Accounting for Parameter Uncertainty .....</b>  | 590 |
| <i>O. Babak</i>   |     |

|   |     |
|---|-----|
| <b>Prediction of Oil Bypassing in Bottom Water Systems Using Dimensionless Groups .....</b> | 606 |
| <i>J. C. Hernandez</i>  |     |

### **Reservoir Simulation III**

|   |     |
|---|-----|
| <b>Numerical Modelling of Geomechanical Response of Sandy Shale Formation in Oil Sands Reservoir During Steam Injection .....</b> | 618 |
| <i>J. Du</i>  |     |

|   |     |
|---|-----|
| <b>Modelling Geomechanics Into Petroleum Reservoir Numerical Simulation: A Coupled Technique in a Water Injection Project .....</b> | 630 |
| <i>L. G. Rodrigues</i>  |     |

|   |     |
|---|-----|
| <b>Enhanced Modelling of Sand Production Through Improved Deformation and Stress Analysis .....</b> | 636 |
| <i>A. Nouri</i>   |     |

|  |     |
|--|-----|
| <b>Practical Strategies for Evaluation and Modeling of Naturally Fractured Reservoirs.....</b> | 647 |
| <i>A. Gupta</i>  |     |

|  |     |
|--|-----|
| <b>Enhancing Natural Gas Recovery From Nearly Depleted Gas Reservoirs by Injecting Waste Gases .....</b> | 657 |
| <i>A. K. Singhal</i>   |     |

### **Heavy Oil & Bitumen Recovery IV – Thermal Processes**

|   |     |
|---|-----|
| <b>Prediction of Scales in Boilers of Thermal Recovery Projects .....</b> | 658 |
| <i>H. F. Thimm</i>  |     |

|   |     |
|---|-----|
| <b>Laboratory Procedures and Testing for Optimizing the Recovery From High Temperature Thermal Heavy Oil Recovery .....</b> | 662 |
| <i>D. B. Bennion</i>  |     |

|   |     |
|---|-----|
| <b>Evaluation of SAGD Projects Using a Dynamic Economic Indicator .....</b> | 676 |
| <i>H. Shin</i>  |     |

|  |     |
|--|-----|
| <b>Start-Up of SAGD Wells: History Match, Wellbore Design and Operation.....</b> | 682 |
| <i>G. Parmar</i>   |     |

|   |     |
|---|-----|
| <b>Temperature Variation Across The Wellbore in SAGD Producer .....</b> | 695 |
| <i>V. Shako</i>   |     |

|  |     |
|--|-----|
| <b>TINBOP Cyclic Steam Injection Enhances Oil Recovery in Mature Steamfloods .....</b> | 700 |
| <i>C. Morlot</i>   |     |

## **Volume 2**

### **Unconventional Gas I – Coal Bed Methane**

|  |     |
|--|-----|
| <b>Production Decline Performance of CBM Wells .....</b> | 706 |
| <i>K. E. Okuszko</i>                                     |     |

|  |     |
|--|-----|
| <b>Type Curves for Dry CBM Reservoirs With Equilibrium Desorption.....</b> | 722 |
| <i>S. Gerami</i>   |     |

|   |     |
|---|-----|
| <b>Assessing the Water Uptake of Alberta Coal and the Impact of CO<sub>2</sub> Injection With Low-field NMR .....</b> | 739 |
| <i>R. Guo</i>   |     |

|  |     |
|--|-----|
| <b>Gas Production System From Methane Hydrates Layers by Hot Water Injection Using Dual Horizontal Wells .....</b> | 751 |
| <i>K. Sasaki</i>   |     |

|  |     |
|--|-----|
| <b>Laboratory Investigation on the Permeability of Coal During Primary and Enhanced Coalbed Methane Production .....</b> | 756 |
| <i>R. Guo</i>  |     |

## **Well Test Analysis**

|   |     |
|---|-----|
| <b>After Closure Analysis in Tight Gas Reservoirs: A Case History of Pre-Fracture Injection Tests Performed in the Brassey Field.....</b> | 764 |
| <i>N. Kostenuk</i>  |     |

|   |     |
|---|-----|
| <b>Transient Pressure Behaviour Under Non-Darcy Flow, Formation Damage, and Their Combined Effect for Dual-Porosity Reservoirs.....</b> | 775 |
| <i>F. Zeng</i>  |     |

|   |     |
|---|-----|
| <b>Practical Considerations in Estimating Test Duration for Perforation Inflow Tests.....</b> | 776 |
| <i>S. O. P. Theys</i>   |     |

|   |     |
|---|-----|
| <b>Radius of Investigation for Composite Reservoirs .....</b> | 777 |
| <i>S. Ewens</i>   |     |

|  |     |
|--|-----|
| <b>Investigation of Diffusivity Coefficient of Asmari Reservoir by Well Test Analysis.....</b> | 778 |
| <i>S. R. Shadizadeh</i>  |     |

## **Technology in the Petroleum Industry**

|   |     |
|---|-----|
| <b>Technology in the Petroleum Industry .....</b> | 787 |
| <i>No Author Given</i>                            |     |

## **Drilling and Completions**

|   |     |
|---|-----|
| <b>Case Histories of Successful Acid Stimulation of Carbonate Completed With Horizontal Openhole Wellbores.....</b> | 788 |
| <i>A. S. Metcalf</i>  |     |

|  |     |
|--|-----|
| <b>Heavy Oil-in-Water Emulsion as a Novel Sealant in the Near Well Bore Region .....</b> | 794 |
| <i>K. Zeidani</i>  |     |

|   |     |
|---|-----|
| <b>Measurement of Acid Reaction Rates with the Rotating Disk Apparatus.....</b> | 807 |
| <i>K. C. Taylor</i>   |     |

|   |     |
|---|-----|
| <b>Drilling Simulation Improves Field Communication and Reduces Drilling Cost in Western Canada .....</b> | 815 |
| <i>G. Hareland</i>  |     |

|   |     |
|---|-----|
| <b>Cutting Efficiency of a Single PDC Cutter on Hard Rock .....</b> | 822 |
| <i>G. Hareland</i>  |     |

## **Heavy Oil & Bitumen Recovery V - VAPEX**

|   |     |
|---|-----|
| <b>Incorporation of Heat in the VAPEX Process: Warm VAPEX .....</b> | 833 |
| <i>N. Rezaei</i>  |     |

|  |     |
|--|-----|
| <b>Effect of Capillarity and Surface Tension on the Performance of VAPEX Process .....</b> | 839 |
| <i>B. Rostami</i>  |     |

|   |     |
|---|-----|
| <b>The Role of Capillarity in the VAPEX Process .....</b> | 847 |
| <i>M. Ayub</i>  |     |

|  |     |
|--|-----|
| <b>Mass Transfer Coefficients in Vapour Extraction (VAPEX) .....</b> | 863 |
| <i>L. A. James</i>   |     |

|   |     |
|---|-----|
| <b>The Role of Connate Water Saturation in VAPEX Process.....</b> | 868 |
| <i>S. R. Etminan</i>  |     |

## **Unconventional Gas II**

|  |     |
|--|-----|
| <b>CO<sub>2</sub> Hydrate Formation in Geological Reservoirs by Injection of CO<sub>2</sub> Gas.....</b> | 876 |
| <i>M. Uddin</i>  |     |
| <b>Comparison of Computation Methods for CBM Performance .....</b>                                       | 889 |
| <i>C. A. Mora</i>  |     |
| <b>Effects of Porosity and Material Fluctuations on Gas Transport and Sorption</b>                       |     |
| <b>Kinetics in Coalbeds.....</b>   | 903 |
| <i>E. Fathi</i>  |     |
| <b>State-of-the-Art of Tight Gas Sands Characterization and Production Technology.....</b>               | 913 |
| <i>R. Aguilera</i>   |     |
| <b>Basic Investigations on Enhanced Gas Recovery by Gas-Gas Displacement.....</b>                        | 933 |
| <i>A. T. Turta</i>   |     |

## **Back to Basics**

|                                     |     |
|-------------------------------------|-----|
| <b>Back to Basics.....</b>          | 945 |
| <i>M. Pooladi-Darvish, K. Morad</i> |     |

## **SAGD – News, Views and Challenges**

|   |     |
|---|-----|
| <b>SAGD -- News, Views and Challenges .....</b> | 947 |
| <i>No Author Given</i>                          |     |

## **Mining and Upgrading**

|  |     |
|--|-----|
| <b>Ultradispersed Catalysts for Aqua and Hydro Processing of Athabasca Bitumen</b> |     |
| <b>Heaviest Fractions .....</b>  | 949 |

*P. R. Pereira-Almao*

|   |     |
|---|-----|
| <b>Prevention of Refinery Tower Plugging by Residual Oil Gellant Chemicals in</b> |     |
| <b>Crude—Pilot Plant Evaluation of Alternative Oil Gellants .....</b>             | 950 |

*R. S. Taylor*

|  |     |
|--|-----|
| <b>The Value of Technology for the Alberta Bitumen .....</b> | 964 |
| <i>R. R. Hill</i>  |     |

|   |     |
|---|-----|
| <b>Estimation of Bitumen and Clay Content in Fine Tailings.....</b> | 965 |
| <i>S. C. Motta Cabrera</i>  |     |

|  |     |
|--|-----|
| <b>Coking Behaviour During Visbreaking .....</b> | 974 |
| <i>A. Saxena</i>                                 |     |

|  |     |
|--|-----|
| <b>The Role of Supercritical Water on On-site Bitumen Upgrading System .....</b> | 975 |
| <i>Y. Takeuchi</i>   |     |

## **Drilling, Completions and Simulation**

|  |     |
|--|-----|
| <b>New Improvements on Managed Pressure Drilling .....</b> | 981 |
| <i>B. Demirdal</i>   |     |

|  |     |
|--|-----|
| <b>Advances in SAGD Drilling in Western Canada Using Innovative Bit Technology .....</b> | 992 |
| <i>A. O. Okusanya</i>  |     |

|   |      |
|---|------|
| <b>Enhanced Aqueous Fracturing Fluid Recovery From Tight Gas Formations:</b>                      |      |
| <b>Foamed CO<sub>2</sub> Pre-Pad Fracturing Fluid and More Effective Surfactant Systems .....</b> | 1009 |
| <i>H. C. Tamayo</i>   |      |

|  |      |
|--|------|
| <b>Development of an Optimized Tubular Material for Thermal Slotted Liner Completions .....</b>  | 1019 |
| <i>D. Dall'Acqua</i>   |      |
| <b>Numerical Modelling of Borehole Ballooning/Breathing— Effect of Fracture Roughness.....</b>   | 1031 |
| <i>M. Ozdemirtas</i>   |      |
| <b>Water and Surfactant Floods</b>   |      |
| <b>Real Time Optimization of a Water Flood Reservoir .....</b>   | 1044 |
| <i>J. W. Vanegas P.</i>  |      |
| <b>Role of Operating Practices on Performance of Water Floods in Heavy Oil Reservoirs.....</b>   | 1056 |
| <i>A. K. Singhal</i>   |      |
| <b>Heavy Oil Waterflooding: Effects of Flow Rate and Oil Viscosity .....</b>   | 1057 |
| <i>A. Mai</i>  |      |
| <b>Do Heavy and Medium Oil Waterfloods Differ? .....</b>   | 1069 |
| <i>G. Renouf</i>   |      |
| <b>Potential for Alkali-Surfactant Flooding in Heavy Oil Reservoirs Through Oil-in-Water Emulsification.....</b>   | 1077 |
| <i>J. Bryan</i>  |      |
| <b>Micro-CT Investigation of Water Influx .....</b>  | 1089 |
| <i>S. Kryuchkov</i>  |      |
| <b>Heavy Oil &amp; Bitumen Recovery VI – IOR</b>   |      |
| <b>Numerical Simulation of In Situ Combustion Experiments Operated under Low Temperature Conditions.....</b>   | 1095 |
| <i>B. Sequera</i>  |      |
| <b>High-Pressure Air Injection and Waterflood Performance Comparison of Two Adjacent Units in Buffalo Field.....</b>                                     | 1110 |
| <i>V. K. Kumar, D. Gutierrez, R. G. Moore, S. A. Mehta</i>   |      |
| <b>Upscaling of Kinetic Parameters for Simulation of Reactive In Situ Bitumen Recovery .....</b>   | 1125 |
| <i>M. Sadeghi</i>  |      |
| <b>Detection of the Onset of Asphaltene Precipitation in a Heavy Oil-Solvent System .....</b>  | 1130 |
| <i>P. Luo</i>  |      |
| <b>Permeability Effects in a Vapour Extraction (VAPEX) Heavy Oil Recovery Process.....</b>   | 1139 |
| <i>S. Moghadam</i>   |      |
| <b>Air Injection in Heavy Oil Reservoirs—A Process Whose Time Has Come (Again) .....</b>   | 1149 |
| <i>R. G. Moore</i>   |      |
| <b>CO<sub>2</sub> Flooding and Sequestration</b>   |      |
| <b>Performance of CO<sub>2</sub> Huff-and-Puff Process in Fractured Media (Experimental Results) .....</b>   | 1150 |
| <i>F. Torabi</i>   |      |
| <b>Evaluation of Stress and Geomechanical Characteristics of Rocks at Penn West's Pembina CO<sub>2</sub>-Enhanced Oil Recovery Pilot Operation .....</b> | 1161 |
| <i>K. M. Haug</i>  |      |

|   |      |
|---|------|
| <b>Steam Flooding of Naturally Fractured Reservoirs: Basic Concepts, Recovery Mechanisms, Process Improvements, Mechanism and Optimization of In Situ CO<sub>2</sub> Generation .....</b> | 1164 |
| <i>A. Mollaei</i>   |      |
| <b>Simulating Oil Recovery During CO<sub>2</sub> Sequestration Into a Mature Oil Reservoir.....</b>   | 1176 |
| <i>Y. Z. Pamukcu</i>  |      |
| <b>Experimental Study of Extent and Rate of Gravity Drainage of Oil From Matrix into Fractures in Presence of Miscible and Immiscible CO<sub>2</sub> .....</b>                            | 1190 |
| <i>K. Asghari</i>   |      |
| <b>Alternates</b>   |      |
| <b>Experimental Study of Factors Affecting Heavy Oil Recovery in Solvent Floods .....</b>   | 1195 |
| <i>T. Behrouz</i>   |      |
| <b>A Sensitivity Analysis of Reservoir and Injection Parameters and Their Effects on Performance of Polymer Flooding .....</b>  | 1200 |
| <i>Y. Wang</i>  |      |
| <b>Clarifications on Oil/Heavy Oil Recovery Under Ultrasonic Radiation Through Core and 2D Visualization Experiments .....</b>  | 1201 |
| <i>K. Naderi</i>  |      |
| <b>An Accurate Numerical Model for Natural Gas Hydrate Predictions.....</b>   | 1213 |
| <i>A. Bahadori</i>  |      |
| <b>Using Superposition Technique to Study Effects of Stress History on Viscoelastic Behaviour of Borate Cross-Linked Guar Solutions.....</b>  | 1214 |
| <i>P. Tonmukayakul</i>  |      |
| <b>A Microscopic Study of the Non-Classical Nucleation Model for Cold Production of Heavy Oils .....</b>  | 1215 |
| <i>V. Meyer</i>   |      |
| <b>Stability of THAI™ Process—Theoretical and Experimental Observations.....</b>  | 1224 |
| <i>M. Greaves</i>   |      |
| <b>Applications of Autonomous Underwater Vehicles in Offshore Petroleum Industry Environmental Effects Monitoring .....</b>   | 1230 |
| <i>H. Niu</i>   |      |
| <b>Evaluating Polyacrylamide-Cr (III) Gel Performance for Conformance Control in Carbonate Porous Medium .....</b>  | 1236 |
| <i>L. Kuzmichonok</i>   |      |
| <b>Effect of Compositional Grading on Reservoir Fluid Characterization in a Giant Iranian Oil Reservoir .....</b>   | 1246 |
| <i>S. Kord</i>  |      |
| <b>How to Select the Best Portfolio of Deep-Water Heavy-Oil Projects?.....</b>  | 1252 |
| <i>G. A. Costa Lima</i>   |      |
| <b>Effects of Directional Permeability Anisotropy on Sweep Efficiency of Water Injection Under Fracturing Conditions Process .....</b>  | 1258 |
| <i>E. O. Muñoz Mazo</i>   |      |
| <b>Production Technology Selection for Iranian Naturally Fractured Heavy Oil Reservoirs.....</b>  | 1266 |
| <i>A. Shafiei</i>   |      |

|   |      |
|---|------|
| <b>Determination of Original Gas in Place Using Modern Production Decline Analysis— Case Studies in Interference, Multiple Well Pools and Geo-Pressured Reservoirs.....</b> | 1282 |
| <i>L. L. Herchen</i>  |      |
| <b>Revisiting the Drainage Relative Permeability Measurement by Centrifuge Method Using a Forward-backward Modelling Scheme .....</b>                                       | 1291 |
| <i>M. Saeedi</i>  |      |
| <b>Well Performance Analysis for Heavy Oil with Water Coning.....</b>   | 1295 |
| <i>W. Qin</i>   |      |
| <b>A Laboratory Study of Polymer Flooding for Improving Heavy Oil Recovery.....</b>   | 1303 |
| <i>J. Wang</i>  |      |
| <b>Laboratory Investigation of Immiscible Transverse Dispersion Using Hele-Shaw Experiment.....</b>   | 1312 |
| <i>S. Duan</i>  |      |
| <b>CHOPS Without Sand .....</b>   | 1323 |
| <i>B. T. Wagg</i>   |      |
| <b>Determination of Real-Time Dynamic Fluid Levels by Analysis of the Dynamometer Card .....</b>  | 1330 |
| <i>Z. Liu</i>   |      |
| <b>The Application of Sanding Production Control Technique in Heavy Oil Reservoirs.....</b>   | 1338 |
| <i>S. Xue</i>   |      |
| <b>Bubble Geometry During Solution Gas Drive Process in Heavy Oils .....</b>  | 1339 |
| <i>M. Chraïbi</i>   |      |
| <b>VAPEX, Warm VAPEX, and Hybrid VAPEX—The State of Enhanced Oil Recovery for In Situ Heavy Oils in Canada.....</b>   | 1348 |
| <i>L. A. James</i>  |      |
| <b>Modelling of Spontaneous Ignition of Light Oil Reservoirs in a High-Pressure Spherical Cell .....</b>  | 1357 |
| <i>E. Aminfar</i>   |      |
| <b>Simulation Study of Gas Gravity Drainage in Naturally Fractured Reservoirs .....</b>   | 1358 |
| <i>Y. Barzin</i>  |      |
| <b>Bioremediation of Petroleum Wastes by the Use of Microbes: An Assessment of Available Techniques .....</b>   | 1359 |
| <i>S. K. Basu</i>   |      |
| <b>Stimulating Mature Oil Reservoir With Polymer Flooding.....</b>  | 1360 |
| <i>Z. Guan</i>  |      |
| <b>An Optimization Model Based on Multivariate Analysis for Remediation of Subsurface Contaminated by Nonaqueous Phase Petroleum Wastes .....</b>                           | 1361 |
| <i>L. He</i>  |      |
| <b>Modelling and Performance Study of Hollow Fiber Based Dual Membrane Contactors .....</b>   | 1362 |
| <i>S. Ibrahim</i>   |      |
| <b>An Inexact Programming Model for the Planning of Infrastructure in Oil Fields .....</b>  | 1363 |
| <i>H. Lu</i>  |      |
| <b>Chemical Reaction Method to Produce Electricity From Geothermal Energy .....</b>   | 1364 |
| <i>R. K. Soni</i>   |      |

**Development of New Diverting Materials Using Molecular Simulation Approach.....** 1365  
A. S. Sultan

**Seismic Monitoring of Heavy Oil Production.....** 1366  
J. Zhang

## **Proceedings Only**

**Some Practical Issues on Wireline Log Facies Classification Using Multivariate Statistical Methods .....** 1367  
H. Tang

**Using Production Data to Mitigate Reservoir Connectivity Uncertainty.....** 1376  
H. Tang

**Underground Gas Storage in Partially Depleted Gas Reservoir .....** 1381  
M. Soroush

**Mechanics Analysis of Fiber-Resin Coated Sand Control.....** 1387  
N. Qi

**Geostatistic Modelling and Flow Simulation of a Mixed-Influenced Deltaic Reservoir.....** 1388  
H. Tang

**Risk Assessment of Oil Fields Using Proxy Models: A Case Study .....** 1392  
F. V. A. Risso

**The 2007 SPE/WPC/AAPG/SPEE Petroleum Resources Management System.....** 1399  
J. R. Etherington

## **Author Index**