

2007 Sixteenth IEEE International Symposium on the Applications of Ferroelectrics

**Nara-city, Japan
27-31 May 2007**

Volume 1 of 2



IEEE Catalog Number:
ISBN 10:
ISBN 13:

CFP07ISA-PRT
1-4244-1333-8
978-1-4244-1333-1

Table of Contents

Nonvolatile Memories

History and Future Perspective of Nonvolatile Memory	1
<i>S. Yamazaki</i>	
FeRAM: Next Generation Challenges and Future Directions	4
<i>Y. Shimada</i>	
Ferroelectric Thin-Film Devices: Failure Mechanisms and New Prototype Nano-Structures	5
<i>J. F. Scott, F. D. Morrison, Y. K. Hoo, A. D. Milliken, H. J. Fan, S. Kawasaki, M. Miyake, T. Tatsuta and O. Tsuji</i>	
High-Density 8Mb 1T-1C Ferroelectric Random Access Memory Embedded Within a Low-Power 130nm Logic Process	9
<i>S. R. Summerfelt, T. S. Moise, K. R. Udayakumar, K. Boku, K. Remack, J. Rodriguez, J. Gertas, H. McAdams, S. Madan, J. Eliason, J. Groat, D. Kim, P. Staubs, M. Depner and R. Bailey</i>	
System LSI Embedded Ferroelectric Memory Technology	11
<i>Y. Nagano and E. Fujii</i>	
Key Process Technology for High Density 64M FeRAM and Beyond	14
<i>K. Yamakawa, T. Ozaki, H. Kanaya, I. Kunishima, Y. Kumura, Y. Shimojo, S. Shuto, O. Hidaka, Y. Yamada, S. Yamazaki, S. Shiratake, D. Takashima, T. Miyakawa, S. Ohtsuki and T. Hamamoto</i>	
Development of Integration Technology of Stacked Capacitors Using SrBi ₂ Ta ₂ O ₉ Thin Films Applicable to 0.25μm FeRAM	16
<i>K. Ashikaga, T. Yamanobe, K. Takaya, S. Ozawa, T. Hayashi and Y. Kobayashi</i>	
Key Integration Technologies for Nanoscale FRAMs	19
<i>D. J. Jung, Y. K. Hong, H. H. Kim, J. H. Park, H. S. Kim, S. K. Kang, J. H. Kim, W. S. Ahn, D. Y. Choi, J. Y. Jung, W. W. Jung, E. S. Lee, H. K. Goh, S. Y. Kim, J. Y. Kang, S. H. Joo, S. Y. Lee, H. S. Jeong and K. Kim</i>	
Ferroelectric Random Access Memory Using Pb(Zr,Ti,Nb)O ₃ Films	23
<i>T. Kijima, T. Aoyama, H. Miyazawa, Y. Hamada, K. Ohashi, M. Nakayama, N. Furuya, A. Matsumoto, E. Natori, K. Tanaka and T. Shimoda</i>	
A Novel Encapsulation Technology for Mass-Productive 150 nm, 64-Mb, 1T1C FRAM	25
<i>H. K. Ko, D. J. Jung, Y. K. Hong, J. H. Park, Y. M. Kang, H. H. Kim, S. K. Kang, H. S. Kim, J. Y. Jung, D. Y. Choi, S. Y. Kim, W. S. Ahn, J.-H. Kim, W. W. Jung, E. S. Lee, J. Y. Kang, S. Y. Lee, H. S. Jeong and K. Kim</i>	
Domain Switching Dynamics in Ferroelectric Ultrathin Film : Fundamental Thickness Limit for FeRAM Application	28
<i>J. Y. Jo, D. J. Kim, Y. S. Kim, S.-B. Choe, T. K. Song, J. -G. Yoon and T. W. Noh</i>	
The Influence of Non-ferroelectric Interface Layers and Inclusions on the Imprint Behavior of Ferroelectric Thin Film Capacitors	32
<i>U. Boettger, D. Braeuhaus and R. Waser</i>	
Atomic Vapor Deposition (AVD®) for High-k Dielectric and Ferroelectric Films	35
<i>V. Vezin, C. Isobe, O. Boissière, P. K. Baumann, U. Weber, G. Barbar and J. Lindner</i>	
Misted Deposition of [3D] Trenches for DRAMS and FRAMS III. PZT Thin Films and PZT Nanotubes	38
<i>M. Miyake, J. F. Scott, X. -J. Lou, F. D. Morrison, S. Motoyama, T. Tatsuta and O. Tsuji</i>	
1T-Type Flexible Organic Ferroelectric Random Access Memory using VDF/TrFE Copolymer	41
<i>J. Karasawa</i>	
Non-Volatile Memory Concepts Based on Resistive Switching	43
<i>R. Waser</i>	
Set Power Dependency on the Resistive Switching in Cr-doped SrZrO ₃ Thin Films for Nonvolatile Memory Devices	46
<i>J. -W. Park, K. Jung, M. K. Yang, J. -W. Park and J. -K. Lee</i>	
Observation of Both Potential Barrier-Type and Conductive-Bridge-Type Resistance Switching with LiNbO ₃ Thin Films	48
<i>H. Akazawa</i>	
Quantum Well ZnCdTe/CdTe Structures with Integrated Ferroelectric Gates	52
<i>I. Stolichnov, E. Colla, N. Setter, T. Wojciechowski, E. Janik and G. Karczewski</i>	
Piezoelectric Gate for a Two-dimensional Electron System Transport in LiNbO ₃ -GaAs/AlGaAs Sandwich Structures	54
<i>O. A. Korotchenkov, O. I. Polovina and V. V. Kurylyuk</i>	

Improvement of Nondestructive Readout of Ferroelectric Gate FET Memory with an Intermediate Electrode by using New Data Writing and Reading Methods	58
<i>B. N. Q. Trinh and S. Horita</i>	
Statistical Threshold-Voltage Distribution and Elevated-Temperature Operations of Pt/SrBi ₂ Ta ₂ O ₉ /Hf-Al-O/Si MFIS FETs	62
<i>Q. -H. Li, M. Takahashi, T. Horiuchi, T. Saito, S. Wang and S. Sakai</i>	
Structural and Electrical Properties of Ferroelectric-Gate Field-Effect-Transistors Using an Au/(Bi,La) ₄ Ti ₃ O ₁₂ /SrTa ₂ O ₆ /Si Structures	65
<i>H. -S. Jeon, J. -H. Kim, J. -N. Kim, K. -Hun Park and B -E. Park</i>	
Thin Films (Process and Property)	
Signal Form Influences on the Fatigue Behavior of PZT Thin Film Capacitors	69
<i>D. Bräuhäus, P. J. Schorn, U. Böttger and R. Waser</i>	
Effect of Back-Etching on Electrical Properties of PZT Thin Films	72
<i>T. Ohno, T. Matsuda, M. Kosec, N. Wakiya and H. Suzuki</i>	
Heterolayered Ferroelectric Pb(Zr,Ti)O ₃ /(Bi, Nd) ₄ Ti ₃ O ₁₂ Thin Films	76
<i>C.H. Sim and J. Wang</i>	
Gradient Free Sol-gel Pb(Zr _x Ti _{1-x})O ₃ Thin Films	80
<i>F. Calame and P. Muralt</i>	
Effects of Rapid Thermal Annealing on Nucleation and Growth Behavior of Lead Zirconate Titanate Films	83
<i>J. Lu, Y. Zhang, T. Ikehara, T. Mihara and R. Maeda</i>	
Influence of Pb and La Contents on the Lattice Configuration of La-substituted Pb(Zr _{0.65} Ti _{0.35})O ₃ Films	87
<i>H. Shima, K. Nishida, H. Funakubo, T. Iijima, T. Katoda, H. Naganuma and S. Okamura</i>	
Leakage Current Property of Pb(Zr _{0.4} Ti _{0.6})O ₃ Thin-film Capacitors with Highly Rectangular Hysteresis Property	91
<i>S. Okamura, M. Tanimura, H. Shima and H. Naganuma</i>	
Preparation of Barium Titanate Thin Films Made by MOCVD Using Ultrasonic Nebulization	94
<i>K. -P. Kim and C. -H. Lee</i>	
Effects of Barium Substitution on the Properties of Pb(Mg _{1/3} Nb _{2/3})O ₃ Thin Film Made by MOCVD Using Ultrasonic Nebulization	96
<i>K. -P. Kim and C. -H. Lee</i>	
Effects of the Sol-concentration on the Structural and Dielectric Properties of Pb _{0.3} Sr _{0.7} TiO ₃ Thin Films derived by Sol-gel Method	99
<i>D. Zhou, W. Wu, D. Jin, J. Cheng and Z. Meng</i>	
Preparation and Characterization of Bi-perovskite Oxide Films for Piezo Applications	102
<i>S. Yasui, H. Naganuma, S. Okamura, T. Iijima, K. Nishida, T. Katoda, H. Uchida, S. Koda and H. Funakubo</i>	
Chemical Solution Processing and Properties of (Bi _{1/2} Na _{1/2})TiO ₃ Thin Films	104
<i>T. Hayashi, T. Kogure and W. Sakamoto</i>	
Preparation of Ferroelectric NaNbO ₃ Thin Films on MgO Substrate by Pulsed Laser Deposition	106
<i>S. Oda, T. Saito, T. Wada and H. Adachi</i>	
Fabrication of Doped SrZrO ₃ Thin Films by Liquid Delivery MOCVD	108
<i>H. Kawamura, S. Ohkita, K. Uchiyama and T. Shiosaki</i>	
Preparation and Properties of Lithium-doped K _{0.5} Na _{0.5} NbO ₃ Thin Films by Chemical Solution Deposition	110
<i>H. Maiwa, T. Kogure, K. Ishizaka and T. Hayashi</i>	
Physical and Electrical Characteristics of SBT Ferroelectric Thin Films with Different Thickness and Varied Stresses during Annealing.....	112
<i>F. -Y. Hsu, C. -C. Leu and C. -T. Hu</i>	
Properties of MOD-derived SrBi ₂ Ta ₂ O ₉ Thin Films Crystallized in an Electric Field	115
<i>C. -C. Leu, T. -D. Wu and F. -Y. Hsu</i>	
Seeding Effect of SrBi ₂ Ta ₂ O ₉ Thin Buffer Layer on Crystallization and Electric Properties of SrBi ₂ Ta ₂ O ₉ Thin Films	117
<i>F. -Y. Hsu, C. -C. Leu, C. -H. Chien and C. -T. Hu</i>	

Preferred Crystal Orientation of Sol-gel Derived $\text{Bi}_{4-x}\text{La}_x\text{Ti}_3\text{O}_{12}$ Thin-films on Silicon Substrates	119
<i>T. Tajiri, K. Sumitani, R. Haruki and A. Kohno</i>	
Sol-Gel Derived $(\text{Bi},\text{La})_4\text{Ti}_3\text{O}_{12}$ Thin Films with Surface Treatment before Crystallization Annealing	122
<i>E. Tokumitsu, N. Sugita, S. Boku, T. Aoki and T. Tani</i>	
Fabrication of $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ Thin Films Using Alcohol Related Solutions by Micro Liquid Delivery Systems	126
<i>M. Yamaguchi, A. Yamamoto and Y. Masuda</i>	
Ferroelectric Properties of Sol-gel Derived $\text{Bi}_{4-x}\text{La}_x\text{Ti}_3\text{O}_{12}$ Films Prepared on Pt/Ti/SiO ₂ /Si Substrate	130
<i>S. M. Park, J. H. Baek, J. M. Pak, K. W. Nam, C. W. Seo, H. S. Cheong and G. Park</i>	
Dielectric Characteristic of Fatigued $\text{Bi}_{4-x}\text{La}_x\text{Ti}_3\text{O}_{12}$ Ferroelectric Films	134
<i>Ni Zhong and T. Shoisaki</i>	
Low Temperature Preparation of Bismuth-Related Ferroelectrics by Hydrothermal Synthesis	136
<i>A. Inoue, T. T. Nguyen, M. Noda and M. Okuyama</i>	
Bi-based Ferroelectric Thin Films with Enhanced Polarization by Rare-earth Modification	138
<i>H. Uchida, K. Nishida, M. Osada, H. Funakubo and S. Koda</i>	
Thin Film Formations of Ferroelectric Material $\text{Bi}_3\text{Nd}_1\text{Ti}_3\text{O}_{12}$ (BNT), High-k Material SrTiO_3 (STO) and Nb-doped SrTiO_3 (Nb-STO) by Newly Developed MOCVD System	142
<i>M. Toda, Y. Sasaki, Y. Kurihara, M. Umeda, M. Fukagawa, M. Tamura, Y. Kosugi and M. Kusuhashi</i>	
Crystalline Structure and Surface Morphology of the AlN Films Sputtered on 64°-YX LiNbO_3	146
<i>Feng-Chih Chang, Sean Wu, Maw-Shung Lee, Jian-Shuo Yu, Chia-Hsiung Chang and Cheng-Liang Huang</i>	
Sputtering Highly C-axis-oriented AlN Films on Langasite Substrate	149
<i>S. Wu, M. -S. Lee, R. Ro, J. K. Tsai and D. -H. Hwu</i>	
<u>Thin Films(Atomic Layer Epitaxy)</u>	
Atomic Layer Deposition of PbTiO_3 and Its Component Oxide Films	152
<i>H. J. Lee, G. W. Hwang, K. Lee, G. H. Kim and C. S. Hwang</i>	
Liquid Injection Atomic Layer Deposition of $\text{Pb}(\text{Zr},\text{Ti})\text{O}_3$ Thin Films on Three Dimensional Structures	156
<i>T. Watanabe, S. Hoffmann-Eifert, R. Waser and C. S. Hwang</i>	
Synthesis of the Ferroelectric Solid Solution, $\text{Pb}(\text{Zr}_{1-x}\text{Ti}_x)\text{O}_3$ on a Single Substrate Using a Modified Molecular Beam Epitaxy (MBE) Technique	159
<i>P. S. Anderson, S. Guerin, B. E. Hayden, M. A. Khan, A. J. Bell, Y. Han, M. Pasha, K. R. Whittle and I. M. Reaney</i>	
Atomic Layer Deposition of Ru Thin Films Using 2,4-(dimethylpentadienyl)(ethylcyclopentadienyl)Ru by a Liquid Injection System	163
<i>S. K. Kim, S.Y. Lee, S. W. Lee and C. S. Hwang</i>	
Temperature Dependence of Dielectric Permittivity of Perovskite-type Artificial Superlattices	167
<i>H. Kinbara, T. Harigai, H. Kakemoto, S. Wada and T. Tsurumi</i>	
<u>Thin Films (Electrode and Interface)</u>	
The Effect of Wavelength on the Deposition of Ag onto PZT Thin Films during UV Irradiation	169
<i>P. -M. Jones and S. Dunn</i>	
Influence of <i>In-situ</i> Surface Treatment of Ir Electrode before Metal-organic Chemical Vapor Deposition of $\text{Pb}(\text{Zr}_{0.2}\text{Ti}_{0.8})\text{O}_3$ Thin Films in the Self-regulation Window	172
<i>K. Lee, H. J. Lee, G. H. Kim and C. S. Hwang</i>	
Directional Growth and Oxide Electrodes in CSD-based PZT Films	176
<i>G. S. Grader, I. Shturman, M. Kabla, A. Etin and G. E. Shter</i>	
Surface and Interface Chemistry of Epitaxial BST Films and Pt/BST Interfaces	180
<i>J. D. Baniecki, M. Ishii, K. Kurihara, and K. Yamanaka</i>	
Epitaxial Growth of Pt and Ir Thin Films on a SrTiO_3 (001) Substrate	183
<i>H. Fujisawa, M. Kume, M. Shimizu, Y. Kotaka and K. Honda</i>	
Structural and Dielectric Properties of $\text{Pb}(\text{Zr}_{0.53}\text{Ti}_{0.47})\text{O}_3$ Thin Films Grown on LaNiO_3 Buffered Si Substrates	186
<i>X. Yang, J. Cheng, F. Chen and Z. Meng</i>	

Preparation of Ir-Based Electrode Thin Films by Liquid-Delivery MOCVD	189
<i>H. Fujisawa, D. Yamashita, H. Fukui, M. Shimizu, T. Tada, T. Yamakawa, K. Kawano and N. Oshima</i>	
<u>Thin Films (Nonlinear Dielectrics)</u>	
Analysis of Frequency Conversion Devices Incorporating (Ba, Sr)TiO ₃ Nonlinear Dielectric Films	193
<i>T. Nishida, M. Echizen, B. Gun, T. Kono, T. Tsuchikawa, K. Uchiyama and T. Shiosaki</i>	
Tunable Ferroelectric Thin Films with Enhanced Responses Through Nano-structural Control	195
<i>T. Yamada, V.O. Sherman, A. Nöth, P. Murali, A.K. Tagantsev and N. Setter</i>	
Effect of the Strain from the Substrate on Tunability of (100) One-axis Oriented (Ba _{0.5} Sr _{0.5})TiO ₃ Thin Films	198
<i>S. Ito, H. Funakubo, I. P. Koutsaroff, M. Zelner and A. Cervin-Lawry</i>	
Na _{0.5} Bi _{0.5} TiO ₃ -Based Voltage-Tunable Materials	202
<i>M. Spreitzer, J. König, B. Jančar and D. Suvorov</i>	
Integrated (Ba,Sr)TiO ₃ (BST) Films on Copper and Alumina for Monolithic Microwave Integrated Circuit (MMIC) Applications ...	205
<i>P. G. Clem, J. Sigman and C.D. Nordquist</i>	
Dielectric Characterization of Barium Strontium Titanate (BST)Films Prepared on Cu Substrate by Aerosol Deposited Method	207
<i>S. -W. Oh, J. -H. Park and J. Akedo</i>	
Sputtering Deposition of (Ba _x Sr _{1-x})TiO ₃ Thin Films for Microwave Waveguide Devices	209
<i>T. Kohno, T. Tsuchikawa, G. Bhakdisongkham, T. Nishida, H. Takeda, K. Uchiyama and T. Shiosaki</i>	
Nonlinear Dielectric Behaviour of Metal/Ferroelectric/Metal and Metal/Ferroelectric/Semiconductor- Heterostructures	212
<i>K. Barz, M. Diestelhorst, H. Beige, L. Geske, M. Alexe and D. Hesse</i>	
Characterization of Structural Effects in Ferroelectric Tunable Capacitors Using Barium Strontium Titanate Thin Films	214
<i>T. Nakaiso, Y. Takeshima, K. Kageyama, H. Takagi and Y. Sakabe</i>	
Improvement in Dielectric and Tunable Properties of Fe-Doped Ba _{0.6} Sr _{0.4} TiO ₃ Thin Films Grown by Pulsed Laser Deposition	216
<i>J. Gong, J. Cheng, W. Zhu, S. Yu, W. Wu and Z. Meng</i>	
The Dielectric Properties of Ba _{0.6} Sr _{0.4} Cr _x Ti _{1-x} O ₃ Thin Films Prepared by Pulsed Laser Deposition	219
<i>S. Yu, J. Cheng, R. Li, W. Zhu and Z. Meng</i>	
In-plane Dielectric Characterization of Epitaxial Ba(Zr _{0.35} Ti _{0.65})O ₃ Thin Films Grown on LSAT (001)	222
<i>P. Yun, D.Y. Wang, Y. Wang and H. L. W. Chan</i>	
<u>Thin Films (Dr. Okino Memorial Lectures)</u>	
Memorial Lecture for Dr. H. Okino	226
<i>T. Yamamoto</i>	
Longitudinal Displacement Measurement of Lead Zirconate Titanate Thick Films Deposited on Silicon Substrates	228
<i>T. Iijima, H. Okino and T. Yamamoto</i>	
Characteristic Comparison of Epitaxial PZT and PMN-PT Films Grown on (100) _c SrRuO ₃ /(100)SrTiO ₃ Substrates by Metalorganic Chemical Vapor Deposition	231
<i>H. Funakubo, S. Yokoyama, S. Okamoto, K. Saito, T. Iijima, K. Nishida, T. Katoda, J. Sakai, T. Yamamoto and H. Okino</i>	
Investigation of Crystal Defects in Lead Zirconate Titanate Films by Thermally Stimulated Current Measurement	234
<i>T. Nishida, M. Echizen, T. Takeda, K. Uchiyama and T. Shiosaki</i>	
DC Bias Dependent Shift of the Resonance Frequencies in BST Thin Film Membranes	236
<i>A. Nöth, T. Yamada, V. Sherman, P. Murali, A. Tagantsev and N. Setter</i>	
Formation of Barium Strontium Titanate Thin Films via Electrophoretic Deposition Process	239
<i>H. -W. Wang, P. -C. Cheng, C. -F. Liang and Y. -S. Chang</i>	
<u>Theory and Characterization</u>	
First-principles Description of Ferroelectric/electrode Interface and Properties of Not Very Thin Ferroelectric Capacitors	243
<i>A. K. Tagantsev, G. Gerra and N. Setter</i>	
First Principles Study on Oxygen Vacancies in SrTiO ₃	247
<i>D. D. Cuong, S. Han and J. Lee</i>	
First Principles Calculations for Valence States of Mn in SrTiO ₃	249

Enthalpies of Formation and Electronic Structures of Various Phases in Lead-Free Piezoelectric (K _{0.5} Bi _{0.5})TiO ₃ Evaluated by First-Principles Calculation	251
<i>T. Koyama, A. Shigemi and T. Wada</i>	
Electronic Ferroelectricity from Charge Ordering in RFe ₂ O ₄	253
<i>N. Ikeda, S. Mori, K. Yoshii and Y. Matsuo</i>	
Electronic Structure of Ferroelectric Material Probed by Soft-X-Ray Spectroscopy	255
<i>T. Higuchi</i>	
A General Approach to Perturbation Theoretic Calculations of Nonlinear Susceptibility Coefficient Tensors for Ferroelectric Materials	259
<i>J. F. Webb</i>	
Note on Oxygen Isotope Effect and Ferroelectric Transition in Quantum Paraelectrics	262
<i>E. Matsushita and S. Segawa</i>	
Octahedral Tilting and Ferroelectric Order in Tetragonal Tungsten Bronze-like Dielectrics	266
<i>I. Levin, M. C. Stennett, G. C. Miles, D. I. Woodward, A. R. West and I. M. Reaney</i>	
Analysis of X-Ray Diffraction Pattern in Quasi-Periodic Lattice	269
<i>E. Matsushita and N. Nakamura</i>	
Ferroelectric Ceramic/polymer Composite for Measuring X-ray Intensity in the Ortovoltage Range	273
<i>W. K. Sakamoto, G. P. Estevam, A. A. de Carvalho, W. Pontes and M. H. de Paulo</i>	
Long Rang Cation Order in Pb(Mg _{1/3} Nb _{2/3})O ₃ Complex Oxides	276
<i>X. Tan, X. Zhao and W. Qu</i>	
<i>In situ</i> TEM Study of Electric Field-Induced Phenomena in Ferroelectric Ceramics	278
<i>X. Tan, W. Qu, and H. He</i>	
Raman Spectroscopy and X-ray Diffraction Studies of Stress Effects in PbTiO ₃ Thin Films	282
<i>A. Bartaszyte, O. Chaix-Pluchery, J. Santiso, M. Boudard, J. Kreisel, C. Jimenez, A. Abrutis, F. Weiss and Z. Saltyte</i>	
Dynamical Properties of the Relaxor Ferroelectric 0.71Pb(Ni _{1/3} Nb _{2/3})O ₃ -0.29PbTiO ₃ Probed by Brillouin and Raman Scattering	285
<i>S. Tsukada, Y. Ike, J. Kano, T. Sekiya, Y. Shimojo, R. Wang and S. Kojima</i>	
Raman Scattering Study of Ca Modified Lead Titanate	289
<i>K. Kato, S. Tsukada, J. Kano, T. Yamamoto and S. Kojima</i>	
Synthesis and Characterization of PZT Ferroelectric Nanocrystals Current Measurement	291
<i>K. Kubo, M. Echizen, T. Nishida, T. Takeda, K. Uchiyama and T. Shiosaki</i>	
Patterning and Characterization of Ferroelectric Crystal Lines at the Glass Surface by Laser-Induced Crystallization	293
<i>T. Komatsu, M. Sato, R. Nakajima, H. Sugita, K. Koshiba, T. Honma and Y. Benino</i>	
Ultrasonic Attenuation in Solutions of Kaolin and Samples from Reservoir with Various Thermal Conditions	295
<i>C. C. Sung, Y. J. Huang, J. S. Lai and G. W. Hwang</i>	
Diffusion and Defects	
Characterization of the Defect Structure in Acceptor- and Donor-doped PZT Ceramics	299
<i>R. -A. Eichel</i>	
Application of Proton Diffusion Analysis in Perovskite-Type Oxides	301
<i>E. Matsushita, and H. Senki</i>	
The Aging Effect in (Bi _{0.5} Na _{0.5})TiO ₃ Family with Point Defects	305
<i>Y. Hidaka, S. Tsukada, J. Kano and S. Kojima</i>	
Drift of Charged Defects in Local Fields as a Mechanism of Degradation in Ferroelectrics	308
<i>Y. A. Genenko and D.C. Lupascu</i>	
Diffusion Properties of Point Defects in Barium Strontium Titanate Thin Films	312
<i>K. Morito, T. Suzuki, H. Kishi, I. Sakaguchi, N. Ohashi and H. Haneda</i>	

Electrical Properties Induced by Oxygen Vacancies of CeO ₂ Thin Films Grown on <i>p</i> -Si(100)	316
<i>S. M. Park, S. H. Song, J. M. Pak, K. W. Nam, H. J. Kim, J. H. Sin and G. Park</i>	
Ferroelectric Domains	
Rayleigh Law Response in Ferroelectric Ceramics: Quantifying Domain Wall Dynamics and Structural Relationships	319
<i>R. E. Eitel</i>	
Study of OH ⁻ Absorption Mode Due to Domain Inversion in Lithium Niobate Crystals	324
<i>P. -C. Tsai, C. -T. Chia, H. -F. Lu and S. -H. Lin</i>	
Non-Contact Probe Control and High-Speed Writing for Rotated-Disk-Type Ferroelectric Data Storage Devices	326
<i>Y. Hiranaga, T. Uda, Y. Kurihashi, K. Tanaka, N. Odagawa and Y. Cho</i>	
Domain Structure in Ferroelectric PbTiO ₃ Nano-islands	330
<i>H. Han, Y. J. Park, K. Lee and S. Baik</i>	
Study of Long-Term-Retention Characteristics and Wall Behavior of Nano-Inverted Domains on Congruent Single-Crystal LiTaO ₃ Based on Wall Energy	333
<i>N. Odagawa and Y. Cho</i>	
Study of the Evolution of 180° Domain Pattern Microstructure Using Measurements of Nonlinear Permittivity	336
<i>P. Mokry, Y. Wang, A. K. Tagantsev and I. Stolichev</i>	
Analysis of Domain Structure of Epitaxial Pb(Zr,Ti)O ₃ Films Applied Electric Field by 2D-XRD	340
<i>H. Morioka, K. Saito, T. Kurosawa, H. Nakaki, R. Ikariyama and H. Funakubo</i>	
Phase Field Modeling of Domain Structures in Ferroelectric Thin Films and Multilayers	344
<i>A. Artemev, A. L. Roytburd and J. Slutsker</i>	
Electron Emission from Ferroelectric Thin Films Enhanced by the Presence of Ferroelectric Domains	346
<i>G. Suchanek, V. S. Vidyarthi, G. Milde, G. Gerlach, A. V. Solnyshkin, I. L. Kislova, T. Otto, R. Reichenbach, H. Klumbies, O. Mieth and L.M. Eng</i>	
Mapping Domain Walls of PPLN by Dark Field Polarized Raman Spectrometry	350
<i>S. Margueron, R. Hammoum and P. Bourson M. Fontana</i>	
Ferroelectric Domain in PMN-xPT Single Crystal Studied by Piezoresponse Force Microscopy and Finite Element Analysis	353
<i>K. S. Wong, B. Wang, J. Y. Dai and H. S. Luo</i>	
Substrate Effects on the Novel Domain Structure of (100)/(001)-oriented Epitaxial PbTiO ₃ Thick Films	357
<i>R. Ikariyama, H. Nakaki, Y. K. Kim, K. Nishida, K. Saito and H. Funakubo</i>	
Effect of Impurities Pinning on the Domains of PSTZT Ceramics	360
<i>W. Shi, Q. Chen, L. Chen, W. Huang, Y. Zhao, D. Xiao and J. Zhu</i>	
Domain Engineering of Silver Lithium Niobate Single Crystals and Their Piezoelectric Properties	363
<i>S. Wada, K. Yokoh, T. Muraishi, T. Hoshina, H. Kakemoto, T. Tsurumi, C. Moriyoshi and Y. Kuroiwa</i>	
Combined Piezo-force Microscopy and Conductive Atomic-force Microscopy for Investigating Leakage Current Conduction and Local Domain Structure of PbTiO ₃ Thin Films	367
<i>H. J. Lee, K. Lee, Y. C. Shin, G. H. Kim, C. S. Hwang and J. W. Hong</i>	
Multiferroic Materials	
Preparation and Properties of Tetragonal Bismuth Ferrite Lead Titanate Thin Films Using Pulsed Laser Deposition	370
<i>M. A. Khan, T. P. Comyn and A. J. Bell</i>	
Growth, Structure and Properties of BiFeO ₃ -BiCrO ₃ Films Obtained by Dual Cross Beam PLD	372
<i>R. Nechache, C. Harnagea, L.-P. Carignan, D. Ménard, L. Gunawan, G. A. Botton and A. Pignolet</i>	
Ferroelectric Properties of Mn-substituted BiFeO ₃ Thin Film on Ir Electrodes	376
<i>Z. Y. Zhong, S. K. Singh, K. Maruyama and H. Ishiwara</i>	
Microwave Characterisation of La- and Dy-doped BiFeO ₃ Thin Films	380
<i>H. -I. Chien¹, P. K. Petrov, V. R. Palkar, A. K. Tagantsev, K. Prashanthi, A. -K. Axelsson, S. Bhattacharya and N. M. Alford</i>	
Crystalline and Ferroelectric Properties of 0.68BiFeO ₃ -0.32PbTiO ₃ Multiferroic Thin Film Prepared by Sol-Gel Method	383
<i>J. Liang, J. Liu, Y. Jin, J. Li, T. Yu, D. Xiao and J. Zhu</i>	

Influence of Defects on the Leakage Current Properties in PbTiO ₃ and BiFeO ₃ Single Crystals	386
<i>Y. Noguchi, Y. Chishima, M. Tamada and M. Miyayama</i>	
Multiferroic Properties of La, Ba Co-Modified BiFeO ₃ -PbTiO ₃ Crystalline Solutions	390
<i>J. Cheng, J. Chen, D. Jin, S. Yu and Z. Meng</i>	
Cation-, Dipole-, and Spin-Order in Pb(Fe _{2/3} W _{1/3})O ₃ -Based Multiferroic Oxides	393
<i>X. Tan, R. Wongmaneerung and R.W. McCallum</i>	
Electron Backscattered Diffraction (EBSD) As a Domain Analysis Technique in BiFeO ₃ -PbTiO ₃	395
<i>T. L. Burnett, T. P. Comyn, E. Merson and A. J. Bell</i>	
Structural, Dielectric and Ferroelectric Properties of Bi(Fe _{1-x} Ti _x)O _{3+x/2} -PbTiO ₃ Ceramics with MPB Compositions	398
<i>W. -M. Zhu, H. -Y. Guo and Z. -G. Ye</i>	
Study of Intrinsic / Extrinsic Piezoelectric Contributions in La-doped BiFeO ₃ · PbTiO ₃ Ceramics Using the Rayleigh Method	402
<i>T. P. Comyn and A. J. Bell</i>	
Multi-functional Materials with Polarization	404
<i>D. Viehland, J. Zhai, S. Dong and J. F. Li</i>	
Internal Stress and Phase Coexistence in Bismuth Ferrite-Lead Titanate Ceramics	406
<i>A. J. Bell, A. X. Levander, S. L. Turner and T. P. Comyn</i>	
Molten-Salt Processing of BFPT	410
<i>J. He, T. P. Comyn and A. J. Bell</i>	
Study of Phase Transition and Magnetoelectric Coupling of Laser Ablated BiFeO ₃ Thin Films by Raman Scattering	413
<i>R. Palai, H. Huhtinen, R. M. Valdes, R. Pagan and R. S. Katiyar</i>	
Multiferroic Double-layer BiFeO ₃ -CoFe ₂ O ₄ Composite Films Prepared by Pulsed- Laser Deposition	415
<i>Y. Zhu, J. Cheng, S. Yu, W. Wu and Z. Meng</i>	
Effects of La Concentration on the Structural and Dielectric Properties of 0.57BiFeO ₃ -0.43PbTiO ₃ Crystalline Solutions	418
<i>J. Chen, J. Cheng, S. Yu, D. Jin and Z. Meng</i>	
Multiferroic (Ferroelectro-magnetic) Properties of Bismuth Ferrite Lead Titanate $x(\text{BiFeO}_3)_{1-x}(\text{PbTiO}_3)$	421
<i>T. Stevenson, T. P. Comyn, A. J. Bell and R. Cywinski</i>	
Ferroelectric Properties of Chemically Synthesized Perovskite BiFeO ₃ -PbTiO ₃ Thin Films	424
<i>A. Iwata, W. Sakamoto and T. Yogo</i>	
Preparation and Characterization of Perovskite BiFeO ₃ -BaTiO ₃ Ceramics	426
<i>W. Sakamoto, N. Itoh, T. Shimura and T. Yogo</i>	
Structural and Ferroelectric Properties of BiFeO ₃ -BiCoO ₃ Solid Solution Films.....	428
<i>H. Naganuma, N. Shimura, H. Shima, S. Yasui, K. Nishida, T. Iijima, H. Funakubo and S. Okamura</i>	
Temperature Dependence of Ferroelectric and Magnetic Properties in Polycrystalline BiFeO ₃ Films	431
<i>H. Naganuma, Y. Inoue and S. Okamura</i>	
Ferroelectric and Magnetic Properties of Multiferroic FeO _x -BiFeO ₃ Composite Films	434
<i>H. Naganuma, T. Okubo and S. Okamura</i>	
Magnetic and Dielectric Properties of Yb(Mn _{1-x} Al _x)O ₃ Thin Films	437
<i>K. Fukae, T. Takahashi, T. Yoshimura and N. Fujimura</i>	
Influence of Antiferromagnetic Ordering on Ferroelectric Polarization Switching of YMnO ₃ Epitaxial Thin Films	441
<i>K. Maeda, T. Yoshimura and N. Fujimura</i>	
Synthesis and Dielectric Properties of BiFeO ₃ -PbTiO ₃ Films Prepared by Sol-gel Method	445
<i>J. Cai, S. Yu, J. Cheng, Y. Lu and Z. Meng</i>	
Process and Property of Thick Films	
Thickness Uniformity of Large Area PZT Films Formed by Aerosol Deposition	448

Laser Irradiation Effect of Film Thickness on the Properties of Aerosol Deposition-Derived PZT Films on Metal Substrate	450
<i>S. Baba, H. Tsuda and J. Akedo</i>	
Characteristics of PZT Films Fabricated by Inductively Coupled Plasma-assisted Aerosol Deposition Method	454
<i>M. Mori, T. Ustunomiya, S. Miyake and J. Akedo</i>	
Influence of Zr/Ti Ratio on Electrical Properties of PZT Thick Films Deposited by Aerosol Deposition Process	457
<i>B. D. Hahn, D. S. Park, J. J. Choi, J. H. Ryu, W. H. Yoon and D. Y. Kim</i>	
Highly Dense and Crack Free 50-m-Thick PZN-PZT Films by Aerosol Deposition Method	460
<i>J. -J. Choi, B. -D. Hahn, W. -H. Yoon, D. -S. Park and J. Ryu</i>	
Aerosol Deposition for Ceramic thick film Formation at Room Temperature	464
<i>T. Tsurumi, J. Ma, J. Li, H. Kakemoto, D. Tsukiori, R. Sakamaki, S. Wada and J. Akedo</i>	
Electrical Properties of Various Dielectric Films Prepared by Aerosol Deposition	466
<i>H. Hatono, T. Ito and J. Akedo</i>	
Structural Analysis in (100)/(001)-oriented Epitaxial Lead Titanate Thick Films Grown by MOCVD for MEMS Application	469
<i>H. Nakaki, R. Ikariyama, Y. K. Kim, S. Yokoyama, K. Nishida, A. Gruverman, S. Streiffer, K. Saito and H. Funakubo</i>	
Dielectrics and Capacitors	
Analysis of Size Effect in PZT Thin Film Capacitors	472
<i>R. Bouregba, G. L. Rhun, G. Poullain and G. Leclerc</i>	
Composite Structure and Size Effect of Barium Titanate Nanoparticles	476
<i>T. Hoshina, S. Wada, Y. Kuroiwa, H. Kakemoto and T. Tsurumi</i>	
Vibrational and Dielectric Properties of MnO ₂ -doped Bismuth Layered-Structure Ferroelectrics	478
<i>M. S. Islam, J. Kano, Q.R. Yin and S. Kojima</i>	
Dielectric Properties of Alkoxy-Derived BaTiO ₃ Films on LaNiO ₃ /Pt/TiO _x /Si(100)	481
<i>K. Kato, K. Suzuki, S. Kayukawa, K. Tanaka and Y. Guo</i>	
Development of Multilayered SrTiO ₃ Thin-Film Capacitors For Embedded Passive Applications	484
<i>S. Wang, A. Hattori, Y. Ozeki and H. Ogawa</i>	
Excellent Ferroelectricity of Thin Poly(Vinylidene Fluoride-Trifluoroethylene) Copolymer Films and Low Voltage Operation of Capacitors and Diodes	487
<i>S. Fujisaki, Y. Fujisaki and H. Ishiwara</i>	
Dielectric Relaxation and Relaxor Behavior of (1-x)PbFe _{0.5} Ta _{0.5} O ₃ -xPbTiO ₃ Ferroelectric Ceramics	490
<i>J. S. Kim, S. B. Cho, S. Y. Cho and M. S. Jang</i>	
A New Solid Solution of (1-x)Ba(Mg _{1/3} Nb _{2/3})O ₃ -xPbTiO ₃ with Dielectric, Relaxor and Ferroelectric Properties	493
<i>X. Long and Z. -G. Ye</i>	
LTCC System with New High-ε and High-Q material Co-fired with Conventional Low-ε Base Material for Wireless Communications	497
<i>Y. Higuchi, Y. Sugimoto, J. Harada, H. Takagi and Y. Sakabe</i>	
Dielectric Properties of Layer Structured Pr ³⁺ - or La ³⁺ - doped SrBiNb ₂ O ₉ Ceramics	499
<i>C. Feng, S. Huang and Y. Yu</i>	
Sintering Condition of Cordierite for Microwave/Millimeterwave Dielectrics	503
<i>H. Ohsato, M. Terada, K. Kawamura and K. Kakimoto</i>	
Microwave Dielectric Properties of (A ²⁺ _{1/3} B ⁵⁺ _{2/3}) _{0.5} Ti _{0.5} O ₂ (A ²⁺ =Zn, Mg, B ⁵⁺ =Nb, Ta) Ceramics	506
<i>E. S. Kim and D. H. Kang</i>	
Effect of Microwave Treatment on the Microstructure and Dielectric Properties of SnO ₂ -doped CaCu ₃ Ti ₄ O ₁₂	508
<i>S. D. Hutagalung, M. Ikhsan M. Ibrahim and Zainal A. Ahmad</i>	
Processing Condition Effects on the Properties of CaCu ₃ Ti ₄ O ₁₂ Prepared by Modified Mechanical Alloying Technique	512
<i>S. D. Hutagalung, O. L. Ying and Z. A. Ahmad</i>	

Microwave Dielectric Properties of Corundum-Structured $(\text{Mg}_{4-x}\text{M}_x)(\text{Nb}_{2-y}\text{A}_y)\text{O}_9$ (M=Mn, Co, and Zn, A=Ta and Sb) Ceramics	516
<i>A. Kan and H. Ogawa</i>	
Crystal Structure and Dielectric Properties of $\text{Ca}_{0.85}\text{Nd}_{0.1}\text{TiO}_3$ - LnAlO_3 (Ln = Sm, Gd, Dy, Er) Ceramics	520
<i>E. S. Kim, D. H. Kang, J. M. Yang, H. S. Shin, N. I. Zahari and H. Ohsato</i>	
Microwave Dielectric Properties of $\text{Na}_x\text{Nd}_{(2-x)/3}\text{TiO}_3$ Solid Solutions	522
<i>I. Kagomiya, Y. Yamada, K. Kakimoto and H. Ohsato</i>	
Dielectric Characteristics of PZT Films Prepared by Aerosol Deposition in Millimeter Wave Range	525
<i>M. Nakada, K. Ohashi, H. Tsuda, E. Kawate and J. Akedo</i>	
Preparation of Barium Titanate Nanocube Particles by Solvothermal Method and Their Characterization	528
<i>S. Wada, M. Ohno, T. Hoshina, Y. Kameshima, Y. Ohba, H. Kakimoto and T. Tsurumi</i>	
Preparation of Barium Titanate Nanoparticle Sphere Arrays and Their Dielectric Properties	532
<i>S. Wada, A. Yazawa, T. Hoshina, Y. Kameshima, H. Kakimoto, T. Tsurumi and Y. Kuroiwa</i>	
Microstructures and Properties of Composite Films Fabricated by Aerosol Deposition of Nanoparticle Coated BaTiO_3	536
<i>H. Abe, M. Takashima, K. Sato, M. Naito and J. Akedo</i>	
Electrical Properties and Distortion Characteristics of MLCCs with Composite Dielectric Material	538
<i>M. Miyauchi, K. Takano, A. Sato and Y. Nakano</i>	
Formation of Core-Shell Structure of BaTiO_3 Grains in MLCC	540
<i>C. -H. Kim, K. -J. Park, Y. -J. Yoon, J. -O. Hong, D. -S. Sinn and K. -H. Hur</i>	
Computer Aided Structural Design of Future MLCCs for High Capacitance Applications	544
<i>T. Tsurumi, Y. Mizuno, H. Kishi and H. Chazono</i>	
Reliability Design of Multilayer Ceramic Capacitor Against Thinning of Dielectric Layers	546
<i>K. Morita, Y. Mizuno and H. Kishi</i>	
Piezoelectric Single Crystals and Ceramics	
Mechanical and Electromechanical Properties of PMN-PT Single Crystals for Naval Sonar Transducers	550
<i>L. M. Ewart, E. A. McLaughlin, H. C. Robinson, A. Amin, and J. J. Stace</i>	
Advances in Manufacturing Relaxor Piezoelectric Single Crystals	554
<i>J. Luo, S. J. Zhang, T. R. Shrout and W. S. Hackenberger</i>	
Phase Transformation Sequences in As-Grown PZN-4.5%PT Single Crystals	558
<i>W. S. Chang, Ping Yang, F. -T. Wang, C. -T. Tseng², L. C. Lim and C. -S. Tu</i>	
Electric-Field-Induced Dielectric Properties and Depolarization in $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})_{1-x}\text{Ti}_x\text{O}_3$ and $\text{Pb}(\text{In}_{1/2}\text{Nb}_{1/2})_{1-x}\text{Ti}_x\text{O}_3$ Crystals	562
<i>C. -S. Tu, C. -M. Hsieh, C. -T. Tseng, F. -T. Wang, S. -C. Lee and H. -T. Chuang</i>	
Flux-grown PZN-PT Single Crystals for High-performance Piezo Devices	565
<i>L. C. Lim, K. K Rajan and J. Jin</i>	
Application of PMNPT Single Crystal in a 3.2 MHz Phased-array Ultrasonic Medical Imaging Transducer	569
<i>H. Li, Y. C. Li, D. Zhou, J. Peng, H. S. Luo and J. Y. Dai</i>	
Field-Induced Dielectric Property in Tungsten-Doped $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})_{1-x}\text{Ti}_x\text{O}_3$ Single Crystal	572
<i>F. -T. Wang and C. -S. Tu</i>	
Colossal Dielectric Permittivity in Tetragonal $\text{Pb}(\text{Fe}_{1/2}\text{Nb}_{1/2})_{1-x}\text{Ti}_x\text{O}_3$ Single Crystals	575
<i>C. -T. Tseng, C. -S. Tu and F. -T. Wang</i>	
Single Crystal Growth of KNbO_3 at Low Temperature	578
<i>K. Toda, A. Iida, T. Takahashi, K. Uematsu, M. Sato, Y. Noguchi and M. Miyayama</i>	
Growth of Scattering Centers Free LiKB_4O_7 Single Crystal by Czochralski Method	580
<i>R. Komatsu, M. Fukuda and T. Saito</i>	

X-ray Topography on $\text{La}_3\text{Ta}_{0.5}\text{Ga}_{5.5}\text{O}_{14}$ Single Crystal Grown by Czochralski Method	584
<i>Y. Yoneda, J. Mizuku, H. Takeda and T. Shiosaki</i>	
Growth of Potassium Sodium Lithium Niobate-Tantalate Single Crystals for Piezoelectric Applications	586
<i>M. Adachi, Y. Norimatsu, M. Fujioka and T. Karaki</i>	
Piezoelectric Properties of Bismuth Layered-Structure Ferroelectric Bi_2WO_6 Mono-Domain Crystals	589
<i>M. Nishida, Y. Sakaguchi, H. Takeda, T. Nishida, K. Uchiyama and T. Shiosaki</i>	
Synthesis and Electric Properties of Aluminum Substituted Langasite-type $\text{La}_3\text{Nb}_{0.5}\text{Ga}_{5.5}\text{O}_{14}$ Single Crystals	591
<i>T. Kuze, H. Takeda, T. Nishida, K. Uchiyama and T. Shiosaki</i>	
Preparation and Characterization of $y\text{BiGaO}_3-(1-x-y)\text{BiScO}_3-x\text{PbTiO}_3$ Piezoelectric Ceramics	593
<i>Y. Jiang, B. Qin, Y. Chen, W. Huang, Y. Zhao, D. Xiao, J. Zhu and Z. Xu</i>	
Piezoresponse of Nb-Doped PZT Ceramic and its Application	596
<i>B. H. Chen, L. Wu and Y. B. Chen</i>	
Basic Studies of Electrically Controlled of Lead Zirconate Titanate(PZT)Ceramic and its Application to Intercepting Elastic Waves	600
<i>J. Takarada, K. Tahara, H. Ueda, K. Imoto, M. Date, E. Fukada², K. Yamamoto and Y. Tajitsu</i>	
Unipolar and Sesquipolar Electrical Fatigue in PZT	602
<i>J. Rödel, N. Balke, J. Glaum and T. Granzow</i>	
Growth of Lead Zirconate Titanate Nano-Sized Tubes	605
<i>A. Nourmohammad, S. Schulze, M. A. Bahrevar and M. Hietschold</i>	
Temperature Dependence of the Dielectric, Elastic and Piezoelectric Material Coefficients of Soft and Hard Lead Zirconate Titanate (PZT) Ceramics	609
<i>R.G. Sabat, W. Ren, G. Yang and B. K. Mukherjee</i>	
Preparation and Characterization of $(1-x)\text{BiInO}_3-x\text{PbTiO}_3$ Ceramics	613
<i>B. -Q. Qin, Y. Chen, Y. Jiang, Y. Jiang, X. Yue, D. Xiao and J. Zhu</i>	
Effect of ZnO on Low Temperature Sintering of $\text{Pb}(\text{Mn}_{1/3}\text{Nb}_{2/3})\text{O}_3\text{-Pb}(\text{Ni}_{1/3}\text{Nb}_{2/3})\text{O}_3\text{-Pb}(\text{Zr}_{1/2}\text{Ti}_{1/2})\text{O}_3$ Ceramics	615
<i>S. Lee, J. Yoo, H. Song, S. Lee and K. Choi</i>	
Field-induced Phase Transition and Metastable Ferroelectric Phase in Antiferroelectric Ceramics of $(\text{Pb},\text{La})(\text{Zr},\text{Sn},\text{Ti})\text{O}_3$	619
<i>T. Q. Yang an, X. Yao</i>	
Phase Evolvement in the Calcination of Lead Magnesium Niobate and Lead Iron Niobate Powders	623
<i>Y. Yu, Y.-J. Oh and C. Feng</i>	
Non-Lead Piezoelectrics	
Piezoelectric Properties of (K, Na)NbO ₃ Thin Films Deposited on (001)SrRuO ₃ /Pt/MgO Substrates	627
<i>T. Mino, S. Kuwajima, T. Suzuki, I. Kanno, H. Kotera, and K. Wasa</i>	
Bulk and Thick Film Processing of Non-Lead Piezoelectric Material	631
<i>S. Kwon, W. Hackenberger, S. Zhang and T. Shrout</i>	
Stress Assisted Electrical Poling of Ferroelectrics	635
<i>J. Rödel, A. B. Kounga, E. Aulbach, T. Granzow and T. Leist</i>	
High-Power Piezoelectric Characteristics of Textured Bismuth Layer Structured Ferroelectric Ceramics	638
<i>H. Ogawa, S. Kawada, M. Kimura, K. Shiratsuyu and Y. Sakabe</i>	
Effect of Cu and Li Substitution on the Piezoelectric Properties of Potassium Sodium Niobate Lead-free Ceramics	640
<i>E. Li, H. Kakemoto, S. Wada and T. Tsurumi</i>	
Temperature Dependence of Piezoelectric Properties for Textured $\text{SrBi}_2\text{Nb}_2\text{O}_9$ Ceramics	642
<i>M. Kimura, H. Ogawa, D. Kuroda, T. Sawada, Y. Higuchi, H. Takagi and Y. Sakabe</i>	
Phase Transition Temperatures and Piezoelectric Properties of $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3\text{-(Bi}_{1/2}\text{Li}_{1/2})\text{TiO}_3\text{-(Bi}_{1/2}\text{K}_{1/2})\text{TiO}_3$ Ternary Systems ...	644
<i>Y. Hiruma, H. Nagata and T. Takenaka</i>	
Fabrication and Piezoelectric Properties of $(\text{K}_{0.5}\text{Na}_{0.5})\text{NbO}_3$ -based Ceramics Doped with Bi-perovskites	646
<i>R. Suzuki, S. Uraki, H. Kakemoto, S. Wada and T. Tsurumi</i>	
High Q_m Lead Free Sodium Potassium Niobate Piezoelectric Ceramics and Middle Frequency Resonator	648

Field-Induced Strain Behavior for Potassium Sodium Bismuth Titanate Ceramics	651
<i>J. F. Carroll III, D. A. Payne, Y. Noguchi and M. Miyayama</i>	
Synthesis of K ₂ NbO ₃ Ceramics from Powder Fabricated by Sol-gel Proces	655
<i>K. Tanaka, Y. Fukui, H. Hayashi, K. Kakimoto and H. Ohsato</i>	
Piezoelectric Properties of (1-x)(Na _{0.5} K _{0.5})NbO ₃ -xLiTaO ₃ Lead-free Piezoelectric Ceramics	659
<i>L. Chen, Q. Chen, W. Huang, Q. Li, X. Yue, D. Xiao, J. Zhu and Z. Xu</i>	
Bismuth Aluminate BiAlO ₃ : A New Lead-free High-T _c Piezo-/ferroelectric	662
<i>J. Zylberberg, A. A. Belik, E. Takayama-Muromachi and Z.-G. Ye</i>	
(Na _{0.475} K _{0.475} Li _{0.05})(Nb _{0.92} Ta _{0.05} Sb _{0.03})O ₃ Lead-free Ceramics with Addition of CeO ₂	664
<i>T. Lee, K.W. Kwok and H.L.W. Chan</i>	
Piezoelectric Properties of NaNbO ₃ -BaTiO ₃ Ceramics	667
<i>R. Aoyagi, T. Matsuoka, M. Iwata and M. Maeda</i>	
Fabrication of Textured BNKLT Ceramics by Reactive Templated Grain Growth using NBT Templates	669
<i>W. K. Tam, K.W. Kwok, J. T. Zeng, H. L. W. Chan</i>	
Ferroelectric and Piezoelectric Properties of Pb-free Based (Bi _{0.5} Na _{0.5})Ti _{1-x} D _x O ₃ (D = Nb ⁵⁺ , W ⁶⁺) Ceramics	672
<i>H. -G. Yeo, Y. -S. Sung, T. -K. Song, J. -H. Cho, S. -J. Jeong, J. -S. Song, M. -H. Kim</i>	
Effect of V ₂ O ₅ on the Sintering Behavior, Microstructure, and Electrical Properties of (Na _{0.5} K _{0.5})NbO ₃ Ceramics	676
<i>H. Pan, D. Jin, J. Chen and Z. Meng</i>	
Effect of K _{1.94} Zn _{1.06} Ta _{5.19} O ₁₅ Addition on the Sintering Behaviors and Piezoelectric Properties of (K _{0.5} Na _{0.5})NbO ₃ Ceramics	679
<i>J. Ryu, J. -J. Choi, B. -D. Hahn, D. -S. Park, and W. -H. Yoon</i>	
Dielectric and Piezoelectric Properties of NaNbO ₃ -BaTiO ₃ -SrTiO ₃ Ceramics	683
<i>K. Kusumoto</i>	
Dielectric and Piezoelectric Properties of NaNbO ₃ -LiNbO ₃ -SrTiO ₃ Ceramics	685
<i>K. Kusumoto</i>	
Fabrication of Lead-Free Piezoelectric (Na _{0.5} K _{0.5})NbO ₃ Ceramics by Modified Solid State Reaction Method	687
<i>M. Fukada, T. Saito and T. Wada</i>	
Composition Dependent Piezoelectric Properties of Pb-free (Bi _{0.5} Na _{0.5}) _(1-x) Ba _x TiO ₃ Ceramics	689
<i>Y. S. Sung, J. H. Cho, T. K. Song, S. J. Jeong, J. S. Song and M. H. Kim</i>	
Preparation and Characterization of Lead-Free Niobate-Tantalate Piezoelectric Ceramics	693
<i>F. Wang, T. Kraraki, S. Li and B. Liang</i>	
MEMS and Piezoelectric Applications	
High Frequency Piezoelectric MEMS Devices	697
<i>I. G. Mina, H. Kim, I. Kim, S. Park, K. Choi, T.N. Jackson, R.L. Tutwiler and S. Trolier-McKinstry</i>	
Electrical and Electromechanical Characterization of Piezoelectric Thin Films in View of MEMS Application	699
<i>S. Tiedke, K. Prume, T. Schmitz-Kempen</i>	
Preparation of (001) Oriented Pb(Zr,Ti)O ₃ Thin Films and Their Piezoelectric Applications	700
<i>E. Fujii, R. Takayama, K. Nomura, A. Murata, T. Hirasawa, A. Tomozawa, S. Fuji, T. Kamada and H. Torii</i>	
Highly Sensitive PZT Thin Film Ultrasonic Micro-sensors with Grooved Diaphragm	704
<i>S. Xiong, H. Kawada, H. Yamanaka, T. Matsushima and P. Murali</i>	
Temperature Properties of PZT Actuated High-Speed Metal-Based Optical Resonant Scanners	708
<i>J. -H. Park, Y. Park and J. Aredo</i>	
A Systematic Design Method for Band-Pass Filters Composed of Film Bulk Acoustic Resonators	711
<i>P. -Y. Chen, Y. -C. Chin, H. -H. Lin and C. Li. Hou</i>	
MEMS-based Piezoelectric Micro Cantilever using LaNiO ₃ Buffered PZT Thin Film	714

Fundamental Study about Shape Memory Piezoelectric Actuator	718
<i>T. Morita, Y. Kadota and H. Hosaka</i>	
A Silicon Cantilever Beam Structure for the Evaluation of d_{31} , d_{33} and e_{31} Piezoelectric Coefficients of PZT thin films	722
<i>R. Herdier, D. Jenkins, D. Remiens, M. Dupont, D. Osmont</i>	
Electromechanical Properties of Ferroelectric Thin Films under Alternating Mechanical and Electrical Loadings	725
<i>V. C. Lo, W. W. Y. Chung and S. C. K. Chow</i>	
Fabrication and Characterization of Annular Thickness Mode Piezoelectric Micro Ultrasonic Transducers	729
<i>R. A. Dorey, F. Dauchy, D. Wang and R. Berriet</i>	
Evaluation on Mass Sensitivity of SAW Sensors for Different Piezoelectric Materials Using Finite Element Analysis	731
<i>A. Abdollahi, Z. Jiang and S. A. Arabshahi</i>	
Ultrasonic Transmitters Far Field Beam Pattern Altering with Boundary Conditions Design	735
<i>J. -H. Ho, C. -C. Cheng, N. -T. Tsou, C. -S. Chen, J. Shieh, C. -K. Lee and W. -J. Wu</i>	
Frequency Responses of SAW Ladder Filters with Apodized Interdigital Transducers and Width-Controlled Reflectors	739
<i>R. Ro, R. -Y. Lee, H. -Y. Tung and S. Wu</i>	
Pure Shear Bulk Acoustic Wave of the Oriented AlN	743
<i>S. Wu, Z. -X. Lin, M. -S. Lee, R. Ro and K. I. Chen</i>	
Deposition of Piezoelectric AlN Thin Film on Diamond Substrate for SHF SAW Devices	747
<i>T. Omori, K. Chida, A. Yuki, K. Hashimoto and M. Yamaguchi</i>	
Low Sound Velocity and Acoustic Attenuation Silicone Rubber Lens Based on Nano-Powder-Composite for Medical Echo Ultrasound Array Probes	749
<i>Y. Yamashita, Y. Hosono and K. Itsumi</i>	
Accelerometer Based on High Tc Piezoelectric Ceramics	751
<i>H. Zhang</i>	
Accurate Formula for Quality Factor Q of Thin Film Bulk Acoustic Resonators with Close Series and Parallel Resonance Frequencies	754
<i>P. -Y. Chen, Y. -C. Chin, C. -Y. Chen and C. -L. Hou</i>	
Detection of Ammonia Using Shear Horizontal Surface Acoustic Wave Resonators	757
<i>C. -Y. Shen, C. -L. Hsu and D. -L. Wang</i>	
Determination of Lumped Element Package Model for Radio Frequency Surface Acoustic Wave Device Using Neural Network Techniques	760
<i>S. T. Wang, Z. -F. Xie, T. -T. Liu and R. -C. Hwang</i>	
Sputtering ZnO Films on Langasite and Its SAW Properties	764
<i>S. Wu, G. -J. Yan, M. -S. Lee, R. Ro and K. I. Chen</i>	
Sputtering (103) Oriented AlN and its SAW Properties Analysis	768
<i>Z. -X. Lin, S. Wu, R. Ro and M. -S. Lee</i>	
Characteristics of Tube-type Piezoelectric Motor Fabricated by Aerosol Deposition	771
<i>W. H. Yoon, B. D. Hahn, J. H. Ryu, J. J. Choi, D. S. Park, H. O. Choi</i>	
A Piezoelectric Gripper Combined with a Smooth Impact Drive Mechanism	773
<i>H. Aburatani</i>	
A New Detection Method for Sub-Harmonic Components Using a Double-Layered Piezoelectric Transducer	777
<i>M. Fukuda, M. Nishihira and K. Imano</i>	
On the Vibration Control Using a Piezoelectric Actuator and a Negative Capacitor Adjusted by a Microprocessor	780
<i>P. Mokry, M. Kodejska and T. Sluka</i>	
Analysis of Inhomogeneous Stress Distribution in the Piezoelectric Ceramics of Unimorph Cantilever for Energy Harvesting	784

Design and Simulation of Ultrasonic Linear Motor using Multilayer Ceramic Actuator	786
<i>J. Yoo, S. Lee, J. Hong, H. Song, D. Park and E. Hwang</i>	
Two-Phase Driving Type Piezoelectric Gyro-Moment Motor	789
<i>K. Kanayama, M. Hasegawa and Y. Tomikawa</i>	
Unified Method of Calculating Impulse Response and Frequency Response in Piezoelectric Transducer with Inhomogeneous Structure	791
<i>M. Ohki</i>	
Analysis of the Thermal Balance Characteristics for Multiple-connected Piezoelectric Transformers	795
<i>J. H. Park, S. M. Lee, S. J. Choi and B. H. Cho</i>	
PTC and Pyroelectric Properties	
Fabrication and PTC Properties of Lead-Free Element-Modified Barium Titanate Semiconducting Ceramics with $T_c > 130^\circ\text{C}$	799
<i>H. Takeda, H. Harinaka, Y. Hoshi, T. Kinoshida, T. Nishida, K. Uchiyama, T. Shimada, Y. Katsuyama and T. Shiosaki</i>	
A Novel Technique for the Determination of Thermal Diffusivities and Conductivities and Its Application to Porous PZT Samples	802
<i>S. B. Lang and E. Ringgaard</i>	
A Pyroelectric Detector Based on Small-signal Amplification near Period-doubling Bifurcations	806
<i>M. Diestelhorst, R.-P. Kapsch</i>	
Complex Impedance analyses of High T_c BaTiO ₃ -based Pb-free PTCR Ceramics	809
<i>P. -H. Xiang, H. Takeda and T. Shiosaki</i>	
Optimized Pyroelectric 0-3 Composites of PZT Particles in Doped Polyurethane	812
<i>B. Ploss and M. Krause</i>	
Fabrication and Characterization of Semiconductive Ceramics using BaTiO ₃ -(Bi _{1/2} K _{1/2})TiO ₃ System	815
<i>H. Harinaka, H. Takeda, T. Nishida, K. Uchiyama and T. Shiosaki</i>	
Resistivity and Dielectric Properties of Bi _{1/2} Na _{1/2} TiO ₃ -mixed (Ba,Sr)TiO ₃ Ceramics	817
<i>Y. Hoshi, P.-H. Xiang, H. Takeda, T. Nishida, K. Uchiyama and T. Shiosaki</i>	
Optical Properties	
Novel Solid-State Spatial Light Modulator on Integrated Circuits for High-Speed Applications with Electro-Optic Thin Film	819
<i>Y. Fujimori, T. Fujii, T. Suzuki, D. Nishinohara, H. Kimura, T. Fuchikami, M. Moriwake and H. Takasu</i>	
Electro-optic Effect of Lanthanum-modified Lead Zirconate Titanate and Application to Optical Device	821
<i>K. Sato, A. Sugama, T. Akahoshi, Masao Kondo, S. Aoki and K. Kurihara</i>	
Optical Properties of Pb(Zr,Ti)O ₃ Films Prepared by Aerosol Deposition	823
<i>H. Tsuda, M. Nakada, J. Akedo and K. Ohashi</i>	
Optical Characteristics of a PZT Waveguide Fabricated Using Aerosol Deposition for Optical Modulators on LSI Chips	825
<i>T. Shimizu, M. Nakada, H. Tsuda, J. Akedo, K. Nishi and K. Ohashi</i>	
Ultra Small Fiber-Optic Electric Field Probe Fabricated by Aerosol Deposition	828
<i>M. Iwanami, M. Nakada, H. Tsuda, K. Ohashi and J. Akedo</i>	
Analysis of Optical Properties of Epitaxial PLZT Thin Films	832
<i>M. Echizen, K. Takuya, D. Fukunaga, T. Nishida, K. Uchiyama and T. Shiosaki</i>	
Transparent Metal-Ferroelectric Nanocomposite Thick Films Prepared by Aerosol Deposition Method	834
<i>J. -H. Park and J. Akedo</i>	
Epitaxial Growth of PLZT Thin Films and their Electro-Optic Properties	837
<i>T. Kosaka, D. Fukunaga, K. Uchiyama and T. Shiosaki</i>	
Generation of Cross-polarized Photon pairs in a 800-nm Band via Type II Parametric Down-conversion Using a Periodically Poled Lithium Niobate	840
<i>S. Nagano, K. Suizu, Y. Sugiura, R. Shimizu, K. Edamatsu and H. Ito</i>	
Generation of Two Self-Pumped Phase-Conjugated Waves at Different Wavelengths Using a Single Photorefractive Crystal	843
<i>M. Wakui and M. Yamashita</i>	

Fabrication and Optical Properties of $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - PbTiO_3 Thin Films on Si Substrates by PLD Method	845
<i>K. Shinozaki, S. Hayashi, N. Wakiya, T. Kiguchi, J. Tanaka, N. Ishizawa, K. Sato, M. Kondo and K. Kurihara</i>	
Biomedical Applications	
Single Molecule Nanobiology for Elucidating the Mechanism Involved in Utilizing Fluctuations by Biosystems	849
<i>T. Yanagida</i>	
High Frequency (IVUS) Ultrasound Transducer Technology - Applications and Challenges	850
<i>S. Rhee</i>	
Lead-free Piezoelectric Thin Films for Bio-medical Applications	852
<i>S. -H. Kim, C. Y. Koo, J. -H. Cheon, J. -H. Yeom, H. -J. Woo and J. Ha</i>	
Piezoelectricity of Chiral Polymeric Fiber and its Application in Biomedical Engineering	855
<i>Y. Tajitsu</i>	