

TAPPI Press

Engineering, Pulping and Environmental Conference 2007

October 21-24, 2007
Jacksonville, Florida, USA

Volume 1 of 4

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

ISBN: 978-1-60560-065-9

Some format issues inherent in the e-media version may also appear in this print version.

TABLE OF CONTENTS

VOLUME 1

| | |
|--|-----|
| Effect of Sulfite, Sulfide and Hydroxide Concentrations in Mini Sulfide Sulfite Anthraquinone Pulping | 1 |
| <i>V. Naithani, M. Lindstrom, A. Kirkman, H. Jameel</i> | |
| How Does Hydroxyethylidene Diphosphonic Acid (HEDP) Accelerate Kraft Pulping? | 40 |
| <i>R. Berry, Y. Sun, C. Luthe</i> | |
| Shive Content Modeling and Simulation in Chemi-ThermoMechanical Pulping | 78 |
| <i>M. Tervaskanto, T. Ahvenlampi, T. Harju, T. Sippus</i> | |
| Synergistic Effects Between Chemical Mechanical Pulps and Chemical Pulps from Hardwoods | 112 |
| <i>E. Xu</i> | |
| The Study on Contamination Characteristic and Decolourization Method of Chemi-thermochemical Pulp Effluent | 140 |
| <i>Z. Hu, K. Hu, Y. Li</i> | |
| The Effect of Seasonal Variation in Wood Moisture Content on Chip Size and Kraft Pulping | 176 |
| <i>W. Watson, R. Stevenson</i> | |
| Effects of Specific Gravity and Lignin Content on the Pulp Yield of Loblolly Pine | 207 |
| <i>D. White, C. Courchene, T. McDonough, L. Schimleck, D. Jones, G. Peter, R. Purnell, G. Goyal</i> | |
| Evaluation of the SuperBatch™ Pulping | 241 |
| <i>F. Vasconcelos, F. Silva Junior</i> | |
| Hydrogen Peroxide - An Environmentally Friendly but Dangerous Bleaching Chemical | 275 |
| <i>P. Hart, A. Rudie</i> | |
| Safe Use of Sodium Chlorate and Chlorine Dioxide in Pulp Manufacturing | 319 |
| <i>D. Pryke</i> | |
| Changes in Wastewater Pollutant Loading Associated with Closure of Recycled Fiber Processing | 337 |
| <i>D. Hardison, W. Bryant</i> | |
| Nutrient, COD and Solids Mass Balances for Pulp & Paper Activated Sludge Wastewater Treatment Plants: The Practical Benefits for a TMP Mill | 351 |
| <i>L. Cotter, J. Brault, D. Lemire, S. Bussiere, P. Stuart</i> | |
| The Partnership Organization | 385 |
| <i>C. Idhammar</i> | |

| | |
|--|-----|
| Managing Assets Using Performance Supervision | 425 |
| <i>M. Ruel</i> | |
| The Potential for Improved Paper Quality and Machine Run-Ability Through Machine Cleanliness | 466 |
| <i>W. Parks</i> | |
| Modern Approaches to the Design of Environmentally Benign Stabilizers of Peroxy Compounds in Pulp Bleaching | 489 |
| <i>R. Aksela, I. Renvall, H. Hamalainen, K. Oyj</i> | |
| Effect of Pulp Delignification Degree and Bleaching Process on an Eucalyptus Fiber Line Performance and Economics | 512 |
| <i>J. Colodette, J. Tucker, R. Phillips, H. Jameel, J. Gomide</i> | |
| TAED Activator for Peroxide Bleaching of Recycled Pulp | 561 |
| <i>Y. Zou, J. Hsieh, C. Agrawal, J. Mathews</i> | |
| Reduced Sulfur Compound Emissions from Kraft Mill Wastewater Treatment Plants | 577 |
| <i>A. Jain</i> | |
| Comparison of Various Hardwood Kraft Pulp Pre-Bleaching Techniques | 603 |
| <i>K. Spence, J. Tucker, P. Hart, D. Nutter</i> | |
| The Chemistry of Aldehyde-Enhanced Bleaching | 613 |
| <i>W. Al-Dajani, Z. Jiang, R. Berry, B. van Lierop</i> | |
| Optimization of ECF Bleaching of Kraft Pulp: II. Effects of Acid Prehydrolysis on Hardwood Pulp Bleachability | 657 |
| <i>T. McDonough, S. Uno, A. Rudie, C. Courchene</i> | |
| Financial and Value Metrics based Performance Evaluation of North American Pulp and Paper Companies and Identification and Adjustment of Deficiencies to Compete in the Global Market Place | 702 |
| <i>V. Parthasarathy</i> | |

VOLUME 2

| | |
|--|-----|
| Equity Carve-Out (ECO) as a Financial Instrument for Corporate Restructuring, Will It Work for the Pulp and Paper Industry? | 750 |
| <i>V. Parthasarathy</i> | |
| Market Dynamics in Timber Procurement | 779 |
| <i>K. Taylor, P. Griffin, J. Sokol</i> | |
| Effects of Chloride, Potassium and Sulfate on the Causticizing Reaction in the Kraft Recovery Process | 816 |
| <i>S. Saeidi, H. Tran, V. Papangelakis</i> | |
| Pet Coke Grinding and Firing of Lime Recovery Kilns - An Overview | 851 |
| <i>E. Goleblowski, M. Weakly</i> | |
| Reduction of Soda Usage for Acacia Kraft Pulp by Mechanical Pretreatment | 895 |
| <i>W. Widiatmoko, J. Hsieh, A. Ragauskas</i> | |
| New Technology Tools Discover Enzyme Products to Enhance Pulp Bleaching | 909 |
| <i>B. Hancock, A. Esteghlallan</i> | |

| | |
|---|------|
| Extractive Removal and Selectivity Improvement by Various Pretreatment Methods Prior to Oxygen Delignification for Acacia Mangium and Mixed Hardwood Kraft Pulps | 913 |
| <i>W. Widiatmoko, A. Ragauskas, J. Hsieh</i> | |
| Acid Prehydrolysis of Wood | 921 |
| <i>A. Rudie, R. Reiner, N. Ross-Sutherland, W. Kenealy</i> | |
| Alkaline Extraction of Hemicelluloses from Aspen Chips and its Impact on Subsequent Kraft Pulping | 958 |
| <i>W. Al-Dajani, U. Tschirner</i> | |
| Kraft Pulping Kinetics of Hot-Water Extracted Eucalyptus Wood Chips Part I: An Experimental Study | 967 |
| <i>G. Mishra, S. Liu</i> | |
| The Integrated Forest Biorefinery: The Pathway to Our Bio-Future and the Range of Product Possibilities | 993 |
| <i>E. Connor</i> | |
| Short-Column Ion-Exchange Technologies for Kraft Pulp Mill Chemical Cost Reduction | 1020 |
| <i>J. Foan, N. Jemaa, M. Sheedy</i> | |
| Pursuing Sustainability | 1056 |
| <i>D. Phenicie</i> | |
| Concepts, Application and Challenges | 1068 |
| <i>S. Galeano</i> | |
| Evaporator Panel: Opportunities to Reduce Energy Consumption | 1085 |
| <i>D. White, J. Straka, L. Stowell</i> | |
| Pulp and Paper Industry Energy Bandwidth Study | 1091 |
| <i>B. Kinstrey</i> | |
| Evaporator Thermal Integration: State of the Art Technology | 1116 |
| <i>J. Straka</i> | |
| Membrane Technology for Pre-Evaporation | 1124 |
| <i>L. Stowell</i> | |
| Corrosion Problems are Solved with Fiberglass that is Tougher than Ever | 1134 |
| <i>G. Arthur</i> | |
| Peroxide Resistance of Felts, Fabrics and Roll Covers | 1137 |
| <i>A. Garner, A. Menard</i> | |
| TIP 0402-28, Best Practice for Inspecting FRP Equipment - Understanding the Damage Mechanisms and Specifying Damage Criteria Improves Inspection Value | 1165 |
| <i>D. Bennett</i> | |
| Nonwood Fiber Raw Materials and the Biorefinery | 1183 |
| <i>R. Hurter</i> | |
| A Biorefinery Process Suitable for Non-Wood Fibers | 1238 |
| <i>E. Pye, M. Rushton, A. Berlin</i> | |
| Non-Wood Biorefinery Developments Outside North America | 1259 |
| <i>J. Lora</i> | |
| Condensate Monitoring | 1287 |
| <i>V. Durham</i> | |

| | |
|--|------|
| Recovery Boiler Inspections | 1324 |
| <i>J. Graham</i> | |
| Waterside Cleaning of Recovery Boilers | 1344 |
| <i>N. Johnston</i> | |
| Climate Change Issue, European Paper Industry View | 1367 |
| <i>P. Laine</i> | |
| Climate Change: A DuPont Perspective | 1381 |
| <i>S. King</i> | |
| The Application of Automatic Port Rodding and High Efficiency Sootblowing to Improve Recovery Boiler Run Time | 1402 |
| <i>D. Young, N. Wildey, S. Youssef, P. McAllister, J. Adams</i> | |
| Optimizing CO and NOx Emissions from Hog Fuel Boilers | 1423 |
| <i>A. Walsh</i> | |
| Induction Heat Tube Extraction for Generating Bank Re-Tubing Technology Update | 1451 |
| <i>W. Blaser</i> | |
| Solubility and Solid Phase Composition in Boiling Temperature Na₂CO₃-Na₂SO₄ Solutions - A Modeling Approach | 1471 |
| <i>M. Bialik, H. Theliander, P. Sedin, C. Verrill, N. DeMartini</i> | |

VOLUME 3

| | |
|--|------|
| Susceptibility of Duplex Stainless Steels to Corrosion and Stress Corrosion Cracking in Pulp Liquors | 1499 |
| <i>A. Bhattacharya, J. Mahmood, P. Singh</i> | |
| Corrosion of Stainless Steel in High Solids Black Liquor | 1538 |
| <i>M. Gorog</i> | |
| Cracking of Pin-Studded Carbon Steel Waterwall Recovery Boiler Tubes | 1599 |
| <i>J. Kish, C. Reid, D. Singbeil, M. Staiger, M. Morrison, A. Weckesser</i> | |
| A Biorefinery Approach: Non-Sulfur Pulping with Partial Lignin Recovery and Conversion | 1622 |
| <i>T. Bolton, R. Francis, T. Amidon</i> | |
| Evaluation of Wood-Based Biorefinery Options for Pulp and Paper Mills | 1636 |
| <i>T. Retsina, V. Pylkkanen</i> | |
| NSR Reform: The Challenges Ahead | 1649 |
| <i>T. Wyles</i> | |
| Bucksport Environmental Innovative Partnership Project | 1664 |
| <i>M. Cone, K. Gallant</i> | |
| BART Exemption and Control Evaluation Modeling Analyses Conducted for the Pulp & Paper Industry | 1736 |
| <i>S. Marks, S. Mohammad</i> | |
| Mixtures of Eucalyptus Grandis x Eucalyptus Urophylla and Pinus Taeda Woodchip for the Production of Kraft Pulp Using the Lo-Solids Process | 1761 |
| <i>A. Bassa, F. Da Silva Jr., V. Sacon, E. Patelli</i> | |

| | |
|--|------|
| Lo-Solids Kraft Pulping of Eucalyptus Wood | 1811 |
| <i>J. Gomide, L. Pimenta, J. Colodette, N. Shin</i> | |
| Kraft Pulping of Eucalyptus with Anthraquinone, Polysulfide and Surfactant | 1854 |
| <i>F. da Silva</i> | |
| Complete Hydrolysis of Bamboo Fibers in Formic Acid | 1899 |
| <i>Y. Sun, L. Lin, C. Pan, H. Deng, H. Peng, J. Li, R. Sun, B. He, S. Liu</i> | |
| Steam Explosion Pre-Treatment on Alkali-Oxygen Pulping of Bamboo | 1932 |
| <i>W. Anapanurak, N. Laemsak, T. Veenin, P. Atiwannapat, R. Boonpradit</i> | |
| Research on Cotton Bast Pulping Using Alkaline Peroxide Bivis Pulp Method | 1961 |
| <i>Z. Hu, K. Hu, X. Nie, Y. Li</i> | |
| Prediction of the Solubility of Recovery Boiler Precipitator Ash | 1993 |
| <i>D. Saturnino, H. Tran</i> | |
| The Effect of Dead Load Chemicals in the Kraft Pulping and Recovery System | 2031 |
| <i>T. Grace, H. Tran</i> | |
| Update of The American Forest & Paper Association Recovery Boiler Program | 2065 |
| <i>T. Grant</i> | |
| Post Fabrication Cleaning of Stainless Steel in the Pulp & Paper Industry | 2081 |
| <i>C. Baxter, E. Torsner, A. Bornmyr, R. Davison</i> | |
| Welding of Duplex Stainless Steels | 2144 |
| <i>R. Davison</i> | |
| Understanding How Changes in Pressure Vessel Codes May Impact Pressure Vessel Performance | 2164 |
| <i>P. Sullivan</i> | |

VOLUME 4

| | |
|--|------|
| Water Consumption at Pulp and Paper Mills | 2197 |
| <i>B. Malmberg</i> | |
| Sheldon Mill Closure: From ESA to NFA | 2243 |
| <i>N. Roy, H. Nolen</i> | |
| Identification and Reduction of Juvabione, a Main Constituent of Inhibitory Effects on Ceriodaphnia dubia Reproduction, in a Pulp and Paper Mill Effluent Using Todomatsu, Abies sachalinesis, Mast | 2251 |
| <i>H. Araki, A. Nakamura, K. Kishi, N. Onikura, Y. Nanri</i> | |
| Pulp and Paper Production from EFB using a Semicheical Process | 2295 |
| <i>A. Gonzalo, J. Sanchez, E. Escudero, F. Marin, R. Fuertes</i> | |
| Characterization and Evaluation of Dhaincha (Sesbania aculeata) as Papermaking Fiber | 2322 |
| <i>S. Jahan, N. Chowdhury, K. Islam</i> | |
| Wastewater Treatment of Papermaking Tobacco Leaf with Anaerobic Granular Sludge | 2343 |
| <i>H. Yi, L. Youming, H. Songqing</i> | |

| | |
|--|-------------|
| Improved Methods for Measuring Residual Effective Alkali in Kraft Black Liquors Part I: Absolute Measurement by Capillary Electrophoresis | 2349 |
| <i>J. Sullivan, T. Radiotis, M. Douek</i> | |
| Improved Methods for Measuring Residual Effective Alkali in Kraft Black Liquors Part II: Comparison of Titration Methods | 2388 |
| <i>T. Radiotis, J. Sullivan, M. MacLeod, S. Syed, T. O'Hagan</i> | |
| Single Fiber Lignin Distributions Based on the Density Gradient Column Method | 2437 |
| <i>B. Boyer, A. Rudie</i> | |
| Data Reconciliation 101: Challenges and Benefits | 2472 |
| <i>L. Laperriere</i> | |
| Mill Information System uses Dynamic Data Reconciliation for Accurate Energy Accounting | 2496 |
| <i>L. Wasik, D. Tannar, D. Alexander</i> | |
| Process and Business Data Reconciliation in the Pulp and Paper Industry | 2527 |
| <i>M. Korbel, L. Garrigues, P. Stuart</i> | |
| Influence of Kraft Black Liquor Components on the Performance of Silicone Foam Control Agents..... | 2571 |
| <i>S. Chao, L. Vermeire, T. Laxen</i> | |
| Improving Washing Efficiencies in the Kraft Pulp Mill with New Defoamer Technology | 2600 |
| <i>P. Hoekstra</i> | |
| NSSC Evaporator Condensate Acidity | 2636 |
| <i>D. Wynn, B. Antes</i> | |
| Efficient use of Low-Temperature and Low-Pressure Steam for Heating Different Media by Dynamic Steam Blending | 2650 |
| <i>L. Michal, C. Wallner</i> | |
| No-Load Characterization of a Low-Consistency Disc Refiner for an Effective Application of Refining Theories..... | 2680 |
| <i>R. Bordin, J. Roux, J. Bloch</i> | |
| Novel Feedstocks - Future Revolution in Papermaking? | 2713 |
| <i>K. Hytonen, P. Rousu, P. Rousu, J. Tanskanen</i> | |
| Fines Study in the Bleached Pulp from the Sugar Cane Bagasse..... | 2742 |
| <i>J. Sadvnik, L. Betancourt, J. Ramos, F. Alban</i> | |
| The Role of Nonwood Fines Constituents on Pulp and Paper Properties..... | 2771 |
| <i>P. Rousu, K. Hytonen</i> | |
| A Tool for Simulating Energy-Efficient Evaporation using Excess Heat in Kraft Pulp Mills | 2798 |
| <i>M. Olsson, T. Berntsson</i> | |
| Process Control: Energy, Water and Chemical Savings through Optimization and Improved Control of Existing Equipment..... | 2828 |
| <i>C. Pullen</i> | |
| Achieving High Efficiency Thermocompressor Operation..... | 2863 |
| <i>K. Hill, J. Maggard, J. Timm</i> | |
| Prevention of Elements Leaching from Coal Ash by Adding Fixation Chemicals..... | 2901 |
| <i>M. Iwasaki, K. Inoue, K. Ikeshima</i> | |

Author Index