

Engineers Society of Western Pennsylvania

68th Annual International
Water Conference
2007

October 21-25, 2007
Orlando, Florida, USA

Volume 1 of 2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

ISBN: 978-1-60560-074-1

Some format issues inherent in the e-media version may also appear in this print version.

Engineers Society of Western Pennsylvania

68th Annual International Water Conference
2007

TABLE OF CONTENTS

VOLUME 1

APPROACHES TO MINIMIZING MEMBRANE FOULING

| | |
|--|----|
| Synthesis and Characterization of Charged Polystyrene Membranes for the Electrodialysis of Sodium Chloride using Space Charge Model..... | 1 |
| <i>A. Kumar, S. Sachdeva</i> | |
| Prepared Discussion | 14 |
| <i>J. Wood</i> | |
| High-Efficiency Filtration for Membrane Pretreatment | 16 |
| <i>J. Fues, J. Kucera</i> | |
| Side-by-Side Performance of Reverse Osmosis Elements Using Two Different Feed Channel Spacers..... | 27 |
| <i>S. Beardsley, C. Granlund</i> | |
| Prepared Discussion | 33 |
| <i>M. Preston</i> | |

WATER, WASTEWATER AND BIOLOGICAL TREATMENT

| | |
|--|----|
| Enhanced Calcium Removal from Electronics Wastewater with Hydrodynamic Cavitation Technology..... | 35 |
| <i>S. Kim, J. Park, W. Lee, Y. Lee, J. Lee, W. Wang</i> | |
| Treatment Efficiency Improvement of Existing Pulp Industry Wastewater Treatment Plants with Suspended Carrier Biofilm Process (SCBP) | 46 |
| <i>A. Ketonen, M. kierikka, P. Pajuniemi</i> | |
| Prepared Discussion | 56 |
| <i>P. Togna</i> | |
| Application of Advective-Flow Membrane-Aerated Biofilm Reactor (AF-MABR) for Treatment of Ammonium-rich Wastewater..... | 58 |
| <i>A. Motlagh, J. Joseph, T. Lapara, M. Semmens</i> | |
| Prepared Discussion | 66 |
| <i>E. Stover</i> | |
| Application of Activated Carbon Technologies in Supplemental Point-Of-Use (POU) and Point-Of-Entry (POE) Drinking Water Treatment..... | 67 |
| <i>G. Hatch, T. Koole</i> | |

ZERO LIQUID DISCHARGE TECHNIQUES AND APPLICATIONS

| | |
|---|-----------|
| Achieving Zero Blowdown for Cooling Towers | 73 |
| <i>S. Owens, R. Maxey</i> | |
| Prepared Discussion | 80 |
| <i>W. Shaw</i> | |
| Leading Chemical Manufacturer's Plant in South India to Become a Zero Liquid Discharge Unit..... | 83 |
| <i>A. Sarkar, S. Kukade</i> | |
| Prepared Discussion | 89 |
| <i>J. Moen</i> | |
| ZLD: New Silica Based Inhibitor Chemistry Permits Cost Effective Water Conservation for HVAC and Industrial Cooling Towers | 92 |
| <i>D. Duke</i> | |

IMPROVING PERFORMANCE OF STEAM ELECTRIC GENERATING PLANTS

| | |
|--|------------|
| Increased Water Treatment Plant Capacity at a Mexican Power Station Using Micro Media Filters Ahead of RO and Replacing EDI with Ion Exchange..... | 102 |
| <i>R. Kapadia, M. Sheedy, D. Swaine, P. Scroggin</i> | |
| Prepared Discussion | 111 |
| <i>A. Mittal</i> | |
| Controlling Chemistry during Startup and Commissioning of Once-Through Supercritical Boilers: An Overview from the EPC Contractor's Perspective | 114 |
| <i>K. Kirschenheiter, M. Chuk, C. Layman, K. Sinha</i> | |
| Prepared Discussion | 123 |
| <i>R. Bartholemew</i> | |
| Treatment of Wastewaters from Coal-Fired Power Plants..... | 128 |
| <i>W. Shaw</i> | |
| Prepared Discussion | 145 |
| <i>L. Weimer, R. Solomon</i> | |

ION EXCHANGE SPECIAL APPLICATIONS

| | |
|---|------------|
| Selective Ion Exchange Resins and Their Application for Target Contaminant Removal in Aqueous Systems: Application Overview and New Developments | 146 |
| <i>S. Neumann, P. Fatula</i> | |
| Prepared Discussion | 154 |
| <i>F. Boodoo</i> | |
| Structural Design of Nanoporous Silica Polyamine Composites for Metal Separations and Processing in Water | 157 |
| <i>E. Rosenberg, M. Hughes, J. Wood</i> | |
| Prepared Discussion | 168 |
| <i>R. Albright</i> | |

| | |
|--|-----|
| Evaluation of Tri-Bromide Resin for Bacterial Purification of Drinking Water | 169 |
| <i>S. Naik, S. Mokashi, S. Kulkarni, K. Deshpande</i> | |
| Prepared Discussion | 176 |
| <i>G. Vero</i> | |
| Ion Exchange Resins as Stationary Phase in Industrial Chromatographic Separation..... | 178 |
| <i>H. Mononen</i> | |
| Prepared Discussion | 187 |
| <i>G. Rossiter</i> | |

LEGIONELLA

| | |
|---|-----|
| Use of IQ-CHECK™LEGIONELLA Kits as a New Tool for Efficient Legionella Monitoring in Water Samples | 192 |
| <i>F. Martinez, H. Frenkiel-Lebosse, S. Pierre, V. Todorova</i> | |
| An Overview of Legionella Analysis | 196 |
| <i>D. Miskowski</i> | |
| Cutting-Edge Technology for Legionella Identification and Control in Cooling and Drinking Water..... | 201 |
| <i>Z. Zhang, P. Puckorius</i> | |
| Panel Participant..... | 206 |
| <i>G. Licina</i> | |
| Panel Discussion Transcript..... | 214 |

BLOWDOWN RECYCLE AND EQUIPMENT DESIGN CONSIDERATION FOR PRODUCED WATER

| | |
|--|-----|
| Equipment Design Considerations for Lime Softening and Ion Exchange Softening of Produced Water in Heavy Oil Extraction | 223 |
| <i>R. Holloway, G. Page</i> | |
| Author's Closure | 239 |
| <i>R. Holloway, G. Page</i> | |
| Prepared Discussion | 241 |
| <i>J. Fair</i> | |
| Water Reuse Plant Challenges for Alternative SAGD Steam Generation | 253 |
| <i>R. Penaranda, R. Gay-De-Montella</i> | |
| Prepared Discussion | 263 |
| <i>C. Wilson-Mussbacher</i> | |
| Waste Water Treatment Options for a SAGD Oil Production Facility..... | 285 |
| <i>S. Portelance</i> | |
| Prepared Discussion | 298 |
| <i>K. Kwasniewski</i> | |

| | |
|--|-----|
| Affect and Challenge of Controlling Multiple Feed Streams (Brackish, Fresh, and Produced Waters) to Inlet of a Warm Lime Softener | 304 |
| <i>M. Mysczyszyn</i> | |

**EXPERIENCES ASSOCIATED WITH EXTENDED LAY-UPS OF STEAM
GENERATION SYSTEMS AND SUBSEQUENT RETURN TO SERVICE-PANEL
DISCUSSION SPONSORED BY ASME RESEARCH COMMITTEE**

| | |
|---|-----|
| I Have to Lay Boilers Up - What Next? | 311 |
| <i>J. Dromgoole</i> | |
| A Novel Approach to Storing and Returning Feedwater Heater Shells to Service | 318 |
| <i>T. Pike, D. Dewitt-Dick, O. Dewitt-Dick</i> | |
| Declining Pressure Method for Boiler Storage and Boiler Cleanliness Assessment by Ultrasonic Technique | 325 |
| <i>B. Stroman</i> | |
| Lay-Up and Return to Service Practices at Ontario Power Generation | 336 |
| <i>M. Caravaggio</i> | |
| Do EPRI and ASME Guidelines Apply to Me? | N/A |
| <i>W. Moore</i> | |
| Considerations in Returning a Moth Balled Unit to Service..... | N/A |
| <i>D. Dewitt-Dick, C. Benavides</i> | |
| Panel Discussion Transcript..... | 345 |

OPEN COOLING WATER SYSTEMS

| | |
|---|-----|
| Benefits of Soft Water Makeup for Cooling Tower | 350 |
| <i>W. Harfst</i> | |
| Prepared Discussion | 359 |
| <i>J. Kanuth</i> | |
| Calcium Hypochlorite versus Bromine in Cooling Water Treatment | 362 |
| <i>S. Pickens</i> | |
| Prepared Discussion | 371 |
| <i>F. Azarnia</i> | |
| Cooling Tower Retrofit to a Once-Through Cooled Unit..... | 375 |
| <i>B. Larkin, S. Cinelli</i> | |
| Author's Closure | 385 |
| <i>B. Larkin, S. Cinelli</i> | |
| Prepared Discussion | 387 |
| <i>J. Cuchens</i> | |

STATE OF THE ART FGD WASTEWATER TREATMENT TECHNOLOGIES AND DISCHARGE LIMITS

| | |
|---|-----|
| Designing Constructed Wetlands for Mitigating Risks from Flue Gas Desulfurization Wastewater | 400 |
| <i>C. Murray-Gulde, F. Mooney, G. Huddleston III</i> | |
| Considerations Impacting for Technology Selection Process for FGD Purge Stream Wastewater Treatment Systems..... | 409 |
| <i>C. Chapman, C. Layman</i> | |
| Prepared Discussion | 419 |
| <i>P. Chu</i> | |
| Evaporation of Purge Water from Wet FGD Scrubbers | 421 |
| <i>M. Nicholson</i> | |
| Prepared Discussion | 431 |
| <i>M. Preston</i> | |
| ZLD: Solutions for the Treatment of FGD Wastewater..... | 434 |
| <i>G. Mandigo</i> | |
| Prepared Discussion | 449 |
| <i>P. Scroggin</i> | |

ADVANCED MEMBRANE OPERATIONS AND APPLICATIONS

| | |
|--|-----|
| Commission of a Water Treatment System in NZ..... | 450 |
| <i>S. Gagnon</i> | |

VOLUME 2

| | |
|--|-----|
| EDI Performance and Resin Filled Concentrate Compartments..... | 474 |
| <i>J. Barber, D. Tessier</i> | |
| Prepared Discussion | 484 |
| <i>J. Tate</i> | |
| Pushing the Limits: New Reverse Osmosis Membrane Cleaning Recommendations | 487 |
| <i>C. Broden, C. Gilbert</i> | |
| Prepared Discussion | 495 |
| <i>T. Barker</i> | |

CLOSED COOLING WATER SYSTEMS

| | |
|--|-----|
| Tracking Molybdenum Concentration in Cooling Water Applications | 501 |
| <i>V. Malkov, B. Nagao</i> | |

| | |
|--|-----|
| Water (Resource) Conservation Using Closed-Loop, Evaporative Cooling Systems for Process Power, and Refining Applications | 510 |
| <i>P. Demakos</i> | |
| Case Histories: Using Tin Technology to Control Corrosion in Water Systems | 518 |
| <i>W. Stapp, P. Puckorius, C. Wright</i> | |
| Review of Closed Water Systems - Treatment Schemes..... | 528 |
| <i>J. Farmerie</i> | |
| Closed Cooling System Treatment: Using Phosphinosuccinate Oligomers (PSO) as an Alternative to Molybdate | 551 |
| <i>B. Moriarty, J. Chao, D. Cicero, C. Myers, P. Yu</i> | |

INDUSTRY EXPERIENCES WITH THE TREATMENT OF FLUE GAS DESULFURIZATION (FGD) PURGE WASTEWATER

| | |
|---|-----|
| Biological Treatment of Flue Gas Desulfurization Scrubber Purge Water | 561 |
| <i>M. Pudvay, R. Kelly, A. Lau, E. Stover, P. Togna</i> | |
| Prepared Discussion | 576 |
| <i>N. Vani</i> | |
| Full Scale Implementation of GE Abmet Biological Technology for the Removal of Selenium from FGD Wastewaters | 580 |
| <i>J. Sonstegard, J. Harwood, T. Pickett</i> | |
| Prepared Discussion | 586 |
| <i>K. Munirathinam</i> | |
| FGD Wastewater Disposed of Via Deep-Well Injection at Duke Energy's Gibson Generating Station | 587 |
| <i>P. Eyck, B. Nickrand, J. Guidos, R. Cleveland, J. Mezo</i> | |
| Prepared Discussion | 594 |
| <i>A. Mittal</i> | |
| Performance of Pilot-Scale Constructed Wetland Treatment Systems for Flue Gas Desulfurization Waters | 597 |
| <i>D. Eggert, J. Rodgers Jr., C. Hensman</i> | |
| Prepared Discussion | 607 |
| <i>D. Martini</i> | |
| Initial Operating Experience with a Novel FGD Waste Water Treatment System at Duke Energy's Marshall Steam Station | 611 |
| <i>C. Bryant, R. Wylie, J. Frank, A. Zagala, P. Eyck</i> | |
| Prepared Discussion | 618 |
| <i>P. Scroggin</i> | |

RESURGENCE OF THE NUCLEAR POWER INDUSTRY

| | |
|--|-----|
| Challenges in Licensing and Water Treatment Design for the New Generation of Nuclear Power Plants | 619 |
| <i>M. Chuk, J. Isaac</i> | |

| | |
|---|-----|
| Prepared Discussion | 629 |
| <i>B. Larkin</i> | |
| Heat Exchanger Fouling in a Safety-Related Service Water System..... | 632 |
| <i>K. Selby, G. Licina, N. Sadeghi, A. Dave, D. Fuller, T. Green, N. Wilmshurst</i> | |
| Author's Closure | 649 |
| <i>K. Selby, G. Licina, N. Sadeghi, A. Dave, D. Fuller, T. Green, N. Wilmshurst</i> | |
| Prepared Discussion | 650 |
| <i>R. Post</i> | |
| A New Approach to Integrated Water Management for Nuclear Industry..... | 653 |
| <i>M. Shepherd, E. Gardner</i> | |
| Author's Closure | 662 |
| <i>M. Shepherd, E. Gardner</i> | |
| Prepared Discussion | 665 |
| <i>M. Feldman</i> | |
| Nuclear Power Plant Cooling System Performance Improvement through Real-Time Monitoring, Diagnostics and Control | 667 |
| <i>A. Kern, P. Eyck, G. Peabody</i> | |
| Author's Closure | 681 |
| <i>A. Kern, P. Eyck, G. Peabody</i> | |
| Prepared Discussion | 682 |
| <i>K. Sinha</i> | |

ION EXCHANGE

| | |
|--|-----|
| Practical Notes & Procedures in Condensate Polishing | 688 |
| <i>G. Crits, W. Runyan</i> | |
| Prepared Discussion | 705 |
| <i>G. Alexander</i> | |
| Solving a Problem of Microorganisms Growth in Cation Exchangers in Abu Qir Fertilizers Co. | 710 |
| <i>F. Badawy, H. Gomaa</i> | |
| Prepared Discussion | 724 |
| <i>A. Preuss</i> | |
| Economic Comparison of Electrodeionization and Mixed Bed Unit Operations | 727 |
| <i>A. Dey, B. Loyd</i> | |
| Prepared Discussion | 746 |
| <i>D. Kellogg</i> | |
| 20 Years of Condensate Polishing at San Onofre Nuclear Generating Station | 751 |
| <i>D. Auerswald</i> | |
| Author's Closure | 782 |
| <i>D. Auerswald</i> | |
| Prepared Discussion | 785 |
| <i>B. Hoffman</i> | |

NEW MONITORING TECHNIQUES FOR BOILERS, COOLING TOWERS, FLUE GAS DESULFURIZATION, AND PROCESS APPLICATIONS

| | |
|---|-----|
| Inductive Conductivity for Control of CIP Processes | 788 |
| <i>V. Malkov</i> | |
| Case Studies Using New Luminescent Technology for ppb Levels of Dissolved Oxygen in High Purity Boiler Water | 794 |
| <i>J. McKinney, N. Ledermann, S. Hediger, F. Dunand</i> | |
| Using Particle Counters for Pretreatment Optimization, Iron Transport Monitoring, Condenser Leak Detection, and Carryover Monitoring - A Synopsis of Experiences | 802 |
| <i>R. Bryant</i> | |
| Prepared Discussion | 822 |
| <i>J. Dromgoole</i> | |
| Characterization of Selenium Species in Flue Gas Desulfurization Waters Using High Performance Liquid Chromatograph Inductively Coupled Plasma Mass Spectroscopy (HPLC-ICP-DRC-MS) | N/A |
| <i>C. Hensman, M. Garcia-Strickland</i> | |

PRODUCED WATER FOR SAGD FACILITY

| | |
|--|-----|
| Technical, Economic and Environmental Impact of Blending High Hardness Brackish Water for Makeup Water to Generate Steam at Encana's SAGD Facilities..... | 823 |
| <i>C. Mussbacher</i> | |
| Produced Water and High Salinity Water Treatment at SAGD Facilities | 837 |
| <i>J. Benetti</i> | |
| Guidelines for Produced Water Evaporators in SAGD | 848 |
| <i>D. Peterson</i> | |
| Fouling of WAC and SAC Resins in EOR Applications | 864 |
| <i>G. Mommaerts</i> | |

WATER RECLAMINATION AND REUSE

| | |
|---|-----|
| Continuous Blow Down Water Re-Use in Suralya Coal Fired Power Plant Pt. Indonesia Power with 3400 MW Capacity..... | 872 |
| <i>B. Satriyo</i> | |
| Reclaiming Cooling Tower Blowdown - A Case Study at Sasol Synfuels | 886 |
| <i>H. Grant</i> | |
| Time and Money - The Problem with Bad Water Sources and Worse Disposal Options..... | 896 |
| <i>P. Kwan</i> | |
| Fate of Arsenic, Trace Organics and Other Constituents of Wastewater Origin During Aquifer Storage Recovery | 908 |
| <i>D. Pyne</i> | |

POSTER SESSION

Treatment of Water Containing Bacteria by Electrochemical Reactor..... 953
E. Bidoia, P. Moraes, I. Gusmao

"How To" Interpret U. S. Patent Claims 954
C. McCann, K. Haddaway

Author Index