

2007 European Microwave Integrated Circuits Conference

**Munich, Germany
8-10 October 2007**

Pages 1-342

IEEE Catalog Number:	CFP07GAS-PRT
ISBN 10:	2-87487-002-1
ISBN 13:	978-2-87487-002-6

Table of Contents

60 GHz SiGe HBT Downconversion Mixer	1
<i>Viswanathan Subramanian, Van-Hoang Do, Wilhelm Keusgen, Georg Boeck</i>	
Low Cost Configurable RF Signal Source For Wireless Applications.....	5
<i>Ulrich L. Rohde, Ajay K. Poddar</i>	
Similarities Between Birefringent Gires-Tournois Interferometer and Double Ring Assisted Mach-Zehnder Electrooptic Modulator.....	9
<i>José Edimar Barbosa Oliveira, Bráulio Fern,o R Sakamoto, William dos Santos Fegadolli</i>	
Improved Design Methodology for a 2 GHz Class-E Hybrid Power Amplifier Using Packaged GaN-HEMTs	13
<i>J. Flucke, C. Meliani, F. Schnieder, W. Heinrich</i>	
A Differential SiP (LNA-filter-mixer in Silicon Technology for the SKA Project	17
<i>M-L Grima, S. Barth, S. Bosse, B. Jarry, P. Gam, P. Meunier, B. Barelaud</i>	
Novel Vertical Transition Using a Trough Line, a Slab Line and Shielded Multilayer Coplanar Waveguides for 50 GHz LTCC Hermetic SMT MMIC Package	21
<i>Inkwon Ju, In-bok Yom, Seung-hyeup Oh</i>	
Electrostatic Capacitances of High-Speed SiGe HBT.....	25
<i>Nicolas Zerounian, Eloy Ramirez Garcia, Frédéric Aniel, Benoît Barbalat, Pascal Chevalier, Alain Chantre</i>	
Reduction of Buffer Leakage Current in AlGaIn/GaN High-Electron-Mobility-Transistor Structure on Si Substrate by Reducing the Dislocation Density in AlN Buffer Layer	29
<i>Yasuhiro Oda, Noriyuki Watanabe, Masanobu Hiroki, Takuma Yagi, Takashi Kobayashi</i>	
A Novel Hybrid Analysis Approach for Subharmonic Self-Oscillating Mixers Combining Volterra Series and Conversion Matrix Methods.....	33
<i>Simone A. Winkler, Ke Wu, Andreas Stelzer</i>	
Transport Shot Noise Models and NFmin Comparison for SiGe HBTs under Different Operation Configurations.....	37
<i>Hui Li, Zhenqiang Ma, Guofu Niu</i>	
Design Guidelines for Tunable Coplanar and Microstrip Patch Antennas.....	41
<i>Aparna Sankarasubramaniam, Prasad. N. Shastry, Krishna Katragadda</i>	
A 9.5-10.5GHz 60W AlGaIn/GaN HEMT for X-band High Power Application	45
<i>T. Yamamoto, E. Mitani, K. Inoue, M. Nishi, S. Sano</i>	
High-efficiency GaN class-E power amplifier with compact harmonic-suppression network.....	48
<i>Han Gil Bae, Renato Negra, Slim Boumaiza, Fadhel M. Ghannouchi</i>	
Low-voltage and high-tunability inter-digital capacitors using lead zinc niobate (PbO-ZnO-Nb2O5 thin films.....	52
<i>Young Chul Lee, Young Pyo Hong, Kyung Hyun Ko</i>	
High Performance K-Band MEMS Switches	55
<i>John S. McKillop, David A. Goins</i>	
A Simplified, Empirical Large-Signal Model for SiC MESFETs	59
<i>Kelvin Yuk, G. R. Branner</i>	
A 0.1-1.7 GHz, 1.1dB NF Low Noise Amplifier for Radioastronomy Application.....	63
<i>J. Lintignat, S. Darfeuille, B. Barelaud, L. Billonnet, B. Jarry, P. Meunier, P. Gam</i>	
Partition and Global Methodologies for IC, Package and Board Co-Simulation In SiP Applications	67
<i>Sidina Wane</i>	
10-Gb/s CMOS Ultrahigh-Speed Gold-Code Generator Using Differential-Switches Feedback	71
<i>C. -L. Lu, H. -C. Wang, J. -C. Juang, H. -R. Chuang</i>	

Table of Contents

New Electrothermal System Level Model for RF Power Amplifier	75
<i>Julie Mazeau, Raphaël Sommet, Daniel Caban-Chastas, Emmanuel Gatard, Raymond Quéré, Yves Mancuso</i>	
Comparison of Four OFDM Signal Representations Approaches for High Dynamic Range Nonlinear PA Behavioural Modelling	79
<i>Máirtín O'Droma, Yiming Lei</i>	
Silicon Substrate Integrated Ferromagnetic Nanowires for Microwave Applications 978-2-87487-002-6	83
<i>A. Deleniv, V. Drakinsky, P.R. Evans, R.J. Pollard, R. M. Bowman, S. Gevorgian</i>	
High-Efficiency Balanced Switched-Path Monolithic SiGe HBT Power Amplifiers for Wireless Applications	87
<i>Andrei Grebennikov, Bernhard Sogl, Helmut Herrmann, Christian Roth, Wolfgang Thomann</i>	
Interpreting InGaP/GaAs DHBT Eye Diagrams Using Small Signal Parameters	91
<i>D. B. Venkatesha, S. Chitrashekaraiyah, A. A. Rezazadeh, A. Thiede</i>	
Surface and Bulk Micromachined RF MEMS Capacitive Series Switch for Watt-Range Hot Switching Operation	95
<i>J.D. Martinez, P. Blondy, A. Pothier, D. Bouyge, A. Crunteanu, M. Chatras</i>	
Totally free-flexible Membrane for Low Voltage MEMS Metal Contact Switch	99
<i>Karim Segueni, Loic Le Garrec, Anne-Sophie Rollier, Renaud Robin, Salim Touati, Alexandre Kancierzewski, Lionel Buchaillot, Olivier Millet</i>	
Nonlinear-optimization techniques for quadruple-push oscillators	103
<i>Franco Ramirez, Mabel Pontón, Almudena Suárez</i>	
Driver Amplifier for 60 GHz Communication Systems	107
<i>Raymond van Dijk, Lex de Boer, Alex Megej, Jeroen Hoogl, Frank E. van Vliet</i>	
Integrated 48 GHz LO Chain for 60 GHz Communication Systems	110
<i>Lex de Boer, Raymond van Dijk, Alex Megej, Jeroen Hoogl, Frank E. van Vliet</i>	
Limitations of the transmission line theory in the simulation of ultra thin wire conductivities with coaxial resonators	113
<i>T. Bernardino, P. Antoranz, J.M. Miranda, J.L. Sebastián</i>	
A 1.5-V 0.25-μm CMOS Current-Reuse Up-Converter for 3-5 GHz Low-Power WPANs	117
<i>Giuseppina Sapone, Giuseppe Palmisano</i>	
Design of a [DC - 20 GHz] Buffered Track and Hold Circuit in InP DHBT Technology	121
<i>Hassan El Aabbaoui, Benoît Gorisse, Nathalie Roll, Aziz Benlarbi-Delaï, Nicolas Fel, Virginie Allouche, Pascal Leclerc, Bernard Riondet, Paul-Alain Roll,</i>	
AlGaIn/GaN HEMTs on (001 oriented Silicon substrate based on 100nm SiN recessed gate technology for low cost device fabrication.	125
<i>S. Boulay, S. Touati, A. Sar, V. Hoel, C. Gaquière, J.C. De Jaeger, S. Joblot, Y.Cordier, F.Semond, J.Massies.</i>	
Modified WKB Method for Solution of Wave Propagation in Inhomogeneous Structures with Arbitrary Permittivity and Permeability Profiles	129
<i>Mohammad Hadi Eghlidi, Khashayar Mehrany, Bizhan Rashidian</i>	
Design of highly efficient, high output power, L-band class D-1 RF power amplifiers using GaN MESFET devices	133
<i>Ulf Gustavsson, Thomas Lejon, Christian Fager, Herbert Zirath</i>	
Experimental Studies of Heterodyne Mixing in Y-Branch Ballistic Nano-Junction	137
<i>Lukasz Bednarz, Isabelle Huynen</i>	
Low-Frequency Dynamic Drain Current Modeling in AlGaIn-GaN HEMTs	141
<i>V. Di Giacomo, A. Santarelli, F. Filicori, A. Raffo, G.Vannini, R. Aubry, C. Gaquière</i>	

Table of Contents

Theoretical Aspects and Numerical Solution of Scattering from Objects under Grazing Angle Incidence - The A380 and the Aircraft Tailfin.....	145
<i>Gerhard Greving, Wolf-Dieter Biermann</i>	
An X-Band High Power Amplifier Module Package Using Selectively Anodized Aluminum Substrate.....	149
<i>Sung-Ku Yeo, Jong-Hoon Chun, Kyoung-Min Kim, Jong-Min Yook, Young-Se Kwon</i>	
Mechanically Tri-Stable SPDT Metal-Contact MEMS Switch Embedded in 3D Transmission Line	153
<i>Mikael Sterner, Niclas Roxhed, Göran Stemme, Joachim Oberhammer</i>	
30 GHz (Ka-band VSAT DVB-RCS Mixer-Driver Multifunction MMIC	157
<i>Ian Hardcastle, Steve Melvin, James Mayock, Andrew Collar, Paul Simpson, Mike Brookbanks, Ian Bisby</i>	
EuMIC: Single-Chip RF Front-End MMIC Using InGaAs E/D-pHEMT for 3.5 GHz WiMAX Applications.....	161
<i>Yu-Cheng Hsu, Ping-Hsun Wu, Cheng-Chung Chen, Jian-Yu Li, Sheng-Feng Lee, Wu-Jing Ho, Cheng-Kuo Lin</i>	
A 6W Uneven Doherty Power Amplifier in GaN Technology	165
<i>A. Z. Markos, P. Colantonio, F. Giannini, R. Giofrè, M. Imbimbo, G. Kompa</i>	
EuMIC: The Slow Relaxation of Capacitance in Ferroelectric Devices Under Electrical Pulse Influence	169
<i>A.V. Tumarkin, S.V. Razumov, A.G. Gagarin, M.M. Gaidukov, A.B. Kozyrev</i>	
Microstrip Thin-Film MCM-D Technology on High-Resistivity Silicon with Integrated Through-Substrate Vias.....	173
<i>G. Posada, G. Carchon, P. Soussan, N. Pham, B. Majeed, D. Sabuncoglu, W. Ruythooren, B. Nauwelaers, W. De Raedt</i>	
Simultaneous Dual-Band High Efficiency Harmonic Tuned Power Amplifier in GaN Technology	177
<i>P. Colantonio, F. Giannini, R. Giofrè, L. Piazzon</i>	
Highly Directional Planar Ultra Wide Band Antenna for Radar Applications	181
<i>A. Locatelli, D. Modotto, F. M. Pigozzo, S. Boscolo, E. Autizi, C. De Angelis, A.-D. Capobianco, M. Midrio</i>	
A Reconfigurable SiGe HBT for Wideband Step Envelope Tracking Power Amplifiers	185
<i>A. Cidronali, I. Magrini, R. Fagotti, F. Alimenti, D. Köther, G. Manes</i>	
Analysis of Transient Radiated Interferences by the Hybrid TLM-IE/MOM Algorithm	189
<i>Rachid Khelifi, Peter Russer</i>	
High Efficiency Distributed Amplifier Using Optimum Transmission Line.....	193
<i>Sigyun Jeong, Heungjae Choi, Yongchae Jeong, J. Stevenson Kenney, Chuldong Kim</i>	
A 40-74 GHz Amplitude/Phase Control MMIC Using 90-nm CMOS Technology.....	197
<i>Pei-Si Wu, Hong-Yeh Chang, Ming-Fong Lei, Bo-Jr Huang, Huei Wang, Cheng-Ming Yu, John G. J. Chern</i>	
EuMIC: Design of Vertical Transition for 40GHz Transceiver Module Using LTCC Technology	201
<i>Woojin Byun, Bong-Su Kim, Kwang-Seon Kim, Ki-Chan Eun, Myung Sun Song, Reinhard Kulke, Olaf Kersten, Gregor Möllenbeck, Matthias Rittweger</i>	
An Active Mixer Topology for High Linearity and High Frequency Applications.....	205
<i>Mingquan Bao, Yinggang Li</i>	
An Active Guarding Circuit for Giga-Hertz Substrate Noise Suppression	209
<i>Hao-Ming Chao, Chien-Lung Wang, Wen-Shen Wuen, Kuei-Ann Wen</i>	
System Level Modelling of RF Power Amplifiers Based on Large-Signal Measurements.....	213
<i>Christian Fager, Pedro Miguel Lavrador, Maciej Myslinski, ing Zhu, Hossein M. Nemat, José Carlos Pedro, Dominique Schreurs</i>	
A kW-class AlGaIn/GaN HEMT Pallet Amplifier for S-band High Power Application	217
<i>E. Mitani, M. Aojima, S. Sano</i>	

Table of Contents

A Regulated Low Phase Noise Differential Colpitts VCO for Mobile RFID System	221
<i>Hyoung-Hwan Roh, Eun-Jin Lee, Jin-Wook Jung, Kyong-Tae Park, Kwan-Kyu Nae, Hong-Goo Cho, Jun-Seok Park, Jong-Eun Jang</i>	
A 60-GHz 90-nm CMOS Cascode Amplifier with Interstage Matching	225
<i>B. Heydari, P. Reynaert, E. Adabi, M. Bohsali, B. Afshar, M. A. Arbabian, A. M. Niknejad</i>	
94 GHz Single balanced cascode mixer using CPW tandem couplers	229
<i>Sang Jin Lee, Dan An, Mun Kyo Lee, Tae Jong Baek, Byoung-Chul Jun, Sung-Woon Moon, Hyun Chang Park, Yeon Sic Chae, Jin Koo Rhee</i>	
Dielectric charging mechanisms in RF-MEMS capacitive switches	233
<i>George J. Papaioannou, John Papapolymerou</i>	
A 3 GHz CMOS Quadrature Oscillator Using Active Superharmonic Coupling	237
<i>Brad R. Jackson, Carlos E. Saavedra</i>	
Dielectric charging process in AlN RF-MEMS capacitive switches	241
<i>George J. Papaioannou, Tomas Lisec</i>	
Novel Transmission Line Combiner for Highly Efficient Outphasing RF Power Amplifiers	245
<i>Walter Gerhard, Reinhard Knoechel</i>	
100 GHz Push-Push Oscillator in 90 nm CMOS Technology	249
<i>Timo Karttaavi, Jan Holmberg</i>	
Non-Linear Electromechanical RF Model of a MEMS Varactor Based on VerilogA© and Lumped-Element Parasitic Network	252
<i>Jacopo Iannacci, Roberto Gaddi, Antonio Gnudi</i>	
A SiGe Sub-harmonic Mixer for Millimeter-Wave Applications	256
<i>Bevin George Perumana, Sudipto Chakraborty, Saikat Sarkar, Padmanava Sen, David A. Yeh, Anand Raghavan, Debasis Dawn, Chang-Ho Lee, Stephane Pinel, Joy Laskar</i>	
A Broadband GaN-MMIC Power Amplifier for L to X Bands	260
<i>C. Meliani, R. Behtash, J. Würfl, W. Heinrich, G. Tränkle</i>	
Low-Power RF Circuits for Multi-Standard WLAN Transceivers	264
<i>F. Carrara, A. Italia, A. Scuderi, E. Ragonese, G. Sapone, C. Presti, G. Palmisano</i>	
A 3.3V broadband linear power amplifier module for IEEE 802.16e (Wimax applications using E-mode pHEMT technology	268
<i>YH Chow, CK Yong, Joan Lee, HK Lee, WY Thor, KY Lee, HT Tan, YY Liew, SH Khoo</i>	
Investigation of IMD3 in GaN HEMT Based on Extended Volterra Series Analysis	272
<i>Embar R. Srinidhi, Günter Kompa</i>	
Highly Compact 3.1 -10.6 GHz UWB LNA in SiGe HBT Technology	276
<i>J. Dederer, S. Chartier, T. Feger, U. Spitzberg, A. Trasser, H. Schumacher</i>	
EuMIC: Scalable Equivalent Circuit PHEMT Modelling Using an EM-Based Parasitic Network Description	280
<i>D.Resca, A.Santarelli, A.Raffo, R.Cignani, G.Vannini, F.Filicori</i>	
Linearity and Efficiency Optimisation in Microwave Power Amplifier Design	284
<i>P. Colantonio, F. Giannini, E. Limiti, A. Nanni, V. Camarchia, V. Teppati, M. Pirola</i>	
Large-Signal Analysis and AC Modelling of Sub Micron Resonant Tunnelling Diodes	288
<i>A. Matiss, A. Poloczek, W. Brockerhoff, W. Prost, F.-J. Tegude</i>	
Calculation of Characteristic Impedance for Stripline Based on Planar Circuit and Lateral Equivalent Network	292
<i>Kai D I N G Takaharu H I R A OKA, Jui-Pang H SU</i>	

Table of Contents

A Novel Approach to Determine the Start-Up Conditions in Microwave Negative Impedance Oscillator Design	296
<i>Marco Monni, Giovanni Martines.</i>	
Comparison of High-Resistivity Silicon Surface Passivation Methods	300
<i>Martin Norling, Dan Kuylenstierna, Andrei Vorobiev, Klaus Reimann, Dimitri Lederer, Jean-Pierre Raskin, Spartak Gevorgian</i>	
Analysis of Stability and Numerical Dispersion Relation of Mur's Absorbing Boundary Condition in the ADI-FDTD Method	304
<i>Jiunn-Nan Hwang, Fu-Chiarng Chen</i>	
Multi-Resonator Generation in Arbitrarily-Shaped Planar-Circuit Filters by Genetic Optimization	308
<i>Akinori Kido, Hroyuki Deguchi, Mikio Tsuji, Masataka Ohira</i>	
Design of a Transceiver RFIC for UWB Chaotic OOK System in 0.18μm CMOS Technology	312
<i>Moo-Il Jeong, Jeong-Ho Moon, Chang-Seok Lee</i>	
GaN HEMT Based Doherty Amplifier for 3.5-GHz WiMAX Applications	316
<i>Junghwan Moon, Jangheon Kim, Ildu Kim, Young Yun Woo, Sungchul Hong, Han Seok Kim, Jong Sung Lee, Bumman Kim</i>	
Sub-50μW, 2.4 GHz Super-Regenerative Transceiver with Ultra Low Duty Cycle and a 675μW High Impedance Super-Regenerative Receiver	320
<i>I. McGregor, E. Wasige, I. Thayne</i>	
A 28 mW, 1.5 V GPS Receiver in 0.25 μm Silicon-on-Sapphire CMOS Process	324
<i>Jaroslav Adamski, Daniel Lossner, Dan Nobbe, Takashi Kuramochi, Ken Fujita, Gregory Pucci, Alexander Dribinsky</i>	
Embedded IC Technology for Compact Packaging Inside Aluminum Substrate (Pocket Embedded Packaging)	328
<i>Kyoung-Min Kim, Jong-Min Yook, Sung-Ku Yeo, Young-Se Kwon</i>	
EuMIC: HB Analysis of Injection Locked Oscillators Using Commercial CAD Tools	332
<i>Federico Fantini, Rafael Cignani, Alberto Santarelli</i>	
Design Method for Low-Power, Low Phase Noise Voltage-Controlled Oscillators	336
<i>Milos Jankovic, Alan Brannon, Jason Breitbarth, Zoya Popovic</i>	
EuMIC: A 25 % Bandwidth 8 W X-Band HPA for Radar Applications	340
<i>C. Costrini, M. Calori, A. Cetronio, C.Lanzieri, C. Proietti</i>	
RF MEMS Roadmap	343
<i>J�r�mie Bouchaud, Bernardo Knoblich, Harrie Tilmans, Fabio Coccetti, Ayman El Fatatry</i>	
Microwave Laminate Material Considerations For Multilayer Applications	347
<i>Russell R. Hornung, John C. Frankosky</i>	
Low Complexity RF-MEMS Switch Optimized for Operation up to 120�C	351
<i>A. Stehle, C. Siegel, V. Ziegler, B. Sch�nlinner, U. Prechtel, S. Thilmont, H. Seidel, U. Schmid</i>	
Benchmarking of low band gap III-V based-HEMTs and sub-100nm CMOS under low drain voltage regime	355
<i>Sylvain Bollaert, Ludovic Desplanque, Xavier Wallart, Yannick Roelens, Mikael Malmkvist, Malin Borg, Eric Lefebvre, Jan Grahn, Derek Smith, Gilles Dambrine</i>	
Design of GaN-based Balanced Cascade Cells for Wide-band Distributed Power Amplifier	359
<i>A. Martin, T. Reveyr, M. Campovecchio, R. Aubry, S. Piotrowicz, D. Floriot, R. Qu�r�</i>	
Effects of Atmosphere on the Reliability of RF-MEMS Capacitive Switches	363
<i>Pierre Blondy, Aurelian Crunteanu, Arnaud Pothier, Pascal Tristant, Alain Catherinot, Corinne Champeaux</i>	

Table of Contents

GaN Power Amplifier Design Based on Artificial Neural Network Modelling	366
<i>D. Xiao, D. Schreurs, W. De Raedt, J. Derluyn, K. Balach,er, J. Viaene, M. Germain, B. Nauwelaers, G. Borghs</i>	
A Novel Approach for Microwave Signal Generation Utilizing DFB-Laser Wavelength Chirp	370
<i>Gábor Kovács, Tibor Berceli</i>	
Current Gain Collapse in HBTs Analysed by Transient Interferometric Mapping Method.....	374
<i>Sergey Bychikhin, Viktor Dubec, Jan Kuzmik, Joachim Würfl, Paul Kurpas, Jean-Pierre Teyssier, Dionyz Pogany</i>	
EM Simulation Accuracy Enhancement for Broadband Modeling of On-Wafer Passive Components.....	378
<i>T. K. Johansen, C. Jiang, D. Hadziabdic, V. Krozer</i>	
Multi-stage Pulse Shrinking Time-to-Digital Converter for Time Interval Measurements.....	382
<i>Yue Liu, Ulrich Vollenbruch, Yangjian Chen, Christian Wicpalek, Linus Maurer, Zdravko Boos, Robert Weigel</i>	
Determining Optimum Load Impedance for a Noisy Active 2-Port Network.....	386
<i>Walter Ciccognani, Franco Giannini, Ernesto Limiti, Patrick Ettore Longhi, Antonio Serino</i>	
Analysis Acceleration in the Design of Frequency Selective Surfaces using Parametric Techniques	390
<i>Dave J. Bekers, Stefania Monni, Vincent Ducros, Giampiero Gerini, Michel Rochette</i>	
A High Linearity Mixed Signal Down Converter IC for C-band Radar Receivers	394
<i>Håkan Berg, Heiko Thiesies, Marie Hertz, Fredrik Norling</i>	
AlN/GaN MISFET for High Frequency Applications: Physical simulation and Experimental Evaluation.....	398
<i>Sanghyun Seo, Kaustav Ghose, Dimitris Pavlidis, Stefan Schmidt</i>	
Zero-Temperature-Coefficient Biasing Point of 2.4-GHz LNA in PD SOI CMOS Technology	402
<i>M. El Kaamouchi, M. Si Moussa, J.-P. Raskin, D. Vanhoenacker-Janvier</i>	
Outphasing Power Amplifier Design Investigations for 2.5G and 3G Standards.....	406
<i>Ewa Napieralska, Markus Zannoth, Gunther Kraut, Winfried Bakalski, Erwin Biebl, Krzysztof Kitlinski</i>	
SiGe V-band 1:32 Frequency Divider Using Dynamic and Static Division Stages	410
<i>Liu Liu, Sebastien Chartier, Andreas Trasser, Hermann Schumacher</i>	
A Single-Chip Dual-Band CDMA2000 Receiver for Cellular Terminals in 0.13 μm CMOS.....	414
<i>Gernot Hueber, Josef Zipper, Andreas Holm</i>	
A 20-GSamples/s Track-Hold Amplifier in InP DHBT Technology	418
<i>Y. Bouvier, A. Konczykowska, A. Ouslimani, F. Jorge, M. Riet, J. Godin</i>	
EuMIC: Protection Circuit for High Power Amplifiers Operating Under Mismatch Conditions	422
<i>G. van der Bent, M. van Wanum, A.P. de Hek, M.W. van der Graaf, F.E. van Vliet</i>	
Flip-Chip Mounted 1:4 Demultiplexer IC in InP DHBT Technology Operating up to 100 Gb/s.....	426
<i>Camilla Kärnfelt, Joakim Hallin, Torgil Kjellberg, Bertil Hansson, Thomas Swahn</i>	
RF Transmission Lines and Spiral Inductors using Polymer-core Conductor	430
<i>Jong-Min Yook, Kyoung-Min Kim, Sung-Ku Yeo, Je-In Yu, Young-Se Kwon</i>	
Ku-band AlGaIn/GaN HEMT with Over 30W.....	434
<i>Kazutaka Takagi, Yasushi Kashiwabara, Kazutoshi Masuda, Keiichi Matsushita, Hiroyuki Sakurai, Ken Onodera, Hisao Kawasaki, Yoshiharu Takada, Kunio Tsuda</i>	
X-Band 11W AlGaIn/GaN HEMT Power MMICs.....	438
<i>Tangsheng Chen, Bin Zhang, Gang Jiao, Chunjiang Ren, Chen Chen, Kai Shao, Naibin Yang</i>	
Optimising AlGaIn/GaN HFET Designs for High Efficiency	441
<i>Chris Roff, Aamir Sheikh, Johannes Benedikt, Paul J. Tasker K.P. Hilton, J.O. Maclean, D.G. Hayes, M. J. Uren, T. Martin</i>	
X-band Phase Shifting Power Amplifier MMIC for Phased Array Transmit Modules.....	445
<i>Gijs van der Bent, Marcel W. van der Graaf, Frank E. van Vliet</i>	

Table of Contents

Thermal Behaviour of Gate-Less AlGaIn/GaN Heterostructures.....	449
<i>Brahim BENBAKHTI, Michel ROUSSEAU, Ali SOLTANI, Jacky LAUREYNS, Jean Claude DE JAEGER</i>	
Nonlinear Modelling of Reconfigurable Microwave Components Based on Resistive MEMS Switches.....	453
<i>Vittorio Rizzoli, Diego Masotti, Franco Mastri, Roberto Gaddix, Francesco Donzelli</i>	
Field Modelling of a Multiconductor Digital Bus.....	457
<i>Hristomir Yordanov, Michel Ivrlac, Josef Nossek, Peter Russer</i>	
Broadband MMIC Mixer with High Output Power using InGaP/GaAs HBT Technology.....	461
<i>Won-Jun Choi, Young-Ho Lee, Nam-Young Kim</i>	
Extremely Small-Height Rectangular Waveguide with Impedance Walls	465
<i>Nickolay T. Cherpak, Alexey I. Gubin, Alexander A. Lavrinovich</i>	
SiGe Millimeter-Wave Dynamic Frequency Divider with Enhanced Sensitivity Incorporating a Transimpedance Stage	468
<i>Sebastien Chartier, Liu Liu, Gerhard Fischer, Sranddjan Glisic</i>	
High Power S Band Limiter Simulation with a Physics-Based Accurate Nonlinear PIN Diode Model.....	472
<i>Emmanuel Gatard, Raphael Sommet, Philippe Bouysse, Raymond Quere, Michel Stanislawiak, Jean-Marc Bureau</i>	
Quarter-wave Patch Antenna Based on BCB Polymer for Sensor Network Applications.....	476
<i>Seonho Seok, Nathalie Roll, Paul-Alain Roll,</i>	
AlGaIn/GaN HEMTs on Epitaxies Grown on Composite Substrate	480
<i>V. Hoel, S. Boulay, H. Gerard, V. Rabal, E. Delos, J.C. De Jaeger, M.A.Di-Forte-Poisson, C. Brylinski, H. Lahreche, R. Langer, P. Bove</i>	
A Fully Integrated Fully Differential Low-Noise Amplifier for Short Range Automotive Radar Using a SiGe:C BiCMOS Technology	484
<i>Sebastien Chartier, Bernd Schleicher, Falk Korndorfer, Srdjan Glisic, Gerhard Fischer, Hermann Schumacher</i>	
Systematic Design Approach of MOSFET based Low Noise Amplifiers for Wideband RF Receivers.....	488
<i>Jurgen Schmitz</i>	
Broadband Low Noise Amplifier with High Linearity for Software-Defined Radios	492
<i>Munenari Kawashima, Yo Yamaguchi, Kenjiro Nishikawa, Kazuhiro Uehara</i>	
Characterization and Modeling of Substrate Trapping in HEMTs	496
<i>James G. Rathmell, Anthony E. Parker</i>	
2-GHz Band Cryogenically-Cooled GaN HEMT Amplifier for Mobile Base Station Receivers	500
<i>Shoichi Narahashi, Yasunori Suzuki, Toshio Nojima</i>	
Novel Symmetric High Q Inductors Fabricated Using Wafer-Level CSP Technology	504
<i>Yutaka Aoki, Shoichi Shimizu, Kazuhiko Honjo</i>	
Two High Dynamic Range mmW Amplifiers in SMT Package with ESD Protection.....	508
<i>Khanhtran Phan, Kohei Fujii, Henrik Morkner</i>	
A FPGA Based Digital Predistorter for RF Power Amplifiers with Memory Effects	512
<i>Albert Cesari, Pere L. Gilabert, Eduard Bertran, Gabriel Montoro, Jean M. Dilhac</i>	
ESD Structures Impact Analysis on a WLAN 802.11a LNA	516
<i>Yolanda Jato, Amparo Herrera</i>	
5W Highly Linear GaN Power Amplifier with 3.4 GHz Bandwidth.....	520
<i>Ahmed Sayed, Georg Boeck</i>	
New Numerical Technique for Cyclostationary Noise Analysis of Oscillators.....	524
<i>M.M. Gourary, S.G. Rusakov, S.L. Ulyanov, M.M. Zharov, B.J. Mulvaney, K.K. Gullapalli</i>	

Table of Contents

A Ka-band RF-MEMS phase shifter approach based on a novel dual-state microstrip line	528
<i>C. Siegel, V. Zieglerl, U. Prechtel, B. Schönlinner, H. Schumacher</i>	
A 225-400MHz WiMAX 20W SiC Power Amplifier	532
<i>Luca Rizzo, Alberto Armoni, Luca Petacchi</i>	
Characterization of Insulated-Gate versus Schottky-Gate InAs/AlSb HEMTs	536
<i>Mikael Malmkvist, Eric Lefebvre, Malin Borg, Ludovic Desplanque, Xavier Wallart, Gilles Dambrine, Sylvain Bollaert, Jan Grahn</i>	
A Highly Integrated Quasi-millimeter Wave Receiver Chip Using 3D-MMIC Technology	540
<i>Takana Kaho, Yo Yamaguchi, Kazuhiro Uehara, Shinji Nagamine, Yasuhiro Toriyama, Toru Taniguchi</i>	
A Cost-effective High-Power S-band 6-bit Phase Shifter with Integrated LVC MOS Control Logic	544
<i>A.P. de Hek, M. Rodenburg, F.E. van Vliet</i>	
Low Power Consumptive Mixed Mode MMIC Power Amplifier Module for WCDMA Handset Applications	548
<i>Min Park, Yun Ho Choi, Tae Young Kang, Kyung Hwan Park, Seong Su Park, Seok-Bong Hyun</i>	
Cascaded Single-Stage Amplifier With Improved Gain-Frequency Performance Using Frequency-Dependent Lossy Artificial Lines	552
<i>Bal S. Virdee, Metin Yazgi, Avtar Virdee</i>	
A Low Voltage Current Reuse LNA in a 130nm CMOS Technology for UWB Applications	555
<i>T. Taris, JB. Begueret, Y. Deval</i>	
Global Analysis for a Surface Wave Mode HFET Amplifier Module at 60 GHz by EM-Device Co-Simulation	559
<i>Ryo Ishikawa, Kazuhiko Honjo, Masayuki Nakajima</i>	
A Parallel-Plate MEMS Variable Capacitor with Vertical Thin-Film Comb Actuators	563
<i>Maher Bakri-Kassem, Raafat R. Mansour</i>	
Wideband Millimeter Wave PIN Diode SPDT Switch using IBM 0.13μm SiGe Technology	567
<i>Kwanhim Lam, Hanyi Ding, Xuefeng Liu, Bradley A. Orner, Jay Rascoe, Barbara Dewitt, Essam Mina, Brian Gaucher</i>	
CMOS Varactors in NLTL Pulse-Compression Applications	571
<i>Ming Li, Robert G. Harrison, Rony E. Amaya, Jean-Marc Duchamp, Philippe Ferrari, N. Garry Tarr</i>	
De-embedding and Modelling of pnp SiGe HBTs	575
<i>D. Hadziabdic, C. Jiang, T. K. Johansen, G.G. Fischer, B. Heinemann, V. Krozer</i>	
Derivation of a Behavioral RF Power Amplifier Model with Low Normalized Mean-Square Error	579
<i>David Wisell, Magnus Isaksson</i>	
Comparative Study of Shot-Noise Models for HBTs	583
<i>Matthias Rudolph, Peter Heymann</i>	
EuMIC: Backplane Equalization Comparison for 10-Gb/s Data Communication with 0.25-(μm SiGe BiCMOS and 0.18-(μm CMOS Feed-Forward Equalizers	587
<i>H. S. Kim, A. Raghavan, E. Gebara, J. Laskar,</i>	
Large-Signal Modeling of Power GaN HEMTs Including Thermal Effects	591
<i>Germán Torregrosa, Jesús Grajal, Marco Peroni, Antonio Serino, Antonio Nanni, Antonio Cetronio</i>	
System-in-Package Synthesizer for PCS/DCS Application	595
<i>Reza Bagger, Tobias Hahn, Richard Wallace, Lars Edevärn</i>	
Scaling friendly design methodology for inductively-degenerated RF Low-Noise Amplifiers	599
<i>G. Versteven, L. Bos, P. Dobrovolny</i>	
Filter embedded K-band LTCC Upconverter	603
<i>Jin-Cheol Jeong, In-Bok Yom, Ho-Jin Lee, Kyung-Whan Yeom</i>	

Table of Contents

High Quality Factor Micromachined Toroid and Solenoid Inductors.....	607
<i>Imed Zine-El-Abidine, Michal Okoniewski</i>	
EuMIC: A New Time-Domain Simulation Method for Highly Heterogeneous RF Circuits.....	611
<i>Jorge F. Oliveira, José C. Pedro</i>	
On the Use of RF Bursts for Identification of Amplifier Kernels.....	615
<i>Carlos Crespo-Cadenas, Javier Reina-Tosina, Maria J. Madero-Ayora</i>	
Four-port Transformer in Silicon-Based Technology	619
<i>Heng-Ming Hsu, Ming-Chang Tsai, Kuo-Hsun Huang</i>	
Microwave Phase Shifters Based on Sol-Gel Derived Ba_{0.3}Sr_{0.7}TiO₃ Ferroelectric Thin Films.....	623
<i>Ildimar O. Sherman, Tomoaki Yamada, Andreas Noeth, Nava Setter, Mira Mandeljc, Barbara Malic, Marija Kosec, Miso Vukadinovic</i>	
Design of a low VSWR harmonics, low loss SP6T switch for GSM/Edge applications.	627
<i>D. Prikhodko, Y. Tkachenko, S. Sprinkle, R. Carter, S. Nabokin, J. Chiesa</i>	
A 60 GHz Compact Single-Chip Sub-Harmonically Pumped Receiver MMIC.....	631
<i>Sten E. Gunnarsson, Mattias Ferndahl, Herbert Zirath</i>	
A low phase noise integrated SiGe 18..20 GHz fractional-N synthesizer	635
<i>R. Follmann, D. Köther, T. Kohl, M. Engels, V. Heyer, K. Schmalz, F. Herzel, W. Winkler, S. Osmany, U. Jagdhold</i>	
A MEM Varactor Tuned-Voltage Controlled Oscillator Fabricated Using 0.35µm SiGe BiCMOS Technology	639
<i>Emre Heves, Mehmet Kaynak, Onur Esame, Ibrahim Tekin, Yasar Gurbuz</i>	