

2008 IEEE Workshop on Motion and Video Computing

**Copper Mountain, CO
8-9 January 2008**



IEEE Catalog Number:
ISBN 13:

CFP08MVC-PRT
978-1-4244-2000-1

Table of Contents

| | |
|--|-----|
| Face Pose Estimation From Video Sequence Using Dynamic Bayesian Network | 1 |
| <i>Shahrel A. Suandi, Shuichi Enokida, Toshiaki Ejima</i> | |
| Using Inactivity to Detect Unusual behavior | 9 |
| <i>Patrick Dickinson, Andrew Hunter</i> | |
| Segmentation of Video Sequences using Spatial-temporal Conditional Random Fields | 15 |
| <i>Lei Zhang, Qiang Ji</i> | |
| Fast Body Posture Estimation using Volumetric Features | 22 |
| <i>Michael Van den Bergh, Esther Koller-Meier, Luc Van Gool,</i> | |
| Incorporating Long-Term Observations of Human Actions for Stable 3D People Tracking | 30 |
| <i>Daisuke Sugimura, Yoshinori Kobayashi, Yoichi Sato, Akihiro Sugimoto</i> | |
| Pedestrian Tracking by Associating Tracklets using Detection Residuals | 37 |
| <i>Vivek Kumar Singh, Bo Wu, Ramakant Nevatia</i> | |
| Event-Based Tracking Evaluation Metric | 45 |
| <i>D. Roth, E. Koller-Meier, D. Rowe, T.B. Moeslund, L. Van Gool</i> | |
| Estimating Gait Phase using Low-Level Motion | 53 |
| <i>Ben Daubney, David Gibson, Neill Campbell</i> | |
| Location-specific Transition Distributions for Tracking | 59 |
| <i>Nathan Jacobs, Michael Dixon, Robert Pless</i> | |
| Model generation for robust object tracking based on temporally stable regions* | 65 |
| <i>Prithviraj Banerjee, Axel Pinz, Somnath Sengupta</i> | |
| Detecting Semantic Group Activities Using Relational Clustering | 71 |
| <i>Anthony Hoogs, Steve Bush, Glen Brooksby</i> | |
| Learning Motion Patterns in Surveillance Video using HMM Clustering | 79 |
| <i>Eran Swears, Anthony Hoogs, A.G. Amitha Perera</i> | |
| Online, Real-time Tracking and Recognition of Human Actions | 87 |
| <i>Pradeep Natarajan, Ramakant Nevatia</i> | |
| Recognition of High-level Group Activities Based on Activities of Individual Members | 95 |
| <i>M. S. Ryoo, J. K. Aggarwal</i> | |
| Integrated Detection and Tracking for Multiple Moving Objects using Data-Driven MCMC Data Association | 103 |
| <i>Qian Yu, Gerard Medioni</i> | |
| Two-Frames Accurate Motion Segmentation Using Tensor Voting and Graph-Cuts | 111 |
| <i>Thang Dinh, Gérard Medioni</i> | |
| Spatial-Temporal correlatons for unsupervised action classification | 119 |
| <i>Silvio Savarese, Andrey DelPozo, Juan Carlos Niebles, Li Fei-Fei</i> | |
| Optimal shape from motion estimation with missing and degenerate data | 127 |
| <i>Manuel Marques, Joao Costeira</i> | |
| Fast construction of object correspondence in stereo camera system: an example to human face capturing system | 133 |
| <i>Fai Chan, Jiansheng Chen, Yiu-Sang Moon</i> | |
| Optimal Multi-View Fusion of Object Locations | 139 |
| <i>Aswin C. Sankaranarayanan, Rama Chellappa</i> | |
| Steepest Descent For Efficient Covariance Tracking* | 147 |
| <i>Amrith Tyagi, James W. Davis, Gerasimos Potamianos</i> | |

Table of Contents

| | |
|---|------------|
| A Context-Based Tracker Switching Framework | 153 |
| <i>Amrishi Tyagi, James W. Davis</i> | |
| Space-Time Shapelets for Action Recognition | 161 |
| <i>Dhruv Batra, Tsuhan Chen, Rahul Sukthankar,</i> | |
| Robust Object Tracking based on Detection with Soft Decision | 167 |
| <i>Bo Wu, Li Zhang, Vivek Kumar Singh, Ram Nevatia</i> | |