

# **2008 IEEE Radio Frequency Integrated Circuits Symposium**

**Atlanta, GA  
15-17 June 2008P**

**Pages 1-314**



**IEEE Catalog Number:**  
**ISBN 13:**

**CFP08MMW-PRT**  
**978-1-4244-1808-4**

# Table of Contents

<b>Best of Both Worlds: Multi-Market Diversity Embedded in a Scale RF Semiconductor Business.....</b>	<b>1</b>
<i>Robert Van Buskirk</i>	
<b>First Pass System Success --- When First Pass Silicon Success is Not Enough.....</b>	<b>2</b>
<i>Zoltan J. Cendes</i>	
<b>Self-Shielded Quad-Band EGPRS Transceiver .....</b>	<b>3</b>
<i>Alex W. Hietala, Scott R. Humphreys, Ray Arkizewski, Scott Morris</i>	
<b>A Digital (Delta)(Sigma) RF Signal Generator for Mobile Communication Transmitters in 90nm CMOS .....</b>	<b>7</b>
<i>Antoine Frappe, Bruno Stefanelli, Axel Flament, Andreas Kaiser, Andreia Cathelin</i>	
<b>Active Mitigation of Induced Phase Distortion in a GSM SoC.....</b>	<b>11</b>
<i>Oren Eliezer, Bogdan Staszewski, Sumeer Bhatara, Imran Bashir, Poras T. Balsara</i>	
<b>A L1-Band Dual-Mode RF Receiver for GPS and Galileo in 0.18(<math>\mu</math>)m CMOS .....</b>	<b>15</b>
<i>Jun-Gi Jo, Jong-Ho Lee, Do Jin Park, Young Gun Pu, Sung-Cheol Shin, Kang-Yoon Lee, Seong-Eon Park, Seok-Joong Lee, Changsik Yoo</i>	
<b>An Adaptive Multi-Mode RF Front-End for Cellular Terminals .....</b>	<b>19</b>
<i>Gernot Hueber, Josef Zipper, Rainer Stuhlberger, Andreas Holm</i>	
<b>A 3.1--9.5 GHz Agile UWB Pulse Radio Receiver with Discrete-Time Wideband-IF Correlation in 90nm CMOS .....</b>	<b>23</b>
<i>Frank Zhang, Ranjit Gharpurey, Peter Kinget</i>	
<b>A 3 to 5-GHz UWB Pulse Radio Transmitter in 90nm CMOS.....</b>	<b>27</b>
<i>Anuranjan Jha, Ranjit Gharpurey, Peter Kinget</i>	
<b>A 6--9GHz WiMedia UWB RF Transmitter in 90nm CMOS.....</b>	<b>31</b>
<i>Zisan Zhang, Koen Mertens, Marc Tiebout, Staffan Ek, Stefano Marsili, Denis Matveev, Christoph Sandner</i>	
<b>An Ultra-Wideband Transmitter Based on a New Pulse Generator .....</b>	<b>35</b>
<i>Marco Cavallaro, Egidio Ragonese, Giuseppe Palmisano</i>	
<b>A 19pJ/Pulse UWB Transmitter with Dual Capacitively-Coupled Digital Power Amplifiers.....</b>	<b>39</b>
<i>Patrick P. Mercier, Denis C. Daly, Anantha P. Chandrakasan</i>	
<b>Deep-Submicron Digital CMOS Potentialities for Millimeter-Wave Applications.....</b>	<b>43</b>
<i>Andreia Cathelin, Baudouin Martineau, Nicolas Seller, F. Giancesello, Christine Raynaud, Didier Belot</i>	
<b>A Tapered Cascaded Multi-Stage Distributed Amplifier with 370GHz GBW in 90nm CMOS.....</b>	<b>47</b>
<i>Amin Arbabian, Ali M. Niknejad</i>	
<b>An Ultra Low Power LNA with 15dB Gain and 4.4db NF in 90nm CMOS Process for 60 GHz Phase Array Radio.....</b>	<b>51</b>
<i>Emanuel Cohen, Shmuel Ravid, Dan Ritter</i>	
<b>60GHz CMOS Differential and Transformer-Coupled Power Amplifier for Compact Design .....</b>	<b>55</b>
<i>Tim LaRocca, Mau-Chung Frank Chang</i>	
<b>A 60-GHz Fully-Integrated Doherty Power Amplifier Based on 0.13-(<math>\mu</math>)m CMOS Process .....</b>	<b>59</b>
<i>Byron Wicks, Efstratios Skafidas, Rob Evans</i>	
<b>Perspective of RF Design in Future Planar and FinFET CMOS .....</b>	<b>63</b>
<i>J. Borremans, B. Parvais, M. Dehan, S. Thijs, P. Wambacq, A. Mercha, M. Kuijk, G. Carchon, S. Decoutere</i>	
<b>A Broadband Low-Noise Single-Ended Input Differential Output Amplifier with IM2 Cancelling .....</b>	<b>67</b>
<i>D. Manstretta</i>	
<b>Linearization of Differential CMOS Low Noise Amplifier Using Cross-Coupled Post Distortion Canceller .....</b>	<b>71</b>
<i>Tae-Sung Kim, Byung-Sung Kim</i>	
<b>A New Method of TX Leakage Cancellation in W/CDMA and GPS Receivers.....</b>	<b>75</b>
<i>Vladimir Aparin</i>	

# Table of Contents

<b>A 2.5mW Inductorless Wideband VGA with Dual Feedback DC-Offset Correction in 90nm CMOS Technology .....</b>	<b>79</b>
<i>Yanjie Wang, Bagher Afshar, Tuan-Yi Cheng, Vincent Gaudet, Ali M. Niknejad</i>	
<b>A 65nm Low-Power CMOS Transceiver for 802.11n Portable Application .....</b>	<b>83</b>
<i>Yung-Ming Chiu, Tsung-Ming Chen, Po-Yu Chen, Richard Kuan, Yi-Chang Shih, Yi-Jay Lin, Chin-Lung Li, Yuh-Sheng Jean, Kai-Yi Huang, Shih-Min Lin, Chih-Kai Chien, Po-Ching Lin, Wen-Shan Wang, Hong-Ta Hsu, Ming-Chung Huang, Chao-Hua Lu, Han-Jung Shih, Ka-Un C</i>	
<b>A MISO CMOS Transceiver for WLAN 802.11b/g/n Applications .....</b>	<b>87</b>
<i>Chia-Jun Chang, Po-Chih Wang, Wei-Ming Chiu, Pei-Ju Chiu, Chun-Cheng Wang, Yi-Ming Chang, Chien-Yu Chen, Kai-Te Chen, Chao-Hua Lu, Shih-Min Lin, Chih-Pao Lin, Yung-Ming Chiu, Ka-Un Chan, Ying-Hsi Lin, Chao-Cheng Lee</i>	
<b>A 0.13(mu)m CMOS Transmitter with 72-dB RF Gain Control for Mobile WiMAX/WiBro Applications .....</b>	<b>91</b>
<i>Hsin-Hung Kuo, Yang-Han Li, Yi-Hsin Pang</i>	
<b>2.5-GHz Fully-Integrated WiMAX Transceiver IC for a Compact, Low-Power-Consumption RF Module .....</b>	<b>95</b>
<i>D. Yamazaki, N. Kobayashi, K. Oishi, M. Kudo, T. Arai, N. Hasegawa, K. Kobayashi</i>	
<b>A Fully Integrated Tri-Band, MIMO Transceiver RFIC for 802.16e .....</b>	<b>99</b>
<i>Francis Beaudoin, Tony Zortea, George Deliyannides, Mark Hiebert, Matthew McAdam, Michael Venditti, Vikas Choudary, Bernard Guay, Hormoz Djahanshahi, Trent McKeen, Amr Hafez</i>	
<b>60GHz VCOs with Transmission Line Resonator in a 0.25(mu)m SiGe BiCMOS Technology .....</b>	<b>103</b>
<i>H. Veenstra, M.G.M. Notten</i>	
<b>A Low Phase Noise LC-VCO with a High-Q Inductor Fabricated by Wafer Level Package Technology .....</b>	<b>107</b>
<i>Kazuma Ohashi, Yuka Kobayashi, Hiroyuki Ito, Kenichi Okada, Hideki Hatakeyama, Takuya Aizawa, Tatsuya Ito, Ryoza Yamauchi, Kazuya Masu</i>	
<b>The Process Variability of a V-Band LC-VCO in 65nm SOI CMOS.....</b>	<b>111</b>
<i>Daeik D. Kim, Jonghae Kim, Choongyeun Cho</i>	
<b>Simultaneous Sub-Harmonic Injection-Locked mm-Wave Frequency Generators for Multi-Band Communications in CMOS.....</b>	<b>115</b>
<i>Sai-Wang Tam, Eran Socher, Alden Wong, Yu Wang, Lan Duy Vu, Mau-Chung Frank Chang</i>	
<b>VCO Design for 60 GHz Applications Using Differential Shielded Inductors in 0.13 (mu)m CMOS.....</b>	<b>119</b>
<i>J. Borremans, M. Dehan, K. Scheir, M. Kuijk, P. Wambacq</i>	
<b>A 65nm CMOS 30dBm Class-E RF Power Amplifier with 60% Power Added Efficiency.....</b>	<b>123</b>
<i>M. Apostolidou, M.P. van der Heijden, D.M.W. Leenaerts, J. Sonsky, A. Heringa, I. Volokhine</i>	
<b>Design and Linearization of Class-E Power Amplifier for Non-Constant Envelope Modulation .....</b>	<b>127</b>
<i>Chi-Tsan Chen, Chien-Jung Li, Tzyy-Sheng Horng, Je-Kuan Jau, Jian-Yu Li</i>	
<b>Efficient Three-State WCDMA PA Integrated with High-Performance BiHEMT HBT/E-D pHEMT Process .....</b>	<b>131</b>
<i>Thomas Apel, Tim Henderson, Yu-Lung Tang, Otto Berger</i>	
<b>Switch-Mode Power Amplifier Linearization .....</b>	<b>135</b>
<i>David E. Kelly, Kelly Mekechuk, Thad Miller</i>	
<b>A 0.18(mu)m CMOS Fully Integrated RFDAC and VGA for WCDMA Transmitters.....</b>	<b>139</b>
<i>Shahin Mehdizad Taleie, Yongping Han, Tino Copani, Bertan Bakkaloglu, Sayfe Kiaei</i>	
<b>High-Performance RF Passives Using Post-CMOS MEMS Techniques for RF SoC.....</b>	<b>143</b>
<i>Xinxin Li, Lei Gu, Zhengzheng Wu</i>	
<b>An Area Efficient High Turn Ratio Monolithic Transformer for Silicon RFIC.....</b>	<b>147</b>
<i>Chee Chong Lim, Kiat Seng Yeo, Kok Wai Chew, Suh Fei Lim, Chirn Chye Boon, Qiu-ping, Manh Anh Do, Lap Chan</i>	

# Table of Contents

<b>Miniaturized Multi-Band Filter Banks for Extravehicular Radio (EVA) Applications.....</b>	<b>151</b>
<i>Philip J. Stephanou, Justin P. Black, Andrew L. Benjamin</i>	
<b>A Low-Distortion, Low-Loss Varactor Phase-Shifter Based on a Silicon-on-Glass Technology .....</b>	<b>155</b>
<i>S. Kim, J.H. Qureshi, K. Buisman, Lawrence E. Larson, L.C.N. de Vreede</i>	
<b>A 1GHz Bandwidth Low-Pass (Delta)(Sigma) ADC with 20GHz to 50GHz Adjustable Sampling Rate.....</b>	<b>159</b>
<i>Adam Hart, Sorin P. Voinigescu</i>	
<b>A Resistively Degenerated Wide-Band Passive Mixer with Low Noise Figure and +60dBm IIP2 in 0.18(<math>\mu</math>)m CMOS.....</b>	<b>163</b>
<i>Nansoo Kim, Vladimir Aparin, Lawrence E. Larson</i>	
<b>High Linearity SiGe-MMIC Q-MOD Having Self Mixer Current Control Circuit with Output Power Detector for 0.4--5.8GHz Cognitive Radio Transceiver .....</b>	<b>167</b>
<i>Shintaro Shinjo, Koji Tsutsumi, Fumiki Onoma, Noriharu Suematsu, Hiroshi Harada</i>	
<b>A High Dynamic Range Multi-Standard CMOS Mixer for GSM, UMTS and IEEE802.11b-g-a Applications.....</b>	<b>171</b>
<i>Mohammad B. Vahidfar, Omid Shoaee, Francesco Svelto</i>	
<b>Low-Power 1V 5.8 GHz Bulk-Driven Mixer with On-Chip Balun in 0.18(<math>\mu</math>)m CMOS .....</b>	<b>175</b>
<i>Daryl Van Vorst, Shahriar Mirabbasi</i>	
<b>10GBASE-T for 10Gb/s Full Duplex Ethernet LAN Transmission Over Structured Copper Cabling .....</b>	<b>179</b>
<i>Sandeep K. Gupta, Jose Tellado, Sridhar Begur, Frank Yang, Michael A. Inerfield, Dariush Dabiri, John Dring, Sachin Goel, Kumaraguru Muthukumaraswamy, Frank McCarthy, Glenn Golden, Jiangfeng Wu, Susan Arno, Sanjay Kasturia</i>	
<b>A 38-Gb/s 2-Tap Transversal Equalizer in 0.13-(<math>\mu</math>)m CMOS Using a Microstrip Delay Element .....</b>	<b>183</b>
<i>George Ng, Anthony Chan Carusone</i>	
<b>A 35-GHz Differential Distributed Loss-Compensation Amplifier .....</b>	<b>187</b>
<i>James F. Buckwalter</i>	
<b>Wide-Band CMOS Loop-Through Amplifier for Cable TV Tuner .....</b>	<b>191</b>
<i>Sangsu Jin, Tae-Young Oh, Kuk-Tae Hong, Hong-Teuk Kim, Bumman Kim</i>	
<b>A Novel Wide-Band Envelope Detector .....</b>	<b>195</b>
<i>Yanping Zhou, Guochi Huang, Sangwook Nam, Byung-Sung Kim</i>	
<b>A Q-Band (40--45 GHz) 16-Element Phased-Array Transmitter in 0.18-(<math>\mu</math>)m SiGe BiCMOS Technology .....</b>	<b>199</b>
<i>Kwang-Jin Koh, Jason W. May, Gabriel M. Rebeiz</i>	
<b>A 1.2V, 140GHz Receiver with On-Die Antenna in 65nm CMOS.....</b>	<b>203</b>
<i>S.T. Nicolson, A. Tomkins, K.W. Tang, Andreia Cathelin, Didier Belot, Sorin P. Voinigescu</i>	
<b>A 77GHz 4-Channel Automotive Radar Transceiver in SiGe .....</b>	<b>207</b>
<i>H.P. Forstner, H. Knapp, H. Jager, E. Kolmhofer, J. Platz, F. Starzer, M. Tremel, A. Schinko, G. Birschkus, J. Bock, K. Aufinger, R. Lachner, T. Meister, H. Schafer, D. Lukashevich, S. Boguth, A. Fischer, F. Reiningger, L. Maurer, J. Minichshofer, D. Steinb</i>	
<b>A 91 GHz Receiver Front-End in Silicon-Germanium Technology .....</b>	<b>211</b>
<i>Jihwan Kim, Javier Alvarado Jr., Kevin T. Kornegay</i>	
<b>A W-Band SiGe 1.5V LNA for Imaging Applications .....</b>	<b>215</b>
<i>Jason W. May, Gabriel M. Rebeiz</i>	
<b>The New CMC Standard Compact MOS Model PSP: Advantages for RF Applications .....</b>	<b>219</b>
<i>A.J. Scholten, G.D.J. Smit, B.A. De Vries, L.F. Tiemeijer, J.A. Croon, D.B.M. Klaassen, R. van Langevelde, X. Li, W. Wu, G. Gildenblat</i>	

# Table of Contents

<b>Experimental Characterization and Simulation of RF Intermodulation Linearity in a 90 nm RF CMOS Technology .....</b>	<b>223</b>
<i>Xiaoyun Wei, Guofu Niu, Ying Li, Ming-Ta Yang, Stewart S. Taylor</i>	
<b>Statistical Variations in VCO Phase Noise Due to Upconverted MOSFET 1/f Noise.....</b>	<b>227</b>
<i>M. Erturk, T. Xia, R.L. Wolf, D.P. Scagnelli, W.F. Clark</i>	
<b>Novel Pseudo-Drain (PD) RF Power Cell in 0.13 (mu)m CMOS Technology .....</b>	<b>231</b>
<i>Sheng-Yi Huang, Cheng-Chou Hung, Victor Liang, Wen-Shiang Liao, Tzung-Lin Li, Jeng-Hung Li, Chih-Yuh Tzeng, Guo-Wei Huang, Kun-Ming Chen</i>	
<b>Characterization and Modeling of Asymmetric LDD MOSFET for 65nm CMOS RF Power Amplifier Design.....</b>	<b>235</b>
<i>Kai-Ye Huang, Po-Chih Wang, Meng-Chi Hung, Yuh-Sheng Jean, Ta-Hsun Yeh, Ying-Hsi Lin</i>	
<b>A 5.8GHz Low-IF Multi-Data Rate GFSK Transceiver with Clock Recovery and Integrated 21dBm Power Amplifier.....</b>	<b>239</b>
<i>C. Quek, S. Farahvash, W. Roberts, M. Romney, D. Walker, C. Otten, R. Wei, D. Schwan, M. Mostafa, D. Haab, J. Liu, H. Liem, R. Koupal</i>	
<b>An Ultra Low Power 130nm CMOS Direct Conversion Transceiver for IEEE802.15.4.....</b>	<b>243</b>
<i>C. Bernier, F. Hameau, G. Billiot, E. de Foucauld, S. Robinet, J. Durupt, F. Dehmas, E. Mercier, P. Vincent, L. Ouvry, D. Lattard, M. Gary, C. Bour, J. Prouvee, S. Dumas</i>	
<b>A Compact and Power Efficient Local Oscillator Generation and Distribution System for Complex Multi Radio Systems .....</b>	<b>247</b>
<i>Rozi Roufoogaran, Tom Qiang Li, Adedayo Ojo, Shelley Cheng, C. Paul Lee, Sajeevan Mahadeva, Prashant Shetter, Arya Behzad</i>	
<b>A 900-MHz RFID System with TAG-Antenna Magnetically-Coupled to the Die.....</b>	<b>251</b>
<i>Alessandro Finocchiaro, Giuseppe Ferla, Giovanni Girlando, Francesco Carrara, Giuseppe Palmisano</i>	
<b>A 2mW 400MHz RF Transceiver SoC in 0.18(mu)m CMOS Technology for Wireless Medical Applications.....</b>	<b>255</b>
<i>M.R. Nezhad-Ahmadi, G. Weale, A. El-Agha, D. Griesdorf, G. Tumbush, A. Hollinger, M. Matthey, H. Meiners, S. Asgaran</i>	
<b>Analysis and Modeling of Noise Folding and Spurious Emission in Wideband Fractional-N Synthesizers.....</b>	<b>259</b>
<i>Waleed Khalil, Hiva Hedayati, Bertan Bakkaloglu, Sayfe Kiaei</i>	
<b>A 40GHz Fractional-N Frequency Synthesizer in 0.13(mu)m CMOS .....</b>	<b>263</b>
<i>Chao-Ching Hung, Ding-Shiuan Shen, Shen-Iuan Liu</i>	
<b>A 0.13-(mu)m CMOS (Sigma)-(Delta) Frequency Synthesizer with an Area Optimizing LPF, Fast AFC Time, and a Wideband VCO for WCDMA/GSM/GPRS/EDGE Applications.....</b>	<b>267</b>
<i>Kun-Seok Lee, Hwayeal Yu, Hyung Ki Ahn, Hyoung-Seok Oh, Seonghan Ryu, Dongjin Keum, Byeong-Ha Park</i>	
<b>A Fully Integrated 1.175-to-2GHz Frequency Synthesizer with Constant Bandwidth for DVB-T Applications.....</b>	<b>271</b>
<i>Lei Lu, Lu Yuan, Hao Min, Zhangwen Tang</i>	
<b>A Digitally Calibrated 64.3--66.2GHz Phase-Locked Loop .....</b>	<b>275</b>
<i>Kun-Hung Tsai, Jia-Hao Wu, Shen-Iuan Liu</i>	
<b>An Ultra-Low Insertion Loss T/R Switch Fully Integrated with 802.11b/g/n Transceiver in 90nm CMOS .....</b>	<b>279</b>
<i>A.A. Kidwai, Chang-Tsung Fu, R. Sadhwani, Chi D. Chu, J.C. Jensen, Stewart S. Taylor</i>	
<b>A 5-GHz, 30-dBm, 0.9-dB Insertion Loss Single-Pole Double-Throw T/R Switch in 90nm CMOS.....</b>	<b>283</b>
<i>Chang-Tsung Fu, Stewart S. Taylor, Chien-Nan Kuo</i>	
<b>5--6 GHz SPDT Switchable Balun Using CMOS Transistors.....</b>	<b>287</b>
<i>Byung-Wook Min, Gabriel M. Rebeiz</i>	

# Table of Contents

<b>A Stage-Bypass SOI-CMOS Switch for Multi-Mode Multi-Band Applications .....</b>	<b>291</b>
<i>Antonino Scuderi, Calogero D. Presti, Francesco Carrara, Bruno Rauber, Giuseppe Palmisano</i>	
<b>High Power GaN-HEMT Microwave Switches for X-Band and Wideband Applications .....</b>	<b>295</b>
<i>A. Bettidi, A. Cetronio, M. De Dominicis, G. Giolo, C. Lanzieri, A. Manna, M. Peroni, C. Proietti, P. Romanini</i>	
<b>A CMOS Code-Modulated Path-Sharing Multi-Antenna Receiver Front-End for Spatial Multiplexing, Spatial Diversity and Beamforming .....</b>	<b>299</b>
<i>Fred Tzeng, Amin Jahanian, Deyi Pi, Payam Heydari</i>	
<b>A High Performance 2-GHz Direct-Conversion Front End with Single-Ended RF Input in 0.13(<math>\mu</math>m) CMOS .....</b>	<b>303</b>
<i>Yiping Feng, Gaku Takemura, Shunji Kawaguchi, Peter Kinget</i>	
<b>A 6-to-18 GHz Tunable Concurrent Dual-Band Receiver Front End for Scalable Phased Arrays in 130nm CMOS .....</b>	<b>307</b>
<i>Yu-Jiu Wang, Sanggeun Jeon, Aydin Babakhani, Ali Hajimiri</i>	
<b>A Rapid Interference Detector for Ultra Wideband Radio Systems in 0.13(<math>\mu</math>m) CMOS .....</b>	<b>311</b>
<i>Tien-Ling Hsieh, Peter Kinget, Ranjit Gharpurey</i>	
<b>Integrated Time Division Multiplexing Front-End Circuit for Multi-Antenna RF Receivers.....</b>	<b>315</b>
<i>Gautham Krishnamurthy, Kevin G. Gard</i>	
<b>mm-Wave Silicon ICs: An Opportunity for Holistic Design.....</b>	<b>319</b>
<i>Ali Hajimiri</i>	
<b>A 24 GHz 4-Channel Phased-Array Receiver in 0.13 (<math>\mu</math>m) CMOS.....</b>	<b>323</b>
<i>Tiku Yu, Gabriel M. Rebeiz</i>	
<b>A 24-GHz Full-360<sup>^</sup>(circ) CMOS Reflection-Type Phase Shifter MMIC with Low Loss-Variation.....</b>	<b>327</b>
<i>Jen-Chieh Wu, Chia-Chan Chang, Sheng-Fuh Chang, Ting-Yueh Chin</i>	
<b>A High-Linearity, LC-Tuned, 24-GHz T/R Switch in 90-nm CMOS.....</b>	<b>331</b>
<i>Piljae Park, Dong Hun Shin, John J. Pekarik, Mark Rodwell, C. Patrick Yue</i>	
<b>A 25 GHz 3.3 dB NF Low Noise Amplifier Based Upon Slow Wave Transmission Lines and the 0.18 (<math>\mu</math>m) CMOS Technology .....</b>	<b>335</b>
<i>A. Sayag, S. Levin, D. Regev, D. Zfira, S. Shapira, D. Goren, Dan Ritter</i>	
<b>A Self-Calibrated LC Quadrature VCO in a Current-Limited Region.....</b>	<b>339</b>
<i>Sangjin Byun, Kwan-Woo Kim, Dong-Ho Lee, Joy Laskar, Cheon Soo Kim</i>	
<b>VCO Gain Calibration Technique for GSM/EDGE Polar Modulated Transmitter.....</b>	<b>343</b>
<i>Hyung Ki Ahn, Kun-Seok Lee, Hwayeal Yu, Hyoung-Seok Oh, Dongjin Keum, Byeong-Ha Park</i>	
<b>A Low-Noise VCO with a Constant K<sub>v</sub> VCO for GSM/GPRS/EDGE Applications .....</b>	<b>347</b>
<i>T.Y. Lin, T.Y. Yu, Ling-Wei Ke, Guang-Kaai Dehng</i>	
<b>A Transfer-Curve-Folded DCO in 0.13(<math>\mu</math>m) CMOS.....</b>	<b>351</b>
<i>Jing-Hong Conan Zhan, Hsiang-Hui Chang, Ping-Ying Wang</i>	
<b>A Ring VCO with Wide and Linear Tuning Characteristics for a Cognitive Radio System .....</b>	<b>355</b>
<i>Jaehyouk Choi, Kyutae Lim, Joy Laskar</i>	
<b>A 50MHz Bandwidth Multi-Mode PA Supply Modulator for GSM, EDGE and UMTS Application .....</b>	<b>359</b>
<i>P.G. Blanken, R. Karadi, H.J. Bergveld</i>	
<b>An Envelope Tracking Power Amplifier Using an Adaptive Biased Envelope Amplifier for WCDMA Handsets .....</b>	<b>363</b>
<i>Kiyohiko Takahashi, Shingo Yamanouchi, Tomohisa Hirayama, Kazuaki Kunihiro</i>	
<b>A 3x3mm<sup>^</sup>2 Embedded-Wafer-Level Packaged WCDMA GaAs HBT Power Amplifier Module with Integrated Si DC Power Management IC.....</b>	<b>367</b>
<i>Gary Hau, Shih Hsu, Yutaka Aoki, Takeshi Wakabayashi, Naoki Furuhashi, Yukinobu Mikado</i>	

# Table of Contents

<b>Integration of a Cellular Handset Power Amplifier and a DC/DC Converter in a Silicon-on-Insulator (SOI) Technology .....</b>	<b>371</b>
<i>Ali Tombak, Robert J. Baeten, Jon D. Jorgenson, David C. Dening</i>	
<b>Supply Modulators for RF Polar Transmitters.....</b>	<b>375</b>
<i>Jennifer Kitchen, Connie Chu, Sayfe Kiaei, Bertan Bakkaloglu</i>	
<b>A Low Noise Programmable Clock Multiplier Based on a Pulse Injection-Locked Oscillator with a Highly-Digital Tuning Loop .....</b>	<b>379</b>
<i>Belal M. Helal, Chun-Ming Hsu, Kerwin Johnson, Michael H. Perrott</i>	
<b>A 1.6-to-3.2/4.8 GHz Dual-Modulus Injection-Locked Frequency Multiplier in 0.18(<math>\mu</math>)m Digital CMOS .....</b>	<b>383</b>
<i>Lin Zhang, David Karasiewicz, Berkehan Cifctioglu, Hui Wu</i>	
<b>Sub-mW Multi-GHz CMOS Dual-Modulus Prescalers Based on Programmable Injection-Locked Frequency Dividers.....</b>	<b>387</b>
<i>Xiaopeng Yu, Jianjun Zhou, Xiaolang Yan, Wei Meng Lim, Manh Anh Do, Kiat Seng Yeo</i>	
<b>A 50-to-62GHz Wide-Locking-Range CMOS Injection-Locked Frequency Divider with Transformer Feedback.....</b>	<b>391</b>
<i>Yu-Hang Wong, Wei-Heng Lin, Jeng-Han Tsai, Tian-Wei Huang</i>	
<b>Fully Integrated Frequency and Phase Generation for a 6–18GHz Tunable Multi-Band Phased-Array Receiver in CMOS .....</b>	<b>395</b>
<i>Florian Bohn, Hua Wang, Arun S. Natarajan, Sanggeun Jeon, Ali Hajimiri</i>	
<b>Broadband Variable Passive Delay Elements Based on an Inductance Multiplication Technique.....</b>	<b>399</b>
<i>Ehsan Adabi, Ali M. Niknejad</i>	
<b>Wideband Mixed Lumped-Distributed-Element 90<sup>o</sup> and 180<sup>o</sup> Power Splitters on Silicon Substrate for Millimeter-Wave Applications .....</b>	<b>403</b>
<i>Austin Ying-Kuang Chen, Hsiao-Bin Liang, Yves Baeyens, Young-Kai Chen, Jenshan Lin, Yo-Sheng Lin</i>	
<b>A Compact 5GHz Q-Enhanced Standing-Wave Resonator-Based Filter in 0.13(<math>\mu</math>)m CMOS .....</b>	<b>407</b>
<i>Dan Shi, Michael P. Flynn</i>	
<b>3D Group-Cross Symmetrical Inductor: A New Inductor Architecture with Higher Self-Resonance Frequency and Q Factor Dedicated to Advanced HR SOI CMOS Technology .....</b>	<b>411</b>
<i>F. Gianesello, D. Gloria, Christine Raynaud, P. Touret, Bruno Rauber</i>	
<b>A Derived Physically Expressive Circuit Model for Integrated Passives in RFIC.....</b>	<b>415</b>
<i>Kai Yang, Hai Hu, Ke-Li Wu, Wen-Yan Yin</i>	
<b>ESD-RFIC Co-Design Methodology .....</b>	<b>419</b>
<i>Xiaokang Guan, Xin Wang, Lin Lin, Guang Chen, Albert Wang, Hainan Liu, Yumei Zhou, Hongyi Chen, Lee Yang, Bin Zhao</i>	
<b>Electromagnetic and Thermal Co-Analysis for Distributed Co-Design and Co-Simulation of Chip, Package and Board .....</b>	<b>423</b>
<i>Sidina Wane, An-Yu Kuo</i>	
<b>Study of the Different Coupling Mechanisms Between a 4 GHz PPA and a 5–7 GHz LC-VCO.....</b>	<b>427</b>
<i>S. Bronckers, G. Vandersteen, L. De Locht, G. Van der Plas, Y. Rolain</i>	
<b>A Simple and Complete Circuit Model for the Coupling Between Symmetrical Spiral Inductors in Silicon RF-ICs.....</b>	<b>431</b>
<i>F. Vecchi, M. Repposi, A. Mazzanti, P. Arcioni, Francesco Svelto</i>	
<b>Isolation Enhancement in Integrated Circuits Using Dummy Metal Fill .....</b>	<b>435</b>
<i>Steven G. Gaskill, Vikas S. Shilimkar, Andreas Weisshaar</i>	
<b>A 90-nm CMOS Two-Stage Low-Noise Amplifier for 3–5-GHz Ultra-Wideband Radio.....</b>	<b>439</b>
<i>Giuseppina Sapone, Giuseppe Palmisano</i>	

# Table of Contents

<b>A 1.0 V, 2.5 mW, Transformer Noise-Canceling UWB CMOS LNA</b> .....	443
<i>Takao Kihara, Toshimasa Matsuoka, Kenji Taniguchi</i>	
<b>A 90-nm CMOS LNA for MB-OFDM UWB in QFN Package</b> .....	447
<i>King Wah Wong, Annamalai Arasu M., Wei Khuen Chan</i>	
<b>A 2.5-dB NF 3.1–10.6-GHz CMOS UWB LNA with Small Group-Delay-Variation</b> .....	451
<i>Jen-How Lee, Chi-Chen Chen, Hong-Yu Yang, Yo-Sheng Lin</i>	
<b>A RF CMOS Amplifier with Optimized Gain, Noise, Linearity and Return Losses for UWB Applications</b> .....	455
<i>Giang D. Nguyen, Kurt Cimino, Milton Feng</i>	
<b>A 27dBm, SiGe-BiCMOS Transmitter with 62% PAE and Operation Class Control for Large-Bandwidth Polar Modulation and Pulse-Width Modulated Signals</b> .....	459
<i>Mihai A.T. Sanduleanu, Ram P. Aditham</i>	
<b>A Fully Integrated 2x2 Power Amplifier for Dual Band MIMO 802.11n WLAN Application Using SiGe HBT Technology</b> .....	463
<i>Hsin-Hsing Liao, Hao Jiang, Payman Shanjani, Arya Behzad</i>	
<b>A Decade Bandwidth, Low Voltage, Medium Power Class B Push-Pull Si/SiGe HBT Power Amplifier Employing Through-Wafer Vias</b> .....	467
<i>Tyson S. Wooten, Lawrence E. Larson</i>	
<b>A X-Band CMOS Power Amplifier with On-Chip Transmission Line Transformers</b> .....	471
<i>Bon-Hyun Ku, Sang-Hyun Baek, Songcheol Hong</i>	
<b>A Broadband Low Cost GaN-on-Silicon MMIC Amplifier</b> .....	475
<i>Bernard Geller, Allen Hanson, Apurva Chaudhari, Andrew Edwards, Isik C. Kizilyalli</i>	
<b>A Temperature-Compensated Low-Noise Digitally-Controlled Crystal Oscillator for Multi-Standard Applications</b> .....	479
<i>Ming-Da Tsai, Chih-Wei Yeh, Yi-Hsien Cho, Ling-Wei Ke, Pei-Wei Chen, Guang-Kaai Dehng</i>	
<b>A BiCMOS Voltage Controlled Oscillator and Frequency Doubler for K-Band Applications</b> .....	483
<i>Tino Copani, Bertan Bakkaloglu, Sayfe Kiaei</i>	
<b>A Novel Compact Complementary Colpitts Differential CMOS VCO with Low Phase-Noise Performance</b> .....	487
<i>Chien-Cheng Wei, Hsien-Chin Chiu, Yi-Tzu Yang</i>	
<b>A Low-Voltage High-Frequency CMOS LC-VCO Using a Transformer Feedback</b> .....	491
<i>Chih-Hsiang Chang, Ching-Yuan Yang</i>	
<b>Current Reuse Cross-Coupling CMOS VCO Using the Center-Tapped Transformer in LC Tank for Digitally Controlled Oscillator</b> .....	495
<i>Youngjae Lee, Seokbong Hyun, Cheon Soo Kim</i>	
<b>Effect of Technology Scaling on RF Performance of the Transistors Fabricated by Standard CMOS Technology</b> .....	499
<i>Han-Su Kim, Chulho Chung, Joohyun Jeong, Seung-Jae Jung, Jinsung Lim, JinHyouon Joe, Jaehoon Park, HyunWoo Lee, Gwangdoo Jo, Kangwook Park, Jedon Kim, Hansu Oh, Jong Shik Yoon</i>	
<b>Process Dependence of 0.11 (<math>\mu</math>)m RF CMOS on High-Resistivity Substrate for System on Chip (SOC) Application</b> .....	503
<i>T. Ohguro, K. Kojima, N. Momo, H.S. Momose, Y. Toyoshima</i>	
<b>Improved RF-Performance of Sub-Micron CMOS Transistors by Asymmetrically Fingered Device Layout</b> .....	507
<i>Christopher Weyers, Daniel Kehrer, Johannes Kunze, Pierre Mayr, Domagoj Siprak, Marc Tiebout, Josef Hausner, Ulrich Langmann</i>	
<b>Effects of Forward Body Biasing on the High Frequency Noise in Deep Submicron NMOSFETs</b> .....	511
<i>Hao Su, Hong Wang, Tao Xu, Rong Zeng</i>	

# Table of Contents

<b>On-Chip Calibration of RF Detectors by DC Stimuli and Artificial Neural Networks.....</b>	<b>515</b>
<i>Rashad Ramzan, Jerzy Dabrowski</i>	
<b>An RFIC Within a Direct Open-Loop Polar Multimode Transmitter for UMTS/EDGE/GSM.....</b>	<b>519</b>
<i>Saleh Osman, Wayne Lee, Earl McCune, Shunsuke Hirano, Masakatsu Maeda, Kaoru Ishida</i>	
<b>A GSM/EDGE Transmitter in 0.13-(<math>\mu</math>)m CMOS Using Offset Phase Locked Loop and Direct Conversion Architecture.....</b>	<b>523</b>
<i>S.F. Chen, Y.B. Lee, Bosen Tzeng, C.C. Tang, Charles Chiu, Rickey Yu, Ovid Lin, Ling-Wei Ke, C.P. Wu, Chih-Wei Yeh, P.Y. Chen, Guang-Kaai Dehng</i>	
<b>A Low Spurious 400M-6GHz SiGe-MMIC Direct Conversion Transceiver Using 2f<sub>LO</sub> LO Switching Configuration for Cognitive Radio.....</b>	<b>527</b>
<i>Koji Tsutsumi, Fumiki Onoma, Jun Koide, Mikio Uesugi, Noriharu Suematsu, Hiroshi Harada</i>	
<b>A Direct Conversion 4.9GHz to 5.925GHz OFDM Receiver with Matched Non-Integer Quadrature LO .....</b>	<b>531</b>
<i>Nitin Madan, Amit Burstein, Joshua Park, Kerry Phillips, Jeffrey Feigin</i>	
<b>A 12-mW 500-Mb/s 1.8-(<math>\mu</math>)m CMOS Pulsed UWB Transceiver Suitable for Sub-Meter Short-Range Wireless Communication .....</b>	<b>535</b>
<i>Mamoru Sasaki</i>	
<b>UWB Antenna Diplexer with Mode Conversion Using High Quality Passive and Active Technology .....</b>	<b>539</b>
<i>M. Gamal El Din, Koen Mertens, Bernd Geck, H. Eul</i>	
<b>A 0.13(<math>\mu</math>)m CMOS 4-Channel UWB Timed Array Transmitter Chipset with Sub-200ps Switches and All-Digital Timing Circuitry .....</b>	<b>543</b>
<i>Zahra Safarian, Ta-Shun Chu, Hossein Hashemi</i>	
<b>A Tunable Bandpass BAW-Filter Architecture Using Negative Capacitance Circuitry.....</b>	<b>547</b>
<i>C. Tilhac, S. Razafimandimby, Andreia Cathelin, S. Bila, V. Madrangeas, Didier Belot</i>	
<b>A 71--76 GHz CMOS Variable Gain Amplifier Using Current Steering Technique.....</b>	<b>551</b>
<i>Che-Chung Kuo, Zuo-Min Tsai, Jeng-Han Tsai, Huei Wang</i>	
<b>Design and Analysis of a High-Performance Cascode Bipolar Low Noise Amplifier with Shunt Feedback Capacitor .....</b>	<b>555</b>
<i>Byoungjoong Kang, Sung-Gi Yang, Jinhyuck Yu, Wooseung Choo, Byeong-Ha Park</i>	
<b>A 2.2dB NF, 4.9--6GHz Direct Conversion Multi-Standard RF Receiver Front-End in 90nm CMOS .....</b>	<b>559</b>
<i>Brent R. Carlton, Jon S. Duster, Stewart S. Taylor, Jing-Hong Conan Zhan</i>	
<b>A 1.2-V Low LO-Power 3--5 GHz Broadband CMOS Folded-Switching Mixer for UWB Receiver.....</b>	<b>563</b>
<i>H.-Y. Wang, K.-F. Wei, J.-S. Lin, H.-R. Chuang</i>	
<b>Scalable Statistical Measurement and Estimation of a mmWave CML Static Divider Sensitivity in 65nm SOI CMOS .....</b>	<b>567</b>
<i>Daeik D. Kim, Choongyeun Cho, Jonghae Kim</i>	
<b>An On-Chip Dipole Antenna for Millimeter-Wave Transmitters.....</b>	<b>571</b>
<i>Paul H. Park, S. Simon Wong</i>	
<b>A 24-GHz CMOS Butler Matrix MMIC for Multi-Beam Smart Antenna Systems .....</b>	<b>575</b>
<i>Ting-Yueh Chin, Sheng-Fuh Chang, Chia-Chan Chang, Jen-Chieh Wu</i>	
<b>170-GHz Transceiver with On-Chip Antennas in SiGe Technology .....</b>	<b>579</b>
<i>E. Laskin, K.W. Tang, K.H.K. Yau, P. Chevalier, A. Chantre, B. Sautreuil, Sorin P. Voinigescu</i>	
<b>60 GHz Transmitter Circuits in 65nm CMOS .....</b>	<b>583</b>
<i>Alberto Valdes-Garcia, Scott Reynolds, Jean-Oliver Plouchart</i>	
<b>A 40 GHz, Broadband, Highly Linear Amplifier, Employing T-Coil Bandwidth Extension Technique.....</b>	<b>587</b>
<i>Hammad M. Cheema, Reza Mahmoudi, Mihai A.T. Sanduleanu, Arthur van Roermund</i>	

# Table of Contents

<b>A 44.5 GHz Differentially Tuned VCO in 65nm Bulk CMOS with 8% Tuning Range .....</b>	<b>591</b>
<i>Hammad M. Cheema, Reza Mahmoudi, Mihai A.T. Sanduleanu, Arthur van Roermund</i>	
<b>Colpitts VCOs for Low-Phase Noise and Low-Power Applications with Transformer-Coupled Tank.....</b>	<b>595</b>
<i>E. van der Heijden, A. Farrugia, R. Breunisse, C.S. Vaucher, R. Pijper</i>	
<b>An 11.5% Frequency Tuning, -184 dBc/Hz Noise FOM 54 GHz VCO.....</b>	<b>599</b>
<i>S. Bozzola, D. Guermandi, A. Mazzanti, Francesco Svelto</i>	
<b>Frequency Dividers with Enhanced Locking Range.....</b>	<b>603</b>
<i>Kun-Hung Tsai, Jia-Hao Wu, Shen-Iuan Liu</i>	
<b>A 3 (<math>\mu</math>)W, 400 MHz Divide-by-5 Injection-Locked Frequency Divider with 56% Lock Range in 90nm CMOS .....</b>	<b>607</b>
<i>Julie R. Hu, Brian P. Otis</i>	
<b>A 5GHz CMOS PLL with Low <math>K_{VCO}</math> and Extended Fine-Tuning Range .....</b>	<b>611</b>
<i>Stephen P. Bruss, Richard R. Spencer</i>	
<b>A 0.13 (<math>\mu</math>)m CMOS 90 dB Variable Gain Pre-Power Amplifier Using Robust Linear-in-dB Attenuator.....</b>	<b>615</b>
<i>Yuta Araki, Toru Hashimoto, Shoji Otaka</i>	
<b>A 600MHz CMOS OFDM LINC Transmitter with a 7 Bit Digital Phase Modulator .....</b>	<b>619</b>
<i>Kwan-Woo Kim, Sangjin Byun, Kyutae Lim, Chang-Ho Lee, Joy Laskar</i>	
<b>A Low Insertion Loss, High Linearity, T/R Switch in 65 nm Bulk CMOS for WLAN 802.11g Applications.....</b>	<b>623</b>
<i>Yiping Han, Keith Carter, Lawrence E. Larson, Arya Behzad</i>	
<b>A New Highly-Scalable Equivalent Circuit Model for On-Chip Symmetrical Transformer with Accurate Substrate Modeling.....</b>	<b>627</b>
<i>Chuan Wang, Huailin Liao, Chen Li, Yongzhong Xiong, Ru Huang</i>	
<b>Nonlinear Behavioral Modeling of Oscillators in VHDL-AMS Using Artificial Neural Networks.....</b>	<b>631</b>
<i>M. Kraemer, D. Dragomirescu, R. Plana</i>	