

Society for Information Display

10th Asian Symposium on Information Display 2007

August 2-3, 2007
Singapore

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

ISBN: 978-1-60560-389-6

Some format issues inherent in the e-media version may also appear in this print version.

Copyright (2007) by the Society for Information Display
All rights reserved.

For permission requests, please contact the Society for Information Display
at the address below.

Society for Information Display
1475 S. Bascom Avenue
Suite 114
Campbell, California 95008-4006

Society for Information Display
10th Asian Symposium on Information Display
2007

TABLE OF CONTENTS

Keynote Address - Day 1: Interfaces of Organic Semiconductors -- A Revisit on Some Commonly Accepted Concepts	1
<i>S.T. Lee</i>	
Keynote Address - Day 1: Liquid Crystal Photoalignment	2
<i>V.G. Chigrinov, H.S. Kwok, H. Hasebe, H. Takatsu, H. Takada</i>	
Multi-Frequency Phosphor Activating Schemes for High Performance Driving Carbon Nanotube Field Emission Backlight Units	3
<i>C.C.n Liang, C.N. Huang, S.Y. Chung, C.M. Lai, C.T. Pan</i>	
Development and Application of Flat Fluorescent Lamps for Backlight Modules	8
<i>H.S. Koo, S.C. Wang, K.K. Chen</i>	
PLF & OLED Planar Lighting Technology	10
<i>W.Y. Kim</i>	
High Color Reproduction LCD Backlight from Three-Band White Light-Emitting Diode	13
<i>K.I. Ku, K. Chung, M.S. Choi, B. Oh</i>	
Color Sequential LED Backlight Design for 32-inch OCB LCD-TV	20
<i>C.N. Mo</i>	
Composite Micro-lens Diffuser for Direct-type LED Backlight	24
<i>C.C. Chao, Y.T. Tseng, C.H. Lin, M.C. Lai, P.L. Shiao</i>	
Q- Tensor and Vector Approaches for 3D-FEM Numerical Simulation	27
<i>S.Y. Cho, S.S. Yang, H.J. Yoon, T.Y. Won</i>	
Effect of the ITO Electrode Width in a New Electrode Structure PDP	31
<i>K.N. Kim, S.H. Yang, K.J. Lee, C.H. Moon</i>	
Magnesium Oxide Protective Layer Deposited with Ion-Beam-Assisted Deposition in ac Plasma Display Panel	36
<i>Z.H. Li, E.S. Cho, S.J. Hong, S.J. Kwon</i>	
The Ultimate Picture Quality of PDPs and its Leading Technologies	42
<i>S. Mikoshiba</i>	
A Simple Method for Color Breakup Measurement	46
<i>I.C. Hsieh, Y.H. Tsai, S.L. Cheng, C.Y. Kung</i>	
A Field Sequential Color LCoS Microdisplay	51
<i>Y. Wang, X.W. Sun</i>	
Pocket-Sized DLP Projector Module Design with High Power LED Illumination	57
<i>Y.C. Fang, T. Yih-Fong, S.X. Li, C.C. Chen</i>	
Human Vision Model for Color Break-Up(CBU) and A CBU-less 5.6” Field Sequential Color Display	71
<i>Y.P. Huang, S.P. Yan, Y.T. Hsu, Y.K. Cheng, C.H. Chen, F.C. Lin, H.P.D. Shieh</i>	
Laser-based Multi-user 3D Display	75
<i>P. Surman, I. Sexton, K. Hopf, W.K. Lee, E. Buckley, G. Jones, R. Bates</i>	

Electroluminescence Gray Scale Display Driving Method and Circuit	83
<i>H. Kang, R. li, X. Yang, T. Xiao</i>	
The Two Domain ECB Type TFT LCD with Wide Viewing Angle and Color Shift Improvement	89
<i>A. Chao, L.L. Huang, Y.W. Hung, H.F. Cheng, W. Yeh, C.H. Yu, H.H. Wu</i>	
Novel Single Cell Gap Hybrid Aligned Nematic Transflective LCD	93
<i>H.Y. Mak, P. Xu, V.G. Chigrinov, H.S. Kwok</i>	
A Novel Method for Fabricating Multi-Color Single Layer Cholesteric Liquid Crystal Display	97
<i>J.C. Yang, Y.C. Liao, J.W. Shiu, K.L. Lo, S.H. Liu, Y.P. Chang, H.H. Lee, Y.S. Tsai</i>	
Reduced DC Offset and Faster Dynamic Response in Carbon-Nanotube-Impregnated Liquid-Crystal Display	103
<i>W. Lee, H.Y. Chen, Y.C. Shih</i>	
Measurement of Phase Shift of LC Retarder using Michelson Interferometer with Linear Photodiode Array Detector	110
<i>Q. Wang, X.W. Sun</i>	
Various Surfaces of Polymers for Liquid Crystal Alignment	114
<i>M. Oh-e, H. Yokoyama</i>	
Uncertainty Evaluation for Filled Cell Gap of Liquid Crystal Cells based on Raynes' Formula	119
<i>H.H. Hsu, Y.C. Chen, Y.P. Lan</i>	
Optimization of Switching Waveforms for Bistable Chiral Tilted-homeotropic Nematic Liquid Crystal Devices	124
<i>J.S. Hsu, W.C. Hsu, B.J. Liang</i>	
Common Voltage Control Technology Using a New Vcom Generation Circuit	128
<i>S.W. Lee, J.W. Choi</i>	
Overdrive LUT Optimization for LCD by Motion Picture Response Time Measurement	132
<i>M.L. Chao, H.X. Zhao</i>	
Controllable Viewing Angle Technology Via Separated Sub-pixel Electrode	140
<i>W.J. Shin, T. Won</i>	
Multilayer Approach for Efficient Multicolor Organic Light-emitting Diodes	146
<i>Y. Divayana, X.W. Sun, B.J. Chen</i>	
Formation of Integrated Shadow Mask Using Patternable Sol-gel for Passive Matrix OLED Displays	148
<i>D. Lukito, Z. Huang, X. Zeng</i>	
The Solid State Cathodoluminescence in Organic Materials	152
<i>Z. Xu, S. Zhao, F. Zhang, J. Huang, Q. Dong, X. Xu</i>	
OLED Materials: A Holistic View Highly Stable Electron Transporters, Electron Injectors and Hole Injectors for the Enhancement of Lifetime, Efficiency and Reduction in Operating Voltage	157
<i>P. Kathirgamanathan, V. Arkley, S. Surendrakumar, G. Paramaswara, J. Antipan-Lara, S. Ravichandran, S. Ganeshmurugan, M. Kumaraverl, Y. F. Chan</i>	
Solution Processable Hybrid Materials for Application in OLEDs	168
<i>S. Sudhakar, M.Y. Lo, C. Zhen, A. Sellinger</i>	
Oligofluorene Based Light Emitting Materilas for High Efficient Blue OLEDs	171
<i>C.G. Zhen, J.H. Yao, R. Shin, K.H. Ong, S.Y. Chang, Z.K. Chen</i>	

Combined Action of Electric Field and Light on Nematic Liquid Crystals Oriented by UV-treated Surface	174
<i>S.V. Pasechnik, A.V. Dubtsov, V.A. Tsvetkov, D.V. Shmeliova, V.G. Chigrinov</i>	
Device Degradation Mechanism Driving at Different Scheme	177
<i>L. Ke, Y. Song, S.J. Chua</i>	
Fabrication and Characterisation of Organic Thin Film Transistors with Poly (Methyl Methacrylate) as Gate Dielectric	185
<i>A.K. Chouksey, S.S.K. Iyer</i>	
The Influence of K Dopant on Physical and Electrical Property of MgO Protective Layer of ac-PDP	189
<i>S.H. Ryu, S.E. Lee, S.I. Ahn, S.J. Hong, S.S. Kwon, H. Uchiike</i>	
Organic Thin-Film Transistors with Solution-processed Pentacene and Spun on Dielectric	193
<i>J.H. Kwon, J.H. Seo, S.I. Shin, D.H. Choi, Y.H. Lee, B.K. Ju</i>	
Direct Growth of Ga-doped ZnO Thin Films on Plastic Substrate	198
<i>A. Miyake, T. Yamada, H. Makino, S. Kishimoto, N. Yamamoto, T. Yamamoto</i>	
White Polymer Light Emitting Diode (WPLED) with a Single-Layer Structure	202
<i>B.W. Shin, S.Y. Lee, D.E. Kim, W.J. Cho, S.W. Kang, E.W. Lee, H.R. Lee</i>	
Ultra-violet Irradiation Effect on the Electrical Properties of Triisopropylsilyl Pentacene Organic Thin-Film Transistors	206
<i>Y.H. Kim, Y.U. Lee, S.G. Park, W. Lee, S.M. Han, J.I. Han, M.K. Han</i>	
Improvement of Bistability in Bistable Chiral Splay Nematic Liquid Crystal Display with Dual Cell Gap	211
<i>S.H. Park, S.K. Kim, Y.J. Kim, J.S. Seok, K.S. Min, C.G. Jhun, J.C. Kim, S.B. Kwon</i>	
A Novel Optical Configuration for Reflective Liquid Crystal Display	215
<i>K.M. Kim, G.D. Lee</i>	
Characteristic of the Polymer LED Fabricated on the PET and PES Substrate	220
<i>S.H. Kim, W.J. Cho, B.H. Kang, D.E. Kim, B.W. Shin, H.R. Lee, D.H. Kwon, S.W. Kang</i>	
Relation Between Turn-on Voltage and LiF Buffer Layer for Polymer LED Fabricated on PET Substrate	222
<i>W.J. Cho, S.H. Kim, B.H. Kang, D.E. Kim, S.Y. Lee, H.R. Lee, D.H. Kwon, S.W. Kang</i>	
Study on Characteristics of Plasma Flat Backlights with High Xe and High Gas Pressure	224
<i>Z. Ji, Q. Li, X.Q. Chu</i>	
A Biased Push-Pull Analog Buffer for Integrated Data Drivers of Active Matrix Displays	228
<i>H.J. Chung, S.W. Lee</i>	
Silver Nanoparticles Based Organic Thin Film Transistors	232
<i>J.H. Seo, J.H. Kwon, S.I. Shin, K.S. Suh, B.K. Ju</i>	
A Study of the ITO Electrode Formation of the AC PDP using Laser Direct Patterning	237
<i>K.H. Kim, M.H. Ahn, S.J. Kwon</i>	
Stabilization of a-Si:H Gate Driver	243
<i>N.H. Jeong, S.W. Kim, S.P. Hong, S.K. Kim, J.M. Lee, B.S. Bae</i>	
Large Cell Gap Bistable Twisted Nematic Liquid Crystal Displays (BTN LCDs) with High Contrast Ratio	247
<i>W.S. Than, X.W. Sun, X.J. Yin, K.E. Ting, C.N. Goh</i>	

Organic Thin Film Transistor Rectification Circuit	252
<i>S.K. Kim, S.W. Kim, B.S. Bae</i>	
Electron Beam Micropatterning in Liquid Crystal Cell by Using Nano-Scale Carbon Containing Films	256
<i>S.I. Kucheev, P.M. Litvin, V.N. Tkach, V.G. Chigrinov</i>	
A New Pixel Circuit Employing Data Reflected Negative Bias Annealing and Threshold Voltage Compensation for Stable, Uniform a-Si:H TFT AMOLED	260
<i>S.M. Han, H.S. Shin, Y.H. Kim, H.S. Park, M.K. Han</i>	
Study on Parasitic and Channel Resistance of Poly-Silicon Thin-Film Transistors by Metal-Induced Crystallization	265
<i>S. Saxena, J.H. Cheon, G.P. Kennedy, J.H. Bae, J. Jang</i>	
Influence of Process Parameters on Performance of Poly-Si TFTs	271
<i>G.J. Qi, Z.H. Huang, X.T. Zeng, X.W. Sun</i>	
Synthesis, Optical and Field Electron Emission Properties of Low-dimensional ZnO Nano-structures	277
<i>G. Fang, C. Li, M. Wang, N. Liu, J. Li, X. Zhao</i>	
Fluorinated Diamond Like Carbon as an Electron Field Emission Material	282
<i>S.F. Ahmed, M.K. Mitra, K.K. Chattopadhyay</i>	
Keynote Address - Day 2: Towards Ubiquitous Flexible Electronics	288
<i>B. Ong</i>	
Keynote Address - Day 2: Technical and Market Trends and Forecasts for the LCD TV Industry and Supply Chain	289
<i>B.I. Berkoff</i>	
Preparation of One-dimensional Nanomaterial Cold Cathode for Application in Field Emission Display	290
<i>J. Chen, N.S. Xu, S.Z. Deng, J.C. She</i>	
A Switchable Microlens Array Made of Patterned Polymer-Dispersed Liquid Crystals	291
<i>Y.J. Liu, X.W. Sun</i>	
A Consideration of Color Gamut for Future Image Systems: Television	294
<i>Y. Shimodaira, K. Hosoda</i>	
Zinc Oxide: an Attractive Potential Substitute for ITO, Large Area Coating and Control of Electrical and Optical Properties on Glass and Polymer Substrates	299
<i>T. Yamamoto, T. Yamada, A. Miyake, T. Arimitsu, T. Morizane, S. Kishimoto, H. Makino, N. Yamamoto</i>	
Investigation of Manufacture Methods of Microencapsulated Electrophoretic Display Panel	306
<i>X. Chu, Q. Li, Z. Ji</i>	
Pixel Design with an Advanced Charge Pump Circuit	311
<i>S.C. Chen, H.Y. Chen, H.Y. Lu, C.T. Tsai, J.F. Huang</i>	
Minimization of Flicker and Grayscale Error By Block Simulation with Feedback Loop	315
<i>J.B. Lee, B.G. Cho, T.Y. Won</i>	
Motion Picture Simulation by Luminance and Temporal Measurements for the LCD	321
<i>D.H. Pan, J.F. Huang, Y.H. Hung</i>	

Screen Printed Color Filter	325
<i>Y.J. Choi, T.M. Lee, S.Y. Nam, Y.S. Kim, D.Y. Na, C.W. You, D.Y. Shin, K.Y. Kim, K.I. Jung</i>	
Abominable Impurity-Ion Charge Paralyzed in a Nematic Liquid Crystal Display	329
<i>H.Y. Chen, W. Lee</i>	
Compatibility Among Physics, Mathematical Expressions, and Conventions in the Optics of Liquid Crystals	336
<i>S. Kobayashi</i>	
Theoretical Analysis of Jetting and Ink Filling Processes for TFT LCD Colour Filters.....	339
<i>D.Y. Shin, K.A. Brakke</i>	
Highly Efficient Yellow-emitting Iridium Complexes: Syntheses, Structures, Luminescence, and Electroluminescence.....	344
<i>L. Zhang, B. Li, W. Li</i>	
Ligand Effect on the Luminescence Properties of Europium Complex.....	367
<i>X. Zhang, M. Tay, D. Djeu</i>	
Near-infrared Quantum Cutting Nanophosphors	374
<i>Q.Y. Zhang, G.F. Yang, Z.M. Yang, Z.H. Jiang</i>	
Flexible Multi-Color Polymer-OLED	378
<i>S. Hergert, M. Kiesel, N. Fruehauf</i>	
Fluorescent and Phosphorescent Starburst Oligomers and Their Applications in OLEDs	383
<i>Q. Liu, J. Lu, J. Ding, M. Day</i>	
Molecular Surface Engineering of Hole Injection Layers for Highly Efficient and Stable Organic Light-emitting Diodes.....	388
<i>T.W. Lee, Y. Chung, O. Kwon, J.J. Park, S.K. Kang, S.W. Chang, M.H. Kim</i>	
White Organic Light-Emitting Diodes Based on DCM Doped Zinc Complex.....	396
<i>V.K. Rai, R. Srivastava, K. Saxena, G. Chauhan, P. Kumar, R.K. Bhardwaj, S. Chand, M.N. Kamalasanan</i>	
Application of C60 for Black Cathode in Organic Light Emitting Diode	401
<i>Z.H. Huang, W.M. Su, X.T. Zeng</i>	
High-Efficiency Deep-Blue Organic Light-Emitting Devices Having a Very Thin Hole-Transporting Polymer Layer	405
<i>A. Mikami, T. Koshiyama, T. Saito</i>	
Improved Characteristics of Organic Light-Emitting Diode Using a Pt-ITO Capped Contact Anode.....	411
<i>C.M. Hsu, J.Y. Huang</i>	
Optical Simulation for Top Emission PLEDs with TCO Cathode	415
<i>C.C. Chen, Y.C. Tsai, K.C. Liu, Y.T. Chang, J.H. Lee</i>	
Effect of Deposition Pressure on Electrical Characteristics of P-type SLS TFTs.....	419
<i>C.J. Liu, C.J. Tsai, P.F. Lee, J.J. Huang, G.R. Hu, C.Y. Tseng, S.H. Lu, Y.H. Yeh</i>	
Recovery Characteristics of a-Si:H TFT Depending on Annealing Temperatures.....	423
<i>S.J. Park, S.P. Hong, J.S. Seok, B.S. Bae</i>	
Principal Pilot Line Manufacturing Challenges and Solutions in Direct Fabrication of a-Si:H TFT Arrays on Flexible Substrates.....	424
<i>S.M. O'Rourke, D.E. Loy, C. Moyer, S.K. Ageno, B.P. O'Brien, D. Bottesch, M. Marrs, J. Dailey, E.J. Bawolek, J. Trujillo, J. Kaminski, D.R. Allee, S.M. Venugopal, R. Cordova, N. Colaneri, G.B. Raupp</i>	

In Situ Sputtering Deposition of Transparent ZnO Thin Films at Low Temperature and Its Application in Thin Film Transistors	429
<i>Z. Xiangbin, W. Huijuan, Z. Sheng, Z. Xia</i>	

Effect of Cyclohexane Monolayer on Mobility in Pentacene Organic Thin Film Transistor	436
<i>A. Kumar, V. Budhraja, V.K. Singh, B. Mazhari</i>	

Author Index