

Materials Science & Technology Conference

Materials Science & Technology Conference and Exhibition

MS&T'08

October 5-9, 2008
Pittsburgh, Pennsylvania, USA

Volume 1 of 4

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

ISBN: 978-1-60560-621-7

Some format issues inherent in the e-media version may also appear in this print version.

The Materials Science & Technology 2008 Conference and Exhibition proceedings was produced for MS&T'08 by The Printing House, Inc.

Copyright © 2008 MS&T'08®. All Rights Reserved.

This product contains Adobe Acrobat software. Copying this product's instructions and/or designs for use on future CDRoms or digital products is prohibited without written permission from The Printing House and Adobe Systems Incorporated. The Printing House or its suppliers are not liable for any direct, indirect, special, incidental, or consequential damages to your hardware or other software arising out of the use—or the inability to use—the material on this CD-ROM. This includes, but is not limited to, the loss of data or loss of profit. Adobe, Acrobat and the Acrobat logo are trademarks of Adobe Systems Incorporated or its subsidiaries and may be registered in certain jurisdictions.

TABLE OF CONTENTS

Volume 1

ELECTRONIC AND MAGNETIC MATERIALS

| | |
|---|-----|
| Copper Nickel Silicon Alloys for High Density Processor Sockets | 1 |
| <i>P. Robinson, J. Gerfen</i> | |
| New Generation Copper Alloys and Tin Coatings for Connector Applications | 12 |
| <i>A. Kamf</i> | |
| Development of Innovative Copper Alloys for Electronic Devices | 22 |
| <i>N. Yuki, K. Fukamachi, T. Ono</i> | |
| SUPRALLOY®: A New High Performance Bronze | 32 |
| <i>F. Bubeck, I. Buresch, S. Gross</i> | |
| Understanding Stress Relaxation | 41 |
| <i>M. Bohsmann, S. Gross</i> | |
| Fatigue Behavior of Thin Cu Foils and Cu/Kapton Flexible Circuits | 48 |
| <i>D.F. Beck, D.F. Susan, N.R. Sorensen, G.E. Thayer</i> | |
| Residual Stresses in Cu-Be Strip: Measurement, Process-Sensitivity and Correlation to Performance | 60 |
| <i>J.C. Harkness</i> | |
| Cantilever Beam Bending Strength Enhancement through the Application of Reverse Bending and Relief Annealing/Anneal Hardening Techniques | 72 |
| <i>L. Wojnicz, J. Stainbrook, C. Manlapaz, A. Coughlin</i> | |
| Gas Permeability in Nanoporous Substrates | 85 |
| <i>S.J. Lombardo, J.W. Yun, S. Patel</i> | |
| Preparation of Low-Loss Titanium Dioxide for Microwave Frequency Applications | 94 |
| <i>L. Zhang, K. Shqau, H. Verweij, G. Mumcu, K. Sertel, J.L. Volakis</i> | |
| Roles of Ba/Ti ratio on the Crystal Structure and Microstructure of Barium Titanate Powders | 102 |
| <i>C.Y. Chang, M.T. Tu, C.Y. Su, R.L. Wang, C.Y. Huang</i> | |
| Prediction the Morphotropic Phase Boundary Composition in (Bi_{0.5}Na_{0.5})TiO₃-Based Lead-Free Piezoelectric Ceramics | 112 |
| <i>W.-C. Lee, C.-Y. Huang, L.-K. Tsao, Y.-C. Wu</i> | |
| Surface Chrominated Thick Films of Ba_(0.8)Sr_(0.2)TiO₃ for H₂S Gas Sensing | 122 |
| <i>G. Jain, L. Patil</i> | |
| Development of Ferromagnetic Oxide Semiconductor Thin Films towards Spintronics Applications | 134 |
| <i>K. Fujita, H. Hojo, T. Matoba, K. Hirao, K. Tanaka</i> | |
| Multiferroics Relaxor Pb(Fe_{0.66}W_{0.33})_{0.80}Ti_{0.20}O₃ Thin Films | 144 |
| <i>A. Kumar, R.S. Katiyar</i> | |
| Crystal Habit Dependent Quantum Confined Photoluminescence of Zinc Oxide Nanostructures | 152 |
| <i>I.H.J. Arellano, R.V. Sarmago, L.M. Payawan Jr.</i> | |
| Fabrication and Properties of Metal-PZT-Metal Capacitors by Liquid Delivery MOCVD | 165 |
| <i>D. Xie, Y. Ruan, T.-L. Ren, L.-T. Liu, J.-L. Cao</i> | |
| Epitaxial Growth of SnO₂ Film on (001) TiO₂ Substrate by Excimer Laser-Assisted Metal Organic Deposition at Room Temperature | 172 |
| <i>T. Tsuchiya, F. Kato, T. Nakajima, K. Igarashi, T. Kumagai</i> | |

| | |
|---|-----|
| Multiferroic Behavior of $\text{Bi}_{0.9-x}\text{La}_{0.1}\text{Er}_x\text{FeO}_3$ Ceramics | 180 |
| <i>P. Pandit, S. Satapathy, P.K. Gupta</i> | |
| New Aspects of Magnetic and Dielectric Behavior of Multiferroic RMn_2O_5 | 189 |
| <i>Y. Noda, H. Kimura, M. Fukunaga, S. Kobayashi, I. Kagomiya, K. Kohn</i> | |
| Sequence of Phase Transformations in Lead-Free Piezoceramic $\text{Na}_{0.5}\text{K}_{0.5}\text{NbO}_3$ | 198 |
| <i>M.A. Cottrell, C. Dosch, J.L. Jones, J.E. Daniels</i> | |
| Effects of Cu Ionic Charge and Oxygen Vacancies on the Magnetic Properties of (Zn,Co)O Nanoparticles | 204 |
| <i>M. Naeem, S.K. Hasanain</i> | |
| Effect of CoFe_2O_4 Coercivity by High Energy Ball Milling | 216 |
| <i>Y.P. Cardona, R. Pérez, J. Silva, A. Rossa, P. Vargas, O. Uwakweh</i> | |
| Synthesis of Undoped and Doped PZT Ceramics | 226 |
| <i>A. Pramanick, J.L. Jones</i> | |
| Structural and Dielectric Properties of Strontium Doped Barium Titanate Stannate Ferroelectric Ceramics with Diffused Phase Transition | 231 |
| <i>S.N. Yun, D.L. Xu, X.L. Wang, H. Li</i> | |
| Conductor Edge Definition Influence on High Frequency Electrical Loss | 243 |
| <i>T. Vincent, I. Bar-On</i> | |
| Ferroelectric BaTiO_3 Thin-Film Technology Compatible with LTCC Process for Integrated RF Modules | 254 |
| <i>F. Nakasone, T. Suzuki, K. Kobayashi, K. Kawamura, Y. Mizuno, H. Kishi, H. Chazono, H. Imai</i> | |
| Dissolution Kinetics and Diffusion of Cobalt in Pb-Free Sn-Bi-In-Zn-Sb Soldering Alloys | 262 |
| <i>K. Barmak, D.C. Berry, V.G. Khoruzha, V.R. Sidorko, K.A. Meleshevich, A.V. Samelyuk, V.I. Dybkov</i> | |
| Low Temperature Growth of Epitaxial $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$ Film by Excimer Laser-Assisted Metal Organic Deposition Using XeCl Laser | 274 |
| <i>T. Tsuchiya, T. Nakajima, T. Kumagai</i> | |
| Stoichiometry Issues in Pulsed Laser Deposition | 280 |
| <i>T. Ohnishi, M. Lippmaa, T. Yamamoto</i> | |
| The Study of Morphotropic Phase Boundary in PZT-PZN Systems | 286 |
| <i>G. Srivastava, A.M. Umarji</i> | |
| Multiferroic Phenomenon in $\text{Pb}(\text{B}^{\prime}\text{B}^{\prime\prime})\text{O}_3$ Relaxor Thin Films and Ceramics | 293 |
| <i>R.S. Katiyar, A. Kumar, M. Correa, I. Rivera</i> | |
| Studies on Gas Sensing Performance of $(\text{Ba}_{0.8}\text{Sr}_{0.2})(\text{Sn}_{0.8}\text{Ti}_{0.2})\text{O}_3$ Thick Film Resistors | 301 |
| <i>V. Gaikwad, L. Patil</i> | |

ENVIRONMENTAL AND ENERGY ISSUES

| | |
|--|-----|
| Characterization of Oxide Precipitates Observed as a Gray Phase in High-Burnup Mixed Oxide Fuels for Fast Reactor | 313 |
| <i>K. Kurosaki, H. Muta, M. Uno, S. Yamanaka, K. Tanaka, M. Osaka</i> | |
| Characterization of Composite Nitride Pellet Prepared by SPS Technique | 319 |
| <i>H. Muta, K. Kurosaki, M. Uno, S. Yamanaka</i> | |
| Gadolina-Doped Ceria Thin Films Deposited by RF Reactive Magnetron Sputtering | 327 |
| <i>Y. Kuo, C. Lee, H. Liang, Y. Chen</i> | |
| Development of Passive Air-Breathing DMFC with Low Catalysts Loading | 339 |
| <i>Y. Lu, R.G. Reddy</i> | |

| | |
|---|-----|
| Achievements in Solid Oxide Fuel Cell (SOFC) Materials and Challenges | 349 |
| <i>M.E. Ebrahimi</i> | |
| Oxidation Kinetics of Manganese Cobaltite Spinel Protection Layers Performance on Sanergy HT for Solid Oxide Fuel Cell Interconnect Applications | 361 |
| <i>E. Alvarez, A. Meier, K.S. Weil, Z. Yang</i> | |
| Thermal Cycle Reliability of Glass/Ceramic Composite Gas Sealing Materials | 373 |
| <i>S. Suda, M. Matsumiya, K. Kawahara, K. Jono</i> | |
| Experimental Study of Aging Induced Damage and Self-Healing Behavior of Glass/Ceramic Sealant Used in SOFC | 380 |
| <i>W.N Liu, X. Sun, B. Koeppel, M. Khaleel</i> | |
| Structural Degradation Mechanisms of SOFCs Anode and FEA for Long- Term Anode Material Behavior in Coal Syngas Environment | 390 |
| <i>G. Iqbal, G. Huang, B. Kang</i> | |
| Development of an In-Situ Deformation and Temperature Measurement Technique for SOFC Button Cell under Operation Condition | 402 |
| <i>H. Guo, R. Dastane, G. Iqbal, B. Kang</i> | |
| Chemical Fracture of a Ceramic Oxygen Ion Conductor with Periodic Edge Cracks | 411 |
| <i>Z. Jin, Z. Fan</i> | |
| Accelerating the Commercialization of Promising New Thermoelectric Materials | 418 |
| <i>L. Bell</i> | |
| Direct Conversion of Simulated Solar Radiation into Electrical Energy by a Perovskite Thermoelectric Oxide Module (TOM) | 429 |
| <i>P. Tomeš, R. Robert, L. Bocher, M. Trottmann, M.H. Aguirre, A. Weidenkaff, P. Haueter, A. Steinfeld, J. Hejtmánek</i> | |
| Thermoelectric Properties of Quaternary Molybdenum Antimonides | 436 |
| <i>T. Holgate, Z. Su, J. He, T.M. Tritt, H. Xu, K.M. Kleinke, H. Kleinke</i> | |
| Seebeck Effect on Amorphous-Crystalline Transition Zone and Amorphous-Crystalline Thermocouple | 444 |
| <i>M. Finkel, J. Chen</i> | |

FUNDAMENTALS AND CHARACTERIZATION

| | |
|---|-----|
| Upper Bounds for Coarsening: Temperature and Concentration Dependence | 457 |
| <i>A. Novick-Cohen, A. Shishkov</i> | |
| Finite Element Simulation of Segregation at Complex Interfaces in Dilute Alloys | 464 |
| <i>F. Tancret, F. Fournier, Dit Chabert, F. Christien, R. Le Gall</i> | |
| Direct Growth of Crystalline SiC/SiO₂ Core-Shell Coaxial Nanocables | 476 |
| <i>G. Zhu, X. Zou, J. Cheng, M. Wang, Y. Su</i> | |
| Meshless Numerical Simulation of Stress-Assisted Crack Growth in a Brittle Solid | 483 |
| <i>Z. Tang, G. Liu</i> | |
| Quantitative Phase-Field Simulations of Coarsening and Growth in Complex Systems | 494 |
| <i>N. Moelans, A. Serbruyns, J. Heulens, B. Blanpain, P. Wollants, L. Vanherpe, S. Vandewalle, B. Rodiers</i> | |
| Investigating Predictive Capabilities of Image-Based Modeling for Woven Composites in a Scalable Computing Environment | 506 |
| <i>J. Farooqi, P. Mummery, F. Calvo, L. Margetts, M. Sheikh</i> | |
| Analysis of Seam Weld Related Pipeline Failures | 513 |
| <i>G.T. Quicquel, B.C. Rollins, J.A. Beavers</i> | |

| | |
|---|-----|
| Four Red Herrings, Float Switch Failure and a Case of Multiple Failure Scenarios | 524 |
| <i>P. DeVries</i> | |
| The Admissibility of Expert Testimony | 540 |
| <i>A.A. Johnson, R.J. Storey</i> | |
| Failure Analysis of Torsion Bar in Automotive Suspension Application | 546 |
| <i>Y. Huang, X. Wen</i> | |
| Classical Fatigue Design Techniques as a Fracture Analytical Tool | 556 |
| <i>R. Harris, T. Jur</i> | |
| Failure Analysis of HP-40 (mod Nb) Furnace Radiant Tube | 568 |
| <i>V. Palaniyandi, R.B Allsup, R. Moser</i> | |
| Finite Element Analysis of Unnotched Charpy Impact Tests | 579 |
| <i>D.Y. Jeong, H. Yu, J.E. Gordon, Y.H. Tang</i> | |
| Fracture Behavior in Inconel 718 Structural Part and Combined Two-Back Stress Hardening Model | 591 |
| <i>S. Yun</i> | |
| 3D Image-Based Analyses of Fatigue Crack Propagation in an Al-Mg-Si Alloy | 600 |
| <i>P. Qu, H. Toda, H. Zhang, L. Qian, M. Sakaguchi, M. Kobayashi, K. Uesugi</i> | |
| Ignition of Titanium Cladded Steel in Pressure Oxidation Leaching Autoclaves | 610 |
| <i>B. Hansford, S. Liu, E. Vidal, J. Banker</i> | |
| Statistical Duplex S-N Characteristics of High Carbon Chromium Bearing Steel in Rotating Bending in Very High Cycle Regime | 622 |
| <i>T. Sakai, B. Lian, M. Takeda, K. Shiozawa, N. Oguma, Y. Ochi, M. Nakajima, T. Nakamura</i> | |
| Study on Very High Cycle Fatigue Behavior of High Strength Steel with CFB/M Complex Microstructure | 634 |
| <i>B.Z. Bai, Y. Yu, X.X. Xu, W.L. Cui, J.L. Gu</i> | |
| Effect of Alumite Treatments on Long-Life Fatigue Behavior of Aluminum Alloy in Rotating Bending | 643 |
| <i>Y. Nakamura, T. Sakai, H. Hirano</i> | |
| Transition of Fatigue Failure Mode of High-Strength Steel in Very High Cycle Regime | 655 |
| <i>K. Shiozawa, M. Murai</i> | |
| Effects of Vacuum-Like Environment around Interior Crack on Gigacycle Fatigue Properties of Ti-6Al-4V | 670 |
| <i>T. Nakamura, H. Oguma</i> | |

Volume 2

| | |
|--|-----|
| EBSD Investigation of the Crack Initiation and TEM/FIB Analyses of the Microstructural Changes around the Cracks Formed under Rolling Contact Fatigue (RCF) | 682 |
| <i>A. Grabulo, R. Petrov, H.W. Zandbergen</i> | |
| The Effect of Constituent Particles in Aluminum Alloys on Fatigue Damage Evolution: Statistical Observations | 696 |
| <i>D.G. Harlow</i> | |
| New Data Analysis of P-S-N Curve and Its Application for Structural Materials | 705 |
| <i>S. Shimizu, K. Tsuchiya, K. Tosha</i> | |
| An Analysis of Cyclic Thermal Shock in Notched Ring Specimens | 717 |
| <i>K.G.F. Janssens, M. Niffenegger, K. Reichlin</i> | |
| Foreign Object Damage and Short Fatigue Crack Behavior in Ti-6Al-4V Alloy | 729 |
| <i>B. Majidi</i> | |

| | |
|--|-----|
| Fatigue Properties of Pre-FPP (Fine Particle Peening) Treated and Gas Nitrided Austenitic Stainless Steel | 741 |
| <i>S. Kikuchi, Y. Nakahara, J. Komotori</i> | |
| Electron Microscopy Analysis of Crack Propagation Behavior of Alumina | 753 |
| <i>H. Matsuo, M. Mitsuhara, K. Ikeda, S. Hata, H. Nakashima</i> | |
| On Stochastic Evaluation of S-N Data Based on Fatigue Strength Distribution | 762 |
| <i>S. Hanaki, M. Yamashita, U. Uchida, M. Zako</i> | |
| A Study on Residual Stress Measurement of Aluminum Pipe Using Raman Spectroscopy | 771 |
| <i>M.S. Kang, S.Y. Kim, J.M. Koo, C.S. Seok, J.Y. Mo</i> | |
| Analysis of Fatigue Test Results of U-Shaped Copper Pipe by Considering Residual Stress | 780 |
| <i>S.Y. Kim, J.M. Koo, C.S. Seok, J.Y. Mo</i> | |
| A Thermo-Mechanical Model to Predict the Tribological Behavior of Ti6Al4V/Carbide Pair for Dry Sliding Conditions and Its Application to Predict Residual Stresses in Machining | 792 |
| <i>B.M. Abraham, S.Y. Liang, J. Morehouse</i> | |
| Effects of Crystal Orientation on Stress Distribution Near the Triple Junction in a Tricrystal γ-TiAl | 804 |
| <i>A. Fallahi, A. Ataee, F. Biglari</i> | |
| A Mixed Integer Nonlinear Programming (MINLP) Zone Model for the Conceptual Design of a Carbothermic Aluminium Reactor | 816 |
| <i>D.I. Gerogiorgis</i> | |
| The Modeling of Products Pressing in SHS-Systems | 827 |
| <i>B. Sereda, A. Zherebtsov, Y. Belokon, I. Kruglyak, S. Sheyko</i> | |
| Numerical Simulation of the Static Recrystallization at Micro Shear Bands | 832 |
| <i>N. Yazdipour, P.D. Hodgson, L. Madej, L. Rauch</i> | |
| Mathematical Models of Special Grain Growth Cases (Low Yttrium Doped α - Al_2O_3) | 844 |
| <i>N. Popescu-Pogrión, I. Mercioniu, R. Bercia, M. Craiu, S. Constantinescu</i> | |
| Microstructural Evolution of Phase Decomposition Cu-Ni-Fe Alloys | 856 |
| <i>E. Avila-Davila, D. Melo-Maximo, O. Soriano Vargas, V. Lopez-Hirata, M. Saucedo-Muñoz, H. Dorantes-Rosales, J. Gonzalez-Velazquez</i> | |
| Application of the Strain Localization CAFE Model to Investigate Extrusion with Various Die Shapes | 867 |
| <i>L. Madej, M. Pietrzyk, P.D. Hodgson</i> | |
| Numerical Simulation of Annealing of CdSe Quantum Dots for White Light LEDs | 877 |
| <i>A.S. Sabau, C. Duty, R.D. Ott, G.E. Jellison</i> | |
| Long-Term Ordered Crystals and Their Multi-Layered Film Analogues | 889 |
| <i>S. Pyshtkin, J. Ballato</i> | |
| Synthesis and Characterization of Bandgap-Reduced p-Type Cu-Incorporated ZnO Films | 901 |
| <i>K.-S. Ahn, S. Shet, T. Deutsch, Y. Yan, J. Turner, N.M. Ravindra, M. Al-Jassim</i> | |
| Two Dimensional Model of Magnetic Field Assisted Assembly | 914 |
| <i>G. Devrani, R. Rivero, M.R. Booty, A.T. Fiory, N.M. Ravindra</i> | |
| Effect of Aligned Nanorods in ZnO Thin Films for Enhanced Photoelectrochemical Response | 920 |
| <i>S. Shet, K.-S. Ahn, T. Deutsch, Y. Yan, J. Turner, M. Al-Jassim, N.M. Ravindra</i> | |
| Optical Properties of Cobalt Phthalocyanines and Its Derivatives | 936 |
| <i>N.M. Ravindra, F. Fuentes, P. Patel, G. Devrani</i> | |
| Crystal Cored Fibers Growth of Organic Non-Linear Optical Material | 945 |
| <i>R.N. Rai</i> | |

| | |
|--|------|
| Bandgap Reduction and Photoelectrochemical Properties of ZnO:N Films Deposited by Reactive RF Magnetron Sputtering | 952 |
| <i>K.-S. Ahn, S. Shet, T. Deutsch, Y. Yan, J. Turner, N.M. Ravindra, M. Al-Jassim</i> | |
| Superplastic Boronizing of Duplex Stainless Steel (DSS): Initial Pressure and Surface Roughness Effect | 962 |
| <i>H.A.M. Yusof, I. Jauhari, N.H.A. Aziz</i> | |
| Protective Aluminum Oxide-Based Coatings against Metal Dusting | 970 |
| <i>D. Melo-Maximo, J. Alvarez, O. Salas, J. Oseguera, V. López-Hirata</i> | |
| Overshoot Graded Layers for Defect Engineering in Heteroepitaxial Semiconductor Structures | 980 |
| <i>J.F. Ocampo, E. Suarez, D. Shah, P.B. Rago, F.C. Jain, J.E. Ayers</i> | |
| Modeling and Design of an Embossed Diaphragm Fabry-Perot Pressure Sensor | 992 |
| <i>I. Padron, A.T. Fiory, N.M. Ravindra</i> | |
| Solidification Behavior of Optical Material: Lead Chloride System | 998 |
| <i>O.P. Singh, A. Narendra, N. Singh, G.D. Singh</i> | |
| Diffusion-Limited Phase Growth on Dislocations | 1006 |
| <i>A.R. Massih</i> | |
| Thermodynamic Evaluation of the Mg-Ni-Y Ternary System | 1017 |
| <i>M. Mezbahul-Islam, M. Medraj</i> | |
| Critical Evaluation and Thermodynamic Modeling of the Mg-Mn, Al-Mn and Mg-Al-Mn Systems | 1029 |
| <i>M. Asgar-Khan, M. Medraj</i> | |
| Thermodynamic Model of the Mg-Ca-Zn System | 1042 |
| <i>S. Wasiur-Rahman, M. Medraj</i> | |
| Stress-Oriented Precipitation of Second-Phase in Alloys: A Case of Hydride in Zirconium Alloys | 1054 |
| <i>L.O. Jenkvist, A.R. Massih</i> | |
| Significance and Development of a Next-Generation Level 2 Model as a Metallurgical System | 1066 |
| <i>B. Li, J. Nauman</i> | |
| Microstructure Evolution in Cut Metal Chips of Ti-6Al-4V | 1078 |
| <i>L. Dong, J.A. Schneider</i> | |
| Degradation of Three Ni-Based Superalloys Used for Gas Turbine Hot-Gas Path Components after Long Term Agings | 1086 |
| <i>D. Saito, Y. Yoshioka, R. Takaku, T. Matsuo</i> | |
| Magnetic Annealing Aluminum Alloy 6061 at 400°C in Different Magnetic Fields | 1098 |
| <i>S.T. Adedokun</i> | |
| Three-Dimensional Characterization of Fatigue Crack Propagation Behavior in an Aluminum Alloy Using High Resolution X-Ray Microtomography | 1107 |
| <i>H. Zhang, P.C. Qu, Y. Sakaguchi, H. Toda, M. Kobayashi, K. Uesugi, Y. Suzuki</i> | |
| Photo-Stimulated Luminescence Spectroscopy and High Energy X-Rays to Advance Stress Measurements in Polycrystalline Ceramics | 1117 |
| <i>S. Raghavan, P.K. Imbrie</i> | |
| Reduction of Oxide Islands on Metal Surfaces Investigated by In-situ UHV TEM | 1129 |
| <i>G. Zhou, W. Dai, J.C. Yang</i> | |
| 3D-TEM Characterization of Metal Nanoparticle-Dispersed Amorphous Si-O Composite | 1146 |
| <i>Y.H. Ikuhara, K. Yoshida, T. Saito, S. Takahashi, T. Hirayama</i> | |
| Analysis of the Accessibility of Macroporous Alumino-Silicate Using 3D-TEM Images | 1153 |
| <i>M. Moreaud, B. Celse, F. Tihay</i> | |

| | |
|--|------|
| Straight SiO_x Nanorod Y Junctions | 1165 |
| <i>G. Zhu, X. Zou, J. Cheng, M. Wang, Y. Su</i> | |
| Synthesis of 3D Flower-Like Silica Microstructures | 1172 |
| <i>G. Zhu, X. Zou, J. Cheng, M. Wang, Y. Su</i> | |
| A Method for Life Assessment of Ni-Base Superalloy | 1179 |
| <i>S. Farahany, M. Aghaie-Khafri</i> | |
| Perforation Stretch Formed Periodic Cellular Copper | 1187 |
| <i>E. Ng, A. McLean, G.D. Hibbard</i> | |
| Texture and Microstructure of Bismuth Iron Oxide Thin Films Analyzed by EBSD | 1197 |
| <i>D. Goran, A. Gholinia, A. Lahmar, S. Habouti, C-H. Solterbeck, M. Es-Souni</i> | |
| Through the Thickness Properties of Two C/C Composites in Relation to Fiber Orientation Distribution and Microstructure | 1206 |
| <i>S. Iqbal, P. Filip</i> | |
| Thermophysical Properties and Microstructural Analysis of AZ80 Magnesium Alloys Designed for Automotive Industry | 1222 |
| <i>G. Popescu, P. Moldovan, S. Bejan, M. Miculescu, F. Miculescu</i> | |
| Grain Refinement Techniques in Gamma-TiAl Alloys in Nano- and Micrometer Scales | 1230 |
| <i>H. Bahmanpour, S. Heshmatimanesh, H. Ghasemiarmaki, M.N. Ahmadabadi</i> | |
| The Characterization of Brake Pad Materials Development for Light Rail Transit | 1240 |
| <i>M.N. Berhan, D.G. Solomon</i> | |
| Influence of Pulsed DC Current on Growth of Carbide Ceramics During SPS | 1249 |
| <i>T. Kondo, T. Kuramoto, Y. Koderu, M. Ohyanagi, Z.A. Munir</i> | |

IRON AND STEEL

| | |
|---|------|
| Observation of Inclusions in the Steel Using Partial Acid Extraction and SEM | 1259 |
| <i>S. Li, L. Zhang, X. Zuo</i> | |
| Fluid Flow and Inclusion Motion in Horizontal Continuous Casting Tundishes | 1270 |
| <i>S. Yang, L. Zhang, K. Peaslee, J. Li, S. Shi, Z. Zuo</i> | |
| Effect of BaO on the Properties of Continuous Casting Mold Flux | 1281 |
| <i>Q. Huang, L. Zhang, X. Lv</i> | |
| Cost Effective Microalloy Structural Steel Balance of Process Metallurgy and Materials Engineering | 1289 |
| <i>S.G. Jansto</i> | |
| Microstructural and Processing Factors Affecting the Formation of Pro-Eutectoid Cementite in SAE 1092 Steel Wire | 1302 |
| <i>F. da Silva Borchardt, C.I. Garcia, M. Hua, A.J. DeArdo</i> | |
| IPSCO Development of High Performance Steels for Bridge Applications | 1312 |
| <i>D. Bai, T. Nelson, R. Bodnar, S. Scumpu, M. Cooke</i> | |
| Effect of Alloying Additions in the Final Microstructure of Nb-Mo Steels Processed by Thin Slab Direct Rolling Technologies | 1325 |
| <i>P. Uranga, J. Ganzarain, D. Jorge-Badiola, J.M. Rodriguez-Ibabe</i> | |
| Transformation Characteristics of M-A Constituents in Nb-Ti Microalloyed, Low-Mn Steel and Their Effect on Mechanical Properties | 1337 |
| <i>Q.Y. Sha, M.J. Hua, C.I. Garcia, A.J. DeArdo</i> | |
| Role of Vacancies and Dislocations in Hydrogen Degradation | 1348 |
| <i>H. Shoda, H. Suzuki, K. Takai, Y. Hagihara</i> | |
| Research into Thermomechanical Processing of TRIP Steels – Applied Methods | 1359 |
| <i>J. Kliber, O. Zacek, S. Nemecek, B. Masek</i> | |

Volume 3

| | |
|--|------|
| Influence of Carbonitriding and Nitriding Atmosphere Compositions on the Corrosion Resistance of 38HMJ and 30HN2MFA Constructional Steel Grades | 1367 |
| <i>T. Zolciak, A. Ciski</i> | |
| Low Temperature Plasma Nitriding of Steel with Additional Carburising Gas: Corgon and Propane – Butane | 1378 |
| <i>A. Zumbilev, I. Zumbilev, K. Kostov</i> | |
| Microstructure Characterization of Laser-Consolidated AISI 420 Stainless Steel..... | 1388 |
| <i>J.-Y. Chen, L. Xue, S.-H. Wang</i> | |
| The Effect of TRIP Steel Surface Chemistry on Reactive Wetting during Hot Dip Galvanizing | 1397 |
| <i>E.M. Bellhouse, J.R. McDermid</i> | |
| Oxidation Behavior of TRIP Steels Containing Si, Mn, B..... | 1409 |
| <i>S.-K. Lee, R.-B. Park, Y.-M. Choi, K.-G. Chin</i> | |
| On the Galvanizability of Si-Bearing TRIP Steels | 1417 |
| <i>N. Gao, Y.H. Liu, N.-Y. Tang, R.B. Park, M.S. Kim</i> | |
| Effect of Galvanizing Heat Treatments on the Microstructure and Properties of Al-Si TRIP Assisted Steels during Plastic Deformation | 1427 |
| <i>Y. Bian, H.S. Zurob, J.R. McDermid</i> | |
| Water Based Silanes – An Alternate Passivation Treatment for Galvanized Steel Surfaces | 1439 |
| <i>R. Walker, C. Sclosa, D. Harrison</i> | |
| Implementation of the PAL® Program on the Baosteel No. 2 CGL | 1448 |
| <i>H.W. Qian, X.Z. Jin, Y.H. Liu, T.A.E. Cormode, N.-Y. Tang</i> | |
| An Investigation of the Relative Quantity of Zeta in Delta on Galvannealed Steel | 1454 |
| <i>X.B. Yu, X.Y. Jin, X.C. Mi</i> | |
| Investigation of Zinc Thermal Diffused Coatings by Solid State Diffusion Method..... | 1462 |
| <i>G. Heidari, M. Mosavi-khoie, A. Hasanzadeh, P. Marashi, H. Keshmiri, A. Shahhosseini</i> | |
| Zn-Fe Alloy Coating by Galvanneal Process | 1473 |
| <i>M. Koushyar</i> | |
| Gas Carburization and Heat Treatment of Reduced Metal-Oxide Strip..... | 1482 |
| <i>L. Cerully, T.H. Sanders Jr., J.K. Cochran</i> | |
| Microstructural and Mechanical Properties of Pulsed Plasma Nitrided Duplex Stainless Steel..... | 1493 |
| <i>R. Giri, J.K. Solberg, R. Hoel</i> | |
| Effect of Thermal Cycling on Hardness of Plain Carbon Steels | 1502 |
| <i>A.S.A. Elmaryami</i> | |
| Improved Annealing Furnace Control for Fuel Efficiency and Cycle Time Reduction..... | 1515 |
| <i>T. Karnezos, R.C. Voigt, G. Dispensa</i> | |
| Investigation into the Effects of Hydrogen introduced into AISI 8620 Steel Parts During Long Carburization Cycles in Endothermic Atmospheres | 1528 |
| <i>P. Ganef</i> | |
| Analysis of Rolling Contact Fatigue Failures in High Temperature Gas Carburized Gear Steels | 1541 |
| <i>M. Bykowski, J.G. Speer, G. Krauss, S. Johnston, M.E. Burnett</i> | |
| The Effect of Cool Deformation Processing on the Structure and Properties of a Pipeline Steel..... | 1551 |
| <i>A.M. Elwazri, J. Calvo, S. Yue</i> | |

| | |
|--|------|
| Analysis of Copper Precipitates in Ferrite Matrix in Linepipe Steels | 1562 |
| <i>A. Fatehi, A.M. Elwazri, J. Calvo, S. Yue</i> | |
| Ferrite Substructure as an Elevated Temperature Strengthening Mechanism for Fire-Resistant Structural Steel | 1571 |
| <i>R.W. Regier, J.G. Speer, D.K. Matlock, S.G. Jansto</i> | |
| Design of Rolling Schedules Using an Optimization Tool | 1582 |
| <i>B. Peña, M. Arribas, A.R. Carrillo, J.I. Barbero, J. Calvo, S. Yue</i> | |
| Development of the Online Stelmor Controlled Cooling System | 1593 |
| <i>W.-H. Yu, S.H. Chen, Y.H. Kuang, K.C. Cao</i> | |
| Effect of Thermomechanical Processing Parameters on the Mechanical Properties of API X80 Steel | 1603 |
| <i>K. Al-Hajeri, W. Al-Shalfan, S. Al-Shammary</i> | |
| Power for Slitting of Metal Strips | 1614 |
| <i>L. Yan, B. Snider</i> | |
| Influential Factors on the Superfinished Surfaces | 1626 |
| <i>R. Ionescu, D. Amarandei</i> | |
| Effects of Heat Treatment Parameters on the Microstructure and Tensile Property for Q&P and AM Steels | 1638 |
| <i>S.H. Byun, J.W. Jin, C.S. Oh, N.H. Kang, K.M. Cho</i> | |
| Blast Furnace Casthouse Refractories Designs | 1649 |
| <i>R. Brenneman, Y. Ma, C. Larkin, F. van Laar</i> | |
| Low Temperature Oxidation on Magnesia Carbon Brick | 1659 |
| <i>Y.M. Lee</i> | |
| An Attempt to Enhance BOF Productivity – Role of Hot Metal Transfer Ladle Lining at Durgapur Steel Plant | 1668 |
| <i>S. Sarkar, T.K. Pal, N.K. Ghosh, S.K. Garai, P.K. Dutta, A.N. Misra</i> | |
| A New Temperature Independent Cement for Low and Ultra Low Cement Castables | 1674 |
| <i>D. Zacherl, A. Buhr, D. Gierisch, H.-L. Groß, F. Kraaijenbos, G. Wams, J. Dutton</i> | |
| Newly-Developed Technique in Evaluation of Resistance to Slag Corrosion for Refractory at High Temperature | 1682 |
| <i>H. Sunayama, T. Hiroi, M. Kawahara</i> | |
| Comparison of Thermal Shock Testing between a Direct Electrical Heating Method and a Water-Quenching Method with Carbon-Containing Refractories | 1687 |
| <i>S. Hosohara, Y. Fukushima, Y. Kiyota, M. Iiyama, S. Honda, S. Hashimoto, H. Awaji</i> | |
| Hot Stamping of Ultra High Strength Steels as a Key Technology for Lightweight Construction | 1698 |
| <i>J. Lechler, M. Merklein</i> | |
| Physical Metallurgy of Hot Press Forming Ultra High Strength Steel | 1710 |
| <i>D.W. Fan, H.S. Kim, B.C. De Cooman</i> | |
| Evolution of Phases and Microstructure during Heat Treatment of Aluminized Low Carbon Steel | 1722 |
| <i>F. Jenner, M. Walter, R.M. Iyengar, R. Hughes</i> | |
| Numerical Process Design of Hot Stamping Processes Based on Verified Thermo-Mechanical Characteristics | 1733 |
| <i>H. Karbasian, A. Brosius, A.E. Tekkaya, J. Lechler, M. Merklein</i> | |
| Delayed Cracking in Ultra-High Strength Automotive Steels: Damage Mechanisms and Remedies by Microstructural Engineering | 1744 |
| <i>H. Mohrbacher</i> | |
| Formation of Ultrafine Ferrite by Dynamic Strain-Induced Transformation | 1756 |
| <i>H. Beladi, P.D. Hodgson, Y. Adachi</i> | |

| | |
|---|-------------|
| Microstructure and Mechanical Properties of Ultrafine-Grained Steel | 1764 |
| <i>A.M. Elwazri, P. Wanjara, R. Varano, G.R. Stewart, S. Yue, J.J. Jonas</i> | |
| Effect of Thermomechanical Processing in the Intercritical Region on Microstructure and Texture Evolution in an Ultrafine Grained Dual-Phase Steel | 1776 |
| <i>M. Calcagnotto, D. Ponge, D. Raabe</i> | |
| Effect of Carbon Contents on the Microstructure and the Transformation Kinetics of Super Bainitic TRIP Steel | 1785 |
| <i>K. Lee, Y.-R. Im, K.-G. Chin</i> | |
| Influence of Cooling Process after Hot Rolling on Mechanical Properties of Cold Rolled TRIP Steel | 1794 |
| <i>S.I. Kim, Y.H. Jin, J.H. Kwak, K.G. Chin</i> | |
| Effect of Microscopic Deformation Characteristics of MnS Inclusions in Free Cutting Steels on the Development of Built-Up Edge | 1803 |
| <i>N. Matsui, J. Fujiwara</i> | |
| Effect of MnS Distribution on Machinability in Low Carbon Free-Cutting Steel | 1812 |
| <i>M. Hashimura, A. Mizuno, K. Miyanishi</i> | |
| Development of MnS and IGF Control in Microalloyed Steels in Baosteel Special Steel Branch | 1821 |
| <i>J. Yin, Y. Zhu, H. Li</i> | |
| New Heat Treatment for Heavy Maraging Steel Forgings | 1827 |
| <i>M. Chatterjee, K.S. Subramanian</i> | |
| New Filler Wire for Welding 250 Grade Maraging Steels | 1832 |
| <i>M. Chatterjee, K. Sivasubramanian</i> | |
| Development of High Strength Formable Quality Steels at SAIL..... | 1837 |
| <i>A. Deva, S. Mukhopadhyay, S. Mallik, B.K. Jha, S.K. Chaudhuri</i> | |
| Correlation between Deformation Behavior and Microstructures of a Fe-28Mn-9Al-0.8C Steel..... | 1845 |
| <i>J.D. Yoo, K.T. Park</i> | |
| Using NDT Image Processing Analysis to Study the Soundness and Cleanliness of Accelerated Cooled Continuously Cast Steel Slabs..... | 1853 |
| <i>M.R. Allazadeh, C.I. Garcia, K.J. Alderson, A.J. DeArdo</i> | |
| Effect of Substrate Hardness on Wear Performance of Alternative Die Materials for Stamping of Advanced High Strength Steels..... | 1865 |
| <i>Ö.N. Cora, M. Koç</i> | |
| Specimen Configurations for Gleeble Dilatometry of Steels..... | 1872 |
| <i>C. Samuel, S. Viswanathan</i> | |
| The Reception of Borized Coatings Eutectic Type on Steel in SHS-Conditions..... | 1884 |
| <i>B. Sereda, I. Kruglyak, S. Sheyko</i> | |
| Thermo-Metallurgical Model for Hot Rolled Strip | 1890 |
| <i>G. Gomez, J. Schicht, M.A. Vicente Alvarez, F. Balzarotti, T. Perez, M. Goldschmit, J. Moriconi</i> | |
| The Influence of Chemical Composition, Heat Treatment and Microstructure on Fracture Behavior of Three Pressure Vessel Steel in “Wet H₂S” Environment | 1904 |
| <i>G. Chiofalo, E. Guglielmino, V. Gazzotti</i> | |
| Steels for Large Plastic Moulds: Microstructures Arising During the Production Cycle..... | 1916 |
| <i>M.R. Pinasco, M. Fabbreschi, D. Firrao, R. Gerosa, A. Ghidini, P. Matteis, B. Rivolta</i> | |
| Effects of TMCP Conditions on Tensile Strength Decrease of 780MPa Grade Steels by PWHT..... | 1936 |
| <i>J. Shimamura, M. Okatsu, N. Ishikawa, N. Shikanai</i> | |

| | |
|--|------|
| Innovative Induction Heat Treating Technologies | 1946 |
| <i>V. Rudnev, D. Brown, G. Doyon</i> | |
| Effect of Temperature and Strain Rate on Secondary Phase Formation in 2205 Duplex Stainless Steel under Hot Working Condition | 1957 |
| <i>H. Keshmiri, M. Shahhosseini, A. Shahhosseini, G. Ebrahimi</i> | |
| Effect of Aging Temperature on Microstructure and Mechanical Properties of 2205 Duplex Stainless Steel | 1969 |
| <i>H. Keshmiri, M. Shahhosseini, A. Shahhosseini, G. Ebrahimi, S. Asadi</i> | |
| Investigation of Hot Deformation Behavior of 1.4563 Super-Austenitic Stainless Steel | 1980 |
| <i>H. Keshmiri, M. Shahhosseini, A. Shahhosseini, G. Ebrahimi</i> | |
| Effects of Paint Baking on the Axial Crash Performance of Advanced High Strength Steels | 1989 |
| <i>T.M. Link</i> | |
| Thermo-Mechanical Crack Generation and Ultra-Fine Grains Formation in Carbon Steel Railway Wheels under Continuous Contact Load and Repeated Heat Input | 2001 |
| <i>K. Handa, Y. Kimura, Y. Mishima</i> | |
| Texture Characteristics of CrMo Steel Pipes under Cross-Rolling Process | 2010 |
| <i>Q. Tian, X. Dong, X. Mi</i> | |
| Microstructure Characteristics and CO₂ Corrosion Resistance Properties of Electrical Resistance Welded (ERW) Pipe | 2017 |
| <i>Z. Zhang, Q. Tian, X. Dong, J. Liu</i> | |

MATERIALS AND SYSTEMS

| | |
|---|------|
| Modelling of Isothermal Moisture and Ion Transport in Concrete | 2024 |
| <i>V. Baroghel-Bouny, T.Q. Nguyen, P. Dangla</i> | |
| Effect of Binder Proportion on Compressive Strength of Geopolymer Mortar | 2039 |
| <i>R. Sathia, K.G. Babu, M. Santhanam</i> | |

Volume 4

| | |
|--|------|
| Novel Chemical-Thermal Treatment of Rice Husk Ash to Enhance Properties of High Performance Concrete | 2046 |
| <i>A. Salas, S. Delvasto</i> | |
| Observation of Dislocation-Type Defects in Amorphous Alloys | 2058 |
| <i>M. Finkel, L. Zuev, V. Danilov</i> | |
| Study on Preparation and Properties of Glass Ceramic Coatings on Metallic Supports | 2076 |
| <i>W. Han, J.-S. Wang, X.-W. Niu, G.-H. Liu</i> | |
| Development of Hafnia and Zirconia Double-Layered TBCs Produced by EB-PVD | 2083 |
| <i>K. Wada, T. Fuse, Y. Ishiwata</i> | |
| Pt-modified Aluminide Coatings Developed with an Industrial Vapor Phase Coating Process | 2094 |
| <i>Y.Q. Wang, G. Sayre</i> | |
| High Temperature Corrosion Behavior of Some Ni-Base Superalloys in the Presence of ZnSO₄ as an Inhibitor | 2106 |
| <i>Gitanjaly, H. Singh, R. Gupta, S. Prakash</i> | |
| Nano-Engineered Encapsulated Particles for the Creation of Self-Lubricating Coatings and Alloys | 2118 |
| <i>J. Weyant, I. Smid, A. Segall</i> | |

| | |
|--|------|
| Influence of Thermal Exposure on the Interfacial Microstructure of Stellite 6 Coated 9-12%-Cr Steels for Steam Turbine Applications | 2130 |
| <i>C. Leinenbach, A. Al-Badri, M. Roth</i> | |
| Low Pressure Cold Spray – Powder Shock Consolidation Process | 2139 |
| <i>R.Gr. Maev, Ev. Leshchynsky, M. Lubrick</i> | |
| Low Pressure Cold Spray Consolidation and Sintering Near-Net Shape Sliding Components | 2150 |
| <i>E. Maeva, Ev. Leschinsky, M. Lubrick</i> | |
| Surface Modification by Direct Metal Deposition Process: Technical Challenges, Opportunities and Performance Benefits | 2159 |
| <i>B. Dutta</i> | |
| Methyl-Modified Melting Gels for Hermetic Barrier Coatings | 2171 |
| <i>A. Jitianu, J. Doyle, G. Amatucci, L.C. Klein</i> | |
| Mathematical Modelling of Cascade Areas in Constructional Materials | 2183 |
| <i>A. Kupchishin, T. Shmygaleva, A. Togambayeva</i> | |
| Adhesion of Vitreous Enamel Coatings on the Carbon Steel Applied via Various Methods | 2191 |
| <i>D.-S. Kim, M.T. Kim</i> | |
| Electrophoretic Deposition of Thermal Barrier Coatings by the Faradayic Process | 2197 |
| <i>J. Kell, H. McCrabb, B. Kumar</i> | |
| Mo Coating and Surface Modification of Al Substrates by Mechanochemical Means | 2207 |
| <i>S. Barseghyan, M. Atzmon</i> | |
| Simulation of Low Pressure Cold Spray as a Powder Shock Consolidation Process | 2212 |
| <i>W. Arthur, V. Leshchynsky, R. Maev</i> | |
| Relationship between Dissolution Amounts of B₂O₃ and R₂O (R = Na, K) and Phase Separated Compositions of SiO₂-Rich Borosilicate Glass (SiO₂-B₂O₃-R₂O) | 2222 |
| <i>M. Okamoto, H. Tanei, M. Nakamura, S. Iwanaga, E. Takane, S. Ishihara</i> | |

NANOTECHNOLOGY

| | |
|--|------|
| Manufacturing at the Nanoscale: Dreams to Reality, Lab to Market | 2230 |
| <i>K.P. Cooper</i> | |
| Mineral Based Fungus Mediated Synthesis of Silver Nano Particles and Characterization Study | 2242 |
| <i>P.K. Mishra, N. Pradhan</i> | |
| Advances in Synthesis and Application of Carbon Nanotube Materials | 2253 |
| <i>V. Shanov, W. Cho, C. Jayasinghe, P. Salunke, G. Li, Y. Yun, M. Schulz, W. Li, S. Yarmolenko, N. Mallik</i> | |
| Iron-Filled Carbon Nanotube Arrays Synthesized by Floating Catalyst Chemical Vapor Deposition | 2281 |
| <i>J. Cheng, X. Zou, G. Zhu, M. Wang, Y. Su</i> | |
| Using Carbon Nanotubes to Enhance the Thermal and Mechanical Properties of Metallic Materials | 2288 |
| <i>M. Gupta, S.M.L. Nai, C.S. Goh, J. Wei</i> | |
| Effect of Addition of Ni and Ag on Cu-CNT Composites Electrical Conductivity | 2298 |
| <i>N.D.H. Munroe, S. Amruthaluri, P.K.S. Gill, W. Haider</i> | |
| Highly Conductive Nanostructured Cu-Cr-MWCNT Composite | 2309 |
| <i>N.D.H. Munroe, P.K.S. Gill, S. Amruthaluri, W. Haider</i> | |

PROCESSING AND PRODUCT MANUFACTURING

| | |
|--|------|
| Steady-State Simulation of Material Flow and Temperature in Friction Stir Welding of Aluminum Alloy 6061 | 2319 |
| <i>M. Miles, T. Nelson, L. Fourment, S. Guerdoux</i> | |
| Microstructural Evolution in Friction Stir Welding of Ti-6Al-4V | 2331 |
| <i>H. Rubisoff, J. Querin, D. Magee, J. Schneider</i> | |
| Friction Stir Processing of Ti-5111 | 2341 |
| <i>M. Rubal, J. Lippold, M. Juhas</i> | |
| Sucking-Extruding Theory for the Material Flowing along the Thickness of the Plate during Friction Stir Welding | 2349 |
| <i>L. Xing, L. Ke, S. Wang, F. Wang</i> | |
| FricRiveting: A New Joining Technique for Thermoplastics-Lightweight Alloy Structures | 2362 |
| <i>S.T. Amancio, J.F. dos Santos</i> | |
| Freeform Fabrication of WC-Co/SUS304 Composite Materials by Using Three Dimensional Micro Welding | 2374 |
| <i>Y. Yamamoto, S. Kirihaara</i> | |
| Freeform Micro Fabrication of Metal Structures to Control Electromagnetic Wave by Using Stereolithography | 2384 |
| <i>S. Kirihaara, D. Sano</i> | |
| Improved Consistency of Resistance Spot Welding via Power Supply Control Strategy | 2391 |
| <i>J. Bai, L.J. Brown, M. Salem, M. Kuntz</i> | |
| Effect of Applied Pressure on Air Brazed Alumina Joints | 2403 |
| <i>A. Ibrahim, F. Hasan</i> | |
| Flux System Optimization for Shielded-Metal Arc Welding Electrodes for High Nickel Alloys | 2413 |
| <i>K. Sham, S. Liu</i> | |
| Feasibility Study of the Repair of Aluminum Components by Variable Polarity GTAW Cladding | 2425 |
| <i>R. Sarrafi, D.C. Lin, E. Levert, R. Kovacevic</i> | |
| Feasibility Study of Vibration-Assisted Laser Powder Deposition | 2442 |
| <i>E. Foroozmehr, R. Sarrafi, D.C. Lin, R. Kovacevic</i> | |
| Influence of Nanoscale Marble (Calcium Carbonate CaCO₃) on Properties of D600R Surfacing Electrode | 2454 |
| <i>B. Chen, F. Han, Y. Huang, K. Lu, Y. Liu, L. Li</i> | |
| Metallurgical Factors Affecting Failure Mode of Resistance Spot Welds | 2465 |
| <i>M. Pouranvari, P. Marashi, M. Goodarzi, H. Bahmanpour</i> | |
| Effect of the Nickel Particle Size on the High-Energy Milled Mixtures of Nickel and Aluminum Powders | 2474 |
| <i>E. Kubaski, J. Capocchi, F. Farias, L. Mendes, O. Cintho</i> | |
| Copper: New Paradigm for an Old Metal | 2483 |
| <i>K.J.A. Kundig</i> | |
| Blow Forming Characteristics of AZ31 Alloy Sheets | 2494 |
| <i>Y.-N. Kwon, Y.-S. Lee, J.-H. Lee</i> | |
| Microwave and Conventional Sintering of Premixed and Prealloyed Tungsten Heavy Alloys | 2502 |
| <i>A. Mondal, A. Upadhyaya, D. Agrawal</i> | |

| | |
|---|-------------|
| Process to Increase Fatigue Life of Metals | 2516 |
| <i>D. Horne</i> | |
| Hot Forging Characteristics of Cast Mg Alloys | 2522 |
| <i>Y.-N. Kwon, S.-W. Kim, J.-H. Lee</i> | |
| Flow Simulation to Address Microvoids and Material Variability in Liquid Composite Molding..... | 2529 |
| <i>S.G. Advani, P. Simacek</i> | |
| Microstructural Evolution of the Interface in Laminated AISI304/High-Strength Steels during Thermomechanical Treatment..... | 2539 |
| <i>M. Michiuchi, S. Nambu, J. Inoue, T. Koseki</i> | |
| Interfacial Bonding Strength and Mechanical Properties of High-Strength Steel and Austenite Stainless Steel Laminated Plates | 2546 |
| <i>S. Nambu, M. Michiuchi, J. Inoue, T. Koseki</i> | |
| Mechanical Properties of Hybrid Composite Extrusions of an Aluminum-Alumina Wire Reinforced Aluminum Alloy | 2552 |
| <i>M. Merzkirch, K.A. Weidenmann, E. Kerscher, D. Löhle, D. Pietzka, M. Schikorra, A.E. Tekkaya</i> | |
| Ultrasonic Consolidation of Pure Al and Composite Al-Ni Powder Compacts | 2563 |
| <i>D. Colanto, D. Erdeniz, G. Gulsoy, T. Ando, I.E. Gunduz, H. Doumanidis, P.Y. Wong</i> | |
| Chemical Composition Effects on the Microstructure of Functionally-Graded Aluminum Matrix Composites | 2571 |
| <i>L. Olaya-Luengas, M. Suárez</i> | |
| Carbon Fibre Reinforced Aluminum Matrix Composite: Development and Evaluation of Mechanical Behaviors..... | 2577 |
| <i>E. Abhilash, M.A. Joseph</i> | |
| Compressive Response of Al Matrix Syntactic Foam Manufactured by Liquid Sintering..... | 2587 |
| <i>X. Tao, L. Zhang, Y. Zhao</i> | |
| Investigation of Absorptivity for Fiber Laser Assisted Machining of Silicon Nitride | 2595 |
| <i>F. Sciammarella, S. Panuganti</i> | |
| Manufacture and Mechanical Properties of Metal Matrix Syntactic Foams | 2607 |
| <i>Y. Zhao, X. Tao, X. Xue</i> | |
| Development of Cold Spray Composite Coatings Non Destructive Characterization | 2616 |
| <i>M. Lubrick, R.Gr. Maev, V. Leshchynsky</i> | |
| Effect of Pressure and Plastic Deformation on Aluminum – Beryl Composites | 2625 |
| <i>H.B. Niranjan, K.R. Suresh, P.J. Martin, M.P. Chowdiah</i> | |
| A Route for Obtaining NiCrAl-Al₂O₃ Composite Powders | 2633 |
| <i>E. Kubaski, D. Simoes, J. Capocchi, O. Cintho</i> | |
| Using Microwave Assisted Powder Metallurgy Route and Nano-Size Reinforcements to Develop High Strength Lead-Free Solder Composites | 2641 |
| <i>M. Gupta, S.M.L. Nai, J.V.M. Kuma, M.E. Alam, X.L. Zhong, P. Babaghorbani</i> | |
| Accelerated Environmental Degradation of Fiber Reinforced Composites by Boiling Water | 2652 |
| <i>D.J. Kumar, A.K. Singh, R.P. Singh</i> | |
| Experiemental Study on Tensile and Flexural Behavior of Glass Vinyl Ester Composites With and Without Graphite Fillers and FEA..... | 2659 |
| <i>M. Savitha, K.V. Sreenivasa Prasad, V. Ramesh, D. Arunkumar</i> | |
| Review: Self-Healing Composites | 2668 |
| <i>N. Fikru, E. Woldesenbet</i> | |

| | |
|---|------|
| Analysis of the Fracture Process of Epoxy Composites under Different Loading Conditions | 2675 |
| <i>A.A. Mazen, M. Abd El Ghafaar, N.M. El-Mahallawy</i> | |
| Fabrication and Mechanical Testing of Fly Ash – Epoxy Composite | 2687 |
| <i>A. Singh, A. Kumar, D. Bartwal, P.L. Sah, M.G.H. Zaidi</i> | |
| The Effect of Load Direction on Plain Woven CFRP in Fracture Toughness Evaluation | 2693 |
| <i>M.S. Kang, S.Y. Kim, J.H. Choi, J.M. Koo, C.S. Seok</i> | |
| Study on Effect of Incorporation of SiC Fillers on Tensile and Flexural Behavior of GV Composites by Experimental and Simulation Methods | 2705 |
| <i>A.O. Surendranathan, M. Savitha, K.V. Sreenivasa Prasad</i> | |
| A Study on the Failure Strength of Woven CFRP Composite Plate with a Hole Subject to a Remote Load | 2715 |
| <i>S.Y. Kim, M.S. Kang, H.S. Park, J.M. Koo, C.S. Seok</i> | |

Author Index