

**2008 IEEE International Conference on
Electron Devices and Solid-State Circuits**

December 8-10, 2008

Renaissance Kowloon Hotel, Hong Kong

TABLE OF CONTENTS

Evaluation of Defects Reduction and Pattern Abnormal on Semiconductor Copper Dual Damascene Process.....	1
<i>C. Weng</i>	
A Slew-Rate Enhancement Technique Based On Current Comparator and Capacitive-Coupled Push-Pull Output Stage for CMOS Amplifiers	5
<i>P.Y. Or, K.N. Leung</i>	
A Full On-chip Low-dropout Linear Regulator with Enhanced Line, Load Regulation.....	9
<i>H.F. Ma, F. Zhou</i>	
Thermal Modeling of Enhancement LED Package.....	13
<i>C. Weng</i>	
Study of Microscopic Defects in Silicon Oxynitride Films Prepared by Plasma-Enhanced Chemical Vapor Deposition Process.....	17
<i>W.S. Tam, C.K. Wong, C.W. Kok</i>	
Nested Miller Active-Capacitor Frequency Compensation for Low-Power Three-stage Amplifiers	21
<i>H.F. Ma, F. Zhou</i>	
Two-Stage Miller-Compensated Amplifier with Embedded Negative Current Buffer	25
<i>M. Ho, K.N. Leung</i>	
Power Efficient Charge Pump Circuit in Standard Twin-Well CMOS Technology.....	29
<i>J. Lee, J. Park, Y. Chung</i>	
A Numerical Simulation Study of a Nanoscaled Side Selective Buried Oxide MOSFET	33
<i>S.A. Loan, S. Qureshi, S.S.K. Iyer</i>	
Low-Leakage and Low-Power Implementation of High-Speed 65nm Logic Gates	37
<i>T. Wu, L. Lu, C. Liang</i>	
Multifractal Behavior of the Power Dissipation of CMOS Circuits	41
<i>W. Qiang, H. Cao</i>	
High Sensitivity pH Sensor Using $Al_xGa_{1-x}N/GaN$ HEMT Heterostructure Design	45
<i>H. Huang, C. Lin, H. Chiu</i>	
A Low Insertion Loss GaAs pHEMT Switch Utilizing Highly n^+-Doping AlAs Etching Stop Layer Design.....	49
<i>D. Lin, F. Chien, C. Yang, H. Chiu</i>	
High Thermal Stability AlGaAs/InGaAs Enhancement-Mode pHEMT Using Pd Buried-Gate Technology.....	53
<i>C. Yang, C. Lin, D. Lin, H. Chiu</i>	
Investigation of Problems in JEDEC HBM ESD Test Standard	57
<i>M. Huo, Y. Han, Q. Liu, B. Song, Q. Ma, K. Zhu, Y. Shen, X. Du, S. Dong</i>	
Structural and Electrical Characteristics of Lanthanum Oxide Gate Dielectric Film on GaAs pHEMT Technology	61
<i>W. Tsai, C. Chen, H. Chiu, J.S. Fu</i>	
High Critical Electric Field of Thin Silicon Film and its Realization in SOI High Voltage Devices.....	65
<i>S. Hu, B. Zhang, Z. Li</i>	

Design and Challenges of Passive UHF RFID Tag in 90nm CMOS Technology	69
<i>Y. Hong, C.F. Chan, J. Guo, Y.S. Ng, W. Shi, M. Ho, L.K. Leung, K.N. Leung, C.S. Choy, K.P. Pun</i>	
A 1-V 190-μW Delta-Sigma Audio ADC in 0.13-μm Full Digital CMOS Techonology	73
<i>Z. Yang, L. Yao</i>	
Analog/RF Performance Analysis of Coaxial Carbon Nanotube MOS Field Effect Transistor from Non-equilibrium Green's Function Simulation	77
<i>Y. Che, Y. Tao, F. Liu, X. Zhou, J. He</i>	
Hardware Design for Accelerating PNG Decode	81
<i>S. Huang, T. Zheng</i>	
Properties of Enhanced Hydrostatic Pressure-Annealed Silicon Oxynitride Films	85
<i>C.K. Wong, C.W. Kok, A. Misiuk, A. Panas</i>	
A Charge-Based Compact Model for Arbitrary Doped Cylindrical Surrounding-Gate MOSFETs	89
<i>F. Liu, J. Zhang, F. He, F. Liu, L. Zhang, M. Chan</i>	
A 1-V, 81-dB, 780-KS/s, Sigma-Delta Modulator in 0.13-um Digital CMOS Technology	93
<i>Y.H. Tao, L. Yao</i>	
Temperature Dependence of AlGaIn/GaN HEMT-Compatible Lateral Field Effect Rectifier	96
<i>K. Wong, W. Chen, W. Huang, K.J. Chen</i>	
An Embedded Ultra Low Power Nonvolatile Memory in a Standard CMOS Logic Process	100
<i>Y.L. Li, P. Feng, N.J. Wu</i>	
Reliability Characteristics of W-La₂O₃ Structures Compared with those of HfO₂-Based Gate Oxides	104
<i>J. Molina, F.J. De La Hidalgo, P. Rosales, K. Kakushima, P. Ahmet, K. Tsutsui, N. Sugii, T. Hattori, H. Iwai</i>	
Terahert Detection Analysis of Nanowire Gated Field Effect Transistor	108
<i>Y. Chen, J. He, X. Mu, H. Lou, L. Zhang, Y. Song</i>	
Modeling Nanoscale MOSFETs By a Neural Network Approach	112
<i>M. Fang, J. He</i>	
Modeling of Dynamic Threshold Voltage in High K Gate Stack and the Application in FinFET Reliability	116
<i>C. Ma, B. Li, L. Zhang, J. He, X. Zhang, X. Lin</i>	
Assessment of Novel Phase Change Memory Programming Techniques	120
<i>Y. Liao, J. Lin, M. Chiang, W. Hsu</i>	
Multi-bit Sigma-delta Beamformer with Minimal Dynamic Focusing Artifacts	124
<i>J.H. Cheong, Y.Y.H. Lam, L.M. Koh, K.T. Tiew</i>	
A High Reliability CMOS Implantable for Wireless Neural Recording Microsystem	128
<i>H. Li, Y. Zhang</i>	
Low Power Wireless Receiver in CMOS Mixed-signal for Bio-telemetry Implantable System	132
<i>H. Li, Y. Zhang</i>	
An Efficiency-enhanced Low Dropout Linear HB LED Driver for Automotive Application	136
<i>Y. Lin, J. Zhang, X. Zou, W. Li</i>	
Program Efficiency Relying on Channel Conditions at NOR-Type Flash Memory Device Based on Silicon-on-Insulator (SOI)	140
<i>S. Cho, I.H. Park, J.H. Lee, J.D. Lee, B. Park</i>	

Holistic Methodology for Designing Ultra High-Speed SHA-1 Hashing Cryptographic Module in Hardware	144
<i>H. Michail, C. Goutis</i>	
High Frequency Low Cost CMOS LNA Design Procedure for the Wireless Industry	148
<i>A. Ahmed, J. Wight</i>	
A Q- and Bandwidth-Enhancing Design Technique for Active Inductors using Parasitic Cancellation	152
<i>A. Ahmed, J. Wight</i>	
A Global Continuous Channel Potential Solution for Double-Gate MOSFETs	156
<i>F. Liu, J. He, J. Zhang, M.J. Chan</i>	
Comparison of Top and Bottom-contact Organic Thin Film Transistors for Analog Circuit Applications	160
<i>M.N. Islam, B. Mazhari</i>	
Modeling and Simulation of Power Trench MOSFET with SiGeC-based Channel	164
<i>Y. Wang, H. Hu, C. Cheng</i>	
Characteristics of La₂O₃ Gate Dielectric Film with Al Implantation Using Plasma Immersion Ion Implantation	168
<i>B. Sen, H. Wong, P.K. Chu, K. Kakushima, H. Iwai</i>	
Self-clamping Thyristor Mode LIGBT Based on SOI	172
<i>G. Xie, B. Zhang</i>	
Multipath Reversed Nested Miller Compensation with Voltage Buffer for Low-Power Three-Stage Amplifiers	176
<i>Z. Yan</i>	
Statistical Modeling of Layout-dependent Characteristic Fluctuations for Multi-finger MOSFETs	180
<i>C. Park, J. Kang, S. Jung, I. Yun</i>	
Amplifier Offset Dependent Chopping Method for LCD Column Driver ICs	184
<i>H. Kim, S. Cha, C. Park, S. Min, S. Kim</i>	
Modeling of Avalanche Gain for High-speed InP/InGaAs Avalanche Photodiodes	188
<i>J.K. Park, I. Yun</i>	
Simple Square-Rooting Voltage-to-Frequency Converter	192
<i>A. Julsereewong</i>	
An Energy-Efficient ASIC with Real-Time Work-on-Demand for Wireless Body Sensor Network	196
<i>Z. Wang, X. Zhang, X. Chen, L. Zhang, H. Jiang</i>	
A New Data Coding Method for Wireless Command Transmission BPSK Modulator in Implantable Neural Signal Acquisition System	202
<i>Z.M. Liang, B. Li, Z.H. Wu</i>	
GaN Schottky Barrier Photodetectors with Multi-MgN/GaN Buffer	206
<i>K.H. Lee, P.C. Chang, S.J. Chang, Y.C. Wang, C.H. Kuo, S.L. Wu</i>	
Investigation of Electrostatic Integrity for Ultra-Thin-Body GeOI MOSFET Using Analytical Solution of Poisson's Equation	210
<i>V.P. Hu, Y. Wu, P. Su</i>	
A 0.9V 2.7μW Small-Area 100μs+ Analog CMOS Tunable-Delay Circuit Utilizing Miller Effect	214
<i>D.C.W. Ng, N. Wong, K.K. Kwong</i>	

Effective Channel Length Increased Due to Switching from <110> to <100> Orientation for PMOS Transistors Fabricated by 65 nm CMOS Technology	218
<i>W.S. Lau, P. Yang, V. Ho, B.K. Lim, S.Y. Siah, L. Chan</i>	
A Modified High-Performance Structure of Low-Voltage CMOS Op-amp	222
<i>A. Ahmadpour, R. Fouladi</i>	
Universal High Voltage Multiplexer for CMOS OTP Memory Applications	227
<i>K.P. Ng, M.C. Lee, W.T. Chan, R. Barsatan, M. Chan</i>	
Region of Nearly Constant Off Current Versus Gate Length Characteristics for Sub-0.1 um Low Power CMOS Technology	231
<i>W.S. Lau, P. Yang, E.T.L. Ng, Z.W. Chian, V. Ho, S.Y. Siah, L. Chan</i>	
Fully Integrated Digital Controller IC for Buck Converter with a Differential-Sensing ADC	235
<i>M.P. Chan, P.K.T. Mok</i>	
National Project on 45 to 32 nm Metal Oxide Semiconductor Field Effect Transistors for Next Century IC Fabrications	239
<i>H. Hwang, C.W. Wang, K.H. Chang, C.H. Tsai, K.C. Leou, K. Chang-Liao, C. Lu, S.C. Chang, F.C. Chiu, C.H. Liu, A. Chin, K. Chang, B. Chen</i>	
A 1-GHz LC Voltage-Controlled Oscillator with High Linearity and Wide Range	244
<i>W. Tan, G. Chen, H. Zhang</i>	
A Low-Power Digitally-Programmable Accurate Decibel-Linear CMOS VGA for UWB Systems	248
<i>B. Jia, G. Chen, H. Zhang</i>	
Optimized CML Circuits for 10-Gb/s Backplane Transmission with 120-nm CMOS Technology	252
<i>B. Wang, D. Chen, A. Liao, B. Liang, T. Kwasniewski</i>	
Cascaded Classification for Hardware Face Detection	256
<i>I. Zheng, X. Zhang, F. Flitti, A. Bermak</i>	
Influence of Contact Positioning on the Performance of Stress Induced MOSFETs	260
<i>X. Zhang, W. Wu, G. Du, R. Han, X. Liu</i>	
GaN Photodetectors Prepared on Silicon and Sapphire Substrates	264
<i>S.P. Chang, S.J. Chang, C.Y. Lu, R.W. Chuang</i>	
ZnO Nanowire-based Oxygen Gas Sensor	268
<i>C.Y. Lu, S.P. Chang, S.J. Chang</i>	
Scaling Analysis of Phase Change Memory (PCM) Driving Devices	272
<i>L. Li, M. Chan</i>	
ESD Device Simulation in a Pre-Si Phase	276
<i>Z. Li, S. Yue</i>	
Impact of Stochastic Mismatch on FinFETs SRAM Cell Induced by Process Variation	281
<i>S. Yu, Y. Zhao, G. Du, J. Kang, R. Han, X. Liu</i>	
Resonant MEMS Sensors for Detection of Aqueous Heavy Metal Ions with Sub-ppm Resolution	285
<i>A. Rahafrooz, S. Pourkamali</i>	
On the Effect of Scattering in Schottky Barrier MOSFETs	289
<i>L. Zeng, X.Y. Liu, G. Du, J.F. Kang, R.Q. Han</i>	
Cross-sectional Shape Effects on the Electronic Properties of Silicon Nanowires	293
<i>R.N. Sajjad, S. Bhowmick, Q.D.M. Khosru</i>	

Polysilicon Nanowire Chemical Sensor Based on CMOS Standard Process	297
<i>C.W. Hwang, S.C. Hsu, C.T. Lin</i>	
Effects of Uniaxial Strain on the Gate Capacitance of Double Gate MOSFETs	301
<i>I.B. Shams, K. Alam, Q.D.M. Khosru</i>	
Electrical Characteristics and Reliability of Hafnium Oxide Films with Nitrogen Doping.....	305
<i>B. Sen, B.L. Yang</i>	
Effects of Gate Length on the Performance of a Top Gate Silicon Nanowire on Insulator (SOI) Transistor	309
<i>S. Bhowmick, R.N. Sajjad, Q.D.M. Khosru</i>	
A Low Power High Speed ROIC Design for 1024×1024 IRFPA with Novel Readout Stage.....	313
<i>C. Liu, W. Lu, Z. Chen, H. Bian, L. Ji</i>	
Buck Converter Controlled by Using Variable Switching Frequency Technique.....	317
<i>A. Julsereewong, S. Pongswatd, P. Julsereewong, K. Tirasesth, H. Sasaki, Y. Shi</i>	
A Dual Band CMOS Two-stage Variable Gain Low Noise Amplifier.....	321
<i>J. Li, F. Zhao, Y. Huang, Z. Hong</i>	
A Vertically Supported Ring-Type MEMS Gyroscope Utilizing Electromagnetic Actuation and Sensing	325
<i>C.N. Yeh, J.J. Tsai, R.J. Shieh, F.G. Tseng, C.J. Li, Y.C. Su</i>	
NEMS Based on Top-down Technologies: From Stand-alone NEMS to VLSI NEMS & NEMS-CMOS Integration.....	329
<i>E. Ollier, P. Andreucci, L. Duraffourg, E. Colinet, C. Durand, F. Casset, T. Ernst, S. Hentz, S. Labarthe, C. Marcoux, V. Nguyen, D. Renaud, E. Mile, P. Renaux, D. Mercier, P. Robert, P. Ancey, L. Bouchaillot</i>	
An Analytic Surface Potential Based Non-charge-sheet Poly-Si TFT Model Including Substrate and Film Thickness Effects	335
<i>J. Hu, J. Zhang, L. Zhang, F. Liu, J. He</i>	
A Digitally Controlled Transient Suppression Method for Integrated DC-DC Converters.....	339
<i>K. Ng, J. Wang, W.T. Ng</i>	
High-Q VHF Micromechanical Filters Using Free-free Beam Resonators.....	343
<i>C.J. Li, S.K. Lin</i>	
A 13.56MHz Receiver SoC for Multi-Standard RFID Reader.....	347
<i>M. Seo, Y. Choi, Y. Kim, H. Yoo</i>	
Design of Dual-gigabit Transceiver for Fibre Channel FC-1 Layer	351
<i>G. Sun, D. Yu</i>	
A Differential Difference Amplifier for Neural Recording System with Tunable Low-Frequency Cutoff	355
<i>K. Yao, W. Lin, C.A. Gong, Y. Lin, M. Shiue</i>	
A Low Power Consumption 10-bit Rail-to-Rail SAR ADC Using a C-2C Capacitor Array	359
<i>H. Kim, Y. Min, Y. Kim, S. Kim</i>	
A Pseudo-Flash ADC for Large-Channel-Volume Biomedical Sensing Applications.....	363
<i>C.A. Gong, J. Lu, K. Yao, J. Tsai, M. Shiue</i>	
Efficient CMOS Rectifier for Inductively Power-Harvested Implants	367
<i>C.A. Gong, K. Yao, J. Hong, K. Lin, M. Shiue</i>	
A 2.5 GHz Low Phase Noise Oscillator Design in 65nm CMOS Technology with Reduced Current Consumption.....	371
<i>S. Dossou, S. Joblot, D. Petit, P. Ancey</i>	

Uniform Fe₃O₄- Pyrrolidone Nanofiber Thin Film	375
<i>M. Chung, T. Tsai, C. Lin, S. Lu, H. Lin, J. Tsai, C. Chu</i>	
Submicron Free Space Optical Interferometer	379
<i>C.C. Li, O.C.S. Choy, H.P. Ho</i>	
A Phase-sensitive Surface Plasmon Resonance Sensor Based on the Enhanced Light Transmission through Arrays of Nanoholes in Gold Films	383
<i>T. Yang, H.P. Ho</i>	
A White-light Interferometric Surface Plasmon Resonance Sensor with Wide Dynamic Range and Phase-sensitive Response	387
<i>S.P. Ng, S.Y. Wu, H.P. Ho, C.M.L. Wu</i>	
Porous ZnO Hierarchical Disk Nanostructures Dye Sensitive Solar Cell	391
<i>J.X. Wang, W.S. Cheung, C.M.L. Wu</i>	
New Routes and Diversifications for Nanoelectronics by the End of the Roadmap and Beyond	395
<i>S. Deleonibus, M. Aid, B. De Salvo, T. Ernst, O. Faynot, J.M. Fedeli, B. Giffard, C. Le Royer, T. Poiroux, P. Robert, N. Sillon, M. Vinet</i>	
CMOS Image Sensors and Camera-on-a-Chip for Low-Light Level Biomedical Applications	401
<i>M.J. Deen, M.M. El-Desouki, N. Faramarzpour</i>	
Design and Analysis of 600 V Power MOSFET with Multiple Field Limiting Ring	407
<i>W. Tam, O. Wong, C. Kok, H. Wong</i>	
Study of Degradation and Breakdown Properties of HfO₂ Dielectric by c-AFM and SSPM	411
<i>J. An, K. Xue, J.B. Xu</i>	
Fabrication HfO_x Nanopatterns by Atomic Force Microscopy Lithography	415
<i>J. An, K. Xue, J.B. Xu</i>	
Optimizing Technology of Bulk Electronic Field for Lateral High-Voltage Devices	419
<i>B. Zhang, J. Cheng, S. Hu, X. Luo, M. Qiao, B. Duan, Z. Li</i>	
Novel Asymmetric MOSFET Structures for Low Power Applications	425
<i>N. Venkatagirish, R. Jhaveri, A. Tura, J. Woo</i>	
Improved Properties of Ge MOS Capacitors with HfTiON of HfTiO Gate Dielectric by Using Wet-NO Ge-Surface Pretreatment	431
<i>C.X. Li, X. Zou, J.P. Xu, P.T. Lai</i>	
Enhanced Performance of Si MOS Capacitors with HfTaO_xN_y Gate Dielectric by Using AlO_xN_y or TaO_xN_y Interlayer	435
<i>C.X. Li, X.F. Zhang, J.P. Xu, P.T. Lai</i>	
Threshold-voltage Instability of Polymer Thin-film Transistor Under Gate-bias and Drain-bias Stresses	439
<i>Y.R. Liu, J.L. Yu, P.T. Lai, Z.X. Wang, J. Han, R. Liao</i>	
Pentacene Thin-Film Transistors with HfO₂ Gate Dielectric Annealed in NH₃ or N₂O	443
<i>L.F. Deng, W.M. Tang, C.H. Leung, P.T. Lai, J.P. Xu, C.M. Che</i>	
Grand Challenges in Power Semiconductors	447
<i>K. Shenai</i>	
A 4-GHz VCO for Multiband OFDM UWB Systems	451
<i>C.F. Chan, S. Tang, K. Pun</i>	
Modeling Current Transport in Carbon Nanotube Transistors	455
<i>M. Pourfath, S. Selberherr</i>	

III-Nitride Heterojunction FETs : Future Perspectives	461
<i>M. Kuzuhara</i>	
Semi-insulating SiC Formed by Vanadium Ion Implantation	465
<i>Y. Zhang, C. Wang, Y. Zhang, Y. Wang, H. Guo, X. Tang, H. Lu</i>	
Stability Analysis and AC Modeling of High-efficiency BUCK/BOOST Converter	471
<i>L.L. Chen, J.P. Xu, S.N. Cheng, L. Liu, L.F. Deng</i>	
A Limiting Amplifier with LOS Indication for Gigabit Ethernet	475
<i>W.B. Chen, H.J. Zou, M.Z. Deng, C.Y. Li, L.F. Deng</i>	
A High-Sensitivity Transimpedance Amplifier for 1.25-Gbps GE-PON System	479
<i>J.J. Chen, J.P. Xu, D.G. Zhong, C.X. Li</i>	
Thermal and Electrical Transport in Carbon Nanofiber Interconnects	482
<i>T. Saito, T. Yamada, D. Fabris, H. Kitsuki, P. Wilhite, C.Y. Yang</i>	
A New Two-dimensional Analytical Model for Short-channel Tri-material Gate-stack SOI MOSFET's	486
<i>T.K. Chiang</i>	
InGaAs and Graphene as High Mobility Channels for Post Si-CMOS Applications	491
<i>P.D. Ye</i>	
Effects of Annealing Temperature on Sensing Properties of Pt/HfO₂/SiC Schottky-Diode Hydrogen Sensor	496
<i>W.M. Tang, C.H. Leung, P.T. Lai</i>	
Circuit Implementation to Describe the Physical Behavior of Phase Change Memory	500
<i>K.C. Kwong, M. Chan</i>	
SPRAM (SPin-transfer Torque RAM) Technology for Green IT World	504
<i>T. Kawahara, H. Takahashi, H. Ohno</i>	
Author Index	