

2009 Conference on Optical Fiber Communication

(OFC 2009)

**San Diego, California, USA
22 – 26 March 2009**

Pages 1-630



IEEE Catalog Number: CFP09OFC-PRT
ISBN: 978-1-4244-2606-5

TABLE OF CONTENTS

| | |
|--|----|
| Bandwidth-Variable Bandpass Filter based on Dispersion Engineered Tapered Fiber with External Polymer Cladding..... | 1 |
| <i>K. C. Hsu, N. K. Chen, S. Y. Chou, S. K. Liaw, Y. Lai, S. Chi</i> | |
| Soft Glass Spiral PCF With Flat Anamolous Dispersion At 1064nm and $\gamma > 2000 \text{ W}^{-1}\text{km}^{-1}$ At 1550nm..... | 4 |
| <i>A. Agrawal, N. Kejalakshmy, B. M. A. Rahman, K. T. V. Grattan</i> | |
| Defect-Core PCF with Metal Coated Central Air-hole for THz Propagation | 7 |
| <i>N. Kejalakshmy, B. M. Rahman, A. Agrawal, H. Tanvir, K. T. V. Grattan</i> | |
| Reversed Dispersion Slope Photonic Bandgap Fibers and Femtosecond Pulse Propagation..... | 10 |
| <i>Z. Varallyay, K. Saitoh, A. Szabo, K. Kakihara, M. Koshiba, R. Szipocs</i> | |
| Design of Broadband Dispersion Compensating Photonic Crystal Fibers for High Speed Transmission Systems | 13 |
| <i>F. Begum, Y. Namihira, S. F. Kaijage, S. M. A. Razzak, N. H. Hai, T. Kinjo, K. Miyagi, N. Zou</i> | |
| Guided Mode Gain Competition in Yb-doped Rod-type Photonic Crystal Fibers..... | 16 |
| <i>F. Poli, D. Passaro, A. Cucinotta, S. Selleri, J. Laegsgaard, J. Broeng</i> | |
| Novel Fabrication Process of Controlling Aspect Ratio of the Hollow Core in Photonic Bandgap Fibers | 19 |
| <i>G. Kim, T. Cho, K. Hwang, K. Lee, K. S. Lee, S. B. Lee</i> | |
| Stable and Ultra-Wideband Wavelength-Tunable Harmonically Mode-Locked Short-Cavity Fiber Ring Laser Using a Bismuth-Oxide-Based Highly Nonlinear Erbium-Doped Fiber | 22 |
| <i>Y. Fukuchi, J. Maeda</i> | |
| SBS-Suppressed, Single Mode Yb-Doped Fiber Amplifiers..... | 25 |
| <i>P. D. Dragic</i> | |
| Fiber Laser Wavelength Tuning on a Silicon Chip..... | 28 |
| <i>X. Wang, T. Liu, V. R. Almeida, R. R. Panepucci</i> | |
| Effect of Neighboring Channels in OSNR Monitoring with Fractional-Bit-Delay Interferometers..... | 31 |
| <i>A. J. Zilkie, C. Lin, P. G. Wigley</i> | |
| Impact of FBGs Reflectivity Shape on Spectra of Radiation in 10 km Raman Fiber Laser | 34 |
| <i>V. Karalekas, P. Harper, A. E. El-Taher, J. D. Ania-Castanon, X. Shu, E. G. Turitsyna, V. K. Mezentsev, I. Bennion, S. K. Turitsyn</i> | |
| Surviving Channel Power Transients in TDM-Pumped Lumped Raman Fiber Amplifier | 37 |
| <i>M. Karasek, J. Vojtech, J. Radil</i> | |
| New Type of Long-Period Fiber Grating by Self-Assembled Periodic Polymerization in Silica Hollow Optical Fiber | 40 |
| <i>H. Jung, Y. G. Seo, W. Ha, S. H. Park, K. Oh</i> | |
| Novel Fiber Sensor System for Dynamic Displacement Measurement Using RF-modulated RSOA | 43 |
| <i>K. Lee, S. Kim, S. B. Lee, J. H. Lee</i> | |
| Fused Biconical Tapered Technique Based Light Beam Coupling Between a Single Mode Fiber and a High Nonlinearly Photonic Crystal Fiber..... | 46 |
| <i>J. Liu, T. H. Cheng, Y. K. Yeo, Y. Wang, Z. Xu, D. Wang</i> | |

| | |
|---|----|
| Linearized Gimbal-less Two-Axis MEMS Mirrors..... | 49 |
| <i>V. Milanovic</i> | |
| Waveguide Coupler Formed by a Graded Photonic Crystal..... | 52 |
| <i>H. T. Chien, C. C. Chen</i> | |
| 90 Bent Hollow Waveguides Formed by Distributed Bragg Reflector..... | 55 |
| <i>H. K. Chiu, C. C. Chen</i> | |
| Temperature Stabilized Electrically Tunable Long Period Gratings Coated with Nanosized Layer | 58 |
| <i>H. Luo, X. Li, S. Wang, J. Chen</i> | |
| Optical Channel Drop Filter Based on Two-Dimensional Photonic Crystals..... | 61 |
| <i>Y. D. Wu, T. T. Shih, J. J. Lee, M. H. Chen, H. F. Kao</i> | |
| Long Spiral Optical Waveguides using Ultra Low Loss Perfluorinated Polymer for Optical Interconnect..... | 64 |
| <i>S. Takenobu, Y. Morizawa</i> | |
| Genetic-Algorithm Assisted Design of C-band Photonic Crystal Waveguide Interleavers Using Ring Resonators..... | 67 |
| <i>L. Rosa, K. Saitoh, K. Kakihara, M. Koshiba</i> | |
| Proposal of Broadband Optical Delay with Fine Delay Resolution Utilizing High-Confinement Silicon Waveguides..... | 70 |
| <i>N. Kono</i> | |
| Ultrasensitive APD Photoreceivers for GPON and Long Haul Optical Transmission | 73 |
| <i>L. A. Aina, A. Fathimulla, H. Hier</i> | |
| High-Speed and High-Responsivity Back-Illuminated Photodiode with a High Reflective Reflector for 25-Gbps Receiver of 100-Gbps Ethernet | 76 |
| <i>Y. Lee, T. Ban, S. Makino, H. Hayashi, K. Nagatsuma, R. Mita, S. Tanaka, Y. Matsuoka, T. Sugawara, S. Tsuji, M. Aoki, H. Takamatsu, M. Sasada, H. Yamamoto, M. Okayasu, T. Toyonaka, H. Inoue, M. Shishikura</i> | |
| 3 b/s/Hz 1.2 Tb/s Packet Generation using Optical Arbitrary Waveform Generation Based Optical Transmitter | 79 |
| <i>D. J. Geisler, N. K. Fontaine, R. P. Scott, T. He, K. Okamoto, J. P. Heritage, S. J. B. Yoo</i> | |
| Generation of 10 GHz Optical Pulses with Very Low Timing Jitter Using One Section Passively Mode Locked Quantum Dash Based Lasers Operating at 1.55 μm | 82 |
| <i>A. Akroud, K. Merghem, J. P. Tourrenc, A. Martinez, A. Shen, F. Lelarge, G. H. Duan, A. Ramdane</i> | |
| A 1.3-μm Lens-Integrated Horizontal-Cavity Surface-Emitting Laser with Direct and Highly Efficient Coupling to Optical Fibers | 85 |
| <i>K. Adachi, K. Shinoda, T. Fukamachi, T. Shiota, T. Kitatani, K. Hosomi, Y. Matsuoka, T. Sugawara, M. Aoki</i> | |
| VCSEL to VCSEL Injection Locking for Uncompensated 40-km Transmission at 10 Gb/s..... | 88 |
| <i>P. Boffi, A. Boletti, A. Gatto, M. Martinelli</i> | |
| 4-Bit All-Optical Buffer Memory with Shift Register Function Using Polarization Bistable VCSELs..... | 91 |
| <i>T. Katayama, T. Ooi, H. Kawaguchi</i> | |
| Thermal Limits for Integration of Directly Modulated Lasers with Driver IC on SOI..... | 94 |
| <i>B. Wohlfeil, L. Zimmermann, K. Petermann, J. Kreissl, H. Gustat</i> | |
| Guard-time-free Port Selection by a LiNbO₃ Optical Switch Embedded Intensity Trimmers for Optical Packet Switching..... | 97 |
| <i>A. Chiba, T. Kawanishi, T. Sakamoto, K. Higuma, M. Izutsu</i> | |

| | |
|---|-----|
| High Bit Rate Polymer Optical Fiber Links: Design and Demonstration | 100 |
| <i>K. Pedrotti, R. Dahlgren, J. Wysocki, J. M. Winen, F. Martinez-McKinney</i> | |
| MMF Transmission of Directly-Modulated 40-Gb/s Signal using Mode-Field Matched Center-Launching Technique | 103 |
| <i>D. H. Sim, Y. Takushima, Y. C. Chung</i> | |
| A Class of Non-binary Regular Girth-8 LDPC Codes for Optical Communication Channels | 106 |
| <i>M. Arabaci, I. B. Djordjevic, R. Saunders, R. Marcoccia</i> | |
| Global Optimization of RZ-DPSK and RZ-DQPSK Systems at Various Data Rates | 109 |
| <i>L. D. Coelho, O. Gaete, E. D. Schmidt, B. Spinnler, N. Hanik</i> | |
| Equalization of FBG-induced Group-Delay Ripples Penalties using a Coherent Receiver and Digital Signal Processing | 112 |
| <i>V. Veljanovski, M. Alfiad, D. Van Den Borne, S. L. Jansen, T. Wuth</i> | |
| Scaling of Nonlinear Threshold with Fiber Type and Channel Spacing in WDM Transmission Systems | 115 |
| <i>J. K. Fischer, M. Winter, K. Petermann</i> | |
| PMDC for Polarization Multiplexed RZ-DQPSK Systems | 118 |
| <i>Y. Shen, X. Liu, S. Zhong, J. Veselka, P. Kim, M. Frankel, H. Sardesai</i> | |
| Comparison of 30 Gbit/s Coherent 8PSK Single Carrier and OFDM Multi Carrier Systems with Respect to Transmission Reach | 121 |
| <i>M. Nolle, R. Freund</i> | |
| Influence of Neighbor Channel Modulation Formats on 112 Gbit/s and 42.8 Gbit/s WDM Coherent Polmux-QPSK Transmission Systems | 124 |
| <i>M. Seimetz, M. Nolle, C. M. Weinert, R. Freund, B. Spinnler, S. Spalter, C. R. S. Fludger</i> | |
| Analysis of Fiber Dispersion Effects on Phase Modulated Signals Using Constellation Diagram | 127 |
| <i>V. R. Arbab, X. Wu, L. C. Christen, J. Y. Yang, T. Dennis, P. Williams, A. E. Willner</i> | |
| Soft Coded Modulation for Sensitivity Enhancement of Coherent 100-Gbit/s Transmission Systems | 130 |
| <i>H. Bulow, T. Rankl</i> | |
| Wavelet Split-Step Backward-Propagation for Efficient Post-Compensation of WDM Transmission Impairments | 133 |
| <i>G. Goldfarb, G. Li</i> | |
| Trellis Shaping for Reduction of the Peak-to-Average Power Ratio in Coherent Optical OFDM Systemsq | 136 |
| <i>S. Hellerbrand, B. Goebel, N. Hanik</i> | |
| Transmission with 1490 nm Photonic Integrated Circuits and all-SOA Amplification for Fiber Bandwidth Extension | 139 |
| <i>H. Xu, M. Kato, A. Dentai, B. Taylor, V. Dominic, M. VanLeeuwen, P. Mertz, M. Fisher, M. Missey, R. Nagarajan, D. Welch, F. Kish, S. Grubb</i> | |
| 10 Gb/s NRZ-DPSK and RZ-DPSK Analysis based on Complex Spectrum Measurement | 142 |
| <i>J. Lasobras, A. Villafranca, L. Martinez, R. Escorihuela, F. Lopez, R. Alonso, I. Garces</i> | |
| Demonstration of Fast Optical Protection in ROADM System with One-chip Color/direction-independent Add/drop Multiplexer Employing Silicon Photonic Circuit | 145 |
| <i>M. Sakauchi, I. Nishioka, S. Nakamura, T. Chu, Y. Urino</i> | |

| | |
|--|-----|
| The Impact of LED Transfer Function Nonlinearity on High-speed Optical Wireless Communications Based on Discrete-multitone Modulation | 148 |
| <i>B. Inan, S. C. J. Lee, S. Randel, I. Neokosmidis, A. M. J. Koonen, J. W. Walewski</i> | |
| Optically Concatenated 4-Fold 40-Gbit/s Multicasting, 4-Fold 40-to-160-Gbit/s Multiplexing, and 160-to-40-Gbit/s Demultiplexing Using Highly Nonlinear Fibers..... | 151 |
| <i>X. Wu, A. Bogoni, O. F. Yilmaz, S. R. Nuccio, A. E. Willner</i> | |
| All-optical Ultra-wideband Doublet Generation and Non-degraded Transmission over Optical Fiber..... | 154 |
| <i>J. Dong, X. Zhang, D. Huang, J. B. Rosas-Fernandez</i> | |
| All-Optical Multicast Based on Cavity-Enhanced Four-Wave-Mixing in Semiconductor Ring Laser..... | 157 |
| <i>D. Lu, G. Mezosi, B. Li, M. I. Memon, Z. Wang, M. Sorel, S. Jian, S. Yu</i> | |
| 2R Regeneration of Two 130 Gbit/s Channels within a Single Fiber..... | 160 |
| <i>F. Parmigiani, P. Vorreau, L. Provost, K. Mukasa, M. Takahashi, M. Tadakuma, P. Petropoulos, D. J. Richardson, W. Freude, J. Leuthold</i> | |
| Optical Steganography Using Chirped Fiber Bragg Grating..... | 163 |
| <i>M. P. Fok, P. R. Prucnal</i> | |
| Polarization-Mode-Dispersion Compensator Feedback Signal for Alternate-Polarization Return-to-Zero Differential-Phase-Shift-Keying Signals | 166 |
| <i>C. Xie, D. Werner, H. Haunstein</i> | |
| All-Optical Time Domain 160 Gb/s ADD/DROP based on Pump Depletion and Nonlinearities in a Single PPLN Waveguide..... | 169 |
| <i>A. Bogoni, X. Wu, I. Fazal, A. Willner</i> | |
| Suppression of Nonlinear Phase Noise in a DPSK Transmission Using a Nonlinear Amplifying Loop Mirror | 172 |
| <i>C. Stephan, K. Sponsel, G. Onishchukov, B. Schmauss, G. Leuchs</i> | |
| All-Optical Multi-Wavelength Extinction Ratio Enhancement via Pump-Modulated Four-Wave Mixing..... | 175 |
| <i>A. Cheng, C. Shu, M. P. Fok</i> | |
| Simultaneous PMD Mitigation by Optically Clocked Reshaper for Two-Channel 80-Gbit/s RZ-DQPSK Signals..... | 178 |
| <i>M. Yagi, S. Satomi, S. Ryu</i> | |
| Robust, Wavelength- and Temperature-Insensitive 14 krad/s Endless Polarization Tracking over 2.5 Grad | 181 |
| <i>B. Koch, A. Hidayat, V. Mirvoda, H. Zhang, D. Sandel, R. Noe</i> | |
| All-Optical Correlation-Based Bit-Pattern Recognition with Reduced Wavelength Sensitivity Using Wavelength Conversion..... | 184 |
| <i>I. Kang, M. Rasras, M. Dinu, L. Buhl, S. Cabot, L. Zhang, M. Cappuzzo, L. T. Gomez, Y. F. Chen, S. S. Patel, D. T. Neilson, C. R. Giles, N. Dutta, A. Piccirilli, J. Jaques</i> | |
| SRLG-Aware Partitioning for Scalability and Survivability | 187 |
| <i>M. M. Hasan, J. P. Jue</i> | |
| Integer Programming Assisted Optimization of Optical Design for Transparent WDM Networks | 190 |
| <i>T. Hashiguchi, T. Katagiri, K. Tajima, Y. Takita, S. Kinoshita, T. Toyomaki, M. Sekiya</i> | |
| Dynamic Load-Balanced Multicasting Over Optical Burst-Switched (OBS) Networks | 193 |
| <i>R. R. C. Bikram, V. M. Vokkarane</i> | |
| Using Holistic Methodology to Build Scalable Network | 196 |
| <i>J. He, A. Lord, H. Xu, M. Wade</i> | |

| | |
|--|-----|
| TE-enhanced Path Selection for QoS Provisioning in Multi-Domain GMPLS Networks | 199 |
| <i>A. Manolova, S. Ruepp, L. Dittmann</i> | |
| PLI-aware Wavelength Routing in Optical Networks | 202 |
| <i>V. Anagnostopoulos, C. Politis, C. Matrakidis, A. Stavdas, A. C. Boucouvalas</i> | |
| Improved Reflection Tolerance by Near-Threshold Operation of DFB Seed Light for a 80 km Reach Loop-Back WDM-PON | 205 |
| <i>J. H. Lee, M. Park, S. H. Cho, H. Lee, B. W. Kim</i> | |
| Behavior-Aware User-Assignment in Hybrid PON Planning | 208 |
| <i>L. Shi, H. Song</i> | |
| Improvement of Multiplicity in Flexible Signal Bit Rate OCDM System using Noise Reduction Circuits | 211 |
| <i>S. Oshiba, Y. Kotani, Tsubouchi, R. Moritomo, M. Akiyama</i> | |
| Channel Allocation to Improve Bandwidth Utilization Performance for CDMA-PONs..... | 214 |
| <i>Y. Nakahira, R. Watanabe, M. Kashima</i> | |
| Optical Code Division Multiplexing Technique for Ultra High Speed NGA Asymmetric PON System | 217 |
| <i>H. Iwamura, H. Tsuji, H. Tamai, M. Sarashina, N. Minato, M. Kashima, T. Kamijoh</i> | |
| Experimental Analyses of Hybrid Gigabit TDM-PON and Code Division Multiplexed PON Architecture toward Next Generation Access Network..... | 220 |
| <i>H. Tamai, M. Sarashina, H. Iwamura, M. Kashima, G. C. Gupta, T. Ushikubo, T. Kamijoh, P. Chanciou, N. Genay, B. Landousies, A. Mosek, M. Gredziak</i> | |
| WDM Ring Performance Improvement by Means of a Nonlinear Effects Crosstalk Minimization Algorithm | 223 |
| <i>J. Reis, B. Neto, P. S. Andre, A. Teixeira</i> | |
| A Remotely Reconfigurable PON Architecture for Efficient Maintenance and Protection | 226 |
| <i>J. H. Lee, K. M. Choi, J. H. Moon, C. H. Lee</i> | |
| On the Energy Consumption of FTTH Access Networks | 229 |
| <i>C. Lange, A. Gladisch</i> | |
| 10G EPON: Next Generation Ethernet Passive Optical Networks | 232 |
| <i>C. Chen, Z. Chair, B. Velmurugan</i> | |
| NG Broadband Access - A Total-Cost-of-Ownership Analysis | 235 |
| <i>K. Grobe, J. P. Elbers</i> | |
| Efficient Multicast Bandwidth Allocation in TDM-WDM PONs | 238 |
| <i>M. Alfani, J. M. Finocchietto, F. Neri</i> | |
| On the Packet Optical Networking Platform (Packet-ONP) with a Centralized Universal Switch for Ethernet and TDM | 241 |
| <i>S. Han, S. Lisle</i> | |
| Wireless HD Services over Optical Access Systems: Transmission, Networking, and Demonstration | 244 |
| <i>Z. Jia, H. C. Chien, Y. T. Hsueh, A. Chowdhury, J. Yu, G. K. Chang</i> | |
| Influence of Various Factors on Indoor Cable Friction Properties and Measurement Trial at High Drawing Speed in Actual Environment | 249 |
| <i>Y. Takeshita, S. Sakata, H. Saito, T. Sawada, T. Handa, S. Niwa, K. Sugimoto, R. Nishio, S. Tsuru</i> | |
| Modeling and Experimental Analysis of Contamination Effects on Lens-Based Optic Modules | 252 |
| <i>C. Chen, Y. Sadohara, T. Berdinskikh, D. Fisher, S. Y. Huang, B. J. Roche, B. Covello, D. H. Wilson</i> | |

| | |
|---|-----|
| Development of a Multiple-Row MT Connector for 80 μm Diameter Optical Fibers | 255 |
| <i>T. Sabano, T. Ohta, T. Tanaka, D. Childers, D. Schoellner</i> | |
| Automatic Alignment and Splicing for Elliptical Core D-fiber..... | 258 |
| <i>B. Malinsky, T. Monte, T. Kubo, J. Brunner, W. Zheng</i> | |
| A Simple Group Velocity Dispersion Measurement Method by RF Spectral Periodic Pulse Timing Variation Characterization | 261 |
| <i>S. F. Liu, S. S. Jyu, H. C. Chang, W. W. Hsiang, Y. Lai</i> | |
| Photolithography of Thick Photoresist Coating in Anisotropically Etched V-grooves for Electrically Controlled Liquid Crystal Photonic Bandgap Fiber Devices..... | 264 |
| <i>L. Wei, E. Khomtchenko, T. T. Alkeskjold, A. Bjarklev</i> | |
| Statistical Analysis of Single-Mode Fiber Field Splice Losses..... | 267 |
| <i>J. A. Nagel</i> | |
| Analysis on Performance Deterioration of Optical Fiber Joints with Mixture of Refractive Index Matching Materials and Air-filled Gaps | 270 |
| <i>M. Kihara, R. Nagano, M. Uchino, Y. Yuki, H. Sonoda, H. Onose, H. Izumita, N. Kuwaki</i> | |
| Optimized Acoustic Refractive Index Profiles for Suppression of Stimulated Brillouin Scattering in Large Core Fibers..... | 273 |
| <i>S. Yoo, J. K. Sahu, J. Nilsson</i> | |
| Brillouin-Based Random Fiber Optic Delay Line | 276 |
| <i>W. Zou, Z. He, K. Hotate</i> | |
| Dispersion Compensation by SBS Based Slow-Light in an Optical Fiber..... | 279 |
| <i>T. Schneider, A. Wiatrek, R. Henker</i> | |
| OSNR Monitoring at High-Speeds using a FBG-Based Correlator in Optical Packet-Switched Networks..... | 282 |
| <i>R. Vilar, J. Garcia, G. Tremblay, Y. Kim, S. Larochelle, F. Ramos, J. Marti</i> | |
| High Frequency Sensing Interrogation System Using Fiber Bragg Grating Based Microwave Photonic Filtering..... | 285 |
| <i>H. Fu, W. Zhang, C. Mou, X. Shu, L. Zhang, S. He, I. Bennion</i> | |
| Highly Sensitive Temperature Sensor using Fiber Bragg Grating on Pb/Ge-codoped Fiber | 288 |
| <i>S. Ju, P. R. Watekar, W. T. Han</i> | |
| Actively Mode-Locked Fiber Optical Parametric Oscillator | 291 |
| <i>S. Yang, J. Li, Y. Zhou, K. K. Y. Wong</i> | |
| Polarization Dependent Loss Study on Silicon-Wire Waveguide Tap for Optical Performance Monitoring | 294 |
| <i>S. H. Hsu</i> | |
| Unidirectional Spun Fiber for Efficient Narrow-Band Parametric Amplification | 297 |
| <i>H. Ferraro, A. Galtarossa, L. Palmieri, M. Santagiustina, L. Schenato</i> | |
| Potential for 1550-nm Broadband Amplification by Using Different Er³⁺ - Doped Tellurite Fiber Structures | 300 |
| <i>R. Silva, E. F. Chilcote, C. L. Cesar, L. C. Barbosa, A. C. Bordonalli</i> | |
| Transient Performance of Ultra-Fast AGC-EDFA in 40-Channel Add/Drop Operation..... | 303 |
| <i>R. Sugimoto, H. Miyauchi, K. Shima, K. Himeno, H. Hosoya, Y. Horiuchi, Y. Tanaka, Y. Oikawa, N. Shiga, H. Nagaeda</i> | |
| Influence of Filter Shape and Bandwidth on 44 Gb/s DQPSK Systems | 306 |
| <i>L. Zong, J. Veselka, H. Sardesai, M. Frankel</i> | |

| | |
|--|-----|
| Crystal-Based DPSK and DQPSK Demodulators Using PBI..... | 309 |
| <i>D. Zhang, Y. Luo, Q. Hu, S. Jiang</i> | |
| Analysis of Crosstalk Impact on Optical Packet Signals in an Optical Cross-bar Switch by Intensity-Trimming Method..... | 312 |
| <i>A. Chiba, T. Sakamoto, T. Kawanishi, K. Higuma, M. Izutsu</i> | |
| Third Order Characterization of Dispersion Compensating Gratings for 40 Gbps DQPSK Transmission Systems | 315 |
| <i>B. Pal, A. Marrakchi, H. Sardesai</i> | |
| Implications of Tight Optical Filtering and the Phase Ripple of a Dispersion Compensating Fiber Bragg Grating on 40-Gb/s DPSK Transmission..... | 318 |
| <i>X. Tang, Y. Jiang, J. C. Cartledge</i> | |
| Transmitter for Calibrating Extinction Ratio Measurements of Optical Receivers | 321 |
| <i>J. A. Jargon, X. Wu, P. D. Hale, K. M. Engenhardt, A. E. Willner</i> | |
| A High-Speed Silicon Modulator Based on an Embedded-Ring-Resonator Structure..... | 324 |
| <i>L. Zhang, M. Song, R. G. Beausoleil, A. E. Willner</i> | |
| Multicasting at 10 Gb/s and 70 GHz Using a Hybrid Integrated SOA Mach-Zehnder Interferometer | 327 |
| <i>M. Karasek, J. Vojtech, J. Radil</i> | |
| Low Noise InAs/InP Quantum Dot C-Band Monolithic Multiwavelength Lasers for WDM-PONs..... | 330 |
| <i>Z. G. Lu, J. R. Liu, P. J. Poole, S. Raymond, P. J. Barrios, D. Poitras, G. Pakulski, X. P. Zhang, K. Hinzer, T. J. Hall</i> | |
| Temperature-Stable 10.3-Gb/s Operation of 1.3-μm Quantum-Dot DFB Lasers with GaInP/GaAs Gratings..... | 333 |
| <i>K. Takada, Y. Tanaka, T. Matsumoto, M. Ekawa, Y. Nakata, T. Yamamoto, M. Sugawara, Y. Arakawa</i> | |
| Low Power Penalty Monolithically-Cascaded 1550nm-Wavelength Quantum-Dot Crossbar Switches..... | 336 |
| <i>A. Albores-Mejia, K. A. Williams, T. De Vries, E. Smalbrugge, Y. S. Oei, M. K. Smit, R. Notzel</i> | |
| Gain and High Speed Transmission Characteristics of InAs/InP Quantum Dot Semiconductor Optical Amplifiers | 339 |
| <i>S. H. Pyun, W. G. Jeong, N. J. Kim, J. M. Oh, D. Lee, J. W. Jang, S. S. Lee, J. H. Kim</i> | |
| Hi-Fi All-Optical Continuously Tunable Delay with a High Linear-Chirp-Rate Fiber Bragg Grating Based on Four-Wave Mixing in a Highly-Nonlinear Photonic Crystal Fiber | 342 |
| <i>T. H. Cheng, J. Liu, Y. K. Yeo, Y. Wang, Z. Xu, D. Wang</i> | |
| Wavelength Conversion for NRZ Signals with Enhanced Regenerative Characteristics..... | 345 |
| <i>K. Vrysokinos, D. Apostolopoulos, P. Zakythinos, H. Avramopoulos, N. Pleros</i> | |
| Frequency Noise Characterization of a Widely Tunable Narrow-Linewidth DFB Laser Array Source | 348 |
| <i>J. P. Wilde, G. W. Yoffe, J. M. Kahn</i> | |
| A Monolithic One-Sample/bit Partial-Response Maximum Likelihood SiGe Receiver for Electronic Dispersion Compensation of 10.7Gb/s Fiber Links | 351 |
| <i>S. Elahmadi, M. Bussman, J. Edwards, D. Baranauskas, D. Zelenin, K. Tran, C. Gill, L. Linder, D. Ng, H. Tan, S. Elahmadi, M. Srintah, D. Rajan</i> | |
| Bandwidth Efficient Precompensation Using a Single Digital-to-Analog Converter | 354 |
| <i>B. Chatelain, O. Liboiron-Ladouceur, R. Gagnon, D. V. Plant</i> | |
| A Simple, Robust, and Wide-Range Chromatic Dispersion Monitor in Coherent Receivers | 357 |
| <i>L. Liu, Z. Tao, W. Yan, S. Oda, T. Hoshida, J. C. Rasmussen</i> | |

| | |
|--|-----|
| Transmission of On-Off Keying Signal at 1310 nm Using Electrical Post-Compensation of SOA Nonlinearity | 360 |
| <i>X. Li, G. Li</i> | |
| System Degradation by the SPM-Induced Mean Nonlinear Phase Shift in Optical QAM Transmission..... | 363 |
| <i>M. Seimetz</i> | |
| Transmission of 32.1 Gbit/s RZ-D8PSK over 160 km Using Dispersion Compensation by Optical Phase Conjugation..... | 366 |
| <i>J. B. Jensen, C. Peucheret, G. Schiellerup, P. Jeppesen</i> | |
| Performance Comparison of DPSK, P-DPSK, RZ-DQPSK and Coherent PDM-QPSK at 40 Gb/s over a Terrestrial Link..... | 369 |
| <i>G. Charlet, J. Renaudier, P. Brindel, P. Tran, H. Mardoyan, O. B. Pardo, M. Salsi, S. Bigo</i> | |
| Stereo Multiplexing for Direct Detected Optical Communication Systems | 372 |
| <i>O. Gaete, L. D. Coelho, B. Spinnler, M. S. Alfiad, S. L. Jansen, N. Hanik</i> | |
| A Method of Accurately Optimizing the Timing of Phase Modulation in Wide Temporal Ranges for DQPSK Transmitters | 375 |
| <i>E. Le Taillandier de Gabory, S. Shioiri, T. Ito, K. Fukuchi</i> | |
| Filtering Characteristics of Highly-Spectrum Efficient Spectrum-Sliced Elastic Optical Path (SLICE) Network | 378 |
| <i>B. Kozicki, H. Takara, T. Yoshimatsu, K. Yonenaga, M. Jinno</i> | |
| Real-time 100-Gb/s POLMUX RZ-DQPSK Transmission over Uncompensated 500 km of SSMF by Optical Phase Conjunction | 381 |
| <i>L. Marazzi, P. Parolari, P. Martelli, R. Siano, P. Boffi, M. Ferrario, A. Righetti, M. Martinelli, V. Pusino, P. Minzioni, I. Cristiani, V. Degiorgio, C. Langrock, M. M. Fejer</i> | |
| Subcarrier Modulation Boosts Chaotic Optical Communication Systems to Error-Free Performance | 384 |
| <i>A. Argyris, A. Bogris, I. Giles, M. Hamacher, D. Syvridis</i> | |
| Demonstration of Lightpath Labeling Technique for Multi-Channel DPSK Signals | 387 |
| <i>T. Ohara, M. D. Feuer</i> | |
| Tunable High Order Dispersion Compensator for Optimized 40Gb/s Performance in 50GHz Channel Spacing | 390 |
| <i>Y. K. Lize, M. Summa, P. Wigley, C. Malouin, T. J. Schmidt, P. Day</i> | |
| Micrometer-scale Optical Up-Converter Using a Resonance-Split Silicon Microring Resonator in Radio Over Fiber Systems | 393 |
| <i>Q. Chang, Q. Li, Z. Zhang, M. Qiu, Y. Su</i> | |
| Photonic Generation of UWB Monocycle Pulses Using a Cascaded Semiconductor Optical Amplifier and Electroabsorption Modulator | 396 |
| <i>E. Zhou, X. Zhang, X. Yu, J. Dong, W. Xue, I. T. Monroy</i> | |
| Demonstration for Delivering of Optical DPSK Signal in a Radio-Over-Fiber Platform Based on Heterodyne Detection | 399 |
| <i>J. Yin, K. Xu, Y. Li, J. Wu, X. Hong, J. Lin</i> | |
| Generation of a Stable and Frequency-Tunable Microwave Signal Using a Polarization Modulator and a Wavelength-Fixed Notch Filter | 402 |
| <i>S. Pan, C. Wang, J. Yao</i> | |
| Heterodyne Radio over Fiber System with 10 Gbps Data Rates..... | 405 |
| <i>I. Gonzalez Insua, C. G. Schaffer</i> | |

| | |
|---|-----|
| Photonic Microwave Filter with Negative Coefficients Using Fiber Optical Parametric Amplifier | 408 |
| <i>J. Li, K. K. Y. Cheung, K. K. Y. Wong</i> | |
| Electronically Tunable Microwave Frequency Generation Based on Dual-Polarization Fiber Grating Laser | 411 |
| <i>B. O. Guan, Y. Zhang, L. W. Zhang, H. Y. Tam</i> | |
| Electrical Compensation of Fiber Chromatic Dispersion Induced RF Power Fading in Optical Double-Sideband Subcarrier Modulation | 414 |
| <i>B. Hraimel, X. Zhang, M. Mohamed, K. Wu</i> | |
| All-Optical WDM Subcarrier Modulator for Binary Phase Shift Keying (BPSK) with Optical SSB Format Using a Phase Modulator Loop Mirror Filter | 417 |
| <i>X. Sun, K. Xu, S. Fu, J. Li, X. Hong, J. Wu, J. Lin, P. Shum</i> | |
| Single Phase-Shifted Fiber Bragg Grating as an All-Optical Hilbert Transformer | 420 |
| <i>M. H. Asghari, J. Azana</i> | |
| Tunable Photonic Microwave Filter using Slow Light in Vertical Cavity Surface Emitting Laser | 423 |
| <i>P. C. Peng, S. K. Yeh, F. M. Wu, J. Chen, C. T. Lin, W. J. Jiang, P. T. Shih, H. C. Kuo, S. Chi</i> | |
| All-Optical Up-Conversion of Millimeter-Wave Signals for ROF System using Optical Carrier Suppression-Based Dual-Pump FWM in an SOA | 426 |
| <i>Z. Dong, Z. Cao, J. Lu, L. Chen, S. Wen, Z. Jia, G. K. Chang</i> | |
| A Novel Incoherent Scheme for Photonic Generation of Biphase Modulated UWB Signals | 429 |
| <i>X. Yu, T. B. Gibbon, D. Zibar, I. T. Monroy</i> | |
| Investigating the Forward and Backward Injections of Injection-Locked Dual Optoelectronic Oscillators | 432 |
| <i>O. Okusaga, W. Zhou, G. Carter, C. Menyuk</i> | |
| Exploiting Transponder Performance in Optical OFDM Networks | 435 |
| <i>M. Kiese, M. Schuster</i> | |
| Towards a Transponder for Serial 100 Gigabit Ethernet using a Novel Optical SERDES | 438 |
| <i>A. Gumaste</i> | |
| Impact of 2xOOK-to-QPSK Format Conversion on Dynamic RWA with FWM-Induced Crosstalk-Aware Wavelength-Path Networks | 441 |
| <i>A. Marsden, A. Maruta, K. I. Kitayama</i> | |
| Limiting the Propagation of Intra-channel Crosstalk Attacks in Optical Networks through Wavelength Assignment | 444 |
| <i>N. Skorin-Kapov, M. Furdek</i> | |
| Performance of an Optical Packet Switch with an Optimal FDL Bank | 447 |
| <i>A. Gadkar, S. Subramaniam</i> | |
| A Programmable Router Interface Supporting Link Virtualization with Adaptive Optical OFDMA Transmission | 450 |
| <i>W. Wei, J. Hu, C. Wang, T. Wang, C. Qiao</i> | |
| Demonstration of RSOA-Based WDM PON Employing Self-Homodyne Receiver with High Reflection Tolerance | 453 |
| <i>S. P. Jung, Y. Takushima, K. Y. Cho, S. J. Park, Y. C. Chung</i> | |
| Effects of RSOA Gain Ripples on Upstream Transmission in a SML-Seeded Loop-Back WDM-PON | 456 |
| <i>S. H. Cho, H. H. Lee, M. Y. Park, J. H. Lee, J. H. Yu, B. Kim</i> | |

| | |
|--|-----|
| Modulation Format Transparent Subcarrier Reuse by Feed Forward Current Injection in a Reflective SOA..... | 459 |
| <i>M. Presi, A. Chiuchiarelli, G. Contestabile, E. Ciaramella, L. Giorgi</i> | |
| Filtering Effects in a Spectrum-Sliced WDM-PON System using a Gain-Saturated Reflected-SOA | 462 |
| <i>H. H. Lee, M. Y. Park, S. H. Cho, J. H. Lee, J. H. Yu, B. W. Kim</i> | |
| Using Downstream DPSK Signal for Upstream OOK Signal Remodulation with RSOA in Hybrid WDM-TDM Passive Optical Networks..... | 465 |
| <i>C. H. Wang, F. Y. Shih, C. W. Chow, C. H. Yeh, S. Chi</i> | |
| Adaptive Antenna System for OFDMA WiMAX Radio-Over-Fiber Links Using a Directly Modeulated R-SOA and Optical Filtering | 468 |
| <i>M. Presi, K. Prince, A. Chiuchiarelli, I. Cerutti, G. Contestabile, I. T. Monroy, E. Ciaramella</i> | |
| Experimental Demonstration of a Novel Filterless Frequency Quadrupling Technique for Colorless WDM Millimeter-Wave Up-Conversion Systems..... | 471 |
| <i>W. J. Jiang, C. T. Lin, H. S. Huang, P. T. Shih, J. Chen, S. Chi</i> | |
| Simultaneous Transmission of Digitized Multiple Wireless Services over Optical Fiber | 474 |
| <i>P. A. Gamage, A. Nirmalathas, C. Lim, D. Novak, R. Waterhouse</i> | |
| Heterogeneous 1.25-Gb/s Simultaneous Wired and Wireless Optical Transmission using an Injection-Locking FP-LD | 477 |
| <i>H. S. Kim, T. T. Pham, Y. H. Son, Y. Y. Won, S. K. Han</i> | |
| Experimental Evaluation of the Extended JET Protocol in Support of TDM Services | 480 |
| <i>Y. Yin, X. Hong, J. Wu, K. Xu, Y. Zuo, J. Lin</i> | |
| Demonstration of Piezoelectric-Polarization-Controller-Assisted P-OTDR | 483 |
| <i>S. Yang, C. Wu, Z. Li</i> | |
| A Broadband ONU Design Using a Semiconductor Optical Amplifier-Based Optical Loop Mirror | 486 |
| <i>F. Karinou, K. Vlachos, B. R. Hemenway</i> | |
| Resource Allocation for Minimizing Response Time in Grid over Optical Burst Switched Networks | 489 |
| <i>N. Kannasoot, J. P. Jue</i> | |
| Experimental Demonstration of QoS-aware Lightpath Provisioning Mechanism in Lambda Grid Networks..... | 492 |
| <i>Z. Wang, H. Li, Y. Qiao, Y. Ji</i> | |
| Establishment of VLAN Tag Swapped Path on GMPLS Controlling Wide Area Layer-2 Network..... | 495 |
| <i>K. Kikuta, M. Nishida, D. Ishii, S. Okamoto, N. Yamanaka</i> | |
| Experimental Demonstration of Single-Star-Type New-Generation Optical Access Based on WDM-direct..... | 498 |
| <i>T. Miyazawa, H. Harai</i> | |
| Field-Deployed Scalable ROADM- Cost Reduction Through Wavelength Overprovision | 501 |
| <i>C. F. Lam, W. I. Way</i> | |
| Multi-Point-to-Multi-Point Ethernet over SONET/SDH..... | 504 |
| <i>C. Xie, N. Ghani, Q. Liu, W. Shu, A. Shami, A. Gumaste, Y. Qiao, M. Wu</i> | |
| Performance Evaluation of Light-Forests to Serve Groupcast Sessions in WDM Mesh Networks | 507 |
| <i>T. Rahman, G. Ellinas, M. A. Ali</i> | |

| | |
|--|-----|
| A Low Cost Solution for Sources and Receivers in WDM-PON | 510 |
| <i>R. Brenot, F. Lelarge, A. Shen, F. Pommereau, J. Landreau, O. Legouezigou, G. H. Duan</i> | |
| A 9b10b Line Code for 2.5Gb/s Upstream PONs | 513 |
| <i>F. Effenberger, F. Yu, Z. Wang, J. Gao</i> | |
| SerDes Chip for 100Gbps Dual-Polarization DQPSK | 516 |
| <i>K. W. Chung, S. Steidl, T. Krawczyk, R. Miller, S. Shang, T. Mohiuddin, J. Cormier, C. Hornbuckle</i> | |
| Demonstration of the In-band Message Communication Channel and Mac-in-Mac Technology for GMPLS Controlled New Generation Layer2 Transport Networks | 519 |
| <i>S. Okamoto, Y. Arakawa, N. Yamanaka</i> | |
| Unrepeated Transmission of 21.4-Gb/s (2x10.7-Gbaud) RZ-DQPSK over 220km of SSMF using Heterodyne Detection and Electrical Dispersion Compensation | 522 |
| <i>S. Bhandare, C. Wree, A. Joshi</i> | |
| A Simple and Accurate Approach for Estimating the Transmission Performance of Adaptively Modulated Optical OFDM Signals over IMDD MMF Links | 525 |
| <i>X. Q. Jin, J. M. Tang</i> | |
| In-Situ Monitoring of PMD and PDL in a Traffic-Carrying Transatlantic Fiber-Optic System | 528 |
| <i>J. Jiang, D. Richards, S. Oliva, P. Green, R. Hui</i> | |
| Employing Embedded Waveform Viewing Technology with EDC in 10Gb/s Optical | 531 |
| <i>A. Balcioglu, B. Achkir</i> | |
| AT&T Optical Transport Services | 534 |
| <i>B. E. Smith</i> | |
| Design of a Chromatic Dispersion Measurement Control Protocol Based upon the GMPLS Architecture | 537 |
| <i>S. Seno, Y. Baba, S. Yoshida, M. Kamei, E. Horiuchi, K. Onohara, T. Mizuochi, T. Ideguchi</i> | |
| Field Trial Demonstrating Improvement of Backbone Fiber Infrastructure PMD using a Random-Scrambling POTDR | 540 |
| <i>A. Ehrhardt, M. Paul, D. Fritzsch, L. Schuerer, C. Gerlach, D. Breuer, N. Cyr, H. Chen, G. W. Schinn</i> | |
| Economics of Broadband Access Technologies for Rural Areas | 543 |
| <i>J. L. Riding, J. C. Ellershaw, A. V. Tran, L. J. Guan, T. Smith</i> | |
| Game-Theoretic Evaluation of a Municipality FTTH Rollout | 546 |
| <i>K. Casier, B. Lannoo, J. Van Ooteghem, B. Wouters, S. Verbrugge, D. Colle, M. Pickavet, P. Demeester</i> | |
| A Study of Broadband Access: Policy & Status in Sweden, and Global Economic Impact | 549 |
| <i>M. Forzati, C. P. Larsen</i> | |
| Demonstration of Multivendor E-NNI Interoperability across a 1000 km Production Network | 552 |
| <i>M. Freiberger, D. Pitchforth, G. Wellbrock, S. Liu, V. Shukla, D. L. Peterson, N. B. Gee, F. Gruman, M. Green, S. Hedge, M. Chen, D. Morse, T. Rarick, B. Doherty, J. Sadler, S. Bates, L. Ong, J. Ward, M. Cuellar</i> | |
| G.709 Hierarchy Optical Transport Core Network Design, Requirements and Challenges | 555 |
| <i>N. B. Gee, B. E. E. Basch, S. Gringeri</i> | |
| ROADM Network Design Issues | 562 |
| <i>S. Tibuleac</i> | |
| Demonstration of Colorless and Directed/Directionless ROADM in Router Network | 610 |
| <i>A. Sahara, Y. Tsukishima, T. Takahashi, Y. Okubo, K. Yamada, K. Matsuda, A. Takada</i> | |

| | |
|--|-----|
| Maximizing the Transmission Performance of DMT Signal for Next Generation PON System by Direct Modulation of Cost-Effective and Low Bandwidth Lasers..... | 613 |
| <i>T. N. Duong, N. Genay, P. Chanclou, B. Charbonnier, J. Le Masson, M. Ouzzif</i> | |
| Over 25-dB Dynamic Range 10-/1-Gbps Optical Burst-Mode Receiver using High-power-tolerant APD | 616 |
| <i>S. Takahashi, K. Shiba, E. Mizuki, K. Makita, A. Tajima</i> | |
| Extended-Reach Gigabit Passive Optical Network for Rural Areas using Distributed Raman Amplifiers | 619 |
| <i>K. L. Lee, J. L. Riding, A. V. Tran, R. S. Tucker</i> | |
| Tunable GPON Receivers Enable Phased Migration to 1Gb/s per Subscriber | 622 |
| <i>R. Murano, W. F. Sharfin, M. J. L. Cahill, J. Wernlund</i> | |
| A WDM-PON with 10-Gb/s Symmetric Bit-Rates and Multicast Overlay with Delay-based Multicast Control | 625 |
| <i>J. Xu, Y. Zhang, L. K. Chen, C. K. Chan</i> | |
| 10.8-Gb/s OFDMA-PON Transmission Performance Study..... | 628 |
| <i>D. Qian, J. Hu, P. N. Ji, T. Wang</i> | |
| The Deployment and Operation of Fiber to the Cell Site | 631 |
| <i>B. Parker</i> | |
| Adaptive Delay-Difference Compensation based on Peer Detection for 40-Gb/s/ch Optical Virtual Concatenation | 634 |
| <i>Y. Sun, T. Ono, A. Takada</i> | |
| 100Gb/s 10km Link Performance of 10x10Gb/s Hybrid Approach with Integrated WDM Array of DFB Lasers..... | 637 |
| <i>T. Schrans, G. Yoffe, Y. Luo, R. Narayan, S. Rangarajan, D. Hui, F. Kusnadi, A. Hanjani, B. Pezeshki</i> | |
| Recent Advances in 100G OTN..... | 640 |
| <i>M. Tomizawa, Y. Miyamoto, O. Ishida</i> | |
| Proposal for Frame Structure of Optical Channel Transport Unit Employing LDPC Codes for 100 Gb/s FEC..... | 644 |
| <i>Y. Miyata, K. Kubo, H. Yoshida, T. Mizuochi</i> | |
| 92-Gb/s Field Trial with Ultra-High PMD Tolerance of 107-ps DGD | 647 |
| <i>T. J. Xia, G. Wellbrock, M. Pollock, W. Lee, D. Peterson, D. Doucet, J. Sitch, K. Ghazian, P. Bryan, P. Rochon</i> | |
| The Impact and Mitigation of Non-Linear Effects in Coherent Optical Transmission | 650 |
| <i>G. Charlet</i> | |
| Backward Compatible Coexistence of PON Systems..... | 701 |
| <i>F. Effenberger, H. Lin</i> | |
| Extended Reach Access Network Based on Aggregation of the G-PON Traffic | 704 |
| <i>F. Saliou, P. Chanclou, B. Landousies, N. Genay, C. Le Bouette</i> | |
| Feasibility Study of Adaptive ONU for Gigabit Optical Access Networks..... | 707 |
| <i>J. Kani, T. Mitsui, R. Kubo, Y. Fujimoto, N. Yoshimoto, K. Kumozaki</i> | |
| 10G-EPON Standardization and It's Development Status | 710 |
| <i>K. Tanaka</i> | |
| Cross-layer Reconfiguration for Surviving Multiple-link Failures in Backbone Networks | 730 |
| <i>A. Todimala, K. K. Ramakrishnan, R. K. Sinha</i> | |
| End-to-end Network Architecture Choices for Future Economically Viable Networks | 733 |
| <i>A. Lord, M. Wade</i> | |

| | |
|--|-----|
| Service Oriented Optical Network Architecture | 736 |
| <i>F. Baroncelli, B. Martini, V. Martini, P. Castoldi</i> | |
| Impairment-Aware WDM Network Dimensioning with Optimized Regenerator Placement..... | 739 |
| <i>K. Katrinis, A. Tzanakaki, G. Markidis</i> | |
| Sub-Wavelength Traffic on an Optical Network..... | 742 |
| <i>L. Ostar</i> | |
| Operation Solutions for an Open DWDM Layer | 745 |
| <i>O. Gerstel, R. Cassata, L. Paraschis, W. Wakim</i> | |
| Alien Wavelength Transport: An Operational and Economic Analysis | 748 |
| <i>S. Melle, G. Bennett, C. Liou, C. Villamizar, V. Vusirikala</i> | |
| Network Design and Architectures for Highly Dynamic Next-Generation IP-over-Optical Long Distance Networks | 751 |
| <i>A. Chiu, G. Choudhury, G. Clapp, R. Doverspike, J. Gannett, J. Klincewicz, G. Li, R. Skoog, J. Strand, A. Von Lehmen, D. Xu</i> | |
| Elimination of DWDM Transponders over a Deployed IP over DWDM Network Using Novel DWDM XFP Transceivers with Integrated G.709 and Forward Error Correction..... | 754 |
| <i>S. Harren, M. Kayser, E. Klaproth, T. Hallan, A. Hotchkiss, S. Nathan, S. ElAhmadi, S. N. ElAhmadi</i> | |
| Interworking of IP and OTN Networks – Making IP Over OTN a Reality | 757 |
| <i>M. Nowell</i> | |
| Managing the Convergence of Carrier Ethernet with Optical Transport | 760 |
| <i>R. A. Skoog</i> | |
| Proposal of High Stable Clock Recovery Method Based on Queuing-Delay Measurement Scheme for TDM PWE3 over PSN | 763 |
| <i>M. Umayabashi, Z. Cui, K. Takagi, A. Iwata</i> | |
| Demonstration of An Optical OFDMA Metro Ring Network with Dynamic Sub-carrier Allocation | 766 |
| <i>W. Wei, D. Xu, D. Qian, P. N. Ji, T. Wang, C. Qiao</i> | |
| The Continuing Evolution of Ethernet | 769 |
| <i>J. D'Ambrosia</i> | |
| Multi ASON and GMPLS Domains Interworking Trials for Automatically Switched Ethernet VLAN Path Provisioning | 771 |
| <i>S. Okamoto, K. Kikuta, D. Ishii, S. Okamoto, T. Otani, H. Otsuka</i> | |
| GMPLS Ethernet and PBB-TE (A Carrier's View)..... | 774 |
| <i>K. Ogaki, T. Otani</i> | |
| Virtual Network Topology Manager (VNTM) and Path Computation Element (PCE) Cooperation in Multi-Layer GMPLS Networks..... | 778 |
| <i>N. Andriolli, F. Cugini, L. Valcarenghi, P. Castoldi, A. Welin</i> | |
| Experimental GMPLS Routing for Dynamic Provisioning in Translucent Wavelength Switched Optical Networks | 781 |
| <i>R. Martinez, R. Casellas, R. Munoz, T. Tsuritani, T. Otani</i> | |
| A Fast, Robust Signaling Protocol for Enabling Highly Dynamic Optical Networks | 784 |
| <i>R. A. Skoog, A. L. Neidhardt</i> | |
| Serial 40G Submarine Deployments..... | 787 |
| <i>W. George, W. Chen, S. Liu</i> | |
| Restoration Signaling Protocol Design for Next- Generation Optical Network | 790 |
| <i>A. Chiu, R. Doverspike, G. Li, J. Strand</i> | |

| | |
|--|-----|
| Transoceanic Field Trial of Dynamic Optical Path Recovery using GMPLS-Controlled Optical Cross Connect | 793 |
| <i>T. Tsuritani, S. Okamoto, K. Ogaki, T. Otani</i> | |
| Demonstration of a Novel Method for Real-Time Network Latency Measurements in the Optical Transport Network using G.709 Overhead | 796 |
| <i>M. Freiberger, T. J. Xia, D. L. Peterson, M. Carroll, G. Wellbrock, M. Chbat, R. M. Girao, F. Marques, V. Welman, V. Nevoa, P. Valentim, D. Rodrigues, S. Hug, J. Behel</i> | |
| Testing MPI Threshold in Bend Insensitive Fiber Using Coherent Peak-To-Peak Power Method | 799 |
| <i>D. Z. Chen, V. X. Jain, R. C. Ditmore, G. N. Bell, D. Biovin, L. A. D. Montmorillon, L. Provost, P. Sillard</i> | |
| Individual Fiber Line Testing Technique for Pons Using TLS-OTDR Enhanced with Reflected Backward Light Analysis Method | 802 |
| <i>K. Enbusu, N. Araki, N. Honda, Y. Azuma</i> | |
| Introduction of In-Service Optical Path Measurement | 805 |
| <i>T. J. Xia, G. Wellbrock, M. Pollock, J. Cervenka, D. Peterson</i> | |
| Remotely Switched OTDR Conformance Testing at the Fiber Distribution Hub | 808 |
| <i>M. F. Lane, J. G. Berger</i> | |
| Automated Fiber Optical Switching in FTTP PON Access Networks | 812 |
| <i>J. Finn</i> | |
| Monitoring of Drop Optical Fibers in 32-Branched PON using 1.65 μm Pulse-OCDR | 817 |
| <i>T. Hasegawa, A. Inoue</i> | |
| Operating Contours and Loss-budget Partitioning of SOA-based GPON Reach Extension | 820 |
| <i>S. H. Yang, J. Fitzgerald, D. Grossman</i> | |
| Low Return Loss Field-Installable Optical Connector | 823 |
| <i>S. Takahashi, K. Sumida, D. Saito, T. K. Y. Serin, K. Takizawa, K. Ogata</i> | |
| Impact of FTTP on Metro Network Architecture | 826 |
| <i>D. R. Templeton</i> | |
| Development of Low Friction Indoor Cable | 830 |
| <i>M. Tsukamoto, K. Seo, E. Konda, Y. Hoshino, N. Okada</i> | |
| Effects of Multi-path Interference (MPI) on the Performance of Transmission Systems Using Fabry-Perot Lasers and Short Bend Insensitive Jumper Fibers | 833 |
| <i>X. Chen, J. E. Hurley, M. J. Li, R. S. Vodhanel</i> | |
| Field Trial of 43-Gbit/s RZ-DQPSK Transmission in Aerial Fiber with Rapidly Changing SOP | 836 |
| <i>T. Matsuda, T. Kawasaki, T. Kotanigawa, A. Naka, K. Oda</i> | |
| Estimation of Phase Ripple Penalties for 40 Gb/s NRZ-DPSK Transmission | 839 |
| <i>M. Filer, S. Tibuleac</i> | |
| Highly Integrated DQPSK Modules for 40 Gb/s Transmission | 842 |
| <i>C. F. Clarke, R. A. Griffin, T. C. Goodall</i> | |
| Dispersion-Tolerant 40Gb/s Field Trial over an Installed 10 Gb/s WDM 752 km Link Using Multi-Carrier Technique | 845 |
| <i>D. Fritzche, D. Breuer, A. Ehrhardt, J. Yeh, Z. Zhang, W. I. Way</i> | |
| Performance Comparison of 40G and 100G Coherent PDM-QPSK for Upgrading Dispersion Managed Legacy Systems | 848 |
| <i>J. Renaudier, O. Bertran-Pardo, H. Mardoyan, P. Tran, G. Charlet, S. Bigo, M. Lefrancois, B. Lavigne, J. L. Auge, L. Piriou, O. Courtois</i> | |

| | |
|---|-----|
| Virtualized Optical Network (VON) for Agile Cloud Computing Environment..... | 851 |
| <i>M. Jinno, Y. Tsukishima</i> | |
| Maximizing the Revenues for Distributed Computing Applications over WDM Networks..... | 854 |
| <i>X. Liu, C. Qiao, T. Wang</i> | |
| Differential Scheduling for Delay-Sensitive and Delay-Tolerant Jobs in Optical Grids..... | 857 |
| <i>C. Wang, W. Wei, T. Wang</i> | |
| Wavelength Path Reconfigurable AWG-STAR Employing Coprime-Channel-Cycle Arrayed-Waveguide Gratings | 860 |
| <i>O. Moriwaki, K. Noguchi, T. Sakamoto, S. Kamei, H. Takahashi</i> | |
| Remote Measurements of Lengths by Excess-Fraction Method Using Optical Fiber Networks and Tandem Interferometer | 863 |
| <i>H. Matsumoto, A. Hirai</i> | |
| Compensation of the Power Fluctuations in Intensity-based Plastic Optical Fiber Sensors | 866 |
| <i>M. Olivero, G. Perrone, A. Vallan</i> | |
| Recent Advances in Real Time Processing Based on Parametric Processes | 869 |
| <i>C. S. Bres</i> | |
| Wideband and Reproducible Operations of Parametric Delay-Dispersion Tuner | 872 |
| <i>T. Kurosu, S. Namiki</i> | |
| 160Gb/s OTDM De-multiplexing and Power Amplification Based on a Fiber Parametric Amplifier..... | 875 |
| <i>Y. Liang, Y. Zhou, P. C. Chui, K. K. Y. Wong</i> | |
| Synthesis of Equalized Broadband Gain in One-Pump Fiber-Optic Parametric Amplifiers..... | 878 |
| <i>S. Moro, E. Myslivets, N. Alic, J. M. C. Boggio, J. R. Windmiller, J. X. Zhao, A. J. Anderson, S. Radic</i> | |
| Raman-induced Gain Distortions in Double-Pumped Parametric Amplifiers | 881 |
| <i>J. M. C. Boggio, S. Moro, E. Myslivets, J. R. Windmiller, N. Alic, S. Radic</i> | |
| Synchronous Parametric Amplification for Regeneration of 160Gbit/s OTDM Signal..... | 884 |
| <i>S. Takasaka, T. Inoue, Y. Mimura</i> | |
| Self-Seeded Multicasting of 320 Gb/s Data in a 2-Pump Parametric Amplifier..... | 887 |
| <i>C. S. Bres, A. O. J. Wiberg, J. R. Windmiller, N. Alic, S. Radic</i> | |
| Photonic Analog-to-Digital Converters | 890 |
| <i>G. C. Valley</i> | |
| Dynamic Range Improvement in Photonic Time-Stretch Analog-to-Digital Converter | 938 |
| <i>A. Motafakker-Fard, S. Gupta, B. Jalali</i> | |
| Multiscale Sampling for Wide Dynamic Range Electro-optic Receivers | 941 |
| <i>A. Agarwal, T. Banwell, J. Jackel, P. Toliver, T. K. Woodward</i> | |
| Toward Tera-sample/s 5-bit All-optical Analog-to-digital Conversion | 944 |
| <i>Y. Miyoshi, S. Takagi, H. Nagaeda, S. Namiki, K. I. Kitayama</i> | |
| Compact Silicon Microring-Assisted Directional Couplers for WDM and Optical Signal Processing Applications | 947 |
| <i>A. M. Prabhu, V. Van, W. N. Herman, P. T. Ho</i> | |
| Amorphous Waveguides for High Index Photonic Circuitry | 950 |
| <i>T. Lipka, A. Harke, O. Horn, J. Amithor, J. Muller</i> | |
| Multi-Wavelength Message Routing in a Non-Blocking Four-Port Bidirectional Switch Fabric for Silicon Photonic Networks-on-Chip | 953 |
| <i>B. G. Lee, A. Biberman, K. Bergman, N. Sherwood-Droz, M. Lipson</i> | |

| | |
|--|------|
| A Compact Flat-band Filter for On-chip Tera Bit/s Optical Interconnects on a Silicon Photonic Platform | 956 |
| <i>Q. Li, M. Soltani, S. Yegnanarayanan, A. Adibi</i> | |
| Monolithic Integration of Diffractive Optical Element on Silicon 45-Degree Micro-reflector..... | 959 |
| <i>H. C. Lan, H. L. Hsiao, C. C. Chang, C. H. Hsu, C. M. Wang, M. L. Wu</i> | |
| High-Speed Photodiode and Optical Receiver Technologies..... | 962 |
| <i>A. Wakatsuki, T. Furuta, Y. Muramoto, T. Ishibashi</i> | |
| 107 Gbit/s Demultiplexing Photoreceivers Comprising Pin- and PinTWA Frontends | 965 |
| <i>H. G. Bach, G. G. Mekonnen, R. Kunkel, C. Schubert, D. Pech, T. Rosin, A. Konczykowska, F. Jorge, A. Scavennec, M. Riet</i> | |
| Hybrid Integrated 40 Gb/s DPSK Receiver on SOI | 968 |
| <i>M. Kroh, G. Unterborsch, G. Tsianos, R. Ziegler, A. G. Steffan, H. G. Bach, J. Kreissl, R. Kunkel, G. G. Mekonnen, W. Rehbein, D. Schmidt, R. Ludwig, K. Petermann, J. Bruns, T. Mitze, K. Voigt, L. Zimmermann</i> | |
| Highly Linear Integrated Coherent Receivers for Microwave Photonic Links | 971 |
| <i>J. Klamkin, L. A. Johansson, A. Ramaswamy, N. Nunoya, S. Ristic, U. Krishnamachari, J. Chen, J. E. Bowers, S. P. DenBaars, L. A. Coldren</i> | |
| Monolithic 90° Hybrid with Balanced PIN Photodiodes for 100 Gbit/s PM-QPSK Receiver Applications | 974 |
| <i>H. G. Bach, A. Matiss, C. C. Leonhardt, R. Kunkel, D. Schmidt, M. Schell, A. Umbach</i> | |
| An Integrated InP Coherent Receiver for 40 and 100 Gb/Sec Telecommunications Systems..... | 977 |
| <i>M. Boudreau, M. Poirier, G. Yoffe, B. Pezeshki</i> | |
| Multi-card Wavelength Scheduling in Modular Optical Packet Switches | 980 |
| <i>P. G. Raponi, N. Andriolli, P. Castoldi, A. Bianchi</i> | |
| Global Load Balancing of Zero-bandwidth TE LSPs in MPLS Networks | 983 |
| <i>F. Cugini, F. Paolucci, L. Valcarenghi, P. Castoldi, A. Welin</i> | |
| Availability-Guaranteed Connection Provisioning with Delay Tolerance in Optical WDM Mesh Networks | 986 |
| <i>C. Caydar, M. Tornatore, F. Buzluca</i> | |
| LSP Request Bundling in a PCE-Based WDM Network..... | 989 |
| <i>J. Ahmed, P. Monti, L. Wosinska</i> | |
| Data-Plane Architectures for Multi-Granular OBS Network | 992 |
| <i>M. Savi, G. Zervas, Y. Qin, V. Martini, C. Raffaelli, F. Baroncelli, B. Martini, P. Castoldi, R. Nejabati, D. Simeonidou</i> | |
| SIP-based Service Platform for On-demand Optical Network Services | 995 |
| <i>B. Martini, A. Campi, F. Baroncelli, V. Martini, K. Torkman, F. Zangheri, W. Cerroni, P. Castoldi, F. Callegati</i> | |
| IP and Optical Integration in Dynamic Networks..... | 998 |
| <i>O. Gerstel</i> | |
| Improving the Filtering Tolerance of 42.7-Gb/s Partial DPSK by Optimized Power Imbalance..... | 1001 |
| <i>S. Chandrasekhar, X. Liu, A. R. Chraplyvy</i> | |
| Adjustment-Free DxPSK Receiver Based on Single Delay Interferometer using 120-degree Optical Hybrid..... | 1004 |
| <i>Y. Takushima, H. Y. Choi, Y. C. Chung</i> | |
| Fundamental Limits of Signal Processing in Optical Communications | 1007 |
| <i>M. Franceschini, G. Ferrari, R. Raheli, G. Bongiorni, F. Meli, A. Castoldi</i> | |

| | |
|--|------|
| Modulation Formats Which Approach the Shannon Limit | 1010 |
| <i>A. D. Ellis</i> | |
| New Passive Optical Technologies Enabling Faster, Lower Cost MDU Installations..... | 1080 |
| <i>J. E. George, P. A. Weimann, D. A. Hendrickson, H. Zhang, A. Oliviero</i> | |
| Colorless WDM-PON Performance Improvement Exploiting a Service-ONU for Multiwavelength Distribution | 1083 |
| <i>G. Berrettini, G. Meloni, L. Giorgi, F. Ponzini, F. Cavaliere, P. Ghiggino, L. Poti, A. Bogoni</i> | |
| S-band RSOAs for WDM PONs | 1086 |
| <i>S. Karagiannopoulos, A. E. Kelly, C. Michie, C. Tombling, W. I. Madden, I. Andonovic</i> | |
| Reflection Tolerance Enhancement of RSOA-based WDM PON by using Optical Frequency Dithering | 1089 |
| <i>A. Murakami, H. C. Jeon, K. Y. Cho, A. Agata, Y. Takushima, Y. C. Chung, Y. Horiuchi</i> | |
| FEC Optimization for 10-Gb/s WDM PON Implemented by using Bandwidth-limited RSOA | 1092 |
| <i>K. Y. Cho, A. Agata, Y. Takushima, Y. C. Chung</i> | |
| 10-Gbit/s Next-Generation Coherent QPSK-PON with Reduced Bandwidth Requirements Employing Linear Digital Equalization with Adaptive Algorithm | 1095 |
| <i>S. Y. Kim, N. Sakurai, H. Kimura, K. Kumozaki</i> | |
| 1.28 Terabit/s (32x40 Gbit/s) WDM Transmission over a Double-pass Free Space Optical Link | 1098 |
| <i>E. Ciaramella, Y. Arimoto, G. Contestabile, M. Presi, A. D'Errico, V. Guarino, M. Matsumoto</i> | |
| Optical Phase Add/Drop for Format Conversion between DQPSK and DPSK | 1101 |
| <i>G. W. Lu, T. Miyazaki</i> | |
| Impact of OBS and TCP Parameters on Instantaneous Behavior of TCP Congestion Window on LOBS Network Testbed | 1104 |
| <i>A. Nawaz, X. B. Hong, J. Wu, J. T. Lin</i> | |
| Survivable Logical Topology Design for Distributed Computing in WDM Networks..... | 1107 |
| <i>X. Yu, C. Qiao, T. Wang, X. Liu</i> | |
| Experimental Demonstration of SIP and P2P Hybrid Architectures for Consumer Grids on OBS Testbed | 1110 |
| <i>L. Liu, H. Jiang, X. Hong, J. Wu, K. Xu, Y. Zuo, J. Lin</i> | |
| GENI: Overview & Plans | 1113 |
| <i>K. Rauschenbach</i> | |
| Slice Provisioning in a Virtualized Optical Substrate Network with Programmable Routers and ROADM..... | 1114 |
| <i>W. Wei, C. Wang, J. Hu, T. Wang</i> | |
| Fiber-Based Entangled Photon Sources and Their Applications | 1117 |
| <i>A. Migdall, J. Fan, J. Chen, A. Ling, S. Polyakov</i> | |
| Polarization-based Fast-Swept Optical Spectrum Analyzer | 1120 |
| <i>B. Zhang, X. S. Yao, X. Chen, A. E. Willner</i> | |
| Ultra High-Speed, Multi-Wavelength Polarization Impairment Characterization Technique for Pol-Muxed Optical Links..... | 1123 |
| <i>S. Gupta, R. E. Saperstein, Y. K. Huang, P. N. Ji, A. Dogariu, T. Wang</i> | |
| Fiber Beat Length Estimates via Polarization Measurements of Stimulated Brillouin Scattering Amplified Signals | 1126 |
| <i>A. Zadok, E. Zilka, A. Eyal, L. Thevenaz, M. Tur</i> | |

| | |
|--|------|
| Polarization Beat Length Distribution Measurement in Single-Mode Optical Fibers with Brillouin Optical Correlation-Domain Reflectometry | 1129 |
| <i>Y. Mizuno, Z. He, K. Hotate</i> | |
| Demonstration of Digital Wavelength Demultiplexing for Group Delay Dispersion Measurement | 1132 |
| <i>K. Okamoto, F. Ito</i> | |
| Bandwidth-reduced Brillouin Optical Time Domain Reflectometry using Reference Brillouin Scattering | 1135 |
| <i>D. Iida, F. Ito</i> | |
| Optical Communication Challenges for a Future Internet Design | 1138 |
| <i>D. Fisher</i> | |
| Embedding Optical Ethernet Services within the Path Computation Element Framework: The 100GET Approach | 1140 |
| <i>M. Chamaania, X. Chen, A. Jukan, F. Rambach, C. Gruber, M. Hoffmann</i> | |
| Reach Optimized Architecture for Multi-rate Transport System (ROAMTS): One Size Does Not Fit All | 1143 |
| <i>A. Gumaste, N. Ghani</i> | |
| Reach-Dependent Capacity in Optical Networks Enabled by OFDM | 1146 |
| <i>A. Bocoi, M. Schuster, F. Rambach, M. Kiese, C. A. Bunge, B. Spinnler</i> | |
| Throughput-Cost Analysis of Optical Flow Switching | 1149 |
| <i>G. Weichenberg, V. W. S. Chan, E. A. Swanson, M. Medard</i> | |
| TCP Performance Analysis of Grid over OBS Networks | 1152 |
| <i>S. Peng, Z. Li, Z. Zhang, Y. He, A. Xu</i> | |
| Light-Mesh: An Evolutionary Approach to Optical Packet Transport in Access Networks | 1155 |
| <i>A. Gumaste, T. Das, R. Vaishaympayan, N. Ghani</i> | |
| Microwave Nonlinearities in Ge/Si Avalanche Photodiodes having a Gain-Bandwidth Product of 300 GHz | 1158 |
| <i>M. Piels, A. Ramaswamy, W. S. Zaoui, J. E. Bowers, Y. Kang, M. Morse</i> | |
| A Si/SiGe Based Impact Ionization Avalanche Transit Time Photodiode with Ultra-high Gain-Bandwidth Product (690GHz) for 10-Gb/s Fiber Communication | 1161 |
| <i>J. W. Shi, F. M. Kuo, F. C. Hong, Y. S. Wu, D. J. F. Fulgoni, L. J. Nash, M. J. Palmer</i> | |
| 80 GHz Bandwidth-Gain-Product Ge/Si Avalanche Photodetector by Selective Ge Growth | 1164 |
| <i>X. Wang, L. Chen, W. Chen, H. Cui, Y. Hu, P. Cai, R. Yang, C. Y. Hong, D. Pan, K. W. Ang, M. B. Yu, Q. Fang, G. Q. Lo</i> | |
| CMOS-Integrated 40GHz Germanium Waveguide Photodetector for On-Chip Optical Interconnects | 1167 |
| <i>S. Assefa, F. Xia, S. W. Bedell, Y. Zhang, T. Topuria, P. M. Rice, Y. A. Vlasov</i> | |
| State of the Art Si-based Receiver Solutions for Short Reach Applications | 1170 |
| <i>M. Morse, T. Yin, Y. Kang, O. Dosunmu, H. D. Liu, M. Paniccia, G. Sarid, E. Ginsburg, R. Cohen, Y. Saado, R. Shnaiderman, M. Zadka</i> | |
| Origin of the Gain-Bandwidth-Product Enhancement in Separate-Absorption-Charge-Multiplication Ge/Si Avalanche Photodiodes | 1173 |
| <i>W. S. Zaoui, H. W. Chen, J. E. Bowers, Y. Kang, M. Morse, M. J. Paniccia, A. Pauchard, J. C. Campbell</i> | |
| Optofluidic Assembly of InGaAsP Microdisk Lasers on Si Photonic Circuits with Submicron Alignment Accuracy | 1176 |
| <i>M. C. Tien, K. Yu, A. T. Ohta, S. L. Neale, M. C. Wu</i> | |

| | |
|--|------|
| Dynamic Distortion Characteristics of Silicon Evanescent Detectors and Phase Modulators | 1179 |
| <i>N. Nunoya, A. Ramaswamy, H. W. Chen, H. Park, J. E. Bowers</i> | |
| High-Speed Transmission in Multimode Fibers | 1182 |
| <i>R. Freund</i> | |
| Modal and Chromatic Dispersions Interference in VCSEL and MMF based Gigabit Ethernet Link | 1245 |
| <i>A. Gholami, D. Molin, P. Sillard</i> | |
| Plastic Optical Fiber Links: A Statistical Study | 1248 |
| <i>A. Polley, P. J. Decker, J. H. Kim, S. E. Ralph</i> | |
| Multi-Channel Polymer Optical Waveguides with Graded-Index and W-shaped Index Profiles..... | 1251 |
| <i>Y. Takeyoshi, T. Kosugi, Y. Hirobe, T. Ishigure</i> | |
| Adaptive Chromatic Dispersion Equalization for Non-Dispersion Managed Coherent Systems | 1254 |
| <i>M. Kuschnerov, F. N. Hauske, K. Piyawanno, B. Spinnler, A. Napoli, B. Lankl</i> | |
| Initial Tap Setup of Constant Modulus Algorithm for Polarization De-Multiplexing in Optical Coherent Receivers..... | 1257 |
| <i>L. Liu, Z. Tao, W. Yan, S. Oda, T. Hoshida, J. C. Rasmussen</i> | |
| Two-stage Overlap Frequency Domain Equalization for Long-haul Optical Systems | 1260 |
| <i>R. Kudo, T. Kobayashi, K. Ishihara, Y. Takatori, A. Sano, E. Yamada, H. Masuda, Y. Miyamoto, M. Mizoguchi</i> | |
| Local Oscillator Phase Noise Induced Penalties in Optical Coherent Detection Systems Using Electronic Chromatic Dispersion Compensation..... | 1263 |
| <i>C. Xie</i> | |
| Experimental Experiences in High Speed DQPSK Transmission | 1266 |
| <i>C. Furst, M. Camera, H. Wenz, H. Griesser</i> | |
| Polarization Coupled Carrier Phase Estimation for Coherent Polarization Multiplexed QPSK with OOK-Neighbours | 1269 |
| <i>K. Piyawanno, M. Kuschnerov, F. N. Hauske, M. S. Alfiad, B. Spinnler, A. Napoli, H. de Waardt, B. Lankl</i> | |
| Plug-and-Play WDM-PON Technologies for Future Flexible Optical Access Networks..... | 1272 |
| <i>H. Suzuki, M. Fujiwara, T. Suzuki, H. Kimura, K. Kumozaki</i> | |
| Bidirectional 1.25-Gbps WDM-PON with Broadcasting Function Based on Fabry-perot Light Source and RSOA | 1275 |
| <i>T. T. Pham, H. S. Kim, Y. Y. Won, S. K. Han</i> | |
| 16x2.5 Gbit/s Downstream Transmission in Colorless WDM-PON based on Injection-Locked Fabry-Perot Laser Diode using a Single Quantum Dash Mode-Locked Fabry-Perot Laser as Multi-Wavelength Seeding Source | 1278 |
| <i>Q. T. Nguyen, L. Brumerie, G. Girault, O. Vaudel, P. Besnard, J. C. Simon, A. Shen, G. H. Duan, C. Kazmierski</i> | |
| Isolator-less Optically Injection-Locked 1.55-μm VCSELs for Upstream Transmitters in WDM-PONs..... | 1281 |
| <i>D. Parekh, W. Yang, W. Hofmann, M. C. Amann, C. J. Chang-Hasnain</i> | |
| SOA Based Upstream Packet Equalizer in 10Gb/s Extended-Reach PONs | 1284 |
| <i>C. Anthony, G. Talli, P. D. Townsend</i> | |
| Signal-Induced Rayleigh Noise Reduction using Gain Saturation in an Integrated R-EAM-SOA | 1287 |
| <i>E. K. MacHale, G. Talli, P. D. Townsend, A. Borghesani, I. Lealman, D. G. Moodie, D. W. Smith</i> | |

| | |
|---|------|
| Full-Duplex Bidirectional Transmission at 10 Gbps in WDM PONs with RSOA-based ONU using Offset Optical Filtering and Electronic Equalization..... | 1290 |
| <i>M. Omella, I. Papagiannakis, B. Schrenk, D. Klonidis, A. N. Birbas, J. Kikidis, J. Prat, I. Tomkos</i> | |
| Tunable Dispersion Slope Compensator Using Two Chirped FBGs Mounted Linearly and Quadratically, Respectively on S-shape Plate..... | 1293 |
| <i>S. Kim, J. Bae, K. Lee, J. M. Jeong, S. B. Lee</i> | |
| On-Chip, High-Dispersion-Value and Coupled Strip/Slotted Waveguide Structure for Efficient Dispersion Compensation | 1296 |
| <i>L. Zhang, Y. Yue, Y. X. Li, R. G. Beausoleil, A. E. Willner</i> | |
| 40-Wavelength Channelized Tunable Optical Dispersion Compensator with Increased Bandwidth Consisting of Arrayed Waveguide Gratings and Liquid Crystal on Silicon | 1299 |
| <i>K. Suzuki, N. Ooba, M. Ishii, K. Seno, T. Shibata, S. Mino</i> | |
| Colorless Photonic Spectral Processor Using Hybrid Guided-Wave/Free-Space Optics Arrangement and LCoS Modulator | 1302 |
| <i>D. Sinefeld, D. M. Marom</i> | |
| Complex Component Characterized Based on Elementary Matrices | 1305 |
| <i>D. Baney</i> | |
| 43-Gb/s NRZ-PDPSK WDM Transmission with 50-GHz Channel Spacing in Systems with Cascaded Wavelength-Selective Switches | 1370 |
| <i>F. Heismann, P. Mamyshev</i> | |
| Record Transmission Distances over Ultra Low Loss G.652 Fibre with NRZ-OOK or NRZ-DPSK 40 Gbps WDM Systems | 1373 |
| <i>E. Pincemin, T. Guilloisou, N. Evanno, S. Lobanov, S. Ten</i> | |
| Long-Haul Raman/ROPA-Assisted EDFA Systems..... | 1376 |
| <i>A. Lucero, D. G. Foursa, J. X. Cai</i> | |
| Ultimate Capacity Limitations in Repeater-less WDM Transmission up to 505 km | 1379 |
| <i>B. Bakhshi, L. Richardson, E. A. Golovchenko</i> | |
| Quaternary Sequences Comparison for the Modeling of Optical DQPSK Dispersion Managed Transmission Systems | 1382 |
| <i>P. Ramantanis, H. Badaoui, Y. Frignac</i> | |
| Why are Dense WDM Transparent Networks more Tolerant than Expected to In-Band Crosstalk? | 1385 |
| <i>T. Zami, B. Lavigne, M. Lafrancois, J. M. Rainsant, L. Piriou</i> | |
| 53.5 Gbit/s NRZ-VSB Modulation Applying a Single Mach-Zehnder Modulator and Transmission over 21 km SSMF with Electronic Dispersion Compensation..... | 1388 |
| <i>K. Schuh, E. Lach, B. Jnginger, B. Franz</i> | |
| Simple and Precise Chromatic Dispersion Measurement Using Sinusoidally Phase-Modulated CW Light..... | 1391 |
| <i>T. Yamamoto, K. Kurokawa, K. Tajima, T. Kurashima</i> | |
| Fast Amplitude and Phase Characterization of Optical Frequency Combs Propagating over 50 km Optical Fiber using Dual Quadrature Spectral Interferometry..... | 1394 |
| <i>V. R. Supradeepa, D. E. Leaird, A. M. Weiner</i> | |
| Spatially Resolved Measurements of Fiber Parameters by Localized Four-Photon Mixing..... | 1397 |
| <i>S. Radic</i> | |
| Remote Detection of Fiber Fuse Propagating in Optical Fibers | 1400 |
| <i>K. S. Abedin, T. Morioka</i> | |

| | |
|--|------|
| Measurement of Resonant Nonlinear Index of Ytterbium Doped Fiber Using a Pair of Thermally Expanded Core Fibers | 1403 |
| <i>L. V. Nguyen, D. Hwang, D. S. Moon, Y. Chung</i> | |
| Reduced Complexity Rx Concepts for Optical Multilevel Transmission | 1406 |
| <i>F. N. Hauske, M. Kuschnerov, B. Spinnler, B. Lankl</i> | |
| Chipset for a Coherent Polarization-Multiplexed OPSK Receiver..... | 1409 |
| <i>V. Herath, R. Paveling, T. Pfau, O. Adamczyk, S. Hoffmann, C. Wördehoff, M. Porrmanu, R. Noé</i> | |
| Characterization of an InP-based Electrical 1:2 Demultiplexer in a 107 Gb/s OOK System..... | 1412 |
| <i>C. Schubert, R. E. Makon, A. G. Steffan, R. Driad, R. Ludwig, C. Schmidt-Langhorst</i> | |
| Microelectronics Advancements to Support New Modulation Formats and DSP Techniques | 1415 |
| <i>B. Beggs</i> | |
| Transmission from 0-360km (6120 ps/nm) at 10 Gb/s Without Optical or Electrical Dispersion Compensation using Digital Pulse Shaping of a Chirp Managed Laser..... | 1418 |
| <i>X. Zheng, S. Priyadarshi, D. Mahgerefteh, Y. Matsui, T. Nguyen, J. Zhou, M. Deutsch, V. Bu, K. McCallion, J. Zhang, P. Kiely</i> | |
| Chromatic Dispersion Compensation Using Full Optical-Field Maximum Likelihood Sequence Estimation | 1421 |
| <i>J. Zhao, M. E. McCarthy, P. Gunning, A. D. Ellis</i> | |
| Rep Rate Multiplication of Pseudo-Random Bit Sequences..... | 1424 |
| <i>C. Stamatiadis, Ch. Kouloudas, P. Zakynthinos, H. Avramopoulos</i> | |
| Performance of a Polarization-Insensitive All-Optical 3R Regenerator Using Cross- and Self-Phase Modulation and Offset Filtering in a Recirculating Loop..... | 1427 |
| <i>S. H. Chung, X. Tang, J. C. Cartledge</i> | |
| 640 Gbit/s Optical Signal Processing | 1430 |
| <i>L. K. Oxenlowe, M. Galili, H. C. H. Mulvad, A. T. Clausen, H. Ji, P. Jeppesen</i> | |
| All-optical Balanced Detection System with Sub-ps Resolution..... | 1433 |
| <i>H. Sunnerud, M. Westlund, M. Sköld, P. A. Andrekson</i> | |
| Comparisons on PMD-Compensation Feedback Signals for Bit-to-Bit Alternate-Polarization RZ-DPSK | 1436 |
| <i>A. Klekamp, P. Jäger, D. Werner, T. Link, C. Xie, H. Bülow</i> | |
| 107 Gb/s RZ-DQPSK Signal Transmission over 108 km SMF Using Optical Phase Conjugation in an SOA | 1439 |
| <i>H. Hu, L. Han, R. Ludwig, C. Schmidt-Langhorst, J. Yu, C. Schubert</i> | |
| Novel and Flexible WDM NRZ-DPSK System with Demultiplexing and Demodulation using a Single Standard AWG | 1442 |
| <i>Y. Yu, J. B. Rosas- Fernández, X. L. Zhang, D. X. Huang, R. V. Penty, I. H. White</i> | |
| Optical Quadrature Amplitude Modulation (QAM) with Coherent Detection up to 128 States | 1445 |
| <i>M. Nakazawa</i> | |
| Enhanced 10-Gb/s NRZ Transmission Distance using Dual Modulation of an Integrated Electro-absorption Modulated Laser Transmitter..... | 1448 |
| <i>J. Petit, D. Erasme, C. Kazmierski, C. Jany, J. Decobert, F. Alexandre, N. Dupuis, R. Gabet</i> | |
| Field-Modulated Packet Forwarding Chips for Label-Switched Optical Routing..... | 1451 |
| <i>M. M. Dummer, J. Klamkin, A. Tauke-Pedretti, K. N. Nguyen, L. A. Coldren</i> | |
| 20-km Transmission of 40-Gb/s Signal using Frequency Modulated DBR Laser | 1454 |
| <i>T. Kakitsuka, S. Matsuo, T. Segawa, Y. Shibata, Y. Kawaguchi, R. Takahashi</i> | |

| | |
|--|------|
| 42.8-Gb/s Chirp-Managed Signal Transmission over 640-km SSMF with Large Dispersion Tolerance..... | 1457 |
| <i>M. Huang, J. Yu, M. Haris, P. N. Ji, T. Wang, G. Chang</i> | |
| Dynamic Grouped-Wavelength Conversion Using Multiple-QPM LiNbO₃ Module and TLA | 1460 |
| <i>H. B. Song, O. Tadanaga, T. Umeki, I. Tomita, H. Ishii, H. Oohashi, M. Asobe</i> | |
| An Optical Frequency Comb Generator as a Broadband Pulse Source | 1463 |
| <i>S. Liu, T. T. Ng, D. J. Richardson, P. Petropoulos</i> | |
| Optical Performance Monitoring by Use of Artificial Neural Networks Trained with Parameters Derived from Delay-Tap Asynchronous Sampling | 1466 |
| <i>J. A. Jargon, X. Wu, A. E. Willner</i> | |
| Polarization-Sensitive Linear Optical Sampling for Characterization of NRZ Polarization-Multiplexed QPSK | 1469 |
| <i>P. A. Williams, T. Dennis, I. Coddington, N. R. Newbury</i> | |
| Word-Synchronous Linear Optical Sampling of 40 Gb/s QPSK Signals | 1472 |
| <i>T. Dennis, P. A. Williams, I. Coddington, N. R. Newbury</i> | |
| High-Speed Optical Signal Sampling via Temporal Magnification | 1475 |
| <i>R. Salem, M. A. Foster, D. F. Geraghty, A. L. Gaeta</i> | |
| Performance Monitoring Using Coherent Receivers | 1478 |
| <i>J. C. Geyer, C. R. S. Fludger, T. Duthel, C. Schulien, B. Schmauss</i> | |
| Ultra-Broadband (THz) RF Spectrum Monitoring of High-Speed Optical Signals using a Chalcogenide Waveguide Chip | 1481 |
| <i>M. D. Pelusi, F. Luan, T. D. Vo, M. R. E. Lamont, S. J. Madden, D. Y. Choi, D. A. P. Bulla, B. Luther-Davies, B. J. Eggleton</i> | |
| Experimental Demonstration of Multi-impairment Monitoring on a Commercial 10 Gbit/s NRZ WDM Channel | 1484 |
| <i>T. Anderson, K. Clarke, D. Beaman, H. Ferra, M. Birk, G. Zhang, P. Magill</i> | |
| CDM-Technologies for Next Generation Optical Access Networks | 1487 |
| <i>T. Kamijoh, M. Kashima, H. Tamai, M. Sarashina, H. Iwamura, G. C. Gupta</i> | |
| All-Optical Encryption for Optical Network with Interleaved Waveband Switching Modulation..... | 1490 |
| <i>M. P. Fok, P. R. Prucnal</i> | |
| Secure 2.5Gbit/s, 16-ary OCDM Block-ciphering with XOR Using a Single Multi-port En/decoder and Its Transmission Experiment with True Clock Recovery..... | 1493 |
| <i>T. Kodama, N. Nakagawa, N. Kataoka, N. Wada, G. Cincotti, X. Wang, T. Miyazaki, K. Kitayama</i> | |
| Multiple Access Interference and Interferometric Noise Suppression Using Dispersion Imbalanced Loop Mirror in Optical CDMA Networks | 1496 |
| <i>Y. Deng, M. P. Fok, P. R. Prucnal</i> | |
| Beat-Noise-Free OCDM Technique Employing Spectral M-ary ASK Based on Electrical-Domain Spatial Code Spreading..... | 1499 |
| <i>S. Kameko, H. Suzuki, N. Miki, H. Kimura, K. Kumozaki</i> | |
| Secure OCDM-Based PON..... | 1502 |
| <i>G. Cincotti, N. Wada, K. Kitayama</i> | |
| Agile Photonics Architectures Enabled by New Modulation Formats and DSP | 1505 |
| <i>D. Boertjes</i> | |

| | |
|--|------|
| CD-Insensitive PMD Monitoring of an 80-Gb/s Polarization-Multiplexed RZ-DPSK Channel Using a Polarizer and a Low-Speed Detector | 1508 |
| <i>J. Y. Yang, L. Zhang, Y. Yue, L. C. Christen, B. Zhang, J. Jackel, A. Agarwal, L. Paraschis, A. E. Willner</i> | |
| Dependence of the Transmission Impairment on the WSS Port Isolation Spectral Profile in 50GHz ROADM Networks with 43Gb/s NRZ-ADPSK Signals | 1511 |
| <i>B. C. Collings, F. Heismann, C. Reimer</i> | |
| Towards Real-Time Implementation of Coherent Optical Communication | 1514 |
| <i>T. Pfau, R. Peveling, V. Herath, S. Hoffmann, C. Wordehoff, O. Adamczyk, M. Porrmann, R. Noe</i> | |
| Multiple-Impairment Monitoring Technique Using Optical Field Detection and Asynchronous Delay-Tap Sampling Method | 1517 |
| <i>H. Y. Choi, Y. Takushima, Y. C. Chung</i> | |
| WDM-to-OTDM Traffic Grooming by means of Asynchronous Retiming | 1520 |
| <i>G. Zarris, P. Vorreau, D. Hillerkuss, S. K. Ibrahim, R. Weerasuriya, A. D. Ellis, J. Leuthold, D. Simeonidou</i> | |
| Progress in Metamaterials for Optical Devices | 1523 |
| <i>A. V. Kildishev, S. Xiao, U. K. Chettiar, H. Yuan, W. Cai, V. P. Drachev, V. M. Shalaev</i> | |
| Fabrication of Bismuth-based Photonic Crystal Fiber by Stack and Draw Method | 1526 |
| <i>T. Hasegawa, S. Ohara</i> | |
| Broadband Single-mode Microfiber Coupler for OCT | 1529 |
| <i>Y. Jung, G. Brambilla, D. J. Richardson</i> | |
| Control of Transmission Band in All-solid Photonic Bandgap Fibers with Novel Hybridized Bandgap Structure | 1532 |
| <i>K. Saitoh, T. Taru, T. Nagashima, T. Murao, K. Maeda, T. Sasaki, S. Varshney, M. Koshiba</i> | |
| Experimental Characterization of Elliptical Hollow-Core Photonic Bandgap Fiber at Wavelengths within the Bandgap | 1535 |
| <i>G. Kim, T. Cho, K. Hwang, K. Lee, K. S. Lee, S. B. Lee</i> | |
| Advanced Vapor-Phase Doping Method Using Chelate Precursor for Fabrication of Rare Earth - Doped Fibers | 1538 |
| <i>B. Lenardic, M. Kveder</i> | |
| Capacity Limits of Fiber-Optic Communication Systems | 1541 |
| <i>R. J. Essiambre, G. Foschini, P. Winzer, G. Kramer</i> | |
| The SECOQC Quantum-Key-Distribution Network in Vienna | 1578 |
| <i>M. Peev, T. Langer, T. Lorunser, A. Happe, O. Maurhart, A. Poppe, T. Themel</i> | |
| Gigahertz Quantum Key Distribution With 1 Mbit/s Secure Key Rate Using Decoy Pulses | 1581 |
| <i>A. R. Dixon, Z. L. Yuan, J. F. Dynes, A. W. Sharpe, A. J. Shields</i> | |
| Effective All-Optical RZ-to-NRZ Conversion for Transparent Network Gateways | 1584 |
| <i>L. Banchi, M. Presi, A. D'Errico, G. Contestabile, E. Ciaramella</i> | |
| Simultaneous Conversion of 40 Gb/s OTDM to 4 x 10 Gb/s WDM Signals Using a Time-and Wavelength-Interleaved Pulsed Source | 1587 |
| <i>G. K. P. Lei, M. P. Fok, C. Shu</i> | |
| Polarization-Insensitive Delay-Asymmetric Nonlinear Loop Mirror for Variable Bit-Rate DPSK Demodulation | 1590 |
| <i>Y. H. Dai, M. P. Fok, C. Shu</i> | |
| Optical Multiplexing of Two 21.5 Gb/s DPSK Signals into a Single 43 Gb/s DQPSK Channel with Simultaneous 7-Fold Multicasting in a Single PPLN Waveguide | 1593 |
| <i>O. F. Yilmaz, S. R. Nuccio, S. Khaleghi, J. Y. Yang, L. Christen, A. E. Willner</i> | |

| | |
|--|------|
| All-Optical Modulation Format Conversion from NRZ-OOK to RZ-QPSK Using Integrated SOA Three-Arm-MZI Wavelength Converter | 1596 |
| <i>S. M. Nissanka, A. Murata, S. Mitani, K. Shimizu, T. Miyahara, T. Aoyagi, T. Hatta, A. Sugitatsu, K. I. Kitayama</i> | |
| Transparency of FWM in SOAs to Phase/Amplitude and Polarization..... | 1599 |
| <i>G. Contestabile, L. Banchi, M. Presi, E. Ciaramella</i> | |
| 503 ns, Tunable Optical Delay of 40 Gb/s RZ-OOK and RZ-DPSK using Additional λ-Conversion for Increased Delay and Reduced Residual Dispersion..... | 1602 |
| <i>S. R. Nuccio, O. F. Yilmaz, S. Khaleghi, L. Christen, I. Fazal, A. E. Willner</i> | |
| Hybrid Electrically Pumped Evanescent Si/InGaAsP Lasers | 1605 |
| <i>X. Sun, A. Zadok, M. J. Shearn, K. A. Diest, A. Ghaffari, H. A. Atwater, A. Scherer, A. Yariv</i> | |
| Transmitter PIC for 10-Channel x 40Gb/s per Channel Polarization-Multiplexed RZ-DQPSK Modulation | 1608 |
| <i>M. Kato, P. Evans, S. Corzine, J. Gheorma, M. Fisher, M. Raburn, A. Dentai, R. Salvatore, I. Lyubomirsky, A. Nilsson, J. Rahn, R. Nagarajan, C. Tsai, B. Behnia, J. Stewart, D. Christini, M. Missey, A. Spannagel, D. Lambert, S. Agashe, P. Liu, D. Pavinski, M. Reffle, R. Schneider, M. Ziari, C. Joyner, F. Kish, D. Welch</i> | |
| Compact Integrated 100 Gb/s Optical Modulators using Hybrid Assembly Technique with Silica-Based PLCs and LiNbO₃ Devices | 1611 |
| <i>A. Kaneko, H. Yamazaki, T. Yamada</i> | |
| Generation of 40Gbps Duobinary Signals Using an Integrated Laser - Mach-Zehnder Modulator | 1614 |
| <i>P. C. Koh, L. A. Johansson, Y. A. Akulova, G. A. Fish, G. T. Paloczi, M. Larson, M. Ayliffe, L. A. Coldren</i> | |
| Tapered Dual-Core Fiber for Efficient and Robust Coupling to InP Photonic Integrated Circuits..... | 1617 |
| <i>C. R. Doerr, L. Zhang, L. Buhl, V. I. Kopp, D. Neugroschl, G. Weiner</i> | |
| Integration and Packing of Devices for 100-Gb/s Transmission | 1620 |
| <i>J. H. Sinsky</i> | |
| Multi-Class Flow Aggregation for IPTV Program Delivery in Multicast Optical Backbone Networks | 1623 |
| <i>Y. Zhu, J. P. Jue</i> | |
| Highly Survivable Restoration Scheme Employing Optical Bandwidth Squeezing in Spectrum-Sliced Elastic Optical Path (SLICE) Network | 1626 |
| <i>Y. Sone, A. Watanabe, W. Imajuku, Y. Tsukishima, B. Kozicki, H. Takara, M. Jinno</i> | |
| Network Coding and Its Implications on Optical Networking..... | 1629 |
| <i>M. Kim, M. Medard, U. M. O'Reilly</i> | |
| Routing and Horizon Scheduling for Time-Shift Advance Reservation | 1632 |
| <i>A. N. Patel, Y. Zhu, J. P. Jue</i> | |
| Integrated Design for Sliding Scheduled Traffic in WDM Networks..... | 1635 |
| <i>D. Andrei, H. H. Yen, M. Tornatore</i> | |
| Overflow Traffic Modeling in Hybrid Optical Circuit/Burst Switching Nodes with Service Differentiation | 1638 |
| <i>P. Menon, W. Cerroni, N. Reimer</i> | |
| Routing and Scheduling for Variable Bandwidth Advance Reservation in Elastic Applications | 1641 |
| <i>A. N. Patel, M. M. Hasan, Y. Zhu, J. P. Jue</i> | |

| | |
|--|------|
| Maximized TCP throughput of 10G-EPON by Optimizing Polling Cycle | 1644 |
| <i>H. Ikeda, K. Kitayama</i> | |
| An Ultra-Scalable Broadband Architecture for Municipal Hybrid Wireless Access Using Optical Grid Network | 1647 |
| <i>W. T. Shaw, S. W. Wong, S. H. Yen, L. G. Kazovsky</i> | |
| Efficient Video Service in PON using OLT Batching and Priority Queues | 1650 |
| <i>J. Choi, M. Xia, T. Wang</i> | |
| Demonstration of a Novel PON System with Distributed Real-Time Bandwidth Allocation | 1653 |
| <i>M. C. Yuang, S. H. Lin, S. S. W. Lee, J. Shih, Y. M. Lin, C. H. Hsu, P. L. Tien, J. J. Chen</i> | |
| WDM-PON Development and Deployment as a Present Optical Access Solution | 1656 |
| <i>B. Kim, B. W. Kim</i> | |
| Differentiated Quality of Protection (QoP) and Cross-Layer Protection for Survivable Hybrid Packet/WDM Networks | 1659 |
| <i>X. Shao, L. Zhou, Y. K. Yeo, T. Y. Chai, L. H. Ngoh, W. Rong, X. Cheng, Y. Wang, C. Y. Liaw, J. Samsudin</i> | |
| Hardware-Accelerated Protection in Long-Reach PON | 1662 |
| <i>H. Song, D. M. Seol, B. W. Kim</i> | |
| CAPEX and OPEX in Aggregation and Core Networks | 1665 |
| <i>C. G. Gruber</i> | |
| Multihopping and Waveband Assignment in Limited Reconfigurable WDM Networks | 1668 |
| <i>O. Turkeu, S. Subramaniam</i> | |
| Cost-Efficient Non-Blocking WDM Network Upgrade | 1671 |
| <i>R. Roy, M. Tornatore</i> | |
| Design, Performance Evaluation and Energy Efficiency of Optical Core Networks Based on the CANON Architecture | 1674 |
| <i>A. Stavdas, T. Orphanoudakis, C. T. Politi, A. Drakos, A. Lord</i> | |
| Architectures for Energy-Efficient IPTV Networks | 1677 |
| <i>J. Baliga, R. Ayre, K. Hinton, R. S. Tucker</i> | |
| Risk Assessment in SLA-Based WDM Backbone Networks | 1680 |
| <i>M. Xia, J. H. Choi, T. Wang</i> | |
| Power Saving Architecture for Unidirectional WDM Rings | 1683 |
| <i>I. Cerutti, L. Valcarenghi, P. Castoldi</i> | |
| System Technologies for 100G Transport Networks | 1686 |
| <i>P. Magill</i> | |
| Offset PDM RZ-DPSK for 40 Gb/s Long-Haul Transmission | 1689 |
| <i>H. Zhang, J. X. Cai, C. R. Davidson, B. Anderson, O. Sinkin, M. Nissov, A. N. Pilipetskii</i> | |
| Transmission of Hybrid 112 and 44 Gb/s PolMux-QPSK in 25 GHz Channel Spacing over 1600 km SSMF Employing Digital Coherent Detection and EDFA-only Amplification | 1692 |
| <i>J. Yu, X. Zhou, M. F. Huang, D. Qian, L. Xu, P. N. Ji</i> | |
| 111-Gb/s POLMUX-RZ-DQPSK Transmission over LEAF: Optical versus Electrical Dispersion Compensation | 1695 |
| <i>M. S. Alfiad, D. Van Den Borne, S. L. Jansen, T. Wuth, M. Kuschnerov, G. Gross, A. Napoli, H. De Waardt</i> | |
| Improvement of PMD Tolerance for 110Gb/s Pol-Mux RZ-DQPSK Signal with Optical Pol-Dmux using Optical PMD Compensation and Asymmetric Symbol-Synchronous Chirp | 1698 |
| <i>T. Ito, S. Fujita, E. L. T. De Gabory, K. Fuckuchi</i> | |

| | |
|---|------|
| 112 Gb/s DP-QPSK Transmission Using a Novel Nonlinear Compensator in Digital Coherent Receiver | 1701 |
| <i>S. Oda, T. Tanimura, T. Hoshida, C. Ohshima, H. Nakashima, Z. Tao, J. C. Rasmussen</i> | |
| Guard-Band for 111 Gbit/s Coherent PM-QPSK Channels on Legacy Fiber Links Carrying 10 Gbit/s IMDD Channels..... | 1704 |
| <i>A. Carena, V. Curri, P. Poggolini, F. Forghieri</i> | |
| RZ to CSRZ Format and Wavelength Conversion with Regenerative Properties..... | 1707 |
| <i>A. Marculescu, S. Sygletos, J. Li, D. Karki, D. Hillerkuß, S. Ben-Ezra, S. Tsadka, W. Freude, J. Leuthold</i> | |
| Demonstration of 8 Error-free Cascades of 2R NRZ SOA-MZI Wavelength Converter..... | 1710 |
| <i>D. Apostolopoulos, D. Klonidis, P. Zakynthinos, K. Vrysokinos, N. Pleros, I. Tomkos, H. Avramopoulos</i> | |
| Wavelength Conversion of Real-Time 100-Gb/s POLMUX RZ-DQPSK | 1713 |
| <i>V. Pusino, P. Minzioni, I. Cristiani, V. Degiorgio</i> | |
| All-Optical Regeneration for Ultra-Long Fiber Links and its Prospects for Future Applications with New Modulation Formats | 1716 |
| <i>S. J. B. Yoo</i> | |
| 320 Gb/s Nonlinear Operations based on a PPLN Waveguide for Optical Multiplexing and Wavelength Conversion..... | 1719 |
| <i>A. Bogoni, X. Wu, I. Fazal, A. E. Willner</i> | |
| Polarization Insensitive All-Optical Wavelength Conversion of 320 Gb/s RZ-DQPSK Data Signals | 1722 |
| <i>H. Hu, H. Suche, R. Ludwig, B. Huettl, C. Schmidt-Langhorst, R. Nouroozi, W. Sohler, C. Schubert</i> | |
| In-band Wavelength Conversion of 16x114-Gbps Polarization Multiplexed RZ-8PSK Signals with Digital Coherent Detection..... | 1725 |
| <i>J. Yu, M. F. Huang, N. Cvijetic</i> | |
| Uncooled 20 Gb/s Direct Modulation of High Yield, Highly Reliable 1300 nm InGaAlAs Ridge DFB Lasers | 1728 |
| <i>R. Paoletti, M. Agresti, D. Bertone, C. Bruschi, S. Codato, C. Coriasso, R. Defranceschi, P. Dellacasa, M. Diloreto, R. Y. Fang, P. Gotta, G. Meneghini, C. Rigo, E. Riva, G. Roggero, A. Stano, M. Meliga</i> | |
| 25 Gbps 1.3μm DFB Laser for 10-25 km Transmission in 100GBE Systems | 1731 |
| <i>A. K. Verma, M. Steib, Y. L. Ha, T. Sudo</i> | |
| Operation of a 25-Gbps Direct Modulation Ridge Waveguide MQW-DFB Laser up to 85°C..... | 1734 |
| <i>T. Tadokoro, T. Yamanaka, F. Kano, H. Oohashi, Y. Kondo, K. Kishi</i> | |
| Extended Operating Temperature Range of 125° C (-25° C to 100°C) of 10-Gbit/s, 1.55-μm Electroabsorption Modulator Integrated DFB Laser for 80-km SMF Transmission | 1737 |
| <i>W. Kobayashi, M. Arai, T. Yamanaka, N. Fujiwara, T. Fujisawa, M. Ishikawa, K. Tsuzuki, Y. Shibata, Y. Kondo, F. Kano</i> | |
| Compact and Low Power Consumption 1.55-μm Electro-Absorption Modulator Integrated DFB-LD TOSA for 10-Gbit/s 40-km Transmission..... | 1740 |
| <i>H. Yamamoto, M. Hirai, O. Kagaya, K. Nogawa, K. Naoe, N. Sasada, M. Okayasu, S. Makino, K. Shinoda, T. Kitatani, S. Tanaka</i> | |
| High Efficiency Wavelength Conversion to Replica of Input Signal Based on Dual Pump Nearly Degenerated Four-wave Mixing in a Mach-zehnder Interferometer SOA..... | 1743 |
| <i>K. Otsubo</i> | |
| 100 Gb/s Operation of an AlGaInAs Semi-Insulating Buried Heterojunction EML | 1746 |
| <i>C. Kazmierski, A. Konczykowska, F. Jorge, F. Blache, M. Riet, C. Jany, A. Scavennec</i> | |

| | |
|--|------|
| Two-Electrode High Power Tapered Laser with up to 40.5 W/A Static Modulation Efficiency and 700 Mb/s Direct Modulation Capability | 1749 |
| <i>C. H. Kwok</i> | |
| Fiber Optics, from Sensing to Non Invasive High Resolution Medical Imaging | 1752 |
| <i>A. G. Podoleanu</i> | |
| Near Field Probes from Photonic Crystal Fibers: Proposal and Analysis | 1782 |
| <i>M. Sumetsky</i> | |
| CdSe Quantum Dots Doped Optical Fiber as a Remote Current Sensor | 1785 |
| <i>P. R. Watekar, H. Yang, S. Ju, W. Han</i> | |
| Performance Improvement in Brillouin-based Simultaneous Strain and Temperature Sensors Employing Pulse Coding in Coherent Detection Schemes | 1788 |
| <i>M. A. Soto, G. Bolognini, F. Di Pasquale</i> | |
| Surface Plasmon-Based Refractive Index Sensor Using a Tapered Bragg Fiber | 1791 |
| <i>L. Ma, Y. Matsuura</i> | |
| A Reconfigurable Interconnect Fabric with Optical Circuit Switch and Software Optimizer for Stream Computing Systems | 1794 |
| <i>L. Schares, X. J. Zhang, R. Wagle, D. Rajan, P. Selo, S. P. Chang, J. Giles, K. Hildrum, D. Kuchta, J. Wolf, E. Schenfeld</i> | |
| Jitter Performance of Short Length Optical Interconnects for Rack-to-Rack Applications | 1797 |
| <i>P. Pepeljugoski, D. Kuchta</i> | |
| Dynamically Reconfigurable Optical Links for High-Bandwidth Data Center Networks | 1800 |
| <i>M. Glick, D. G. Anderson, M. Kaminsky, L. Mummert</i> | |
| Experimental Demonstration of End-to-End PCI Express Communication over a Transparent All-Optical Photonic Interconnection Network Interface | 1803 |
| <i>H. Wang, A. S. Garg, O. Liboiron-Ladouceur, K. Bergman</i> | |
| Demonstration of Programmable Broadband Packet Multicasting in an Optical Switching Fabric Test-bed | 1806 |
| <i>C. P. Lai, K. Bergman</i> | |
| 400Gb/s Hybrid Optical Switching Demonstration Combining Multi-Wavelength OPS and OCS with Dynamic Resource Allocation | 1809 |
| <i>M. Takagi, H. Li, K. Watabe, H. Imaizumi, T. Tanemura, Y. Nakano, H. Morikawa</i> | |
| Optical Link Performance Monitoring using Extended Link Management Protocol for Transparent Optical Networks | 1812 |
| <i>J. H. Lee, N. Yoshikane, T. Tsuritani, T. Otani</i> | |
| A Novel 50-GHz Spaced DWDM 60-GHz Millimeter-Wave Radio-over-Fiber Systems using Optical Interleaver | 1815 |
| <i>A. Chowdhury, H. Chien, J. Yu, G. Chang</i> | |
| Polarization Beamforming MIMO-based PON: 20 Gb/s Transmission over a 10 Gb/s System with Dynamic Power Allocation and ~1.8 dB Improved Reach | 1818 |
| <i>A. Agmon, B. Schrenk, J. Prat, M. Nazarathy</i> | |
| Millimeter-wave Multi-gigabit IC Technologies for Super-Broadband Wireless Over Fiber Systems | 1821 |
| <i>D. A. Yeh, A. Chowdhury, R. Pelard, S. Pinel, S. Sarkar, P. Sen, B. Perumana, D. Dawn, E. Juntunen, M. Leung, H. Chien, Y. Hsueh, Z. Jia, J. Laskar, G. Chang</i> | |
| All-Optical Up-Conversion for 30x7.5Gb/s WDM Signals in a 60 GHz ROF System | 1824 |
| <i>J. Yu, M. Huang, Z. Jia, A. Chowdhury, G. Chang</i> | |

| | |
|---|------|
| Hybrid Access Network Integrated with Multi-level RF Vector Signal and Baseband Signal without Optical Filtering | 1827 |
| <i>P. Shih, C. Lin, Y. Chen, W. Jiang, J. Chen, S. Chi</i> | |
| 5 GHz 200 Mbit/s Radio Over Polymer Fiber Link with Envelope Detection at 650 nm Wavelength | 1830 |
| <i>A. Caballero, J. B. Jensen, X. Yu, E. T. Monroy</i> | |
| A Novel 60-GHz Millimeter-Wave over Fiber with Independent 10-Gbps Wired and Wireless Services on a Single Wavelength Using PolMUX and Wavelength-Reuse Techniques | 1833 |
| <i>H. Chien, A. Chowdhury, Y. Hsueh, Z. Jia, S. Fan, J. Yu, G. Chang</i> | |
| Novel Ultra-Wideband Photonic Signal Generation and Transmission Featuring Digital Signal Processing Bit Error Rate Measurements | 1836 |
| <i>T. B. Gibbon, S. Yu, D. Zibar, I. T. Monroy</i> | |
| Photonic Crystal Fibres | 1839 |
| <i>P. Russell</i> | |
| Gain Enhancement by ASE Suppression in Er-doped All-Solid Microstructured Fiber | 1887 |
| <i>T. Nagashima, T. Taru, S. Tamaoki, T. Sasaki</i> | |
| Multi-core Holey Fibers for the Long-distance (>100 km) Ultra Large Capacity Transmission..... | 1990 |
| <i>K. Imamura, K. Mukasa, Y. Mimura, T. Yagi</i> | |
| Chalcogenide Core Photonic Crystal Fibers for Zero Chromatic Dispersion in the C-Band..... | 1993 |
| <i>C. Chaudhari, T. Suzuki, Y. Ohishi</i> | |
| Dual-concentric-core Photonic Crystal Fiber with -5400ps/nm/km Dispersion Coefficient..... | 1996 |
| <i>M. Y. Chen, H. Subbaraman, R. T. Chen</i> | |
| Overlaying Coherent-detection Channels Over Direct-detection Channels in Multi-bit-rate Systems..... | 1999 |
| <i>S. Bigo, G. Charlet, J. Renaudier, M. Salsi, O. Bertran-Pardo</i> | |
| Fibre Nonlinearities in 10 and 40 Gb/s Electronically Dispersion Precompensated WDM Tranmission | 2002 |
| <i>C. Weber, C. Bunge, M. Winter, K. Petermann</i> | |
| Investigation of Nonlinear DPSK Fading due to Cross-Polarization Modulation..... | 2005 |
| <i>M. Winter, K. Petermann</i> | |
| On the XPM-induced distortion in DQPSK-OOK and Coherent QPSK-OOK Hybrid Systems..... | 2008 |
| <i>M. Bertolini, P. Serena, G. Bellotti, A. Bononi</i> | |
| A Linear Model for Nonlinear Phase Noise Induced by Cross-phase Modulation..... | 2011 |
| <i>W. Yan, Z. Tao, L. Li, L. Liu, S. Oda, T. Hoshida, J. C. Rasmussen</i> | |
| Nonlinear Polarization Scattering Impairments and Mitigation in 10-Gbaud Polarization-Division-Multiplexed WDM Systems..... | 2014 |
| <i>C. Xie, Z. Wang, S. Chandrasekhar, X. Liu</i> | |
| Single Cycle Subcarrier Modulation | 2017 |
| <i>A. O. J. Wiberg, B. Olsson, P. A. Andrekson</i> | |
| Microwave Phase Shifter Based on Mach-Zehnder Intensity Modulator and Polarization Rotation in an SOA | 2020 |
| <i>W. Xue, S. Sales, J. Mork, J. Capmany</i> | |

| | |
|--|------|
| RF Instantaneous Frequency Measurement System Using a Polarization-Based Interferometer | 2023 |
| <i>M. V. Drummond, P. Monteiro, R. N. Nogueira</i> | |
| Transmission of an Ultra-low-jitter RF Signal with High Output Power Using All-photonic Gain and Saturated Photodetector | 2026 |
| <i>P. S. Devgan, J. F. Diehl, V. J. Urick, K. J. Williams</i> | |
| Photonics for Microwave Generation Transmission, and Processing | 2029 |
| <i>R. Esman, S. Pappert, B. Krantz, G. Gopalakrishnan</i> | |
| Photonic-Enabled Microwave and Terahertz Communication Systems | 2032 |
| <i>A. J. Seeds, M. J. Fice, F. Pozzi, L. Ponnampalam, C. C. Renaud, C. P. Liu, I. F. Lealman, G. Maxwell, D. Moodie, M. J. Robertson, D. C. Rogers</i> | |
| Flexible and Reconfigurable Time-Domain De-multiplexing of Optical Signals at 160 Gbit/s | 2035 |
| <i>M. A. F. Roelens, J. A. Bolger, D. Williams, S. J. Frisken, G. W. Baxter, A. M. Clarke, B. J. Eggleton</i> | |
| Reconfigurable Waveband Cross-Connect and Its Application in 112 Gb/s WDM System..... | 2038 |
| <i>P. N. Ji, M. Huang, J. Yu, T. Wang</i> | |
| The OSMOSIS Optical Packet Switch for Supercomputers | 2041 |
| <i>R. P. Luijten, R. Grzybowski</i> | |
| Phase-Preserving Amplitude Regeneration Using Dispersion-Imbalanced Loop Mirror | 2044 |
| <i>T. Roethlingshoefer, K. Sponsel, C. Stephan, G. Onishchukov, B. Schmauss, G. Leuchs</i> | |
| Nonlinear Optical Thresholding in a 4-Channel OCDMA System via Two-Photon Absorption | 2047 |
| <i>K. J. Dexter, D. A. Reid, L. P. Barry</i> | |
| Novel Ti:LiNbO₃ Polarization Converter with a Reversed-Electrode..... | 2050 |
| <i>Y. Ogiso, H. Nakajima, S. Shinada, S. Nakajima, T. Kawanishi, M. Izutsu</i> | |
| Homodyne Coherent Receiver with Phase Locking to Orthogonal-Polarisation Pilot Carrier by Optical Injection Phase Lock Loop | 2053 |
| <i>M. J. Fice, A. J. Seeds, B. J. Pugh, J. M. Heaton, S. J. Clements</i> | |
| Synchronous Homodyne Detection of 42.8Gb/s NRZ-ASK Using Standard DFB Lasers | 2056 |
| <i>D. Becker, S. Datta, D. Mohr, C. Wree, S. Bhandare, A. Joshi</i> | |
| Demodulation of 1.28- Tbit/s Polarization-multiplexed 16-QAM Signals on a Single Carrier with Digital Coherent Receiver | 2059 |
| <i>C. Zhang, Y. Mori, K. Igarashi, K. Katoh, K. Kikuchi</i> | |
| Electro-optic Synthesis of 8PSK by Quad-parallel Mach-zehnder Modulator..... | 2062 |
| <i>T. Sakamoto, A. Chiba, T. Kawanishi</i> | |
| Principles of Digital Coherent Receivers for Optical Communications | 2065 |
| <i>J. M. Kahn, E. Ip</i> | |
| Automatic Level Controlled Burst-mode Optical Fiber Amplifier for 10 Gbit/s PON application..... | 2113 |
| <i>K. Suzuki, Y. Fukada, N. Yoshimoto, K. Kumozaki, M. Tsubokawa</i> | |
| Implementation of Burst-mode Optical Amplification for WDM Application; Overpumping with GFF vs LOA Hybrid | 2116 |
| <i>Y. Awaji, H. Furukawa, N. Wada</i> | |
| BER Improvement Using Optical Gain Clamped Amplifier for Burst Transmission and Critical Cases Studies | 2119 |
| <i>M. Zannin, K. Ennser, S. Taccheo, D. Careglio, J. Solé-Pareta, J. Aracil</i> | |

| | |
|--|------|
| Ultra High-Speed Automatic Level Controlled Optical Amplifier with Wide Dynamic Range..... | 2122 |
| <i>N. Shiga, Y. Horiuchi, M. Takehana, Y. Tanaka, Y. Oikawa, H. Nagaeda, K. Suzuki, Y. Fukada, N. Yoshimoto, M. Tsubokawa</i> | |
| Spectral Hole Burning in EDFA under Various Channel Load Conditions | 2125 |
| <i>M. Bolshtyansky, G. Cowle</i> | |
| Modal Gain Measurements in a Fiber Bragg Grating Stabilized Laser Module for Erbium-doped Fiber Amplifiers..... | 2128 |
| <i>H. J. Troger</i> | |
| Pump to Signal RIN Transfer in Silicon Raman Amplifiers | 2131 |
| <i>X. Sang, E. Tien, M. Akdas, D. Dimitropoulos, B. Jalali, O. Boyraz</i> | |
| Phosphorus and Aluminum Co-doped EDF Insensitive to Hydrogen Exposure for Extended L-band Amplification..... | 2134 |
| <i>T. Haruna, M. Hirano, T. Sasaki</i> | |
| Sun's Project Blackbox: A Modular Approach to High Density Datacenters | 2137 |
| <i>J. Cooley</i> | |
| Cost-Efficient Dragonfly Topology for Large-Scale Systems | 2174 |
| <i>J. Kim, W. J. Dally, S. Scott, D. Abts</i> | |
| First Demonstration of On-Chip Wavelength Multicasting | 2177 |
| <i>A. Biberman, B. G. Lee, K. Bergman, A. C. Turner-Foster, M. Lipson, M. A. Foster, A. L. Gaeta</i> | |
| Ultra-low Latency Reconfigurable Photonic Network on Chip Architecture Based on Application Pattern | 2180 |
| <i>Y. Gao, Y. Jin, Z. Change, W. Hu</i> | |
| Generation and Transport of Independent 2.4 GHz (Wi-Fi), 5.8 GHz (WiMAX), and 60-GHz Optical Millimeter-Wave Signals on a Single Wavelength for Converged Wireless over Fiber Access Networks | 2183 |
| <i>Y. T. Hsueh, Z. Jia, H. C. Chien, A. Chowdhury, J. Yu, G. K. Chang</i> | |
| Triple-Format, UWB-WiFi-WiMax, Radio-Over-Fibre Co-Existence Demonstration Featuring Low-Cost 1308/1564nm VCSELs and a Reflective Electro-Absorption Transceiver | 2186 |
| <i>M. P. Thakur, T. Quinlan, S. B. A. Anas, D. K. Hunter, S. D. Walker, D. W. Smith, A. Borghesani, D. Moodie</i> | |
| Dispersion Tolerant UWB-IR-over-Fiber Transmission under FCC Indoor Spectrum Mask | 2189 |
| <i>M. Hanawa, K. Mori, K. Nakamura, A. Matsui, Y. Kanda, K. Nonaka</i> | |
| Multi-wavelength, 4.32 Gbps UWB Radio-over-Fiber Demonstration Featuring a Reflective Electro-Absorption Transceiver and Low-Cost DWDM Grid VCSELs | 2192 |
| <i>M. P. Thakur, T. Quinlan, S. B. A. Anas, D. K. Hunter, S. D. Walker, D. W. Smith, A. Borghesani, D. Moodie</i> | |
| A Novel Architecture for Seamless Integration of ROF with Centralized Lightwave WDM-PON Network | 2195 |
| <i>L. Chen, Z. Dong, J. Lu, M. F. Huang, G. K. Chang</i> | |
| Transmission of 1.2 Gbit/s Polarization-Multiplexed UWB Signals in PON with 0.76 Bit/s/Hz Spectral Efficiency | 2198 |
| <i>M. Morant, J. Perez, R. Llorente, J. Marti</i> | |
| Transmission of Optically Generated 1.25 Gb/s QAM Wireless Signals in a Dynamically Reconfigurable Optical WDM Network..... | 2201 |
| <i>R. Sambaraju, J. Mora, B. Ortega, J. L. Corral</i> | |

| | |
|--|------|
| Cost-Effective Radio-over-Fiber Systems Employing Phase-Modulated Downlink and Intensity-Modulated Uplink | 2204 |
| <i>H. C. Ji, H. Kim, Y. C. Chung</i> | |
| 1.1-μm-range 12 Channels x 10-Gbit/s Transmission over 600m MMF using High-density Optical Modules | 2207 |
| <i>Y. Ishikawa, H. Nasu, Y. Nekado, K. Takahashi, Y. Ikegami</i> | |
| Extremely Wide and Uniform Hysteresis Windows (32mA) for Integrated Optical RAM Using Novel Active MMI-BLD | 2210 |
| <i>H. A. Bastawrous, H. Jiang, Y. Tahara, S. Matsuo, K. Hamamoto</i> | |
| Push-pull Modulation of Coupled-Cavity VCSELs | 2213 |
| <i>C. Chen, K. D. Choquette</i> | |
| Novel 1550 nm Vertical External Cavity Surface-Emitting Lasers with 2.28 W RT CW Output | 2216 |
| <i>A. Sirbu, A. Mereuta, J. Rautiainen, J. Lytykainen, A. Caliman, E. Kapon, O. Okhotnikov</i> | |
| 1.55 μm InP-based VCSEL with Enhanced Modulation Bandwidths > 10 GHz up to 85°C | 2219 |
| <i>W. Hofmann, M. Muller, G. Bohm, M. Ortsiefer, M. C. Amann</i> | |
| Novel Concepts for High Speed VCSELs | 2222 |
| <i>N. Ledentsov</i> | |
| 90-km Single-mode Fiber Transmission of 10-Gb/s Multimode VCSELs under Optical Injection Locking | 2225 |
| <i>D. Parekh, B. Zhang, X. Zhao, Y. Yue, W. Hofmann, M. C. Amann, A. E. Willner, C. J. Chang-Hasnain</i> | |
| Statistical Analysis of MPI in Bend-insensitive Fibers | 2228 |
| <i>M. J. Li, X. Chen, P. Dainese, J. J. Englebert, C. Saravacos, D. Z. Chen, V. X. Jain, R. C. Ditmore, G. N. Bell</i> | |
| Measurement of Optical Fiber Macrobending Losses in a Single Turn with Continuously-varying Radius | 2231 |
| <i>M. Travagnin, M. Ruzzier, F. Sartori</i> | |
| All-Solid G.652.D Fiber with Ultra Low Bend Losses Down to 5 mm Bend Radius | 2234 |
| <i>L. A. de Montmorillon, F. Gooijer, N. Montaigne, S. Geerings, D. Boivin, L. Provost, P. Sillard</i> | |
| Bend Insensitive Fiber for FTTX Applications | 2237 |
| <i>J. M. Fini, P. I. Borel, P. A. Weimann, M. F. Yan, S. Ramachandran, A. D. Yablon, P. W. Wisk, D. Trevor, D. J. DiGiovanni, J. Bjerrregaard, P. Kristensen, K. Carlson, C. J. Martin, A. McCurdy</i> | |
| Optoelectronic Package Having Optical Waveguide Hole and 4-ch x 10-Gb/s Chip-to-Chip Interconnection using Thin-film Waveguide Connector | 2240 |
| <i>Y. Takagi, A. Suzuki, T. Horio, T. Ohno, T. Kojima, T. Takada, S. Iio, K. Obayashi, M. Okuyama</i> | |
| On-Chip 90° Polarization Rotator using Wave Coupling through an Intermediate, Multimode, Uniform Waveguide | 2243 |
| <i>Y. Yue, L. Zhang, M. Song, R. G. Beausoleil, A. E. Willner</i> | |
| Novel Optically Generated Ultra Wideband (UWB) Signals | 2246 |
| <i>L. A. Rusch, M. Abtahi</i> | |
| Photonic Compensation of Antenna Dispersion and Matched Filtering of Ultrawideband RF Waveforms | 2249 |
| <i>E. Hamidi, A. M. Weiner</i> | |
| Programmable UWB Waveform Generation using FBGs with Temperature-Controlled Apodization | 2252 |
| <i>M. Abtahi, M. Dastmalchi, S. LaRochelle, L. A. Rusch</i> | |

| | |
|--|------|
| Dual-Polarization 2x2 IFFT/FFT Optical Signal Processing for 100-Gb/s QPSK-PDM All-Optical OFDM | 2255 |
| <i>Y. K. Huang, D. Qian, R. E. Saperstein, P. N. Ji, N. Cvijetic, L. Xu, T. Wang</i> | |
| A Millimetre Wave Phase Shifter Using a Wireless Hybrid Mode Locked Laser | 2258 |
| <i>B. A. Khawaja, M. J. Cryan</i> | |
| Bandwidth Enhancement of Semiconductor Laser Optical Phase-Lock Loops by Sideband Locking..... | 2261 |
| <i>N. Satyan, W. Liang, A. Yariv, G. Rakuljic</i> | |
| Digital Coherent Detection of Subcarrier Multiplexed Phase Modulated Radio-over-Fibre Signals | 2264 |
| <i>D. Zibar, K. J. Larsen, I. T. Monroy</i> | |
| Modulation Formats for 100Gb/s Coherent Optical Systems | 2267 |
| <i>H. Sun, J. Gaudette, Y. Pan, M. O'Sullivan, K. Roberts, K. T. Wu</i> | |
| Transmission Reach Attainable for Single-Polarization and PolMux Coherent Star 16QAM Systems in Comparison to 8PSK and QPSK at 10Gbaud..... | 2270 |
| <i>M. Seimetz, L. Molle, M. Gruner, D. D. Gross, R. Freund</i> | |
| Tolerance of 46-Gb/s Dual-Polarization Quadrature-Phase Shift Keyed Signals to Multiple-Path Interference..... | 2273 |
| <i>L. E. Nelson, X. Zhou, S. L. Woodward, S. Foo, H. Sun, M. Moyer, M. O'Sullivan</i> | |
| 112Gb/s PolMux RZ-DQPSK with Fast Polarization Tracking Based on Interference Control | 2276 |
| <i>H. Wernz, S. Bayer, B. E. Olsson, M. Camera, H. Griesser, C. Furst, B. Koch, V. Mirvoda, A. Hidayat, R. Noe</i> | |
| Single-Channel 1-Tb/s Transmission over 480 km DMF for Future Terabit Ethernet Systems..... | 2279 |
| <i>C. Schmidt-Langhorst, R. Ludwig, H. Hu, C. Schubert</i> | |
| Requirements for 100-Gb/s Metro Networks..... | 2282 |
| <i>M. H. Eiselt, B. T. Teipen</i> | |
| Fiber Nonlinearity Compensation for CO-OFDM Systems with Periodic Dispersion Maps | 2285 |
| <i>L. Du, A. Lowery</i> | |
| Effect of Hybrid IQ Imbalance Compensation in 27.3-Gbit/s Direct-Detection OFDM Transmission..... | 2288 |
| <i>A. Al Amin, H. Takahashi, S. L. Jansen, I. Morita, H. Tanaka</i> | |
| No-Guard-Interval Coherent Optical OFDM for 100-Gb/s/ch Long-Haul Transmission Systems..... | 2291 |
| <i>A. Sano, Y. Takatori, Y. Miyamoto</i> | |
| Multi-gigabit Real-time Coherent Optical OFDM Receiver | 2294 |
| <i>S. Chen, Q. Yang, Y. Ma, W. Shieh</i> | |
| Joint SPM Compensation for Inline-Dispersion-Compensated 112-Gb/s PDM-OFDM Transmission..... | 2297 |
| <i>X. Liu, R. W. Tkach</i> | |
| Wavelet Transform Based Optical OFDM | 2300 |
| <i>O. Bulakci, M. Schuster, C. A. Bunge, B. Spinnler, N. Hanik</i> | |
| 22.4-Gb/s OFDM Transmission over 1000 km SSMF using Polarization Multiplexing with Direct Detection..... | 2303 |
| <i>D. Qian, N. Cvijetic, Y. K. Huang, J. Yu, T. Wang</i> | |

| | |
|--|------|
| Holographic Bragg Reflectors: Designs and Applications | 2306 |
| <i>T. W. Mossberg, C. Greiner, D. Iazikov</i> | |
| Ultrabroadband FBG Filters using Femtosecond Pulses | 2349 |
| <i>M. Bernier, Y. Sheng, R. Vallee</i> | |
| Advances in Fiber Laser Beam Combination | 2352 |
| <i>J. E. Rothenberg</i> | |
| Achievement of Linearly Polarized Singlet-transverse-mode Emission from Active Multimode Fiber via Multimode Interference | 2355 |
| <i>X. Zhu, A. Schülzgen, H. Li, L. Li, V. L. Temyanko, J. V. Moloney, N. Peyghambarian</i> | |
| Design and Development of Optical Grid over Wavelength Switched Optical Network | 2358 |
| <i>H. Harai, S. Xu</i> | |
| End-to-End Asynchronous Optical Packet Transmission, Scheduling, and Buffering | 2361 |
| <i>J. P. Mack, J. M. Garcia, H. N. Poulsen, E. F. Burmeister, B. Stamenic, G. Kurczveil, J. E. Bowers, D. J. Blumenthal</i> | |
| Experimental Demonstration of a Novel 5/10-Gb/s Burst-Mode Clock and Data Recovery Circuit for Gigabit PONs | 2364 |
| <i>M. Zeng, B. J. Shastri, N. Zicha, D. V. Plant</i> | |
| A New Large Variable Delay Optical Buffer based on Cascaded Double Loop Optical Buffers (DLOBs) | 2367 |
| <i>Y. Wang, C. Wu, Z. Wang, X. Xin</i> | |
| Flexible Optical Packet Compression and Switching Utilizing an Optical Crosspoint Switch Matrix based on Active Vertical Coupler | 2370 |
| <i>B. Huang, H. Liu, X. Wang, Y. Liang, Z. He, S. Yu, N. Chi</i> | |
| Reducing Burst Loss Probability in Multi-Class Optical Burst Switching Networks by Successive Minimal Incremental Routing | 2373 |
| <i>W. Ni, C. Zhu, Y. Ye, M. Schlosser, H. Zhang</i> | |
| Impact of Burst Header Length in the Performance of a 10 Gb/s Digital Burst Mode Receiver | 2376 |
| <i>J. M. D. Mordinueta, P. Bayvel, B. C. Thomsen</i> | |
| Active Multi-bound Soliton Lasers: Generation of Dual to Sextuple States | 2379 |
| <i>L. N. Binh, N. D. Nguyen</i> | |
| Wide and Fast Wavelength-Tunable Mode-Locked Fiber Lasers Based on Dispersion Tuning at 1.5 μm and 1.3 μm Bands | 2382 |
| <i>Y. Nakazaki, S. Yamashita</i> | |
| Generation of Energetic Wavelength Tunable Femtosecond Pulses in Higher-order-mode Fiber | 2385 |
| <i>C. Xu</i> | |
| Femtosecond Pulses with Tunable, High Repetition Rate Generated from a CW Laser without Mode-Locking | 2388 |
| <i>Y. Dai, C. Xu</i> | |
| Highly Energetically Efficient Pulse Compression for 640 Gbit/s OTDM Using Parabolic-like Pulses Synthesized with a Long Period Fiber Grating Structure | 2391 |
| <i>D. Kremarik, R. Slavik, Y. Park, J. Azaña</i> | |
| An Agile Multi-Wavelength Optical Source with Configurable Channel Spacing and CW or Pulsed Operation for High-Capacity WDM Optical Networks | 2394 |
| <i>P. Bakopoulos, E. Kehayas, A. E. H. Oehler, T. Sudmeyer, K. J. Weingarten, K. P. Hansen, U. Keller, H. Avramopoulos</i> | |

| | |
|---|------|
| Continuously Tunable Multiwavelength Fiber Ring Laser Using Nonlinear Polarization Rotation of SOA with External Optical Injection | 2397 |
| <i>S. Fu, W. Zhong, P. Shum, C. Lin</i> | |
| Photonic Band Gap Materials | 2400 |
| <i>N/A</i> | |
| Ultra-compact Optical Switch Based on Photonic Crystal Waveguides | 2430 |
| <i>T. F. Krauss</i> | |
| A Tunable 3D Hollow Waveguide Bragg Reflector with Giant Birefringence and Tunable Differential Group Delay | 2433 |
| <i>M. Kumar, F. Koyama</i> | |
| Continuously-tunable Slow and Fast Light Using Silicon Microring Add-drop Filter with Mutual Mode Coupling | 2436 |
| <i>T. Wang, F. Liu, T. Ye, Z. Zhang, J. Wang, Y. Tian, M. Qiu, Y. Su</i> | |
| Reflectometric Measurement of the Complete Spin Profile in Randomly Birefringent Spun Fibers | 2439 |
| <i>A. Galtarossa, D. Grosso, L. Palmieri, M. Rizzo</i> | |
| Relation between Fiber Parameters and Polarization Changes due to Mechanical Vibrations | 2442 |
| <i>T. Hayashi, E. Sasaoka</i> | |
| Polarization Properties of DCMs: Thermal Variations | 2445 |
| <i>T. Geisler, P. Kristensen</i> | |
| Polarization Evolution in Dispersion Compensation Modules | 2448 |
| <i>M. Reimer, D. Dumas, G. Soliman, D. Yevick</i> | |
| Nonlinear Polarization Rotation in a Carbon Nanotubes Deposit D-shaped Fiber for Widely Tunable Wavelength Conversion | 2451 |
| <i>K. K. Chow, S. Yamashita, Y. W. Song</i> | |
| 1.5μm Polarization Entangled Photon Pair Generation Based on Birefringence in Microstructure Fibers | 2454 |
| <i>Q. Zhou, W. Zhang, S. Zhang, J. Cheng, Y. Huang, J. Peng</i> | |
| Optical WDM Regeneration: Status and Future Prospects | 2457 |
| <i>L. Provost, P. Petropoulos, D. J. Richardson</i> | |
| Operating Points for Low-Density Parity-Check Codes in On-off Keyed Fiber-Optic Transmission Systems | 2460 |
| <i>B. P. Smith, F. R. Kschischang</i> | |
| Soft Decision LSI Operating at 32 Gsample/s for LDPC FEC-based Optical Transmission Systems | 2463 |
| <i>T. Kobayashi, S. Kametani, K. Shimizu, K. Onahara, H. Tagami, T. Mizuochi</i> | |
| Electronic Mitigation of the Filter Concatenation Effect of Low-cost 2.5 Gb/s Rated DML Sources Operated at 10 Gb/s | 2466 |
| <i>I. Pappiannakis, D. Klonidis, J. Kikidis, A. N. Birbas, I. Tomkos</i> | |
| Field Trial Investigation of 16-states MLSE Equalizer for Simultaneous Compensation of CD, PMD and SPM | 2469 |
| <i>D. Fritzsche, L. Schürer, A. Ehrhardt, D. Breuer</i> | |
| Experimental Study of Linear Equalization Combined with MLSE at 10.7 Gbps | 2472 |
| <i>N. Swenson, D. Crivelli, M. Serra, J. Cho, M. Hueda, O. Agazzi</i> | |

| | |
|--|------|
| Record-Length 10.7 Gb/s Uncompensated Transmission Experiment over Installed Fiber Using Narrow-Filtered Duobinary and a Correlation-Sensitive MLSE-Rx | 2475 |
| <i>G. Gavioli, G. Bosco, P. Poggolini, M. Visintin, P. Bayvel, I. Cano, E. Torreng, M. Belmonte, G. Osnago, S. Piciaccia, A. La Porta, C. Lezzi, M. Ibsen, P. Petropoulos</i> | |
| Statistical Characterization of Bit Patterning in SOAs: BER Prediction and Experimental Validation | 2478 |
| <i>A. Chazisaeidi, F. Vacondio, A. Bononi, L. A. Rusch</i> | |
| 60-GHz Photonic Vector Signal Generation Employing Frequency Quadrupling Scheme for Radio-over-Fiber Link | 2481 |
| <i>W. Jiang, C. Lin, H. Huang, P. Shih, J. Chen, S. Chi</i> | |
| Simple Multi-Gbps 60 GHz Radio-over-Fiber Links Employing Optical and Electrical Data Up-conversion and Feed-Forward Equalization | 2484 |
| <i>A. Ng'oma, M. Sauer, F. Annunziata, W. Jiang, C. Lin, J. Chen, P. Shih, S. Chi</i> | |
| Broadband Antennas and Efficient Electro-Optic Interfaces for Fiber-Radio Applications | 2487 |
| <i>R. B. Waterhouse, D. Novak</i> | |
| Broadband Data Transmission in a 40 GHz Fiber Radio Link using a Dual-Wavelength SBS Fiber Laser | 2490 |
| <i>M. L. Dennis, M. C. Gross, T. R. Clark, D. Novak, R. B. Waterhouse</i> | |
| Dual Function Sensing and Multiservice Communications Radio over Fiber Network using Second Harmonic Suppression | 2493 |
| <i>M. Crisp, R. V. Penty, I. H. White</i> | |
| Fiber Optic Synchronization Architecture for High Precision GPS Applications | 2496 |
| <i>D. Macias-Valadez, S. LaRochelle, R. Santerre, B. Filion</i> | |
| Sensitivity Improvement of Incoherent Multilevel (30-Gbit/s 8QAM and 40-Gbit/s 16QAM) Signaling with Non-euclidean Metric and MSPE (Multi Symbol Phase Estimation) | 2499 |
| <i>N. Kikuchi, S. Sasaki</i> | |
| Polarization QAM Modulation (POL-QAM) for Coherent Detection Schemes | 2502 |
| <i>H. Bülow</i> | |
| Cascaded Two-modulus Algorithm for Blind Polarization De-multiplexing of 114-Gb/s PDM-8-QAM Optical Signals | 2505 |
| <i>X. Zhou, J. Yu, P. Magill</i> | |
| 30-Gbps (5-Gsymbol/s) 64-QAM Self-Homodyne Transmission over 60-km SSMF using Phase-Noise Cancelling Technique and ISI-Suppression based on Electronic Digital Processing | 2508 |
| <i>M. Nakamura, Y. Kamio</i> | |
| High-bit-rate optical QAM | 2511 |
| <i>T. Sakamoto, A. Chiba, T. Kawanishi</i> | |
| 16-QAM modulation by Polar Coordinate Transformation with a Single Dual Drive Mach-Zehnder Modulator | 2514 |
| <i>S. Kometani, T. Sugihara, T. Mizuochi</i> | |
| Phase-noise Tolerance of Optical 16-QAM Signals Demodulated with Decision-directed Carrier-phase Estimation | 2517 |
| <i>Y. Mori, C. Zhang, K. Igarashi, K. Katoh, K. Kikuchi</i> | |
| Investigation Into Optical Technologies for Access Evolution | 2520 |
| <i>P. Chanclou, J. -P. Lanquetin, S. Durel, F. Saliou, B. Landousies, N. Genay, Z. Belfqih</i> | |

| | |
|--|------|
| Burst-mode Bit-rate Discrimination Circuit for 1.25/10.3-Gbit/s Dual-rate PON Systems..... | 2523 |
| <i>K. Hara, S. Kimura, H. Nakamura, N. Yoshimoto, K. Kumozaki</i> | |
| A 10 Gb/s Burst-Mode Receiver with Automatic Reset Generation and Burst Detection for Extended Reach PONs | 2526 |
| <i>P. Ossieur, T. D. Ridder, J. Bauwelinck, C. Melange, B. Baekelandt, X. Z. Qiu, J. Vandewege, G. Talli, C. Antony, P. Townsend, C. Ford</i> | |
| The Demonstration of Symmetric 10G-EPON System for Coexistence with 1G-EPON | 2529 |
| <i>Y. Hotta, A. Tsuji, K. Sugimura, S. Kozaki, N. Suzuki, J. Nakagawa, K. Shimokasa</i> | |
| 10 Gb/s Uplink Traffic Transmitter Using External Optical Injection for TDM Passive Optical Networks..... | 2532 |
| <i>C. H. Wang, F. Y. Shih, C. H. Yeh, C. W. Chow, S. Chi</i> | |
| 10-Gbit/s TDM-PON and Over-40-Gbit/s WDM/TDM-PON Systems with OPEX-effective Burst-mode Technologies | 2535 |
| <i>S. Kimura</i> | |
| An Offline Impairment Aware RWA Algorithm with Dedicated Path Protection Consideration | 2538 |
| <i>S. Azodolmolky, Y. Pointurier, M. Angelou, J. S. Pareta, I. Tomkos</i> | |
| Impact of Topology and Traffic on Physical Layer Monitoring in Transparent Networks | 2541 |
| <i>D. C. Kilper, A. Ferguson, B. O'Sullivan, S. K. Korotky</i> | |
| Power Excursion Aware Routing in GMPLS-based WSONs..... | 2544 |
| <i>F. M. V. Ramos, A. Giorgetti, F. Cugini, P. Castoldi, J. Crowcroft, I. H. White</i> | |
| Signaling and Multi-layer Probe-based Schemes for Guaranteeing QoT in GMPLS Transparent Networks..... | 2547 |
| <i>N. Sambo, C. Pinart, E. Le Rouzic, F. Cugini, L. Valcarenghi, P. Castoldi</i> | |
| Interest of an Adaptive Margin for the Quality of Transmission Estimation for Lightpath Establishment | 2550 |
| <i>F. Leplingard, A. Morea, T. Zami, N. Brogard</i> | |
| Transparent vs. Translucent Optical Network Design with Mixed Line Rates | 2553 |
| <i>A. Nag, M. Tornatore</i> | |
| High-speed and Temperature-insensitive Operation in 1.3-μm InAs/GaAs High-density Quantum Dot Lasers..... | 2556 |
| <i>Y. Tanaka, M. Ishida, Y. Maeda, T. Akiyama, T. Yamamoto, H. Song, M. Yamagushi, Y. Nakata, K. Nishi, M. Sugawara, Y. Arakawa</i> | |
| 20 GHz Picosecond Pulse Generation by a 1300nm Mode-Locked Quantum Dot Master Oscillator Power Amplifier | 2559 |
| <i>V.F. Olle, M.G. Thompson, K.A. Williams, R.V. Penty, I.H. White</i> | |
| Highly Coherent Picosecond Pulse Generation with Sub-ps Jitter and High SMSR by Gain Switching Discrete Mode Laser Diodes at 10 GHz Line Rate | 2562 |
| <i>P. M. Anandarajah, L. P. Barry, A. Kaszubowska, J. O'Gorman, J. O'Carroll, C. Herbert, R. Phelan, A. S. Duke</i> | |
| 1-μm Waveband, 10Gbps Transmission with a Wavelength Tunable Single-mode Selected Quantum-dot Optical Frequency Comb Laser..... | 2565 |
| <i>N. Yamamoto, R. Katouf, K. Akahane, T. Kawanishi, H. Sotobayashi</i> | |
| Recent Advances in Long Wavelength Quantum Dot Lasers and Amplifiers | 2568 |
| <i>R. Nötzel, E. A. J. M. Bente, M. K. Smit, H. J. S. Dorren</i> | |

| | |
|--|------|
| Ultralow Power Dissipation Widely-tunable Transmitter Optical Subassembly for 10 Gb/s Pluggable Transceivers..... | 2571 |
| <i>P. C. Koh, M. Ayliffe, E. R. Hegblom, M. Larson, G. T. Paloczi, A. Dahl, X. Huang, Y. Zhou, Y. A. Akulova</i> | |
| 10 Gb/s Uncooled Dilute-Nitride Optical Transmitters Operating at 1.3 μm..... | 2574 |
| <i>M. Dumitrescu, M. Wolf, K. Schulz, Y.Q. Wei, G. Adolfsson, J. Gustavsson, J. Bengtsson, M. Sadeghi, S. Wang, A. Larsson, J. Lim, E. Larkins, P. Melanen, P. Uusimaa, M. Pessa</i> | |
| Ultra High Definition Media Over Optical Networks (CineGrid)..... | 2577 |
| <i>C. de Laat</i> | |
| Service-Oriented Multi-Granular Optical Network Testbed | 2597 |
| <i>Y. Qin, G. Zervas, V. Martini, M. Ghadour, M. Savi, F. Baroncelli, B. Martini, P. Castoldi, C. Raffaelli, M. Reed, D. Hunter, R. Nejabati, D. Simeonidou</i> | |
| 4K Uncompressed Streaming over Multicast-capable 80 (8λ x 10) Gbps Colored Optical Packet Switching Network using SOA Switch and Stacked OC-Label Processing | 2600 |
| <i>N. Kataoka, K. Sone, K. Kaneko, T. Aoyama, K. Shimizu, T. Kawano, M. Maruyama, N. Wada, Y. Aoki, S. Kinoshita, H. Otsuki, H. Harai, H. Onaka, T. Miyazaki, K. Kitayama</i> | |
| A Bandwidth Challenge at Super Computing (SC) Conference: Large-Scale Data Transfer Using 10Gbps Network | 2603 |
| <i>K. T. Murata, E. Kimura, K. Yamamoto, D. Matsuoka, H. Shimazu, Y. Kitamura, K. Fukazawa, J. Tanaka, T. Ikeda, Y. Kurokawa</i> | |
| Optical Multi-Domain Routing..... | 2606 |
| <i>X. Masip, M. Yannuzzi</i> | |
| PCE-based Network Design for Multi-domain Layer 1 Virtual Private Networks..... | 2609 |
| <i>X. Chen, J. Zhang, X. Cheng, Y. Wang, L. Wang, X. Zhang, W. Gu, Y. Ji</i> | |
| PCE Communication Protocol for Resource Advertisement in Multi-domain BGP-based Networks | 2612 |
| <i>F. Cugini, F. Paolucci, L. Valcarenghi, P. Castoldi, A. Welin</i> | |
| On Resource Provisioning for Multi-Domain Networks..... | 2615 |
| <i>X. J. Zhang, S. Kim, S. S. Lumetta</i> | |
| Avoiding Path-Vectors in Multi-Domain Optical Networks | 2618 |
| <i>M. Yannuzzi, X. Masip</i> | |
| Multi-Layer Network Architectures..... | 2621 |
| <i>J. Spaeth</i> | |
| Bit-Rate-Flexible All-Optical OFDM Transceiver Using Variable Multi-Carrier Source and DQPSK/DPSK Mixed Multiplexing | 2624 |
| <i>K. Yonenaga, F. Inuzuka, S. Yamamoto, H. Takara, B. Kozicki, T. Yoshimatsu, A. Takada, M. Jinno</i> | |
| Discrete Multitone Modulation for High-Speed Data Transmission over Multimode Fibers using 850-nm VCSEL | 2627 |
| <i>S. C. J. Lee, F. Breyer, S. Randel, D. Cardenas, H. P. A. van den Boom, A. M. J. Koonen</i> | |
| Performance Monitoring in Optical OFDM Systems | 2630 |
| <i>M. Mayrock, H. Haunstein</i> | |
| Low Sample Rate Transmitter for Direct-Detection Optical OFDM | 2633 |
| <i>B. J. C. Schmidt, A. J. Lowery, L. B. Du</i> | |
| Investigation of 11.1Gbit/s Direct-detection OFDM QAM-16 Transmission Over 1600km of Uncompensated Fiber | 2636 |
| <i>Y. Benlachtar, R. I. Killey</i> | |

| | |
|--|------|
| Demonstration of Frequency-Domain Averaging Based Channel Estimation for 40-Gb/s CO-OFDM with High PMD | 2639 |
| <i>Q. Yang, N. Kaneda, X. Liu, W. Shieh</i> | |
| Parabolic Pulse Formation and Applications | 2642 |
| <i>C. Finot, J. M. Dudley, D. J. Richardson, G. Millot</i> | |
| Flat-Top Pulse Generation Using 3-dB Abrupt Taper Interferometric Pulse Shaper | 2645 |
| <i>M. Nix, S. S. H. Yam</i> | |
| Long Period Fiber Gratings for High Speed Optical Pulse Shaping: Principles and Applications | 2648 |
| <i>R. Slavik, J. Azana, Y. Park</i> | |
| Propagation of Multi-bound Soliton States in Optical Fibers | 2651 |
| <i>N. D. Nguyen, L. N. Binh, K. K. Pang</i> | |
| DCF Module with Low Insertion Loss, Small Residual Dispersion, and Low PMD | 2654 |
| <i>M. Hirano, S. Hagihara, F. Ohkubo, Y. Koyano, T. Sasaki</i> | |
| Recent Progress on Athermal AWG Wavelength Multiplexer | 2657 |
| <i>S. Kamei</i> | |
| 5 GHz Channel Spacing InP-Based 32-Channel Arrayed-Waveguide Grating..... | 2660 |
| <i>W. Jiang, K. Okamoto, F. M. Soares, F. Olsson, S. Lourdudoss, S. J. B. Yoo</i> | |
| Optical OFDM Demultiplexer Using Silica PLC Based Optical FFT Circuit | 2663 |
| <i>K. Takiguchi, M. Oguma, T. Shibata, H. Takahashi</i> | |
| Low Power Consumption PLC-type 43Gb/s DQPSK Demodulator..... | 2666 |
| <i>K. Hattori, Y. Sakamaki, Y. Nasu, S. Kamei, T. Hashimoto, H. Takahashi, Y. Inoue</i> | |
| Ultimate-low-power-consumption, Polarization-independent, and High-speed Polymer Mach-Zehnder Thermo-optic Switch | 2669 |
| <i>N. Xie, T. Hashimoto, K. Utaka</i> | |
| Tunable 6-Stage Lattice-Form Mach-Zehnder Interferometer for Arbitrary Binary Code Generation at 40 GHz | 2672 |
| <i>P. Samadi, I. A. Kostko, A. Jain, L. R. Chen, P. Dumais, C. L. Callender, S. Jacob, B. Xia</i> | |
| Compact Wireless Access Nodes for WDM Bidirectional Radio-over-Fiber System Based on RSOA | 2675 |
| <i>X. Yu, T. B. Gibbon, I. T. Monroy</i> | |
| Mixed-Polarization to Improve Dynamic Range of Optical Single Sideband in a Mach-Zehnder Modulator..... | 2678 |
| <i>B. Masella, B. Hraimel, X. Zhang</i> | |
| Bidirectional ROF Transmission and Signal Remodulation Using Separate Optical Clock Distribution to Mitigate Signal Distortions | 2681 |
| <i>C. W. Chow, L. Xu, C. H. Yeh, C. H. Wang, F. Y. Shih, H. K. Tsang, C. L. Pan, S. Chi</i> | |
| W-Band Vector Signal Generation via Optical Millimeter-wave Generation and Direct Modulation of NBUTC-PD | 2684 |
| <i>P. T. Shih, C. T. Lin, W. J. Jiang, E. Z. Wong, J. Chen, S. Chi, Y. S. Wu, F. M. Kuo, N. W. Chen, J. W. Shi</i> | |
| Fiber-Wireless Networks and Microwave Photonics Subsystem Technologies | 2687 |
| <i>C. Lim, T. A. Nirmalathas, M. Bakaul, P. Gamage, K. L. Lee, Y. Yang, D. Novak, R. Waterhouse</i> | |
| 1.3 / 1.5 μm QD-SOAs for WDM/TDM GPON with Extended Reach and Large Upstream / Downstream Dynamic Range | 2742 |
| <i>R. Bonk, R. Brenot, C. Meuer, T. Vallaitis, A. Tussupov, J. C. Rode, S. Sygletos, P. Vorreau, F. Lelarge, G. H. Duan, H.-G. Krimmel, Th. Pfeiffer, D. Bimberg, W. Freude, J. Leuthold</i> | |

| | |
|---|------|
| Lossless Multistage SOA Switch Fabric using High Capacity Monolithic 4x4 SOA Circuits | 2745 |
| <i>H. Wang, E.T. Aw, K.A. Williams, A. Wonfor, R.V. Penty, I. H. White</i> | |
| Full C-band 40-Gbit/s DPSK Modulation Using Lossless InP n-p-i-n Mach-zehnder Modulator Monolithically Integrated with SOA | 2748 |
| <i>N. Kikuchi, Y. Shibata, K. Tsuzuki, T. Yasui, M. Ishikawa, H. Ishii, M. Arai, T. Sato, Y. Kawaguchi, F. Kano</i> | |
| High-Power Semiconductor Optical Amplifier | 2751 |
| <i>K. Morito</i> | |
| The Influence of Continuous-Wave and Modulated Interference on Incoherent Spectral Codes | 2811 |
| <i>B. Huissoon, T. Spuesens, E. Tangdiongga, A.M.J. Koonen</i> | |
| Optical Generation, Fiber Distribution and Air Transmission for Ultra Wide Band Over Fiber System | 2814 |
| <i>H. Shams, A. Kaszubowska-Anandarajah, P. Perry, L.P. Barry</i> | |
| High Performance PONs based on I-Q Modulation of Electronic CDMA Channels | 2817 |
| <i>J. B. Rosas-Fernandez, J. D. Ingham, R. V. Penty, I. H. White</i> | |
| EU project POF-PLUS: Gigabit Transmission over 50 m of Step-index Plastic Optical Fibre for Home Networking | 2820 |
| <i>B. Charbonnier, P. Urvoas, M. Ouzzif, J. Le Masson, J. D. Lambkin, M. O'Gorman, R. Gaudino</i> | |
| 40/100GbE Technologies and Related Activities of IEEE Standardization | 2823 |
| <i>O. Ishida</i> | |
| Microwave Photonic Applications for Silicon Photonics | 2852 |
| <i>D. Guckenberger</i> | |
| Radio-Frequency Arbitrary Waveform Generation on a Silicon Chip | 2855 |
| <i>H. Shen, M. H. Khan, Y. Xuan, L. Zhao, D. E. Leaird, A. M. Weiner, M. Qi</i> | |
| All-Optical Wavelength Conversion at 42.7 Gbit/s in a 4 mm Long Silicon-Organic Hybrid Waveguide | 2858 |
| <i>T. Vallaitis, C. Heine, R. Bonk, W. Freude, J. Leuthold, C. Koos, B. Esembeson, I. Biaggio, T. Michinobu, F. Diederich, P. Dumon, R. Baets</i> | |
| Generation of 270 Gb/s NRZ Data Packets from a 10-Gb/s Signal Using a Temporal Telescopic System | 2861 |
| <i>M. A. Foster, R. Salem, Y. Okawachi, A. C. Turner-Foster, M. Lipson, A. L. Gaeta</i> | |
| Polarisation-independent Sub-picosecond Flat-top Pulse Generation for Ultra-fast 640 Gbit/s Gating | 2864 |
| <i>L.K. Oxenlowe, M. Galili, H.C.H. Mulvad, R. Slavík, A.T. Clausen, P. Jeppesen</i> | |
| 40 GHz Sub-Picosecond Pulse Generation from a Mach- Zehnder Modulator and its Application to 320 Gb/s OTDM | 2867 |
| <i>T. B. Iredale, M. D. Pelusi, B. J. Eggleton</i> | |
| High Power Thulium Doped Fiber Lasers | 2870 |
| <i>W. A. Clarkson, L. Pearson, Z. Zhang, J. W. Kim, D. Shen, A. J. Boyland, J. K. Sahu, M. Ibsen</i> | |
| Defect Analysis of Photodarkened and Gamma-Ray Irradiated Ytterbium-Doped Silica Glasses | 2873 |
| <i>T. Arai, K. Ichii, S. Tanigawa, M. Fujimaki</i> | |
| Luminescence and Laser Generation in Bi-doped Fibers in a Spectral Region of 1300-1520 nm | 2876 |
| <i>E. M. Dianov, S. V. Firstov, O. I. Medvedkov, I. A. Bufetov, V. F. Khopin, A. N. Guryanov</i> | |

| | |
|--|------|
| Pump-to-Signal Intensity Noise Transfer as the Mechanism of Self-Pulsing in Erbium Doped Fiber Laser..... | 2879 |
| <i>S. Sergeyev, K. O'Mahoney, S. Popov, A. T. Friberg</i> | |
| Tunable High Channel-count Notch Filter Based on a Phase-shift Phase-only Sampled FBG and Its Application to Multi-wavelength Fiber Laser | 2882 |
| <i>M. Li, H. Li, Y. Painchaud</i> | |
| Novel Crystalline Core Optical Fibers | 2885 |
| <i>J. Ballato, T. Hawkins, B. Kokuz, A. James, R. Stolen, P. Foy</i> | |
| FWM Wavelength Conversion with Over 60nm of 0dB Conversion Bandwidth by SBS-Suppressed HNLF | 2888 |
| <i>M. Takahashi, J. Hiroishi, M. Tadakuma, T. Yagi</i> | |
| Fiber Design for SBS Suppression by Using Hole-Assisted Structure..... | 2891 |
| <i>T. Sakamoto, T. Matsui, K. Shiraki, T. Kurashima</i> | |
| New Optical Fiber Line Testing System Function for Highly Accurate Facility Location Using Brillouin Frequency Shift Assigned Optical Fiber | 2894 |
| <i>N. Honda, M. Inoue, N. Araki, Y. Azuma</i> | |
| Proposed Model for the Effect of Ge-Doping on the Acoustic Properties of Silica Fibers..... | 2897 |
| <i>P. D. Dragic</i> | |
| Gain Enhancement in Slow-Light Systems Based on Stimulated Brillouin-Scattering with Several Short Fibers..... | 2900 |
| <i>R. Henker, K. U. Lauterbach, A. Wiatrek, T. Schneider, M. J. Ammann, A. T. Schwarzbacher</i> | |
| Supercontinuum Generation in an As₂Se₃-based Chalcogenide PCF Using Four-wave Mixing and Soliton Self-frequency Shift | 2903 |
| <i>J. Hu, C. R. Menyuk, L. B. Shaw, J. S. Sanghera, I. D. Aggarwal</i> | |
| Stimulated Supercontinuum Generation | 2906 |
| <i>D. R. Solli, C. Ropers, B. Jalali</i> | |
| Polarization-Independent Broadband 1×8 Optical Phased-Array Switch Monolithically Integrated on InP | 2909 |
| <i>I. M. Soganci, T. Tanemura, Y. Nakano</i> | |
| 10-Gbit/s Duobinary Transmission controlled by a Tunable Coupled Resonator Optical Delay Line | 2912 |
| <i>A. Melloni, P. Boffi, C. Ferrari, L. Marazzi, F. Morichetti, R. Siano, M. Martinelli</i> | |
| Optical Isolator with SOI Waveguide | 2915 |
| <i>T. Mizumoto, Y. Shoji</i> | |
| All-optical Label Extractor/Eraser for In-band Labels and 160 Gb/s Payload Based on Micro Ring Resonators | 2918 |
| <i>N. Calabretta, P.J. Urban, D.H. Geuzebroek, E.J. Klein, H. de Waardt, H. J.S. Dorren</i> | |
| A 2×2 Optical Cross-Connect Switch Based on Dual-Drive Silicon Microring-Resonators with Reduced Timing Jitter and Driving Voltage | 2921 |
| <i>M. Song, L. Zhang, Y. Yue, J. Y. Yang, R. G. Beausoleil, A. E. Willner</i> | |
| Compact Ring Resonators using Conventional Waveguides, Etched Beam Splitters and Total Internal Reflection Mirrors..... | 2924 |
| <i>B. Kim, Y. C. Chang, N. Dagli</i> | |
| First Demonstration of an As₂S₃-on-LiNbO₃ Ring Resonator..... | 2927 |
| <i>M. E. Solmaz, D. B. Adams, S. Grover, W. C. Tan, X. Xia, O. Eknayan, C. K. Madsen</i> | |
| High Spectral Efficiency Coherent Optical OFDM for 1 Tb/s Ethernet Transport..... | 2930 |
| <i>W. Shieh</i> | |

| | |
|--|------|
| Experimental Investigation of Non-Linear Threshold of 113Gb/s O-OFDM Signals on DCF Free Transmission Links | 2933 |
| <i>R. Dischler, F. Bushali</i> | |
| 107 Gb/s CO-OFDM Transmission with Inline Chromatic Dispersion Compensation | 2936 |
| <i>Y. Tang, Y. Ma, W. Shieh</i> | |
| Ultra Long-haul Transmission Over 6,000 km of 100 Gb/s Serial Signal by Using Coherent Detection | 2939 |
| <i>T. Kobayashi, E. Yamazaki, E. Yamada, H. Masuda, A. Sano, E. Yoshida, Y. Miyamoto K. Ishihara, R. Kudo, Y. Takatori, M. Mizoguchi</i> | |
| A Novel Channel Estimation Method for PDM-OFDM Enabling Improved Tolerance to WDM Nonlinearity | 2942 |
| <i>X. Liu, F. Buchali</i> | |
| Enhanced Deep Space Data Return by Integrated RF Optical TT&C | 2945 |
| <i>T. Dreischer, M. Tuechler, K. Kudielka, G. Baister</i> | |
| Single Photon Avalanche Photodiodes | 2948 |
| <i>J. C. Campbell</i> | |
| High Phase Linearity, High Power Handling, InGaAs Photodiodes for Precise Timing Applications | 3000 |
| <i>S. Datta, A. Joshi, D. Becker, R. Howard</i> | |
| A W-Band Photonic Transmitter-Mixer Based on High-Power Near-Ballistic Uni-Traveling-Carrier Photodiode (NBUTC-PD) for 1.25-Gb/s BPSK Data Transmission under Bias Modulation | 3003 |
| <i>Y. S. Wu, F. M. Kuo, S. N. Wang, N. W. Chen, J. W. Shi, P. T. Shih, C. T. Lin, W. J. Jiang, E. Z. Wong, J. Chen, S. Chi</i> | |
| 40 Gb/s DPSK Receiver Module with Integrated Free-Space Delay-Line-Interferometer | 3006 |
| <i>A. G. Steffan, M. L. Nielsen, G. Tsianos, A. Umbach, A. Boutin, L. Fulop, F. Verluse</i> | |
| A GaAs/AlGaAs Based Uni-Traveling-Carrier Photodiode for 10Gbit/sec Optical Interconnect at 850nm Wavelength with Zero Electrical Power Consumption | 3009 |
| <i>F. M. Kuo, T. C. Hsu, J. W. Shi</i> | |
| Robust Application Specific and Agile Private (ASAP) Networks Withstanding Multi-layer Failures | 3012 |
| <i>X. Liu, C. Qiao, T. Wang</i> | |
| Rerouting of 1+1 Optical Channels: Cost Benefits for Incrementally Planned Networks | 3015 |
| <i>C. Meusburger, D. A. Schupke</i> | |
| Survivable Hierarchical Optical Path Networks Employing Waveband and Wavelength Path Protection | 3018 |
| <i>Y. Yamada, H. Hasegawa, K. Sato</i> | |
| Reliable Multi-Bit-Rate VPN Design for Ethernet over WDM Carrier Services | 3021 |
| <i>M. Batayneh, D. A. Schupke, M. Hoffmann, A. Kirstaedter</i> | |
| Multilayer Network Resilience | 3024 |
| <i>A. Jajszczyk</i> | |
| 1.83- s Wavelength-Transparent All-Optical Delay | 3051 |
| <i>N. Alic, E. Myslivets, S. Moro, B. P. P. Kuo, R. M. Jopson, C. J. McKinstry, S. Radic</i> | |
| Multi-Wavelength Optical Fiber Refractive Index Profiling by Spatially Resolved Fourier Transform Spectroscopy | 3054 |
| <i>A. D. Yablon</i> | |

| | |
|--|------|
| Multi-Channel Fiber-Based Source of Polarization Entangled Photons with Integrated Alignment Signal | 3057 |
| <i>S. X. Wang, G. S. Kanter, P. Kumar</i> | |
| Single-Gate 320-to-8x40 Gb/s Demultiplexing | 3060 |
| <i>C. S. Bres, A. O. J. Wiberg, B. P.P. Kuo, J. M. Chavez-Boggio, C. F. Marki, N. Alic, S. Radic</i> | |
| Optical Performance Monitoring via Slow Light Enhanced Third Harmonic Generation in Silicon Photonic Crystal Waveguides | 3063 |
| <i>B. Corcoran, C. Monat, C. Grillet, T. P. White, L. O'Faolain, T. F. Krauss, B. J. Eggleton, D. J. Moss</i> | |
| Multi-period PM- OLM with Dynamic Counter-Propagating Effects Compensation for 5-bit All-optical Analog-to-digital Conversion | 3066 |
| <i>Y. Miyoshi, S. Takagi, S. Amiki, K. Kitayama</i> | |
| A Novel LightLabel Orthogonal Frequency Division Multiplexing (LL-OFDM) System for Cross-layer Lightpath Monitoring and Setup | 3069 |
| <i>W. Wei, M. D. Feuer, D. Qian, P. N. Ji, N. Cvijetic, C. Wang, T. Wang</i> | |
| First Demonstration of WDM-enabled All-Optical Wavelength Conversion with a SOA and a 2nd Order Microring Resonator ROADM | 3072 |
| <i>C. Stamatiadis, D. Petranontakis, P. Bakopoulos, E. Kehayas, P. Zakynthinos, C. Kouloumentas, L. Stampoulidis, R. Dekker , E. J. Klein, H. Avramopoulos</i> | |
| Phase Preserving Wavelength Conversion over 6 THz in a Silicon Coupled Resonator Optical Waveguide | 3075 |
| <i>F. Morichetti, A. Melloni, A. Canciamilla, C. Ferrari, M. Torregiani</i> | |
| The World's First InP 8x8 Monolithic Tunable Optical Router (MOTOR) Operating at 40 Gbps Line Rate per Port..... | 3078 |
| <i>S. C. Nicholes, M. L. Masanovic, B. Jevremovic, E. Lively, L. A. Coldren, D. J. Blumenthal</i> | |
| Monolithic Silicon Coherent Receiver | 3081 |
| <i>C. R. Doerr, P. J. Winzer, S. Chandrasekhar, M. Rasras, M. Earnshaw, J. Weiner, D. M. Gill, Y. K. Chen</i> | |
| Integrated Optical Phase-Locked Loop | 3084 |
| <i>S. Ristic, A. Bhardwaj, M. J. Rodwell, L. A. Coldren, L. A. Johansson</i> | |
| 32Tb/s (320×114Gb/s) PDM-RZ-8QAM Transmission Over 580km of SMF-28 Ultra-low-loss Fiber | 3087 |
| <i>X. Zhou , J. Yu, M. F. Huang, Y. Shao, T. Wang, P. Magill, M. Cvijetic, L. Nelson, M. Birk, G. Zhang, S. Ten, H. B. Matthew, S. K. Mishra</i> | |
| 13.5-Tb/s (135 x 111-Gb/s/ch) No-Guard-Interval Coherent OFDM Transmission over 6,248 km using SNR Maximized Second-order DRA in the Extended L-band | 3090 |
| <i>H. Masuda, E. Yamazaki, A. Sano, T. Yoshimatsu, T. Kobayashi, E. Yoshida, Y. Miyamoto, S. Matsuoka, Y. Takatori, M. Mizoguchi, K. Okada, K. Hagimoto, T. Yamada, S. Kamei</i> | |
| 72x100Gb/s Transmission Over Transoceanic Distance, Using Large Effective Area Fiber, Hybrid Raman-erbium Amplification and Coherent Detection | 3093 |
| <i>G. Charlet, M. Salsi, P. Tran, M. Bertolini, H. Mardoyan, J. Renaudier, O. Bertran-Pardo, S. Bigo</i> | |
| DWDM Transmission with 7.0-bit/s/Hz Spectral Efficiency using 8x65.1-Gbit/s Coherent PDM-OFDM Signals | 3096 |
| <i>H. Takahashi, A. Al Amin, S. L. Jansen, I. Morita, H. Tanaka</i> | |
| 10 × 112-Gb/s PDM 16-QAM Transmission Over 630 km of Fiber with 6.2-b/s/Hz Spectral Efficiency..... | 3099 |
| <i>A. H. Gnauck, P. J. Winzer, C. R. Doerr, L. L. Buhl</i> | |

| | |
|---|------|
| 1-Tb/s per Channel Coherent Optical OFDM Transmission with Subwavelength Bandwidth Access..... | 3102 |
| <i>Y. Ma, Q. Yang, Y. Tang, S. Chen, W. Shieh</i> | |
| Transmission of 1.2 Tb/s Continuous Waveband PDM-OFDM-FDM signal with Spectral Efficiency of 3.3 bit/s/Hz over 400 km of SSMF | 3105 |
| <i>R. Dischler, F. Buchali</i> | |
| 100 Gbit/s Transmission using Single-Band Direct-Detection Optical OFDM..... | 3108 |
| <i>B. J. C. Schmidt, Z. Zan, L. B. Du, A. J. Lowery</i> | |
| Demonstration of 10-Tbit/s Multi-Granularity Optical Cross-Connect Node toward 100-Tbit/s Scalability..... | 3111 |
| <i>K. Yonenaga, F. Inuzuka, Y. Sun, Y. Aoki, K. Sone, A. Sano, K. Mori, T. Ono, Y. Kai, S. Yoshida, G. Nakagawa, Y. Sakai, A. Takada, S. Kinoshita</i> | |
| Real-Time Coherent Optical OFDM Receiver at 2.5-GS/s for Receiving a 54-Gb/s Multi-band Signal | 3114 |
| <i>Q. Yang, N. Kaneda, X. Liu, S. Chandrasekhar, W. Shieh, Y. K. Chen</i> | |
| Generation and Coherent Time-Division Demultiplexing of up to 5.1 Tb/s Single-Channel 8-PSK and 16-QAM Signals | 3117 |
| <i>C. Schmidt-Langhorst, R. Ludwig, D.-D. Groß, L. Molle, M. Seimetz, R. Freund, C. Schubert</i> | |
| 10-Packet-Depth, 40 Gb/s Optical Buffer with a <0.5 ns Reconfiguration Time using 116 ns, Continuously Tunable Conversion/Dispersion Delays | 3120 |
| <i>O. F. Yilmaz, S. R. Nuccio, X. Wu, A. E. Willner</i> | |
| Modulation-Format-Independent Wavelength Conversion | 3123 |
| <i>X. Yi, R. Yu, J. Kurumida, S. J. B. Yoo</i> | |
| Tunable All-Fiber Short-Wavelength-IR Transmitter | 3126 |
| <i>J. M. Chavez Boggio, S. Moro, B. P.-P. Kuo, N. Alic, B. Stossel, S. Radic</i> | |
| Field Trial of WDM-OTDM Transmultiplexing Employing Photonic Switch Fabric-based Buffer-less Bit-interleaved Data Grooming and All-Optical Regeneration | 3129 |
| <i>G. Zarris, F. Parmigiani, E. Hugues-Salas, R. Weerasuriya, D. Hillerkuss, N. Amaya Gonzalez, M. Spyropoulou, P. Vorreau, R. Morais, S.K. Ibrahim, D. Klonidis, P. Petropoulos, A.D. Ellis, P. Monteiro, A. Tzanakaki, D. Richardson, I. Tomkos, R. Bonk, W. Freude, J. Leuthold, D. Simeonidou</i> | |
| Omnipresent Ethernet: A Novel Metro Communication System using Binary+Source Routing and Carrier Ethernet | 3132 |
| <i>S. Mehta, R. Vaishampayan, A. Gumaste</i> | |
| Optical Network Design with Mixed Line Rates and Multiple Modulation Formats | 3135 |
| <i>A. Nag, M. Tornatore, B. Mukherjee</i> | |
| Optimizing the Migration of Channels with Higher Bit-rates..... | 3138 |
| <i>C. Meusburger, D. A. Schupke</i> | |
| Demonstration of Burst Transmission of Multiple Capacity 10G-PON over OCDMA Uplink using Hybrid SSFBG Encoder / Multi-port Decoder and 10 Gbps Burst-mode Receiver..... | 3141 |
| <i>S. Yoshima, N. Nakagawa, N. Suzuki, M. Noda, M. Nogami, J. Nakagawa, K. I. Kitayama</i> | |
| 108 Gb/s OFDMA-PON with Polarization Multiplexing and Direct- Detection..... | 3144 |
| <i>D. Qian, N. Cvijetic, J. Hu, T. Wang</i> | |
| Frame-loss-free Line Switching Method for In-service Optical Access Network using Interferometry Line Length Measurement..... | 3147 |
| <i>K. Tanaka, T. Tsujimura, K. Yoshida, K. Katayama, Y. Azuma</i> | |

| | |
|---|------|
| 640-Gbit/s (64-wavelength x 10-Gbit/s) Wide-Colored and Phase-Modulated Optical Packet Switching and Buffering without Packet Power Compensation | 3150 |
| <i>H. Furukawa, N. Wada, T. Miyazaki</i> | |
| 40-Gb/s Transmission over 100m Graded-Index Plastic Optical Fiber based on Discrete Multitone Modulation | 3153 |
| <i>H. Yang, S.C.J. Lee, E. Tangdiongga, F. Breyer, S. Randel, A.M.J. Koonen</i> | |
| First Commercial Service of a Colorless Gigabit WDM/TDM Hybrid PON System..... | 3156 |
| <i>H. H. Lee, S. H. Cho, J. H. Lee, E. S. Jung, J. H. Yu, B. W. Kim, S. S. Lee, S. H. Lee, J. S. Koh, B. H. Sung, S. J. Kang, J. H. Kim, K. T. Jeong</i> | |
| Bandwidth Reduction via Localized Peer-to-Peer (P₂P) Video on NG-PON | 3159 |
| <i>K. Kerpez</i> | |

Author Index