

18th International Symposium on Space Terahertz Technology 2007

(ISSTT 2007)

**Pasadena, California, USA
21-23 March 2007**

ISBN: 978-1-61567-343-8

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2007) by the International Symposium on Space Terahertz Technology
All rights reserved. ISSTT proceedings are open access; available for free online:
<http://www.nrao.edu/meetings/isstt/index.shtml>

Printed by Curran Associates, Inc. (2009)

For permission requests, please contact the International Symposium on Space Terahertz Technology at the address below.

International Symposium on Space Terahertz Technology
c/o NRAO Headquarters
520 Edgemont Road
Charlottesville, VA 22903-2475

Phone: (434) 296-0254

Fax: (434) 296-0278

mbishop@nrao.edu

1-1 SOFIA: An Observatory for THz Science and Technology 19

Eric E. Becklin^a, Sean C. Casey^a, and Xander Tielens^b

^a Universities Space Research Association, USA

^b Code SST, NASA Ames Research Center, USA

1-2 Spectroscopy with the Herschel Space Observatory 25

Paul F. Goldsmith

Jet Propulsion Laboratory, California Institute of Technology, USA

1-3 The Cornell Caltech Atacama Telescope 32

Simon J. E. Radford^a, Riccardo Giovanelli^b, Thomas A. Sebring^b, Jonas Zmuidzinas^a

^a California Institute of Technology, USA

^b Center for Radiophysics and Space Research, Cornell University, USA

1-4 The Submillimeter Array 38

Raymond Blundell

Harvard Smithsonian Center for Astrophysics, USA

-
- 2-1 Construction and Characterization of a Sideband-separating heterodyne mixer for Band 9 of ALMA.** 39
F.P. Mena^a, J. Kooi^b, A.M. Baryshev^a, C.F.J. Lodewijk^c, T.M. Klapwijk^c, R. Hesper^a, and W. Wild^a.
^a Netherlands Institute for Space Research and the Kapteyn Institute of the University of Groningen, Netherlands
^b California Institute of Technology, USA
^c Kavli Institute of Nanoscience, Delft University of Technology, Netherlands
- 2-2 SIS Mixer for 385 – 500 GHz with On-Chip LO injection** 44
Raquel Monje, Victor Belitsky, Christophe Risacher, Vessen Vassilev and Alexey Pavolotsky
Group for Advanced Receiver Development (GARD), Department of Radio and Space Science with Onsala Space Observatory, Chalmers University of Technology, Sweden
- 2-3 Development of 1THz SIS mixer for SOFIA** 50
A. Karpov, D. Miller, J. A. Stern*, B. Bumble*, H. G. LeDuc*, J. Zmuidzinas
California Institute of Technology, USA
* Jet Propulsion Laboratory, USA
- 2-4 Performance and modeling of 700 GHz SIS finline mixers** 54
Paul K. Grimes^a, Ghassan Yassin^a, Stafford Withington^b and Karl Jacobs^c
^a Dept. of Physics, University of Oxford, UK
^b Dept. of Physics, Cavendish Laboratory, UK
^c KOSMA, I. Physikalisches Institut, University of Köln, Germany
- 2-5 Tolerance Analysis of THz-Range Lens-Antenna and Balanced SIS Mixers** 60
Andrey V. Uvarov^a, Sergey V. Shitov^{a,b}, Oleg V. Koryukin^a, Maksim A. Bukovski^a, Yoshinori Uzawa^b, Takashi Noguchi^b, Matthias Kroug^b, Masanori Takeda^c, Zhen Wang^c and A. N. Vystavkin^a
^a Institute of Radio Engineering and Electronics, Russian Academy of Sciences
^b National Astronomical Observatory of Japan
^c National Institute of Information and Communication Technology, Japan

-
- 3-1 Development of Multiplier Based Sources for Frequencies up to 2 THz 66**
T.W. Crowe, D.W. Porterfield, J.L. Hesler, W.L. Bishop, G.S. Schoenthal,
D.S. Kurtz and K. Hui
Virginia Diodes Inc., USA
- 3-2 A 780-950GHz Frequency Tripler for Radio Astronomy 67**
Alain Maestrini¹⁺³, Charlotte Tripon-Canseliet¹, John S. Ward², John J. Gill²,
Erich Schlecht², Goutam Chattopadhyay² and Imran Mehdi²
¹ LISIF - Université Pierre et Marie Curie, France
² Jet Propulsion Laboratory, California Institute of Technology, USA
³ LERMA, Observatoire de Paris, France
- 3-3 Maximizing SNR in LO Chains for ALMA Single-Ended Mixers 68**
Eric W. Bryerton, Matthew A. Morgan, Dorsey L. Thacker and Kamaljeet S. Saini
National Radio Astronomy Observatory, USA
- 3-4 Beam patterns of distributed feedback surface-plasmon THz quantum cascade lasers 74**
J.N. Hovenier¹, S. Paprotskiy^{1,a}, J.R. Gao^{1,2}, P. Khosropana², T.M. Klapwijk¹, L. Ajili³, M.
A. Ines³, and J. Faist³
¹ Kavli Institute of NanoScience, Delft University of Technology, Delft, The Netherlands
² SRON Netherlands Institute for Space Research, Utrecht/Groningen, The Netherlands
³ Institute of Physics, University of Neuchâtel, Neuchâtel, Switzerland
- 3-5 Development and Design of a 340 GHz Photomixer Source 75**
Biddut Banik^a, Josip Vukusic^a, Syed Mahmudur Rahman,^a Henrik Sunnerud^b
and Jan Stake^a
^a Physical Electronics Laboratory, Dept. of Microtechnology and Nanoscience,
Chalmers University of Technology; Sweden
^b Photonics Laboratory, Dept. of Microtechnology and Nanoscience, Chalmers
University of Technology

-
- 4-1 Noise and responsivity measurements in Hot-Electron Direct Detectors 81**
- Boris Karasik^{*}, David Olaya[#], Jian Wei[#], Sergey Pereverzev[#], Michael Gershenson[#], Jonathan Kawamura^{*}, William McGrath^{*}, and Andrei Sergeev[§]
- ^{*} Jet Propulsion Laboratory/California Institute of Technology, USA
[#] Dept. of Physics & Astronomy, Rutgers University, USA
[§] Dept. of Electrical Engineering, SUNY at Buffalo, USA
- 4-2 Development of a Large Format Fully Sampled Bolometer Camera for 2 mm Wavelength 82**
- Dominic J. Benford¹, Johannes G. Staguhn^{1,2}, Christine A. Allen¹, Troy J. Ames¹, Ernest D. Buchanan^{1,3}, Stephen F. Maher^{1,4}, S. Harvey Moseley¹, Elmer H. Sharp^{1,5}, Edward J. Wollack¹
- 1 NASA / Goddard Space Flight Center, USA
2 University of Maryland, USA
3 AdNet Systems, Rockville, USA
4 SSAI, Lanham, USA
5 GS&T, Greenbelt, USA
- 4-3 Design Constraints on Transition Edge Sensor Pixels for Filled Arrays 88**
- J. A. Chervenak^a, C. A. Allen^a, D. Benford^a, M. Niemack^b, J. Lau^b, T. Marriage^b, S. Staggs^b
- ^a NASA GSFC, USA
^b Princeton U, USA
- 4-4 Responsivity and Noise Measurements of Zero-Bias Schottky Diode Detectors 89**
- Jeffrey L. Hesler and Thomas W. Crowe
Virginia Diodes, Inc., USA
- 4-5 An Antenna Coupled Cold-Electron Bolometer for High Performance Cosmology Instruments 93**
- Leonid Kuzmin¹⁾, Ghassan Yassin²⁾, Stafford Withington³⁾ and Paul Grimes²⁾
- ¹⁾ Chalmers University of Technology, S-41296 Gothenburg, Sweden,
²⁾ Oxford University, United Kingdom
³⁾ Cambridge University, United Kingdom

P-1	Recommendations for Waveguide Interfaces to 1 THz	100
	J.L. Hesler ^a , A.R. Kerr ^b , W. Grammer ^b and E. Wollack ^c	
	^a J. L. Hesler is with Virginia Diodes Inc., USA	
	^b National Radio Astronomy Observatory, USA	
	^c Goddard Space Flight Center, USA	
P-2	A Low-Loss Dielectric Waveguide Structure for Terahertz Applications	104
	Daryoosh Saeedkia ¹ , Mohammad Neshat ¹ , Suren Gigoyan ² , and Safieddin Safavi-Naeini ¹	
	¹ Department of Electrical and Computer Engineering, University of Waterloo, Canada	
	² Institute of Radio physics & Electronics, Armenia	
P-3	Large bolometers arrays with NbSi sensors for future space experiments	105
	F. Pajot ¹ , Y. Atik ¹ , C. Evesque ¹ , S. Lefranc ¹ , B. Leriche ¹ , J-P. Torre ¹ , B. Bélier ² , N. Marsot ² , L. Dumoulin ³ , L. Bergé ³ , M. Piat ⁴ , E Bréelle ⁴ , D Prêle ⁵ , A. Benoit ⁶ , C. Hoffmann ⁶ , T. Durand ⁶ , P. Camus ⁶ , D. Santos ⁷ , F-X. Désert ⁸ , Yong Jin ⁹ , M Giard ¹⁰	
	¹ CNRS-IAS , Université Paris Sud-11, France	
	² CNRS-IEF, Université Paris Sud-11, France	
	³ CNRS-CSNSM, Université Paris Sud-11, France	
	⁴ CNRS-APC, France	
	⁵ CNRS-LISIF, France	
	⁶ CNRS-Institut, Néel, France	
	⁷ CNRS-LPSC, France	
	⁸ CNRS-LAOG, Observatoire de Grenoble, France	
	⁹ CNRS-LPN, France	
	¹⁰ CNRS-CESR, France	
P-4	A Quantum-limited Submillimeter Mixer with an Inhomogeneous Distributed SIS Junction Array	108
	Wenlei Shan ^a , Shengcai Shi ^a , Yutaro Sekimoto ^b and Takashi Noguchi ^b	
	^a Purple Mountain Observatory, National Astronomical Observatories of China, China	
	^b National Observatory of Japan, Japan	
P-5	2.5THz multipixel heterodyne receiver based on NbN HEB mixers	112
	S.Cherednichenko ^a , V.Drakinskiy ^a , J.Baubert ^b , B.Lecomte ^b , F.Dauplay ^b , J.-M.Krieg ^b , Y.Delorme ^b , A.Feret ^b , H.-W.Hübers ^c , A.D.Semenov ^c and G.N.Gol'tsman ^d	
	^a Chalmers University of Technology, Department of Microtechnology and Nanoscience, Sweden	
	^b Observatoire de Paris, LERMA, France.	
	^c German Aerospace Center (DLR), Institute of Planetary Research, Germany	
	^d Physical Department, State Pedagogical University of Moscow, Russia.	
P-6	High current-density aluminum-nitride tunnel barriers grown by plasma nitridation from a remote plasma source	113
	T. Zijlstra, C. F. J. Lodewijk, D. N. Loudkov and T. M. Klapwijk	
	Kavli Institute of Nanoscience, Delft University of Technology, The Netherlands	

P-7	Integration and performance of the flight configuration SIR on TELIS	114
	P. Yagoubov ^a , G. de Lange ^a , R. Hoogeveen ^a , V. Koshelets ^b , G. Wagner ^c and M. Birk ^c	
	^a National Institute for Space Research, SRON, the Netherlands	
	^b Institute of Radio Engineering and Electronics, IREE, Russia	
	^c Institute for Remote Sensing Technology, DLR, Germany	
P-8	Development of high-Q superconducting resonators for use as Kinetic Inductance detectors	115
	J. Baselmans, S.J.C. Yates, R. Barends, J.N Hovenier, J.R. Gao, and T.M. Klapwijk	
	Kavli Institute of Nanoscience, Delft University of Technology, The Netherlands	
P-9	Superconductive parallel junctions arrays for Submm-wave local oscillator applications	116
	F. Boussaha [*] , M. Salez ^{*1} , J-G. Caputo ² , L. Loukitch ² , M. Chaubet ³	
	[*] LERMA, Observatoire de Paris, France	
	¹ Laboratoire des Solides Irradiés, Ecole Polytechnique, France	
	² Laboratoire de Mathématique, INSA de Rouen, France	
	³ CNES, France	
P-10	The Impact of Standing Waves in the LO path of a Heterodyne Receiver	117
	O.Siebertz, C.Honingh, T.Tils, C.Gal, M.Olbrich, R.Bieber, F.Schmuelling, R.Schieder	
	KOSMA, I. Physikalisches Institut, Universität zu Köln, Germany	
P-11	THz direct detector with 2D electron gas periodic structure absorber	123
	D. Morozov ^a , P. Mauskopf ^a , I. Bacchus ^a , M. Elliott ^a , C. Dunscombe ^a , M. Hopkinson ^b and M. Henini ^c	
	^a School of Physics and Astronomy, Cardiff University, UK	
	^b Department of Electronics and Electrical Engineering, University of Sheffield, UK	
	^c School of Physics and Astronomy, University of Nottingham, UK	
P-12	A High Power Frequency Tripler for 100 GHz	128
	Tomas Bryllert ^a , Josip Vukusic ^b and Jan Stake ^b	
	^a Lund University, Sweden	
	^b Chalmers University of Technology, Sweden	
P-13	High Output Power Low Noise Amplifier Chains at 100GHz	131
	F. Maiwald, R. Lin, R. Dengler, S. Smith, J. C. Pearson, I. Mehdi, T. Gaier and J. Crowley [*]	
	Jet Propulsion Laboratory, California Institute of Technology, Pasadena, CA 91109, USA	
	[*] Currently working at MIT Lincoln Laboratory	

P-14	The Wide-Band Spectrometer (WBS) for the HIFI instrument of Herschel	135
	O.Siebertz ¹ , F.Schmülling ¹ , C.Gal ¹ , F.Schloeder ¹ , P.Hartogh ² , V.Natale ³ , R.Schieder ¹	
	¹ KOSMA, I. Physikalisches Institut, Univ. Cologne, Germany	
	² Max Planck Institut für Sonnensystemforschung, Katlenburg-Lindau, Germany	
	³ IRA – INAF, Firenze, Italy	
P-15	FFT spectrometer for (sub)mm radiometer applications	140
	A. Emrich, M. Krus, J. Riesbeck	
	Omnisys Instruments AB, Sweden	
P-16	Membrane Tip Probes for On-Wafer Measurements in the 220 to 325 GHz Band	141
	Richard Campbell ¹ , Michael Andrews ¹ , Lorene Samoska ² , Andy Fung ²	
	¹ Cascade Microtech, USA	
	² Jet Propulsion Laboratory, California Institute of Technology, USA	
P-17	Sideband ratio in double sideband receivers with a Michelson interferometer	150
	M. Romanini ^a , A. M. Baryshev ^b , R. Hesper ^b , F. P. Mena ^b , W. Wild ^b	
	^a Kapteyn Astronomical Institute, University of Groningen, the Netherlands	
	^b Netherlands Institute for Space Research (SRON), the Netherlands	
P-18	Influence of substrates and buffer layers on the quality of NbN ultra thin film for THz HEB	153
	B. Guillet ^a , V. Drakinskiy ^b , R. Gunnarsson ^b , O. Arthursson ^b , L. Méchin ^c , S. Cherednichenko ^b , Y. Delorme ^d , J.M. Krieg ^d	
	^a was with LERMA Observatoire de Paris, Paris, France ; now with GREYC, ENSICAEN & Université de Caen Basse Normandie, France	
	^b Microtechnology and nanoscience (MC2), Chalmers University of Technology, Sweden.	
	^c GREYC, ENSICAEN & Université de Caen Basse Normandie, France.	
	^d LERMA, Observatoire de Paris, France.	
P-19	Reflection measurement of absorption coatings using 600-670 GHz vector network analyzer	157
	A.M. Baryshev ^{a,b} , W. Jellema ^b , R. Hesper ^{a,b} , W. Wild ^{a,b}	
	^a SRON Netherlands Institute for Space Research, The Netherlands	
	^b Kapteyn Astronomical Institute, The Netherlands	
P-20	Measurement of in-RF and out-RF band saturation of SIS mixer	160
	A.M. Baryshev ^a , F.P. Mena ^a , R. Hesper ^a , C.F.J. Lodewijk ^b , D.N. Loudkov ^b and T.M. Klapwijk ^b	
	^a SRON Netherlands Institute for Space Research and Kapteyn Astronomical Institute, The Netherlands	
	^b Kavli Institute of Nanoscience, Delft University of Technology, The Netherlands	

- P-21 Performance of ALMA band 9 receiver series 164**
- A.M. Baryshev^{a, b}, R. Hesper^{a, b}, F.P. Mena^{a, b}, B.D. Jackson^a, J. Adema^{a, b}, J. Barkhof^{a, b}, W. Wild^{a, b}, M. Candotti^c, M. Whale^c, C. Lodewijk^d, D. Loudkov^d, T. Zijlstra^d, T.M. Klapwijk^d
- ^a SRON Netherlands Institute for Space Research, The Netherlands
^b Kapteyn Astronomical Institute, The Netherlands
^c National University of Ireland, Ireland
^d Kavli Institute of Nanoscience, Delft University of Technology, The Netherlands
- P-22 Optical design of the submillimeter limb sounder TELIS 168**
- P. Yagoubov^a, A. Baryshev^{a, b}, R. Hesper^{a, b}, V. Koshelets^c, G. Wagner^d, M. Birk^d and A. Murk^e
- ^a National Institute for Space Research, SRON, the Netherlands
^b Kapteyn Astronomical Institute/SRON, the Netherlands
^c Institute of Radio Engineering and Electronics, IREE, Russia
^d Institute for Remote Sensing Technology, DLR, Germany
^e Institute of Applied Physics, University of Bern, Switzerland

-
- 5-1 Superconducting microresonators for photon detection 169**
 J.Zmuidzinas^{1,2}, P. K. Day², J. Gao¹, J. Glenn³, S. Golwala¹, S. Kumar¹, H. G. LeDuc²,
 B. A. Mazin¹, J. Schlaerth³, and A. Vayonakis¹
¹ George W. Downs Laboratory of Physics, California Institute of Technology, USA
² Jet Propulsion Lab, California Institute of Technology, USA
³ Center for Astrophysics and Space Astronomy, University of Colorado, USA
- 5-2 Lumped Element Kinetic Inductance Detectors 170**
 Simon Doyle ^a, Jack Naylor ^b, Philip Mauskopf ^a, Adrian Porch ^b, and Chris Dunscombe ^a
^a Department of Physics and Astronomy, Cardiff University, UK
^b Department of Electrical Engineering, Cardiff University, UK
- 5-3 Terra Hertz imaging using superconducting kinetic inductance detectors: 178**
 S.J.C.Yates ^a, J.J.A. Baselmans ^a, R. Barends ^d, J.N. Hovenier ^d, J.R. Gao ^d and
 T.M. Klapwijk ^d
^a National Institute for Space Research, SRON, the Netherlands
^d Kavli Institute of Nanoscience, Delft University of Technology, The Netherlands
- 5-4 A Millimeter/Submillimeter Microwave Kinetic Inductance Detector Camera for Multicolor Mapping 179**
 Jason Glenn¹, Peter K. Day², Sunil Golwala³, Shwetank Kumar³, Henry G. LeDuc²,
 Benjamin A. Mazin², Hien T. Nguyen², James Schlaerth¹, Anastasios Vayonakis³, & Jonas
 Zmuidzinas^{2,3}
¹ Center for Astrophysics and Space Astronomy, University of Colorado, USA
² Jet Propulsion Lab, California Institute of Technology, USA
³ George W. Downs Laboratory of Physics, California Institute of Technology, USA
- 5-5 Quasiparticle lifetime in tantalum kinetic inductance detectors 180**
 R. Barends¹, J. N. Hovenier¹, J. R. Gao^{1,2}, T. M. Klapwijk¹, J. J. A. Baselmans²,
 S. J. C. Yates², Y. J. Y. Lankwarden², and H. F. C. Hoevers²
¹ Kavli Institute of Nanoscience, Delft University of Technology, the Netherlands.
² SRON Netherlands Institute for Space Research, Utrecht, the Netherlands.

-
- 6-1 Development of HEB mixers for GREAT and for security screening 184**
- A. Semenov^a, H. Richter^a, A. Smirnov^a, B. Günther^a, H.-W. Hübers^a, K. Il'in^b, M. Siegel^b, G. Gol'tsman^c, V. Drakinskiy^d, H. Merkel^d and J. Karamarkovic^e
- ^a German Aerospace Center (DLR), Germany
^b Institute of Micro- and Nanoelectronic Systems, University of Karlsruhe, Germany
^c Physics department, Moscow State Pedagogical University, , Russia
^d Department of Microtechnology and Nanoscience, Chalmers University of Technology, Sweden
^e Faculty of Civil Engineering and Architecture, University of Nis, Serbia
- 6-2 Highly Packaged HEB Receivers Using Three-Dimensional Integration 185**
- F. Rodriguez-Morales, S. Yngvesson, D. Gu, N. Wadefalk, K. Fu, C. Chan, J. Nicholson and E. Gerecht
- University of Massachusetts Amherst, USA
- 6-3 Sensitivity of an NbN hot electron bolometer based heterodyne receiver at 4.3 THz 190**
- P. Khosropanah¹, W.M. Laauwen¹, J.R. Gao^{1,2}, M. Hajenius^{1,2}, J.N. Hovenier², and T.M. Klapwijk²
- ¹ SRON Netherlands Institute for Space Research, Utrecht, the Netherlands.
² Kavli Institute of Nanoscience, Delft University of Technology, the Netherlands
- 6-4 Stabilisation of a Terahertz Hot-Electron Bolometer mixer with microwave feedback control 193**
- Sergey Ryabchun^a, Cheuk-yu Edward Tong^a, Raymond Blundell^a, Robert Kimber^a, and Gregory Gol'tsman^b
- ^aHarvard-Smithsonian Center for Astrophysics, USA
^bMoscow State Pedagogical University, Russia

-
- 7-1 A High Performance Horn for Large Format Focal Plane Arrays 199**
- G. Yassin*, P. Kittara+, A. Jiralucksanawong+, S. Wangsuya+, J. Leech*
and Mike Jones*
- * Department of Physics, Oxford University, UK.
+ Department of Physics, Mahidol University, Thailand
- 7-2 Measurement of a high-gain antenna at 650 GHz in a hologram-based CATR 211**
- A.V. Räisänen, J. Ala-Laurinaho, J. Häkli, A. Karttunen, T. Koskinen, A. Lönnqvist,
J. Mallat, E. Noponen, A. Tamminen, M. Vaaja, and V. Viikari
- TKK Helsinki University of Technology, SMARAD/Radio Laboratory and MilliLab,
Finland
- 7-3 Near-Field beam measurements of corrugated horns for ALMA band 10 216**
- Y. Uzawa¹⁾, M. Sugimoto¹⁾, K. Kimura²⁾, R. Nohara²⁾, T. Manabe²⁾, H. Ogawa²⁾, Y. Fujii¹⁾,
W.-L. Shan³⁾, M. Kroug¹⁾, and S. Shitov¹⁾
- 1 National Astronomical Observatory of Japan, Japan
2 Osaka Prefecture University, Japan
3 Purple Mountain Observatory, China
- 7-5 Slot Antenna Array for CMB Polarization Detection 217**
- Goutam Chattopadhyay, Peter Day, Chao-Lin Kuo, James J. Bock, and Andrew E. Lange
Jet Propulsion Laboratory, California Institute of Technology, USA.

8-1	CASIMIR: the Caltech Airborne FIR/Submm, High Resolution Heterodyne Spectrometer	218
	Michael L. Edgar*, Andrew I. Harris [#] , David W. Hawkins ⁺ , Alexandre Karpov*, David Miller*, Kevin P. Rauch [#] & Jonas Zmuidzinas*	
	* California Institute of Technology, USA # Department of Astronomy, University of Maryland, USA + Owens Valley Radio Observatory, California Institute of Technology, USA	
8-2	STEAM-R (Stratosphere-Troposphere Exchange And climate Monitor Radiometer)	225
	A. Emrich Omnisys Instruments AB, Sweden	
8-3	Laser Sideband Spectrometer: A new spectrometer concept with very large bandwidth	226
	R. Schieder, O. Siebertz, F. Schloeder, P. Nagy KOSMA, I. Physikalisches Institut, Universität zu Köln, Germany	
8-4	A 3 GHz instantaneous bandwidth Acousto-Optical spectrometer with 1 MHz resolution	231
	M. Olbrich, V. Mittenzwei, O. Siebertz, F. Schmülling, and R. Schieder KOSMA, I. Physikalisches Institut, Universität zu Köln, Germany	
8-5	Correlators for (sub)mm radiometer applications	236
	A. Emrich and S. Andersson Omnisys Instruments AB, Sweden	

-
- 9-1 The James Webb Space Telescope** **237**
Jonathan P. Gardner
NASA Goddard Space Flight Center, USA
- 9-2 Clover – Measuring the CMB *B*-mode polarization** **238**
C. E. North¹, P. A. R. Ade², M. D. Audley³, C. Baines⁴, R. A. Battye⁴, M. L. Brown³, P. Cabella¹, P. G. Calisse², A. D. Challinor^{5,6}, W. D. Duncan⁷, P. Ferreira¹, W. K. Gear², D. Glowacka³, D. J. Goldie³, P. K. Grimes¹, M. Halpern⁸, V. Haynes⁴, G. C. Hilton⁷, K. D. Irwin⁷, B. R. Johnson¹, M. E. Jones¹, A. N. Lasenby³, P. J. Leahy⁴, J. Leech¹, S. Lewis⁴, B. Maffei⁴, L. Martinis⁴, P. Maksudof², S. J. Melhuish⁴, D. O’Dea^{3,5}, S. M. Parsley², L. Piccirillo⁴, G. Pisano⁴, C. D. Reintsema⁷, G. Savini², R. Sudiwala², D. Sutton¹, A. C. Taylor¹, G. Teleberg², D. Titterton³, V. Tsaneva³, C. Tucker², R. Watson⁴, S. Withington³, G. Yassin¹, J. Zhang²
1. Oxford Astrophysics, University of Oxford, UK
 2. School of Physics and Astronomy, Cardiff University, UK
 3. Cavendish Laboratory, University of Cambridge, Cambridge, UK
 4. School of Physics and Astronomy, University of Manchester, UK
 5. Institute of Astronomy, University of Cambridge, UK
 6. DAMTP, University of Cambridge, UK
 7. National Institute of Standards and Technology, USA
 8. University of British Columbia, Canada
- 9-3 ESPRIT – A Far-Infrared Space Interferometer** **244**
W. Wild^{a,d,*}, Th. de Graauw^{a,c}, A. Baryshev^{a,d}, J. Baselmans^a, A. Bos^b, J.R. Gao^{a,e}, A. Gunst^b, F. Helmich^{a,d}, R. ter Horst^b, B. Jackson^a, V.P. Koshelets^{f,a}, P. Maat^b, J. Noordam^b, P. Roelfsema^{a,d}, L. Venema^b, N. Whyborn^a, and P. Yagoubov^a
- ^a SRON Netherlands Institute for Space Research, the Netherlands
^b ASTRON, the Netherlands
^c Leiden Observatory, the Netherlands
^d Kapteyn Astronomical Institute, University of Groningen, the Netherlands
^e Kavli Institute of Nanoscience, Delft University of Technology, the Netherlands
^f Institute of Radio Engineering and Electronics, RAS, Russia.
- 9-4 The “Millimetron” project, a future space telescope mission.** **255**
G.N. Gol’tsman and “Millimetron” collaborators
Astro Space Center of Lebedev Physical Institute, RAS, Russia

-
- 10-1 Wideband AIN-based SIS devices for frequencies around 700 GHz** **256**
 C. F. J. Lodewijk¹, T. Zijlstra¹, D. N. Loudkov¹, T. M. Klapwijk¹, F. P. Mena², and A. M. Baryshev²
¹ Kavli Institute of Nanoscience, Delft University of Technology, the Netherlands
² SRON Netherlands Institute for Space Research, Utrecht, the Netherlands.
- 10-2 100 GHz sideband separating mixer with wide IF band** **260**
 D. Maier, D. Billon-Pierron, J. Reverdy, and M. Schicke
 Institut de RadioAstronomie Millimétrique, France
- 10-3 SuperCam : A 64 pixel superheterodyne camera** **264**
 Christopher Groppi^{1,7}, Christopher Walker¹, Craig Kulesa¹, Dathon Golish¹, Patrick Pütz^{1,6}, Paul Gensheimer¹, Abby Hedden¹, Shane Bussmann¹, Sander Weinreb^{2,3}, Glenn Jones³, Joseph Barden³, Hamdi Mani³, Tom Kuiper², Jacob Kooi³, Art Lichtenberger⁴, Thomas Cecil⁴ and Gopal Narayanan⁵
 1: University of Arizona, USA
 2: Jet Propulsion Laboratory, USA
 3: California Institute of Technology, USA
 4: University of Virginia, USA
 5: University of Massachusetts, USA
 6: Universität Zu Köln, Germany
 7: National Science Foundation Astronomy and Astrophysics, USA
- 10-4 Upgrades to the CSO Heterodyne Facility Instrumentation: A 280-420 GHz Wide IF band Rx and beyond....** **270**
 Jacob Kooi
 California Institute of Technology, USA
- 10-5 Superconducting Integrated Spectrometer for TELIS** **271**
 Valery P. Koshelets¹, Andrey B. Ermakov¹, Pavel N. Dmitriev¹, Lyudmila V. Filippenko¹, Andrey V. Khudchenko¹, Nickolay V. Kinev¹, Oleg S. Kiselev¹, Alexander S. Sobolev¹, Mikhail Yu. Torgashin¹, Pavel A. Yagoubov², Ruud W.M. Hoogeveen², and Wolfgang Wild²
¹ Institute of Radio Engineering and Electronics (IREE), Russia
² SRON Netherlands Institute for Space Research, the Netherlands

-
- 11-1 New Results on Microwave and Terahertz Detection Using Metallic Single-Walled Carbon Nanotubes** 272
- Sigfrid Yngvesson¹, Kan Fu¹, Richard Zannoni¹, Fernando Rodriguez-Morales^{1,2}, John Nicholson¹, Stephan Adams¹, Chak Chan^{3,1}, Alexander de Geofroy¹, Eric Polizzi¹ and Joerg Appenzeller⁴
- ¹ Department of Electrical and Computer Engineering, University of Massachusetts, USA
² Center for Remote Sensing of Ice Sheets (CReSIS), University of Kansas, USA
³ Holyoke Community College, Holyoke, MA; USA
⁴ IBM T.J. Watson Research Center, USA. He is now with the Dept. of Electrical and Computer Engineering, Purdue University Birck Nanotechnology Center, USA
- 11-2 Detection of 0.5 THz radiation from Bi₂Sr₂CaCu₂O₈ single crystals using a superconducting integrated receiver** 278
- I. E. Batov, X. Y. Jin, S. V. Shitov+, Y. Koval, P. Mueller, and A. V. Ustinov
- Physikalisches Institut III, University of Erlangen-Nuremberg, Germany
+ Institute of Radio Engineering and Electronics, RAS , Russia.
- 11-3 Logarithmic Growth of AlN_x Barriers in Nb/Al–AlN_x/Nb Tunnel Junctions** 279
- Akira Endo^{1,2}, Takashi Noguchi¹, Matthias Kroug¹, and Tomonori Tamura¹
- ¹ National Astronomical Observatory of Japan, Japan
² JSPS research fellow at the Institute of Astronomy, University of Tokyo, Japan
- 11-4 Monolithic Millimeter-wave and Submillimeter-wave Integrated Circuit (MMIC and S-MMIC) Testing Capabilities at JPL up to 500 GHz** 284
- Lorene Samoska, A. K. Fung, Todd C. Gaier, W. R. Deal, V. Radisic, X.B.Mei, and R. Lai
- Jet Propulsion Laboratory, California Institute of Technology, USA
Northrop Grumman Corporation, USA
- 11-5 A 675 GHz FMCW Radar with Sub-Centimeter Range Resolution** 285
- Goutam Chattopadhyay, Ken B. Cooper, Robert J. Dengler, Erich Schlecht, Anders Skalare, Imran Mehdi, and Peter H. Siegel
- Jet Propulsion Laboratory, California Institute of Technology, USA

12-1	Operation of a Monolithic Planar Schottky Receiver Using a THz Quantum Cascade Laser	286
	Mark Lee ¹ , Albert D. Grine ¹ , and Michael C. Wanke ¹ , Peter H. Siegel ² and Robert J. Dengler ²	
	¹ Sandia National Laboratories, Albuquerque, NM, USA	
	² California Institute of Technology and Jet Propulsion Laboratory, Pasadena, CA, USA	
12-2	Influence of Schottky Diode Modelling Under Flat-Band Conditions on the Simulation of Submillimeter-Wave Mixers	287
	José V. Siles ¹ , Jesús Grajal ¹ and A. di Carlo ²	
	¹ Dep. de Señales, Sistemas y Radiocomunicaciones, Universidad Politécnica de Madrid, Spain,	
	² Dip. di Ingegneria Elettronica, Università degli Studi di Roma, Italy	
12-3	Progress towards an integrated 380 GHz planar Schottky diode heterodyne receiver on single substrate	292
	Bertrand Thomas ¹ , Byron Alderman ¹ , John Spencer ¹ , Dave Matheson, and Peter de Maagt ²	
	¹ Rutherford Appleton Laboratory, UK	
	² ESA/ESTEC, the Netherlands.	
12-4	First Wideband 520-590 GHz Balanced Fundamental Schottky Mixer	296
	Erich Schlecht, John Gill, Robert Dengler, Robert Lin, Ray Tsang, and Imran Mehdi	
	Jet Propulsion Laboratory, California Institute of Technology, USA	
12-5	High-Performance Negative Differential Resistance Oscillators and Combiners	297
	H. Eisele ¹ , Y.-R. Wu ² , R. Kamoua ³ , and G. I. Haddad ²	
	¹ Institute of Microwaves and Photonics, School of Electronic and Electrical Engineering, University of Leeds, United Kingdom	
	² Solid-State Electronics Laboratory, Department of EECS, University of Michigan, USA	
	³ Department of Electrical and Computer Engineering, Stony Brook University, USA	
	List of registered participants	298