

9th International Seminar on Power Semiconductors 2008

(ISPS 2008)

IET Seminar Digests 2008/02

**Prague, Czech Republic
27-29 August 2008**

ISBN: 978-1-61567-344-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2008) by the Institution of Engineering and Technology
All rights reserved.

Printed by Curran Associates, Inc. (2009)

For permission requests, please contact the Institution of Engineering and Technology
at the address below.

Institution of Engineering and Technology
P. O. Box 96
Stevenage, Hertfordshire
U.K. SG1 2SD

Phone: 01-441-438-767-328-328
Fax: 01-441-438-767-328-375

www.theiet.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

| | |
|--|-----|
| Power Semiconductors in the Electronics Roadmap | 1 |
| <i>M. Penn</i> | |
| Potentials, Limitations, and Trends in High Voltage Silicon Power Semiconductor Devices | 3 |
| <i>S. Linder</i> | |
| Virtual Experiments with Power Devices Using Predictive Simulation | 13 |
| <i>G. Wachutka</i> | |
| Silicon Limit Electrical Characteristics of Power Devices and Ics | 17 |
| <i>A. Nakagawa, Y. Kawaguchi, K. Nakamura</i> | |
| Smart Power SoC: Challenges and Solutions to Integrate Power Drivers in Advanced CMOS Technologies | 26 |
| <i>M. Tack, P. Moens</i> | |
| Time-Resolved Investigation on the Internal Carrier Distribution in 4 H-SiC Pin Diodes By Laser Absorption Experiments | 31 |
| <i>D. Werber, G. Wachutka</i> | |
| Local Donor Doping By Proton Implantation in P+NN+ Diodes Fabricated on Different Silicon Substrates | 38 |
| <i>V. Komarnitsky, P. Hazdra</i> | |
| Theoretical Evaluation of Maximum Doping Concentration, Breakdown Voltage and On-State Resistance of Field-Plate Compensated Devices..... | 44 |
| <i>I. Pawel, R. Siemieniec, M. Born</i> | |
| Improvement of the Surface of Buffer Region of AlGaN/GaN Heterostructure by Employing the SiO₂ Deposition..... | 51 |
| <i>Young-Hwan Choi, Jiyong Lim, Kyu-Heon Cho, Young-Shil Kim, Min-Koo Han</i> | |
| Layered Metal and Highly Doped MBE Si Contacts for 4H-SiC Power Devices | 55 |
| <i>M.R. Jennings, A. Perez-Tomas, P.M. Gammon, M. Davis, T.P. Chow, P.A. Mawby</i> | |
| Single Crystal Diamond Schottky Diodes - Practical Design Considerations for Enhanced Device Performance..... | 59 |
| <i>S.J. Rashid, F. Udrea, D.J. Twitchen, R.S. Balmer, G.A.J. Amararatunga</i> | |
| P-i-N Diode with Buried Low Doped P-Layer: Impact of Radiation Enhanced Diffusion from Sputtered Palladium on Device Parameters..... | 65 |
| <i>J. Vobecky, V. Zahlava, V. Komarnitsky</i> | |
| Comparison Between 3.3kV 4H-SiC Schottky and Bipolar Diodes | 70 |
| <i>P. Brosselard, M. Berthou, J. Hassan, X. Jordà, J.P. Bergman, J. Montserrat, P. Godignon, J. Millan</i> | |
| Non-Uniform Platinum Profiles in Diodes: Experimental Extraction and Influence on the Switching Behaviour | 75 |
| <i>F.J. Niedernostheide, F. Hille, H.J. Schulze</i> | |
| The Controlled Punch Through (CPT) IGBT the Next Step in Buffer Optimization for Thin WaferTechnology..... | 80 |
| <i>J. Vobecky, M. Rahimo, A. Kopta, S. Linder</i> | |
| Failure Precursors for Insulated Gate Bipolar Transistors (IGBTs) | 85 |
| <i>N. Patil, D. Das, K. Goebel, M. Pecht</i> | |
| 3.3 kV IGBTs with an Integrated Anode Voltage Sensor | 91 |
| <i>C. Caramel, P. Austin, J.L. Sanchez, E. Imbernon, J. Legal, S. Hidalgo, D. Flores, J. Rebollo, J. Millan, J. Saiz, M. Mermet-Guyennet</i> | |
| Investigation on Split-Gate RSO MOSFET for 30 V Breakdown | 97 |
| <i>C.F. Tong, P.A. Mawby, J.A. Covington, A. Perez-Tomas</i> | |
| Negative Bias Temperature Stress and Annealing Effects in P-Channel Power VDMOSFETs | 102 |
| <i>D. Dankovic, I. Manic, V. Davidovic, S. Djoric-Veljkovic, S. Golubovic, N. Stojadinovic</i> | |
| Analysis of Field-Plate LDMOS Devices for RF Applications | 108 |
| <i>I. Cortes, D. Flores, F. Morancho, S. Hidalgo, J. Rebollo</i> | |
| Scaling of Temperature Sensors for Smart Power MOSFETs..... | 114 |
| <i>D. Dibra, C. Kadow, M. Pfost, N. Krischke, A. Lindemann, J. Lutz, M. Stecher</i> | |
| Integrated Submicron Switching Transistor Breaking the Si Limit at 100 V..... | 121 |
| <i>B. Desoete, P. Moens, J. Roig, J. Meersman, P. Vanmeerbeek, C. Goessens, J. Baele, E. De Backer, F. Bauwens, M. Tack</i> | |
| Intelligent Power Module with Integrated SOI Gate Driver IC for Medium Power Applications | 125 |
| <i>M. Rossberg, R. Herzer, B. Vogler</i> | |

| | |
|--|-----|
| Self-Heating Effects on Hot Carrier Reliability in High-Voltage 0.35 µm Lateral PMOS Ttransistor | 132 |
| <i>S. Carniello, J.M. Park, H. Enichlmair, R. Minixhofer</i> | |
| A Novel n-Si/n-SiC Hetero-Junction Power Diode | 138 |
| <i>M. Lodziński, N. Jankovic, O.J. Guy, P.M. Holland, P. Igic</i> | |
| Novel MOS-Gated Thyristor 4-Terminal Device Particularly Suited for High-Current and High-Frequency Applications | 142 |
| <i>C. Ronisvalle, V. Enea, G. Belverde</i> | |
| Radiation Enhanced Diffusion of Implanted Palladium in a High-Power P-i-N Diode | 146 |
| <i>J. Vobecky, V. Zahlavá, V. Komarnitský</i> | |
| Advanced Design of AlGaN/GaN HEMTs Employing Mesa Field Plate for High Breakdown Voltage | 151 |
| <i>Kyu-Heon Cho, Young-Hwan Choi, Jiyong Lim, Young-Shil Kim, Min-Koo Han</i> | |
| A Chopper Circuit with Current Injection Technique for Increasing Operating Frequency | 155 |
| <i>S. Eio, N.Y.A. Shamma</i> | |
| Low Leakage Current Circular AlGaN/GaN Schottky Barrier Diode | 159 |
| <i>Jiyong Lim, Young-Hwan Choi, Sun-Jae Kim, Kyu-Heon Cho, Young-Shil Kim, Min-Koo Han</i> | |
| Boundary Condition Adaptive Thermal Compact Models for Multi-Cooling Surfaces and Multi-Heat Sources Power Packages | 163 |
| <i>P. Tounsi, F. Madrid, W. Habra, J. Nowakowski</i> | |
| Analysis of Power Devices Breakdown Behaviour by Ion Beam and Electron Beam Induced Charge Microscopy | 169 |
| <i>R. Siemieniec, A. Pugatschow, C. Geissler, H.J. Schulze, F.J. Niedernostheide, R. Heiderhoff, L.J. Balk</i> | |
| Simple Design Support Method for Thermal Reliability of BGA Packages | 176 |
| <i>K. Saji, Qiang Yu, T. Shibutani</i> | |
| Status & Trends of Devices Technology for Cryogenic Power Electronics | 182 |
| <i>K. Leong, A. Bryant, P. Mawby</i> | |
| Effects of Metallisation and Bondfeets in 3.3 kV Free-Wheeling Diodes at Surge Current Conditions | 189 |
| <i>B. Heinze, R. Baburske, J. Lutz, H.-J. Schulze</i> | |
| The Influence of Field- and Diffusion-Current Components on the Charge-Carrier Plasma Dynamics During Turn-Off Process of P+-N--N+ Diodes | 195 |
| <i>R. Baburske, B. Heinze, J. Lutz, F.J. Niedernostheide</i> | |
| A Current and Voltage Bidirectional IGBT Based on a Si/Si Wafer Bonding Technique | 201 |
| <i>H. Tahir, A. Bourennane, J.L. Sanchez, M. Breil, P. Austin</i> | |
| Statistical Analysis of the Serial Connected Diode Chain Under Reverse Bias Devices | 208 |
| <i>D. Samal, B. Kojecký, V. Papež</i> | |
| SVMOS - A New Solution for Power MOSFET Transistor | 213 |
| <i>Z. Lisik, J. Podgorski, L. Ruta, J. Szmidt</i> | |
| New High Voltage Partial SOI Technology for Smart-Power Applications | 217 |
| <i>P. Igic, N. Jankovic</i> | |
| Analytical Models for the Surface Electrical Field and Temperature Distribution of PB-PSOI Devices | 222 |
| <i>Weifeng Sun, Shan Gao, Longxing Shi, Junning Chen</i> | |
| 200 V FLYMOSFET Design Impact on Electrical Performances and Innovating Floating Islands Monitor | 227 |
| <i>Y. Weber, J.M. Reynes, F. Morancho, C.W. Ye, E. Stefanov, I. Deram, A. Deram</i> | |
| SPICE Modeling of PT IGBT Thermal Behavior | 232 |
| <i>N. Jankovic, P. Igic</i> | |
| Analysis of the Electro-Thermal Behavior of DMOS Transistor Structure During Multi-Pulse UIS Test | 237 |
| <i>J. Marek, D. Donoval, A. Vrbicky, P. Beno, A. Chvala, T. Kosík</i> | |
| Analysis of the Doping Fluctuation on Robustness of ESD Protection Devices | 243 |
| <i>A. Chvala, D. Donoval, P. Beno, J. Marek, T. Kosík</i> | |
| New Self-Controlled and Self-Protected Integrated Power Switch | 249 |
| <i>F. Capy, M. Breil, F. Richardieu, A. Bourennane, J.P. Laur, J.L. Sanchez</i> | |
| Evolution of an Integrated Short-Circuits Protection Structure: A Specific LDMOS Transistor for a Monolithic Integration | 255 |
| <i>J. Le Gal, C. Caramel, A. Bourennane, J.L. Sanchez, M. Breil, P. Austin, J. Saiz, M. Mermet</i> | |
| SPICE Modelling of the Superjunction IGBT | 260 |
| <i>M. Antoniou, F. Udrea, F. Bauer</i> | |
| Smart Power IC Design Methodology Based on a New Figure of Merit (FOM) for Standard CMOS Technology | 266 |
| <i>A. Yoo, M. Chang, O. Trescases, Wai Tung Ng</i> | |
| Electrothermal Model of the Controller UCC3800 | 270 |
| <i>K. Gorecki, J. Zarebski</i> | |

| | |
|--|-----|
| Power MOSFETs Bias Voltage Temperature Stabilization | 275 |
| <i>V. Papez, P. Hrzina</i> | |
| Development of a Compact Model of the GaN HEMT for Power Switching Applications | 280 |
| <i>A.T. Bryant, G.J. Roberts, P.A. Mawby</i> | |
| Author Index | |