

2009 14th OptoElectronics and Communications Conference (OECC 2009)

**Hong Kong, China
13-17 July 2009**

Pages 1-431



**IEEE Catalog Number: CFP0975G-PRT
ISBN: 978-1-4244-4102-0**

TABLE OF CONTENTS

Operation-state Manipulation of a Passively Mode-locked Erbium-doped Fiber Laser by Polarization Control	1
<i>H.H. Wu, K.H. Lin, J.J. Kang, C.K. Lee, G.R. Lin</i>	
Square Shape Spectrum in 1550 nm and 1060 nm Bands in Passive Mode-locked Fiber Laser	3
<i>L. Xu, G. Chen, C. Gu, A. Wang, H. Ming, P.K.A. Wai</i>	
Development of CW and Pulsed Fiber Lasers At SIOM	5
<i>Q. Lou, J. Zhou, S. Du</i>	
Single-frequency Phosphate Glass Fiber Laser with 100mW Output Power at 1535nm and its Polarization Characteristics	7
<i>Z. Pan, H. Cai, L. Meng, Q. Xu, J. Geng, Z. Fang, R. Qu</i>	
FDML Wavelength-swept Fiber Laser Based on EDF Gain Medium	9
<i>H.S. Lee, E.J. Jung, S. Son, M. Jeong, C. Kim</i>	
Preliminary Demonstration of Hybrid Optical Switching Node with Dynamic Wavelength Resource Allocation using SOA Switch	11
<i>L. Hui, M. Takagi, H. Imaizumi, H. Morikawa</i>	
Surveillance Scheme Using Electronic Code Division Multiple Access based Spectral Analysis for Passive Optical Networks	13
<i>N. Nadarajah</i>	
Electronic Processing for Generation and Detection of Multi Gbit/s CDMA over Fibre	15
<i>M. Pimenta, I. Darvazeh</i>	
Recent Trends in 100G Module and Subsystem Development for Long Haul DWDM Applications	17
<i>T. Schmidt, C. Malouin, S. Liu</i>	
Recent Advances in Optoelectronic Technologies in ASTRI	19
<i>S. Yuan, C.J. Tsai, M. Lu, S.K. Lam, E. Wu</i>	
Thermal Characterization of Organic Light Emitting Devices	22
<i>P.K.L. Chan</i>	
Improving the Luminescence of InGaN/GaN Blue LEDs Through Selective Ring-Region Ion Implantation	24
<i>C.H. Wu, Y.H. Lin, C.K. Lin, H.C. Chiu, R.M. Lin</i>	
Fiber-Optic Nerve Systems for Safety and Security	26
<i>K. Hotate, Z. He</i>	
High Accuracy Laser Range Sensor System Based on the Self-mixing Effect in a Single Mode VCSEL	28
<i>X. Jun, H. Deyong, W. Huanqin, Z. Tianpeng, M. Hai, X. Jianping, Y. Bo</i>	
Incoherent, CW Supercontinuum Source Based on Erbium Fiber ASE for Optical Coherence Tomography Imaging	30
<i>J. Lee, E. Jung, C.S. Kim</i>	
Optical Sensing with Coherent Imaging Fibre Bundles	32
<i>R. Tatam</i>	
Polarization Insensitive Wavelength Conversion Techniques for 100Gb/s Polarization-Diversity Signal	34
<i>J. Yu, M.F. Huang</i>	
Polarization-Insensitive Wavelength Conversion for Polarization Shift Keying Signal Based on Four Wave Mixing in Highly Non-linear Fiber	36
<i>N.A.S. Bhuiyan, M. Matsuura, H. Tan, N. Kishi</i>	
Improvement of Performance of a SOA based Delayed Interference Signal-wavelength Converter with MZDI Phase Offset and BPF Detuning	38
<i>M. Namiki, T. Mori, H. Uenohara, K. Kobayashi</i>	
Extinction Ratio Enhanced 80-Gbit/s Wavelength Conversion Based on Optimization of Spectrum Filtering	40
<i>X. Huang, Y. Zhang, Yin. Zhang, D. Huang, X. Zhang</i>	
Discretely Tunable Optical Delay Based on Wavelength Multi-Casting and Dispersion	42
<i>P. Seddighian, L. Chen</i>	
Dual-Pumped Delay-Asymmetric Nonlinear Loop Mirror for DPSK Demodulation at Widely Tunable Bit Rates	44
<i>Y. Dai, C. Shu, M. Fok</i>	
Progress in the Slow and Fast Light based on Brillouin Scattering in Optical Fibers	46
<i>K. Song</i>	
Chirped Optical Solitons: High Degree Pulse Compression	48
<i>K. Senthilnathan, K. Nakkeeran, Q. Li, P.K.A. Wai</i>	
Supplementary Transient Suppression in a Burst-mode EDFA using Optical Feedback	50
<i>B. Puttnam, Y. Awaji, N. Wada</i>	
All-Optical Gain-Clamping in Fibre Optical Parametric Amplifiers	52
<i>N. Gryspolakis, L. Chen</i>	
Noise Characterization of Raman-assisted Fiber Optical Parametric Amplifiers	54
<i>S.H. Wang, L. Xu, P.K.A. Wai</i>	
Polarization Dependence of Raman Gain Efficiency Distribution and Its Suppression Technique	56
<i>Y. Tsutsumi, M. Ohashi, T. Yabu</i>	

Local Traffic Prediction Based Dynamic Bandwidth Allocation Scheme in EPON with Active Forwarding Remote Repeater Node	58
<i>C. Chan, M. Attygalle, A. Nimalathas</i>	
K-Shortest Path Algorithm for Overlay Protection in Optical Networks	60
<i>X. Wang, Q. Zhang, P. Palacharla, T. Naito</i>	
Blocking Probability Evaluation and Traffic Management of Bufferless OPS/OBS Networks	62
<i>E. Wong, J. Baliga, M. Zukerman, A. Zalesky, G. Raskutti</i>	
Fault Recovery with Routing and Adaptation Control of Chromatic Dispersion	64
<i>E. Horiuchi, S. Yoshida, Y. Baba</i>	
GaN Nanorod-Based Subwavelength Optical Media	66
<i>H.Y. Chen, H.W. Lin, Y.C. Yang, C.Y. Wu, W.C. Chen, J.S. Chen, S. Gwo</i>	
FDTD Study on the Improvement of Optical Transmission through Metallic Periodic Nano Structure	68
<i>Y.Z. Lin, F.M. Kong, K. Li</i>	
Random Lasing From ZnO Nanowires System	70
<i>H. Yang, S. Yu, S. Lau, B. Yan, T. Yu</i>	
Tight-banding Approach for Phonic Crystal Coupled-cavity-mode Estimation	72
<i>H. Sun, B. Jiang, W. Chen, W. Zhou, M. Xing, A. Liu, W. Zheng</i>	
Polarized Photon-pairs Confocal Laser Scanning Microscope	74
<i>J.S. Wu, C.H. Chang, L.P. Yu, L.D. Chou, H.J. Huang, C.C. Lee, C. Chou</i>	
Inverse Scattering for a 1-D Random Surface Reconstruction	76
<i>A. Wang, Z.H. Gu</i>	
An Inspection System for Adjusting Luminance of LED Backlight Units	78
<i>T.H. Wei, J.Y. Wen, P.R. Chen, W.C. Chiang, T.S. Liao, T.M. Huang</i>	
Inspection of Backlight Units with High Luminance Contrast	80
<i>T.H. Wei, H.L. Tsay, J.Y. Wen, W.C. Chiang, T.M. Huang, T.S. Liao</i>	
Beam Shaping Technology based on Optical Fiber for Applications in Laser, Optical Tweezer, and Free Space Interconnects	82
<i>K. Oh, J. Kim, S. Lee, W. Ha, Y. Jeong, S. Lee, Y. Jung, J. Kim</i>	
Vector Soliton Fiber Lasers	84
<i>D.Y. Tang, H. Zhang, L.M. Zhao, X. Wu</i>	
All-Optical Clock Recovery Using the Secondary Temporal Talbot Effect with Twofold Wavelength-Dispersion	86
<i>M. Oiwa, S. Minami, K. Tsuji, N. Onodera, M. Saruwatari</i>	
A Simple 10-GHz Picosecond Pulse Source Based on Fiber Optical Parametric Oscillator	88
<i>Y. Zhou, K. Cheung, S. Yang, P.C. Chui, K. Wong</i>	
Conversion of 40 Gb/s OTDM to 4×10 Gb/s WDM Channels with Extinction Ratio Enhancement by Pump-Modulated Four-Wave Mixing Using Time- and Wavelength-Interleaved Laser Pulses	90
<i>G. Lei, C. Shu</i>	
Development of Leakage Channel Holey Fibers with Large Effective Core Area and Low Bending Loss	92
<i>M. Takahashi, K. Mukasa, T. Yagi</i>	
Nanospectroscopy of Cr:YAG Double-clad Crystal Fiber	94
<i>C.C. Lai, K.Y. Huang, S.C. Wang, Y.S. Lin, S.L. Huang</i>	
Modifying Photonic Crystal Fibres	96
<i>T.A. Birks, M.D.W. Grogan, Z. Chen, L.M. Xiao, S.G. Leon-Saval, C. Xiong, R. England</i>	
Low-Loss Ytterbium-Doped Polarization Maintaining Solid Photonic Bandgap Fiber	98
<i>K. Takenaga, M. Kashiwagi, S. Tanigawa, S. Matsuo, M. Fujimaki</i>	
Demodulation of DPSK Signals Using In-line Mach-Zehnder Interferometer Based on a Photonic Crystal Fiber	100
<i>J. Du, Y. Dai, G. Lei, W. Tong, C. Shu</i>	
40G/100G Long-haul Optical Transmission System Design Using Digital Coherent Receivers	102
<i>D. van den Borne, M. Alfiad, S. Jansen, T. Wuth</i>	
BER Performance of Coherent DPSK Free-Space Optical Systems with APD over Turbulence Channels	104
<i>W. Lim, T.S. Cho, C. Yun, K. Kim</i>	
Spectrum Sliced Microwave Photonic Signal Processing	106
<i>X. Yi, R. Minasian</i>	
Integration of Passive Optical Network and Radio Over Fiber System Using Single DFB Laser	108
<i>C.Y. Wu, S.C. Chen, C.H. Wang, F.C. Kuo, J.H. Yan, K.M. Feng</i>	
Full-Duplex ROF Transport Systems Based on Broadband ASE Light Source and Nonlinear Distortions Suppression Scheme	110
<i>C.Y. Li, H.C. Peng, W.Y. Lin, H.S. Su, S.H. Meng, H.H. Lu</i>	
Optoelectronics Materials and Components Characterization for Organic Inorganic Laser Assembling	112
<i>S. Penna, A. Reale, G.M. Belleffi, P.S. Andre', A.L.J. Teixeira, M. Nakao, S. Shinada, N. Wada</i>	
High Efficient and Tunable Edge Emitting Microlaser on Photonic Crystal Slab	114
<i>W. Zheng, M. Xing, W. Chen, W. Zhou, A. Liu, H. Wang, L. Chen</i>	
Wavelength Control of MEMS VCSELs	116
<i>F. Koyama, H. Sano</i>	
Experimental Determination of the Message Decoding Quality in Laser Diode Based Optical Chaos Communications	118
<i>Y. Hong, M. Lee, K. Shore</i>	
Novel Post-Weld-Shift Measurement of Butterfly-Type Laser Module Employing High Resolution Capacitance Displacement Measurement Technique	120
<i>Y.D. Liu, M.T. Sheen, Y.C. Hsu, Y.C. Tsai, W.H. Cheng</i>	

Polarization Characteristics of an External Cavity Diode Laser with Littman Configuration	122
<i>D. Chen, Z. Fang, H. Cai, R. Qu</i>	
Design and Evaluation of Optical Fibre Sensors in Civil Engineering Applications for Structural Health Monitoring	124
<i>K. Grattan, A. Kerrouche, T. Sun, S.K.T. Grattan, S. Taylor, P.A. Basheer</i>	
Birefringent Interferometer-based Strain Sensor with Temperature Insensitivity	127
<i>O.J. Kwon, H.J. Kim, S. Chu, M.S. Kim, S. Lee, Y. Chung, Y.G. Han</i>	
A Dual-wavelength DBR Fiber Laser Strain Sensor	129
<i>S. Liu, Z. Yin, L. Zhang, X. Chen</i>	
Simultaneous Measurement of Strain and Temperature with High Sensing Accuracy	131
<i>H.M. Kim, H. Nam, D. Moon, Y. Kim, B. Lee, Y. Chung</i>	
A Experimental Study on the Effect of the Dispersion Map on a 25 GHz Spaced RZ-DPSK Transmission System over 8,359 KM	133
<i>K. Ishida, T. Tokura, T. Mizuoichi, K. Shimizu</i>	
Filter Concatenation Impact on 107-Gb/s Coherent Optical OFDM System	135
<i>Y. Tang, W. Shieh</i>	
Equalization-Enhanced Phase Noise for 100 Gb/s Transmission with Coherent Detection	137
<i>A. Lau, W. Shieh, K.P. Ho</i>	
Experimental Investigation of Nonlinear Effects upon Long-haul RZ-DPSK System with Block-type Dispersion Map	139
<i>H. Wang, Y. Lin, H. Taga</i>	
Observation of Bit-rate Dependent Spectral Performance Hole for the Long-haul RZ-DPSK System with Block Type Dispersion Map	141
<i>H. Taga</i>	
XPM Statistics in 100% Pre-compensated WDM Transmission for Different Modulation Formats and Transmission Fibres	143
<i>F. Zhang</i>	
Realization of 7-cell Hollow-core Photonic Crystal Fibers with Low Loss in the Region Between 1.4 μm and 2.3 μm	145
<i>J.K. Lyngsø, B.J. Mangun, C. Jakobsen, P.J. Roberts</i>	
Coupling Characteristics between the Fundamental and Higher-order modes in a Photonic Crystal Fibre with a Filled Hole	147
<i>Y. Mao, J. Li, C. Lu</i>	
Air Hole Control for Characteristic Adjustment in Air Hole Collapsed Photonic Crystal Fiber Coupler	149
<i>H. Yokota, Y. Nakajima, T. Ichige, Y. Imai, Y. Sasaki</i>	
Selectively Liquid-filled PCFs for Optical Devices	151
<i>J.H. Liou, C.P. Yu</i>	
The Study on Loss Reduction of Holey Fiber by Viscosity Profile Control	153
<i>K. Imamura, K. Mukasa, T. Yagi</i>	
Birefringence Control of the Holey Fiber Filled with Indium	155
<i>S.H. Lee, B.H. Kim, W.T. Han</i>	
Design a New PCF whose Zero Dispersion Wavelength of 800nm is Insensitive to its Fiber Core Diameter	157
<i>D. Zhang, J. Zhang, Q. Sheng</i>	
The Future Internet – an Energy Consumption Perspective	159
<i>K. Hinton, J. Baliga, R. Ayre, R. Tucker</i>	
Challenges for the Future Networks and Enabling Photonic Technologies	161
<i>S. Namiki, T. Hasama, H. Ishikawa</i>	
Power Saving Technique based on Simple Moving Average for Multi-Channel Ethernet	163
<i>H. Imaizumi, T. Nagata, G. Kunito, K. Yamazaki, H. Morikawa</i>	
New Generation Optical Infrastructure Technologies: “EXAT Initiative” Towards 2020 and Beyond	165
<i>T. Morioka</i>	
A New Electro-Optic Sampling Method Using Two/Multiple Wavelengths	167
<i>L. Ji, W.R. Donaldson, T.Y. Hsiang</i>	
Impact of Transmitter Electronics for High-speed Systems Applications	170
<i>C. Arellano, A. Richter</i>	
Fast Switching Bistable Ferroelectric Liquid Crystal Switches as a New Optical Elements for Photonics Applications	172
<i>E.P. Pozhidaev, V.G. Chigrinov, T. Du</i>	
Broadband Source Sliced by Cascaded Interleavers	174
<i>C.H. Cheng, S. Wang</i>	
Wideband Linearisation Technique for Radio over Fiber Laser Transmitter	176
<i>S. Alifiah, S.M. Idrus, N.M. Kassim</i>	
Burst-mode APD-ROSA Using Reset Signal for 1G/10G-dual-rate OLT Optical Transceiver	178
<i>T. Ito, T. Kurosaki, M. Nakamura, S. Nishihara, Y. Ohtomo, A. Okada</i>	
Temperature Insensitive Strain Sensor Based on Long Period Fiber Grating Pair in Photonic Crystal Fibers	180
<i>W. Shin, Y.L. Lee, T.J. Eom, B.A. Yu, Y.C. Noh</i>	
Intensity-based In-line Bend Sensor Using Twin Core Photonic Crystal Fiber	182
<i>B. Kim, T.H. Kim, L. Cui, Y. Chung</i>	
Temperature-Insensitive Curvature Sensor Using a Hi-Bi Photonic Crystal Fiber Based Sagnac Loop Interferometer	184
<i>K. Hwang, G. Kim, T. Cho, K. Lee, J. Park, S. Lee</i>	

Fabrication of a Surface Long-period Fiber Grating Based on a D-shaped Photonic Crystal Fiber	186
<i>H.J. Kim, O.J. Kwon, S. Chu, M.S. Yoon, G. Kim, S. Lee, Y.G. Han</i>	
In-Line Fiber-Optic Fabry-Perot Ultrasound Sensor Formed by Hollow-core Photonic-Crystal Fiber	188
<i>Y.J. Rao, W. Wang, T. Zhu, D. Duan</i>	
Optical Switch Based on Fluid-filled Photonic Crystal Fiber	190
<i>Y. Wang, H. Bartelt, W. Ecke, K. Moerl, W. Jin, K. Schroeder, R. Willsch, J. Kobelke, M. Rothhardt, L. Shan, S. Brueckner, X. Tan</i>	
In-fiber Interferometer in Air-core Photonic Bandgap Fibers	192
<i>L. Ma, J. Ju, W. Jin, Y. Hu</i>	
Two Occurrence Modes of Large Instantaneous DGD, Observed in Long Term PMD Field Measurement in Indiana	194
<i>Y. Akasaka, I. Kim, A. Lee, M. Davy, T. Naito</i>	
An Efficient Bit Error Rate Estimation Method Based on Parzen Series for Coherent Detection QPSK Transmission Systems	196
<i>Y. Gao, F. Zhang, Z. Chen, A. Xu</i>	
OSNR-independent Chromatic Dispersion Monitoring on 40Gb/s DPSK Signals using Two RF Filters	198
<i>C. Chae, T. Anderson, A. Nirmalathas</i>	
OSNR And Chromatic Dispersion Monitoring Using Wiener-Hopf Equation	200
<i>B. Pillai, A. Nirmalathas</i>	
In-Band OSNR Monitoring by Polarization Diversity and Electronic Signal Processing	202
<i>Q. Sui, C. Lu, A. Lau</i>	
Optical Performance Monitoring via Histogram: A Data-Driven Approach	204
<i>Y. Wen, K. Wilson</i>	
100Gbit/s RZ-DQPSK Signal Monitoring using Delay Tap Sampling and Asymmetry Ratio Evaluation	206
<i>Z. Li, J. Zhao, L. Cheng, Y. Yang, C. Lu, A. Lau, H.Y. Tam, P.K.A. Wai</i>	
Advanced Photonic Integration and High-Index-Contrast Circuit	208
<i>S. Chu, B. Little, W. Chen, J. Hryniewicz, F. Johnson, W. Chen, O. King, R. Davidson, K. Donovan, D. Gill, J. Monk, F. Kish</i>	
The Low Loss Y-branch with Duty Cycle Varied Figure Type Period Segmented Waveguides	210
<i>C.N. Yeh, Y.P. Liao, R.C. Lu</i>	
Switching Characteristics in Variable Index Arrayed Waveguide Wavelength Selective Switch	212
<i>Y. Murakami, Y. Shimizu, T. Sugio, K. Shimomura</i>	
Relaxation in Alignment Tolerance by Double-side Irradiation Induced Self-written Waveguide for Passive Optical Packaging	214
<i>K.W. Cheng, M.A. Uddin, H.P. Chan</i>	
Vertical Spot Size Converter with 0.06dB/facet Coupling loss using 2.5% Δ Silica-based Waveguide	216
<i>Y. Uchida, H. Kawashima, K. Nara</i>	
Modified Slab Photonic Crystal Structure for Delay Time Enhancement Using Capsule Shaped Holes	218
<i>Y.S. Chen, A. Hosseini, D. Kwong, Y. Zhao, H. Subbaraman, R. Chen</i>	
Packet Delay Variance and Bandwidth Allocation Algorithms for Extended-Reach GPON	220
<i>T. Smith, R. Tucker, K. Hinton, A. Tran</i>	
Dynamic Quality of Transmission Optimization in Reconfigurable Transparent Optical Networks	222
<i>G. Gao, J. Zhang, L. Wang, W. Gu</i>	
Workflow-based Distributed Computing over Optical Virtual Private Networks	224
<i>Y. Jin, Y. Wang, W. Guo, W. Hu</i>	
Inbuilt Burstification Urgency-driven Scheduling (iBUS) for Differentiated Services in IP-over-WDM Networks	226
<i>W. Li, Y. Wang, A. Huang, L. Xie, Z. Qin</i>	
Research and Analysis of Distributed Signaling Schemes in PCE-based Wavelength Switching Optical Network	228
<i>Y. Zhao, J. Zhang, H. Huang, X. Cao, W. Gu, Y. Ji</i>	
External Wavelength Contention Resolution for Optical Crossconnects	230
<i>C.Y. Li, P.K.A. Wai</i>	
Polarization Manipulation in Photonic Integration on Indium Phosphide	232
<i>J.J.G.M. van der Tol, U. Khalique, L.M. Augustin, A.A.M. Kok, M.K. Smit</i>	
Integration of InP/InGaAs/InP <i>p-i-n</i> Photodiodes on Silicon Via Wafer Bonding and Hydrogen-induced Layer Exfoliation	234
<i>P. Chen, K. Wong, K. Lau, S.S. Lau</i>	
Integration of Nanophotonic Devices for On-Chip Optical Interconnects	236
<i>S. Assefa, F. Xia, S.W. Bedell, Y. Zhang, T. Topuria, P. Rice, Y. Vlasov</i>	
High-Performance PIN Photodiodes with an Integrated Aspheric Microlens	237
<i>Y. Lee, K. Nagatsuma, K. Shinoda, K. Adachi, K. Hosomi, T. Ban, S. Tsuji, Y. Matsuoka, S. Tanaka, R. Mita, T. Sugawara, M. Aoki</i>	
Advanced Digital Incoherent Multilevel Signaling Techniques	239
<i>N. Kikuchi</i>	
24GHz-band UWB-IR Pulse Generation using Optical Signal Processing	241
<i>K. Nakamura, M. Hanawa, K. Nonaka</i>	
Spectrum Sliced Microwave Photonic Signal Processor with Tunability and Reconfigurability	243
<i>T. Chen, X. Yi, T. Huang, R. Minasian</i>	
A Study of the Optical Distribution Costs of Multichannel Baseband Digital Broadcasts over a Fibre-To-The-Home Network	245
<i>T. Kusakabe, T. Kurakake, K. Oyamada</i>	
Improvement of BER Performance by Active PMD Compensation Employing the Steepest Descent-Based Tracking Algorithm	247
<i>K. Tanizawa, A. Hirose</i>	

Rapid and Quantitative Detection of Ethanol Proportion in Ethanol-Gasoline Mixtures by Raman Spectroscopy	249
<i>Q. Ye, Y. Yu, R. Qu, Z. Fang</i>	
Multipoint Optic Refractive Index Sensor for Liquids	251
<i>H. Bal, F. Sidirolou, S. Collins, Z. Brodzeli</i>	
Fiber-Optic Sensors for the Exploration of Oil and Gas	253
<i>T. Yamate</i>	
Monitoring of Environmentally Hazardous Exhaust Emissions from Cars Using Optical Fibre Sensors	255
<i>E. Lewis</i>	
High Speed Silicon Modulators	258
<i>H.W. Chen, Y.H. Kuo, J. Bowers</i>	
Dual-Microring Resonator-Coupled Cross-Connect Switch Element for On-Chip Optical Interconnection	260
<i>X. Luo, S. Feng, A. Poon</i>	
Silicon Photonics Based on Photonic Wire Waveguides	262
<i>K. Yamada, T. Tsuchizawa, T. Watanabe, H. Shinjima, H. Nishi, S. Park, Y. Ishikawa, K. Wada, S. Itabashi</i>	
Economics and Design Challenges in Implementing CMOS Transimpedance Amplifiers for 10Gb/s Operation	264
<i>T. Yoon</i>	
Grating Coupler for Mid-infrared Silicon-on-Sapphire Waveguide	266
<i>X. Chen, C. Li, H.K. Tsang</i>	
Automatic Optical Path Diagnosis by NMS for All-Optical Mesh Networks	268
<i>T. Tsuritani, S. Okamoto, M. Tsurusawa</i>	
Preengaging Control Protocol to Enhance Scalability and QoS in Large-Scale Optical Networks	270
<i>W. Li, Z. Qin, A. Huang, L. Xie, A. Xu</i>	
Network Design Method for Wavelength Routing Networks	272
<i>K. Oguchi</i>	
Channel Plan for Upgrading Capacity in Multi-rate Transparent Networks	274
<i>G. Gao, J. Zhang, X. Cheng, L. Wang, W. Gu, Y. Ji</i>	
Analytical Formulation for Impairment-aware Optical Network Routing	276
<i>Y. Zhang, R. Hui</i>	
Lightpath Affiliation Graph Approach for Wavelength Assignment of Lambda Leasing Service	278
<i>A. Woo, C.Y. Li, P.K.A. Wai</i>	
Improving the Biocompatibility and Stability of Gold Nanorods(GNRs) as Bioimaging Tags through Silica Coating	280
<i>Q. Zhan, J. Qian, X. Li, S. He</i>	
Relationship between Measured Nonlinear Constant and Effective Area for Ge-doped Single Mode Fibers	282
<i>K. Miyagi, Y. Namihira, S.M.A. Razzak, S.F. Kaijage</i>	
Improved Surface Plasmon Coupling with an InGaN/GaN Quantum Well for More Effective Emission Enhancement	284
<i>Y.C. Lu, F.J. Tsai, J.Y. Wang, C.H. Lin, K.C. Shen, C.Y. Chen, C.F. Lu, Y.W. Kiang, C.C. Yang</i>	
Dual-Band Polarization-Insensitive Left-Handed Metamaterial in Terahertz Range	286
<i>M. Chen, Z. Zhang, K. Chan</i>	
Supramolecular Porphyrin Wires and Post-processing	288
<i>J. Canning, G. Huyang, B.C. Gibson, C. Neto, T. Khoury, C. Martelli, N. Skivesen, T.J. Sum, M. Kristensen, M.J. Crossley</i>	
Anti-Resonant Reflecting Photonic Crystal Waveguides	290
<i>S. Sinha, R. Bhattacharyya</i>	
Secure Transmission with Chaotic Lasers Synchronized by Electrical Injection	292
<i>V. Annovazzi-Lodi, G. Aromataris, M. Benedetti, S. Merlo, V. Vercesi</i>	
Processing Waveguide Photonic Components into Self-assembled Organic Films	294
<i>J. Canning, B. Gibson, G. Huyang, T. Khoury, T.J. Sum, C. Neto, M.J. Crossley</i>	
Long-Haul WDM Transmission Using No-Guard-Interval Coherent Optical OFDM	296
<i>A. Sano, Y. Miyamoto</i>	
Real-time Coherent Optical MIMO-OFDM Reception up to 6.67 Gbps	298
<i>S. Chen, Q. Yang, Y. Ma, W. Shieh</i>	
1-Tb/s Single-Channel Coherent Optical OFDM Transmission with Trellis-coded Modulation	300
<i>Q. Yang, Y. Ma, W. Shieh</i>	
Experiment on Optical OFDM Transmission with Frequency Spacing of Subchannels at 80% of Symbol Rate	302
<i>S. Yamamoto, K. Yonenaga, A. Sahara, F. Inuzuka, A. Takada</i>	
Performance of OFDM Signal for Radio-over-Fiber Link Adopting Electroabsorption Modulator	304
<i>K.C. Jong, H.W. Tsao, S.L. Lee</i>	
Investigation of Curvature Sensitivity of Arc-induced Long-period Fiber Gratings Inscribed in a Pure Silica Photonic Crystal Fiber with Two Large Air Holes in the Outer Cladding Region	306
<i>S. Kim, G. Kim, K.J. Hwang, M. Olena, K. Lee, S. Kim, J.M. Jeong, S. Lee</i>	
Fibre-optic Structural Health Monitoring in the Energy Industry	308
<i>W. Ecke, R. Willsch, H. Bartelt</i>	
Fast FBG Sensor Interrogation System Using Vertical Cavity Surface Emitting Laser Source	310
<i>Y.H. Huang, C. Lu, P.K.A. Wai, H.Y. Tam</i>	
Novel Ultra Compact and High Resolution Spectrometer	312
<i>T. Yang, C.C. Li, H.P. Ho</i>	
Crystal-Grating Technology for Wavelength Measurement	314
<i>E. Manor, D. Vaknin</i>	
Highly Nonlinear and Polarization Maintaining Octagonal Photonic Crystal Fiber in 1000nm Regions	316
<i>S.F. Kaijage, Y. Namihira, F. Begum, N.H. Hai, S.M.A. Razzak, T. Kinjo, K. Miyagi, S. Nozaki, N. Zou</i>	

Generation of High-Energy Wave-breaking-free Pulses with Low Repetition Rate Using Passively Mode-locked Fiber Laser	318
<i>X. Tian, S. Fu, P. Shum, V. Wong</i>	
Effect of Phase Front Curvature on Transverse Localization of a Light Beam	320
<i>S. Ghosh, G. Agrawal, R.K. Varshney, B.P. Pal</i>	
Dynamically Reconfigurable Optical Waveguides with Sn₂P₂S₆ Crystal for Free Space Optical Wiring	322
<i>K. Hira, A. Okamoto, Y. Kojima, A. Grabar</i>	
The Fabrication of the Bragg Grating on the D-shaped Fiber	324
<i>W.S. Weng, W.C. Chuang, I.F. Shyu, A.C. Lee, C.T. Ho</i>	
PLC-based Compact Wavelength Filter to Apply G-/ GE-PON	326
<i>J.K. Hong, S.S. Lee</i>	
All-Optical Gain-Clamped Erbium-Doped Fiber Amplifier Using a DWDM Demultiplexer	328
<i>T.T. Huang, L.G. Sheu, S. Chi</i>	
Simple Simultaneous Modulation for Red, Green and Blue Laser Lights Using Surface-Acoustic-Wave-Driven Acoustooptic Modulator	330
<i>S. Kakio, S. Shinkai, Y. Nakagawa</i>	
Highly Nonlinear and Nearly Zero-Dispersion Flattened Octagonal Photonic Crystal Fibers for Medical Applications	332
<i>T. Kinjo, Y. Namihira, K. Arakaki, S.M.A. Razzak, S.F. Kaijage, S. Nozaki, F. Begum, N. Zou</i>	
Input/output Reconfigurable Adaptively Modulated Optical OFDM Modems Using Subcarrier Modulation	334
<i>X. Zheng, J.L. Wei, X.L. Yang, R.P. Giddings, J.M. Tang, K.A. Shore</i>	
Optimization Correction of Spectral Distortion for Superimposed DWDM Multichannel Fiber Bragg Grating Filters	336
<i>C.W. Hsin, C.L. Lee, K.C. Hsu, Y. Lai</i>	
A Spectral Flat-top, Single Resonant and Ultrabroad Band Long-Period Fiber Grating	338
<i>C.L. Lee, P. Han</i>	
Modified L-shape Hollow Waveguides	340
<i>K.Y. Lee, W.C. Yan, K.L. Tsai, Y.S. Chao, S.P. Jeng, G.W. Bai, J.D. Liu, Y.L. Jeng, J.S. Tseng, C.W. Lin</i>	
Periodical Dielectric Waveguide with Point Vacancy	342
<i>K.Y. Lee, C.H. Lee, C.H. Tsai, M.H. Jiang, J.F. Shueh, J.H. Lai</i>	
Polymeric Waveguide Film with Embedded Mirrors for Flexible Optical Interconnection	344
<i>W.J. Lee, J. Lim, S. Hwang, M. Kim, J. An, B. Rho</i>	
Multi-mode Interference Effect in a Ti:LiNbO₃ Waveguide	346
<i>Y.L. Lee, T.J. Eom, W. Shin, B.A. Yu, D.K. Ko, W.K. Kim, H.Y. Lee</i>	
Hybrid integrated Bi-directional Module using Polymeric WDM Filter Based on Multimode Interference	348
<i>J. Lim, S. Hwang, W.J. Lee, T. Lee, M. Jeong, B.G. Kim, B. Rho</i>	
Simple Technique for Measuring Nonlinear Index n₂ Distribution by using Bidirectional OTDR	350
<i>Y. Tsutsumi, S. Morimoto, T. Yabu, M. Ohashi</i>	
Widely Tunable Passively Mode-locked Fiber Laser with Carbon Nanotube Films	352
<i>G. Qin, T. Suzuki, Y. Ohishi</i>	
Optical Fiber Design for Slanted Grating Filters with Narrow-Band Symmetric Response	354
<i>L.G. Sheu, C.Y. Wang, J.M. Chen, T.T. Huang, S. Chi</i>	
Dispersion Controlled Highly Nonlinear Octagonal Photonic Crystal Fiber (PCF) for Medical Applications	356
<i>K. Arakaki, Y. Namihira, T. Kinjo, S.F. Kaijage, S.M.A. Razzak, Y. Nonogaki</i>	
The Simulation of Beaming and Coupling Characteristics of Photonics Crystal Structure	358
<i>J.W. Chien, J.J. Lee, T.T. Shih, Y.D. Wu</i>	
Waveguide Design of Variable Refractive-Index Waveguide Array Demultiplexer and Wavelength Selective Switch	360
<i>H. Iwasaki, T. Sugio, T. Tanimura, K. Takeuchi, K. Shimomura</i>	
Novel Design of a Microstructured Fiber Taper	362
<i>M.L. Tse, H. Tam, C. Lu, P.K.A. Wai</i>	
Temperature Dependence of a High-Power Ytterbium-Doped Fiber Amplifier Operating at 1060 nm and 1080 nm	364
<i>L.A. Vazquez-Zuniga, S. Chung, Y. Jeong</i>	
High Power, Strictly Single Transverse Mode Ytterbium-doped Large Mode Area Fiber Amplifier	366
<i>W. Jian-Jun, X. Dang-Peng, L. Hong-Huan, Z. Rui, D. Ying, L. Ming-Zhong</i>	
Microstructure in Nano-Crystalline Cr-doped Fibers Fabricated by Drawing Tower	368
<i>W.L. Wang, Y.C. Huang, J.S. Wang, Y.S. Lin, T.C. Lin, S.L. Huang, W.H. Cheng</i>	
SU-8 Process Optimization for High Fiber Coupling Efficiency of Liquid Crystal Filled Photonic Bandgap Fiber Components	370
<i>L. Wei, T.T. Alkeskjold, A. Bjarklev</i>	
A Simple Method for Modeling Group Delay Characteristic of Chirped Fiber Bragg Grating with Effective Index Modulation	372
<i>B. Yan, G.D. Peng, C. Yu, K. Wang, D. Xu</i>	
Design of Unique Highly Nonlinear Photonic Crystal Fibers for Medical Applications	374
<i>F. Begum, Y. Zhang, S. Kaijage, Y. Namihira, N. Zou</i>	
Colorless 1.25Gbps WDM-PON Link using Injection Locking and Electroabsorption Transceiver	376
<i>S.C. An, H.S. Kim, Y.Y. Won, S.K. Han</i>	
Multi-Carrier Ultra-Wideband Systems Using a New Pulsed Modulation Scheme	378
<i>W.P. Lin, Y.Y. Lin</i>	

Development of Optical Indoor Cables Using 0.9-mm Tight-Buffered Optical Fiber	380
<i>T. Oyama, T. Ozawa, N. Okada</i>	
Detection of Failed ONUs in TDM-PON Using CDMA Coding Scheme	382
<i>B. Choi, J. Kim, E.M. Yeo, Y. Park</i>	
Cascaded Optical Code Label for All-Optical Routing in Optical Packet Switching Networks	384
<i>M. Xin, M. Chen, H. Chen, S. Xie</i>	
Simultaneous ER Enhancement and Light Reuse Scheme for RSOA-Based WDM-PONs	386
<i>C.L. Yang, S.L. Lee, T.L. Hsieh</i>	
10-Gb/s Upstream TDM-PON Based on Four WDM Signals with OFDM-QAM Remodulation	388
<i>C.H. Yeh, C.W. Chow</i>	
Using External-Injected RSOA for Wavelength-Tunable Laser in Long Reach WDM-PON	390
<i>C.H. Yeh, C.W. Chow, C.H. Wang, F.Y. Shih, Y.F. Wu, S. Chi</i>	
High Speed Polarization Monitoring for Adaptive PMD Compensation in Optical Communication Systems	392
<i>X. Yuan, J. Zhang, X. Zhang, Y. Zhang, M. Zhang, Y. Huang, X. Ren</i>	
Alternative Design of Crystal Type Multi-port Optical Quasi-circulator	394
<i>H.Y. Hsieh, J.H. Chen, K.H. Chen, S.Y. Jhong</i>	
Dual-cavity Fiber Fabry-Perot Interferometric Sensor	396
<i>H. Choi, K. Park, Y. Kim, B. Lee</i>	
Investigation on Transmission Properties of a Single Mode Fiber with a Cross-sectional Micro-channel using Time-domain Finite Difference (FDTD) Method	398
<i>W. Hong, D. Wang, D. Gao, Y. Li, C. Liao, Y. Wang, S. Liu, X. Fang, L. Ma</i>	
Self-referenced Spectral Interferometry for System Drift Compensating in Thickness and Index Measurements	400
<i>J. Na, H. Choi, C. Lee, B. Lee</i>	
Parallel Self-Mixing Flow Sensor using Monolithic VCSEL Array	402
<i>Y. Lim, R. Kliese, K. Bertling, K. Tanimizu, P.A. Jacobs, A.D. Raki</i>	
Surface Plasmon Resonance Based Tapered Fiber Optic Sensor with Different Taper Profiles	404
<i>R.K. Verma, B.D. Gupta</i>	
Simple FBG Sensor Head Design for Strain-temperature Discrimination	406
<i>H. Xu, X. Dong, Z. Yang, K. Ni, P. Shum, C. Lu, H.Y. Tam</i>	
Generation of Optical Pulses with Continuously Tunable Pulsewidth Using SOA-based Fiber Loop Mirror	408
<i>S. Fu, W.D. Zhong, P. Shum, C. Lin</i>	
Tunable Photonic Microwave Notch Filter Using a Self-Injection Locked Reflective Semiconductor Optical Amplifier	410
<i>Y.K. Choi, S.W. Jeon, Y. Kim, C. Oh, S. Hann, C.S. Park</i>	
4bits All-optical Quantization based on the Raman Self-frequency Shift and Spectral Compression	412
<i>R. Liang, X. Zhou, Z. Zhang, Z. Qin</i>	
Ultrafast Laser Fabrication of 3D Waveguides in Sapphire	414
<i>B. McMillen, K. Chen, A. Benayas, D. Jaque</i>	
An Approach to Generate Multi-wavelength Sampling Clock for Photonic A/D Converters	416
<i>G. Wu, M. Li, B. Wang, P. Guo, J. Lu, X. Li, J. Chen</i>	
Dynamics and Suppression of Relaxation Oscillation Caused by Stimulated Brillouin Scattering in Optical Fiber	418
<i>J. Yin, X. Xiao, C. Yang</i>	
Modulation Format Transformation from Return-to-Zero ASK To Frequency Shift Keying at 40 Gb/s Base Rate Based on Nonlinear Polarization Rotation	420
<i>J. Zhang, W. Fang, C. Hou, X. Liu, X. Zheng, N. Chi</i>	
Multi-Channel Delay Lines using Dual Cascaded Detuning Cells of Microring Coupled-Resonator Optical Waveguides	422
<i>X. Zhang, Y. Ding, X. Zhang, D. Huang</i>	
The Effects of High-power LED Inner Structure on the Radiation Patterns	424
<i>J.K. Chang, Y.C. Hsu</i>	
Effect of Microstructural Evolution on Optical Properties of InGaN/GaN Multiple Quantum Wells	426
<i>Y.S. Lin, K.H. Lin, C.H. Wu, S.W. Feng, H.H. Kuo</i>	
Effect of Sapphire Tube Assisted in CDLHPG Method to Fabricate Double-clad Cr⁴⁺: YAG Crystal Fiber	428
<i>K.Y. Huang, K.Y. Hsu, Y.S. Lin, Y.C. Huang, S.L. Huang, W.H. Cheng</i>	
A Study of the RF Characteristics for a Coaxial TO-CAN Laser Module by a 3D Full-wave Electromagnetic Field Simulation	430
<i>T.T. Shih, H.W. Chen, P.H. Tseng, W.H. Cheng</i>	
Bias Dependence of Phonon Behaviors in the InGaN/GaN Multiple Quantum Well with Multi-quantum Barriers	432
<i>Y.T. Liang, Y.F. Chen, C.H. Fang, J.C. Wang, T.E. Nee, G.M. Wu</i>	
Fabry-Perot Laser Based Wavelength Converter without External Injection	434
<i>C.H. Yeh, C.W. Chow, C.H. Wang, F.Y. Shih, Y.F. Wu, S. Chi</i>	
Analysis of Leaky Modes for Microstructured Optical Fibers	436
<i>J.S. Chiang, N.H. Sun, S.C. Lin</i>	
A Photonic Microwave Mixer Using an Optically Injected Semiconductor Laser for RoF Applications	438
<i>X. Fu, C. Cui, S.C. Chan</i>	
Dual Data Rate Schemes Using Single Photoreceiver for Intersatellite FSO Communications	440
<i>K. Heng, W.D. Zhong, T. Cheng</i>	
Optical Interconnection for Multi-Wavelength Signals With Volume Holographic Router	442
<i>S. Honma, S. B. Luog, S. Muto, A. Okamoto</i>	

Chromatic Dispersion Monitoring Using Coherent Detection and Tone Power Measurement	444
<i>F. N. Khan, A. P. T. Lau, C. Lu, P. K. A. Wai</i>	
Multi-tone Generation Using a Recirculating Frequency Shifter and Its Application to 1-Tb/s Coherent Optical OFDM Signal	446
<i>Y. Ma, Q. Yang, S. Chen, W. Shieh</i>	
Commercial Realization of an all Optical Mesh Network: Extending the Photonic Layer to the End-User	448
<i>A. R. Pratt, W. Forysiak</i>	
SOA Intensity Modulator-Enabled Colourless Transmission of Adaptively Modulated Optical OFDM Signals for WDM-PONS	450
<i>J. L. Wei, X. L. Yang, R. P. Giddings, J. M. Tang, K. A. Shore</i>	
Demonstration of Transmission of 8×100Gb/s CSRZ-DQPSK Signal Over 1520Km Standard Single-Mode Fiber	452
<i>Y. Yang, L. Cheng, Z. Li, C. Lu, X. Xu, Q. Xiong, W. H. Chung, P. K. A. Wai</i>	
Nonlinear Effect on Residual Dispersion Monitoring of DPSK Signals Using Delay-Tap Sampling and Hausdorff Distance Measure	454
<i>J. Zhao, C. Lu, H. Y. Tam</i>	
A Wide Range Tunable Broadband Rejection Filter by Torsional Stress on a Fused Fiber Coupler	456
<i>H. Choi, Y. Jeong, K. Oh</i>	
8 x 200-Gbit/s Polarization-Division Multiplexed CS-RZ-DQPSK Transmission Over 1200 km of SSMF	458
<i>L. Cheng, Z. Li, Y. Yang, C. Lu, Y. Fang, H. Jiang, X. Xu, Q. Xiong, S. Zhong, Z. Chen, H. Y. Tam, P. K. A. Wai</i>	
Fabrication and Characteristics Evaluation of Panda Polarization-maintaining Optical Fibers with B₂O₃ SAP's by VAD Method	460
<i>S.S. Choi, H.S. Cho, S.S. Koo, C.H. Jung, C.H. Ouh, K.S. Ryu, H.J. Kang, S.B. Lee</i>	
Innovation in Preform Fabrication Technologies	462
<i>A. Giraud, F. Sandoz, J. Pelkonen</i>	
A New Dispersion Measurement Apparatus by a Periodic Wavelength-Scanning Pulse Laser	464
<i>S. Jyu, S. Liu, W. Hsiang, Y. Lai</i>	
A Simple and Accurate Measurement Method of Chromatic Dispersion of Multi-Mode Fiber	466
<i>J. H. Chang, D. H. Sim, J. Y. Huh, Y. Takushima, Y. C. Chung</i>	
Low-Power High-Resolution Autocorrelation Technique Based on the Degree-of-Polarization Measurement	468
<i>J. Hu, C. Yu</i>	
Novel Fiber Jacket Removing System for Compact Packaging of Optical Components	470
<i>K. Ikushima, R. Sougen, O. Koyama, M. Yamada, Y. Katsuyama</i>	
Densely Assembled Low-Rigidity Ribbon Cable Using Bending-Loss Insensitive Fibers	472
<i>K. Toge, Y. Yamada, K. Hogari</i>	
Development of Optical Premises Cable with Low Frictional and Super Small-Sized Optical Element Cable	474
<i>M. Tsukamoto, Y. Hoshino, N. Okada</i>	
Design and Implementation of Chromatic Dispersion Control Protocol	476
<i>S. Yoshida, K. Onohara, E. Horiuchi, S. Seno, Y. Baba, K. Shimokasa</i>	
Efficient Small Data Collecting System by Central and Local Trigger Modes over Optical IP Network	478
<i>O. Koyama, Y. Takami, S. Kawai, M. Yamada, Y. Katsuyama</i>	
DREAMSCAPE: Dual Routing Engine Architecture in Multi-Layer/Multi-Domain Scalable Constraint-Aware Policy-Enabled Optical Networks	480
<i>Y. Ji, J. Zhang, Y. Zhao, M. Zhang</i>	
Dynamic Label Switched Path Provisioning Performance in GMPLS Networks	482
<i>Z. Xing, W. Sun, Y. Jin, W. Guo, W. Hu</i>	
Optimized Design of Node-and-Link Protecting p-Cycle with Restorability Constraints for Optical Multicast Traffic Protection	484
<i>F. Zhang, W. Zhong</i>	
Consolidation of Optical Networks with 1:1 Protection	486
<i>Z. Xie, L. Chen</i>	
Characterizations of InGaN/GaN MQWs With Different Growth Parameters	488
<i>K. K. Leung, W. K. Fong, C. Surya</i>	
GaN Films Fabricated by Ammoniating Electrodeposited Layers	490
<i>H. Wang, X. Y. Chen, A. M. C. Ng, F. Fang, A. B. Djuricic, W. K. Chan</i>	
Bandgaps Engineering in Light-Emitting Polymers Via From p-n Diblock Copolymerization to Inorganic/Organic Hybridization	492
<i>L. Xie, W. Huang</i>	
Anomalous Disordered-Related Phenomena in the InGaN/GaN Multiple Quantum Well Heterosystems	494
<i>Y. Haung, Y. Chen, J. Wang, H. Shen, T. Nee</i>	
Intense Photoluminescence Emission from Amorphous Indium Oxynitride Thin Films by Filtered Cathodic Vacuum ARC Technique	496
<i>X. H. Ji, S. P. Lau, Q. Y. Zhang</i>	
The High Mobility A-Plane GaN Film Grown with Flow-rate Modulation Epitaxy	498
<i>C. Wu, T. Liang, W. Cheng</i>	
High-Speed Photonic Signal Processing for Packet Switching	500
<i>H. J. S. Dorren, N. Calabretta, E. Tangdiongga, O. Raz</i>	
Photonic Microwave Filter Based on Circulating a Cladding Mode in a Fiber Ring Resonator	502
<i>Z. Wang, K. S. Chiang, Q. Liu</i>	
Radio-Over-Fiber Uplink Transmission Using an Optically Injected Semiconductor Laser	504
<i>C. Cui, X. Fu, S. Chan</i>	

High-Speed Optical Label Switching Based on the 8PSK/ASK Orthogonal Modulation Format	506
<i>L. Zhang, C. Yu, X. Xin, L. Bo</i>	
Electro-Optic Synthesis of Multi-Level Coherent Signals	508
<i>T. Sakamoto, A. Chiba, T. Kawanishi</i>	
1.55-μm VCSEL Transmission Performance Up to 20 Gb/s for Access Networks	510
<i>L. Xu, W. Hofmann, H. K. Tsang, R. V. Penty, I. H. White, M. C. Amann</i>	
Wavelength and Repetition Rate Tunable Mode-Locked Laser at Up to 640 GHz Using Reconfigurable Wavelength Selective Switch	512
<i>J. Schröder, B. J. Eggleton</i>	
Fast Power Control and Wavelength Switching in a Tunable SOA-Integrated SGDBR Laser	514
<i>H. Lv, T. Shu, Y. Yu, D. Huang, L. Dong, R. Zhang</i>	
"CW Pumped Wavelength Conversion of 40 Gb/s DPSK and 160 Gb/s OOK Signals in a Chalcogenide Glass Chip	516
<i>M.D. Pelusi, F. Luan, S.J. Madden, D.Y. Choi, D.A.P. Bulla, B. Luther-Davies, B.J. Eggleton</i>	
High-Resolution Optical Sampling by Means of Dispersion-Shifted Highly Nonlinear Chalcogenide Waveguides	518
<i>J. Van Erps, F. Luan, M. D. Pelusi, T. Iredale, S. Madden, D. Choi, D. A. Bulla, B. Luther-Davies, H. Thienpont, B. J. Eggleton</i>	
1.28 Tb/s Single Wavelength Star-16-QAM Transmission Over Up to 800m of Graded-Index Multimode Fibre	520
<i>R. E. Freund, D. Groß, R. Ludwig, C. Schmidt-Langhorst</i>	
Real-Time 3Gb/s 16QAM-Encoded Optical OFDM Transmission Over 75km MetroCor SMFs with Negative Power Penalties	522
<i>X. Q. Jin, R. P. Giddings, J. M. Tang, K. A. Shore</i>	
High-Speed and Precise Lightwave Modulation Technologies	524
<i>T. Kawanishi, T. Sakamoto, A. Chiba</i>	
Multi-Carrier Systems for High Capacity Transmission	526
<i>J. Zhao, A. D. Ellis, F. C. G. Gunning, S. K. Ibrahim, P. Frascella</i>	
Generation of Optical MSK Using a Monolithically Integrated Quad Mach-Zehnder IQ Modulator	528
<i>G. Lu, T. Sakamoto, A. Chiba, T. Kawanishi, T. Miyazaki</i>	
Second-Order PMD Compensation by All-Optical Regenerator Based on Optical Parametric Amplification	530
<i>S. Ryu, M. Yagi</i>	
A High-speed Adaptive PMD Compensation Scheme Based on DSP Using DPSO Algorithm	532
<i>J. Zhang, X. Yuan, Y. Zhang, M. Zhang, X. Zhang</i>	
Nonlinear Characterisation of An AsSe Chalcogenide Holey Fiber	534
<i>T. N. Nguyen, T. Chartier, Q. Coulombier, P. Houizot, L. Brilland, F. Smektala, J. Troles, M. Thual</i>	
Raman Response in Chalcogenide As₂S₃ Fiber	536
<i>C. Xiong, E. Magi, F. Luan, S. Dekker, J. S. Sanghera, L. B. Shaw, I. D. Aggarwal, B. J. Eggleton</i>	
A Highly Nonlinear Fiber with Chalcogenide-Tellurite Composite Microstructure	538
<i>M. Liao, C. Chaudhari, G. Qin, C. Kito, T. Suzuki, Y. Ohishi, M. Matsumoto, T. Misumi</i>	
Nanosecond Optical Parametric Oscillator Based On Highly-Nonlinear Dispersion-Shifted Fiber	540
<i>K. K. Y. Cheung, Y. Zhou, K. K. Y. Wong</i>	
Multi-Channel 80-GHz Pulse Train Generation Based on Four-Wave Mixing in Highly Nonlinear Fiber	542
<i>J. Yang, J. Hu, C. Yu, Y. K. Yeo, Y. Wang</i>	
High Average Power Super-Continuum Generation in a 1-Meter Bismuth-Oxide Fiber Using a 1.5-μm ASE Noise Burst	544
<i>K. K. Chow, S. Yamashita</i>	
Low Threshold, Dual-Cavity Continuous-Wave Fiber Optical Parametric Oscillator	546
<i>S. Yang, X. Xu, K. K. Y. Wong</i>	
Full-Duplex Radio-Over-Fiber Transport Systems Based on Direct-Detection Scheme	548
<i>W. Lin, P. Wu, C. Lee, H. Su, C. Li, H. Lu</i>	
Photonic Generation and Transmission of UWB Signals with On-Off Keying and Bi-Phase Modulation Schemes	550
<i>S. Pan, J. Yao</i>	
A 1.7GHz WiMAX WDM Hybrid on 10Gb/s Data Streams	552
<i>K. Chinen, Y. Uchima</i>	
Fiber-to-the-Home/Radio-Over-Fiber Transport Systems	554
<i>W. Lin, H. Peng, C. Li, H. Su, K. Chang, H. Lu</i>	
Optical Frequency Down-Conversion from Millimeter-Wave to IF-Band Using an Injection Locked Distributed Feedback Laser	556
<i>Y. Chen, C. Zhang, C. Hong, M. Li, L. Zhu, W. Hu, Z. Chen</i>	
Converged Wireline and Wireless Signal Transport Over Optical Fibre Access Links	558
<i>I. T. Monroy, K. Prince, A. Osadchiy, N. G. González, A. Caballero, D. Zibar, T. Gibbon, X. Yu, J. B. Jensen</i>	
Ridge-Type Semiconductor Lasers with Antiguinding Layers for Horizontal Transverse Modes: Dependence on Space	560
<i>H. Yoshida, T. Numai</i>	
Polarization-Stable VCSELs for Optical Sensing and Communications	562
<i>R. Michalzick, J. M. Ostermann, A. Al-Samaneh, D. Wahl, F. Rinaldi, P. Debernardi</i>	
Experimental Investigation on Spectral Broadening of Cascaded Raman Fiber Lasers	564
<i>Z. Qin, X. Zhou, H. Wu, Z. Zou</i>	
Study on Wavelength Distribution of High Power Laser Diode Array	566
<i>S. Li, X. Guofeng, F. Zujie, Q. Ronghui</i>	
Lightwave Signal Processing Using Tellurite Fibers	568
<i>Y. Ohishi, G. Qin, M. Liao, C. Chaudhari, T. Suzuki</i>	

Physical Layer Network Security Based on Optical Processing Using Compact Passive Devices	570
<i>M. P. Fok, Y. Deng, P. R. Prucnal</i>	
Polarization-Independent All-Optical Amplitude Limiter Using Two-Stage Gain-Saturated Fiber Parametric Amplifiers	572
<i>S. Watanabe, F. Futami, R. Okabe, T. Kato, R. Ludwig, C. Schmidt-Langhorst, C. Schubert</i>	
A Novel Pre-Amplifier Based on a Fiber Optical Parametric Amplifier	574
<i>Y. Liang, P. C. Chui, K. K. Y. Wong</i>	
The Impact of Dispersion Fluctuation on the Optimization of Parametric Wavelength Exchange	576
<i>M. Shen, X. Xu, N. Wong, T. I. Yuk, K. K. Y. Wong</i>	
Frequency Domain Pre-Equalization for 100 Gb/s Coherent OFDM Transmission	578
<i>T. Yoshida, A. Nakajima, T. Sugihara, T. Mizuochi</i>	
All Optical Sampling Orthogonal Frequency Division Multiplexing Scheme with Cyclic Postfix Inserted	580
<i>H. Chen, F. Yin, M. Xin, M. Chen, S. Xie</i>	
Optical OFDM for High-Speed Transmission	582
<i>I. Morita</i>	
Implementation Aspects of OFDM with Compatible Single-Sideband for Direct-Detection	584
<i>M. Schuster, C. Bunge, B. Spinnler, K. Petermann, P. Krummrich</i>	
115.2 Gb/s Optical OFDM Transmission with 4 bit/s/Hz Spectral Efficiency Using IEEE 802.11a OFDM PHY	586
<i>L. Mehedy, M. Bakaul, A. Nirmalathas</i>	
Femtosecond Second-Harmonic Generation in Periodically Poled Lithium Niobate Waveguides Written by Femtosecond Laser Pulses	588
<i>Z. Huang, S. Zhang, C. Tu, Y. Weng, F. Lu, Y. Fan</i>	
Characteristics of a Semiconductor Fiber Laser Mode-Locked Using a Nonlinear Optical Loop Mirror	590
<i>T. Cai, R. Adams, L. R. Chen, M. Rochette</i>	
All-Optical Wavelength-Selective Switch Controlled by Raman Amplification for Wide Wavelength Range	592
<i>H. Kishikawa, K. Kimiya, N. Goto, S. Yanagiya</i>	
Pure Intensity Modulated Frequency Doubled Optical Clock Signal Generation by Using Ultra Low-Chirp and High Extinction-Ratio Optical Modulation	594
<i>T. Kawanishi, T. Sakamoto, A. Chiba, H. Toda, H. Murata, A. Enokihara</i>	
Modeling of Multiwavelength Laser with Saturable Homogeneous Gain and Nonlinear Loss	596
<i>F. Li, H. Zheng, X. Feng, P. K. A. Wai</i>	
Efficient Broadband Frequency Conversion Using Engineered Apodized X⁽²⁾ Gratings and Fundamental Harmonic Resonance	598
<i>R. Kashyap, A. Tehranchi, C. Xu</i>	
Semiconductor Optical Amplifiers in Access Networks	600
<i>L. H. Spiekman</i>	
Chromatic Dispersion Tolerance of 10-Gb/s WDM PON Implemented by Using Bandwidth-Limited RSOAs	602
<i>K. Y. Cho, A. Agata, Y. Takushima, Y. C. Chung</i>	
Extended Reach Gigabit Passive Optical Networks for Rural Areas Using Raman and Semiconductor Optical Amplifiers	604
<i>K. L. Lee, J. L. Riding, A. V. Tran, R. S. Tucker</i>	
Technology Options for Future WDM-PON Access Systems	606
<i>M. J. Wale</i>	
WDM-PON Systems with 10-Gb/s Bidirectional Transmission Using Cross-Remodulation and Dual-Wavelength Lasers	608
<i>S. Lin, J. Huang, S. Lee, G. Keiser, S. Ko, T. Liaw</i>	
A Novel Power Saving Scheme for WDM-PON with Centralized Light Sources	610
<i>T. Uchikata, A. Tajima</i>	
Demonstration of Improved OSNR in Ring-Based PONs with Remotely Pumped Amplification	612
<i>N. B. Pavlovic, A. Baptista, B. Neto, A. Rocha, P. André, D. Forin, G. T. Beleffi, J. A. Lázaro, J. Prat, A. Teixeira</i>	
Thermal Elastic Shear Wave in Dermis for Diagnosis of Superficial Tissue Damage in Radiation Therapy	614
<i>S. Chang, C. Ho, T. Hsieh, C. Chou</i>	
Targeted Coherent Control Inside Photonic Band Gaps for Nanophotonics Devices	616
<i>H. Nihei, F. Matsuoka, A. Okamoto</i>	
Relationship Between Effective Area and Mode Field Diameter for Photonic Crystal Fibers	618
<i>Y. Namihira, K. Miyagi, S. M. A. Razzak</i>	
Multi-Mode Resonance in Complementary Dual-Layer Sub-Wavelength Structure at THz Frequencies	620
<i>Z. Zhang, M. Chen, K. T. Chan</i>	
Novel High Power Femtosecond Photonic Crystal Fiber Laser Amplifier with High Repetition Rate and its Applications	622
<i>C. Wang</i>	
In Vivo Harmonic Generation Microscopy for Least Invasive Virtual Biopsy	624
<i>C. Sun</i>	
Highly-Nonlinear Chalcogenide Glass Devices for High-Speed Signal Processing and Characterization	626
<i>M. D. Pelusi, T. D. Vo, F. Luan, S. J. Madden, D. Y. Choi, D. A. P. Bulla, B. Luther-Davies, B. J. Eggleton</i>	
Scalable Quantum Dot Based Optical Interconnects	628
<i>K. A. Williams, A. Albores-Mejia, T. de Vries, E. Smalbrugge, Y. S. Oei, M. K. Smit, R. Notzel</i>	
Quasi-Phase Matched Waveguide Devices for Generation of Postselection-Free Polarization-Entangled Twin Photons	630
<i>T. Suhara, G. Nakaya, J. Kawashima, M. Fujimura</i>	

Optoelectronic 1:4 Demultiplexing and Clock Recovery Using Dual-Port LiNbO₃ Intensity Modulators	632
<i>S. Nabeya, K. Igarashi, K. Katoh, K. Kikuchi</i>	
Progress in Real Time, DSP Assisted, Coherent Optical Transmission (Invited)	634
<i>M. O'Sullivan</i>	
Expansion of System Dynamic Chromatic-Dispersion-Compensation Range by Optimal FIR Filter Adaptation	636
<i>K. Fukuchi, W. Maeda, D. Ogasahara, T. Takamichi</i>	
Electrical Dispersion Compensation for 40-Gbit/s Polarization-Multiplexing DQPSK Utilizing MIMO DFEs	638
<i>J. Li, L. Zhang, F. Zhang, Z. Chen</i>	
Dispersion Compensation of DQPSK Signal Using Multi-Chip Joint Maximum-Likelihood Sequence Estimation	640
<i>J. Zhao, L. Chen</i>	
Fiber-Nonlinearity Equalization by Maximum-Likelihood-Sequence Estimation (MLSE) in Digital Coherent Receivers	642
<i>M. Khairuzzaman, C. Zhang, K. Igarashi, K. Katoh, K. Kikuchi</i>	
Electrical Compensation of FWM Impairment by Heterodyne Detection Using Backward Propagation	644
<i>J. Liang, K. Iwashita</i>	
90-Deg Light Path Conversion Waveguide Device with Hybrid Comb Clad	646
<i>M. Kanda, K. Goto, O. Mikami</i>	
45° Micromirror Embedded in a Single-Mode Waveguide Fabricated by Using Liquid Immersion Exposure	648
<i>K. Kintaka, J. Nishii, T. Muranishi, K. Shimizu, J. Inoue, K. Nishio, S. Ura</i>	
Imprinting of Thermo-Optic Polymer-Waveguide Mach-Zehnder Interferometer with Bottom-Up Electric Heating	650
<i>K. P. Lor, K. S. Chiang, Q. Liu, H. P. Chan</i>	
Classical Geometric Optics Limit of Bend Loss in Multimode Waveguides	652
<i>J. Love, L. Parker</i>	
Efficient Design of Polarization Independent Polymer Optical Waveguide Devices	654
<i>M. F. Hossain, H. P. Chan, M. A. Uddin, R. K. Y. Li</i>	
Design of a High Efficiency Wide-Band 60 Degree Y-Branch for TE Polarization	656
<i>H. Kaatuzian</i>	
Large Bandwidth, Phase Tunable DQPSK Demodulator	658
<i>Y. Gao, X. Yangqiao, S. He</i>	
Wavelength Dependence of Waveguide- Type Optical Circuit for Recognition of Optical QPSK Labels in Photonic Router	660
<i>Y. Makimoto, H. Hiura, N. Goto, S-I. Yanagiya</i>	
Performance Evaluation of Packet Multiplexing with Flow Aggregation in Multi-Wavelength Optical Packet Networks	662
<i>Y. Okamura, H. Imaizumi, K. Hisadome, O. Ishada, H. Morikawa</i>	
280Gb/s Hybrid Optical Switching Demonstration Combining Circuit and Multi-Wavelength Packet	664
<i>H. Imaizumi, K. Watabe, T. Tanemura, Y. Nakano, H. Morikawa</i>	
Modulation Formats Comparison in a Prototype 640 Gbit/s/port Optical Packet Switching System	666
<i>S. Zsigmond, H. Furukawa, N. Wada, T. Miyazaki</i>	
Optimum Power Tapping Ratio for E-CDMA Control Signaling Technique in WDM Packet Networks	668
<i>N. Nadarasjah, A. Nirmalathas</i>	
200Gb/s Multi-Wavelength Optical Packet Switching with 2ns Ultra-Fast Optical Switch	670
<i>M. Takagi, H. Imaizumi, T. Tanemura, S. Iio, M. Suehiro, Y. Nakano, H. Morikawa</i>	
4K Uncompressed Streaming over Colored Optical Packet Switching Network	672
<i>N. Kataoka</i>	
Colloidal NanoCrystal-Based Light-Emitting Diodes Fabricated on Plastic - Towards Flexible Quantum Dot Optoelectronics	674
<i>J. Xu, Z. Tan, C. Zhang, F. Zhang, S. Pickering</i>	
Epitaxy of III-V Semiconductor Nanowires Towards Optoelectronic Devices	676
<i>Q. Gao, H.J. Joyce, S. Paiman, H.H. Tan, Y. Kim, L.M. Smith, H.E. Jackson, J.M. Yarrison-Rice, X. Zhang, J. Zou, C. Jagadish</i>	
GaAs<110> Nanowires: Planar, Self-Aligned Twin-Free, High- Mobility and Transfer- Printable	678
<i>S. Fortuna, I.S. Chun, J. Wen, R. Dowdy, X. Li</i>	
Optical Signal Processing up to 1.28 Tbit/s	680
<i>H.C.H. Mulvad, L.K. Oxenløwe, M. Galili, A.T. Clausen, J. Xu, E. Palushani, H. Ji, P. Jeppesen</i>	
Enhanced Performance of NOLM-Based 2R Regenerator by Using Optical Bandpass Filter	682
<i>H.G. Choi, J.Y. Huh, Y. Takushima, Y.C. Chung</i>	
Optical 3R Regeneration for 10 Synchronous Channels Using Self-Phase Modulation in a Bidirectional Fiber Configuration	684
<i>K-M. Chong, L.K. Chen</i>	
Efficiency of Using a Self-Phase-Modulation-Based Pulse Compressor in Mamyshev Regenerator for 42.6 Gbit/s RZ-33	686
<i>T. N. Nguyen, T. Chartier, L. Bramerie, M. Gay, Q. T. Le, S. Lobo, M. Joindot, J.-C. Simon</i>	
All-Optical Clock Recovery of NRZ-DPSK Signals Using Optical Resonator-Type Filters	688
<i>C. Peucheret, J. Seoane, H. Ji</i>	
Parabolic Pulse Shaping for Enhanced Continuum Generation Using an LCoS-Based Wavelength Selective Switch	690
<i>A.M. Clarke, D.G. Williams, M.A.F. Roelens, M. R.E. Lamont, B.J. Eggleton</i>	
Localized Surface Plasmon Coupled Fluorescence Fiber-Optic Biosensor for Severe Acute Respiratory Syndrome Coronavirus Nucleocapsid Protein Detection	692
<i>Y-F. Chang, J.C. Huang, L-C. Su, Y-M.A. Chen, C.C. Cheng, C. Chou</i>	

Creating Plasmonic Hot-zone in Hollow Metal Disk for Cascaded Enhanced Surface-Enhanced Raman Scattering	694
<i>H. Zhang, H.P. Ho</i>	
Paired Surface Plasma Waves Biosensor on PSA Detection	696
<i>L.C. Su, Y.F. Chang, Y.C. Li, C.C. Lee, C. Chou</i>	
Plasmonic Biosensing and Imaging with Metal Nanoslits	698
<i>L.Y. Yu, C.Y. Lin, J.C. Hsu, S.H. Chang, S.J. Chen</i>	
Excitation of Long-Range Surface Plasmon Mode with Long-Period Waveguide Grating for Refractive-Index Sensing	700
<i>Q. Liu, K.S. Chiang</i>	
Demultiplexing of Photonic Crystal Fibre Sagnac Interferometric Pressure Sensors using Discrete Wavelet Transform	702
<i>A.C.L. Wong, H.Y. Fu, H.Y. Tam, C. Lu</i>	
Tunable Band-Rejection Filter Based on Twisting a Rotary Long-Period Fiber Grating	704
<i>T. Zhu, Y. Rao, K. Chiang, C. Shi</i>	
CO₂-Laser Writing of Long-Period Gratings in Tensioned Boron-Doped Fibers	706
<i>C. Zhang, K. Chiang</i>	
Long Period Fiber Grating Couplers Induced by Periodic Pressure	708
<i>X. Zhou, C. Chen, Z. Zhang, Z. Qin, Y. Liu</i>	
Ultra-strong Regenerated Gratings	710
<i>J. Canning, J. Fenton, M. Stevenson</i>	
Ultrashort Laser Pulse Induced Core-mode Blocker and Its Application to Fabrication of All-fiber Bandpass Filter	712
<i>S. Lim, J. Kim, K. Lee, S. Lee, B. Kim</i>	
Second-Order Fiber Bragg Gratings	714
<i>N.H. Sun, J.J. Liao, S.C. Lin, J.S. Chiang, W.F. Liu</i>	
Generation of Parabolic Pulse Through All-solid Dispersion Decreasing Bragg Fiber	716
<i>B. Nagaraju, G.P. Agrawal, R.K. Varshney, B.P. Pal</i>	
Optical Performance Monitoring in Phase-modulated Transmission Systems	718
<i>B. Kozicki, H. Takara, A. Maruta, K.I. Kitayama</i>	
Optical Channel Monitoring Technique Using Coded Identification with Alternated Pilot Tone and Idle Space	720
<i>S. Shen, G. Liu, X. Shi, J. Qi, S. Zhang, Q. Xiong</i>	
Passive Wavelength Monitor Based on Birefringent Crystals	722
<i>S. Wang, C.H. Cheng, J. Yue</i>	
OTDR Used for Providing Security Service in EPON	724
<i>Z.L. Ran, Y.J. Rao, L.W. Luo, S. Xiong, Q. Deng</i>	
In-Line Monitoring Technique with Visible Light for Optical Access Systems by Using 1.3 μm-Band QPM-LN Module	726
<i>T. Kubo, T. Taniguchi, O. Tadanaga, N. Sakurai, H. Kimura, K. Kumozaki, M. Asobe</i>	
InAs QDs Broadband LED using Double-Cap Procedure and Selective MOVPE Growth	728
<i>Y. Saito, M. Akaishi, T. Inoue, Y. Suzuki, F. Kawashima, K. Shimomura</i>	
GaN-based Monolithic LED Micro-arrays	730
<i>Z. Liu, K. Wong, C. Tang, K. Lau</i>	
Optical Signal Processing in SOI Waveguide Devices	732
<i>Y. Su, Q. Li, F. Liu, Q. Chang, T. Wang, Z. Zhang, M. Qiu</i>	
Simultaneous WDM-Channel NRZ to RZ Format Conversion With Wide Pulsewidth Tunability Using Nonlinearities in SOA and Fiber	734
<i>H. Tan, M. Matsuura, T. Katafuchi, N. Kishi</i>	
Fiber-based Optical Phase Conjugation with Raman Amplification	736
<i>J.Y. Huh, Y. Takushima, Y.C. Chung</i>	
Photonic Microwave Frequency Measurement Using Lorentzian-weighted Spectrum-sliced Beams	738
<i>Y. Chang, J. Lee</i>	
Linearity of All-Optical Frequency Upconverter Utilizing Four - Wave Mixing for Radio-Over-Fiber Applications	740
<i>H.J. Kim, S.H. Lee, H.J. Song, B.M. Jung, J.I. Song</i>	
Tunable Subcarrier Frequency Up-conversion in Millimetre-Wave Band Using Photonic Crystal Fibers	742
<i>S. Li, X. Zheng, H. Wen, H. Zhang, B. Zhou</i>	
Ultrasensitive Twin-core Photonic Bandgap Fiber Refractive Index Sensor	744
<i>W. Yuan, G. Town, O. Bang</i>	
Optical Fiber Harsh Environment Sensors	746
<i>H. Xiao, T. Wei, X. Lan, Y. Zhang</i>	
Technology Development for Deep Tissue Multiphoton Imaging	748
<i>C. Xu</i>	
Anatomical Optical Coherence Tomography: a Photonic Endoscopic Medical Imaging Modality	749
<i>D. Sampson</i>	
Selective Excitation of the Fundamental Mode in a Multimode Fiber using an Adiabatically Tapered Splice	751
<i>Y. Jung, Y. Jeong, G. Brambilla, D. Richardson</i>	
Self-Assembled Periodic Microfluidic Structures in a Hollow Optical Fiber	753
<i>S. An, W. Ha, Y. Jung, K. Oh</i>	
Direct and Evanescent Interaction in Carbon Nanotube based Photonic Devices by Using Laser Inscribed Fiber Structures	755
<i>A. Martinez, K. Zhou, I. Bennion, S. Yamashita</i>	

Demonstration of Reflected Microfiber Ring Resonator	757
<i>Z. Yu, Z. Xinliang, X. Enming, H. Dexiu</i>	
Ultra Low Bending Loss at Visible Wavelength in a Double-trenched Optical Fiber	759
<i>P. Watekar, S. Ju, W.T. Han</i>	
Dynamic Control of Zero-dispersion Wavelength of Optical Fiber by Pumping with LD	761
<i>S. Jeong, S. Ju, P. Watekar, W.T. Han</i>	
Demonstration of 2.5Gbps SPE-OCDMA Transmission Using Time Domain Spectral Phase En/Decoding with LCFBG	763
<i>Z. Gao, X. Wang, N. Kataoka, N. Wada</i>	
Performance Improvement of 16-Level-Phase-Shifted SSFBG Encoder/Decoder for OCDMA System using Apodization Technique	765
<i>N. Kataoka, X. Wang, G. Cincotti, N. Wada, K.I. Kitayama</i>	
Sourceless Colorless OCDMA-PONs	767
<i>G. Cincotti, N. Kataoka, N. Wada, K.I. Kitayama</i>	
Multiple Access Interference Reduction by Limiting Receiver Bandwidth on Fourier Code Based-OCDM System	769
<i>M. Hanawa</i>	
Transmission of Sensor Data over WDM-PON Using CDMA Coding	771
<i>B. Choi, E.M. Yeo, J. Kim, Y. Park</i>	
Cu₂ZnSnS₄ Thin Films Prepared by Ionic Liquid Electrodeposition	773
<i>C.P. Chan, H. Lam, C. Surya</i>	
Influence of RF Power Density on the Nanocrystallization of Ar Diluted Si:H Thin Films Deposited by PECVD	775
<i>Z. Li, W. Li, C. Haihong, G. Yuguang, Q. Yijiao, J. Yadong</i>	
Intermediate Band Solar Cells	777
<i>A. Marti, A. Luque</i>	
Fabrication and Characterization of Ni/GaN Schottky Junction Erythematous UV Detectors	779
<i>H.F. Lui, W.K. Fong, C. Surya</i>	
A Novel Modeling of Gain Profile of the MQW-SOAs	781
<i>S. Shimizu, H. Uenohara</i>	
Design and Fabrication of Centrifugal Microfluidic Disk for Allergic Response Monitoring	783
<i>Q.L. Chen, H.P. Ho, W.J. Li, Y.K. Suen, S.K. Kong, C.K. Wong</i>	
Recent Advances in Undersea Long-Haul Transmission	785
<i>J-X. Cai</i>	
80 Gbit/s ? Polarization Multiplexed Star- 16QAM WDM TRansmission over 720 km SSMF with Electronic Distortion Equalization	787
<i>R. Freund, H. Louchet, M. Grunner, L. Molle, M. Seimetz, A. Richter</i>	
8x 107 Gbit/s Serial WDM Field Trial over 500 km SSMF	789
<i>S. Vorbeck, D. Breuer, K. Schuh, B. Junginger, E. Lach, W. Ilder, A. Klekamp, G. Veith, M. Schneiders, P. Wagner, C. Xie, D. Werner, H. Haunstein, M. Paul, A. Ehrhardt, R.P. Braun</i>	
O-Band DWDM Transmission Over 24km PCF by Using Optical Frequency Comb Based Multi-Carrier Source	791
<i>T. Sakamoto, T. Yamamoto, K. Kurokawa, S. Tomita</i>	
Optical Flow Switching	793
<i>V.W.S. Chan</i>	
Study of Doping Process Influence the Fibers Photosensitivity	796
<i>F. Tu, J. Lou, H. Wang, C. Yang, X. Qian, D. Liu</i>	
Direction-Sensitive Fiber-Optic Bending Sensor Using a Sampled Chirped Fiber Bragg Grating	798
<i>O-J. Kwon, H-J. Kim, S. Cu, M-S Yoon, W. Dong, Y-G. Han</i>	
Improved Arrayed Waveguide Grating-based Interrogation System for Fiber Bragg Grating Sensors	800
<i>M-I. Comanici, L.R. Chen</i>	
A π-Phase-Shifted Fiber Bragg Grating Fabricated Using a Single Phase Mask	802
<i>S.P. Yam, Z. Brodzeli, B.P. Kouskousis, C.M. Rollinson, S.A. Wade, G.W. Baxter, S.F. Collins</i>	
Novel Fiber Bragg Grating Sensing Scheme Based on Radio-Frequency Signal Measurement	804
<i>W. Liu, H. Fu, A.P. Zhang, S. He</i>	
Fabrication of Long-Period Fiber Gratings by Using of a Femtosecond Laser Source	806
<i>S. Liu, W. Jin, L. Jin, D.N. Wang, C. Liao, Y. Wang</i>	
Sensing Characteristics of Bragg Grating in Pure-Silica Polarization-Maintaining Photonic Crystal Fiber	808
<i>B-O. Guan, D. Chen, Y. Zhang, H-Y. Tam</i>	
Application of Carbon Nanotubes for Mode-Locked Fiber Lasers and Nonlinear Devices	810
<i>S. Yamashita, A. Martinez, K.K. Chow</i>	
Long Range Surface Plasmon Polariton Based Polarization Splitter with Pure TM-mode Output	812
<i>F. Liu, R. Wan, Y. Li, Y. Huang, Y. Miura, D. Ohinshi, J. Peng</i>	
On-Chip Optics for Manipulating Light in Polymer Chips	814
<i>J. Godin, S.H. Cho, Y-H. Lo</i>	
Silicon Nano- and Micro-photonic Devices	816
<i>R.T. Chen, H. Subbaraman</i>	
Simple Finite-Difference Time-Domain Method for Triangular Lattice Photonic Crystals	818
<i>A.V. Umenyi, K. Miura, O. Hanaizumi</i>	
A Simple Multicast Overlay Scheme for WDM Passive Optical Networks with Symmetric Two-Way Traffic	820
<i>Y. Qiu, C.K. Chan</i>	
Transmission of Multi-Carrier Satellite Video with 10Gbps- Class-PON Signal by Cascaded Modulation Scheme	822
<i>M. Yamamoto, K. Akita, K. Kikushima</i>	

A Linear Bus Wavelength-Reuse WDM-PON with Simple Add/Drop Nodes	824
<i>H-H. Lee, S-H. Cho, B-W Kim, S-S. Lee</i>	
Reflective Semiconductor Optical Amplifiers in Passive Optical Networks	826
<i>C. Michie, T. Kelly, I. Andonovic</i>	
Four Wave Mixing in Ultra-Dense WDM Hybrid PON with Wavelength-Drifting Coarse WDM Optical Transmitters	828
<i>M. Bouda, T. Naito</i>	
Power Reduction by Using Passive Optical Technology for Enterprise Networks	830
<i>S. Yamakawa, S.L. Jansen, R. Sebastian</i>	
Wireless Techniques in Optical Transport	832
<i>C.F. Lam</i>	
Strain - compensated InGaAs/InAlAs Quantum Cascade Lasers	835
<i>L. Feng-Qi, W. Zhanguo, L. Lu, W. Lijun, L. Junqi</i>	
Long-Wavelength VCSELs With Enhanced Modulation Bandwidth	837
<i>W. Hofmann</i>	
Actively Mode-Locked VCSEL Module with Double-Path Resonance Configuration	839
<i>H. Takanashi, T. Kato, A. Matsutani, T. Sakaguchi, T. Miaguchi, K. Kobayashi</i>	
Ring Defect Photonic Crystal Vertical Cavity Surface Emitting Laser Based on Coherent Coupling	841
<i>A. Liu, H. Qu, W. Chen, M. Xing, W. Zhou, W. Zheng</i>	
High Polarization Single Dipole Mode Photonic Crystal Microlaser	843
<i>W. Chen, M. Xing, W. Zhou, A. Liu, L. Chen, W. Zheng</i>	
Spectrally-Efficient High-Speed Optical Transmission Technologies	845
<i>Z. Zhou, J. Yu</i>	
Multi-Level 2-D Optical-CDMA Codes With Arbitrary Cross-Correlation Values	847
<i>C-C. Sun, G-G. Yang, C-Y. Chang, W.C. Kwong</i>	
Enhanced Sensitivity of D_xPSK Receiver by Using Data-Aided Phase Noise Estimation Algorithm	849
<i>Y. Takushima, H.Y. Choi, Y.C. Chung</i>	
Phase-Modulated Subcarrier-Multiplexed Transmission Systems	851
<i>H. Kim</i>	
An Optical FSK Transmitter Based on Phase Modulator Embedded Optical Loop Mirror and Optical Carrier Suppression	853
<i>Y. Qiu, C-K. Chan</i>	
High-Precision and One-End Accessible Brillouin Optical Time Domain Analysis System Using Round - Tripped Phase-Modulated Probe Light	855
<i>K. Tsuji, M. Oiwa, S. Minami, N. Onodera, M. Saruwatari</i>	
Optimization Of Stimulated Brillouin Scattering Suppression for BOTDR Fiber Optic Sensor Using Design of Experiment	857
<i>E.S.Z. Yan, L.S. Chyan</i>	
Distributed Sensing: From Rayleigh to Brillouin Scattering	859
<i>X. Bao, J. Snoddy, Y. Li, W. Li, L. Chen</i>	
An Important Milestone of Distributed Fiber Optical Sensing Technology: Separate Temperature and Strain in Single SM Fiber	861
<i>K. Kishida, K. Nishiguchi, C-H. Li, A. Guzik</i>	
Author Index	