

THE THIRD NORTH AMERICAN CONFERENCE ON THE DESIGN AND USE OF SELF-CONSOLIDATING CONCRETE

Challenges and Barriers to Application

PROCEEDINGS VOLUME 1

EDITED BY SURENDRA P. SHAH
CENTER FOR ADVANCED CEMENT-BASED MATERIALS

NOVEMBER 10-12, 2008 CHICAGO MARRIOTT O'HARE

SCC 2008: Challenges and Barriers to Application

The Third North American Conference on the Design and Use of Self-Consolidating Concrete

Copyright © 2009 The Center for Advanced Cement-Based Materials www.acbm.info

Printed in the United States of America

Additional copies of this publication are available from:

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571 USA Phone: (845) 758-0400

E-mail: curran@proceedings.com Bookstore: www.proceedings.com

Reproduction of any part of this work beyond that permitted by the U.S. Copyright Act without permission from the copyright owner is unlawful. Requests for permission or further information should be addressed to the Center for Advanced Cement-Based Materials.

ISBN 978-1-61567-663-7

Contents

| | Introduction | . iii |
|----|---|-------|
| | Sponsors | . iii |
| | SCC 2008 Organizing Committee | . iv |
| | SCC 2008 International Scientific Committee | . iv |
| Se | ection 1: Architectural and Precast Concrete | |
| | Relationship Between SCC Specification and Casting Conditions for Architectural SCC and the Effect on Superficial Defects A. Pacios, D. González, J.M. Escrivá, and V. Climent | 3 |
| | Self-Compacting Architectural Concrete – Practical Remarks | 9 |
| | Long Term Behavior of SCC Precast Members | . 16 |
| | SCC Compressive Strength Variation in Precast Beams and Columns Daniel Hastenpflug and Wellington Longuini Repett | . 23 |
| | Self-Consolidating Concrete for R/C Precast Elements in Romania | . 29 |
| | European Experiences with Self-Compacting Concrete in Precast Concrete Industry | . 35 |
| | Applications of High Strength SCC in Building Construction | . 40 |
| Se | ection 2: Case Studies | |
| | How To Increase the Market of Ready Mixed SCC – Experiences from Nordic Countries | . 49 |
| | Online Measurement of Air Content in Fresh SCC Aulis Kappi and Erik Nordenswan | . 59 |
| | Pump Application for Self-Compacting Concrete under Extreme Conditions | . 64 |
| | SCC Technology and Concrete Manufacturers' Role | . 70 |

| | Successful In-Situ Casting With SCC – From an Economical and Rheological Point of View | . 74 |
|-----|---|-------|
| | Lars N. Thrane, Claus V. Nielsen, Claus Pade, Mette Glavind, and Jørgen Schou | |
| | Measurements During Concrete Processing in Central Mixed Concrete Plants | . 80 |
| | Evaluations of Self-Consolidating Concrete Using West Virginia Aggregates | . 85 |
| | Use of Self-Consolidating Concrete for Bridge Repairs | . 91 |
| | The Application of SCC in Taiwan C.L. Hwang, C.H. Chang, C.T Chen, and T.J. Chen | . 98 |
| | Industrialized Construction: Benefits Using SCC and Innovative Production Methods | 103 |
| | Damming the Dam | 109 |
| | SCC as Mass Concrete with Blast Furnace Slag Cement Ariel Goldman and Jeshayahu Sokal | . 115 |
| | Behavior of Self-Consolidating Concrete at Cryogenic Temperatures **Caroline Talbot** | 120 |
| | In Situ Quality Control of Self-Compacting Concrete Sara Cattaneo, Francesca Giussani, and Franco Mola | 125 |
| | Experiences with SCC Mixes Used for Precast Elements and Field Applications in Slovenia | 132 |
| | Testing the Theory | 137 |
| | Specification and Compliance Criteria for SCC – The Norwegian Procedure | 143 |
| Sec | ction 3: Chemical Admixtures | |
| | Development of New Superplasticizer and Its Application in Self-Consolidating Concrete | 151 |
| | Polycarboxylate Admixture Technology for Precast Self-Consolidating Concrete | 157 |

| A New Slump-Loss-Controlling Agent without Affecting Early Strength Properties | 163 |
|--|-----|
| The Next Generation of High-Range Water-Reducers for Self-Consolidating Concrete Applications | 169 |
| Development of Advanced Superplasticizer for Self-Consolidating 100-150MPA High Strength Concrete and Application to High Rise Buildings | 175 |
| Effect of Comb-Type Copolymer with Different Side Chain Lengths on the Rheological Performance of Cement-Active Mineral Admixture | 183 |
| Re-Use of GRP Industrial By-Product as Filler for SCC | 190 |
| Study of Fresh Properties of High Strength SCC Using Chemical Admixture with Different Molecule Structures | 196 |
| Effect of the Cement Admixture Interaction on the Workability Retention from the Aqueous and Solid Phase Study | 203 |
| Section 4: Durability | |
| A Rapid Method for Determination of Chloride Migration Coefficient of Concrete Using Electrical Field | 211 |
| Applicability of Durability Requirements of the European Standard EN 206-1 to Self-Compacting Concrete | 217 |
| Influence of Wet Curing Period on Salt Frost Scaling Resistance of SCC with Limestone Filler | 223 |
| Durability of Self-Consolidating Concrete Exposed To Aggressive Natural Atmospheres M. Sánchez, M.C. Alonso, and B. Barragán | 228 |
| Influence of Alkali Sulfate on Superplasticizer Performance in Cement Paste | 234 |

| Sec | ction 5: Emerging Technologies |
|-----|---|
| | Influence of Cement Composition and Admixture Dosage on Properties of Rapid-Setting SCC for Repair Applications – Lessons Learned |
| | Prashant V. Ram and Jan Olek |
| | Curling of Self-Leveling Screeds |
| | SCC for Concrete Pavement Repair |
| | Superlightweight Self Compacting Concrete |
| | Comparison of Workability and Mechanical Properties of Normal and Lightweight SCCs with and without Steel Fibers |
| | M.A. Tasdemir, H.N. Atahan, I. Gokalp, and M. Yerlikaya |
| | Aggregate Collision and Particle-Fluid Model for Highly Flowable Mortar |
| | Self-Consolidating Pervious Concrete |
| | FHWA's Perspective on the Progress of SCC Applications |
| Sec | ction 6: Formwork Pressure |
| | Modeling Formwork Pressure of SCC |
| | David A. Lange, Benjamin Birch, Jacob Henschen, Yi-Shi Liu, Fernando Tejeda-Dominguez, and Leslie J. Struble |
| | The Influence of Workability Loss and Thixotropy on Formwork Pressure in |
| | Self-Compacting Concrete Containing Stabilizers |
| | Test Methods to Evaluate Form Pressure of SCC |
| | Prediction Model for SCC Formwork Pressure |
| | Fresh Concrete Pressure of Self-Compacting Concrete on a Vertical Formwork |
| | Residential Construction Based on Integral Formworks |
| | The Use of Methylcellulose-Based Viscosity Modifying Agents for Self-Compacting Concrete 335 Andreas Leemann, Cathleen Hoffmann, Frank Winnefeld, Marc Schmitz, and Roland Bayer |

Contents

ix

| Sec | ction 7: Fiber-Reinforced SCC |
|-----|---|
| | Effect of Fine to Coarse Aggregate Ratio on Workability and Fracture Properties of Steel Fiber Reinforced Self Consolidating Concrete |
| | Mert Yucel Yardimcia, Bulent Baradana, and Mehmet Ali Tasdemir |
| | Fiber Reinforced Self-Compacting Concrete with High Wear Resistance |
| | Fiber Reinforced Self-Compacting Concrete for Structural Applications |
| | Effect of Fiber Type on Workability and Mechanical Properties of SCC |
| | Effect of Polypropylene and Steel Fibers on Properties of Self-Compacting Concrete |
| | H. Yildirim, B. Sertbas, V. Berbergil, and A. Naaman |
| | Shrinkage Cracking of Steel Fibre Reinforced SCC Overlays Jonas Carlswärd and Mats Emborg 373 |
| Sec | ction 8: Hydration |
| | Hydration, Microstructure, Transport Properties and Durability of Self-Compacting Concrete |
| | Impact of Aluminate Ions on the Properties of Saltstone Grout Mixes |
| | Effect of Nano Particles in New Generation of Concretes, SCC |
| | DR-FTIR Method for the Study of Early Hydration of Cement |
| | Nano Scale Characterization of Self-Consolidating Concrete |
| | Impact of Calcium Carbonate Morphology on Self-Compacting Concrete Performance |



THE THIRD NORTH AMERICAN CONFERENCE ON THE DESIGN AND USE OF SELF-CONSOLIDATING CONCRETE

Challenges and Barriers to Application

PROCEEDINGS VOLUME 2

EDITED BY SURENDRA P. SHAH
CENTER FOR ADVANCED CEMENT-BASED MATERIALS

NOVEMBER 10-12, 2008 CHICAGO MARRIOTT O'HARE

SCC 2008: Challenges and Barriers to Application

The Third North American Conference on the Design and Use of Self-Consolidating Concrete

Copyright © 2009 The Center for Advanced Cement-Based Materials www.acbm.info

Printed in the United States of America

Additional copies of this publication are available from:

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571 USA Phone: (845) 758-0400

E-mail: curran@proceedings.com Bookstore: www.proceedings.com

Reproduction of any part of this work beyond that permitted by the U.S. Copyright Act without permission from the copyright owner is unlawful. Requests for permission or further information should be addressed to the Center for Advanced Cement-Based Materials.

ISBN 978-1-61567-663-7

Contents

| Section 9 | 9: Mechanical Properties — Modeling |
|----------------------|---|
| | of Different Prediction Models to Compare the Mechanical perties of Self Compacting Concrete and Conventional Concrete |
| Post- | -Peak Response of Confined SCC |
| | d Strength of Reinforcing Bars in Self-Compacting Concrete: erimental Determination |
| | ning Fibers Along the Flow Direction for High Mechanical Performance elf Consolidating SFRC |
| Mec | hanical Properties of Self-Compacting Concrete at High Temperature and After Cooling 445 Patrick Bamonte, Roberto Felicetti, and Pietro G. Gambarova |
| Bono | d Strength of Self Consolidating Concrete |
| | nence of Elevated Temperatures on the Mechanical Properties elf-Consolidating Concrete (SCC) Containing Pozzolanic Materials |
| Section ¹ | 10: Mix Design |
| Rhec | ology of Fiber Reinforced Cementitious Materials: Classification and Prediction |
| Mix- | -Design Optimization of Steel Fiber Reinforced SCC |
| | uation of SCC Mix Design for Moderately- and Heavily-Reinforced nbers Using West Virginia Aggregates |
| | ct of Aggregate Type on Modulus of Elasticity of Strength Self Consolidating Concretes |
| Influ | nence of Silt Content of Fine Aggregate on the Properties of Concrete |

| | Wet Particle Packing Analysed with the Krieger-Dougherty Equation |
|-----|---|
| | Mix Design of Self-Compacting Concrete – From the Laboratory to the Concrete Plant |
| | Performance of SCC Obtained with Different Mortar Contents |
| Sed | ction 11: Rheology |
| | Self-Compactability of Fresh Concrete in Terms of Dispersion and Coagulation of Particles of Cement Subject to Pumping |
| | Impact of Fine Aggregate Volume on Rheology of Mortar for Self Compacting Concrete (SCC) |
| | Production Related Aspects of Self-Compacting Concrete |
| | Influence of Hauling Time on Fresh Performance of Self Consolidating Concretes |
| | A Novel Field Instrument to Measure Rheological Properties of Self-Compacting Concrete 534 Olafur H. Wallevik and Bjorn Hjartarson |
| | Sensitivity of SCC Mortar Mixtures to Cement Variations |
| | Effect of the Temperature and Waiting Conditions on the Rheological Parameters of Self-Compacting Concrete |
| Sed | ction 12: Rheology and Workability |
| | Determination of Rheological Parameters of Self-Consolidating Concrete Using Computational Fluid Dynamics |
| | Particulate Reference Materials for Rheometers |
| | Use of Viscosity-Modifying Admixtures to Enhance Robustness of SCC |
| | How to Obtain a Self Compacting Concrete with No Filler Addition by Studying Paste Rheology Faber Fabbris 572 |

| Particle Dependency of Self-Compacting Concrete Rheological Properties on the Aggregate Volume Fraction: A Change of Scale Approach |
|---|
| Influence of Cement Composition on Concrete Rheology |
| Method of Retrieving the Herschel-Bulkley Parameters When Using the (Wide-Gap) Coaxial Cylinders Viscometer |
| Tuning Properties of Paste Layers |
| Smart Dynamic Concrete: New Approach for the Ready-Mixed Industry |
| Rheological Evaluation of Soy Methyl-Ester Polystyrene (SME-PS) Blends |
| in Cement Pastes |
| Effects of Solids Packing Density on Rheology of SCC-Equivalent Mortar |
| Effect of Coarse Particle Volume Fraction on the Yield Stress and Thixotropy of SCC |
| Self-Consolidating Concrete for Floor Slab and Screed Applications |
| Full Scale Pumping Tests on SCC: Test Description and Results |
| Full Scale Pumping Tests on SCC: Application of the Modified Hattori-Izumi Theory |
| Cement-Admixture Interaction – The Effect of Different Cement Deliveries on Rheology, Workability and Hydration of Mortar and SCC |
| Evaluation of the Pressure-Loss-Causing Mechanism of Self-Compacting Concrete |
| The Thixometer: A Simple Test Allowing for the Measurement of the Thixotropic Behavior of SCC |
| Effects of Coarse Aggregate Grading on Performance of Self-Consolidating Concrete |

| Sed | ction 12: Rheology and Workability (continued) | |
|-----|---|-----|
| | Rheological Description of Optimized Paste for SCC | 664 |
| | Influence of Demoulding Oil on the Rheological Properties of Fresh SCC Dimitri Feys, Ronny Verhoeven, and Geert De Schutter | 670 |
| | Research on Flocculation of Cement Particles in Water | 675 |
| Sec | ction 13: Segregation | |
| | Modeling Segregation of SCC | 685 |
| | Development of Test Method to Evalute Dynamic Segregation Resistance of Self-Compacting Concrete Zhuguo Li and Minoru Iidaka | 691 |
| | Static and Dynamic Yield Stress Measurements of SCC | 698 |
| | A Rapid Evaluation of Stability of Self-Consolidating Concrete | 704 |
| | Measuring Dynamic Segregation of SCC | 710 |
| | Predictive Analysis of Components to Obtain an Oriented Robustness | 714 |
| Sed | ction 14: Structural Behavior | |
| | The Transfer of Shear Forces on the Surface of Self-Compacting Concrete | 723 |
| | Experimental and F.E Modelling of Prestressed SCC-T-Beams | 729 |
| | Bond Strength in Limestone Self-Compacting Concrete | 736 |
| | Behavior of Self-Compacting R.C. Beams | 742 |
| | Structural Behavior of SCC Prestressed Girders | 749 |
| | Research into Properties of Self-Compacting Concrete Beams under Combined Actions Yu Zhiwu, Liu Xiaojie, and Chen Xuewen | 755 |

| Section | 15: Sustainability and Green SCC |
|---------|---|
| Eco | -Efficiency Analysis of Self-Consolidating Concrete (SCC): How to Make SCC Greener 763 Andreas Tselebidis and Mark A. Bury |
| | relopment of Sustainable Fiber Reinforced Self Compacting Concrete ng Recycled Aggregate |
| Ben | efits of Filler Materials on Rheology in Eco-SCC |
| Effe | ect of the Cement Kiln Dust as Filler in SCC |
| Taiv | wan Experience of Green Design and Performance of SCC |
| SCO | C with Secondary Raw Materials |
| Section | 16: Time-Dependent Properties |
| Cre | ep Behavior of Self-Consolidating Concrete |
| Eva | luation of Time Dependent Properties of a SCC Mix |
| Tota | al and Basic Creep and Shrinkage of Self-Consolidating Concrete |
| | uence of Aggregate Grading and Cement Paste Volume on Drying Shrinkage Self Consolidating Concrete |
| | luation of the Eurocode EC-2 and ACI 209-92 Shrinkage Estimating Model blied to Self Consolidating Concrete |
| | nparison Between Long Term Properties of Self Compacting Concretes with Serent Strength |
| Shri | inkage of Medium Strength Self-Consolidating Concrete |