

16th World Congress and Exhibition on Intelligent Transport Systems 2009

16th ITS World Congress

**Stockholm, Sweden
21-25 September 2009**

Volume 1 of 8

ISBN: 978-1-61738-589-6

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2009) by Intelligent Transportation Systems and Services for Europe (ERTICO)
All rights reserved.

Printed by Curran Associates, Inc. (2010)

For permission requests, please contact ERTICO
at the address below.

Intelligent Transportation Systems and Services for Europe (ERTICO)
Blue Tower – 2nd Floor
Avenue Louise 326
B-1050 Brussels
Belgium

Phone: +32 (0)2 400 0700

Fax: +32 (0)2 400 0701

info@mail.ertico.com

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

| | |
|--|-----|
| CAR FOLLOWING ANALYSIS USING DGPS DATA FOCUSING ON GM1 MODEL | 1 |
| <i>J. Jang, J. Oh, S. Byun</i> | |
| STUDY ON DRIVER DISTRACTION DETECTION USING PATTERN RECOGNITION FOR THE REDUCTION OF TRAFFIC ACCIDENTS | 9 |
| <i>M. Miyaji, H. Kawanaka, K. Oguri, M. Danno</i> | |
| PARTNERSHIP IN A REAL-TIME WORLD USE THE IT POTENTIAL | 17 |
| <i>M. Buch-Larsen</i> | |
| A REGULATORY ON-BOARD MASS MONITORING APPLICATION FOR HEAVY VEHICLES IN AUSTRALIA | 25 |
| <i>C. Karl, D. Cai, C. Koniditsiotis, L. Davis</i> | |
| DYNAMIC DATA ACQUISITION AND PARAMETERS ESTIMATION FOR TRAFFIC PREDICTION | 33 |
| <i>T. Chang, Y. Hsu</i> | |
| DESIGN AND SIMULATION OF A DYNAMIC HOT LANE CONTROL SYSTEM FOR HIGHWAY NO. 1 IN ISRAEL | 45 |
| <i>T. Sachse, A. Leonhardt</i> | |
| ROAD NETWORK REPRESENTATION USING DIJKSTRA’S SHORTEST PATH ALGORITHM | 57 |
| <i>Y. Wang, J. Vrancken, M. Dos Santos Soares</i> | |
| THE PRINT CONCEPT PRIORITY OF COMMERCIAL TRUCKS WITHIN COORDINATED SIGNALLING AND LANE ASSIGNMENT | 62 |
| <i>O. Tveit, B. Bang</i> | |
| THE VAIST CONCEPT IN NOVICE DRIVER TRAINING: AN APPROACH TAKING ADVANTAGE OF TEMPORAL SEQUENCE LEARNING WITH A CLOSED LOOP CHECK PROCEDURE TO MENTALLY PROGRAM A DRIVER | 68 |
| <i>H. G. Eriksson</i> | |
| AICHI DSSS FIELD EVALUATION TEST CONCERNING VEHICLE INFRASTRUCTURE COOPERATIVE SYSTEMS IN 2008 | 76 |
| <i>Y. Iwata, A. Ibuki, H. Onuma, A. Yokoyama, R. Ando, T. Inagaki, K. Kamata</i> | |
| TRAFFIC COUNTS - NEW METHODS OF TRAFFIC COUNTING IN NORTH RHINE-WESTPHALIA | 84 |
| <i>T. Kathmann</i> | |
| VARIABLE SPEED LIMITS FOR DIFFERENT PURPOSES - RESULTS FROM SWEDISH TRIALS AND STRATEGY CONSIDERATIONS | 92 |
| <i>A. Lindkvist</i> | |
| SAFETY ADVISORY APPLICATIONS FOR CONNECTED TRAVELER – SAFE TRIP 21 IN CALIFORNIA | 100 |
| <i>C. Chan, J. Misener, J. Vanderwerf, K. Jang</i> | |
| URBAN ROAD TRAFFIC MANAGEMENT AND CO₂ EMISSIONS | 112 |
| <i>J. Nouvier, T. Bretin</i> | |
| THE DILEMMA OF DATA SECURITY, PRIVACY, CONTROL AND LIABILITY IN V2X | 120 |
| <i>A. Weimerskirch, K. Schramm, L. Wolleschensky, T. Wollinger</i> | |
| VIDEO DETECTION – A MEANS TO MANY ENDS | 126 |
| <i>M. Wieck</i> | |
| THE RESEARCH ON ROAD NETWORK MANAGEMENT AND EMERGENCY DISPOSAL AND SERVICES SYSTEM | 134 |
| <i>L. Dong, X. Zhang</i> | |
| PROGRESS OF V-I COOPERATIVE SAFETY SUPPORT SYSTEM, DSSS, IN JAPAN DSSS:DRIVING SAFETY SUPPORT SYSTEMS USING IR BEACON | 139 |
| <i>M. Fukushima, K. Kamata, N. Tsukada</i> | |
| THE OPTIMIZATION OF TRAFFIC CHANNELIZATION AND SIGNAL CONTROL IN CHINESE MEDIUM AND SMALL CITY | 145 |
| <i>Q. Yu, J. Liu, J. Rong, X. Liu</i> | |
| THE INTERSECTION OF THE SUPPLY CHAIN AND TRANSPORT DOMAINS | 153 |
| <i>T. Foss</i> | |
| DEVELOPMENT OF A CELLULAR-BASED PEDESTRIAN TRAFFIC SAFETY SUPPORT SYSTEM | 165 |
| <i>M. Fukushima, S. Yasuhara</i> | |
| TOOLKIT FOR SUSTAINABLE DECISION MAKING IN ITS DEPLOYMENT | 170 |
| <i>W. Kernstock, S. Schwillinsky, M. Bohm</i> | |
| THE BALI PROJECT: FIRST LESSONS | 177 |
| <i>L. Blaive, D. Guichon</i> | |
| CONGESTION CONTROL QUEUE WARNING, VARIABLE SPEED LIMITS AND LINK CONTROL SYSTEMS IN SWEDEN | 189 |
| <i>G. Lind</i> | |
| ITS FOR FREIGHT AND LOGISTICS TAF-TSI COMMON COMPONENTS SYSTEM AND COMMON INTERFACE FOR EUROPEAN RAILWAY INDUSTRY | 201 |
| <i>C. Gul</i> | |

| | |
|---|-----|
| OPTIMIZING TPEG MOBILITY INFORMATION SERVICES AND DEVICES FOR BETTER RECEPTION IN THE AUTOMOTIVE USE CASE | 208 |
| <i>M. Dreher</i> | |
| TESTING OF CO-OPERATIVE SYSTEMS: DRIVER BEHAVIOR AND USER ACCEPTANCE | 212 |
| <i>S. Fuchs, M. Bohm, R. Kolbl</i> | |
| TRAVEL INFORMATION CHANGES PEOPLE’S JOURNEYS | 224 |
| <i>G. Robertson</i> | |
| ADVANCED PEDESTRIAN ACTUATED CONTROL SIGNAL USING IMAGE PROCESSING SENSOR | 231 |
| <i>Y. Kato, Y. Usui, S. Miyata</i> | |
| AN ESTIMATION METHOD OF CONGESTION LENGTH USING PULSE DATA OF VEHICLE DETECTOR | 239 |
| <i>Y. Iwata, K. Takizawa, Y. Saito</i> | |
| SHORTENING SIGNAL CONTROL DELAY BY PREDICTION OF TRAFFIC DEMAND | 247 |
| <i>S. Masuda, K. Yamazaki, M. Noda, M. Jinno</i> | |
| EVALUATION OF PUBLIC TRANSPORT TRAVEL TIME ANALYSIS TOOL | 255 |
| <i>I. Aho</i> | |
| VEHICLE REIDENTIFICATION USING INDUCTIVE LOOPS IN URBAN AREAS | 260 |
| <i>R. J. Blokpoel</i> | |
| THE TRANSPORT BUYER DILEMMA | 268 |
| <i>M. Bergstrom</i> | |
| ‘RUSH HOUR AVOIDANCE’ - EFFECTING BEHAVIOURAL CHANGE USING IN-CAR TECHNOLOGY AND INFORMATION | 275 |
| <i>G. Klijn</i> | |
| A NOVEL APPROACH TO RAILWAY PLANNING | 283 |
| <i>M. Forsgren, M. Aronsson, P. Kreuger, T. Franzien</i> | |
| NEW APPLICATION MARKETS FOR INTELLIGENT TRANSPORT SYSTEMS USING POSITIONING AND COMMUNICATION TECHNOLOGIES: GENERIC PAY PER USE PLATFORM | 291 |
| <i>O. Otaegui, A. Garcia, P. Sanchez</i> | |
| DEVELOPMENT OF FRONT-SIDE PRE-CRASH SAFETY SYSTEM FOR INTERSECTION COLLISIONS | 296 |
| <i>T. Kawasaki, J. Tsunekawa, T. Harada, K. Suzuki</i> | |
| NAVIGATION AIDED ROUTING IN VEHICULAR AD-HOC NETWORK | 304 |
| <i>H. Li</i> | |
| DETERMINATION OF TYRE–ROAD FRICTION USING SENSOR DATA FUSION | 312 |
| <i>K. Sami</i> | |
| MULTIMODAL TRAVEL INFORMATION BASED ON INTERNATIONAL FERRY DATA | 324 |
| <i>U. Just, J. Bembenek, S. Kropel</i> | |
| A PRACTICAL SYSTEM FOR TRAFFIC SIGN RECOGNITION | 332 |
| <i>W. Liu, K. Maruya</i> | |
| SATELLITE BASED TOLLING – A SUCCESS STORY | 340 |
| <i>H. Kirchmann</i> | |
| ROAD VEHICLE POSITIONING AT THE LANE LEVEL BASED ON GNSS INTEGRATION WITH ENHANCED MAPS | 344 |
| <i>R. Moreo, D. Betaille, F. Peyret</i> | |
| LANE SPECIFIC POSITIONING FOR COOPERS SERVICES THE VIRTUAL GALILEO APPROACH | 351 |
| <i>J. Pfister, L. May, U. Plank-Wiedenbeck</i> | |
| REAL-TIME BUSINESS DATA FOR THE MOBILE WORK FORCE AS A COMPETITIVE TOOL | 359 |
| <i>A. Hedenros, A. M. Nilsson, S. Svennefjord, H. Lindberg, H. Fagrell</i> | |
| ACTIVE SAFETY IN ROAD VEHICLES - DEVELOPING TESTING AND EVALUATION METHODS FOR ICT-BASED SAFETY SYSTEMS | 362 |
| <i>J. Jacobson, J. Herard, H. Eriksson</i> | |
| AUTOMATIC GREEN LIGHT THE FORMALIZED CO-DRIVER | 368 |
| <i>M. Goralczyk, I. Radusch</i> | |
| COMPARATIVE STUDY OF CAR-FOLLOWING MODELS FOR DESCRIBING BREAKDOWN PHENOMENA AT SAGS | 380 |
| <i>T. Oguchi, R. Konuma</i> | |
| USAGE, BENEFITS AND PROSPECTS OF DATEX II FOR EUROPEAN ROAD AUTHORITIES | 392 |
| <i>R. Dolger</i> | |
| TRAFFIC DEMAND MANAGEMENT USING CELLULAR PHONES | 399 |
| <i>M. Mitsuhashi, S. Hirai, T. Mori</i> | |
| PROGRESS TOWARD THE PRACTICAL USE OF VEHICLE INFRASTRUCTURE COOPERATION SYSTEMS (DSSS) | 407 |
| <i>M. Hatakeyama, S. Nakayama</i> | |
| MELBOURNE’S INCIDENT RECORDING SYSTEM TRIAL | 415 |
| <i>P. Petridis</i> | |
| MEASURING VISUAL DISTRACTION IN DRIVING: THE POTENTIAL OF HEAD MOVEMENT ANALYSIS | 423 |
| <i>B. Metz, N. Rauch</i> | |
| SPEED ENHANCEMENT OF DECISION TREE CONGESTION FORECAST | 435 |
| <i>K. Ichikawa, T. Kinebuchi, A. Kanazawa, A. Suzuki, H. Koike, T. Kuraya, A. Nakai</i> | |
| COOPERATIVE SITUATION REFINEMENT FOR VEHICULAR SAFETY APPLICATIONS: THE SAFESPOT APPROACH | 441 |
| <i>P. Lytrivis, G. Vafeiadis, M. Bimpas, A. Amditis, C. Zott</i> | |

| | |
|--|-----|
| A REAL-TIME LASER SCANNER INTELLIGENT SENSOR FOR TRAFFIC MANAGEMENT | 449 |
| <i>N. G. Ripoll, A. M. Salcedo, M. M. Carrion</i> | |
| TRAVEL TIME ESTIMATION BASED ON CONGESTION DEGREE | 457 |
| <i>T. Kinebuchi, K. Ichikawa, A. Kanazawa, A. Suzuki, H. Koike, T. Kuraya, A. Nakai</i> | |
| DEVELOPMENT OF SIGNAL CONTROL STRATEGY IN THE UBIQUITOUS ENVIRONMENT AND EVALUATION ITS EFFICIENCY | 465 |
| <i>I. Lee, Y. Kim</i> | |
| DRIVER BEHAVIOUR IN A MONOTONOUS ENVIRONMENT: A TEST TRACK STUDY | 477 |
| <i>T. Schramm, K. Fuchs, N. Wagner, R. Bruder</i> | |
| INCREASING PUBLIC TRANSPORTATION SERVICE QUALITY VIA IT GREATER IZMIR MUNICIPALITY PRICING AND TICKETING CAMPAIGN | 485 |
| <i>G. Ozturk</i> | |
| SYSTEMS ENGINEERING STANDARDS APPLICATION FOR EFFECTIVE DEPLOYMENT OF ITS | 494 |
| <i>B. Steiber, T. Strandberg, P. Brouwer</i> | |
| AN IMPROVED RANGE POLICY FOR ADAPTIVE CRUISE CONTROL VEHICLES IN CELLULAR AUTOMATON MODEL | 502 |
| <i>Y. Yuan, R. Jiang, M. Hu, Q. Wu</i> | |
| THE ECONOMICS IN URBAN ELECTRONIC TOLL COLLECTION | 514 |
| <i>P. J. Furnes</i> | |
| ITS FOR FREIGHT AND LOGISTICS INTERMODAL TRANSPORT AND LOGISTICS | 519 |
| <i>C. Dillman, L. Stenegard</i> | |
| IMPLEMENTATION OF COUNTRYWIDE EFC SCHEMES IN EUROPE LEGAL ASPECTS AND A SOLUTION MODEL | 523 |
| <i>M. Bibaritsch</i> | |
| AUTOMATED RADAR SENSOR BY SWITCHING BANDWIDTH | 531 |
| <i>M. Steuerer, A. Hoess</i> | |
| PERFORMANCE EVALUATION OF AN RVC SYSTEM WITH NARROW BEAM ANTENNA | 539 |
| <i>H. Urayama, H. Shiranaga, M. Yamada, T. Minakata</i> | |
| VALIDATING AUTOMATIC MAP DEVIATION REPORTING AND UPDATING IN A LARGE SCALE SCOPE | 547 |
| <i>G. Thomaidis, H. Otto, C. Kotsiourou, M. Bimpas</i> | |
| DEVELOPING INCENTIVES FOR A CLEANER URBAN ENVIRONMENT - INITIATIVES AND INCENTIVE PROGRAMMES DRIVEN BY THE CITY OF GOTHENBURG | 552 |
| <i>R. Rydin</i> | |
| NARROW TIME HEADWAY AND ITS IMPACT ON REDUCING THE SPEED ENFORCEMENT CAMERA EFFECTIVENESS | 560 |
| <i>M. Tabibi</i> | |
| BUSINESS AS USUAL? NEW BUSINESS MODELS FOR THE CONNECTED TRAVELLER | 567 |
| <i>S. S. Korz, C. M. Stroek</i> | |
| PRACTICAL ISA DEPLOYMENT EXPERIENCES INTELLIGENT SPEED ADAPTATION, AS A CONCEPT, HAS BEEN AROUND FOR SEVERAL DECADES NOW | 573 |
| <i>K. Hamish</i> | |
| EFFICIENT ESTIMATION OF HUMAN FIELD EXPOSURE THREATS FOR VEHICLES WITH INTERNAL TRANSMITTERS AT MICROWAVE FREQUENCIES | 576 |
| <i>A. R. Ruddle</i> | |
| NEW APPROACH TO TRAFFIC DEMAND MANAGEMENT | 588 |
| <i>Tomi Laine</i> | |
| ECALL IN-BAND MODEM FOR EMERGENCY DATA TRANSMISSION OVER CELLULAR NETWORKS | 596 |
| <i>M. Werner, C. Pietsch, C. Joetten, C. Sgraja, G. Frank, W. Granzow, J. Huang, N. Leung</i> | |
| CREATING THE COMBINED REQUIREMENTS FOR THE EUROPEAN COOPERATIVE SYSTEMS INTEGRATED PROJECTS | 604 |
| <i>R. Bossom</i> | |
| CROSS-BORDER INTERGRATION OF TRAFFIC MANAGEMENT: THE PROMET PROJECT | 612 |
| <i>B. Gostisa, J. Pirc</i> | |
| THE EXPANSION OF DRIVING SAFETY SUPPORT SYSTEMS BY UTILIZING THE RADIO WAVES | 618 |
| <i>T. Sueki, T. Harada, S. Yamamoto, K. Kamata</i> | |
| A MULTI-DISCIPLINARY APPROACH AGAINST DROWSY DRIVING THE DROWSI PROJECT | 625 |
| <i>P. Kronberg</i> | |
| ELECTRONIC VEHICLE IDENTIFICATION ARCHITECTURE AND PROOF OF CONCEPT | 633 |
| <i>I. Passchier, N. G. Chevrollier, A. Mulder, A. O. T. Van Vliet</i> | |
| TRAFFIC CONDITIONS DETERMINATION BASED ON FLOATING CAR DATA WITH SHORT CAPTURING INTERVALS | 636 |
| <i>M. Korner</i> | |
| THE RELATIONSHIP BETWEEN GLANCE DIRECTION AND EYE TRACKING QUALITY BASED ON DATA FROM A LONG-TERM FIELD STUDY | 643 |
| <i>K. Kircher, C. Ahlstrom, A. Kircher</i> | |
| BUSINESS MODELS FOR ADVANCED TRANSPORT INFORMATION SERVICES – A SAMPLE AND ANALYSIS OF EUROPEAN CASES | 651 |
| <i>I. Karvonen, P. Leviakangas, P. Grashoff, J. Dubbert</i> | |

| | |
|---|-----|
| RECONSTRUCTION OF CONGESTED TRAFFIC PATTERNS USING TRAFFIC STATE DETECTION IN AUTONOMOUS VEHICLES BASED ON KERNER'S THREE PHASE TRAFFIC THEORY | 659 |
| <i>J. Palmer, H. Rehborn</i> | |
| NETWORKING TO FIND POSSIBLE AND PROBABLE FUTURES OF ITS CASE ITS FINLAND | 667 |
| <i>M. Pollanen</i> | |
| TRANSIT OPERATIONS DECISION SUPPORT SYSTEM GETTING MORE OUT OF CAD/AVL | 675 |
| <i>A. Van Andel</i> | |
| THE SAFESPOT VEHICULAR PLATFORM – ENVIRONMENTAL PERCEPTION FROM SENSORS AND WIRELESS LAN MESSAGES | 684 |
| <i>C. Zott, A. Saroldi, P. Lytrivis, V. Manzoni, A. Belhoula</i> | |
| INTERACTIVE DRIVER TRAINING | 692 |
| <i>J. Andersson, L. Bredberg</i> | |
| AN OPEN SOURCE SOFTWARE FRAMEWORK FOR MULTIMODAL TRANSPORT / TRAFFIC ANALYSIS | 700 |
| <i>P. Gendre, F. Schettini, C. Duquesne, F. Khodja, R. Lambert</i> | |
| CESARE IV: A PROJECT FOR EETS | 707 |
| <i>A. Sieber</i> | |
| USING ITS AND TRAFFIC ENGINEERING TO IMPROVE MOBILITY AND SAFETY IN NEW YORK CITY | 721 |
| <i>E. Athanailos</i> | |
| CONTROLLED INDUCEMENT AND MEASUREMENT OF DROWSINESS IN A DRIVING SIMULATOR | 729 |
| <i>H. De Rosario, J. S. Solaz, N. Rodriguez, L. M. Bergasa</i> | |
| A STUDY ON THE CHANGING OF TRAFFIC FLOW WITH ETC GATE INSTALLATION IN URBAN EXPRESSWAY BY A TRAFFIC SIMULATION | 741 |
| <i>M. Nakano, H. Asada, M. Okuno, S. Katagiri</i> | |
| OPEN-LOOP AND CLOSED-LOOP CONTROL FOR RAMP METERING IN TRAFFIC FLOW | 751 |
| <i>B. Kamel, A. Benasser, D. Jolly</i> | |
| ENVIRONMENTAL INVENTORY FOR FREIGHT TRANSPORT COMPANIES | 763 |
| <i>T. Levin, R. Norvik, L. Lervag</i> | |
| DIGITISED AND STANDARDIZED FREIGHT FACILITATIONS | 771 |
| <i>E. Louette</i> | |
| SECURE AND EFFICIENT INTERMODAL TRANSPORTS –PORT PILOT PROJECT IN THE PORT OF GOTHENBURG, SWEDEN | 780 |
| <i>C. Nyquist</i> | |
| THE SINGAPORE PARKING GUIDANCE SYSTEM | 787 |
| <i>B. X. Li, S. H. Kuan</i> | |
| GINA-GNSS FOR INNOVATIVE ROAD APPLICATIONS-: THE ADOPTION OF EGNOS/GALILEO FOR ROAD USER CHARGING AND VALUE ADDED SERVICES FOR THE ROAD SECTOR: ITS INFRASTRUCTURE- E:INFRASTRUCTURE USER CHARGING | 796 |
| <i>S. G. Lanza, C. B. Gutierrez, J. C. Schortmann</i> | |
| COMBINED CAR AND PT PLANNER | 804 |
| <i>C. Holstrom, B. L. Woolridge</i> | |

VOLUME 2

| | |
|--|-----|
| A QUALITY- AND PRIORITY-BASED TRAFFIC INFORMATION FUSION ARCHITECTURE | 811 |
| <i>S. Geisler, C. Quix, G. G. Gehlen, G. Jodlauk</i> | |
| MULTI-AGENT CONTROL OF URBAN NETWORKS ALGORITHM AND CASE STUDY | 823 |
| <i>R. T. Van Katwijk, B. De Schutter</i> | |
| CAR SECURITY SYSTEM USING DSRC IN-VEHICLE SYSTEM | 835 |
| <i>Y. Hattori, M. Ito</i> | |
| LANE CHANGE ASSIST SYSTEM CONSIDERING RECOGNITION RELIABILITY | 843 |
| <i>T. Akita, S. Tsutsumi, T. Wada, S. Doi</i> | |
| NETWORK NODE MATCHING OF A TRAFFIC ASSIGNMENT NETWORK AND A DIGITAL ROAD MAP WITH NODE GROUPING AND SCORING | 855 |
| <i>K. Takao, K. Yasuda, Y. Asakura</i> | |
| CONGESTION CHARGING AND MODAL SHIFT BY INTEGRATED APPROACH USING INTEROPERABLE COMMON SMART CARD | 863 |
| <i>Y. Hayakawa, S. Saito, T. Maeda, T. Tsuji</i> | |
| V2V APPLICATIONS IN THE SAFESPOT EUROPEAN PROJECT: THE OEMS EXPERIENCE | 869 |
| <i>P. Dalmasso, G. Vivo, E. Nordin, M. Dozza, P. Cravini, V. Manzoni, J. Ibanez-Guzman, A. K. Mokaddem</i> | |
| COOPERATIVE COMMUNICATION ASSISTED MOBILITY | 877 |
| <i>N. Sasson</i> | |
| VBB'S PUBLIC TRANSPORT INFORMATION SERVICES FOR DISABLED AND MOBILITY-MPAIRED PEOPLE | 884 |
| <i>J. Ross</i> | |
| VBB'S OVERALL TRAVEL PLANNER WITH REAL TIME INFORMATION IN BERLIN-BRANDENBURG | 889 |
| <i>J. Ross</i> | |
| MOTORWAY ATM EFFICIENCIES – HARD SHOULDERS, REVERSIBLE LANES, RAMP REVERSAL | 896 |
| <i>J. Marcuson</i> | |

| | |
|--|------|
| ABOUT THE FUTURE FORM OF THE HIGHWAY TOLL COLLECTION IN JAPAN ...MECHANIZATION / ELECTRONIC MONEY / REMOTE MONITOR... | 902 |
| <i>T. Tasaka, A. Nakamura</i> | |
| EXTRACTING ROAD INFORMATION FROM A SINGLE SIDE FISHEYE IMAGE OF LANE MARKING AND STOP LINE MARKING | 910 |
| <i>S. Li, T. Kitamura</i> | |
| CALIFORNIA CENTER FOR INNOVATIVE TRANSPORTATION: FIVE YEARS OF PUBLIC-PRIVATE-ACADEMIA PARTNERSHIPS AND ITS DEPLOYMENT | 917 |
| <i>J. D. Margulici</i> | |
| INTELLIDRIVE TESTBED IN MICHIGAN | 925 |
| <i>B. Burkhard</i> | |
| NEXT GENERATION TRAFFIC CONTROLLERS | 933 |
| <i>V. Muralidharan, P. Ravikumar, G. Satheesh</i> | |
| POTENTIAL PERFORMANCE OF THE ADVANCED CONTROL STRATEGT AT HIGHWAY WORK ZONES | 941 |
| <i>K. Kang, G. Chang</i> | |
| THE CEDAR PROJECT CHARGING ELECTRONICALLY BY DISTANCE AND ROAD | 949 |
| <i>J. Walker, P. Martlew, S. Lymn</i> | |
| RCOA: RELIABLE CONNECTION ORIENTED ALGORITHM FOR P2P | 957 |
| <i>S. Yae, S. Yang, J. Lim, Y. Lee</i> | |
| TOWARD IMPLEMENTING WEATHER-RESPONSIVE ADVANCED TRAFFIC MANAGEMENT AND INFORMATION SYSTEMS | 965 |
| <i>S. M. Meead, R. L. Bertini</i> | |
| TOWARD SUSTAINABLE TRANSIT OPERATIONS AND PERFORMANCE ENHANCEMENT USING ARCHIVED AUTOMATIC VEHICLE LOCATION DATA | 975 |
| <i>H. Li, R. L. Bertini</i> | |
| A NOVEL HEAD UP DISPLAY FOR DRIVER ASSISTANCE SYSTEMS | 986 |
| <i>H. Weigel, P. Lindner, M. Henning, H. Kienast, G. Wanielik, J. F. Krems, B. Spanner-Ulmer</i> | |
| A COMPARISON OF DRIVER BEHAVIOR AND SATURATION FLOW BETWEEN CHINA AND THE NETHERLANDS | 996 |
| <i>H. J. Van Zuylen, Y. Chen, J. Li, R. Lu</i> | |
| EXTRACTION OF FACTORS AFFECTING DRIVERS' BEHAVIOR UNDER DILEMMA ZONE SITUATIONS USING DRIVING SIMULATOR | 1008 |
| <i>T. Oda, Y. Suda, S. Tanaka, D. Yamaguchi</i> | |
| COMPUTATION OF VEHICLE DENSITY ON ROADS FROM SATELLITE IMAGES | 1016 |
| <i>F. Shinmura, S. Ogawa, H. Saji</i> | |
| DISTANT VEHICLE RECOGNITION METHOD USING FRAME-MERGING BASED ON MULTI RESOLUTION ANALYSIS | 1027 |
| <i>T. Ito, Y. Kanzawa, T. Ohkawa</i> | |
| INCENTIVE DRIVEN COORDINATED CITY LOGISTICS FOR SUSTAINABLE CITIES | 1035 |
| <i>M. Swahn</i> | |
| VEHICLE MOTION TRACKING FROM INFRARED IMAGES USING BACKGROUND SUBTRACTION METHOD | 1043 |
| <i>A. Takita, S. Ogawa, H. Saji</i> | |
| HMI CONSIDERATIONS FOR THE DUTCH CVIS -SAFESPOT TEST SITE | 1050 |
| <i>P. Feenstra, J. Pauwelussen, E. Wilschut, E. Koenders, A. Van Jeijzen, J. Vreeswijk</i> | |
| PERSONAL HAZARD WARNING SYSTEM FOR ENHANCED SAFETY OF VULNERABLE ROAD USERS | 1057 |
| <i>O. Czogalla, A. Herrmann</i> | |
| ENERGY SAVINGS WITH ELECTRIC, DIESEL AND DUAL-POWERED LOCOMOTIVES | 1066 |
| <i>J. Vitins</i> | |
| A COMMON ARCHITECTURE TO DEVELOP ROAD TRAFFIC MANAGEMENT SYSTEMS | 1073 |
| <i>M. Dos Santos Soares, J. Vrancken, Y. Wang</i> | |
| NATURALISTIC DRIVING STUDY FOR UNDERSTANDING HUMAN ERROR IN MAJOR CRASH TYPES IN JAPAN | 1079 |
| <i>N. Uchida, M. Kawakoshi, T. Tagawa, E. Akutsu</i> | |
| APPLICATION OF BAYESIAN TRAINED NEURAL NETWORKS TO PREDICT STOCHASTIC TRAVEL TIMES IN URBAN NETWORKS | 1086 |
| <i>C. P. I. J. Van Hinsbergen, A. Hegyi, J. W. C. Van Lint, H. J. Van Zuylen</i> | |
| DEVELOPMENT OF A SMALL-DISTANCE VEHICLE PLATOONING SYSTEM | 1099 |
| <i>M. Shida, Y. Nemoto</i> | |
| SPACE TRAVEL TIME INFORMATION SYSTEM IN STOCKHOLM CITY: PROTOTYPE SYSTEM AND ALGORITHM DEVELOPMENTS USING AVI MEASUREMENT DATA | 1107 |
| <i>X. Ma, S. Baradaran</i> | |
| IMPLEMENTATION OF THE M25 IDM PROJECT NETWORK MANAGEMENT ON AN ORBITAL MOTORWAY | 1117 |
| <i>R. Burnett, G. Drake</i> | |
| THE EXPERIMENT ON INTELLIGENT SIGNAL CONTROL BY PROFILE SIGNAL CONTROL PROFILE SIGNAL CONTROL SYSTEM TO EASE THE TRAFFIC CONGESTION IN OYODOGAWA AREA | 1124 |
| <i>H. Miyagi</i> | |

| | |
|--|------|
| REFLEKTAS FURTHER TESTS OF A FAST AND RELIABLE LANE DEPARTURE PREVENTION SYSTEM FOR CRITICAL SITUATIONS | 1132 |
| <i>A. Kullack, I. Ehrenpfordt, F. Eggert</i> | |
| DEVELOPMENT OF A COMMUNICATION SYSTEM FOLLOWING 802.11P AND WAVE STANDARDS | 1138 |
| <i>D. Carona, R. Prata, A. Serrador, R. Abreu, J. N. Matos, J. Cunha</i> | |
| ESTIMATING THE RELATIONSHIP BETWEEN SNOW MAINTENANCE PERFORMANCE AND CURRENT WEATHER CONDITIONS | 1146 |
| <i>T. H. Maze, T. A. Smith, C. Albrecht, M. A. Orellana, A. Carriquiry, R. R. Souleyrette</i> | |
| AN EVALUATION METHOD FOR FLOATING CAR DATA (FCD) SYSTEM | 1156 |
| <i>T. Fang, L. Guo, R. Kuehne, J. Wang, X. Bei</i> | |
| ENHANCED ROUNDABOUT METERING | 1164 |
| <i>D. G. Geers, P. Tyler, B. Hengst, E. Huang, D. Quail</i> | |
| DEVELOPMENT OF ALGORITHM TO CALCULATE THE AGENT'S POSITION FOR A SURVEY SIMULATOR TO EVALUATE SAFETY SYSTEMS (ASSESS) | 1172 |
| <i>N. Tanaka, K. Morita, T. Hirose, S. Takagi, K. Matsushima</i> | |
| AUTOMATIC TRACKING OF VEHICLES FROM A TIME SEQUENCE OF AERIAL IMAGES AND A DIGITAL MAP | 1180 |
| <i>N. Kawai, H. Saji</i> | |
| SMART CLIENT BASED ON CN/GNSS FOR URBAN CONGESTION CHARGING | 1191 |
| <i>Y. Miyajima, H. Ono, Y. Yamaguchi, Y. Mabuchi</i> | |
| SAFE SMART SCHOOL BUS – A PILOT STUDY | 1198 |
| <i>A. Anund, L. Renner</i> | |
| MATSIS – REDUCED CO₂-EMISSIONS BY ADAPTIVE SIGNAL CONTROL IN STOCKHOLM | 1203 |
| <i>P. Kronborg, F. Davidsson</i> | |
| A PILOT PROGRAM AND FUTURE PROSPECTS OF PDS (PARKING DEPOSIT SYSTEM) AS AN ALTERNATIVE ROAD PRICING SCHEME | 1207 |
| <i>A. Ando, T. Morikawa, T. Miwa, T. Yamamoto, Y. Nakai</i> | |
| EVOLVING THE EUROPEAN ITS ARCHITECTURE FOR CAR-TO-X COMMUNICATION | 1219 |
| <i>M. Bechler, T. M. Bohnert, S. Cosenza, A. Festag, M. Gerlach, D. Seeberger</i> | |
| ITS 2015 – MASTERPLAN FOR ITS IMPLEMENTATION IN BAVARIA | 1227 |
| <i>U. Haspel, M. Muller</i> | |
| MANAGEMENT VIEW ON INTELLIGENT INTERMODAL TRANSPORT | 1233 |
| <i>J. Hemila, O. Kettunen, M. Ollus</i> | |
| TEST SITE FOR TRAFFIC DETECTORS EXPERIENCE GAINED AND STRATEGY FOR FUTURE USE | 1238 |
| <i>A. Egemalm</i> | |
| THE APPLICATION OF TEMPORARY DTM MEASURES TO AID TRAFFIC ADMINISTRATORS | 1242 |
| <i>E. Verschoor, P. J. G. Potgraven</i> | |
| FLOATING CAR OBSERVER DEVELOPMENT SUCCEEDED | 1250 |
| <i>S. Naumann, R. Schonrock</i> | |
| TRAFFIC SIMULATION MODELLING OF DRIVER ASSISTANCE SYSTEMS | 1257 |
| <i>A. Tapani</i> | |
| THE SOCIO-PSYCHOLOGICAL CONTEXT OF ACCEPTABILITY: UNDERSTANDING (POTENTIAL) USERS OF ADAS | 1265 |
| <i>S. Vlassenroot, K. Brookhuis, V. Marchau, F. Witlox</i> | |
| COORDINATED RAMP METERING: A CASE STUDY WITH THE HERO ALGORITHM | 1278 |
| <i>Y. Yuan, J. Vrancken, W. Daamen, S. Hkoogendoorn</i> | |
| PRIMOVE THE NEW AND INNOVATIVE SYSTEM FOR BOMBARDIER CATENARY-FREE LIGHT RAIL VEHICLES | 1283 |
| <i>C. Struve</i> | |
| DRIVER ACCEPTANCE OF ALERTS IN THE PRE-CRASH PHASE OF INTERSECTION INCIDENTS | 1292 |
| <i>K. Smith, J. Kallhammer, A. Nabo</i> | |
| WORK IN PROGRESS INTERMODAL SUPPLY CHAIN EFFICIENCY THROUGH AUTOID SOLUTIONS | 1296 |
| <i>A. Guthed, H. Borjesson</i> | |
| BUS RAPID TRANSIT: MEETING THE CHALLENGE OF DELIVERING EFFICIENT MOBILITY IN CHINA | 1299 |
| <i>T. Deng, J. D. Nelson</i> | |
| CONNECTING TRAVELLER AND TRAFFIC INFORMATION INTERNET SERVICES | 1307 |
| <i>J. Bembenek, U. Just, K. Schafer-Breede</i> | |
| THE NEW TOMEI EXPRESSWAY PROJECT CREATE NEW ROAD TO THE FUTURE | 1314 |
| <i>Y. Inokuma, A. Shintaku</i> | |
| DEVELOPMENTS IN DETECTING DRIVER DROWSINESS LEVEL | 1322 |
| <i>Y. Nakano, S. Sano, Y. Masuda, H. Katoh, A. Miyakawa, T. Takashima</i> | |
| A STUDY ON EFFICIENT GUIDE IN CROWDED CAR PARKING USING ZIGBEE WIRELESS NETWORK | 1328 |
| <i>H. Nagata, K. Ohno, M. Itami</i> | |
| IMPROVING PERFORMANCE OF INTER-VEHICLE COMMUNICATION USING LMS ADAPTIVE ARRAY ANTENNA | 1336 |
| <i>K. Yamamoto, K. Ohno, M. Itami</i> | |
| CONTAINER TERMINAL AUTOMATION – INCREASING EFFICIENCY AND COST EFFECTIVENESS HAMBURG 16.7.2009 | 1344 |
| <i>P. W. Cardebring</i> | |

| | |
|--|------|
| AUTOMATIC QUEUE ASSISTANCE TO AID UNDER-LOADED DRIVERS | 1348 |
| <i>G. Grubb, E. Jakobsson, A. Beutner, M. Ahrholdt, S. Bergqvist</i> | |
| ROUTE GUIDANCE IN ROTTERDAM | 1356 |
| <i>V. Van Der Heijden, L. Deckers</i> | |
| HYBRID VEHICLES FOR A SUSTAINABLE MOBILITY | 1363 |
| <i>S. Pettersson, M. Bruce, A. Lundgren, J. Ottosson, M. Sanfridson, H. Weiefors</i> | |
| A STUDY ON EFFICIENT LOCATION ORIENTED PN CODE ALLOCATION IN DS/SS IVC | 1371 |
| <i>T. Kuge, A. Mori, K. Ohno, M. Itami</i> | |
| REDUCTION OF CO₂ EMISSIONS BY COOPERATIVE TRANSPORT | 1379 |
| <i>T. Hatase, F. Ichihashi, Y. Funakoshi</i> | |
| THE CHALLENGE OF CREATING A MULTIMODAL TRAVEL PLANNER FOR STOCKHOLM - EXPERIENCES AND LESSONS LEARNED | 1387 |
| <i>J. Barkman, H. Olofsson, K. Bergkvist, J. Papp</i> | |
| OPTIMAL SPEED PROFILE TRAJECTORY COMPUTATION FOR VEHICLE APPROACH AT INTERSECTION WITH ADAPTIVE TRAFFIC CONTROL | 1395 |
| <i>F. Alesiani, G. Franco</i> | |
| INSPIRE SPECIFICATION FOR TRANSPORT NETWORKS | 1403 |
| <i>U. Sandgren</i> | |
| HOW BEHAVIORALLY ASSISTED CAR DRIVER INTERACTION CAN IMPROVE TRAFFIC SAFETY | 1407 |
| <i>A. Kullack, I. Ehrenpfordt, F. Eggert</i> | |
| THE IMPORTANCE OF DRIVER STATE ASSESSMENT WITHIN HIGHLY AUTOMATED VEHICLES | 1413 |
| <i>N. Rauch, A. Kaussner, H. Kruger, S. Boverie, F. Flemisch</i> | |
| A SIMPLE ALGORITHM FOR TRAFFIC STATE ESTIMATION USING LOW RESOLUTION PROBE POSITIONING DATA | 1421 |
| <i>O. Qing, J. W. C. Van Lint, S. P. Hoogendoorn</i> | |
| LESSONS LEARNED FROM IMPLEMENTATION OF CELLPHONE PROBE DATA COLLECTION SYSTEMS | 1433 |
| <i>O. Avni</i> | |
| NOVEL APPROACH FOR DESIGNING ADAS - CASE STUDY: FORWARD COLLISION WARNING WITH DRIVER-IN-THE-LOOP UNDER VIRTUAL DRIVING ENVIRONMENT | 1437 |
| <i>M. Larburu, I. Iglesias, I. Isasi, A. Pena</i> | |
| TRUCK PARKING RESERVATION AT GERMAN HIGHWAYS | 1445 |
| <i>D. Ortmann</i> | |
| THE CITY OF THE HAGUE GETS READY FOR THE FUTURE TASKS IN ITS | 1452 |
| <i>T. Molenschot</i> | |
| A MULTI-MODAL INTERNATIONAL JOURNEY PLANNING SYSTEM: A CASE STUDY OF WISETRIP | 1457 |
| <i>P. T. Aditjandra, J. D. Nelson, S. D. Wright</i> | |
| DYNAMIC SPEED LIMITS PILOT PROGRAMME | 1465 |
| <i>H. Stoelhorst, M. Schreuder</i> | |
| NEW TECHNOLOGY AND QUALITY OF LIFE FOR OLDER PEOPLE: THE HEALTH AND TRANSPORT DIMENSIONS | 1473 |
| <i>K. Pangbourne, P. T. Aditjandra, J. D. Nelson</i> | |
| HOW TO ASSESS AND IMPROVE SATELLITE POSITIONING PERFORMANCES IN URBAN ENVIRONMENTS | 1486 |
| <i>G. Duchateau, O. Nouvel, W. Vigneau, D. Betaille, F. Peyret, H. Secretan</i> | |
| A DSSS ON BOARD UNIT FOR 2008/2009 FIELD OPERATION TESTS | 1492 |
| <i>T. Maeda, S. Morita, H. Sugawara, M. Katayama, M. Ikawa, Y. Tsuda, N. Asanuma, Y. Ino</i> | |
| IMPROVEMENT OF PROBE CAR SYSTEM BY PROVIDING LANE-BASED LINK TRAVEL TIME | 1498 |
| <i>B. Liu, W. Wang, K. Liu, Y. Bi</i> | |
| DRIVER'S RESPONSE TOWARDS TRAFFIC INFORMATION UNDER TRAVEL TIME VARIABILITY | 1505 |
| <i>S. Narupiti, R. Nurcharissa</i> | |
| ESTIMATION AND INTERPOLATION OF STATISTICAL TRAFFIC INFORMATION IN URBAN AREAS | 1513 |
| <i>T. Fushiki, J. Fujiwara, K. Yamane, M. Kumagai, M. Kato, N. Shimizu, T. Watahiki, S. Amaya</i> | |
| APPLICATION OF MILLIMETERWAVE RADAR TO PREVENTING ACCIDENTS WITH VULNERABLE ROAD USERS | 1521 |
| <i>K. Hamada, W. Hasegawa, T. Seki</i> | |
| DE-BLURRING ALGORITHM FOR FISH EYE IMAGE ON CCTV WITH NONLINEAR DIFFUSION EQUATION AND DEFORMATION | 1529 |
| <i>I. J. Lee, J. Y. Min, S. J. Namkoong, B. D. Heo</i> | |
| FUNCTIONAL LAYOUT CONSIDERATIONS FOR DESIGNING AN ON-BOARD THIN CLIENT SYSTEM | 1538 |
| <i>T. Kitahara, Y. Noguchi, M. Sasaki, S. Mori</i> | |
| PUBLIC ISSUE CAMPAIGN TO IMPROVE THE COMMUNITY'S UNDERSTANDING OF THE SAFETY BENEFITS OF ITS IN CARS | 1546 |
| <i>B. Negus</i> | |
| A STUDY ON INTER-VEHICLE COMMUNICATION FOR TRUCK PLATOONING - A RESEARCH IN ENERGY ITS PROJECT | 1554 |
| <i>K. Seki, M. Hamaguchi</i> | |
| EVALUATION OF URBAN TRAFFIC IN SNOWY COLD REGIONS USING ITS PROBE VEHICLE TECHNIQUE | 1562 |
| <i>N. Takahashi, K. Munehiro, R. Tokunaga, H. Aoki</i> | |

| | |
|--|------|
| A REAL-TIME SPEED LIMIT SIGN DETECTION AND RECOGNITION SYSTEM | 1570 |
| <i>C. Zhang, L. Cai, Q. Wang, M. Chen</i> | |
| EVALUATION OF FIELD EXPERIMENT OF GROUP-BASED SIGNAL CONTROL IN JAPAN | 1577 |
| <i>K. Tang, H. Nakamura</i> | |
| VARIABLE MESSAGE SIGNS AND USER BEHAVIOUR ON AN URBAN STRETCH | 1589 |
| <i>K. Ravinder, S. Velmurgan, S. Gangopadhyay</i> | |
| VISUAL ASSISTANCE WITH EARLY APPROACHING OBJECT DETECTION FOR IN-VEHICLE BLIND SPOT MONITORING SYSTEM | 1598 |
| <i>M. Mizutani, T. Tsuruta, E. Morimatsu</i> | |
| ISSUES AND TECHNICAL APPROACHES TO REALIZE THE UNMANNED TOLLGATE SYSTEM | 1605 |
| <i>K. Tsutsumi, A. Iida</i> | |
| RFID DEPLOYMENT PATTERNS: A CASE STUDY OF FIVE RAILROAD APPLICATIONS OF RFID | 1611 |
| <i>D. Stenmark, T. Jadaan</i> | |
| TOWARDS A COMMON INFORMATION INFRASTRUCTURE FOR THE SWEDISH RAILROAD INDUSTRY | 1615 |
| <i>D. Stenmark, T. Jadaan</i> | |

VOLUME 3

| | |
|---|------|
| IMPROVING THE OPERATIONAL EFFICIENCY THROUGH THE PROVISION OF INTELLIGENT WAYSIDE SOLUTIONS | 1626 |
| <i>G. De Vos</i> | |
| FRONT-SIDE-LOOKING MILLIMETER WAVE RADAR FOR FRONT-DIAGONAL PRE-CRASH SAFETY SYSTEM | 1630 |
| <i>H. Asanuma, Y. Sekiguchi, M. Kishida, K. Honda, T. Kawasaki</i> | |
| NATIONWIDE ON-ROAD TRIALS OF SMARTWAY IN JAPAN | 1638 |
| <i>A. Fujimoto, H. Kanoshima, K. Sakai, M. Ogawa</i> | |
| A PRACTICAL APPROACH TO REALIZE NEXT GENERATION ROAD SERVICES USING DSRC PROBE DATA | 1646 |
| <i>H. Hatakenaka, H. Kanoshima, Y. Yaegashi</i> | |
| A TRAFFIC DATA FUSION METHOD BASED ON ROUGH SETS THEORY | 1652 |
| <i>Y. Guo</i> | |
| LANE DEPARTURE WARNING BY USE OF RFID COMMUNICATION | 1663 |
| <i>T. Reitaas, P. Lillestol, B. A. Lund</i> | |
| INTRODUCTION OF THE EFFECTIVE COUNTERMEASURE TO CURB PASSING SPEED IN ETC LANES | 1669 |
| <i>M. Aoki, Y. Endoh, K. Otani, A. Nakamura</i> | |
| GPS DATA AS SOURCE FOR A NATIONAL TRAVEL TIME DATABASE | 1677 |
| <i>J. Holm, J. Foller, C. O. Hansen</i> | |
| INTRODUCTION OF THE PORTABLE ETC BACKUP SYSTEM | 1686 |
| <i>Y. Endoh, K. Sameshima, Y. Mise, A. Nakamura</i> | |
| ENHANCED DIGITAL ROAD MAP OF NEXT-GENERATION FOR SAFETY AND ENVIRONMENT | 1694 |
| <i>T. Yasuda, S. Yagi, Y. Oda, A. Yaguchi</i> | |
| DEVELOPMENT OF ROAD SURFACE FRICTION MONITORING SYSTEM TO IMPROVE WINTER MAINTENANCE OPERATIONS | 1706 |
| <i>R. A. Tokunaga, N. Takahashi, M. Funahashi, K. Hayashi</i> | |
| SRIS – SLIPPERY ROAD INFORMATION SYSTEM | 1714 |
| <i>P. O. Sjolander</i> | |
| CAVEMAN - CONTINUOUS ASSESSMENT OF VALIDATION EQUATIONS BY MONITORING THE AGENCY NETWORK | 1717 |
| <i>P. Burton, L. Howe, P. Tait</i> | |
| INTRODUCING EDDEE – EVENT DETECTION AND DELAY ESTIMATION ENGINE | 1725 |
| <i>P. Burton, L. Howe, P. Tait</i> | |
| VEHICLE POSITIONING FOR COOPERATIVE SYSTEMS – THE SAFESPOT APPROACH | 1730 |
| <i>R. Schubert, N. Mattern, F. Ahlers, M. Schlingelhof, D. Westhoff</i> | |
| STUDY ON FEASIBLE PLANNING METHOD OF THE FREE MOBILITY SYSTEM | 1742 |
| <i>K. Nakasu, M. Kaneko</i> | |
| SENSING THE VISIBILITY RANGE AT LOW COST IN THE SAFESPOT ROADSIDE UNIT | 1752 |
| <i>N. Hautiere, J. Bossu, E. Bigorgne, N. Hiblout, A. Boubezoul, B. Lusetti, D. Aubert</i> | |
| ITSO SMART CARDS IN WELSH PUBLIC TRANSPORT | 1760 |
| <i>V. Collins, J. Scott, S. Warlow</i> | |
| METHODOLOGICAL CHALLENGES AND SOLUTIONS IN THE EUROFOT PROJECT | 1768 |
| <i>S. Jamson, K. Kircher, R. Brouwer</i> | |
| AGAINST STOPPED VEHICLES AT ETC LANES EVALUATIONS OF COUNTERMEASURES | 1775 |
| <i>A. Shintaku, T. Ito, S. Makino</i> | |
| MAINTAINING FREEWAY TRAFFIC FLOW STABILITY AND PREVENTING FROM BREAKDOWN | 1783 |
| <i>E. Park</i> | |
| RELIABLE DETERMINATION OF ROAD SURFACE CONDITIONS A FUZZY LOGIC MODEL USING XFCD AND LOCAL ROAD WEATHER DATA | 1791 |
| <i>A. Dinkel, F. Busch</i> | |

| | |
|--|------|
| VEHICLE TO VEHICLE VERSUS VEHICLE TO INFRASTRUCTURE COMMUNICATION SYSTEMS – AN ECONOMIC ASSESSMENT OF THE SAFESPOT APPLICATION BUNDLES | 1797 |
| <i>R. Schindhelm, T. Geißler, U. Westerkamp</i> | |
| NEW TECHNOLOGIES IN ROAD SITE WEATHER CONDITION MONITORING SYSTEMS ROAD AND MOBILITY SAFETY IMPROVEMENTS BY RELIABLE COMPACT WEATHER AND SURFACE MONITORING SYSTEMS | 1808 |
| <i>K. E. Schedler</i> | |
| TOWARDS STANDARDS FOR SUSTAINABLE ITS IN EUROPE | 1815 |
| <i>S. Hess, G. Segarra, K. Evensen, A. Festag, T. Weber, S. Cadzow, M. Arndt, A. Wiles</i> | |
| DEVELOPMENT OF ADVANCED CRUISE-ASSIST SERVICE FOR SAFETY AND SMOOTHING TRAFFIC FLOW AT A MERGING SECTION ON EXPRESSWAY | 1823 |
| <i>H. Hatakenaka, H. Kanoshima, A. Sato, H. Mizutani, K. Nagano</i> | |
| THE INTEGRATION OF CVIS TECHNOLOGIES WITHIN A REAL-TIME URBAN TRAFFIC ENVIRONMENT | 1831 |
| <i>R. D. Ilgaz, J. McCarthy, R. Burke, S. Kearns</i> | |
| ESECURITY AS A PREREQUISITE FOR SAFETY - AN OVERVIEW INCLUDING RELATED LEGAL ASPECTS - | 1839 |
| <i>M. Vierkotter, T. M. Gasser</i> | |
| IMPROVING ROAD AND TUNNEL SAFETY VIA INCIDENT MANAGEMENT: IMPLEMENTING A VIDEO IMAGE PROCESSING SYSTEM | 1847 |
| <i>J. Versavel</i> | |
| TRAFFIC MONITORING USING VIDEO-BASED VEHICLE TRACKING | 1858 |
| <i>J. R. Van Huis, J. Baan, A. Van Loon</i> | |
| DEFENDING AGAINST ROADSIDE ATTACKERS | 1865 |
| <i>R. Schmidt, T. Leinmueller, A. Held</i> | |
| PROSPECTIVE APPROACH FOR IMPLEMENTATION OF THE EETS BUSINESS MODEL FOR GNSS TOLLING AND TAXATION SYSTEMS IN EUROPE | 1872 |
| <i>B. Lamy, F. Belarbi</i> | |
| STAKEHOLDER REQUIREMENTS FOR ADVANCED DRIVER ASSISTANCE SYSTEMS TO ENCOURAGE SAFE AND GREEN DRIVING | 1880 |
| <i>J. Brake, R. Fairchild, S. Murphy, N. Thorpe</i> | |
| REQUIREMENTS ANALYSIS OF A BIKE SHARING SYSTEM BASED ON ITS APPLICATIONS | 1888 |
| <i>P. Amoruso, M. Binetti, F. Deflorio</i> | |
| HOW INFORMATION TECHNOLOGY SUPPORTS INTERMODAL SUPPLY CHAINS | 1900 |
| <i>J. Eckhardt, A. M. Hietajarvi</i> | |
| SMARTFREIGHT: SMART FREIGHT TRANSPORT IN URBAN AREAS | 1908 |
| <i>A. M. Moreno, L. A. Garcia, A. S. Calatayud</i> | |
| LEADING TRAFFIC DATA TO A HIGH QUALITY STANDARD: AN IMPLEMENTATION OF AUTOMATIC DATA VALIDATION IN THE NETHERLANDS | 1915 |
| <i>K. F. Chan</i> | |
| EVALUATION OF ADVANCED CRUISE-ASSIST HIGHWAY SYSTEMS FOR SAFETY BASED ON VERIFICATION TESTS | 1923 |
| <i>H. Hatakenaka, K. Sakai, H. Kanoshima, M. Asano, A. Hosaka, H. Mizutani</i> | |
| RESIGNALLING OF STOCKHOLM METRO | 1931 |
| <i>J. Westberg, H. Soderstrom</i> | |
| A NEW STRATEGY FOR DIFFERENTIAL BUS PRIORITY AT TRAFFIC SIGNALS FOR HIGH FREQUENCY SERVICES | 1934 |
| <i>N. B. Hounsell, B. P. Shrestha</i> | |
| ROSATTE: INCREMENTAL UPDATES OF ROAD SAFETY ATTRIBUTES DATABASES - A MOTORWAY OPERATOR POINT OF VIEW | 1945 |
| <i>F. Petit, C. Delorme, R. Mahiou</i> | |
| DRIVER ERROR AND THE IMPLICATIONS FOR INTELLIGENT TRANSPORT SYSTEMS DESIGN | 1953 |
| <i>N. A. Stanton, P. M. Salmon</i> | |
| THE DAREDEVIL BUILDING OF JUSTNU (RIGHTNOW) | 1962 |
| <i>A. S. Chudi, M. Fornstedt</i> | |
| MULTI-STAKEHOLDER PUBLIC-PRIVATE ITS COOPERATION – ALTERNATIVE TO HEAVY INVESTMENTS DURING ECONOMIC CHALLENGES? | 1971 |
| <i>P. Eloranta, M. Varjola, J. Laakso</i> | |
| STRATEG, A NEW CONCEPT FOR FUTURE TRAIN TRAFFIC CONTROL | 1977 |
| <i>B. Sandblad, A. W. Andersson, J. Hwargard, G. Isaksson-Lutteman, A. Kauppi, S. Tschirner</i> | |
| ROAD SAFETY ATTRIBUTES EXCHANGE INFRASTRUCTURE IN EUROPE: STATE OF THE ART AND PERSPECTIVES | 1984 |
| <i>I. Roche-Cerasi, H. K. Wethal, S. E. Loes, T. H. Hovland</i> | |
| HARMONIZING PUBLIC TRANSPORT INFORMATION IN A REGION WITH MULTIPLE OPERATORS. – A COMPARISON OF DIFFERENT METHODOLOGIES AND SOME SERVICE-ORIENTATION ASPECTS | 1994 |
| <i>U. Bjersing</i> | |
| IN-TIME: INTERMODAL AND INTEROPERABLE TRAVELLER INFORMATION FOR LARGE CITIES | 1998 |
| <i>M. Bohm, N. Prikoszovits, H. Fiby</i> | |
| COMMON DESIGN PRINCIPLES FOR ROAD PRICING: DON'T REINVENT THE WHEEL | 2007 |
| <i>G. Klein, J. Cheese</i> | |

| | |
|---|------|
| ACT NORMAL: USING UNCERTAINTY ABOUT DRIVER INTENTIONS AS A WARNING CRITERION | 2014 |
| <i>K. Lidstrom, T. Larsson</i> | |
| HOW TO OPEN THE CAR FOR RICH WEB SERVICES | 2022 |
| <i>H. Halamek</i> | |
| THE CITYMOBIL CITY APPLICATION MANUAL - A 'TOOL BOX' FOR PLANNERS AND LOCAL AUTHORITIES | 2026 |
| <i>T. Voge</i> | |
| PREDICTING EXTREME CONGESTION AND TUNNEL CLOSURE USING THREE-PHASE TRAFFIC THEORY | 2034 |
| <i>F. Davidsson</i> | |
| REAL-TIME MONOCULAR 3D VISION SYSTEM | 2039 |
| <i>C. Vestri, R. Bendahan, F. Abad, S. Wybo, S. Bougnoux</i> | |
| ANALYSIS OF INERTIAL MEASUREMENT SYSTEMS LIMITATIONS FOR VEHICLE POSITIONING IN NEW ADAS APPLICATIONS | 2049 |
| <i>F. Jimenez, J. E. Naranjo, F. Garcia, F. Aparicio, J. G. Zato, J. M. Armingol, A. De La Escalera</i> | |
| ORGANISING TRAFFIC CONTROL CENTRES IN SWEDEN IN ORDER TO REDUCE COSTS AND INCREASE CUSTOMER SATISFACTION | 2060 |
| <i>K. Olsson</i> | |
| ANALYSIS OF LIDAR SENSORS FOR NEW ADAS APPLICATIONS. USABILITY IN MOVING OBSTACLES DETECTION | 2067 |
| <i>F. Garcia, F. Jimenez, J. E. Naranjo, J. G. Zato, F. Aparicio, J. M. Armingol, A. De La Escalera</i> | |
| ROAD STATUS SENSORS A COMPARISON OF ACTIVE AND PASSIVE SENSORS | 2079 |
| <i>P. Jonsson</i> | |
| RE-DESIGNING DASHBOARDS: IMPACT OF A CLOCK-TYPE SPEEDOMETER/TACHOMETER IN DRIVING | 2093 |
| <i>I. Garcia, N. Aguiriano, A. Bilbao, A. Brazalez, J. Estevez</i> | |
| TAF-TSI - REVITALISING EUROPEAN RAIL FREIGHT: USING SYSTEM INTEGRATION AND DATA EXCHANGE AS STRATEGIC TOOLS | 2105 |
| <i>J. Lutz</i> | |
| REAL-TIME MONITORING OF EMISSIONS WITH TRAFFIC DATA, SIMULATION AND AIR QUALITY MEASUREMENTS | 2112 |
| <i>G. A. Khunder, I. R. Wilmink</i> | |
| ENHANCING THE OCCLUSION TECHNIQUE AS AN ASSESSMENT TOOL FOR DRIVER VISUAL DISTRACTION | 2120 |
| <i>C. Gelau, R. Schindhelm</i> | |
| TRANSITION: A RELEVANT IMAGE FEATURE FOR FAST OBSTACLE DETECTION | 2130 |
| <i>C. Vestri, R. Bendahan, F. Abad, S. Wybo, S. Bougnoux</i> | |
| RESEKORTET (TRAVEL CARD) - COORDINATED FARE SYSTEM FOR JOURNEYS WITH PUBLIC TRANSPORT | 2140 |
| <i>M. Berg</i> | |
| THE WEIGH FORWARD: METHODS FOR DEALING WITH HEAVY TRUCKS ON TOLL ROADS | 2143 |
| <i>R. Klashinsky, R. Malhorta</i> | |
| REGIONAL SCALE REAL-TIME ORIGIN-DESTINATION MATRIX ESTIMATION: TECHNIQUE AND DEPLOYMENT RESULTS | 2146 |
| <i>F. Alesiani, F. Delorio</i> | |
| RENOVATION OF THE ETC SYSTEM OF NEXCO EAST | 2158 |
| <i>Y. Karino, K. Maruyama, R. Shibata</i> | |
| AN APPROACH TO PROVIDING ACCESS TO REAL-TIME PUBLIC TRANSPORT INFORMATION IN THE UNITED STATES | 2163 |
| <i>C. L. Schweiger, R. H. Thatcher</i> | |
| A FAST LINEAR FEATURE CONFLATION ALGORITHM FOR MULTI-MODEL NAVIGATION DATABASE | 2171 |
| <i>J. T. Zhang, Y. Zhu, M. Zhang, L. Meng</i> | |
| REAL TIME VISUAL TRAFFIC LIGHTS RECOGNITION: BASED ON SPOT LIGHT DETECTION AND ADAPTIVE TRAFFIC LIGHTS TEMPLATES | 2179 |
| <i>R. De Charette, F. Nashashibi</i> | |
| DYNAMIC WEIGHT THRESHOLD CONTROL FOR ELECTRONIC TRUCK SCREENING SYSTEMS | 2191 |
| <i>J. Lee, G. Chow</i> | |
| VIRTUAL REALITY SIMULATION: INTEGRATING INFRASTRUCTURE PLANS, TRAFFIC MODELS, AND DRIVING BEHAVIORS | 2206 |
| <i>T. Lorentzen, Y. Kobayashi, Y. Ito</i> | |
| REAL-TIME INTER-CITY ROADS TRAFFIC MONITORING SYSTEM | 2214 |
| <i>H. Torfeh'Nejad</i> | |
| ANALYSIS OF CURRENT SYSTEMS, USER PREFERENCES, AND POSSIBLE APPLICATION TECHNOLOGY TO INCREASE USAGE | 2222 |
| <i>S. G. Lanza, A. Montesi, M. Torrent-Moreno, R. Sanz-Munoz, J. Paniagua-Sanz</i> | |
| AN INTEGRATED SIMULATION SYSTEM STUDY FOR AUTOMATED TRUCK LANE ON INTERCITY EXPRESSWAYS | 2230 |
| <i>X. Sun, T. Miwa, T. Yamamoto, T. Morikawa</i> | |

| | |
|--|------|
| VARIABLE SPEED LIMITS: IMPLEMENTATION ACTIONS UPON LONG-TERM TRIAL | 2242 |
| <i>L. O. Landerfors, T. Bergh</i> | |
| ORGANIZATIONAL ARCHITECTURE OF ROAD SAFETY COOPERATIVE SYSTEMS. THE SAFESPOT CASE | 2249 |
| <i>S. Marco, S. Manfredi, E. Morello</i> | |
| SECURITY MANAGEMENT AROUND ETC IN THE CONTEXT OF “ON-DEMAND” OBU PERSONALIZATION BY A THIRD PARTY | 2258 |
| <i>N. Blanche, D. Souchet, P. Alarcon, G. Tadic</i> | |
| GEOFENCING FOR HEAVY GOODS VEHICLE CONTROL AND MANAGEMENT | 2266 |
| <i>F. Reclus, K. Reed-Drouard</i> | |
| DATA FUSION AND VALIDATION OF BEIJING COMPREHENSIVE URBAN TRANSPORT DATA | 2274 |
| <i>K. Xian, D. Zhang, J. Chen, D. Kwok</i> | |
| WEB GIS SERVICE BASED ON SHANGHAI TRAFFIC INFORMATION INTEGRATION AND SHARING | 2282 |
| <i>L. Gan, H. Zhao, H. Yu, Y. Lin, H. Chen, L. Xu</i> | |
| EASYGO – A WORKABLE SOLUTION FOR EUROPE? | 2293 |
| <i>S. Rasmussen, A. Skadsheim</i> | |
| COEXISTENCE AND INTEGRATION SCENARIOS OF IMS AND NEMO TO HANDLE MOBILITY IN ITS ENVIRONMENTS | 2298 |
| <i>A. Gordillo, C. Pinart</i> | |
| IMPROVING USER EXPERIENCE BY COOPERATION BETWEEN USER AND IN-VEHICLE DEVICES TOWARD UBIQUITOUS ITS | 2306 |
| <i>N. Imai, A. Idoue</i> | |
| VISION ZERO FOR CHILDREN AND INTELLIGENT CHILD PROTECTION: IMPLEMENTATION IN INTELLIGENT CHILD RESTRAINTS | 2314 |
| <i>A. S. Saban</i> | |
| ELECTRONIC TOLLING SOLUTION FOR M50 UPGRADE DUBLIN (IRELAND) | 2322 |
| <i>P. Lemonnier</i> | |
| EVALUATION OF AUTOMATED LICENSE PLATE RECOGNITION FOR IMPROVING BRITISH COLUMBIA’S GREEN LIGHT PROGRAM | 2327 |
| <i>G. Chow, J. Lee</i> | |
| ADABOOST WITH “KEYPOINT PRESENCE FEATURES” FOR REAL-TIME VEHICLE VISUAL DETECTION | 2339 |
| <i>T. Bdiri, F. Moutarde, N. Bourdis, B. Steux</i> | |
| RELIABLE VEHICLE-AUTARKIC COLLISION DETECTION FOR RAIL-BOUND TRANSPORTATION | 2348 |
| <i>A. Lehner, F. De Ponte Muller, T. Strang, C. R. Garcia</i> | |
| AN EXAMINATION OF THE RURAL INTERSECTION COLLISION AVOIDANCE SYSTEM | 2356 |
| <i>T. A. Smith, R. Szymkowski, L. Dodge, J. H. Berg</i> | |
| CHARACTERISTICS BASED ON THE SLIPPERY ROAD INFORMATION SYSTEM BY UTILIZING THE TAXI PROBE DATA | 2366 |
| <i>H. Hamaoka, T. Shikanai</i> | |
| MULTI-SITE EVALUATION OF CONGESTION REDUCTION DEMONSTRATIONS IN THE U.S. | 2374 |
| <i>C. Zimmerman, B. Cronia</i> | |
| IMPROVING SERVICES FOR SPECIAL POPULATION BY USING TRANSIT ITS DATA | 2382 |
| <i>F. Cevallo, X. Wang, A. Gan</i> | |
| AVI/AEI STANDARD TECHNIQUE TO THE LOGISTICS SYSTEM IN KOREA | 2394 |
| <i>W. Kim, K. Kang</i> | |
| VERIFICATION OF A NEW LOCATION REFERENCING METHOD | 2404 |
| <i>T. Fuse, K. Endo, S. Arimura, O. Ochiai</i> | |
| POST-DEPLOYMENT BENEFITS FROM AUCKLAND’S ACTIVE RAMP SIGNALLING SYSTEM | 2412 |
| <i>P. McCombs, L. Wee, M. Ensor, S. Hewett</i> | |
| DESIGN OF A LATERAL CONTROL ALGORITHM FOR TWO VEHICLES WITH THE SAME TRAJECTORIES | 2418 |
| <i>M. Nozawa, S. Tsugawa</i> | |
| TOWARDS INTELLIGENT TRANSPORT - CASE FINLAND | 2426 |
| <i>R. Kulmala</i> | |

VOLUME 4

| | |
|--|------|
| THE EFFECT OF HEAVY GOODS VEHICLES ON DRIVERS’ VISUAL BEHAVIOURS | 2431 |
| <i>Y. Yang, M. McDonald, P. Zheng, M. Shehab</i> | |
| DEVELOPMENT OF TRAFFIC SIMULATOR USING UNIVERSAL DRIVER MODEL FOR SAFETY EVALUATION OF ADAS | 2439 |
| <i>Y. Furukawa, K. Seki, T. Fujikawa</i> | |
| MODELLING DRIVER BEHAVIOUR WITH RESPECT TO ROAD TRAFFIC INFORMATION: DEVELOPMENT OF A STATED-PREFERENCE SIMULATOR | 2447 |
| <i>J. Guo, M. Qiu, J. Taplin</i> | |
| DEVELOPMENT OF PRECISE AND LARGE-SCALE TRAFFIC SIMULATOR FOR ESTIMATING CO₂ EMISSION | 2455 |
| <i>E. Kitagawa, T. Ikeda, H. Yamada</i> | |

| | |
|--|------|
| ACCEPTANCE OF PARKING ASSISTANCE SYSTEMS BY ELDERLY DRIVERS - RELATIONSHIP BETWEEN SYSTEM TYPES AND THEIR DRIVING STYLES | 2462 |
| <i>N. Hashimoto, S. Kato, S. Tsugawa</i> | |
| TRAFFIC MANAGEMENT STRATEGY FOR OPEN E-LANE OPERATION | 2470 |
| <i>P. Zheng, D. Jeffery, M. McDonald</i> | |
| EXTENDING THE EUROPEAN ITS FRAMEWORK ARCHITECTURE FOR COOPERATIVE SYSTEMS | 2482 |
| <i>P. Jesty, R. Bossom</i> | |
| QUANTIFICATION OF DRIVER'S MENTAL WORKLOAD USING PHYSIOLOGICAL INDEXES | 2490 |
| <i>E. Kawakita, K. Oguri</i> | |
| ROAD TRAFFIC ACCIDENTS ANALYZE - AGGREGATION IN SPATIAL AND TIME | 2498 |
| <i>P. Hrubes, V. Vlckova, P. Derbek</i> | |
| IMPROVEMENTS TO RAMP METERING SYSTEM IN ENGLAND: VISSIM MODELLING OF IMPROVEMENTS | 2503 |
| <i>J. Hayden, R. Higginson, M. Hall, S. Ubhi</i> | |
| IMPROVEMENTS TO RAMP METERING SYSTEM IN ENGLAND: DETAILED DESCRIPTION OF ALGORITHM DEVELOPMENT | 2511 |
| <i>R. Higginson, J. Hayden, T. Charton, S. Ubhi</i> | |
| THE EMERGING PAN-EUROPEAN MARITIME INFORMATION MANAGEMENT INFRASTRUCTURE | 2519 |
| <i>P. J. Ekelof</i> | |
| VEHICLE-INFRASTRUCTURE INTEGRATION EXPERIMENTAL PLATFORM BASED ON HOLOGRAPHIC INFORMATION | 2527 |
| <i>X. Yang, J. Yao, T. Zhu, M. Danno, M. Miyaji</i> | |
| COMPUTATIONALLY TIME-SAVING APPROACH TO SIGNAL TIMING OPTIMIZATION BASED ON CELL TRANSMISSION MODEL | 2535 |
| <i>M. Pornluanprasert, C. Aswakul</i> | |
| INNOVATIVE ON-DEMAND BUS SYSTEM IN JAPAN | 2543 |
| <i>K. Tsubouchi, H. Yamato, K. Hiekata</i> | |
| SAFETY PERFORMANCE EVALUATION OF A VII DRIVING ASSISTANCE SYSTEM USING A MICROSCOPIC TRAFFIC SIMULATOR | 2555 |
| <i>Y. Takatori, H. Yashima</i> | |
| TOWARDS ON-THE-ROAD IMPLEMENTATION OF COOPERATIVE ADAPTIVE CRUISE CONTROL | 2567 |
| <i>G. Naus, R. Vugts, J. Ploeg, R. V. Molengraft, M. Steinbuch</i> | |
| THE CESARE IV ROLE MODEL APPLIED IN THE EUROPEAN ELECTRONIC TOLL SERVICE (EETS) | 2579 |
| <i>T. Foss</i> | |
| USING PROBE VEHICLE SPEED DATA TO ASSESS THE ACCURACY AND RELIABILITY OF THE TRAFFIC MONITORING STATIONS ON FREEWAYS | 2586 |
| <i>P. Chaudhuri, A. Stevanovic, J. Stevanovic, P. T. Martin</i> | |
| UTILIZATION OF ACCUMULATED LOG DATA OF ON-DEMAND BUS OPERATION | 2598 |
| <i>K. Tsubouchi, H. Yamato, K. Hiekata</i> | |
| DEVELOPMENT OF ECOLOGICAL DRIVING ASSIST SYSTEM - MODEL PREDICTIVE APPROACH IN VEHICLE CONTROL | 2608 |
| <i>M. A. S. Kamal, M. Mukai, J. Murata, T. Kawabe</i> | |
| COMPARISON OF ROAD GRADE ESTIMATION RESULTS BASED ON GPS POSITION AND VELOCITY DATA | 2619 |
| <i>P. Sahlholm, K. Wanglund</i> | |
| TOWARDS ADVANCED INFORMATION EXTRACTION IN COOPERATIVE DRIVING SUPPORT SYSTEMS | 2627 |
| <i>G. Rigas, P. Bougia, Y. Goletsis, D. I. Fotiadis</i> | |
| THE ACCEPTANCE OF A MULTIMODAL ROUTING SYSTEM | 2639 |
| <i>W. Krause, B. Lenz, S. Ruppe</i> | |
| THE EASYWAY ITS DEPLOYMENT ROADMAP REACHING THE POTENTIAL OF ITS THROUGH COORDINATED DEPLOYMENT OF CORE EUROPEAN SERVICES | 2648 |
| <i>J. Sundberg</i> | |
| ODYSA IN-CAR IN EINDHOVEN AN IN-CAR OPTIMISED DYNAMIC SPEED ADVICE HELPS TO FINE TUNE GREEN SEQUENCES | 2657 |
| <i>A. Bezemer, J. Janse, P. Van Koningsbruggen, E. Koenders, L. Van Den Biggelaar</i> | |
| A GOOGLE MAPS-BASED APPROACH TO REAL-TIME TRAFFIC AND TRAVEL INFORMATION (RTTI) DISSEMINATION OVER THE INTERNET | 2663 |
| <i>J. Laborda, L. Puerto, P. Sauret</i> | |
| WANTED: NEW PARADIGM SHIFTS IN DYNAMIC TRAFFIC MANAGEMENT! | 2671 |
| <i>B. Immers, R. Van Der Knaap</i> | |
| SIMULTANEOUS VEHICLE AND CREW SCHEDULING FOR LINEHAUL TRANSPORT NETWORKS | 2682 |
| <i>R. Hodges, B. Hollis</i> | |
| A TRAIL OF A NEW MEASURE FOR SPEED CONTROL IN ETC LANES | 2690 |
| <i>A. Mitsuishi, T. Yoshimochi, T. Nishimura</i> | |
| SUSTAINABLE NETWORK MANAGEMENT – THE INTEGRATION OF INTELLIGENT TRANSPORT SYSTEMS AND “GRID ENABLED” PERVASIVE SENSORS | 2696 |
| <i>N. Hodges, M. Bell, F. Galatioto, G. Hill, J. Neasham, V. Suresh</i> | |

| | |
|--|------|
| EVALUATION OF THE EFFECTS OF A FORWARD OBSTACLE/CONGESTIONWARNING SERVICE ON TRAFFIC ACCIDENTS..... | 2708 |
| <i>H. Yamada</i> | |
| SPATIO-TEMPORAL SEARCH ALGORITHM AND WEATHER IMPACT INTEGRATION FOR TRAVEL TIME PREDICTION BASED ON MOTORWAY TOLL DATA | 2716 |
| <i>N. El Faouzi, S. Bouzebda, R. Billot</i> | |
| A DIGITAL MOBILE RADIO STANDARD, WHICH SUPPORTS PUBLIC TRANSPORT OPERATIONS..... | 2727 |
| <i>J. A. Graham, P. Gwynn</i> | |
| TRAFFIC CONTROL AIMING FOR CO₂ REDUCTION UTILIZING PROBE INFORMATION | 2732 |
| <i>H. Morimoto, T. Oda, K. Suzuki, K. Kamata</i> | |
| CAN ROAD USER CHARGING BE MADE PUBLICLY ACCEPTABLE? LESSONS LEARNT - WHY DID THE MANCHESTER CONGESTION CHARGING TIF SUBMISSION FAIL TO WIN PUBLIC SUPPORT | 2740 |
| <i>J. Opiola</i> | |
| PRIVACY IMPACT ASSESSMENT FOR ROAD USER CHARGING - PRIVACY VS CONFIDENTIALITY | 2746 |
| <i>J. Opiola</i> | |
| IMAGE-BASED VEHICLE LOCALIZATION USING A SERIES OF BUILDING HEIGHT INFORMATION - TIMELINE HEIGHT IMAGE AND TEXTURING BUILDING MODEL | 2755 |
| <i>S. Ono, J. Wang, K. Ikeuchi</i> | |
| CONGESTION PRICING IN URBAN AREAS - USE OF STRATEGIC MODELS ASSISTING THE DEVELOPMENT OF POLICY OBJECTIVES..... | 2763 |
| <i>J. Opiola</i> | |
| INCREASING HOT LANE USAGE AND REVENUE BY COMBINING VIDEO TOLLING AND TRANSPONDERS | 2781 |
| <i>M. Dorfman, J. Opiola</i> | |
| ITS IN PUBLIC TRANSPORT DAILY LIFE IN SOUTH AMERICA | 2789 |
| <i>C. H. Arias, L. Ask</i> | |
| ESTIMATION OF DRIVER'S ACTIONS BY USING AIR MASS FLOW SENSORS ON THE SEAT BELT | 2797 |
| <i>N. Tokitsu, S. Tomita, K. Oguri, A. Imai</i> | |
| MANAGING TRAFFIC IN REAL TIME – GOALS AND OUTCOMES FROM THE AUCKLAND MOTORWAY RAMP SIGNALLING PROJECT | 2804 |
| <i>V. Lin, P. McCombs, L. Wee</i> | |
| A STUDY ON PREFERENCE OF INFORMATION ACCORDING TO PUBLIC TRANSIT USER CLASSES | 2816 |
| <i>E. Yang, G. Kim</i> | |
| DEVELOPMENT OF DSRC INTERFACE STANDARD FOR TRAFFIC INFORMATION SERVICE | 2827 |
| <i>K. Kim, S. Kim, Y. Cho, S. Lee, K. Lee</i> | |
| COOPERATIVE ADAPTIVE CRUISE CONTROL: FIELD TESTING OF DRIVER USE AND ACCEPTANCE..... | 2834 |
| <i>S. E. Shladover, C. Nowakowski, D. Cody, J. O'Connell</i> | |
| THE PROCUREMENT OF ITS PROJECTS IN NEW ZEALAND..... | 2842 |
| <i>M. Leak, T. Brown</i> | |
| A COMPREHENSIVE TRAFFIC INCIDENT MANAGEMENT PROGRAM – THE FOUNDATION FOR MANAGING TRANSPORTATION SYSTEM EMERGENCIES IN WISCONSIN..... | 2850 |
| <i>S. J. Cyra</i> | |
| QUANTITATIVE EVALUATION OF ECO-DRIVING ON FUEL CONSUMPTION BASED ON DRIVING SIMULATOR EXPERIMENTS | 2856 |
| <i>T. Hiraoka, Y. Terakado, S. Matsumoto, S. Yamabe</i> | |
| FORWARD COLLISION RISK ASSESSMENT METHOD FOR INDIVIDUAL ADAPTATION OF BRAKING ASSISTANCE SYSTEM | 2864 |
| <i>P. Raksincharoensak, M. Nakaoka, M. Nagai</i> | |
| TRAVEL TIME PREDICTION BY COMBINING REAL-TIME AND STATISTICAL DATA ACCORDING TO CONGESTION LEVEL | 2872 |
| <i>L. Li, B. Liu, H. Mizuta</i> | |
| PERFORMANCE OF CDMA AND CSMA BASED INTER-VEHICLE NETWORKS FOR SAFE DRIVING..... | 2880 |
| <i>H. Yomo, M. Miyamoto, O. Shagdar, T. Ohyama, M. N. Shirazi, R. Miura, S. Obana</i> | |
| RESEARCH ON TRAFFIC DATA ANALYSIS IN CHINA | 2888 |
| <i>M. Li, Y. Zhang, W. Wang</i> | |
| DISTINGUISHING DRIVER INTENTIONS IN VISUAL DISTRACTIONS | 2895 |
| <i>S. Kumano, K. Horiguchi, D. Yamaguchi, Y. Sato, Y. Suda, T. Suzuki</i> | |
| VEHICLE NAVIGATION SYSTEM USING RF-ID | 2905 |
| <i>T. Kawamura, Y. Yamamoto, N. Sugawara, T. Kashiwa</i> | |
| GMAR STANDARD PERFORMANCE DEFINITIONS FOR GNSS ROAD USE METERING | 2911 |
| <i>B. Grush, J. C. Schortmann, C. Hamilton, M. A. Martinez-Olague</i> | |
| DEVELOPMENT OF THE MULTI-BAND ANTENNA FOR IN-VEHICLE USE | 2919 |
| <i>H. Inaba, E. Koide, Y. Murakami</i> | |
| EUROFOT: EUROPEAN LARGE-SCALE FIELD OPERATIONAL TEST ON ACTIVE SAFETY SYSTEMS..... | 2927 |
| <i>G. Alessandretti, A. Amditis, A. Etamad, C. Kessler</i> | |
| SCATS TODAY AND TOMORROW | 2934 |
| <i>K. McCallum, K. Bagde, A. Edinburg, A. Mehaffey</i> | |
| A MULTI-LAYER COLLABORATIVE APPROACH FOR PEDESTRIAN DETECTION FROM A MOVING VEHICLE..... | 2941 |
| <i>B. K. Sen, K. Shimotada, K. Fujimura, S. Kamijo</i> | |

| | |
|---|------|
| AN AUTOMATIC TRAFFIC CONGESTION MITIGATION SYSTEM BY PROVIDING REAL TIME INFORMATION ON HEAD OF QUEUE | 2953 |
| <i>H. Sato, J. Xing, S. Tanaka, T. Watauchi</i> | |
| A LEVEL OF SERVICE EVALUATION BASED ON TRAVEL TIME RELIABILITY USING ETC DATA | 2961 |
| <i>H. Yamazaki, N. Uno, F. Kurauchi</i> | |
| ESTIMATION OF THE DRIVER'S BEHAVIOR FROM THE VARIABLES OF THE CAR MOTION AND OPERATING INFORMATION | 2973 |
| <i>H. Nakamura, S. Yamaber, K. Nakano, D. Yamaguchi, Y. Suda</i> | |
| ACCIDENT INFORMATION AT YOUR FINGERTIP USING STRADA | 2981 |
| <i>R. Eliasson, T. Fredlund</i> | |
| THE TRAFIC MANAGEMENT - SYSTEM AND OPERATORS AT TRAFIK STOCKHOLM | 2987 |
| <i>T. Julner, H. Sundquist</i> | |
| INTEGRATED TRAFFIC MANAGEMENT USING DECISION SUPPORT AT TRAFIK STOCKHOLM | 2993 |
| <i>T. Julner</i> | |
| DRIVER ASSISTANCE SYSTEM FOR ECO-DRIVING | 3000 |
| <i>T. Ichihara, S. Kumano, D. Yamaguchi, Y. Sato, Y. Suda</i> | |
| IRREGULAR DATA CLEANSING FOR GENERATING STATISTICAL DATA | 3008 |
| <i>Y. Zhang, M. Li, W. Wang</i> | |
| MANAGED MOTORWAYS: A CHANGE IN POLICY EQUALS A REDUCTION IN CARBON | 3016 |
| <i>A. Holt, J. Conquest</i> | |
| SPEEDING IN SWITZERLAND - THE SWISS POLICY ON SPEED MEASURES | 3024 |
| <i>C. Van Driel, P. Jordi</i> | |
| EXTENDING THE REACH OF TRANS EUROPEAN RAIL TRAFFIC | 3032 |
| <i>P. Elestedt</i> | |
| A RUNNING LANE DETECTION SYSTEM AND A DRIVING SUPPORT SYSTEM FOR MERGING ONTO AND EXITING FROM EXPRESSWAYS | 3039 |
| <i>M. Takahara, M. Nakamura, N. Miura, K. Hara, D. Konaka, K. Okada</i> | |
| PEDESTRIAN TRACKING ACROSS PANNING CAMERA NETWORK | 3046 |
| <i>Y. Hyodo, K. Fujimura, S. Yuasa, T. Naito, S. Kamijo</i> | |
| DISTANCE BASED ROAD USER CHARGING FOR HEAVY VEHICLES – EXPERIENCES FROM SWEDEN | 3058 |
| <i>L. Kallstrom, M. Forss</i> | |
| QFCD – A MICROSCOPIC MODEL FOR MEASURING THE INDIVIDUAL QUALITY OF TRAFFIC INFORMATION | 3064 |
| <i>K. Bogenberger, M. Hauschild</i> | |
| IMPROVING PAN-EUROPEAN TRAFFIC MANAGEMENT FOR ROAD TRANSPORT | 3073 |
| <i>L. Kallstrom, R. Jorna</i> | |
| ON-BOARD URBAN TRAFFIC STATE BASED ON PROBE VEHICLE DATA | 3081 |
| <i>C. Ditttrich, A. Leonhardt, C. Menig, L. Wischhot</i> | |
| COMPARING A BOTTLENECK IDENTIFICATION TOOL WITH THE CONGESTED TRAFFIC PATTERN RECOGNITION SYSTEM ASDA/FOTO USING ARCHIVED FREEWAY DATA FROM PORTLAND, OREGON | 3089 |
| <i>J. Palmer, R. L. Bertini, H. Rehborn, J. Wiecezorek, R. J. Fernandez-Moctezuma</i> | |
| THE NEED FOR STANDARD PERFORMANCE DEFINITIONS FOR GNSS ROAD USE METERING | 3101 |
| <i>J. Cosmen-Schortmann, B. Grush, C. Hamilton, M. Azaola-Saenz, M. A. Martinez-Olague</i> | |
| THE SEEME SYSTEM: A MODULAR SYSTEM FOR ENHANCING SAFETY AT PEDESTRIAN AND BICYCLE CROSSINGS | 3109 |
| <i>M. Rydstrom, L. Nilsson, F. Malmsten, S. Munkstedt</i> | |
| TRANSPORT MODE TRANSFER NAVIGATION SCENARIO STUDY USING MOVING-BASED DRIVING SIMULATOR | 3117 |
| <i>T. Hirasawa, H. Hatakenaka, A. Matsumoto, T. Miyoshi, Y. Suda</i> | |
| NONLINEAR ADAPTIVE CONTROL FOR AUTONOMOUS VEHICLE FOLLOWING | 3125 |
| <i>P. Petrov, M. Parent</i> | |
| RELATIONSHIP BETWEEN DROWSINESS AND EYELID MOVEMENTS IN REAL CAR ENVIRONMENT | 3137 |
| <i>T. Kawano, A. Suzuki, D. Miyagi, H. Wakui, T. Hayashi</i> | |
| A STEP-BY-STEP PROCEDURE TO INTRODUCE LOW-COST TRANSPORT GUIDANCE SYSTEMS USING ICT AT BUS TERMINALS | 3144 |
| <i>K. Sakai, N. Morii, T. Hirasawa, K. Kishi, Y. Munehiro, S. Sawabe</i> | |
| THE BENEFIT OF USING STANDARDS | 3152 |
| <i>T. Norlin, P. Wingqvist, K. Lind</i> | |
| HOW TO ENFORCE EUROPEAN ECALL | 3159 |
| <i>L. P. Breyer</i> | |
| TO VISION ZERO VIA SCIENCE WITH ITS, 3S LIMITS & VMS | 3164 |
| <i>A. Gullon</i> | |
| TRAFIKEN.NU – TRAFFIC INFORMATION FROM A USER'S PERSPECTIVE | 3172 |
| <i>H. Olofsson, J. Barkman, E. Arnestrand</i> | |
| ALL WAY STOP CONTROLLED COLLISION AVOIDANCE SYSTEM USING WIRELESS SENSORS AT UNSIGNALIZED INTERSECTIONS | 3180 |
| <i>Y. J. Moon, B. Jang, J. D. Choi</i> | |
| STRATEGY FOR A SUSTAINABLE DEVELOPMENT OF THE HGV PARKING INFRASTRUCTURE | 3193 |
| <i>G. Schuster, B. Holzgen, A. Bressler, K. Manns</i> | |

| | |
|--|------|
| ROUTE GUIDANCE BASED ON THE SAFETY USING MINIMAL ACCIDENT RISK PATH | 3198 |
| <i>T. P. Hsu</i> | |
| STOCKHOLM PUBLIC TRANSPORT'S TEXT-SMS TICKETING SYSTEM WITH DEVELOPMENTS TOWARDS MACHINE VALIDATION | 3204 |
| <i>J. Klang</i> | |
| OPERATION IMPROVEMENT OF BUS ONLY WAY BY USING OF TRAVEL TIME INDEX (TTI) | 3208 |
| <i>J. K. Lee, K. J. Kum, S. N. Son, J. S. Yu</i> | |
| SAFETY TUTOR: NATIONWIDE EFFECTIVE SPEED ENFORCEMENT INFRASTRUCTURE | 3216 |
| <i>C. Falsi</i> | |
| DEVELOPMENT OF ICT INFRASTRUCTURE IN ROMANIA - EASYWAY ACTION | 3223 |
| <i>F. Nemtanu, D. Dumitrescu, M. Niculescu</i> | |
| USING REWARDS TO IMPROVE THE ADOPTION RATES OF INTELLIGENT SPEED ADAPTATION (ISA) TECHNOLOGY | 3230 |
| <i>J. Guard, D. Marples, N. Williams, E. Mosqueira-Rey, B. Kennes</i> | |

VOLUME 5

| | |
|---|------|
| EVALUATION OF USE OF SATELLITE COMMUNICATION IN EMERGENCY CALL SERVICES | 3239 |
| <i>Y. Li</i> | |
| THE SWEDISH T43H HYBRID LOCOMOTIVE | 3248 |
| <i>M. Skoglund, P. Bark, S. Östlund</i> | |
| A SUBJECTIVE FIELD TEST ON LANE DEPARTURE WARNING FUNCTION IN THE FRAMEWORK OF THE EUROFOT PROJECT | 3255 |
| <i>G. Burzio, G. Mussino, R. Tadei, G. Perboli, M. Dell'Amico, L. Guidotti</i> | |
| IMPROVED JOINT SITUATION AWARENESS THROUGH EFFICIENT INFORMATION EXCHANGE IN DAY TO DAY OPERATIONS AND DISASTER MANAGEMENT | 3263 |
| <i>T. Stenbäck</i> | |
| DEVELOPMENT OF CONTEXT AWARENESS PUBLIC TRANSIT TRANSFER INFORMATION SERVICE (CPTIS) FRAMEWORK | 3270 |
| <i>J. Lim, Y. Moon</i> | |
| TECHNIQUES USED FOR THE EVALUATION OF MANAGED MOTORWAY SCHEMES IN ENGLAND | 3274 |
| <i>R. Potter, A. Arlow, A. Turner, S. Self, P. Unwin</i> | |
| STUDY ON POSSIBLE MIGRATION TO TOLL SYSTEMS USING SATELLITE POSITIONING AND MOBILE COMMUNICATIONS TECHNOLOGIES BY SYSTEMS USING OTHER TECHNOLOGIES | 3282 |
| <i>A. Felix, K. Stappert</i> | |
| THE CVIS COMMUNICATION PLATFORM: HOW OPEN SYSTEMS CREATED INTEROPERABILITY BETWEEN THE THREE MAJOR ESAFETY PROJECTS CVIS, SAFESPOT AND COOPERS | 3287 |
| <i>R. Söråsen</i> | |
| EFFICIENT QUEUE LENGTH DETECTION AT TRAFFIC SIGNALS USING PROBE VEHICLE DATA AND DATA FUSION | 3294 |
| <i>T. Neumann</i> | |
| ESTIMATION OF LONGITUDINAL DRIVING INTENTION BASED ON STATISTICAL METHOD USING ELECTROENCEPHALOGRAM | 3306 |
| <i>T. Ikenishi, Y. Machida, T. Kamada, M. Nagai</i> | |
| ESPOSYTOR: THE SAFESPOT SYSTEM MONITOR PROTOTYPE | 3317 |
| <i>M. C. De Gennaro, F. Tosetto, P. Mortara</i> | |
| MUTUAL TRAFFICINFORMATION EXCHANGE BETWEEN SWEDEN AND DANMARK: INTERNET BASED SERVICES FOR TRAVELLERS IN ORESUND REGION | 3325 |
| <i>S. Sima, J. L. Hegner</i> | |
| USER-ORIENTED BUS INFORMATION SYSTEM: REQUIREMENTS AND DESIGN | 3332 |
| <i>D. Nam, B. Nam</i> | |
| NEXTGENITS PROJECT IN BELGIUM HOW TO COPE WITH DYNAMIC SPEED INFORMATION | 3336 |
| <i>K. De Baets, S. Vlassenroot, W. Vandenberghe, N. Dedene, S. T'Siobbel</i> | |
| CALM IN EUROPE: HOW CALM STANDARDS ENABLES EUROPEAN INTEROPERABILITY | 3344 |
| <i>K. Evensen</i> | |
| MAP BASED APPLICATIONS THE REFERENCE TRACK APPROACH | 3351 |
| <i>E. Koenders, K. Wevers, J. Vreeswijk, S. Dreher</i> | |
| MOBYSIM: MOBILITY SIMULATION SUITE | 3359 |
| <i>M. Van Noort, H. Godthelp</i> | |
| CHALLENGES FOR THE DEPLOYMENT OF COOPERATIVE SAFETY SYSTEMS | 3367 |
| <i>F. Faber, H. Zwijnenberg</i> | |
| ITS FOR SUPPLY CHAIN SECURITY - A FRAMEWORK FOR B/C ANALYSIS | 3375 |
| <i>L. Urciuoli, M. Nyberg, S. Wandel</i> | |
| IMPROVEMENT OF TRAFFIC FLOW BY PREVIEW SPEED CONTROL USING ITS COMMUNICATION SYSTEMS | 3383 |
| <i>S. Kato, N. Hashimoto, S. Tsugawa</i> | |
| AUTOMATED CLEARANCE OF FREIGHT AT THE PORT OF TRIESTE BASED ON THE INTELLIGENT CARGO APPROACH | 3391 |
| <i>V. Boschian, P. Paganelli</i> | |

| | |
|---|------|
| VERIFICATION AND VALIDATION OF SAFESPOT VEHICLE BASED APPLICATIONS | 3398 |
| <i>M. C. De Gennaro, P. Mortara, F. Tosetto, B. D. Netten, D. M. C. Willemsen, F. Diederichs</i> | |
| TRAFFIC AND POLLUTION MANAGEMENT - NEW MARKET FOR DEVELOPING AND DEVELOPED COUNTRIES | 3406 |
| <i>R. Willenbrock, M. A. Funk, W. Schoenewolf</i> | |
| SENSOR TECHNOLOGY IN RAILROAD INDUSTRY: POTENTIALS AND OBSTACLES | 3415 |
| <i>T. Jadaan, D. Stenmark</i> | |
| FIELD TESTS OF CONTEXT AWARENESS PUBLIC TRANSIT TRANSFER INFORMATION SERVICE (CPTIS) ON INTERMODAL STATION | 3420 |
| <i>S. Kim, J. Lim, Y. Moon</i> | |
| LANE LEVEL POSITIONING USING LINE LANDMARKS AND HIGH ACCURATE MAPS | 3423 |
| <i>N. Mattern, R. Schubert, G. Wanielik</i> | |
| A CONTEXT-AWARE DEVELOPMENT FRAMEWORK FOR BUILDING SELF-ADAPTIVE MOBILE SOFTWARE FOR PUBLIC TRANSPORT SYSTEMS | 3431 |
| <i>H. Rahnama, X. Aubry, A. Sadeghian, A. Ferworn</i> | |
| TRENDS IN ITS SERVICES IN JAPAN AND ISSUES INVOLVED IN FUTURE DEVELOPMENT | 3439 |
| <i>Y. Kunihiro, S. Hasunuma</i> | |
| M42 ACTIVE TRAFFIC MANAGEMENT PILOT: INITIAL RESULTS FROM HARD SHOULDER RUNNING UNDER 60MPH SPEED LIMIT | 3447 |
| <i>B. Sultan, R. Meekums, J. Ogawa, S. Self, P. Unwin</i> | |
| SLIP BASED REAL TIME ROAD FRICTION ESTIMATION FOR HEAVY DUTY VEHICLES | 3455 |
| <i>J. Andersson, M. Forsgård</i> | |
| URBAN STRATEGIC ROUTING IN CVIS | 3460 |
| <i>V. Franken, M. Mann</i> | |
| THE PECES PROJECT: UBIQUOUS TRANSPORT INFORMATION SYSTEMS | 3465 |
| <i>A. Marqués, M. Serrano</i> | |
| WISETRIP WIDE SCALE MULTIMODAL AND INTELLIGENT JOURNEY PLANNING | 3473 |
| <i>A. M. Moreno, A. S. Calatayud</i> | |
| SEFS - RESULTS ON SENSOR DATA FUSION SYSTEM DEVELOPMENT | 3483 |
| <i>M. Ahrholdt, F. Bengtsson, L. Danielsson, C. Lundquist</i> | |
| RIDERS' NEEDS AND WANTS THE SAFERIDER APPROACH | 3491 |
| <i>N. Baldanzini, G. Bencini, M. Pierini, A. Delhay, R. Montanari, E. Bekiaris</i> | |
| A COMPARATIVE STUDY ON NETWORK SIMULATORS FOR ITS SIMULATION: IEEE802.11 MEDIUM ACCESS CONTROL (MAC) MODELS | 3499 |
| <i>M. Takai, Y. Owada, K. Seki</i> | |
| DEVELOPMENT OF LANE CHANGING MODEL CONSIDERING SAFETY RANGE | 3507 |
| <i>J. E. Choi, B. Y. Ryu, S. H. Bae</i> | |
| MICROSCOPIC SIMULATION OF THE NETWORK EFFECTS OF TRAFFIC INFORMATION SYSTEMS | 3518 |
| <i>F. Faber, G. Klunder</i> | |
| EVALUATION OF IVIS/ADAS USING DRIVING SIMULATORS: COMPARING PERFORMANCE MEASURES IN DIFFERENT ENVIRONMENTS | 3526 |
| <i>T. Engen, L. Lervåg, T. Moen</i> | |
| IMPLEMENTING ITS USING RC AIRPLANES FOR POSTAL AND PARCEL SERVICES OF SWEDEN | 3533 |
| <i>L. Kumar, F. A. Cardoso, M. M. Crisotomo</i> | |
| THE ITS SCHEME FOR LOW EMISSION ZONE IN NORWAY | 3541 |
| <i>P. Rosland</i> | |
| FREIGHT TRANSPORT VISIBILITY PROVIDED BY RFID | 3545 |
| <i>A. Permala, J. Scholliers</i> | |
| THE POTENTIAL OF HANDHELD TRAVELLER INFORMATION DEVICES TO INFLUENCE TRAVEL BEHAVIOUR IN URBAN AREAS | 3553 |
| <i>I. Balampekou, M. McDonald, P. Zheng</i> | |
| DATA COLLECTION IN FIELD OPERATIONAL TESTS OF TELEMATIC FUNCTIONS FOR NOMADIC DEVICES IN VEHICLES | 3565 |
| <i>J. Scholliers, S. Koskinen, J. Vasama, H. Martikainen</i> | |
| NEXT GENERATION OF JOURNEY PLANNERS – CO-MODAL EXAMPLES FROM DENMARK AND SWEDEN | 3572 |
| <i>M. Frankenberg</i> | |
| A COMPARATIVE STUDY OF BICYCLE DETECTION METHODS AND EQUIPMENT | 3580 |
| <i>O. A. Hjelkrem, T. Giæver</i> | |
| TOWARD INFORMED TRAVELLERS: DEVELOPING A REAL-TIME ROUTE PLANNER WITH CONSIDERATION OF TRAVELLERS' EXPOSURE TO AIR POLLUTION | 3588 |
| <i>Y. Sunityoso, B. Waterson, M. McDonald</i> | |
| INCREASED TRANSPORTATION SECURITY BY USING AUTOMATIC DETECTION OF ANOMALOUS TRUCK BEHAVIOUR | 3596 |
| <i>C. Brax, M. Fredin</i> | |
| STUDY FOR THE SECURITYMETHOD OF CAR-SHARING SYSTEM USING DSRC | 3604 |
| <i>M. Ito, Y. Hattori, H. Takeuchi, H. Matsumoto</i> | |
| DATEX2.TOOLKIT – A WORKING EXAMPLE OF DATEX2 | 3612 |
| <i>C. Costa, T. Fernandes, V. Alves</i> | |

| | |
|--|------|
| THE RESEARCH OF PROVIDING USER POSITIONING ESTIMATE WITH ON-DEMANDING SERVICE USING UDPS | 3616 |
| <i>K. Lee, J. Jeong, S. Lee</i> | |
| OD VOLUME DATA AND PATH FLOW DATA COLLECTION: NETWORK HANDSET BOTH SIDE CELLULAR PROBE | 3624 |
| <i>K. Yagi</i> | |
| EMISSION MODELLING AT SIGNALISED INTERSECTIONS USING MICROSCOPIC MODELS | 3636 |
| <i>I. Wilmink, F. Viti, J. Van Baalen, M. Li</i> | |
| THE ARENA ROAD USER CHARGING CONCEPT STRATEGIES FOLLOWED FOR OVERALL FLEXIBILITY AND SECURITY | 3644 |
| <i>U. Janusson</i> | |
| A SMART TRAVEL GUIDE FOR MOBILE USERS | 3651 |
| <i>B. Öhman, M. Jernbäcker</i> | |
| FLEXIBLE ORGANISATION OF MULTIMODAL TRAVEL INFORMATION SERVICES | 3658 |
| <i>M. K. Natvig, A. Vennesland</i> | |
| INFORMATION COLLABORATION FOR SITUATION AWARENESS | 3670 |
| <i>A. Åström</i> | |
| INTERMODAL TRANSPORTS OF NON-DURABLE CONSUMER PRODUCTS | 3676 |
| <i>P. Bark, F. Bärthel, N. G. Storhagen</i> | |
| COMMUNICATION SUBSYSTEMS ROLE IN A CO-OPERATIVE SCENARIO: A CASE STUDY FROM CVIS | 3687 |
| <i>E. Olsen</i> | |
| GIS AND ADVANCED OPTIMIZATION A MATTER OF LIFE AND DEATH | 3695 |
| <i>J. Simonsson, P. Janesköld, K. Ring</i> | |
| MOBILE QUEUE WARNING PILOT PROJECT FOR QUEUE WARNING AT ROAD WORKS | 3703 |
| <i>B. Holmgren</i> | |
| ACCELERATING COOPERATIVE SYSTEMS' DEVELOPMENT THROUGH THE GRAND COOPERATIVE DRIVING CHALLENGE | 3706 |
| <i>D. M. V. Noordegraaf, K. M. Malone, R. Van Katwijk, A. Gerrits</i> | |
| DETECT, MONITOR AND ESTIMATE TRAFFIC ON THE ROAD NETWORK BY SATELLITE | 3714 |
| <i>K. Johansen</i> | |
| SAFETY IMPACTS OF I-V COOPERATIVE SYSTEMS | 3717 |
| <i>J. Piao, M. McDonald</i> | |
| VEHICLE LOCALISATION AND CLASSIFICATION IN URBAN CCTV STREAMS | 3724 |
| <i>N. Buch, M. Cracknell, J. Orwell, S. A. Velastin</i> | |
| VARIABLE SPEED LIMIT TRIALS IN SWEDEN EXPERIENCES WITH INTERSECTIONS AND WEATHER | 3732 |
| <i>B. Holmgren, J. Brorsson</i> | |
| AUTOMATICALLY SPEED CAMERAS (ATSC) - EFFECTS ON CAR DRIVES SPEED BEHAVIOUR & ROAD SAFETY | 3735 |
| <i>M. Towliat, J. Larsson</i> | |
| ITS FOR OUR CLIMATE ECODRIVING FOR GREEN TRANSPORT AND LOGISTICS | 3743 |
| <i>P. Söderlund, M. Axelsson, B. Johansson</i> | |
| HOW INTELLIGENT SPEED ADAPTATION AFFECTS COMPANY DRIVERS' ATTITUDES TO TRAFFIC RELATED ISSUES | 3747 |
| <i>N. Agerholm, N. Tradisauskas, H. Lahrmann</i> | |
| RATIONALE AND CONCEPT FOR INTEGRATED DISRUPTION INFORMATION IN PUBLIC TRANSPORT IN SCANDINAVIA | 3759 |
| <i>S. Fjällemark</i> | |
| LASERSCANNER-BASED LANE DETECTION AND RELATIVE POSITIONING | 3767 |
| <i>F. Ahlers, D. Westhoff</i> | |
| APPLICATION OF ITS TECHNOLOGY FOR TRAFFIC CONTROL AND MANAGEMENT IN CHINESE NORTHERN CITIES | 3773 |
| <i>Z. Yaping, L. Ji, L. Xiang</i> | |
| EFFECTS OF VARIABLE SPEED LIMITS AT RURAL INTERSECTIONS | 3781 |
| <i>M. Towliat, H. Svensson, G. Lind</i> | |
| IMPLICATIONS OF INNOVATIVE TECHNOLOGY FOR TRAFFIC LAW ENFORCEMENT. A CONCLUSION FROM THE 6TH FP PROJECT PEPPER (POLICE ENFORCEMENT POLICY AND PROGRAMS ON EUROPEAN ROADS) | 3789 |
| <i>J. Malenstein</i> | |
| GETTING BROAD OVERVIEW OF ROAD UPDATE FROM PROCUREMENT NOTICES OF ROAD CONSTRUCTIONS | 3797 |
| <i>S. Nakajo, Y. Sekimoto, Y. Minami, H. Yamada, R. Shibasaki</i> | |
| A GIS-BASED SPATIO-TEMPORAL DATA MODEL FOR MICROSCOPIC TRAFFIC SIMULATION | 3803 |
| <i>H. Liang, J. Wu, Y. Zhou, L. Gao</i> | |
| NEW AREAS OF APPLICATION FOR ELECTRONIC FEE COLLECTION. USING THE AUTOPASS TAG TO PAY FERRY FARES. | 3815 |
| <i>P. E. Pedersli</i> | |
| MAP INTEGRATION OF MODEL DATA FOR OPTIMISING HGV ROUTING | 3821 |
| <i>K. Wevers</i> | |

| | |
|---|------|
| PROGRESS WITH SITUATION ASSESSMENT AND RISK PREDICTION IN ADVANCED DRIVER ASSISTANCE SYSTEMS: A SURVEY | 3832 |
| <i>E. Rendon-Velez, I. Horváth, E. Z. Opiyo</i> | |
| ARTICULATING COOPERATIVES SYSTEMS AND DRIVER BEHAVIOUR THEORIES | 3849 |
| <i>A. Rakotonirainy, S. Demmel, D. Gruyer</i> | |
| SJ AB'S IMPLEMENTATION OF SECURE ELECTRONIC TICKETS ON SWEDISH RAILWAYS | 3855 |
| <i>T. Friman, P. Fulke, T. Mann</i> | |
| THE STANDARDIZATION FOR PARKING INFORMATION INTEGRATION AND PROVISION ON A NATIONWIDE SCALE | 3861 |
| <i>E. Hong, Y. Cho, D. Oh, S. Park</i> | |
| ESTABLISHING AN INFRASTRUCTURE FOR EFFICIENT AND QUALITY ASSURED EXCHANGE OF ROAD SAFETY ATTRIBUTES | 3869 |
| <i>A. Vennesland, P. Svensk, O. Rennemo</i> | |
| ROADNETWORK - A VEHICLE-INDEPENDENT, COST-EFFECTIVE AND TRULY COOPERATIVE TRAFFIC MANAGEMENT AND TRAVELLER INFORMATION SYSTEM BASED ON EXISTING HARDWARE AND INFRASTRUCTURE | 3877 |
| <i>L. Ask, H. Arby</i> | |
| PROVING TESTS IN REGIONAL DEPLOYMENT OF FORWARD OBSTACLE INFORMATION PROVISION SERVICE AND SO ON | 3885 |
| <i>H. Hatakenaka, H. Kanoshima, K. Sakai, M. Asano, D. Yamashita, H. Mizutani</i> | |
| REMOTELY OPERATED TOWERS IN AIR TRAFFIC CONTROL: OPPORTUNITIES FOR THE FUTURE | 3893 |
| <i>G. Lindqvist</i> | |
| FREIGHTVISION – FREIGHT TRANSPORT FORESIGHT 2050 | 3911 |
| <i>S. Helmreich</i> | |
| A NEW METHOD OF USING ENHANCED GPS/CELLULAR FLOATING CAR PROBE DATA FOR TRAFFIC SITUATION INFORMATION SYSTEM ACCURACY IMPROVEMENTS | 3919 |
| <i>M. Ševrović, R. Filjar, D. Šarić</i> | |
| TAMPERE DYNAMIC ROUTE GUIDANCE | 3927 |
| <i>M. Kulmala, K. Korpela</i> | |
| HMI FOR INTEGRATED INFOTAINMENT FUNCTIONS IN NOMADIC DEVICES – HOW CAN WE MAKE THE DRIVER MORE SAFE | 3934 |
| <i>F. Chen, P. A. Mendoza</i> | |
| DYNAMIC TOLLING - NEXT-GENERATION TRAFFIC MANAGEMENT ALLOWING TO REDUCE TRAFFIC CONGESTION AND AIR EMISSION BY DYNAMICALLY ADAPTING TOLL TARIFFS OF ELECTRONIC TOLL COLLECTION SYSTEMS | 3946 |
| <i>P. Ummerhofer, C. Riedler, M. Fellendorf</i> | |
| TECHNICAL FRAMEWORK FOR THE USE OF ELECTRONIC SYSTEM CALYPSO FOR THE DEVELOPMENT OF MULTISERVICES PROJECTS | 3955 |
| <i>R. Philippe</i> | |
| DO'S AND DON'TS WHEN DEPLOYING INTERNET ON BUSES AND TRAINS – EXPERIENCE FROM MILLIONS OF USERS SESSIONS | 3960 |
| <i>F. Gustafsson</i> | |
| AIR TRAFFIC MANAGEMENT – A CHANGING BUSINESS - AN OVERVIEW OF THE TRANSFORMATION OF AIR TRAFFIC MANAGEMENT IN EUROPE | 3964 |
| <i>N. Gustavsson</i> | |
| LEVERAGING THE IMPACTS OF GALILEO ON THE TRANSPORTATION INDUSTRY | 3967 |
| <i>O. Lemaire, R. Kaiser, L. Manchon</i> | |
| VISUALLY DISABLED PERSONS' NAVIGATION A HISTORICAL REVIEW | 3971 |
| <i>J. Lindström</i> | |
| FORWARD TO REALIZATION OF NAVIGATION THAT CONSIDER “EASY – TO - DRIVE” - INTRODUCTION OF JOINT PUBLIC - PRIVATE SECTOR RESEARCH - | 3977 |
| <i>N. Yuasa, K. Endo, S. Arimura, T. Fuse, O. Ochiai, S. Matsumoto</i> | |
| REAL TIME SUPPORT FOR DOOR TO DOOR JOURNEYS ENABLING AVAILABLE CHOICES | 3985 |
| <i>L. Persson, M. Gustafsson, K. Johansson</i> | |
| DESIGN AND TEST OF OPEN TELEMATICS BUNDLE SERVICES UNDER HETEROGENEOUS WIRELESS COMMUNICATIONS | 3991 |
| <i>S. Tenqchen, Y. Huang, F. W. Chen, H. Huang, F. Chang, K. Chen, K. Lo, C. Wang, C. Lee</i> | |
| WHERE IS MY PARKING PLACE? | 3999 |
| <i>R. Lyster</i> | |
| SPEED ALERT INTEGRATED WITH NAVIGATION IN MOBILE PHONES | 4002 |
| <i>P. Svensk</i> | |
| INTEGRATED PUBLIC TRANSPORT INFORMATION SYSTEM FOR BAA SOUTHAMPTON AIRPORT ITS FOR TRAVELLERS AND USERS – CONNECTED TRAVELLER SERVICES | 4008 |
| <i>J. L. Mead, D. Lees</i> | |
| GREEN FLIGHTS – TAKING RESPONSIBILITY FOR THE ENVIRONMENT: AN OVERVIEW OF THE GREEN FLIGHTS IMPLEMENTATION IN SWEDEN | 4015 |
| <i>F. Lindblom</i> | |
| COM2REACT – A FRAMEWORK FOR PROVIDING RELIABLE TRAFFIC INFORMATION | 4018 |
| <i>E. Mincheva, I. Fiedler, F. Busch</i> | |

| | |
|---|------|
| INCIDENT MANAGEMENT AND TRAFFIC INFORMATION: SIMULATION-BASED TRAFFIC PREDICTION | 4025 |
| <i>W. Burghout, I. Andreasson</i> | |
| OPEN SOURCE SOFTWARE-BASED SOLUTION FOR ROAD TRAFFIC DATA VISUALIZATION | 4037 |
| <i>K. Vidovic, I. Dacic, B. Drilo</i> | |
| TRAFFIC SAFETY AND TELEMATICS ITS IMPROVES TRAFFIC SAFETY | 4045 |
| <i>A. Fördös, C. Brandstätter, D. Künzel, S. Deix</i> | |

VOLUME 6

| | |
|--|------|
| IDENTIFICATION OF CRITICAL PERFORMANCE MEASURES FOR URBAN ARTERIAL OPERATIONS BASED ON ITS SENSOR DATA | 4051 |
| <i>K. A. Svicarovich, A. Conway, C. M. Walton, G. Zhang</i> | |
| ECO₄ - BOMBARDIER'S MODULAR PORTFOLIO OF INNOVATIVE SOLUTIONS FOR SUSTAINABLE MOBILITY | 4063 |
| <i>T. Siefkes</i> | |
| INNOVATIVE REAL TIME MULTI-MODAL PASSENGER INFORMATION SYSTEM FOR THE ATTIKA REGION | 4071 |
| <i>V. Mizaras, T. Pachinis, T. Goutzikas</i> | |
| SMART SPEED USING ISA TO CREATE AWARENESS OF THE IMPACT OF SPEEDING ON THE CLIMATE. REPORT ON THE ROAD ADMINISTRATION'S COOPERATION WITH MUNICIPALITIES WITHIN THE WESTERN REGION | 4079 |
| <i>B. Olin</i> | |
| GREEN SPEED - SAVING FUEL AND ENVIRONMENT WITH INTELLIGENT SPEED ADAPTATION IN STOCKHOLM | 4087 |
| <i>S. Myhrberg</i> | |
| EVALUATION OF DISPATCHING STRATEGIES IN THE DECENTRALIZED COORDINATION OF AGVS | 4092 |
| <i>L. Henesey, J. Milant, A. Henesey</i> | |
| CITY TOLLING AND URBAN TELEMATICS TODAY'S EXPERIENCES AND THE FUTURE OF ADVANCED MOBILITY CONCEPTS BASED ON SMART PRICING AND TELEMATICS SOLUTIONS | 4102 |
| <i>H. Ballhaus</i> | |
| MEASURES TO MAKE INTERMODAL TRANSPORT SMARTER FROM A TRANSPORT CHAIN PERSPECTIVE | 4110 |
| <i>R. Sommar</i> | |
| IMPROVING KNOWLEDGE OF ITS A NATIONAL ITS EDUCATION PROGRAMME IN SWEDEN | 4118 |
| <i>L. H. Bidar</i> | |
| HEAVYROUTE INTELLIGENT ROUTE GUIDANCE FOR HEAVY VEHICLES | 4123 |
| <i>A. Ihs</i> | |
| EUROFOT: A RISKS ANALYSIS | 4131 |
| <i>M. Dozza, K. Heinig, E. Johansson, L. Kanstrup, F. Moeschlin, E. Svanberg, J. Engström, Z. Antic, C. Avedal</i> | |
| SYVARI – A NEW IDEA FOR USING PUBLIC TRANSPORT PRIORITY AT COORDINATED TRAFFIC SIGNALS | 4136 |
| <i>K. Sane, M. Salonen</i> | |
| A STATISTICAL FRAMEWORK FOR ROAD TRAFFIC PREDICTION | 4144 |
| <i>G. Allain, P. Goudal, F. Gamboa, J. Loubes, E. Maza</i> | |
| AUTOMATIC TIME-OVER-DISTANCE SPEED CHECKS IMPACTS ON DRIVING BEHAVIOUR AND TRAFFIC SAFETY | 4151 |
| <i>T. Koy, S. Benz</i> | |
| NEW LEVELS OF SITUATION AWARENESS WITH JSA | 4157 |
| <i>G. Svennerberg</i> | |
| MICROSCOPIC SIMULATION ASSESSMENT OF EMISSIONS BASED TRAFFIC MANAGEMENT STRATEGIES | 4164 |
| <i>J. Barceló</i> | |
| ON ENHANCEMENT OF ERROR DETECTION CAPABILITY OF WAVE STANDARD | 4172 |
| <i>M. Kim, M. H. Hyun, J. Ha, H. Oh</i> | |
| PROS AND CONS OF INCREASED COMPLEXITY IN RE-SCHEDULING STRATEGIES FOR RAILWAY TRAFFIC DISTURBANCES: A SWEDISH CASE | 4180 |
| <i>J. T. Krasemann</i> | |
| CROSS-BORDER ENFORCEMENT – TOP DOWN OR BOTTOM UP? | 4189 |
| <i>C. Wilson, J. Malenstein</i> | |
| INTELLIGENT AND OPTIMISED JOURNEY PLANNING FOR PUBLIC/PRIVATE TRANSPORT OPTI-TRANS PROJECT | 4192 |
| <i>S. C. A. Thomopoulos, E. Makri, N. Argyreas, J. Shields</i> | |
| COMPLIANCE CHECKING AND LOCALISATION AUGMENTATION NEW ISO AND CEN STANDARDS | 4201 |
| <i>B. Oehry, W. Beier</i> | |
| AN ACTION TO THE TRAVEL TIME PREDICTION USING DEDICATED SHORT RANGE COMMUNICATION | 4207 |
| <i>T. Eguchi, Y. Fujita, K. Yamamoto, H. Kameoka, T. Shitama</i> | |

| | |
|--|------|
| INTELLIGENT INFORMATION SPREADING PROTOCOL FOR VEHICULAR AD HOC NETWORKS | 4215 |
| <i>A. Török, P. Laborczi, B. Köves, G. Gerháth</i> | |
| S.I.MO.NE. INNOVATIVE SYSTEM FOR METROPOLITAN AREA MOBILITY MANAGEMENT | 4224 |
| <i>F. Arneodo, G. Foti, M. Cocozza</i> | |
| THE COMPARISON OF MICROSCOPIC SIMULATION MODEL OF ITS MEASURES WITH FIELD DATA | 4232 |
| <i>G. Pretnar, J. Pirc</i> | |
| DRIVER MONITORING AND WARNING SYSTEM DEVELOPMENT | 4239 |
| <i>B. Çayir, T. Acarman, E. Yürüklü</i> | |
| EXCELLENT STRING STABILITY PROPERTY FOR A SAFE LONGITUDINAL CONTROL | 4251 |
| <i>F. H. Somda, H. Cormerais</i> | |
| MEASURE OF DATA ACCURACY CONSISTENT WITH TRAVEL TIME INFORMATION ACCURACY | 4259 |
| <i>S. Park</i> | |
| ADVANCED CAR POSITIONING AND BEARING METHOD USING INFARED BEACON | 4263 |
| <i>S. Mori, K. Sawada, K. Hida</i> | |
| TOWARDS OPTIMAL LOCATIONS AND TOLL LEVELS IN CONGESTION PRICING SCHEMES | 4271 |
| <i>J. Ekström, L. Engelson, C. Rydergren</i> | |
| EXPERIENCES FROM A MULTIMODAL ITS ORGANISATION | 4283 |
| <i>I. Christiansen</i> | |
| SMARTFREIGHT – A GENERIC APPROACH TO ITS FOR SMART URBAN FREIGHT DISTRIBUTION | 4290 |
| <i>M. K. Natvig</i> | |
| A SURVEY TOWARDS THE DEPLOYMENT PERSPECTIVES OF ISA SYSTEMS | 4297 |
| <i>P. L. J. Morsink, J. Mesken, M. Ederveen</i> | |
| TRAFFIC DATA EXTRACTION FOR ROAD SAFETY IMPROVEMENT | 4305 |
| <i>F. H. Somda, H. Cormerais</i> | |
| TRANSPORT PLANNING AND ITS SERVICE FOR SHANGHAI EXPO | 4313 |
| <i>Y. Li</i> | |
| COOPERATIVE BEHAVIORS FOR INTELLIGENT VEHICLES | 4320 |
| <i>P. A. Avery, L. Boraoui</i> | |
| A CHECKLIST FOR PLANNING AND IMPLEMENTING FIELD OPERATIONAL TESTS OF INTELLIGENT TRANSPORT SYSTEMS | 4328 |
| <i>J. H. Richardson, M. A. Regan</i> | |
| NEW APPROACHES TO DISTANCE BASED CHARGING | 4335 |
| <i>J. Rajnoch</i> | |
| ROAD SEGMENT IDENTIFICATION USING HIDDEN MARKOV MODEL AND TRAVEL TIME ESTIMATION USING LINEAR REGRESSION TECHNIQUE | 4343 |
| <i>R. Luckana, R. Peachavanish, W. Pattara-Atikom</i> | |
| AUTOMATED URBAN TRANSPORT SYSTEMS A DECADE OF EC-FUNDED RESEARCH AND DEVELOPMENT | 4354 |
| <i>T. Voge</i> | |
| TMC PLUS A NEW APPROACH FOR A PROFESSIONAL TMC SERVICE IN AUSTRIA | 4362 |
| <i>M. Müllner, T. Weber, T. Ruthner</i> | |
| SWIS THE AUSTRIAN ROAD WEATHER INFORMATION SYSTEM AUSTRIA | 4369 |
| <i>N. Rausch, M. Kerschbaum</i> | |
| THE ESTABLISHMENT OF THE MASTER PLAN FOR NEXT FREEWAY TRAFFIC MANAGEMENT SYSTEMS | 4377 |
| <i>D. Oh, S. Cho, W. Oh</i> | |
| EUROFOT: LARGE SCALE FIELD OPERATIONAL TEST IMPACT ASSESSMENT | 4385 |
| <i>A. Benmimoun, M. Benmimoun, I. Wilmink, M. Van Noort</i> | |
| TEMPORARY HARD SHOULDER USE IN HESSE – EFFECTS ON TRAFFIC FLOW AND ROAD SAFETY | 4393 |
| <i>J. Geistefeldt</i> | |
| MOBILE TRAFFIC SAFETY INTEGRATION WITH OFF BOARD NAVIGATION - MOTION. EVALUATION OF ACCEPTANCE AND TRAFFIC SAFETY WITH A SPEED ALERT FUNCTION | 4399 |
| <i>M. Hjalmdahl, C. Fors</i> | |
| MOBITIC E-LEARNING PROJECT: A FRENCH I.T.S. KNOWLEDGE NETWORK TO ENHANCE MOBILITY MANAGEMENT PROFESSIONAL SKILLS | 4404 |
| <i>S. Quiguer, F. Bousquie</i> | |
| INTELLIGENT ROADS –INTRO | 4412 |
| <i>L. Sjögren</i> | |
| USE YOUR HEAD AND GAIN MONEY | 4418 |
| <i>M. Dynnweber</i> | |
| EVALUATION METHOD OF LOCATION TRACKING TECHNOLOGY USING WIRELESS LAN AP FOR A PEDESTRIAN LBS | 4421 |
| <i>M. Bae, K. Choi, J. Lim, Y. Shin</i> | |
| THE SMART MOBILE TRAVEL GUIDE BACKSTAGE | 4429 |
| <i>M. Fiedler, H. Nottehd, P. Nordström, M. Jernbäcker</i> | |
| MANAGING THE DISTRIBUTION OF TRAFFIC INFORMATION TO THIRD PARTIES | 4435 |
| <i>L. Nilsson, E. Arnestrand, P. Németh</i> | |
| SELECTIVE AUTOMATED DRIVING AS A PIVOTAL ELEMENT TO SOLVE SAFETY AND ENVIRONMENTAL ISSUES IN PERSONAL MOBILITY | 4439 |
| <i>R. Hoeger, A. Amditis, A. Bartels, F. Flemisch, A. Hoess, E. Jakobsson, H. Zeng</i> | |

| | |
|---|------|
| "CONNECT & DRIVE" C&D C-ACC FOR REDUCING CONGESTION DYNAMICS | 4447 |
| <i>N. El Ghouti, A. Serrarens, D. Van Sambeek, J. Ploeg</i> | |
| MULTIPLE USES OF TRAFFIC DATA - THE SCOTTISH ROADS TRAFFIC DATABASE | N/A |
| <i>Graeme Scott</i> | |
| VEHICLE TELEMATICS; A LEARNING STUDIO FOR VEHICLE DESIGNERS. EADIS: EUROPEAN AUTOMOTIVE DIGITAL INTERACTION STUDIO. | 4456 |
| <i>D. Peck, J. Verlinden</i> | |
| EFFICIENT AND TRUSTED COLLABORATION IN A NET CENTRIC ENVIRONMENT | 4464 |
| <i>M. Idberg, L. Johansson</i> | |
| RESULTS OF THE COOPERS SIMULATOR STUDY: A COMPARISON OF DRIVER BEHAVIOUR IN DIFFERENT USAGE GROUPS /SIMULATION RESULTS | 4470 |
| <i>M. Hjort, R. Kölbl, S. Fuchs</i> | |
| DYMOBUS: MESOSCOPIC MODELLING OF BUS PUBLIC TRANSPORT | 4478 |
| <i>O. Cats, W. Burghout, T. Toledo, H. Koutsopoulos</i> | |
| TRAFFIC MODELLING OF NETWORK LEVEL SYSTEM FOR LARGE EVENT | 4494 |
| <i>V. Zyryanov, P. Keridi, R. Guseynov</i> | |
| USER ACCEPTANCE MEASURING OF CO-OPERATIVE SYSTEMS - FOCUS ON END USERS IN SIMULATOR STUDIES AND FIELD TESTS | 4501 |
| <i>D. Bankosegger, S. Fuchs</i> | |
| LOCATION BASED DYNAMIC CONTENT DELIVERY FOR INTELLIGENT TRANSPORTATION: IN-VEHICLE SIGNAGE | 4511 |
| <i>S. R. Toodi, V. Sundararaman, J. Wolstan</i> | |
| THE CHALLENGE OF DEVELOPING CERTIFICATION PROCESSES FOR INTEROPERABLE ROAD PRICING SYSTEMS | 4521 |
| <i>D. Tindall</i> | |
| PRICE DIFFERENTIATION FOR SWEDISH HGV CHARGING - THE ARENA CONCEPT | 4529 |
| <i>J. Löfgren</i> | |
| TESTING ANTI ACCIDENT SYSTEMS A LARGE-SCALE FIELD OPERATIONAL TEST IN THE NETHERLANDS. | 4537 |
| <i>B. Van Bree, M. Michon</i> | |
| SMART TRANSPORTATION MANAGEMENT SYSTEMS TO SUPPORT VISIBILITY OF THE SUPPLY CHAIN INFORMATION TYPES | 4545 |
| <i>V. Mirzabeiki, K. Lumsden, G. Stefansson</i> | |
| FAST HANDOVER BETWEEN WIMAX AND WIFI NETWORKS IN VEHICULAR ENVIRONMENT | 4553 |
| <i>J. Guo, R. Yim, T. Tsuboi, J. Zhang, P. Orlik</i> | |
| ICT FOR CARGO ON THE ROAD VALUE ADDED SERVICES TO A ROAD USER CHARGING SYSTEM. | 4561 |
| <i>C. Udin</i> | |
| LIDAR BASED LANE RECOGNITION | 4569 |
| <i>P. Lindner, E. Richter, R. Schubert, K. Takagi, A. Isogai</i> | |
| EU IFM: A TRUST MODEL FOR INTEROPERABLE TICKETING ACROSS EUROPE | 4577 |
| <i>H. Bryan, P. Stoddart, P. Blythe, J. Verity</i> | |
| TRAFFIC MANAGEMENT IN THE STOCKHOLM MOTORWAY TUNNELS: A STUDY AT A MORE ACTIVE TRAFFIC MANAGEMENT SYSTEM. | 4584 |
| <i>P. Jönsson</i> | |
| FREIGHT HANDLING THE SMARTER WAY | 4592 |
| <i>H. Sternberg, A. Hagen, K. Lumsden</i> | |
| ROAD-PRICING ZERMATT: DEMAND MANAGEMENT IN A VILLAGE WITHOUT CARS | 4605 |
| <i>S. Benz, R. Suter</i> | |
| PRINT – DEMONSTRATOR 1 NEGOTIATED PRIORITY AT INTERSECTIONS: THE OSLO CASE STUDY | 4612 |
| <i>F. Alesiani, Ø. Tveit, G. Franco</i> | |
| A CLIMATE/ENVIRONMENTAL/HEALTH IMPACT ASSESSMENT IT-TOOL FOR FREIGHT TRANSPORTATION | 4618 |
| <i>Å. Sjödin, C. Wolf, S. Bäckström, M. Hagström, M. Swahn</i> | |
| MAINTENANCE OF SPEED LIMITS AND OTHER ROAD SAFETY ATTRIBUTES IN BAVARIA | 4626 |
| <i>U. Haspel, T. Hoffmann, M. Landwehr</i> | |
| A BENEFIT ANALYSIS OF MULTI-MODAL TRANSPORTATION INFORMATION SYSTEMS | 4634 |
| <i>S. Oh, B. Lee, K. Rhee</i> | |
| PREVENTION OF ROAD ACCIDENTS INVOLVING VULNERABLE ROAD USERS: THE OUTCOMES OF THE WATCH-OVER EUROPEAN PROJECT | 4644 |
| <i>L. Andreone, F. Visintainer, D. Gavrilu, M. Konjin, M. Pieve</i> | |
| BENCHMARKING OF FLOATING CAR DATA SOURCES | 4652 |
| <i>J. Szigeti, P. Laborezi, G. Gordos</i> | |
| VALUING ITS BENEFITS: A BUSINESS CASE FOR CHANGE | 4662 |
| <i>P. Barton, B. Wadsworth, D. Hardcastle</i> | |
| SMART CARD DEPLOYMENT IN THE UK – THE NEED FOR A COMMERCIAL AS WELL AS A TECHNICAL STRATEGY | 4670 |
| <i>J. Cheese, J. Elliott</i> | |
| SWEDEN'S TRAFFIC SAFETY CAMERAS - THE COMMUNICATION STRATEGY THAT MADE THEM ACCEPTED | 4675 |
| <i>E. Lundberg, A. Wiman</i> | |

| | |
|--|------|
| A MODEL FOR EVALUATING THE FEASIBILITY OF DEPLOYING DEDICATED SHORT RANGE COMMUNICATION (DSRC) TECHNOLOGY IN PORT CENTRIC OPERATIONS TO ENHANCE THE ROLE OF INTELLIGENT TRANSPORTATION SYSTEMS IN LOGISTICS | 4679 |
| <i>A. E. C. Mondragon, C. S. Lalwani, E. S. C. Mondragon, F. M'Ungau</i> | |
| REAL-TIME JOURNEY PLANNER INFORMATION FOR MULTIPLE OUTPUT CHANNELS IN AUSTRIA | 4687 |
| <i>M. Frankenberg, N. Angeler</i> | |
| SWEDEN'S TRAFFIC SAFETY CAMERAS SUCCESSFUL COOPERATION BETWEEN AUTHORITIES | 4694 |
| <i>E. Lundberg</i> | |
| SYSTEM ACCEPTABILITY OF DSSS (DRIVING SAFETY SUPPORT SYSTEMS) BASED ON DEMONSTRATION EXPERIMENT IN TOYOTA CITY | 4701 |
| <i>T. Inagaki, R. Ando, T. Lee, Y. Mimura, M. Fukui</i> | |
| PARATRANSIT IN STOCKHOLM COUNTY: HOW SLL (STOCKHOLM COUNTY COUNCIL) AND SL (STOCKHOLM PUBLIC TRANSPORT) WORKS WITH TECHNICAL SYSTEMS TO PRODUCE COST EFFECTIVE TRIPS FOR ELDERLY AND DISABLED WITHIN STOCKHOLM COUNTY | 4711 |
| <i>P. Junesjo</i> | |
| A HYBRID SOLUTION FOR VEHICULAR COMMUNICATIONS | 4715 |
| <i>Y. Zang, B. Han, S. Sories, G. Gehlen</i> | |
| AN APPROACH TO ITS SERVICE MODEL IN A MULTI-VENDOR ENVIRONMENT | 4727 |
| <i>N. Duhindan, A. Rylander, D. Morgan</i> | |
| SCENARIO-BASED PLANNING OF TRAFFIC MANAGEMENT STRATEGIES | 4735 |
| <i>P. Möhl, C. Theis, A. Vogel, P. Vortisch</i> | |
| INJECTING PACE INTO ITS RESEARCH PROGRAMMES | 4747 |
| <i>J. M. D'Arcy</i> | |
| IS THERE A FUTURE FOR 511? - CURRENT AND EMERGING TRENDS IN ADVANCED TRAVELER INFORMATION SYSTEMS | 4754 |
| <i>G. Loane</i> | |
| EVALUATION OF RECOMMENDED VARIABLE SPEED LIMITS FOR MOTORWAY TRAFFIC CONTROL: THE CASE OF E4 IN STOCKHOLM | 4762 |
| <i>A. Nissan, H. N. Koutsopoulos</i> | |
| CVIS - COOPERATIVE MONITORING FOR INTELLIGENT TRANSPORTATION SYSTEMS | 4770 |
| <i>M. Mann, A. Burkert</i> | |
| EAST WEST TRANSPORT CORRIDOR - A GREEN CORRIDOR CONCEPT CONNECTING ASIA WITH EUROPE | 4775 |
| <i>B. Gustafsson, M. Von Schenck</i> | |
| MANAGING NETWORK EVENTS USING ADAPTIVE MICRO-SIMULATION TECHNIQUES AND UTMC | 4779 |
| <i>P. Fermer, B. Slatter</i> | |
| TRAFFIC INFORMATION AT STOCKHOLM PUBLIC TRANSPORTATION | 4787 |
| <i>K. Chahrour</i> | |
| REFLECTIONS ON COOPERATIVE URBAN APPLICATIONS TRULY COOPERATIVE | 4792 |
| <i>J. Vreeswijk</i> | |
| MANAGING DATA QUALITY EXEMPLIFIED FOR TRAFFIC DATA GENERATED FROM MOBILE PHONE DATA | 4800 |
| <i>R. Laufner, A. Beetz, R. Czonner, V. Schwieger</i> | |
| FLOATING CAR DATA BASED TRAVELTIME PREDICTION WITH LOMB PERIODOGRAM | 4808 |
| <i>A. Sohr, P. Wagner, E. Brockfeld</i> | |
| WHEN TECHNOLOGY TELLS NOVICE DRIVERS HOW TO DRIVE | 4812 |
| <i>O. Musicant, L. Lampel</i> | |
| THE MOBIVILLE PROJECT: LARGE SCALE EXPERIMENTATION OF REAL-TIME PUBLIC TRANSPORT INFORMATION SERVICE PROVIDING SATELLITE BASED PEDESTRIAN GUIDANCE ON SMART PHONES | 4824 |
| <i>J. Coldefy</i> | |
| PUBLIC E-SERVICES USING THE ROAD NETWORK AS A COMMON DENOMINATOR | 4832 |
| <i>L. Stalkrantz</i> | |
| A PROBABILISTIC ESTIMATION OF THE IMPORTANCE OF AVL'S IN FLEET MANAGEMENT | 4840 |
| <i>B. D. Chiara</i> | |
| THE ROLE OF THE CONGESTION TAX IN A TRAFFIC STRATEGY FOR STOCKHOLM | 4853 |
| <i>S. Forsell, D. Firth</i> | |

VOLUME 7

| | |
|---|------|
| MARKETPLACE FOR TRAFFIC INFORMATION - INFORMATION BROKER WWW.ITS-EXCHANGE | 4860 |
| <i>B. Sabel, A. Peterson</i> | |
| THE E-SAFETY FORUM INTELLIGENT INFRASTRUCTURE WORKING GROUP – IDENTIFYING THE EXPECTATIONS TOWARDS THE ROAD INFRASTRUCTURE SIDE OF COOPERATIVE SYSTEMS | 4863 |
| <i>M. Jandrisits, R. Camolino, P. Van Der Kroon</i> | |
| IMPLEMENTING ROAD PRICING – BRIDGING KNOWLEDGE GAPS THROUGH THE CURACAO PROJECT | 4868 |
| <i>K. Brundell-Freij, J. Kallstrom</i> | |

| | |
|--|------|
| CONGESTION TAX IN STOCKHOLM: AN ANALYSIS OF THE IMPACTS OF THE PERMANENT SCHEME AND COMPARISON WITH CONDITIONS BEFORE, DURING AND AFTER THE TRIAL | 4874 |
| <i>D. Firth</i> | |
| ARCHITECTURE AND SCALABLE TESTBED FOR COOPERATIVE SYSTEMS IN THE NEXTGENITS PROJECT | 4882 |
| <i>D. Carols, W. Vandenberghe, J. Bergs, H. Cappelle, R. Van De Velde, N. Van Den Wijngaert, L. Van Der Perr, I. Moerman, C. Blondia, P. Demeester</i> | |
| ADAPTIVE STREET LIGHTING - A WAY FORWARD TO IMPROVE ITS-IMPLEMENTATION AS WELL AS INCREASE ROAD SAFETY AND TO SAVE ENERGY | 4890 |
| <i>B. Dramsvik</i> | |
| REAL-TIME TRAVELTIME AND TRAFFIC FLOW DATA FOR SERVICE PROVIDERS | 4898 |
| <i>P. Halttunen, R. Prokkola, J. Vehvilainen</i> | |
| RECLAIMING CONTROL FROM ADVANCED DRIVER ASSISTANCE SYSTEMS | 4904 |
| <i>A. Larsson</i> | |
| THE GRÖNA TÅGET PROGRAMME IN SWEDEN, DESIGNED FOR PASSENGER ATTRACTIVE, ENVIRONMENTALLY-FRIENDLY AND COST-EFFICIENT, DEMONSTRATES THE FUTURE OF HIGH SPEED TRAINS IN NORDIC COUNTRIES | 4911 |
| <i>H. Tengstrand</i> | |
| UNIFIED AND MODULAR TRAFFIC DATA PLATFORM | 4921 |
| <i>L. V. T. Tcheumadjeu, S. Ruppe, E. Brockfeld, P. Wagner</i> | |
| AIRPORT CHALLENGES – ADVANTAGES WITH INFORMATION SHARING BETWEEN AIRPORT ACTORS | 4926 |
| <i>A. Norin, P. Larsson</i> | |
| INVESTIGATION OF DRIVER REACTIONS ON DIFFERENT VISUALIZATION TYPES OF TRAFFIC INFORMATION | 4930 |
| <i>M. Mustafa, M. Zhang, L. Meng</i> | |
| ON RTT DISTRIBUTION DELAY IN 3G HSPA NETWORKS - AN APPLICATION SPECIFIC MEASUREMENT EVALUATION | 4941 |
| <i>G. Jodlauk, G. Gehlen</i> | |
| INFLUENCE OF PTA ON THE ATTITUDE OF DRIVERS REGARDING TRAFFIC INFORMATION - A SURVEY ABOUT THE ATTENTION OF RE-ROUTING | 4949 |
| <i>S. A. Richard</i> | |
| ROBUST HARD SHOULDER MONITORING THEORY AND APPLICATION OF THE HASMOS SYSTEM | 4955 |
| <i>D. Hudson, K. James</i> | |
| SMART PARK&RIDE – CONCEPTUALISING AND DEMONSTRATING INTELLIGENT P&R SERVICE IN STOCKHOLM | 4963 |
| <i>A. Lindstrom, N. Johansson, V. Lucassi</i> | |
| THE PERSONALISED INFORMATION SERVICE – EVENT DRIVEN AND CUSTOMISABLE TRAVELLER ASSISTANCE | 4969 |
| <i>S. Jenkner, R. Mobius, A. Kretschmer</i> | |
| MULTI-HYPOTHESIS MAP-MATCHING USING PARTICLE FILTERING | 4975 |
| <i>Ph. Bonnifait, J. Laneurit, C. Fouque, G. Dherbomez</i> | |
| EVALUATION OF FLOATING CAR OBSERVER ALGORITHMS USING MICROSCOPIC TRAFFIC FLOW SIMULATION | 4983 |
| <i>C. Kuhnel, C. Leitzke, R. Hoyer</i> | |
| A MODEL-DRIVEN APPROACH TO GRAPHICAL USER INTERFACE DEVELOPMENT | 4995 |
| <i>C. J. Boxer</i> | |
| MOBILEL - DEMONSTRATION OF PLUG-IN VEHICLES IN STOCKHOLM (SWEDEN) | 5003 |
| <i>B. Hugosson, J. Skoogberg, V. Lucassi</i> | |
| IBUS BENEFITS REALISATION WORKSTREAM: METHOD & PROGRESS TO DATE | 5010 |
| <i>N. Hardy</i> | |
| EVARAIL – ACTIVITY-BASED TRANSPORT COST MODEL FOR EVALUATION OF IMPROVEMENTS IN THE RAIL FREIGHT SYSTEM | 5015 |
| <i>G. Troche</i> | |
| THE TEST METHOD FOR THE PERFORMANCE OF TRAFFIC INFORMATION COLLECTION AND PROVISION USING DSRC | 5023 |
| <i>Y. Shin, S. Lee, Y. Cho, K. Kim</i> | |
| A ROUTE-BASED INCENTIVE STRUCTURE FOR TRAFFIC SAFETY ENHANCEMENT | 5031 |
| <i>J. Bie, B. Van Arem</i> | |
| BENEFITS ASSESSMENT OF EURIDICE'S INTELLIGENT CARGO CONCEPT, FRESH FISH DISTRIBUTION CASE STUDY | 5043 |
| <i>T. Bolic, D. Vedovato, I. Westphal</i> | |
| THE GERMAN NETWORK CONTROL METHOD MOTION NEW METHODS AND EVALUATIONS | 5052 |
| <i>J. Mueck</i> | |
| VEHICLE NETWORKING PLATFORM FOR INCIDENT AND WEATHER INFORMATION | 5065 |
| <i>T. Sukuvaara, P. Eloranta, P. Nurmi</i> | |
| RECEIVE POWER-BASED PRIORITIZED REBROADCASTING FOR V2V SAFETY MESSAGE DISSEMINATION | 5072 |
| <i>R. Yim, J. Guo, P. Orlik, J. Zhang</i> | |

| | |
|---|------|
| CHALLENGES OF MOBILE NAVIGATION FOR PUBLIC TRANSPORT | 5083 |
| <i>S. Sunderkamp</i> | |
| AN ECOLOGICALLY DESIGNED HUMAN MACHINE INTERFACE FOR ADVANCED DRIVER ASSISTANCE SYSTEMS | 5090 |
| <i>P. A. Mendoza, A. Angelelli, A. Lindgren</i> | |
| SERVICE LEVEL DEFINITION AND MONITORING IN AN EETS SCENARIO | 5102 |
| <i>D. Ohst, T. Jestadt, J. Springer</i> | |
| ARTERIAL TRAVEL TIME USING MAGNETIC SIGNATURE RE-IDENTIFICATION THEORY OF APPLICATION AND ITS DEPLOYMENT IN LOS ANGELES | 5110 |
| <i>M. T. Volling</i> | |
| REAL-TIME TRAVELER INFORMATION FROM AN ORGANIZATIONAL PERSPECTIVE: DRIVING FORCES, IMPLEMENTATION ISSUES, AND DEPLOYMENT EFFECTS | 5119 |
| <i>T. Skoglund, I. C. M. Karlsson, S. Franzen</i> | |
| SIMULATION-BASED ITS TEST PLATFORM FOR TRAFFIC MANAGEMENT AND CONTROL SYSTEM RESEARCH AND DEVELOPMENT | 5127 |
| <i>S. Christensson, J. Archer</i> | |
| COMPUTATIONAL GRID-BASED DATA MANAGEMENT AND ANALYSIS FOR A MOBILE SENSOR NETWORK DEPLOYMENT | 5135 |
| <i>J. Cohen, B. Fuchs, R. North, N. Hoose, J. Polak, J. Darlington</i> | |
| M:VIA, SMARTER VEHICLES AND ROADS BY USING NEW GENERATION ITS CONCEPTS AND IMS CAPABILITIES | 5147 |
| <i>L. Garcia, C. Pinart, I. Lequerica, A. Alonso, J. J. Rodriguez, J. M. Gonzalez, F. Quesada</i> | |
| EU-SPIRIT, A TRUE CO-MODAL TRAVEL PLANNER | 5155 |
| <i>K. Nordland</i> | |
| AIM – APPLICATION PLATFORM INTELLIGENT MOBILITY | 5160 |
| <i>S. Bauer, E. Bretschneider, J. Rataj, T. Schuman</i> | |
| THE RTMAPS SOFTWARE, AN INTEGRATION PLATFORM FOR MULTI-PARTNER COOPERATIVE PROJECTS DEVELOPING MULTI-SENSOR APPLICATIONS | 5167 |
| <i>G. Michel, N. Du Lac</i> | |
| WHY THE EUROPEAN UNION’S EFC DIRECTIVE IS FAILING TO DELIVER INTEROPERABILITY IN ROAD USER CHARGING, AND HOW IT COULD BE ACHIEVED SIMPLY AND EFFECTIVELY | 5175 |
| <i>C. Hamilton</i> | |
| ON BOARD WEIGHT CONTROL – AN IMPORTANT PART OF WEIGHT MANAGEMENT ON SWEDISH ROADS | 5179 |
| <i>A. Lindeberg, F. Bode</i> | |
| SAFEDRIVER, A TECHNOLOGY FOR DRIVER BEHAVIOUR STUDIES | 5186 |
| <i>G. Michel, N. Du Lac</i> | |
| A WEB APPLICATION AS A DECISION SUPPORT TOOL FOR THE MOBILITY MANAGEMENT: A CASE STUDY IN SARDINIA | 5194 |
| <i>A. Assorgia, B. Barabino, G. Corona, S. Salis, P. Tilocca</i> | |
| IMPLEMENTATION AND EVALUATION OF AN ADAPTIVE CCTV DISPLAY SYSTEM FOR INCIDENT DETECTION FOR THE HIGHWAYS AGENCY | 5202 |
| <i>M. Austin, M. Brock, E. Carter, F. Metcalfe, L. Orme</i> | |
| MOBILE SERVICES FOR TRAVEL INFORMATION AND TICKETS | 5210 |
| <i>A. Varmy</i> | |
| IMPACT ANALYSIS OF ROAD TRAFFIC CONGESTION AND OTHER TRAFFIC DISTURBANCES | 5215 |
| <i>J. Sauna-Aho, Pasi Sauna-Aho</i> | |
| IMPROVING SAFETY AT ROADWORKS USING AN INFORMATION AND WARNING SYSTEM | 5223 |
| <i>U. Ericsson, K. Danielsson</i> | |
| BARRIER FREE TIME/TABLE INFORMATION | 5231 |
| <i>M. Frankenberg, W. Fiekert</i> | |
| IMPROVED TRAVEL PLANNING FOR BIKING AND WALKING | 5238 |
| <i>S. Myhrberg</i> | |
| ITETRIS: SCENARIOS FOR SIMULATION OF REAL-TIME ROAD TRAFFIC MANAGEMENT SOLUTIONS OVER INTEGRATED WIRELESS COMMUNICATION AND TRAFFIC PLATFORMS | 5243 |
| <i>O. Lazaro, E. Robert, J. Gozalvez, F. Cartolano, L. Lan, S. Turksma, F. Filali, M. A. Urrutia</i> | |
| AN EVENT DETECTION METHOD USING FLOATING CAR DATA | 5251 |
| <i>O. Masutani, H. Iwasaki</i> | |
| MONITORING AND MAINTENANCE MANAGEMENT FOR ASFINAG’S TRAFFIC TELEMATIC SYSTEMS - REQUIREMENT ANALYSIS AND SYSTEM DESIGN | 5263 |
| <i>A. Tacke, M. Harrer, M. Adams, J. Ethofer</i> | |
| INTEROPERABILITY REQUIREMENTS OF MULTIMODAL MULTIMEDIA TRANSPORT INFORMATION SYSTEM | 5271 |
| <i>I. Bosnjak, P. Skorput, Z. Kljatic</i> | |
| SURVEILLANCE AND INTEGRITY. ASPECTS OF COLLECTING AND CONTROLLING INFORMATION FOR ITS SOLUTIONS | 5276 |
| <i>A. Scheibe</i> | |
| INFLUENCING DRIVER BEHAVIOUR FOR ENVIRONMENTAL BENEFIT: THE ROLE OF ITS TECHNOLOGIES | 5280 |
| <i>G. A. Rhys-Tyler, M. C. Bell</i> | |

| | |
|---|------|
| DECISION SUPPORT TOOLS FOR TRAFFIC NETWORK MANAGEMENT | 5288 |
| <i>P. Owlett, D. Eves</i> | |
| ATTRACTING AND KEEPING TALENT IN THE ITS AREA | 5296 |
| <i>M. Lu, K. Wevers, J. Wang</i> | |
| PLUG AND PLAY TRANSPORT CHAIN MANAGEMENT: A DISTRIBUTED APPROACH TO REALIZE THE FREIGHTWISE FRAMEWORK | 5305 |
| <i>P. Davidsson, J. Persson, A. Jacobsson, J. T. Pedersen</i> | |
| AGENT BASED SMART FREIGHT CONCEPTS - A BOTTOM-UP APPROACH ON CO-MODAL TRANSPORTS OF GOODS | 5312 |
| <i>M. Andersson, F. Nilsson</i> | |
| DYNAMIC TOLLING – A MODELLING APPROACH | 5319 |
| <i>T. Reiter, M. Fellendorf, P. Ummenhofer</i> | |
| TRAFFIC MANAGEMENT SYSTEM FOR CENTRAL STOCKHOLM – MCS NORDSYDAXELN | 5327 |
| <i>L. Jolerus</i> | |
| PUBLIC ROADS AS SERVICE MARKETS - PAVING THE WAY FOR CIVILIZATION 2.0 | 5330 |
| <i>C. Vikash</i> | |
| CUSTOMIZED WEATHER WARNINGS – A USER-CENTRED APPROACH | 5338 |
| <i>K. Elevant</i> | |
| INTELLIGENT SPEED ADAPTATION IN THE CITY OF STOCKHOLM - IMPLEMENTATION STRATEGY AND STATUS | 5347 |
| <i>M. Larbo</i> | |
| DIGITAL MAPPING AND LOCATION BASED SYSTEMS IN THE CLOUDS | 5353 |
| <i>M. Frey</i> | |
| 16TH WORLD CONGRESS BICYCLE ROUTE PLANNER - A PROJECT AIMING AT GUIDING CYCLISTS IN DAILY LIFE | 5361 |
| <i>Frederik Hogberg, P. Bjurhall</i> | |
| DECISION SUPPORT FOR INTELLIGENT TRAFFIC AND ENVIRONMENT MANAGEMENT | 5366 |
| <i>M. Bell, V. Suresh, F. Galatioto, P. Watson</i> | |
| GEOCODING APPROACH TO V2I COMMUNICATION ASSISTED TRAFFIC LIGHTS USING NOMADIC DEVICES | 5374 |
| <i>T. Otto, R. Hoyer</i> | |
| MODEL OF APPLICATION OF MOBILE TECHNOLOGY IN THE PROCESS OF PORT MONITORING | 5386 |
| <i>V. A. Z. C. Melo, C. F. Fontana, C. Capellosi, E. M. Dias, F. H. Mori</i> | |
| INTELLIGENT COOPERATIVE INTERSECTION SAFETY IMPLEMENTATION, TEST AND EVALUATION | 5394 |
| <i>T. Schendzielorz, J. Vreeswijk, P. Mathias</i> | |
| QUALITY MANAGEMENT IN ROSATTE | 5402 |
| <i>R. Schutzle</i> | |
| A NOVEL MODULAR SYSTEM TO DETERMINE A VEHICLE SAFE SPEED LIMIT | 5410 |
| <i>J. Dakhallah, S. Glaser, S. Mammari, J. Ehrlich</i> | |
| MODELLING ENVIRONMENTAL IMPACTS OF TRAFFIC USING A NEW GENERATION OF PERVASIVE SENSORS | 5421 |
| <i>M. C. Bell, F. Galatioto, G. Hill, A. Namdeo</i> | |
| LEGIBILITY EVALUATION AND FACTORS ON GRAPHICAL INFORMATION BOARDS | 5429 |
| <i>H. Oneyama, D. Isoda, S. Shikata, T. Oguchi</i> | |
| VULNERABLE ROAD USER DETECTION | 5437 |
| <i>F. Claezon</i> | |
| GREEN CORRIDORS IN PRACTICE | 5445 |
| <i>L. Kallstrom, C. Rydmell, A. Lindeberg, R. Engstrom</i> | |
| OPTIMIZATION OF STAND-ALONE TRAFFIC CONTROL SYSTEMS | 5453 |
| <i>I. S. M. Biurrun, I. M. Garcia, A. A. Nunez, A. M. Salcedo, P. S. Gurpide</i> | |
| NEAREST NEIGHBOUR ROUTE CLASSIFICATION IN TRAVEL TIME ESTIMATION BASED ON CELLULAR NETWORK SIGNALLING | 5461 |
| <i>D. Gundlegard, J. M. Karlsson</i> | |
| DEPLOYMENT OF INTELLIGENT TRANSPORTATION SYSTEMS FOR URBAN ROAD PRICING: PROGRESS AND OBSERVATIONS FROM SAN FRANCISCO | 5471 |
| <i>J. L. Moscovich, E. Bent, T. Chang, J. Koehler</i> | |
| DROWSINESS DETECTION - EVALUATION METHODS FOR DROWSINESS DETECTION | 5480 |
| <i>P. Kollegger</i> | |
| TRANSPORT EFFICIENT HANDLING OF SOIL MATERIAL THROUGH THE USE OF A MASS DATA BASE (MDB) | 5488 |
| <i>F. Orwen, S. Backstrom, A. Kronvall</i> | |
| PEDESTRIAN NAVIGATION IN STOCKHOLM - HOW LOCAL DATA TOGETHER WITH ADVANCED POSITIONING TECHNIQUES CAN BE USED FOR DETAILED ROUTING | 5496 |
| <i>E. Dawidson</i> | |
| MIGRATING AUTONOMOUS VEHICLE CAPABILITIES FROM THE LABORATORY TO THE HIGHWAY | 5504 |
| <i>S. W. Dellenback, R. D. Lamm</i> | |
| MANAGEMENT OF ROADSIDE UNITS FOR THE SIM^{TD} FIELD TEST (GERMANY) | 5512 |
| <i>M. Funfroken, B. Allani, T. Baum, A. Hinsberger, J. Vogt, S. Weber, H. Wieker</i> | |

| | |
|---|------|
| ON WEB BASED REAL-TIME ROAD TRAFFIC APPLICATIONS FOR VEHICLE ONBOARD SYSTEMS | 5520 |
| <i>G. Gehlen, G. Johlauk, J. Speckmann</i> | |
| GIS AND SPATIAL DATA AT STOCKHOLM PUBLIC TRANSPORT (SL) | 5528 |
| <i>M. Norden, H. Erlandsson</i> | |
| A COMMON FRAMEWORK FREIGHTWISE, EURIDICE AND SMARTFREIGHT | 5535 |
| <i>J. T. Pedersen, P. Paganelli, H. Westerheim</i> | |
| EASYWAY AND OTHER EUROPEAN ITS COOPERATION – POTENTIAL BENEFITS FROM A NATIONAL (SWEDISH) POINT OF VIEW | 5540 |
| <i>A. Lindeberg</i> | |
| DETERMINING LOCATIONS OF BUS INFORMATION TERMINALS IN A BUS INFORMATION SYSTEM | 5544 |
| <i>H. Kim, B. Moon, S. K. Ryu</i> | |
| EVALUATION OF SENSOR TECHNOLOGIES FOR INTELLIGENT TRANSPORT SYSTEMS | 5549 |
| <i>N. Jelusic, M. Anzek, S. Mandzuka</i> | |
| MODELLING ITS SYSTEMS TO MEET SECURITY AND RELIABILITY REQUIREMENTS | 5561 |
| <i>E. Chan, T. Robinson, A. Preece</i> | |
| MONITORING OF RAIL FREIGHT WAGONS IN EUROPE AND ASIA WITH SUPPORT OF EUREKA PROJECTS E-RAILMAP AND ERWIN (THE BEST EUREKA INNOVATION R&D PROJECT 2009) | 5569 |
| <i>P. Kroca, M. Klapka</i> | |
| IROAD – COOPERATIVE ROAD INFRASTRUCTURE SYSTEMS FOR DRIVER SUPPORT | 5577 |
| <i>W. Birk, E. Osipov, J. Eliasson</i> | |
| THE DESIGN AND IMPLEMENTATION OF AN EMBEDDED PEDESTRIAN DETECTION SYSTEM IN INTERSECTION | 5589 |
| <i>B. Wu, C. Kao, C. Chen, Y. Li, K. Liu, C. Chen, C. Yang, C. Liu</i> | |
| GREENING OF FREIGHT TRANSPORTATION THROUGH THE USE OF IT A SURVEY OF SWEDISH RESEARCH | 5597 |
| <i>L. Ramstedt, P. Davidsson</i> | |
| THE SECURITY PROJECT - SYSTEM ARCHITECTURE AND BUSINESS USE | 5605 |
| <i>K. Ekekrantz, J. Soderstrom, C. Lindberg</i> | |
| VSMRTI - SIMULATION RUNTIME INFRASTRUCTURE FOR V2X COMMUNICATION SCENARIOS OPTIMISTIC SYNCHRONIZATION CONCEPTS FOR IMPROVED PERFORMANCE | 5613 |
| <i>N. Naumann, B. Schuenemann, I. Radusch</i> | |
| THE BUSINESS CASE OF COOPERATIVE SYSTEMS FOR ROAD OPERATORS | 5625 |
| <i>M. De Kievit, H. Zwijnenberg, T. Alkim</i> | |
| AUTOMATIC AND EFFICIENT ROAD NETWORK MAP CREATION AND UPDATING | 5633 |
| <i>M. Pecar, A. Kores, T. Novak</i> | |
| ON BALANCE – THE SEE-SAWS OF CONGESTION CHARGE BUSINESS CASES | 5643 |
| <i>P. Grayston, A. Ferry, A. Bourne</i> | |
| ANALYSIS OF INTELLIGENT GOODS AND LOCAL DECISION MAKING | 5651 |
| <i>A. Jevinger, J. A. Persson, P. Davidsson, K. Lumsden</i> | |
| INTEROPERABILITY - REMOVING BARRIERS | 5659 |
| <i>J. T. Pedersen, H. Westerheim</i> | |

VOLUME 8

| | |
|---|------|
| THE DISTANCE-BASED CHARGING PROJECT IN THE NETHERLANDS | 5672 |
| <i>S. Eisses</i> | |
| ITS ROAD MAP DEPLOYMENT IN A NEW EU MEMBER STATE – ROMANIA CASE STUDY | 5678 |
| <i>D. Dumitrescu, F. Nemetan, S. Dumitrescu</i> | |
| REALISTIC TRAVEL-TIMES IN MULTIMODAL TRAVEL PLANNERS FROM A USER PERSPECTIVE | 5685 |
| <i>B. Sanden, N. Johansson, J. Backman</i> | |
| ON THE ABILITY OF IEEE 802.11P AND STDMA TO PROVIDE PREDICTABLE CHANNEL ACCESS | 5690 |
| <i>K. Bilstrup, E. Uhlemann, E. G. Strom, U. Bilstrup</i> | |
| ROAD SAFETY, TECHNOLOGY AND PRIVACY | 5700 |
| <i>C. Berg, B. Gjerstad</i> | |
| VEHICLE DYNAMIC MOBILITY MODELS (M-MODELS) SUBSIDIARY OF VEHICLE MOVEMENT ENERGY TRANSFER TO PAVEMENT | 5708 |
| <i>H. R. Homami, D. Crouse, N. Moini, G. Moglia Jr.</i> | |
| SURFACE MOUNTED VEHICLE PROPERTY SENSING FOR COOPERATIVE VEHICLE INFRASTRUCTURE SYSTEMS | 5719 |
| <i>R. Hostettler, W. Birk, M. L. Nordenvaad</i> | |
| FOURTH GENERATION ON BOARD UNIT - FOR COST-EFFECTIVE AUTOMATED ELECTRONIC TOLLING | 5730 |
| <i>N. Schindler</i> | |
| DELPHI - A JOINT WEB DECISION SUPPORT APPLICATION FOR REAL TIME TRAFFIC SITUATION ANALYSIS AND PROGNOSIS, INFORMATION EXCHANGE AND COOPERATION | 5738 |
| <i>M. Behrisch, M. Bonert, D. Hinkeldein, G. Kuhns, Y. Wang</i> | |
| UNDERSTANDING AND ENHANCING MOBILITY THROUGH IT: OPPORTUNITIES AND CHALLENGES | 5745 |
| <i>J. Sochor, H. N. Koutsopoulos</i> | |

| | |
|--|------|
| RESSMART – THE PLATFORM FOR SUSTAINABLE TRAVEL AND TRANSPORTS IN THE STOCKHOLM REGION | 5757 |
| <i>J. Johansson, N. Hort, J. Thornqvist</i> | |
| ACCESSIBILITY TO THE ROAD TRANSPORT SYSTEMS - FROM A POLITICAL DECISION TO REAL IMPLEMENTATION - FRAM (FLEXIBLE REAL-TIME ASSISTANCE FOR MOVING) | 5761 |
| <i>H. Davoody</i> | |
| IMPROVING TRANSPORT EFFICIENCY AND INFORMATION FLOW IN THE INTERMODAL TRANSPORT CHAIN USING A STANDARD SOFTWARE PACKAGE WITH OPEN INTERFACES THE PORT OF TRELLEBORG CASE | 5764 |
| <i>J. Hogsved</i> | |
| PARK & RIDE SICKLA, ENABLED BY MOBILE SERVICES | 5769 |
| <i>A. Caracolias, A. Lindstrom, V. Lucassi, N. Johansson</i> | |
| VIDEO ANALYSIS FOR PEDESTRIAN AND DRIVER SAFETY IN URBAN ENVIRONMENTS | 5775 |
| <i>N. Sanchez, J. M. Menendez</i> | |
| TURNING RAILWAYS INTO AN INTELLIGENT TRANSPORTATION SYSTEM BY BETTER INTEGRATION, MANAGEMENT AND EXCHANGE OF INFORMATION - THE EUROPEAN INTEGRATED PROJECT INTEGRAIL DELIVERED HIGH IMPACT RESULTS FOR RAILWAYS | 5787 |
| <i>P. Umiliacchi, D. Van Den Abeele, P. Dings, V. Recagno</i> | |
| COOPERATIVE SYSTEMS FOR TRAFFIC SAFETY: WILL EXISTING WIRELESS ACCESS TECHNOLOGIES MEET THE COMMUNICATION REQUIREMENTS? | 5795 |
| <i>E. Uhlemann, N. Nygren</i> | |
| NORTRAFWEB - A FULL SCALE RICH WEB APPLICATION FOR MANAGING TRAFFIC DATA GATHERED FROM THE NORWEGIAN ROAD NET | 5803 |
| <i>H. S. Rasmussen, K. Gryteselv</i> | |
| PARSON - PASSENGER REGISTRATION SYSTEM BASED ON BLUETOOTH AND SATELLITE NAVIGATION | 5810 |
| <i>K. Fallast</i> | |
| AUDITORY SIGNS TO SUPPORT TRAFFIC AWARENESS | 5817 |
| <i>J. Fagerlonn, H. Alm</i> | |
| STOCKHOLM – A CITY FOR EVERYONE - HOW NEW TECHNOLOGY CAN MAKE EVERY DAY LIFE EASIER FOR ELDERLY AND PEOPLE WITH DISABILITIES | 5828 |
| <i>P. Johnni</i> | |
| INNOVATIVE PROCUREMENT FOR THE DEPLOYMENT OF INNOVATIVE PRODUCTS | 5834 |
| <i>O. Elhamshary</i> | |
| EEXTENSIBLE TMC SOFTWARE ARCHITECTURES TO SUPPORT WIDE AREA DEPLOYMENTS AND PUBLIC INFORMATION SYSTEMS | 5837 |
| <i>S. W. Dellenback</i> | |
| REDUCING CARBON FOOTPRINT THROUGH AN INTEGRATED COMMUNICATIONS SYSTEM FOR DENSELY TRAVELED HIGHWAYS | 5846 |
| <i>P. Kamath, S. Loeffler, A. Van Moffaert</i> | |
| EURIDICE - MOBILE AGENTS ARCHITECTURE FOR DISTRIBUTED INTELLIGENCE | 5854 |
| <i>J. Schumacher, M. Gschweidl, M. Rieder</i> | |
| BENEFITS OF A MODEL BASED APPROACH FOR THE STATE-WIDE TRAVELLER INFORMATION PORTAL IN BAVARIA/GERMANY | 5864 |
| <i>P. Mohl, A. Schmid, W. Reints</i> | |
| ROAD USER CHARGING AS THE FINANCING TOOL FOR PPP'S AND CONCESSIONS | 5869 |
| <i>J. A. Czako</i> | |
| A MODULAR PPP ARCHITECTURE, ENABLING A PROVIDER INDEPENDENT, STATE-OF-THE-ART TRAVEL TIME PREDICTION SERVICE-QUALITY | 5874 |
| <i>J. W. Dijkstra, J. Vrancken</i> | |
| THE BENEFITS OF SMART TRANSPORTATION MANAGEMENT ON TRANSPORT OPERATIONS, ENVIRONMENT AND SAFETY/SECURITY | 5879 |
| <i>G. Stefansson, A. Hagen</i> | |
| A DATA-DRIVEN APPROACH TO ATTRACTIVE, TIMELY, MULTI-MODAL CUSTOMER TRAVEL INFORMATION: SOUTH YORKSHIRE PUBLIC TRANSPORT EXECUTIVE'S DIGITAL MAPPING SYSTEM | 5891 |
| <i>D. Figueroa, S. Turner, R. Mason</i> | |
| ON-DEMAND EVALUATION OF ALTERNATIVE STRATEGIES FOR ENVIRONMENTAL TRAFFIC MANAGEMENT | 5898 |
| <i>R. North, J. Van Baalen, J. Cohen, N. Hoose, J. Polak</i> | |
| WIRELESS VEHICULAR SAFETY SYSTEMS: CAR-TO-CAR LINK IMPROVEMENT IN NOISE | 5910 |
| <i>B. Gallagher</i> | |
| A CONCEPTUAL AND MATHEMATICAL APPROACH TO EVALUATE IBEC AT EXPORTS CORRIDORS IN BRAZIL | 5918 |
| <i>N. L. D. S. Guedes, P. C. N. Ribeiro</i> | |
| DISASTER PLANNING AND EVACUATION RESPONSE – CASE STUDY OF HONOLULU TSUNAMI WARNING AND INTELLIGENT TRANSPORTATION SYSTEMS (ITS) ROUTE PLANNING | 5928 |
| <i>S. Park, K. Anderson</i> | |

| | |
|--|------|
| MITIGATION OF TRAFFIC CONGESTION ON MOTORWAYS BY INCREASING QUEUE DISCHARGE FLOW RATE USING THE VMS. | 5937 |
| <i>Y. Murashige</i> | |
| ENERGY PULSE: REAL TIME MONITORING OF URBAN TRANSPORT ENERGY CONSUMPTION AND GREENHOUSE GAS EMISSION | 5945 |
| <i>L. Liu, A. Biderman, C. Ratti</i> | |
| ANALYSIS ON DRIVER'S DILEMMA AT SIGNALIZED INTERSECTION USING CONTINUOUS RECORDING TYPE DRIVE RECORDER | 5955 |
| <i>Y. Michitsuji, H. Igawa, P. Raksincharoensak, M. Nagai</i> | |
| INTEGRATED AIR QUALITY & CONGESTION MANAGEMENT TOOL | 5963 |
| <i>F. J. Pooran, M. A. Thompson</i> | |
| EVALUATION OF ADVANCED TRAFFIC SIGNAL PRIORITY SYSTEM FOR AMBULANCES | 5969 |
| <i>T. Ishizaka, A. Fukuda</i> | |
| REALIZE CUSTOMER CENTRIC STRATEGY BY UNLOCKING INTELLIGENT TRANSIT SYSTEM'S (ITS) FULL PERFORMANCE POTENTIAL WITH SIX SIGMA (6σ) TOTAL QUALITY MANAGEMENT (TQM) METHODOLOGY | 5981 |
| <i>N. Papageorgiou</i> | |
| ESTIMATING TRAIN SPEEDS FOR TRAIN PREEMPTION USING MULTIPLE SENSOR DATA | 5991 |
| <i>E. G. Jones, D. Franca, Y. Zhou, M. Forsberg</i> | |
| PUBLIC TRANSPORTATION ALGORITHM FOR AN INTELLIGENT ROUTING SYSTEM | 5999 |
| <i>A. G. Gangoiiti, O. Arbelaitz, O. Otaegui, P. Vansteenwegen, M. T. Linaza</i> | |
| DEVELOPMENT OF ENERGY-SAVING AUTOMATIC DRIVING SUPPORT TECHNOLOGY FOR ADVANCED ITS | 6007 |
| <i>R. Shimizu, Y. Tsuda, S. Shimizu, H. Sone, T. Ozawa</i> | |
| AN INNOVATIVE SINGLE LOOP SPEED ESTIMATION MODEL WITH ADVANCED LOOP DATA | 6017 |
| <i>S. Park, S. G. Ritchie, C. Oh</i> | |
| ERGONOMIC INSPECTION OF IVIS FOR RIDERS: RECOMMENDATIONS FOR DESIGN AND SAFETY | 6030 |
| <i>A. Pauzie, S. Nikolaou</i> | |
| EFFECTS OF VARIOUS CAUSAL FACTORS ON CAR-FOLLOWING BEHAVIOR | 6040 |
| <i>T. Kim, D. J. Lovell, C. Oh</i> | |
| BROADENING INDUSTRY PERSPECTIVES OF VEHICLE TELEMATICS APPLICATION THROUGH VIRTUAL LEARNING ENVIRONMENTS - EADIS: EUROPEAN AUTOMOTIVE DIGITAL INTERACTION STUDIO | 6052 |
| <i>K. Bull, N. Hull, D. Peck</i> | |
| ITS APPLICATIONS OF SMS TECHNOLOGY | 6060 |
| <i>P. Davies, K. Virshbo, J. Ward</i> | |
| ITS FOR THE "NET GENERATION" NEW PLATFORMS OF COMMUNICATION | 6065 |
| <i>P. Davies, K. Virshbo, B. Rogers</i> | |
| VEHICLE ENERGY MANAGEMENT OPTIMIZATION USING LOOK-AHEAD THREE-DIMENSIONAL DIGITAL ROAD GEOMETRY | 6069 |
| <i>X. Li, K. Tennant</i> | |
| FASTER FREIGHT, CLEANER AIR | 6077 |
| <i>K. H. Kruke</i> | |
| THE NETWORKING UNIVERSITIES IN ASIA/PACIFIC FOR EDUCATING GREEN ITS TOWARD A UBIQUITOUS SOCIETY | 6086 |
| <i>T. Obi</i> | |
| A TECHNOLOGY STANDARD AND THE VERIFICATION OF THE STANDARD APPLICATION FOR TRAFFIC INFORMATION | 6094 |
| <i>K. Lee, Y. Cho, S. Park</i> | |
| COMBINING PIECES OF TRAFFIC DATA IN LARGE SCALE - CHALLENGES IN NORDIC COUNTRIES | 6103 |
| <i>J. Lehtonen</i> | |
| INTRODUCING A NEW SMART CARD TICKETING SERVICE WITH CUSTOMER FOCUS | 6107 |
| <i>H. Virro</i> | |
| PILOT PROJECT ISA IN CITY OF GÖTEBORG | 6111 |
| <i>S. Andersson</i> | |
| AN ANALYSIS OF TECHNOLOGIES ENABLING SMART PARKING SOLUTIONS | 6117 |
| <i>O. Elhamshary, M. Kumar, G. B. Nemer, P. Al Haddad, F. Aoun</i> | |
| USING ITS TECHNOLOGY TO OVERCOME ADVERSE WEATHER AND NATIONAL DISASTERS | 6120 |
| <i>E. C. Chang</i> | |
| ADVANCED TRAFFIC MONITORING (ATMO) FOR SUSTAINABLE TRAFFIC MANAGEMENT | 6121 |
| <i>J. W. C. Van Lint, A. J. Valkenberg, A. J. Van Binsbergen</i> | |
| TRAVELLER INFORMATION PROVISION SERVICES WITH ENDOGENOUS MARKET PENETRATION: A MULTICRITERIA DECISION MAKING PERSPECTIVE | 6133 |
| <i>X. Jaber, M. O'Mahony</i> | |
| IMPROVED SIGNAL CONTROL - SOCIO-ECONOMIC BENEFITS | 6141 |
| <i>S. M. Lauritzen</i> | |
| ROAD CHARGING IN COPENHAGEN: A COMPARATIVE STUDY OF THE GPS PERFORMANCE | 6146 |
| <i>M. Zabic</i> | |

| | |
|--|------|
| A TRUCK-PARK MANAGEMENT SYSTEM FOR THE GERMAN AUTOBAHN NETWORK - REQUIREMENTS, RESTRICTIONS, NEEDS FOR ACTION | 6158 |
| <i>H. Ammoser</i> | |
| WINNING THE CONGESTION BATTLE | 6164 |
| <i>B. S. Moore, A. Wiseman</i> | |
| REMOVING BARRIERS TO THE DEPLOYMENT OF ACCURATE 3D MAPS WITHIN VEHICLES | 6173 |
| <i>K. Schonke, K. Tennant, S. Winzig</i> | |
| ENHANCING SUPPLY CHAIN SECURITY WITH VULNERABILITY MANAGEMENT AND NEW TECHNOLOGY | 6180 |
| <i>H. Salmela, S. Toivonen, J. Scholliers</i> | |
| OBTAINING TRAFFIC PARAMETERS FROM DATA CAPTURED BY DETECTION LOOPS (MAGNETICINDUCTION-PRINCIPLE) USED TO MEASURE THE VELOCITY OF THE VEHICLES (VELOCITY RADARS) | 6192 |
| <i>O. M. Guimaraes</i> | |
| TRAVEL TIME MEASUREMENTS USING GSM AND GPS PROBE DATA | 6200 |
| <i>R. Schafer, S. Lorkowski, P. Mieth, I. Schurr</i> | |
| MAPPING TRAVEL CHOICE WITHIN ABERDEENSHIRE USING GPS DEVICES | 6209 |
| <i>M. Nimmo</i> | |
| HOW SHOULD LOCAL TECHNICAL ASSISTANCE PROGRAMS (LTAPS) IN THE U.S. TEACH LOCAL OFFICIALS ITS CONCEPTS AND APPLICATIONS | 6217 |
| <i>J. Collura</i> | |
| ADVANCED MATHEMATICAL MODELS AS SIMULATED TRAFFIC DATA COLLECTORS | 6225 |
| <i>D. Benhammou</i> | |
| COST- BENEFIT ANALYSIS OF ELECTRONIC TOLL COLLECTION(ETC) SYSTEM IN IRANIAN FREEWAYS(CASE STUDY: TEHRAN-QOM FREEWAY | 6229 |
| <i>A. R. Arjroody, M. Ameri, S. M. Hashemi</i> | |
| INTELLIGENT FREIGHT TRANSPORT SYSTEMS - VISIONS FOR REAL-TIME DISTRIBUTION PLANNING | 6237 |
| <i>H. M. Overo, A. Larsen, S. Ropke</i> | |
| FIELD EVALUATION OF ADVANCED TRAFFIC SIGNAL CONTROL SYSTEM IMPROVING OPERATIONS AND SAFETY FOR RURAL SUGNALIZED INTERSECTIONS | 6245 |
| <i>K. Kim, S. Ryu</i> | |
| TRAFFIC CHARACTERISTICS FOR THE ROUTE INFORMATION COLLECTING SYSTEM USING DSRC | 6253 |
| <i>I. Samedia, H. Adachi, S. Murai</i> | |
| PILOT EXPERIMENT FOR PROFILE SIGNAL CONTROL SYSTEM | 6260 |
| <i>H. Matsumoto, M. Kobayashi, S. Nishimura</i> | |
| FUEL SAVING POTENTIAL OF CAR NAVIGATION SYSTEMS | 6268 |
| <i>T. M. Cerbe, A. Kuhnert, S. Strube</i> | |
| ITS BASED GREENER SERVICES FOR SUSTAINABLE MOBILITY | 6276 |
| <i>J. Santucci</i> | |
| HELPING TO CHANGE PEOPLE'S MODE OF TRANSPORT IN GLASGOW PAPER ID 4097 | 6282 |
| <i>H. M. G. Purdie</i> | |
| AN URBAN – INTER-URBAN SOLUTION FOR HIGHWAYS AGENCY TACTICAL DIVERSION ROUTES | 6290 |
| <i>E. Rodgers, D. Wilkie, J. Burgess, M. Porter</i> | |
| CONTROL OF POLLUTANT EMISSIONS BY ITS ON THE AUSTRIAN HIGH LEVEL | 6298 |
| <i>T. Greiner</i> | |
| DETECTING ABNORMAL VEHICULAR DYNAMICS AT INTERSECTIONS | 6306 |
| <i>H. Jimenez, F. Jimenez</i> | |
| INTEGRAL APPROACH TO THE EVALUATION OF HMI FOR ADAS – METHODOLOGY AND TOOLS | 6317 |
| <i>A. M. P. Tomillo, F. S. Pons, J. L. D. Gil, R. B. Lorenzo, E. G. Quinteiro</i> | |
| DEVELOPMENT OF INTEGRATED TRAFFIC SIGNAL CONTROL SYSTEM FOR FREEWAY AND ARTERIAL | 6325 |
| <i>K. Kim, S. Ryu</i> | |
| TRAVEL TIME PREDICTION BASED ON FUZZY CLUSTERING METHOD | 6333 |
| <i>Y. Sun, L. Honghai</i> | |
| A TWO-LEVEL APPROACH FOR OPTIMAL FREIGHT HANDLING IN DISTRIBUTED SUPPLY CHAIN | 6341 |
| <i>A. D. Febbraro, N. Sacco</i> | |
| NEW VMS TO IMPROVE SAFETY AND EFFICIENCY AT MINOR ROAD WORKS | 6352 |
| <i>C. Vithen, U. Sillesen</i> | |
| A CASE STUDY ABOUT THE TRAFFIC PREDICTION UNDER ACCIDENTS USING DYNAMIC TRAFFIC SIMULATION ON TOKYO METROPOLITAN EXPRESSWAY | 6360 |
| <i>K. Munakata, Y. Tamura, H. Warita, T. Shiroishi</i> | |
| FACTORS AFFECTING TRAVEL TIME PREDICTED BY BAYESIAN STATISTICS | 6372 |
| <i>H. Miyata, S. Terabe, M. Kasai, H. Uchiyama</i> | |
| A STUDY ON TRAFFIC FLOW APPLICATION SCHEME USING GPS DATA | 6380 |
| <i>K. Kim, S. Byun, I. Hong, C. Lee</i> | |
| FINDINGS FROM VEHICLE INFRASTRUCTURE INTEGRATION (VII) PROOF OF CONCEPT (POC) TEST AND FUTURE OPPORTUNITIES | 6394 |
| <i>R. Kandarpa, M. Chenzaie</i> | |

| | |
|---|------|
| USING BLUETOOTH TECHNOLOGY FOR VALIDATING VEHICLE PROBE DATA | 6404 |
| <i>M. Hamed, A. Haghani, F. Sadabadi</i> | |
| EMPIRICAL STUDIES ON TRAVEL TIME RELIABILITY FOR EXPRESSWAY WITH ALTERNATIVE ROUTES | 6412 |
| <i>T. Adachi, K. Fujikawa, Y. Asakura</i> | |
| A 3-D MODEL FOR OPTIMAL ALIGNMENT SEARCH SYSTEM OF HIGHWAY DESIGN BY EXTENDED DIGITAL MAPPING DATA | 6420 |
| <i>S. Kusano, H. Takahashi, M. Yamasaki, T. Terao, N. Tashiro, T. H. Lorentzen, M. Imai, T. Fukase</i> | |
| NAVIGATION WITH INTEGRATED, HIGH QUALITY REAL-TIME TRAFFIC INFORMATION | 6428 |
| <i>N. Cohn, B. Rutten</i> | |
| SLEEPINESS AT THE WHEEL- A SUMMARY OF THREE STUDIES OF THE DROWSI PROJECT | 6436 |
| <i>G. Kecklund, A. Anund, P. Kronberg, D. Sandberg, M. Wahde, T. Akerstedt</i> | |
| A NEW ERA FOR PUBLIC TRANSPORT – CAN PLUG-IN BUSES THIS TIME BE THE REAL DEAL? | 6443 |
| <i>L. Sjocrona, J. V. Schantz, S. Wallin</i> | |
| MAXIMISING COST-EFFECTIVENESS OF EUROPEAN RAIL TRAFFIC MANAGEMENT SYSTEM (ERTMS) BY OPTIMISING MAINTENANCE POLICY | 6448 |
| <i>A. P. Patra, P. Dersin, U. Kumar</i> | |
| SERVICE-ORIENTED INFORMATION LOGISTICS AS SUPPORT TO INTELLIGENT TRANSPORT SERVICES | 6456 |
| <i>O. Candell, R. Karim, P. Soderholm, U. Kumar</i> | |
| RESHAPING THE TRAVEL EXPERIENCE USING MOBILE COMMUNICATIONS - CASE STUDIES OF TUI NORDIC AND LFV STOCKHOLM-ARLANDA | 6467 |
| <i>A. Ekbom</i> | |
| Author Index | |