

2010 IEEE MTT-S International Microwave Symposium Digest (MTT 2010)

**Anaheim, California, USA
23 – 28 May 2010**

Pages 1 - 752



**IEEE Catalog Number: CFP10MTT-PRT
ISBN: 978-1-4244-6056-4**

TABLE OF CONTENTS

SESSION – TU1A – NOVEL GUIDING AND RADIATING STRUCTURES

Dispersion Characteristics of Metamaterial Slow-wave Coupled Lines	1
<i>H. Ma, H. Yang</i>	
A Substrate Integrated Waveguide Leaky Wave Antenna Radiating from a Slot in the Broad Wall	6
<i>J. Machac, P. Lorenz, M. Saglam, C. Bui, W. Kraemer</i>	
Dual-mode Leaky-wave Excitation in Symmetric Composite Right/Left-handed Structure with Center Vias	11
<i>M. M. Hashemi, T. Itoh</i>	
Tunable Composite Right/Left-handed Leaky Wave Antenna Based on a Rectangular Waveguide Using Liquid Crystals	16
<i>C. Damm, M. Maasch, R. Gonzalo, R. Jakoby</i>	
Geometric Characteristics, Physical Mechanism, and Electrical Analysis of Quasi-TEM Waveguides with Dipole-FSS Walls	21
<i>D. Li, K. Wu</i>	
Analysis of Periodic Structures by Means of a Generalized Transverse Resonance Approach	26
<i>J. E. Varela, J. Esteban</i>	

SESSION – TU1B – METAMATERIAL STRUCTURES, PHENOMENA AND APPLICATIONS

Fully Planar Implementation of Generalized Composite Right/Left handed Transmission Lines for Quad-band Applications	31
<i>M. Durán-Sindreu, G. Sisó, J. Bonache, F. Martín</i>	
Dispersion Characterization of CRLH Transmission Lines by Electro-optic Visions of Forward/backward Waves	36
<i>M. Tsuchiya, T. Shiozawa</i>	
2D Transformation Optics Using Anisotropic Transmission-lines Metamaterials	41
<i>M. Zedler, G. V. Eleftheriades</i>	
Negative and Zero Group Velocity in Microstrip/Negative-refractive-index Transmission-line Couplers	46
<i>H. Mirzaei, G. V. Eleftheriades</i>	
Pseudo-traveling-wave Resonator Based on Nonreciprocal Phase-shift Composite Right/Left Handed Transmission Lines	51
<i>T. Ueda, H. Kishimoto</i>	

SESSION – TU1C – SUBMILLIMETER-WAVE AMPLIFIERS AND ENABLING COMPONENTS

A 50 mW 220 GHz Power Amplifier Module	56
<i>V. Radisic, K. M. Leong, X. Mei, S. Sarkozy, W. Yoshida, P. Liu, J. Uyeda, R. Lai, W. R. Deal</i>	
300 GHz Six-stage Differential-mode Amplifier	61
<i>H. J. Park, J. S. Rieh, M. Kim, J. B. Hacker</i>	
High-gain Submillimeter-wave mHEMT Amplifier MMICs	66
<i>A. Tessmann, A. Leuther, H. Massler, V. Hurm, M. Kuri, M. Zink, M. Riessle, R. Lösch</i>	
A 206-294GHz 3-stage Amplifier in 35nm InP mHEMT, Using a Thin-film Microstrip Environment	71
<i>Z. Griffith, W. Ha, P. Chen, D. H. Kim, B. Brar</i>	
Analog Type Millimeter Wave Phase Shifters Based on MEMS Tunable High-impedance Surface in Rectangular Metal Waveguide	76
<i>D. Chicherin, M. Sterner, J. Oberhammer, S. Dudorov, J. Åberg, A. V. Räisänen</i>	
Micromachined on-wafer Probes	81
<i>T. J. Reck, L. Chen, C. Zhang, C. Groppi, H. Xu, A. Arsenovic, N. S. Barker</i>	

SESSION – TUD1D – BEAMFORMING AND RETRODIRECTIVE ARRAYS

CMOS 4x4 and 8x8 Butler Matrices	86
<i>B. Cetinoneri, Y. A. Atesal, J. G. Kim, G. M. Rebeiz</i>	
A V-band Switched Beam-forming Network Using Absorptive SP4T Switch Integrated with 4x4 Butler Matrix in 0.13-μm	91
<i>K. Park, W. Choi, Y. Kim, K. Kim, Y. Kwon</i>	
Polar Phase-conjugation Active Arrays for Spectrally-efficient Linear Wireless Links	96
<i>L. Cabria, J. A. Garcia, T. Aballo, Z. Popovic</i>	
A Retrodirective Null-scanning Array	101
<i>R. T. Iwami, A. Zamora, T. F. Chun, M. K. Watanabe, W. A. Shiroma</i>	
Development of Robust Safety-of-life Navigation Receivers at the German Aerospace Center (DLR)	106
<i>M. V. T. Heckler, M. Cuntz, A. Konovaltsev, L. A. Greda, A. Dreher, M. Meurer</i>	

SESSION – TU3A – TIME-DOMAIN TECHNIQUES AND APPLICATIONS

Time Domain Study of Electromagnetic Cloaks for Wideband Invisibility Under Transient Illumination.....	111
<i>W. J. Hoefer, G. H. Park, E. P. Li</i>	
Exploiting the Relativistic Formulation of Maxwell's Equations to Introduce Moving Grids into Finite Difference Time Do-main Solvers.....	116
<i>R. B. Armenta, C. D. Sarris</i>	
Meshless RPIM Modeling of Open-structures Using PMLs	121
<i>Y. Yu, Z. Chen</i>	
Microstrip-based Nanosecond Pulse Generators: Numerical and Circuital Modeling.....	126
<i>C. Merla, S. El-Amari, F. Danei, M. Liberti, F. Apollonio, D. Arnaud-Cormos, V. Couderc, P. Leveque</i>	
Transient Thermal Analysis of Active Device (FETs) for High-power Applications	131
<i>L. Zhou, Z. Wang, W. Yini, J. Mao</i>	

SESSION – TU3B – ADVANCES IN POWER DIVIDER/COMBINER TECHNOLOGY

Design of a Compact Balun with Three Octant-wavelength Coupled Lines.....	136
<i>C. Tang, W. Cheng, J. Wu, Y. Lin</i>	
Isolation Circuit of Impedance-transforming 3-dB Compact Baluns for Perfect Output Matching and Isolation	141
<i>H. Ahn, T. Itoh</i>	
Single Section Wilkinson Type UWB Power Divider with Bandpass Filter and DC Block Characteristics in LTCC Technology	146
<i>T. Duong, I. Kim</i>	
A Miniaturized Power Combiner for Compact Design of CMOS Phase Shifter at K-band	151
<i>C. Wang, H. Wu, C. C. Tzuang</i>	
A Novel Power Divider Design with Enhanced Harmonic Suppression and Simple Layout	156
<i>W. Ip, K. M. Cheng</i>	
A Novel Power Divider with Enhanced Physical and Electrical Port Isolation.....	161
<i>C. J. Trantanella</i>	

SESSION – TU3C – III-V COMPOUND SEMICONDUCTOR BASED MICROWAVE CIRCUIT TECHNOLOGY

A Complete Transmit, Receive, and LO Buffer Chip Set in Low Cost SMT Package Covering 38 & 42 GHz Applications.....	166
<i>H. Morkner, K. Fujii, S. Kumar, K. Phan, T. Niedzwiecki, B. Ostermann</i>	
Design of a 0.5-30 GHz Darlington Amplifier for Microwave Broadband Applications	171
<i>S. Weng, H. Chang, C. Chiong</i>	
Multi-octave GaN MMIC Amplifier	176
<i>A. Darwish, A. Hung, E. Viveiros, M. Kao</i>	
Wideband High Power GaN on SiC SPDT Switch MMICs	181
<i>C. F. Campbell, D. C. Dumka</i>	

Current Collapse, Memory Effect Free GaN HEMT	186
<i>C. P. Wen, J. Wang, Y. Hao</i>	

SESSION – TU3D – ADVANCES IN RADAR SYSTEMS FOR DETECTION IN DETECTION, IMAGING, MAPPING AND LOCALIZATION

Fast Response Retrodirective Radar	191
<i>N. B. Buchanan, V. Fusco, P. Sundaralingam</i>	
Development of a Multi-frequency Airborne Radar Instrumentation Package for Ice Sheet Mapping and Imaging	196
<i>F. Rodriguez-Morales, P. Gogineni, C. Leuschen, C. T. Lewis, A. Patel, K. Byers, L. Smith, W. Blake, B. Panzer, L. Shi, R. Crowe, C. Gifford</i>	
Calibration of a Digital Phased Array for Polarimetric Radar	201
<i>C. J. Fulton, W. J. Chappell</i>	
Advanced System Level Simulation of UWB Three-dimensional Through-wall Imaging Radar for Performance Limitation Prediction	206
<i>Y. Wang, M. J. Kuhn, A. E. Fathy</i>	
A 3-5 GHz Impulse Radio UWB Transceiver IC Optimized for Precision Localization at Longer Ranges.....	211
<i>J. J. Xia, C. L. Law, K. S. Koh, Y. Zhou, C. Fang</i>	

SESSION – TU3E – NOVEL STRUCTURES, EFFECTS, AND TECHNIQUES

Broadband Negative Refraction at Microwaves with a Multilayered Mushroom-type Metamaterial.....	216
<i>A. B. Yakovlev, M. G. Silveirinha, C. S. Kaipia</i>	
Photonic Choke-joints for Dual-polarization Waveguides	221
<i>E. J. Wollack, K. U-Yen, D. T. Chuss</i>	
High-frequency Scattering by a Narrow Gap on a Microstrip Line.....	226
<i>R. R. Berral, F. Mesa, D. R. Jackson</i>	
Heat Distribution Pattern of Double Brillouin Pulse Inside Water	231
<i>B. M. Najafabadi, R. Safian</i>	
Detection at Microwave Frequencies Based on Self-adjoint Sensitivity Analysis.....	236
<i>L. Liu, A. Trehan, N. K. Nikolova</i>	

SESSION – TU4A – ADVANCES IN SPACE MAPPING TECHNOLOGIES FOR DESIGN OPTIMIZATION

Response Corrected Tuning Space Mapping for Yield Estimation and Design Centering	241
<i>Q. S. Cheng, J. W. Bandler, S. Koziel</i>	
Surrogate modeling of Microwave Circuits Using Polynomial Functional Interpolants	246
<i>J. E. Rayas-Sanchez, J. Aguilar-Torrentera, J. A. Jasso-Urzua</i>	
Robust Multi-fidelity Simulation-driven Design Optimization of Microwave Structures.....	251
<i>S. Koziel, S. Ogurtsov</i>	
Adaptively Constrained Parameter Extraction for Robust Space Mapping Optimization of Microwave Circuits	256
<i>S. Kaziél, J. W. Bandler, Q. S. Cheng</i>	
Automated Synthesis of Resonant-type Metamaterial Transmission Lines using Aggressive Space Mapping	261
<i>A. Rodriguez, J. Selga, M. Gil, J. Carbonell, V. E. Boria, F. Martín</i>	

SESSION – TU4B – ULTRA WIDE BAND PLANAR FILTERS AND DEVICES

A 20-90 MHz 26-channel Cochlear-based Channelizer	266
<i>Y. C. Ou, G. M. Rebeiz</i>	
Two Novel Classes of Band-reject Filters Realizing Broad Upper Pass Bandwidth	271
<i>W. M. Fathelbab, H. M. Jaradat, D. Reynolds</i>	

A Compact UWB Bandpass Filter with Ultra Narrow Notched Band and Competitive Attenuation Slope.....	276
<i>X. Luo, H. Qian, J. Ma, K. S. Yeo</i>	
New Bandstop Filter Based on Capacitively Coupled Lambda/4 Short-circuited Lines Embedded into U.S. UWB BPF.....	281
<i>T. Duong, J. Lee, I. Kim</i>	
Wideband Ring Resonator Bandpass Filter with Dual Stepped Impedance Stubs.....	286
<i>C. H. Kim, K. Chang</i>	
Novel Low Cost Compact Size Planar Low Pass Filters with Deep Skirt Selectivity and Wide Stopband Rejection.....	291
<i>K. Ma, K. Yeo</i>	

SESSION – TU4C – MILLIMETER-WAVE POWER AMPLIFIERS AND POWER-COMBINING TECHNIQUES

W-band GaN MMIC with 842 mW Output Power at 88 GHz.....	296
<i>M. Micovic, A. Kurdoghlian, K. Shinohara, I. Milosavljevic, S. D. Burnham, M. Hu, A. L. Corrion, W. S. Wong, A. Schmitz, P. B. Hashimoto, P. J. Willadsen, D. H. Chow, A. Fung, R. H. Lin, L. Samoska, P. P. Kangaslahti, B. H. Lambrigtsen, P. F. Goldsmith</i>	
W-band, 5W Solid-state Power Amplifier/Combiner.....	300
<i>J. Schellenberg, E. Watkins, M. Micovic, B. Kim, K. Han</i>	
A Compact Self-similar Power Combining Topology.....	305
<i>K. Sengupta, A. Hajimiri</i>	
A 22-dBm 24-GHz Power Amplifier using 0.18-μm CMOS Technology.....	310
<i>P. Huang, J. Juo, Z. Tsai, K. Lin, H. Wang</i>	

SESSION – TU4D – NOVEL CIRCUIT AND SYSTEM TECHNOLOGIES FOR WIRELESS COMMUNICATIONS

ISO-less, SAW-less Open-loop Polar Modulation Transceiver for 3G/GSM/EDGE Multi-mode/Multi-band Handset.....	315
<i>T. Tsukizawa, M. Nakamura</i>	
A Highly Integrated Dual Band SiGe BiCMOS Power Amplifier that Simplifies Dual-band WLAN and MIMO Front-end Circuit Designs.....	320
<i>C. W. P. Huang, M. Doherty, P. Antognetti, L. Lam, W. Vaillancourt</i>	
A Technique for Wireless LAN Connection Through Building Concrete Wall at 2.4GHz.....	325
<i>S. Mizushima, A. Adachi</i>	
Asymmetric Multilevel Outphasing Transmitter Using Class-E PAs with Discrete Pulse Width Modulation.....	330
<i>S. Chung, P. A. Godoy, T. W. Barton, D. J. Perreault, J. L. Dawson</i>	
Experimental Performance Evaluation of IQ Imbalance and DC Offset Estimation and Compensation Technique for 3GPP LTE Base Station.....	335
<i>A. Yamaoka, K. Yamaguchi, T. Kato, Y. Tanabe</i>	

SESSION – TU4E – MICROWAVE AND MILLIMETER WAVE VCOs

>300 GHz Fixed-frequency and Voltage-controlled Fundamental Oscillators in an InP DHBT Process.....	340
<i>M. Seo, M. Urteaga, A. Young, V. Jain, Z. Griffith, J. Hacker, P. Rowell, R. Pierson, M. Rodwell</i>	
Oscillator Phase-noise Reduction Using Low-Noise High-Q Active Resonators.....	345
<i>M. Nick, A. Mortazaw</i>	
Low Phase Noise Load Independent Switched LC VCO.....	350
<i>P. Liu, P. Upadhyaya, J. Jung, T. Luo, Y. Chen, D. Heo</i>	
A C-band GaAs-pHEMT MMIC Low Phase Noise VCO for Space Applications Using a New Cyclostationary Nonlinear Noise Model.....	355
<i>C. Florian, P. A. Traverso, M. Feudale, F. Filicori</i>	
A Millimeter-wave Reflection-type Dual-frequency VCO MMIC with a Coupled Line.....	360
<i>H. Mizutani, K. Nishido, M. Tsuru, K. Kawakami, M. Hieda, E. Taniguchi, M. Shimozawa, Y. Hirano</i>	

SESSION –TUPA – MEMS SWITCHES

Performance of Temperature-stable RF MEMS Switched Capacitors under High RF Power Conditions	365
<i>I. Reinesy, B. Pillans, G. M. Rebeizy</i>	
Magnetically-actuated Dielectric Cantilever RF MEMS Switches	370
<i>A. A. Fomani, S. Fouladi, R. R. Mansour</i>	
CMOS-based Monitoring of Contact Events up to 4 MHz in Ohmic RF MEMS Switches.....	375
<i>A. Fruehling, M. A. Khater, B. Jung, D. Peroulis</i>	
Variable Spring Constant, High Contact Force RF MEMS Switch	380
<i>H. Sedaghat-Pisheh, G. M. Rebeiz</i>	

SESSION – TUPB – ADVANCED DEVICES AND CIRCUITS IN III-V AND SILICON TECHNOLOGIES

Fabrication of AlGaIn/GaN HEMT with the Improved Ohmic Contact by Encapsulation of Silicon Dioxide Thin Film	385
<i>J. G. Heo, H. K. Sung, J. W. Lim, S. K. Kim, W. K. Park, C. G. Ko</i>	
A Novel Active Variable Gain X-band Amplifier in SiGe Technology.....	390
<i>R. Corbière, B. Louis, J. G. Tartarin</i>	
The Impact of Uniaxial Strain on Low Frequency Noise of Nanoscale PMOFETs with e-SiGe and i-SiGe Source/Drain	395
<i>K. L. Yeh, W. L. Hong, J. C. Guo</i>	
Channel Temperature Estimation in GaAs FET Devices.....	400
<i>A. P. Fattorini, J. Tarazi, S. J. Mahon</i>	

SESSION – TUPC –POWER-AMPLIFIERS AT HF, VHF, AND UHF, AND GHz SIGNAL PROCESSING

Lumped-element Output Networks for High-efficiency Power Amplifiers	405
<i>R. Beltran, F. H. Raab</i>	
Second Harmonic Reduction in Broadband HF/VHF/UHF Class E RF Power Amplifiers	410
<i>K. Narendra, A. Mediano, L. Anand, C. Prakash</i>	
A Novel Inverse Class-D Output Matching Network and its Application to Dynamic Load Modulation.....	415
<i>M. G. Din, B. Geck, I. Rolfs, H. Eul</i>	
DSP Assisted Low Cost IQ Mismatch Measurement and Compensation Using Built in Power Detector.....	420
<i>S. Sen, S. K. Devarakond, A. Chatterjee</i>	

SESSION – TUPE – mm-WAVE AND THz SIGNAL GENERATION, DETECTION AND TRANSMISSION

Optically Generated Sub-THz Continuous Wave Using Feedbacked 3rd Order Double Sideband-suppressed Carriers (DSB-SCs)	425
<i>S. Kim, S. B. Kang, M. H. Kwak, K. Y. Kang</i>	
A Broadband Heterostructure Barrier Varactor Tripler Source.....	430
<i>T. Bryllert, J. Vukusic, A. Ø. Olsen, J. Stake</i>	
Highly Directive Package-integrated Dipole Arrays for Low-cost 60-GHz Front End Modules	435
<i>A. Amadjikpè, D. Choudhury, G. E. Ponchak, J. Papapolymerou</i>	
SiP-based 60GHz 4x4 Antenna Array with 90nm CMOS OOK Modulator in LTCC	440
<i>M. K. Karim, M. Sun, L. C. Ong, Y. X. Guo, J. Brinkoff, K. Kang, F. Lin</i>	
Analysis of Plasmon Excited by Metal-insulator-metal Structure with Insulator Thickness of Hundreds of Nanometers	445
<i>M. Tamura, H. Kagata</i>	
Energy Detection and Radiation by Metallic Rings Embedded into a Self-rolled In_xGa_{1-x}As/GaAs Micro-tube.....	450
<i>G. Monti, R. DePaolis, L. Tarricone, M. T. Todaro, M. DeVittorio, A. Passaseo</i>	

Experimental Characterization of EC-CPW Transmission Lines and Passive Components for 60-GHz CMOS Radios	455
<i>I. Haroun, J. Wight, C. Plett, A. Fathy</i>	

SESSION – TUPF – MICROWAVE PHOTONICS AND LOW NOISE RECEIVERS

Microwave Photonic Instantaneous Frequency Measurement with Simultaneous Parallel Operation within a Single Optical Fiber	460
<i>N. Sarkhosh, H. Emami, L. A. Bui, A. Mitchell</i>	
Optimization of Phase Noise in an All-optical Frequency Upconverter Utilizing an Optical Interleaver and a Semiconductor Optical Amplifier for Radio-over-Fiber Applications.....	466
<i>H. J. Kim, J. I. Song</i>	
Dynamics of the Optical Frequency Locked Loop Using Tunable Nd: YV04 Microchip Lasers.....	471
<i>M. Alemohammad, Y. Li, P. R. Herczfeld</i>	
A 18.85 mW 20-29 GHz Wideband CMOS LNA with 3.85±0.25 dB NF and 18.1±1.9 dB Gain	476
<i>Y. T. Chiu, Y. S. Lin, J. F. Chang</i>	
Differential Noise Figure Measurement: A Matrix Based Approach.....	481
<i>M. Robens, R. Wunderlich, S. Heinen</i>	

SESSION – TUPH – PACKAGING, INTERCONNECT, MCMs, AND INTEGRATION

Analytical Approaches to Calculating the Parasitic Coupling Between packages and microwave Circuits	486
<i>T. Bolz, A. Beyer</i>	
Dual-band CRLH Branch-line Coupler in LTCC by Lump Elements with Parasite Control.....	491
<i>H. C. Lu, Y. L. Kuo, P. S. Huang, Y. L. Chang</i>	
Cost-effective High-yield Manufacturing Process of Integrated Passive Devices (IPDs) for RF and Microwave Application	496
<i>C. Wang, W. S. Lee, N. Y. Kim</i>	
Miniaturised Low Cost Solid State 4W TXRX Common leg for 6÷18 GHz Phased Array	501
<i>D. Baccello, M. D'Antoni, B. Orobello, E. Sperduti</i>	

SESSION – WE1A – MODELING AND CHARACTERIZATION OF DEVICES

Packaging of Microstrip Circuits Using Bed of Springs to Suppress Cavity Modes - a Replacement for Bed of Nails	505
<i>E. Rajo-Iglesias, P. S. Kildal, A. Kishk</i>	
Sub-nanosecond Pulse Characteristics of InGaP/GaAs HBTs.....	510
<i>R. Jin, C. Chen, S. Halder, W. R. Curtice, J. C. Hwang</i>	
Characterization of Trapping and Thermal Dispersion in GaN HEMTs	515
<i>S. A. Albahrani, A. E. Parker</i>	
Large-signal FET Model with Multiple Time Scale Dynamics from Nonlinear Vector network Analyzer Data	520
<i>J. Xu, J. Horn, M. Iwamoto, D. E. Root</i>	
Compact RF large-signal Model for MEMS Capacitive Switches.....	525
<i>S. Halder, C. Palego, J. C. Hwang, C. L. Goldsmith</i>	
Third-order Intermodulation Distortion Due to Self-heating in Gold Coplanar Waveguides	530
<i>E. Rocas, C. Collado, N. Orloff, J. C. Booth</i>	

SESSION – WE1B – NEW SYNTHESIS TECHNIQUES FOR FILTER AND MULTIPLEXERS

Design of Triplexer Combiners for Base Stations of Mobile Communications	535
<i>G. Macchiarella, S. Tamiazzo, P. Milano</i>	
Direct Synthesis of General Chebyshev Bandpass Filters with A Frequency Variant Complex Load.....	540
<i>M. Meng, K. L. Wu</i>	
New Distributed Model for Synthesis of Classical Dual Mode Filters.....	545
<i>S. Cogollos, M. Brumos, V. E. Boria, C. Vicente, B. Gimeno, M. Guglielmi</i>	

Wide-band Bandpass Filters Simulation, Design and Diagnosis	550
<i>H. Lee, K. A. Zaki, A. E. Atia</i>	
Tri-band Filter Design Using Substrate Integrated Waveguide Resonators in LTCC	555
<i>W. Tsai, R. Wu</i>	

SESSION – WE1C – ADVANCED MILLIMETER-WAVE PACKAGING

Cost-effective 60-GHz Antenna-package with End-fire Radiation from Open-ended Post-wall Waveguide for Wireless File-transfer System	560
<i>R. Suga, H. Nakano, Y. Hirachi, J. Hirokawa, M. Ando</i>	
A. 77 GHz Broadband Flip-chip Transition on LTCC Submount	565
<i>F. J. Schmuecke, U. Pursche, W. Heinrich, J. Purden</i>	
Broadband, Quad Flat No-lead (QFN) Package Developed Using Standard Overmold Leadframe Technology	570
<i>M. J. Chen, S. A. Tabatabaei</i>	
A Highly Integrated Heterogeneous Micro-and mm-wave Platform	575
<i>P. Alleaume, L. Aspemyr, S. Gevorgian, J. Houdbert, H. Jacobsson, L. Pettersson, D. Platt, M. Salter, A. Vorobiev</i>	
W-band Flip-chip Assembled CMOS Amplifier with Transition Compensation Network for SiP Integration.....	580
<i>C. Kuo, P. Lin, H. Lu, Y. Jiang, C. Liu, Y. Hsin, H. Wang</i>	

SESSION – WE1D – ADVANCES IN MICROWAVE SENSORS AND OBJECTS DETECTION SYSTEMS

A Microwave-based Gamma-ray Detector	585
<i>B. Cetinoneri, Y. A. Atesal, R. A. Kroeger, G. Tepper, J. Losee, C. Hicks, M. Rasmussen, G. M. Rebeiz</i>	
A Novel Passive-wireless Ultrasensitive RF Temperature Transducer for Remote Sensing	590
<i>T. T. Thai, M. Jatlaoui, P. Pons, H. Aubert, M. Tentzeris, G. Dejean, R. Plana</i>	
Novel Image Reconstruction Algorithm for a UWB Cylindrical Microwave Imaging System	595
<i>M. E. Bialkowski, Y. Wang, A. A. Bakar, W. Khor</i>	
Multi-resonant Perturbation Method for Capacitive Sensing with Composite Right Left-handed Transmission Lines	600
<i>M. Schüßler, M. Puentes, C. Mandel, R. Jakoby</i>	

SESSION – WE1E – ADVANCES IN LOW NOISE TECHNOLOGIES

A 6.5kV ESD-Protected Low Noise Amplifier in 65-nm CMOS.....	605
<i>M. Tsai, F. Hsueh, C. Jou, M. Song, J. Tseng, S. Hsu, S. Chen</i>	
A 4.9-dB NF 53.5-62-GHz Micro-machined CMOS Wideband LNA with Small Group-delay-variation	610
<i>Y. Lin, C. Chen, P. Huang, S. Lu, J. Chang</i>	
An Ultra-broadband Robust LNA for Defence Applications in AlGaIn/GaN Technology	615
<i>E. Limiti, W. Ciccognani, P. E. Longhi, C. Mitrano, A. Nanni, M. Peroni</i>	
Miniature Low Noise G-band I-Q Receiver	620
<i>P. Kangaslahti, D. Pukala, A. Tanner, I. O'Dwyer, B. Lambrigtsen, T. Gaier, X. Mei, R. Lai</i>	
A Versatile and Cryogenic mHEMT-model including Noise	625
<i>M. Seelmann-eggebert, F. Schäfer, A. Leuther, H. Massler</i>	

SESSION – WE1F – HIGH EFFICIENCY POWER DEVICES IN VARIOUS TECHNOLOGIES

43W, 52% PAE X-band AlGaIn/GaN HEMTs MMIC Amplifiers.....	630
<i>S. Piotrowicz, Z. Ouarch, E. Chartier, R. Aubry, G. Callet, D. Floriot, J. Jacquet, O. Jardel, E. Morvan, T. Reveyrand, N. Sarazin, S. Delage</i>	
Evaluation of a GaN HEMT Transistor for Load- and Supply-modulation Applications Using Intrinsic Waveform Measurements.....	635
<i>H. M. Nemati, A. L. Clarke, S. C. Cripps, J. Benedikt, P. J. Tasker, C. Fager, J. Grahn, H. Zirath</i>	
High-efficiency Class E MMIC Power Amplifiers at 4.0 GHz Using AlGaIn/GaN HEMT Technology.....	640
<i>V. Zomorrodian, Y. Pei, U. K. Mishra</i>	

A 1 W Si-LDMOS Power Amplifier with 40 % Drain Efficiency for 6 GHz WLAN Applications	645
<i>D. Gruner, R. Sorge, O. Bengtsson, A. Z. Markos, G. Boeck</i>	
High Efficiency Push-pull Inverse Class F Power Amplifier Using a Balun and Harmonic Trap Waveform Shaping Network	650
<i>A. N. Stameroff, A. V. Pham, R. E. Leoni</i>	

SESSION – WE1G – STATUS AND TRENDS IN E-SCAN RADAR FOR AIR – AND SPACEBORNE APPLICATIONS

Status and Trends in AESA-based Radar	656
<i>W. Holpp</i>	
The New Generation of European E-scan Fighter Radars.....	661
<i>W. Holpp</i>	
The SAR/GMTI Airborne Radar PAMIR: Technology and Performance.....	666
<i>H. Wilden, A. Brenner</i>	
Spaceborne SAR Systems and Technologies	671
<i>C. Heer, C. Fischer, C. Schaefer</i>	
Earth Observation Instruments with E-scan Antennas State-of-the-art and Outlook	676
<i>M. Ludwig, C. H. Buck, S. D'Addio, R. Torres, F. Rostan, C. Schaefer, R. Croci</i>	

SESSION – WE2A – NONLINEAR CIRCUIT ANALYSIS AND SYSTEM MODELING

A New Mixed Time-frequency Simulation Method for Nonlinear Heterogeneous Multirate RF Circuits.....	681
<i>J. S. Oliveira, J. C. Pedro</i>	
Discrete-time Representation of Band-pass Frequency-domain Data for Envelope Transient Simulation	686
<i>Z. Su, T. Brazil</i>	
A Polar-oriented Volterra Model for Power Amplifier Characterization	691
<i>T. R. Cunha, E. G. Lima, J. C. Pedro</i>	
Design of Pulsed Waveform Oscillators with a Short Nonlinear Transmission Line.....	696
<i>M. Ponton, F. Ramirez, A. Suarez</i>	
Stochastic Characterization of the Phase Noise Spectrum of Coupled-oscillator Circuits	701
<i>A. Suarez, S. Sancho, F. Ramirez</i>	

SESSION – WE2B – NOVEL TECHNIQUES FOR PLANAR FILTER DESIGN

Synthesis of 4th Order Lossy Filters with Uniform Q Distribution.....	706
<i>J. Mateu, A. Padilla, C. Collado, M. Martinez-Mendoza, E. Rocas, C. Ernst, J. M. O'Callaghan</i>	
Design of Dual-band Net-type Bandpass Filter	711
<i>C. Tseng, H. Shao</i>	
New Dual-mode Dual-bandpass Filter with Quasi-elliptic Function Passbands and Controllable Bandwidths.....	716
<i>T. Lin, U. Lok, J. Kuo</i>	
Application of Generalized Bagley-polygon Four-port Power Dividers to Designing Microwave Dual- bandpass Planar.....	721
<i>R. Gomez-Garcia, M. Sanchez-Rendedo</i>	
Lumped Isolation Circuits for Improvement of Matching and Isolation in Three-port Balun Band- pass Filter	726
<i>T. Yang, P. Chi, T. Itoh</i>	
Reconfigurable 4 Pole Bandstop Filter Based on RF-MEMS-loaded Split Ring Resonators	731
<i>D. Bouyge, A. Crunteanu, A. Pothier, P. Martin, P. Blondy, A. Velez, J. Bonache, J. Orlianges, F. Martin</i>	

SESSION – WE2C – ADVANCES IN MEASUREMENT: MICROWAVES THROUGH SUB-MILLIMETER-WAVES

Understanding the Effect of Uncorrelated Phase Noise on the Phase Coherency of Multi-channel RF Vector Signal Analyzers	736
<i>D. A. Hall, A. Hinde</i>	
The Impact of Long-term Memory Effects on Diode Power Probes	743
<i>H. Gomes, A. R. Testera, N. B. Carvalho, M. F. Barciela, K. A. Remley</i>	
On-wafer S-parameter De-embedding of Silicon Active and passive Devices up to 170 GHz	748
<i>K. Yau, I. Sarkas, A. Tomkins, P. Chevalier, S. Voinigescu</i>	
A. Ring-centered Waveguide Flange for Millimeter- and Submillimeter-wave Applications	753
<i>H. Li, A. R. Kerr, J. L. Hesler, H. Xu, R. M. Weikle</i>	
An Implantable Batteryless Wireless Impedance Sensor for Gastroesophageal Reflux Diagnosis	758
<i>T. Ativanichayaphong, S. Tang, L. Hsu, W. Huang, Y. Seo, H. F. Tibbals, S. J. Spechler, J. C. Chiao</i>	
3D Packaging Technique on Liquid Crystal Polymer (LCP) for Miniature Wireless Biomedical Sensor	763
<i>D. Ha, B. Kim, T. Lin, Y. Ouyang, P. P. Irazoqui, W. J. Chappell</i>	
An Ultrasensitive CMOS Magnetic Biosensor Array with Correlated Double Counting Noise Suppression	768
<i>H. Wang, S. Kosai, C. Sideris, A. Hajimiri</i>	
Microwave Sensors for Stem Cell Identification and Discrimination	773
<i>C. Dalmay, A. Pothier, M. Cheray, F. Lalloué, M. Jauberteau, P. Blondy</i>	
A Novel Zigbee- based Low- cost, Low- power Wireless EKG System	778
<i>V. Mukala, V. Lakafosis, A. Traille, M. M. Tentzeris</i>	
Substrate Integrated Resonant Near-field Sensor for Material Characterization	783
<i>M. Ambroziewicz, A. F. Jacob</i>	

SESSION – WE2E – EMERGING TECHNOLOGIES FOR mm TO SUBmm SYSTEMS

10-Gbit/s QPSK Modulator and Demodulator for a 120-GHz-band Wireless Link	788
<i>H. Takahashi, T. Kosugi, A. Hirata, K. Murata, N. Kukutsu</i>	
High-phase Resolution 77-GHz-band Radar Module for Near-field Millimeter-wave Imaging	793
<i>S. Mochizuki, S. Oka, H. Toga, N. Kukutsu</i>	
Waveguide Transition to Feed a Fully PCB Integrated Dielectric Rod Antenna	798
<i>F. Poprawa, A. Zanati, A. Ziroff, F. Ellinger</i>	
Hollow-core Electromagnetic Band Gap (EBG) Waveguide Fabricated by Rapid Prototyping for Low-loss Terahertz Guiding	803
<i>Z. Wu, W. Ng, M. Gehm, H. Xin</i>	
Monolithic 28.3 THz Thermal Image Sensor Incorporating 0.18-μm CMOS Foundry	808
<i>S. Yang, L. Su, I. Huang, C. C. Tzuang</i>	
Waveguide Design for Bi-modal Operation of THz Quantum Cascade Lasers	813
<i>S. Razavipour, S. Fatholoulumi, G. Z. Rafi, D. Ban, S. Safavi-Naeini, S. R. Laframboise, Z. Wasilewski, H. Liu</i>	

SESSION – WE2F – POWER AMPLIFIER SYSTEM CONCEPTS

Behavioral Modeling and Digital Predistortion of Power Amplifiers with Memory Using Hidden Layers Artificial Neural Networks	818
<i>F. Mkadem, M. B. Ayed, S. Boumaiza, J. Wood, P. Aaen</i>	
High Accuracy Wide Band Analog Predistortion Linearizer for Telecom Satellite Transmit Section	823
<i>J. Villemazet, H. Yahi, D. Lopez, M. Perrel, J. Maynard, J. Cazaux</i>	
Novel Wide Band High-efficiency Active Harmonic Injection Power Amplifier Concept	828
<i>A. AlMuhaissen, P. Wright, J. Lees, P. tasker, S. Cripps, J. Benedikt</i>	
High Efficiency Envelope Tracking Supply Voltage Modulator for High Power Base Station Amplifier Applications	833
<i>T. M. Aitto-Oja</i>	
Wideband High Efficiency Digitally-assisted Envelope Amplifier with Dual Switching Stages for Radio Base-station Envelope Tracking Power Amplifiers	838
<i>C. Hsia, D. F. Klmball, S. Lanfranco, P. M. Asbeck</i>	

SESSION – WE2G – TRENDS IN FUTURE SYSTEMS WITH LOW COST PHASED ARRAY

Advanced Architecture for a Low Cost Multifunction Phased Array Radar	843
<i>J. Herd, S. Duffy, M. Weber, G. Brigham, C. Weigand, D. Curcio</i>	
Commercial Manufacturing Practices Applied to Phased Array Radars	848
<i>D. J. Carlson, C. Weigand, D. Curcio, T. Boles</i>	
Leveraging Commercial Wireless Communications Industry Advances to Lower the Cost of Phased Arrays	853
<i>M. B. Davis</i>	
Low Cost Electronically Scanned Arrays Based on Surface Mount Active Antennas	858
<i>M. Sanchez-Barberty, R. W. Jackson</i>	
Technology Trends for Future Low Cost Phased Arrays	863
<i>M. Sarcione, A. Puzella</i>	

SESSION – WE3A – FREQUENCY-DOMAIN BASED MODELING OF MICROWAVE COMPONENTS

Modeling of Printed Periodic Structures with Thick Metal Patches by the MoM/Bi-RME Method	867
<i>M. Bozzi, M. Montagna, L. Perregrini</i>	
Use of Ground Planes within the Spatial Images Technique: Application to the Analysis of Rectangular Multilayered Shielded Enclosures	872
<i>J. S. Gomez-Diaz, M. Garcia-Vigueras, D. Cañete-Rebenaque, F. D. Quesada-Pereira, A. Alvarez-Melcon</i>	
A Novel Skin-effect Based Surface Impedance Model for Accurate Broadband Characterization of Interconnects with Method of Moments	877
<i>M. A. Al-Qedra, V. I. Okhmatovski</i>	
Design Equations for Tapered Microstrip-to-substrate Integrated Waveguide Transitions	882
<i>D. Deslandes</i>	

SESSION – WE3B – NOVEL 3-dB COUPLER STRUCTURES

Novel Uniplanar Synthesized Coplanar Waveguide and the Application to Miniaturized Rat-race Coupler	887
<i>C. Wang, C. Lai, T. Ma</i>	
Application of Composite Right/Left-handed Half-mode Substrate Integrated Waveguide to the Design of a Dual-band Rat-race Coupler	892
<i>Y. Dong, T. Itoh</i>	
Quasi-Optical Cruciform Substrate Integrated Waveguide (SIW) Coupler for Millimeter-wave Systems	897
<i>T. Djerafi, J. Gauthier, K. Wu</i>	
A Planar Magic-T Structure Using Substrate Integrated Circuits Concepts	902
<i>F. He, K. Wu, X. Chen, L. Han, W. Hong</i>	
Advanced Characterization and Design of Compensated High Directivity Quadrature Coupler	907
<i>J. Mueller, A. F. Jacob</i>	
Broadband and Compact 3-dB MMIC Directional Coupler with Lumped Element	912
<i>K. Nishikawa, M. Kawashima, T. Seki, K. Hirago</i>	

SESSION – WE3C – MICROWAVE PHOTONIC TECHNOLOGIES

Highly Linear InP Phase Modulator for High Dynamic Range RF/Photonic Links	917
<i>R. Wang, A. Bhardwaj, S. Ristic, L. Coldren, J. Bowers, P. Herczfeld, Y. Li</i>	
A New Optoelectronic Oscillator Topology Based on a Class E Analog Fiber Optic Link	922
<i>W. D. Jemison, T. A. Wey, A. Paoletta</i>	
Front-end Design of W-band Integrated Photonic Transmitter with Wide Optical-to-electrical Bandwidth for Wireless-over-fiber Applications	927
<i>H. Tsai, N. Chen, F. Kuo, J. Shi</i>	
Whispering-gallery Mode Based Photonic RF Receiver	932
<i>V. Ilchenko, J. Byrd, A. Savchenkov, P. Koonath, A. Matsko, D. Seidel, L. Maleki</i>	

Experimental Demonstration of a Downlink Multi-channel Hybrid Fiber-radio Using Digitized RF-over-Fiber Technique	937
<i>Y. Yang, C. Lim, A. Nimalathas</i>	

SESSION – WE3D – RF AND MICROWAVE IN MEDICINE: IMAGING AND MONITORING

A Method to Control Non-uniformity RF B_1 Field for High Field Magnetic Resonance Imaging	942
<i>H. Yoo, A. Gopinath, T. Vaughan</i>	
Alternating Impedance Multi-channel Transmission Line Resonators for High Field Magnetic Resonance Imaging	947
<i>C. E. Akgun, L. DelaBarre, C. J. Snyder, S. Sohn, G. Adrian, K. Ugurbil, A. Gopinath, J. T. Vaughan</i>	
Near-field Microwave Imaging based on Planar Aperture Scanning	952
<i>R. K. Amineh, M. Ravan, A. Trehan, N. K. Nikolova</i>	
A Fast Clutter Cancellation Method in Quadrature Doppler Radar for Noncontact Vital Signal Detection	957
<i>T. Chin, K. Lin, S. Chang, C. Chang</i>	
An Injection-locked Detector for Concurrent Spectrum and Vital Sign Sensing	962
<i>F. Wang, C. Li, C. Hsiao, T. Horng, J. Lin, K. Peng, J. Jau, J. Li, C. Chen</i>	
A Wire Patch Cell for "In Vitro" Exposure at the Wi-Fi Frequencies	967
<i>A. Paffi, F. Apollonio, M. Liberti, G. A. Lovisolo, R. Lodato, S. Mancini, S. Chicarella, G. D'Inzeo, C. Merla</i>	

SESSION – WE3E – FREQUENCY CONVERSION AND CONTROL COMPONENT IC'S

An 85-95.2 GHz Transformer-based Injection-locked Frequency Tripler in 65nm CMOS	972
<i>Z. Chen, P. Heydari</i>	
A Dual-mode mm-wave Injection-locked Frequency Divider with Greater than 18% Locking Range in 65nm CMOS	977
<i>H. M. Cheema, X. Yu, R. Mahmoudi, P. T. Van-Zeijl, A. Van-Roermund</i>	
A 15-50 GHz Broadband Resistive FET Ring Mixer Using 0.18-μm CMOS Technology	982
<i>J. Chen, C. Kuo, Y. Hsin, H. Wang</i>	
A Linear 70-95 GHz Differential IQ Modulator for E-band Wireless Communication	987
<i>M. Gavell, H. Zirath, M. Ferndahl, S. E. Gunnarsson</i>	
A 6-18 GHz 5-bit Active Phase Shifter	992
<i>K. Koh, G. Rebeiz</i>	

SESSION – WE3F – TECHNIQUES TO ENHANCE POWER AMPLIFIER LINEARITY AND EFFICIENCY

30.3% PAE HBT Doherty Power Amplifier for 2.5 -2.7 GHz Mobile WiMAX	997
<i>D. Kang, J. Choi, D. Kim, D. Yu, K. Min, B. Kim</i>	
A Fully Integrated CMOS RF Power Amplifier with Tunable Matching Network for GSM/EDGE Dual-mode Application	1002
<i>H. Kim, Y. Yoon, O. Lee, K. An, D. Lee, W. Kim, C. Lee, J. Laskar</i>	
Efficiency Improvement of a Handset WCDMA PA Module Using Adaptive Digital Predistortion	1007
<i>C. D. Presti, A. G. Metzger, H. M. Banbrook, P. J. Zampardi, P. M. Asbeck</i>	
A Pulse Modulated Polar Transmitter for CDMA Handsets	1012
<i>H. Yang, H. Shih, J. Chen, Y. E. Chen</i>	
RF Class-S Power Amplifiers: State-of-the-art Results and Potential	1017
<i>A. Wentzel, C. Meliani, W. Heinrich</i>	

SESSION – WE3G – MICROWAVE SPACE SENSORS

THz for Space: The Golden Age	1022
<i>P. H. Siegel</i>	
The Juno Microwave Experiment	1027
<i>S. J. Bolton</i>	
Sub-millimeter and Far-infrared Technology in the Herschel Space Observatory and Beyond	1032
<i>J. C. Pearson</i>	

Digital Radiometers for Earth Science.....	1037
<i>C. Ruf, S. Gross</i>	
HEMT MMW MMICS for Radiometer Sensor Applications.....	1042
<i>R. Lai</i>	

SESSION – WE4A – RFID AND POWER HARVESTING TECHNOLOGIES

Long Range, Low power UHF RFID Analog Front-end Suitable for Batteryless Wireless Sensors	1047
<i>A. Vaz, H. Solar, I. Rebollo, I. Gutierrez, R. Berenguer</i>	
An RFID System with Enhanced Hardware-Enabled Authentication and Anti-counterfeiting Capabilities.....	1052
<i>V. Iakafosis, A. Traille, H. Lee, G. Orecchini, E. Gebara, M. M. Tentzeris, G. DeJean, D. Kirovski</i>	
Crossed Dipole Frequency Doubling RFID TAG Based on Paper Substrate and Ink-jet Printing Technology	1057
<i>F. Alimenti, V. Palazzari, G. Orecchini, G. Pinca, P. Mezzanotte, M. M. Tentzeris, L. Roselli</i>	
Harmonic Generation from Integrated Nonlinear Transmission Lines for RFID Applications.....	1061
<i>F. Yu, K. G. Lyon, E. C. Kan</i>	
A Device-level Analog and Digital Subsystem SPICE Library for the Design of Low-cost Pentacene OFET RFIDs.....	1066
<i>R. Tinivella, S. Shen, M. Pirola, G. Ghione, V. Camarchia</i>	
Temporally Resolved Impedance Measurement of Differential, RF-powered Devices using the Example of a microwave RFID Front-end.....	1071
<i>C. Bansleben, S. Kühn, N. Gay, W. J. Fischer</i>	
Co-design of Ultra Low Power RF/Microwave Receivers and Converters for RFID and Energy Harvesting Applications.....	1076
<i>A. Costanzo, M. Fabiani, A. Romani, D. Masotti, V. Rizzoli</i>	

SESSION – WE4B – NOVEL TRANSMISSION STRUCTURES AND CHARACTERIZATION

Compact Artificial Line Phase Shifter on Ferroelectric Thick-film Ceramics	1081
<i>M. Sazegar, Y. Zheng, H. Maune, X. Zhou, C. Damm, R. Jakoby</i>	
Accurate Analysis of Finite Periodic Substrate Integrated Waveguide Structures and its Applications	1086
<i>L. Han, K. Wu, X. Chen, F. He</i>	
Conductor Profile Effects on the Propagation Constant of Microstrip Transmission Lines.....	1091
<i>A. F. Horn, J. W. Reynolds, J. C. Rautio</i>	
Bandwidth Enhancement of Substrate Integrated Waveguide Tunnels by Longitudinal Resonances.....	1096
<i>A. Corona-Chavez, T. Itoh</i>	
Micromachined High Aspect Ratio Coplanar Waveguide with High Impedance and Low Loss on Low Resistivity Silicon	1101
<i>S. T. Todd, J. E. Bowers, N. C. MacDonald</i>	

SESSION – WE4C – NOVEL TECHNOLOGICAL REALIZATIONS OF FILTERS AND MULTIPLEXERS

TM Dual-mode Pseudoelliptic Filters Using Nonresonating Modes.....	1106
<i>S. Bastioli, C. Tomassoni, R. Sorrentino</i>	
Coupling Topologies for Realizing Compact Microwave Diplexers with Dual-mode Cavities	1111
<i>H. Ezzeddine, S. Bila, S. Verdeyme, F. Seyfert, D. Pacaud</i>	
A Novel Ku-band Dielectric Resonator Triplexer Based on Generalized Multiplexer Theory.....	1116
<i>F. Loras-Gonzalez, I. Hidalgo-Carpintero, S. Sobrino-Arias, A. García-Lampérez, M. Salazar-Palma</i>	
Compact Wide-band Ridge Waveguide Dual-band Filters.....	1121
<i>M. M. Fahmi, J. A. Ruiz-Cruz, R. R. Mansour, K. A. Zaki</i>	
A New Class of 3-D Filter/Antenna Integration with High Quality Factor and High Efficiency	1126
<i>Y. Yusuf, X. Gong</i>	
Quasi-elliptic 150GHz Highly Selective LTCC Filter	1131
<i>A. Khalil, D. Passerieux, D. Baillargeat, N. Delhote, S. Verdeyme, L. Rigauudeau, J. Puech</i>	

SESSION – WE4D – HIGH-SPEED SIGNAL PROCESSING CIRCUITS FOR WIRELESS AND OPTICAL COMMUNICATION SYSTEMS

A 50-GS/s 5-b ADC in 0.18-um SiGe BiCMOS	1136
<i>J. Lee, Y. Chen</i>	
A 17 pJ/bit Broadband Mixed-signal Demodulator in 90nm CMOS	1141
<i>K. S. Chuang, D. Yeh, F. Barale, B. Perumana, S. Sarkar, P. Sen, S. Pinel, J. Laskar</i>	
Pulse Shaping and Clock Data Recovery for Multi-Gigabit Standard Compliant 60 GHz Digital Radio	1146
<i>F. Barale, G. B. Lyer, B. G. Perumana, P. Sen, S. Sarkar, A. Rachamadugu, N. Dudebout, S. Pinel, J. Laskar</i>	
A 1 V 6-bit 2.4 GS/s Nyquist CMOS DAC for UWB Systems	1151
<i>B. Kim, M. Cho, Y. Kim, J. Kwon</i>	
A 6 Bit Linear Binary RF DAC in 0.25 μm SiGe BiCMOS for Communication Systems	1156
<i>M. Khafaji, H. Gustat, J. Sheyft</i>	
Distributed Amplifiers in InP DHBT for 100-Gbit/s Operation	1161
<i>J. Y. Dupuy, A. Konczykowska, F. Jorge, M. Riet, J. Godin</i>	

SESSION – WE4E – POWER-AMPLIFIER AND COMBINER TECHNIQUES FOR HF, VHF, AND UHF

Class-D Power Amplifier with RF Pulse-width Modulation	1166
<i>F. H. Raab</i>	
An Efficient, 35 dBm, Inverse Class-F, UHF RF Power Amplifier Module on a 12 mm² Footprint Designed in First Pass Through Accurate Modeling Simulation	1171
<i>M. J. Franco</i>	
Switch-controlled Multi-octave Bandwidth Radial Power Divider/Combiner	1176
<i>Y. Hong, D. F. Kimball, J. Yook, P. M. Asbeck, L. E. Larson</i>	
High-efficiency 400 W Power Amplifier with Dynamic Drain Voltage Control for 6 MHz OFDM Signal	1181
<i>S. Hiura, H. Sumi, H. Takahashi</i>	
100 W GaN HEMT Power Amplifier Module with > 60% Efficiency over 100-1000 MHz Bandwidth	1186
<i>K. Krishnamurthy, T. Driver, R. Vetury, J. Martin</i>	

SESSION – WE4F – NOVEL SI-BASED DEVICES AND CIRCUITS

A Novel Small Capacitance RF-MOSFET with Small-resistance Long-finger Gate Electrode	1191
<i>H. Nagase, A. Tanabe, Y. Hayashi</i>	
Silicon-based PIN SPST RF Switches for Improved Linearity	1196
<i>P. Sun, P. Liu, P. Upadhyaya, D. Jeong, D. Heo, E. Mina</i>	
A Ka-band High-pass Distributed Amplifier in 120nm SiGe BiCMOS	1201
<i>T. D. Gathman, J. F. Buckwalter</i>	
Low-power Low-noise 0.13 μm CMOS X-band Phased Array Receivers	1206
<i>D. Shin, G. M. Regeiz</i>	
An L-band Gain and Bandwidth Tunable Low-noise Differential Amplifier Using Varactor-tuned Bias Circuits and Active Loads	1211
<i>Y. Itoh, W. Cao, T. Murata, K. Sakurai</i>	

SESSION – WE4G – CAD TECHNIQUES AND METHODOLOGIES: FUTURE DIRECTIONS

Techniques for Nonlinear High-frequency Circuit-level Simulation	1216
<i>T. Brazil</i>	
Historical Trends and Evolution of Circuit-simulation Technology	1221
<i>S. Maas</i>	
Multi-PC FDTD: Solving Large Scale EM Problems	1226
<i>A. Wien, A. Lauer, I. Wolff</i>	
ANN and Space Mapping for Microwave Modeling and Optimization	1231
<i>Q. Zhang, J. W. Bandler, S. Koziel, H. Kabir, L. Zhang</i>	

SESSION – WE4S – SPECIAL SESSION IN HONOR DR. KIYO TOMIYASU

Special Session in Honor Dr. Kiyo Tomiyasu	1236
<i>J. B. Horton</i>	

SESSION – WEPA – DEVELOPMENT IN SIGNAL GENERATION

Impact of Radiated EMI in High Frequency Crystal Oscillator.....	1237
<i>U. L. Rohde, A. K. Poddar</i>	
Time-filtered Squarewave Output From Direct Digital Synthesis.....	1242
<i>E. W. McCune</i>	
Frequency-tunable High-efficiency Power Oscillator Using GaN HEMT	1247
<i>S. Shin, G. Choi, H. Kim, S. Lee, S. Kim, J. Choi</i>	

SESSION – WEPB – FREQUENCY CONVERSION AND CONTROL

A 90 nm CMOS 14.5 GHz Injection Locked L0 Generator with Digital Phase Control	1252
<i>A. Axholt, H. Sjöland</i>	
High Power, High Conversion Gain Frequency Doublers Using SiC MESFETs and AlGaIn/GaN HEMTs.....	1257
<i>K. S. Yuk, G. R. Branner, C. Wong</i>	
A 22-39 GHz Passive Mixer in SiGe:C Bipolar Technology.....	1262
<i>V. Issakov, H. Knapp, M. Wojnowski, A. Thiede, W. Simbuerger</i>	
Dynamic Range Reduction Due to RF and Image Signal Co-existence in a Highly-merged 2.4/5.7-GHz Dual-band Low-IF Downconverter	1267
<i>J. Syu, C. Meng, G. Huang</i>	
Compact Tunable Ka-band Phase Shifter based on Liquid Crystals.....	1272
<i>A. Moessinger, C. Fritzsche, S. Bildik, R. Jakoby</i>	
A Light Weight 8-element Broadband Phased Array Receiver on Liquid Crystal Polymer.....	1277
<i>J. S. Chieh, A. Pham, T. W. Dalrymple, D. G. Kuhl, B. Garber, K. Aihara</i>	
3D System-in-package Integration of 60 GHz Aperture-coupled Micromachined Microstrip Antennas	1282
<i>S. Brebels, K. Mohammadpour-Aghdam, W. Raedt, G. Vandenbosch</i>	

SESSION – WEPE – MICROWAVE HIGH POWER PROCESSES: MODELING AND APPLICATIONS

2.45 GHz Waveguide Plasma Generation in Cylindrical Structures.....	1287
<i>G. Cerri, R. Leo, V. M. Primiani, P. Russo, E. Vecchioni</i>	
Wood Timber Disinfestation by Microwave Power Application	1292
<i>A. T. Zona, O. Calderón, J. V. Balbastre, E. Reyes</i>	
Measurement of Dielectric Properties at High-temperatures in Real-time with Cylindrical Cavity.....	1297
<i>A. J. Canos-Marin, F. L. Penaranda-Foix, J. M. Catala-Civera, B. Garcia-Banos</i>	
High-Q Applicators for Microwave Processes in Material Science	1302
<i>P. Kopyt, W. K. Gwarek</i>	
Dielectric Relaxation Study of Binary Mixtures of 2-Methoxyethanol in Nitrobenzene and Chlorobenzene Using Time Domain Reflectometry.....	1307
<i>R. H. Fattepur, S. B. Sayyad, N. H. Ayachit, P. W. Khirade, S. C. Mehrotra</i>	

SESSION – WEPF – POWER AMPLIFIERS CIRCUITS

Signal Pre-distortion and Bandwidth Requirements for Sequential Power Amplifiers	1312
<i>T. Lehmann, R. Knoechel</i>	
A 29dBm Linear output Power Amplifier with 21.3% Efficiency for 700MHz-band 3GPP LTE OFDMA Applications.....	1317
<i>Y. H. Chow, H. H. Nyeo, W. C. Chan, K. L. Lau, S. H. Khoo</i>	

A Novel Broadband Power Amplifier Architecture for High Efficiency and High Linearity Applications.....	1322
<i>R. I. Alidio, W. Lee, A. Gummalla, M. Achour</i>	
A Measurement Set-up and methodology Combining Dynamic Biasing and baseband Predistorsion for High Efficiency and Linear Amplifier Design.....	1327
<i>M. S. Dine, T. Reveyrand, G. Neveux, P. Bouysse, D. Barataud, J. Nebus, W. Rebernak</i>	
Envelope Tracking Power Amplifier Robust to Battery Depletion	1332
<i>J. Choi, D. Kim, D. Kang, J. Park, B. Jin, B. Kim</i>	
Quad-band Inverse Class-F Power Amplifier Using Novel Composite Right/Left-handed Transmission Line	1337
<i>J. Choi, C. Seo, S. Yang, Y. Moon, C. Park, B. Jang, J. Cho</i>	
High Performance Wideband Digital Predistortion Platform for 3G+ Applications with Better than 55dBc over 40 MHz Bandwidth.....	1342
<i>A. Kwan, O. Hammi, M. Helaoui, F. M. Ghannouchi</i>	
Doherty Amplifier with Envelope Tracking for High Efficiency.....	1347
<i>J. Moon, J. Son, J. Kim, I. Kim, S. jee, Y. Y. Woo, B. Kim</i>	
Design of a Broadband and Highly Efficient 45W GaN Power Amplifier via Simplified Real Frequency Technique.....	1352
<i>D. Wu, F. Mkaem, S. Boumaiza</i>	
Adaptive Digital Pre-distortions Based on Affine Projection Algorithm for WCDMA Power Amplifier Applications.....	1357
<i>S. Chun, Y. Kim, K. Choi, J. Kim, D. Kim, C. Hahn</i>	

SESSION – WEPG – POWER AMPLIFIER DEVICES

A Compact Flip Chip Single Die WiFi FEM for Smart Phone Application	1362
<i>C. Yuen, K. Laursen, D. Chu, Y. Pao, A. Chernyakov, P. Heide</i>	
A Highly Efficient 1-GHz, 15-W Power Amplifier Design Based on a 50-V LDMOS Transistor.....	1367
<i>P. Singerl, C. Fager, Z. Wang, C. Schubert, F. Dielacher</i>	
High-efficient Broadband Power Amplifier Design TechniqueBased on a Measured-load-line Approach.....	1372
<i>S. Falco, A. Raffo, F. Scappaviva, D. Resca, M. Pagani, G. Vannini</i>	
Laser Driver Switching 20 A with 2 ns Pulse Width Using GaN	1377
<i>A. Liero, A. Klehr, S. Schwertfeger, T. Hoffmann, W. Heinrich</i>	
Investigation and Analysis into Device Optimization for Attaining Efficiencies in-excess of 90% When Accounting for Higher Harmonics.....	1382
<i>A. L. Clarke, M. Akmal, J. Lees, P. J. Tasker, J. Benedikt</i>	

SESSION – TH1A – TERAHERTZ ELECTRONICS

THz Electronics Projects at DARPA: Transistors, TMICs, and Amplifiers	1387
<i>J. D. Albrecht, M. J. Rosker, H. B. Wallace, T. Chang</i>	
Solid-state Amplifiers for Terahertz Electronics	1392
<i>W. R. Deal</i>	
THz MMICs based on InP HBT Technology	1397
<i>J. Hacker, M. Seo, A. C. Young, Z. Griffith, M. Urteaga, T. Reed, M. Rodwell</i>	
N-polar GaN-based MIS-HEMTs for Mixed Signal Applications.....	1406
<i>U. K. Mishra, M. Wong, N. Nidhi, S. Dasgupta, D. F. Brown, B. L. Swenson, S. Keller, J. S. Speck</i>	
Toward Practical Applications Over 100 GHz.....	1411
<i>N. Kukutsu, A. Hirata, M. Yaita, K. Ajito, H. Takahashi, T. Kosugi, H. Song, A. Wakatsuki, Y. Muramoto, T. Nagatsuma, Y. Kado</i>	
A High Power-handling RF MEMS Tunable Capacitor Using Quadruple Series Capacitor Structure	1416
<i>H. Yamazaki, Y. Ikehashi, T. Saito, E. Ogawa, T. Masunaga, Y. Ohguro, Y. Sugizaki, H. Shibata</i>	
Anti-biased RF MEMS Varactor Topology for 20-25 dB Linearity Enhancement.....	1421
<i>K. Chen, A. Kovacs, D. Peroulis</i>	
A Tunable Asymmetric Notch Filter Using RFMEMS.....	1426
<i>J. R. Luis, A. S. Morris, Q. Gu, F. Flaviis</i>	
An Experimental Investigation on Viscoelastic Behavior in Tunable Planar RF-MEMS Resonators	1431
<i>H. Hsu, D. Peroulis</i>	

A MEMS Variable Capacitor with Piezoresistive Position Sensing Fabricated in a Standard 0.35 μm CMOS Process	1436
<i>N. Zahirovic, R. R. Mansour, M. Yu</i>	

SESSION – TH1C – LARGE SIGNAL MEASUREMENTS

A Novel Methodology for Fast Harmonic-load Control with a Passive Tuner and an Active Loop	1441
<i>S. Bonino, V. Teppati, A. Ferrero</i>	
A Low-cost and Accurate Technique for the Prediction of a Load-pull Contours.....	1446
<i>V. Vadalà, A. Raffo, S. Falco, G. Vannini</i>	
Active Simultaneous Harmonic Source and Load Pull Assisted by Local Polyharmonic Distortion Models.....	1451
<i>R. E. Leoni, S. A. Harris, D. G. Ries</i>	
A Method to Select Correct Stimuli Levels for S-functions Behavioral Model Extraction	1456
<i>M. Myslinski, F. Verbeyst, M. V. Bossche, D. Schreurs, K. U. Leuven</i>	

SESSION – TH1D – DEVELOPMENTS IN MICROWAVE SIGNAL GENERATION

Study of Direct-conversion Transmitter Pulling Effects in Constant Envelope Modulation Systems	1461
<i>C. Hsiao, C. Li, F. Wang, T. Horng, K. Peng</i>	
Low-phase-noise Wide-frequency-range Ring-VCO-based Scalable PLL with Subharmonic Injection Locking in 0.18 μm CMOS	1466
<i>S. Lee, S. Amakawa, N. Ishihara, K. Masu</i>	
Ku Band Second Harmonic N-coupled Push-push Oscillator Array Using Microstrip Resonator	1471
<i>K. Kawasaki, T. Tanaka, M. Aikawa</i>	
Low Phase Noise K-band Oscillator on Organic Liquid Crystal Polymer (LCP) Substrate	1476
<i>W. T. Khan, S. K. Bhattacharya, S. Horst, J. D. Cressler, J. Papapolymerou</i>	
A Sub-resonant 40GHz Clock Distribution Network with Near Zero Skew.....	1481
<i>F. Aryanfar, T. Wu, M. Koochakzadeh, C. Werner, K. Chang</i>	

SESSION – TH1E – ADVANCES IN ACTIVE DEVICE MODELING

Nonlinear Modeling of Compound Semiconductor HEMTs, State of the Art.....	1486
<i>W. R. Curtice</i>	
Empirical Modeling of GaN FETs for Nonlinear Microwave Circuit Applications.....	1491
<i>A. Santarelli, V. Giacomo</i>	
Strategies for Addressing Linearity Issues in Active Device Modeling	1496
<i>A. Mediavilla, J. A. Garcia, L. Cabria, F. R. Marante</i>	
Compact HBT Modeling: Status and Challenges.....	1501
<i>M. Rudolph</i>	
State-of-art, Challenges and Future Directions in Large Signal Measurements for Active Device Modeling	1506
<i>D. Schreurs, K. U. Leuven</i>	

SESSION – TH2A – WIDE BANDGAP SEMICONDUCTOR APPLICATIONS

DARPA's GaN Technology Thrust	1511
<i>M. J. Rosker, J. D. Albrecht, E. Cohen, J. Hodiak, T. Chang</i>	
Reliable GaN HEMTs for High Frequency Applications	1516
<i>B. Heying, W. Luo, I. Smorchkova, S. Din, M. Wojtowicz</i>	
GaN Technology for Microwave and Millimeter Wave Applications	1521
<i>N. J. Koulas, C. S. Whelan, T. E. Kazior, K. V. Smith</i>	
100 mm GaN-on-SiC RF MMIC Technology	1526
<i>J. W. Palmour, C. Hallin, A. Burk, F. Radulescu, D. Namishia, J. Duc, B. Pribble, S. T. Sheppard, J. B. Bamer, J. Milligan</i>	
Wideband Power Amplifier MMICs Utilizing GaN on SiC	1531
<i>E. Reese, D. Allen, C. Lee, T. Nguyen</i>	

Gallium Nitride RF-devices: An Overview on the Development Activities in Europe	1536
<i>R. Quay, M. Mikulla</i>	

SESSION – TH2B – RF MEMS SWITCHES AND SWITCHES CAPACITORS

Sub-hundred Nanosecond Reconfiguration Capabilities of Nanogap RF MEMS Switched Capacitor	1541
<i>A. Verger, A. Pothier, C. Guines, A. Crunteanu, P. Blondy, J. Orlianges, J. Dhennin, F. Courtade, O. Vendier</i>	
An RF-MIMS Switch with mN Contact Forces	1546
<i>C. D. Patel, G. M. Rebeiz</i>	
Charging Characteristics of Ultra-nano-crystalline Diamond in RF MEMS Capacitive Switches	1551
<i>C. Goldsmith, A. Sumant, O. Auciello, J. Carlisle, H. Zeng, J. C. M. Hwang, C. Palego, W. Wang, R. Carpick, V. P. Adiga, A. Datta, C. Gudeman, S. O'Brien, S. Sampath</i>	
Effect of Surface Conduction on Dielectric Charging in RF MEMS Capacitive Switches	1556
<i>Z. Peng, D. Molinero, C. Palego, J. Hwang, C. Moody, A. Malczewski, B. W. Pillans</i>	
Electrostatic RF MEMS Tunable Capacitors with Analog Tunability and Low Temperature Sensitivity	1561
<i>R. Mahameed, G. M. Rebeiz</i>	

SESSION – TH2C – PHASED ARRAY SYSTEMS AND INTEGRATION

X/Ku-band 8-element Phased Arrays Based on Single Silicon Chips	1566
<i>Y. A. Atesal, B. Cetinoneri, K. Koh, G. M. Rebeiz</i>	
UWB Array Antenna Utilizing Novel Electrical Scanning System with Tapped Delay Lines	1571
<i>F. Sakai, K. Ohta</i>	
Narrowband Frequency Scanning Array Antenna at 5.8 GHz for Short Range Imaging	1576
<i>A. Fackelmeier, E. Biebl</i>	
A New Approach to Design Low Cost, Low Complexity Phased Array	1581
<i>D. Ehyae, A. Mortazawi</i>	
Sidelobe Level Reduction in Wide-angle Scanning Array System Using Pattern-reconfigurable Antennas	1586
<i>J. Wu, C. Chang, T. Chin, S. Huang, S. Chang</i>	
Active 30 GHz Antenna Array for Digital Beam Forming and Polarization Multiplexing	1591
<i>K. Kuhlmann, A. F. Jacob</i>	

SESSION – TH2D – NOVEL CONCEPTS FOR ADVANCED PACKAGING AND INTERCONNECT TECHNOLOGIES

K-band Near-hermetic Surface Mount Package using Liquid Crystal Polymer for High Power Applications	1596
<i>C. Chen, A. Pham</i>	
Heterogeneous Flip-chip Assembly of a GaAs C-band Power Amplifier MMIC Using Liquid Metal Vertical Interconnects	1601
<i>P. E. Ralston, J. Wood, K. Vummidi, J. M. Oliver, S. Raman</i>	
Adjustable Dielectric Using Magnetically Aligned Conductive Particles for Microwave Applications	1606
<i>S. Moon, W. J. Chappell</i>	
Modeling and Metrology of Metallic Nanowires with Application to Microwave Interconnects	1611
<i>K. Kim, M. Wallis, P. Rise, C. Chiang, A. Imtiaz, P. Kabos, D. S. Filipovic</i>	

SESSION – TH2E – ADVANCES IN MMIC PACKAGING

3D Integration Technologies for Emerging Microsystems	1616
<i>D. Choudhury</i>	
A Wafer-level Interposer Based Microwave Circuit and System Integration Technology	1621
<i>C. Hillman, J. B. Hacker, W. Ha, P. Stupar</i>	
Ultra Compact RFICs Using Three-dimensional MMIC Technology	1626
<i>T. Kaho, Y. Yamahuchi, K. Nishikawa, I. Toyoda, K. Uehara</i>	

Ultra Compact & Light Weight T/R Module Constructed by Hermetic Wafer-scale Assembly Technology	1631
<i>P. Chang-chien, X. Zeng, Y. Chung, J. Yang</i>	

SESSION – TH3A – ADVANCES IN SILICON-BASED MILLIMETER-WAVE INTEGRATED CIRCUITS

On the Development of CMOS Sub-THz Phased Array Technology for Communication/Sensing Nodes.....	1636
<i>J. Laskar, S. Pinel, S. Sarkar, P. Sen, B. Perunama, D. Dawn, M. Leung, F. Barale, D. Yeh, S. Shin, S. W. Hsiao, K. Chuang, E. Juntunen, G. Iyer, A. Muppalla, P. Melet</i>	
A 76GHz PLL for mm-wave Imaging Applications.....	1641
<i>K. M. Nguyen, H. Kim, C. G. Sodini</i>	
Towards High-performance > 100 GHz SiGe and CMOS Circuits.....	1646
<i>G. M. Rebeiz, J. W. May, M. Uzunkol, W. Shin, O. Inac, M. Chang</i>	
Highly Integrated 79, 94, and 120-GHz SiGe Radar Frontends	1651
<i>M. Jahn, A. Stelzer, A. Hamidipour</i>	
Second Generation Transceivers for D-band Radar and Data Communication Applications.....	1656
<i>I. Sarkas, E. Laskin, J. Hasch, P. Chevalier, S. P. Voinigescu</i>	
122 GHz ISM-band Transceiver Concepts and Silicon ICs for Low-cost Receiver in SiGe BiCMOS	1661
<i>K. Schmalz, W. Winkler, J. Borngräber, W. Debski, B. Heinemann, J. C. Scheytt</i>	

SESSION – TH3B – FERRITE MATERIALS AND DEVICES

Dual-band Integrated Self-biased Edge-mode Isolator Based on the Double Ferromagnetic Resonance of a Bistable Nanowire Substrate	1666
<i>L. Carignan, C. Caloz, D. Ménard</i>	
Magnetically Tunable Nanocomposites for Microwave Applications	1671
<i>C. Morales, J. Dewdney, S. Pal, K. Stojak, H. Srikanth, J. Wang, T. Weller</i>	
L-band High Power Electronically Rotatable Ferrite half-wave Plate.....	1676
<i>C. R. Boyd, W. E. Hord, S. T. Van-Dyke, S. J. McKechnie</i>	
Toroid Microinductors Using Segmented Magnetic Cores	1681
<i>F. Hettstedt, U. Schürmann, R. Knöchel, E. Quandt</i>	
High Isolation Lange-ferrite Circulators with NF Suppression for Simultaneous Transmit and Receive.....	1686
<i>S. K. Cheung, W. H. Weedon, C. P. Caldwell</i>	

SESSION – TH3C – TUNABLE, ACTIVE AND INTEGRATED FILTER TECHNOLOGIES

Novel MMIC Architectures for Tunable Microwave Wideband Active Filters	1691
<i>F. Bergeras, P. Duème, J. Plaze, L. Darcel, B. Jarry, M. Campovecchio</i>	
Three Approaches for the Realization of a Chebyshev Cross-coupled UWB Filter.....	1696
<i>W. G. Dine, H. Ezzeddine, S. Bila, S. Verdeyme</i>	
High Rejection BPF for WiMax Applications from Silicon Integrated Passive Device Technology.....	1701
<i>K. Liu, R. C. Frye, B. Ahn</i>	
Single-chip Integration of Electronically Switchable Bandpass Filter for 3.5GHz WiMAX Application	1706
<i>W. Liao, C. Chen, Y. Lin</i>	
Very Compact Transformer-coupled Balun-integrated Bandpass Filter Using Integrated Passive Device Technology on Glass Substrate.....	1711
<i>C. Chen, C. Huang, T. Horng, S. Wu, C. Chiu, C. Hung, J. Li</i>	
Low Temperature Superconductive Tunable Bandstop Resonator and Filter.....	1716
<i>S. S. Attar, S. Setoodeh, R. R. Mansour</i>	
A Vertically Integrated Tunable UHF Filter.....	1721
<i>E. E. Hoppenjans, W. J. Chappell</i>	
A 68% Efficiency, C-band 100W GaN Power Amplifier for Space Applications	1726
<i>T. Yamasaki, Y. Kittaka, H. Minamide, K. Yamauchi, S. Miwa, S. Goto, M. Nakayama, M. Kono, N. Yoshida</i>	
Over 10W C-Ku Band GaN MMIC Non-uniform Distributed Power Amplifier with Broadband Couplers	1731
<i>S. Masuda, A. Akasegawa, T. Ohki, K. Makiyama, N. Okamoto, K. Imanishi, T. Kikkawa, H. Shigematsu</i>	

Three Stage 6-18 GHz High Gain and High Power Amplifier Based on GaN Technology	1736
<i>Z. Ouarch, G. Mouginot, B. Lefebvre, S. Heckmann, J. Lhortolary, D. Baglieri, D. Floriot, M. Camiade, H. Blanck, M. Pipec, D. Meslager, P. Helleye</i>	
High Efficiency 80W X-band power Amplifier Using Coaxial Waveguide Spatial Power Combining Technique	1741
<i>P. G. Courtney, T. Tran, C. Bartak, S. Behan, P. Jia</i>	
High-efficiency K-band Space Traveling-wave Tube Amplifier for Near-earth High Data Rate Communications	1746
<i>R. N. Simons, D. A. Force, P. C. Spitsen, W. L. Menninger, N. R. Robbins D. R. Dibb, P. C. Todd</i>	

SESSION – TH3E – THE IMPACT OF NANO-ELECTRONICS ON RADIO FREQUENCY TECHNOLOGY

Semiconductor Nanomaterials for Radio Frequency Devices and Systems	1751
<i>J. A. Rogers</i>	
Molecular Electronics on its way to RF	1756
<i>E. Albert, C. Erlen, S. Locci, P. Lugli</i>	
Nanostructure Antennas for the LW-IR Regime	1761
<i>W. Porod, J. A. Bean, Z. Sun, B. Tiwari, G. Szakmany, G. H. Bernstein, P. Fay</i>	
Recent Advances in Micro-structured Electric and Nano-structured Magnetic Microwave Metamaterials	1766
<i>C. Caloz, L. Carignan, V. Boucher, T. Koder, S. Couture, A. Parsa, D. Ménard, A. Yelon</i>	
All-semiconducting Nanotube Devices for RF and Microwave Applications	1771
<i>N. Rouhi, D. Jain, K. Zand, P. J. Burke</i>	

SESSION – TH4A – MICROWAVE HIGH POWER PROCESSES: MODELING AND APPLICATIONS

Microwave Antenna Array for High Temperature Materials Processing	1775
<i>T. Gerdes, H. Park, A. Rosin, A. Schmidt, M. A. Willert-Porada</i>	
A Modeling-based Technique for Nondestructive Evaluation of Metal Powders Undergoing Microwave Sintering	1780
<i>A. V. Brovko, E. K. Murphy, V. V. Yakovlev</i>	
Latest Developments in the Microwave Processing of Oil Contaminated Drill Cuttings	1785
<i>S. Kingman, J. Robinson, C. Antonio, I. Pereira</i>	
Influence of the Magnetron Operating Frequency on the Results of Microwave Heating	1790
<i>M. Soltysiak, U. Erle, M. Celuch</i>	
Microwave -induced Electromigration in Multicomponent Metallic Alloys.....	1795
<i>S. Vaucher, L. Bernau, M. Stir, K. Ishizaki, J. Catala-Civera, R. Nicula</i>	

SESSION – TH4A – MICROWAVE HIGH POWER PROCESSES: MODELING AND APPLICATIONS

Tunable Ba_xSr_{1-x}TiO₃ FBARs Based on SiO₂/W Bragg Reflectors.....	1800
<i>A. Vorobiev, S. Gevorgian</i>	
Intrinsically Switchable Interdigitated Barium Titanate Thin Film Contour Mode Resonators	1805
<i>V. C. Lee, S. A. Sis, X. Zhu, A. Mortazawi</i>	
Concurrent Enhancement of Q and Power Handling in Multi-tether high-order Extensional Resonators.....	1809
<i>M. Shahmohammadi, B. P. Harrington, R. Abdolvand</i>	
Electromagnetic Modeling, Simulation, and Design of Balanced Ceramic IF SAW Filters	1814
<i>G. Moreno-Granado, J. E. Kiwitt, F. M. Pitschi, M. Mayer, W. Menzel</i>	
Small-sized SAW Duplexer on Non-flat SiO₂/Al/LiNbO₃ Structure for UMTS Band I System.....	1818
<i>H. Nakamura, H. Nakanishi, T. Tsurunari, J. Fujiwara, Y. Hamaoka, R. Goto</i>	

SESSION – TH4C – COMPACT RECONFIGURABLE FILTER TECHNOLOGY

Tunable, Substrate Integrated, High Q Filter Cascade for High Isolation	1822
<i>E. J. Naglich, J. Lee, D. Peroulis, W. J. Chappell</i>	
Electronically Tunable Diplexer for Frequency-agile Transceiver Front-end	1827
<i>E. E. Djoumessi, K. Wu</i>	
Combine Filter with Tunable Bandwidth and Centre Frequency	1832
<i>A. I. Abunjaileh, I. C. Hunter</i>	
Compact 2-pole and 4-pole 2.4-2.8GHz Dual-mode Tunable Filters.....	1837
<i>R. Stefanini, M. Chatras, P. Blondy, G. M. Rebeiz</i>	
Widely Tunable High-Q Filter using Plasma Material.....	1842
<i>A. Djermoun, G. Prigent, N. Raveu, T. Callegari</i>	
Switchable Microstrip bandpass Filters with Reconfigurable Frequency Responses	1846
<i>W. Tu</i>	

SESSION – TH4D – ADVANCES IN DOHERTY POWER AMPLIFIER TECHNOLOGY

A 2.655 GHz 3-stage Doherty Power Amplifier Using Envelope Tracking Technique	1851
<i>I. Kim, B. Kim</i>	
Advanced Design of Double Doherty Power Amplifier with a Flat Efficiency Range	1856
<i>Y. Lee, M. Lee, S. Kam, Y. Jeong</i>	
A Wide-band 20W LDMOS Doherty Power Amplifier	1861
<i>J. H. Qureshi, L. Nan, E. Neo, F. V. Rijs, I. Blednov, L. Vreede</i>	
Generation 2 High Voltage Heterojunction Bipolar Transistor Technology for High Efficiency Base Station Power Amplifiers	1866
<i>T. R. Landon, J. Delancey, C. F. Steinbeiser, O. B. Krutko, R. Branson, R. Hajji, P. Page, S. Wey, C. Hall, L. Witkowski</i>	
A Doherty Amplifier for TD-SCDMA Base Station Applications Based on A Single Packaged Dual-path Integrated LDMOS Power Transistor	1871
<i>G. Wang, L. Zhao, M. Szymanowski</i>	

SESSION – TH4E – ADVANCES IN RFID CIRCUITS AND SYSTEMS

Design of a Low-voltage Reference Circuit with Reconfigurable Temperature Range for RFID Applications.....	1876
<i>J. Heidrich, D. Brenk, J. Essel, M. Heinrich, G. Hofer, G. Holweg, G. Fischer, R. Weigel</i>	
Multiresonator Based Chipless RFID Tag and Dedicated RFID Reader.....	1881
<i>S. Preradovic, N. C. Karmakar</i>	
Parameter Analysis and Reader Architectures for Broadband 13.56 MHz RFID Systems	1886
<i>M. Gossar, H. Witschnig, H. Enzinger</i>	
Battery-free RFID-enabled Wireless Sensors.....	1891
<i>L. Yang, G. Orecchini, G. Shaker, H. Lee, M. Tentzeris</i>	
Low-cost Assembly of UHF RFID Chips and Flexible Substrate Antennas by Magnetic Coupling Approach	1896
<i>F. Alimenti, M. Virili, P. Mezzanotte, V. Palazzari, L. Roselli, M. M. Tentzeris</i>	
Active Carrier Compensation for Multi-antenna RFID Reader Frontend.....	1901
<i>R. Langwieser, G. Lasser, C. Angerer, M. Fischer, A. L. Scholtz</i>	

THPA: TRANSMISSION LINE CIRCUITS

Slow-wave Transmission Line Transformers/Baluns	1906
<i>H. Yang, V. Chekka, H. Ma</i>	
Novel Synthesized Microstrip Line with Quasi-elliptical Response for HarmonicSuppressions	1911
<i>C. Lai, T. Ma</i>	
Design of Microwave Circuits in Ridge-gap Waveguide Technology.....	1916
<i>E. Alfonso, M. basquero, P. Kildal, A. Valero-Nogueira, E. Rajo-Iglesias, J. I. Herranz</i>	
A Novel Multi-octave Differential Power Divider	1921
<i>C. F. Marki, V. D. Kodwani, F. A. Marki</i>	

A Reconfigurable Impedance Matching Network Using Dual-beam MEMS Switches for an Extended Operating Frequency Range.....	1926
<i>F. Domingue, S. Fouladi, R. R. Mansour</i>	

SESSION – THPB: RECENT ADVANCEMENTS IN PASSIVE CIRCUITRY

A Modified Wilkinson Divider Using Zero-degree Phase Shifting Composite Right/Left-handed Transmission Line	1931
<i>S. Kim, J. Yoon, Y. Kim, Y. Yoon</i>	
High CMRR in Reduced-coupling Monolithic Baluns	1936
<i>R. C. Frye, K. Liu, P. Hlaing</i>	
A Novel TE₁₀-TE₂₀ Mode Transducer Utilizing Vertical Cross-excitation	1941
<i>H. Ikeuchi, S. Matsumoto</i>	
Wireless Power Transmission based on Directional Coupler or Directional Filter	1946
<i>I. Awai, K. Hori, S. Yakuno, K. Namikoshi</i>	
A New UWB Coupled Transmission Line Power Divider	1951
<i>R. Kravchenko, M. Stadler, E. Leitgeb</i>	
Dual-band Hybrid Balun Structure Using Transmission-lines and Lumped Component Resonators.....	1956
<i>P. Aflaki, R. Negra, F. Ghannouchi</i>	
A Novel Compact Three-dimensional CMOS Branch-line Coupler Using the Meandering ECPW, TFMS, and Buried Micro Coaxial Technologies at 60 GHz.....	1961
<i>K. Hettak, R. Amaya, G. Morin</i>	
A Novel Volumetric Folded Ring Resonator Metamaterial Structure	1966
<i>N. R. Labadie, S. K. Sharma</i>	
Design and Characterization of Periodically-loaded Substrate Integrated Waveguide phase Shifters.....	1971
<i>A. Suntives, K. Payandehjoo, R. Abhari</i>	
Compact Wilkinson Power Divider with Simultaneous Bandpass Response and Harmonic Suppression	1976
<i>P. Cheong, K. Lai, K. Tam</i>	

SESSION – THPD – BIOLOGICAL EFFECTS AND MEDICAL APPLICATIONS OF RF AND MICROWAVE

The Response of Electric Field Probes to Realistic RF Environments	1981
<i>D. Adamson, D. Bownds, A. Fernández, E. Goodall</i>	
Multiplicative Regularized Gauss-newton Approach for Three-dimensional Microwave Imaging	1986
<i>A. Abubakar, T. M. Habashy</i>	
A Heterodyne Receiver for Harmonic Doppler Radar Cardio-pulmonary Monitoring with Body-worn Passive RF Tags	1991
<i>A. Singh, V. M. Lubecke</i>	
Energy Efficient 136 Mb/s 00k Implantable Transmitter for Wireless Brain Computer Interface.....	1996
<i>J. Jung, S. Zhu, P. Liu, L. Wang, T. Luo, Y. Chen, D. Heo</i>	
A Planar Covered Multi-slot Array Heat Applicator with Beam Scanning Capability for Interstitial Microwave Hyperthermia	2001
<i>D. Kim, N. Kim, C. Cheon, Y. Kwon</i>	

SESSION – THPF – ADVANCES IN COMMUNICATION, RADAR, SENSOR AND MEASUREMENT SYSTEMS

Millimeter-wave Wireless Communication Systems Integrated with a Novel Receiver Front-end	2006
<i>Z. Zhang, Y. Wei, K. Wu</i>	
A 3.1-10.6 GHz RF Receiver Front-end in 0.18 um CMOS for Ultra-wideband Applications	2011
<i>B. Parker, K. Lee, S. Choi, S. Hong</i>	
Cable Imaging with an Active W-band Millimeter-wave Sensor.....	2016
<i>D. Goshi, Y. Liu, K. Mai, L. Bui, Y. Shih</i>	
Time-domain Calibration Technique for Ultra-wide Instantaneous-bandwidth Vector Waveform Generation Using Parallel I/Q Channels.....	2021
<i>J. X. Qiu</i>	

Interferometric Detection of the Angular Velocity of Moving Objects	2026
<i>J. A. Nanzer</i>	
Design and Implementation of a Wireless Link Coupled Channel Emulator for DSRC Wireless Systems	2031
<i>T. Faseth, M. Winkler, C. Schuberth, H. Arthaber, G. Magerl</i>	
Miniature Radio Frequency Ion Trap Mass Spectrometry.....	2036
<i>J. D. Maas, W. Xu, P. I. Hendricks, W. J. Chappell</i>	
CAD of Wireless Resonant Energy Links (WREL) Realized by Coils	2041
<i>M. Dionigi, M. Mongiardo</i>	
Wireless Remote Localization System Utilizing Ambient RF/Solar Power Scavenging RFID Tags.....	2046
<i>R. J. Vyas, V. Lakafosis, M. Tentzeris</i>	

SESSION – THPH: RFID AND POWER HARVESTING TECHNOLOGIES

CAD Procedure for Predicting the Energy Received by Wireless Scavenging Systems in the Near-and Far-field Region	2051
<i>V. Rizzoli, D. Masotti, N. Arbizzani, A. Costanzo</i>	
Sensor Data Transmission Through Passive RFID Tags to Feed Wireless Sensor Networks	2056
<i>L. Catarinucci, R. Colella, L. Tarricone</i>	
Piggyback Modulation for UHF RFID Sensors.....	2061
<i>H. Chen, A. Bhadkamkar, D. W. Van-Der-Weide</i>	

SESSION – THPJ – ADVANCES IN METAMATERIAL, EM ANALYSIS AND CIRCUIT MODELING

The Quantum Effect on the Transmission Properties of Periodic Rod Array.....	2066
<i>S. Li, Q. Zhu, X. Yu, N. Zhou, R. Mo, W. Liu, H. Xin, L. Qiu</i>	
Experimental Dielectric Sensing of Materials using Epsilon-near-zero Tunnel in SIW Technology	2071
<i>H. Lobato-Morales, A. Corona-Chavez, D. V. Murthy, J. Martinez-Brito, L. G. Guerrero-Ojeda</i>	
A Concentrically Corrugated Near-field Plate.....	2076
<i>M. F. Imani, A. Grbic</i>	
A Sparse Grid Based Collocation Method for Model Order Reduction of Finite Element Approximations of Passive Electromagnetic Devices Under Uncertainty.....	2081
<i>P. S. Sumant, H. Wu, A. C. Cangellaris, N. R. Aluru</i>	
A FDFD Based Eigen-dielectric Formulation of the Maxwell Equations for Materials Characterization in Arbitrary Waveguide Structures.....	2086
<i>A. Gaebler, F. Goelden, O. H. Karabey, R. Jakoby</i>	
Shape-preserving Response Prediction for Microwave Circuit Modeling	2091
<i>S. Koziel</i>	
A Simplified Methodology for Matched Filter Design with Constraints - Filter-antenna Subsystem for Space Application	2096
<i>U. Naeem, S. Bila, S. Verdeyme, H. Chreim, R. Chantalat, M. Thevenot, T. Monediere, B. Placin, Y. Cailloce</i>	

SESSION – THPM – DEVICE MODELING AND CHARACTERIZATION

Improved Parameter Extraction Method for GaN HEMT on Si Substrate	2101
<i>A. Jarndal, A. Z. Markos, G. Kompa</i>	
Thermal Resistance Modeling for the Electrothermal Layout of High-power RF Transistors	2106
<i>P. H. Aaen, J. Wood, Q. Li, E. Mares</i>	
Nonlinear HEMT Model Direct Formulated From the Second-order Derivative of the I-V/ Q-V Characteristics	2111
<i>L. Liu, J. Ma, H. Wu, G. Ng, Q. Zhang</i>	
Nonlinear Characterization Techniques for Improving Accuracy of GaN HEMT Model Predictions in RF Power Amplifiers.....	2116
<i>R. Marante, J. A. Garcia, L. Cabria, T. Aballo, P. Cabral, J. C. Pedro</i>	

SESSION – THPN – NONLINEAR CIRCUIT AND SYSTEM SYMULATION

Modeling Band-pass Sampling Receivers Nonlinear Behavior in Different Nyquist Zones	2121
<i>P. M. Cruz, N. B. Carvalho</i>	
Behavioral Model Analysis of Active Harmonic Load-pull Measurements	2126
<i>S. P. Woodington, R. S. Saini, D. Willams, J. Lees, J. Benedikt, P. J. Tasker</i>	
A Dual Branch Hammerstein-wiener Architecture for Behavior Modeling of Wideband RF Transmitter	2131
<i>F. Taringou, O. Hammi, F. M. Ghannouchi</i>	

SESSION – THPP – ADVANCES IN PLANAR FILTER DESIGNS

Sharp-rejection Broadband Microstrip Bandpass Filters using Loaded Open-loop Resonator	2136
<i>W. Tu</i>	
Design of Wide Dual-passband Microstrip bandpass Filters with Comb-loaded Resonators	2141
<i>C. Tang, Y. Hsu, J. Wu</i>	
Design of a Microstripe Bandpass Filter with a Wide Stopband	2146
<i>H. Lai, C. Tang, J. Wu, Y. Lin</i>	
RF System Integration and Miniaturization using Advanced Polymers.....	2151
<i>M. Swaminathan, S. Hwang, N. Altunyurt, S. Min</i>	
Design of 60 GHz CMOS Bandpass Filters Using Complementary-conducting Strip Transmission Lines.....	2156
<i>Y. Hsiao, C. Tseng</i>	

SESSION – THPQ – NON-PLANAR PASSIVE FILTERS AND MULTIPLEXERS

Synthesis of Multi-coupled Resonator Filters with Frequency-dependent Couplings	2161
<i>W. Meng, H. Lee, K. A. Zaki, A. E. Atia</i>	
Comparison of Lossy Filters and Predistorted Filters using Novel Software.....	2166
<i>A. Padilla, J. Mateu, C. Collado, C. Ernst, J. M. Ruis, J. M. Tamayo, J. M. O'Callaghan</i>	
Fabrication of PTFE-filled Waveguide Bandpass Filter Using SR Direct Etching	2171
<i>M. Kishihara, M. Kato, H. Ikeuchi, K. Murai, Y. Ukita, Y. Utsumi, T. Kawai, I. Ohta</i>	
Dual Band Ladder-type Filter	2176
<i>J. Verdú, O. Menéndez, P. Paco, E. Corrales</i>	
X-band Microwave Power Divider Based on Bow-tie Shaped Dielectric Resonator High-order Modes	2181
<i>L. K. H. Salman, A. A. Kishk, D. Kajfez</i>	
High Q SAW Resonator Using Upper-electrodes on Grooved-electrodes in LiTaO₃.....	2186
<i>T. Kimura, M. Kadota, Y. Ida</i>	

SESSION – THPR – FREQUENCY AGILE, RECONFIGURABLE, TUNABLE AND ACTIVE FILTERS

26 GHz on Chip Cascaded Filter Using Low Q Inductors	2191
<i>B. K. Kormanyos, T. K. Quach, P. L. Orlando, A. G. Mattamana, K. S. Groves</i>	
A New Floating Active Inductor Using Resistive Feedback Technique	2196
<i>Q. Lai, J. Mao</i>	
A Tunable Bandpass Patch Filter with Varactors	2201
<i>A. L. Serrano, T. P. Vuong, F. S. Correar, P. Ferrari</i>	
Reconfigurable-order Bandpass Filter for Frequency Agile Systems	2206
<i>H. H. Sigmarsson, J. Lee, D. Peroulis, W. J. Chappell</i>	
Author Index	