

ISMB 2010

Open Access Articles

Bioinformatics Volume 26 #12

Boston, Massachusetts, USA
11-13 July 2010

Editors:

Alex Bateman

Alfonso Valencia

ISBN: 978-1-61738-802-6

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2010) by Oxford University Press
All rights reserved.

Printed by Curran Associates, Inc. (2010)

For permission requests, please contact Oxford University Press
at the address below.

Oxford University Press
2001 Evans Road
Cary, North Carolina 27513

Phone: (919) 677-0977
Fax: (919) 677-1714

jnlorders@oup-usa.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

ISMB 2010 CONFERENCE PROCEEDINGS JULY 11 TO JULY 13, 2010, BOSTON, MA, USA

EDITORIAL

Editorial i1
M.Singh and J.S.Bader

ISMB 2010 ORGANIZATION i2

ORIGINAL PAPERS

Bioimaging

Quantifying the distribution of probes between subcellular locations using unsupervised pattern unmixing i7
L.P.Coelho, T.Peng and R.F.Murphy

Automated tracking and analysis of centrosomes in early *Caenorhabditis elegans* embryos i13
S.Jaensch, M.Decker, A.A.Hyman and E.W.Myers

A soft kinetic data structure for lesion border detection i21
S.Kockara, M.Mete, V.Yip, B.Lee and K.Aydin

A spectral graph theoretic approach to quantification and calibration of collective morphological differences in cell images i29
Y.-S.Lin, C.-C.Lin, Y.-S.Tsai, T.-C.Ku, Y.-H.Huang and C.-N.Hsu

Automatic reconstruction of 3D neuron structures using a graph-augmented deformable model i38
H.Peng, Z.Ruan, D.Atasoy and S.Sternson

SPEX²: automated concise extraction of spatial gene expression patterns from Fly embryo ISH images i47
K.Puniyani, C.Faloutsos and E.P.Xing

As-rigid-as-possible mosaicking and serial section registration of large ssTEM datasets i57
S.Saalfeld, A.Cardona, V.Hartenstein and P.Tomančák

Reconstruction of the neuromuscular junction connectome i64
R.Srinivasan, Q.Li, X.Zhou, J.Lu, J.Lichtman and S.T.C.Wong

Databases and Ontologies

Using semantic web rules to reason on an ontology of pseudogenes i71
M.E.Holford, E.Khurana, K.-H.Cheung and M.Gerstein

Assessing the functional coherence of gene sets with metrics based on the Gene Ontology graph i79
A.J.Richards, B.Muller, M.Shotwell, L.A.Cowart, B.Rohrer and X.Lu

Semi-automated ontology generation within OBO-Edit i88
T.Wächter and M.Schroeder

Disease Models and Epidemiology

Sparse multitask regression for identifying common mechanism of response to therapeutic targets i97
K.Zhang, J.W.Gray and B.Parvin

Robust unmixing of tumor states in array comparative genomic hybridization data i106
D.Tolliver, C.Tsourakakis, A.Subramanian, S.Shackney and R.Schwartz

Evolution and Comparative Genomics

SUPERTRIPLETS: a triplet-based supertree approach to phylogenomics i115
V.Ranwez, A.Crisuolo and E.J.P.Douzery

Phylogenetic networks do not need to be complex: using fewer reticulations to represent conflicting clusters i124
L.van Iersel, S.Kelk, R.Rupp and D.Huson

Time and memory efficient likelihood-based tree searches on phylogenomic alignments with missing data i132
A.Stamatakis and N.Alachiotis

Close lower and upper bounds for the minimum reticulate network of multiple phylogenetic trees i140
Y.Wu

Gene Regulation and Transcriptomics

Inferring combinatorial association logic networks in multimodal genome-wide screens i149
J.de Ridder, A.Gerrits, J.Bot, G.de Haan, M.Reinders and L.Wessels

Discovering transcriptional modules by Bayesian data integration i158
R.S.Savage, Z.Ghahramani, J.E.Griffin, B.J.de la Cruz and D.L.Wild

Analyzing circadian expression data by harmonic regression based on autoregressive spectral estimation i168
R.Yang and Z.Su

Population Genomics

Estimating genome-wide IBD sharing from SNP data via an efficient hidden Markov model of LD with application to gene mapping i175
S.Bercovici, C.Meek, Y.Wexler and D.Geiger

Optimal algorithms for haplotype assembly from whole-genome sequence data i183
D.He, A.Choi, K.Pipatsrisawat, A.Darwiche, E.Eskin

Efficient identification of identical-by-descent status in pedigrees with many untyped individuals i191
X.Li, X.Yin and J.Li

Efficient genome ancestry inference in complex pedigrees with inbreeding i199
E.Y.Liu, Q.Zhang, L.McMillan, F.P.-M.de Villena and W.Wang

Multi-population GWA mapping via multi-task regularized regression i208
K.Puniyani, S.Kim and E.P.Xing

Contents

TEAM: efficient two-locus epistasis tests in human genome-wide association study X.Zhang, S.Huang, F.Zou and W.Wang	i217	Complex event extraction at PubMed scale J.Björne, F.Ginter, S.Pyysalo, J.Tsuji and T.Salakoski	i382
<i>Protein Interactions and Molecular Networks</i>			
Modularity and directionality in genetic interaction maps A.Jaimovich, R.Rinott, M.Schuldiner, H.Margalit and N.Friedman	i228	<i>Other Bioinformatics Applications</i>	
Inference of patient-specific pathway activities from multi-dimensional cancer genomics data using PARADIGM C.J.Vaske, S.C.Benz, J.Z.Sanborn, D.Earl, C.Szeto, J.Zhu, D.Haussler and J.M.Stuart	i237	Multivariate multi-way analysis of multi-source data I.Huopaniemi, T.Suvitaival, J.Nikkilä, M.Orešič and S.Kaski	i391
Drug-target interaction prediction from chemical, genomic and pharmacological data in an integrated framework Y.Yamanishi, M.Kotera, M.Kanehisa and S.Goto	i246	Open MS/MS spectral library search to identify unanticipated post-translational modifications and increase spectral identification rate D.Ye, Y.Fu, R.-X.Sun, H.-P.Wang, Z.-F.Yuan, H.Chi and S.-M.He	i399
Integrating quantitative proteomics and metabolomics with a genome-scale metabolic network model K.Yizhak, T.Benaymini, W.Liebermeister, E.Ruppin and T.Shlomi	i255	AUTHOR INDEX	i407
<i>Protein Structure and Function</i>			
A fast mathematical programming procedure for simultaneous fitting of assembly components into cryoEM density maps S.Zhang, D.Vashtan, M.Xu, M.Topf and F.Alber	i261		
Markov dynamic models for long-timescale protein motion T.-H.Chiang, D.Hsu and J.-C.Latombe	i269		
Thermodynamics of RNA structures by Wang–Landau sampling F.Lou and P.Clote	i278		
Recognition of beta-structural motifs using hidden Markov models trained with simulated evolution A.Kumar and L.Cowen	i287		
Low-homology protein threading J.Peng and J.Xu	i294		
MOTIF-EM: an automated computational tool for identifying conserved regions in CryoEM structures M.Saha, M.Levitt and W.Chiu	i301		
Fragment-free approach to protein folding using conditional neural fields F.Zhao, J.Peng and J.Xu	i310		
<i>Sequence Analysis</i>			
A statistical method for the detection of variants from next-generation resequencing of DNA pools V.Bansal	i318		
Model-based detection of alternative splicing signals Y.Barash, B.J.Blencowe and B.J.Frey	i325		
A dynamic Bayesian network for identifying protein-binding footprints from single molecule-based sequencing data X.Chen, M.M.Hoffman, J.A.Bilmes, J.R.Hesselberth and W.S.Noble	i334		
VARiD: A variation detection framework for color-space and letter-space platforms A.V.Dalca, S.M.Rumble, S.Levy and M.Brudno	i343		
Next-generation VariationHunter: combinatorial algorithms for transposon insertion discovery F.Hormozdiari, I.Hajirasouliha, P.Dao, F.Hach, D.Yorukoglu, C.Alkan, E.E.Eichler and S.C.Sahinalp	i350		
TRStalker: an efficient heuristic for finding fuzzy tandem repeats M.Pellegrini, M.E.Renda and A.Vecchio	i358		
Efficient construction of an assembly string graph using the FM-index J.T.Simpson and R.Durbin	i367		
<i>Text Mining</i>			
PathText: a text mining integrator for biological pathway visualizations B.Kemper, T.Matsuzaki, Y.Matsuoka, Y.Tsuruoka, H.Kitano, S.Ananiadou and J.Tsuji	i374		