

2010 International Conference on Applied Electronics

(AE 2010)

**Pilsen, Czech Republic
8 – 9 September 2010**



IEEE Catalog Number: CFP1069A-PRT
ISBN: 978-1-4244-6818-8

TABLE OF CONTENTS

INVITED LECTURES

| | |
|---|-----|
| Hybrid Power Source for Vehicle Applications Operating at Maximum Power Point of Fuel Cell Stack | 1 |
| <i>N. Bizon</i> | |
| What is PSoC | 7 |
| <i>D. Tomanek</i> | |
| Software Support for Multiple Hardware Watchdog Timers in the Linux OS | 11 |
| <i>J. Abaffy, T. Krajcovic</i> | |
| Improved Model Predictive Control with Loss Energy Awareness of a 3L-ANPC Voltage Source Converter | 14 |
| <i>D. Andler, J. Weber, S. Bernet, J. Rodriguez</i> | |
| Variance and Model Optimization in Sensor Networks | 20 |
| <i>A. Bencur, J. Smid, J. Kotzian, M. Pokorny</i> | |
| Technical Possibilities of Electromagnetic Field Monitoring in the Environment | 24 |
| <i>P. Bienkowski, B. Zubrzak</i> | |
| Modular and Flexible Power Network Analyzer | 28 |
| <i>P. Bilik, D. Kaminsky</i> | |
| Precise Harmonic Component Analyzer based on Virtual Instrumentation | 32 |
| <i>P. Bilik, J. Zidek</i> | |
| Optimal Filtering of the Fuel Cell Power Probing Signal for Maximum Power Point Robust Adaptive Tracking | 36 |
| <i>N. Bizon</i> | |
| Workplace for Measurement of Selected Parameters of Communication Buses | 40 |
| <i>P. Brandstetter, J. Michalik, J. Vanek</i> | |
| Current Sensor with the DSP | 44 |
| <i>P. Chlebis, J. Pumr, P. Simonik</i> | |
| A New Zero Voltage Switching Buck-Boost Bidirectional DC-DC Converter | 48 |
| <i>M. Delshad, M. Mahdavi</i> | |
| Triangle Detection with Color Information | 54 |
| <i>H. Demirezen, M. Baran</i> | |
| Comparing of Several State-of-the-art Interpolation Techniques | 58 |
| <i>P. Dostal, M. Klima</i> | |
| Optimal Design of Digital Control System for LLC Resonant Converter | 64 |
| <i>P. Drgona, M. Frivaldsky, A. Prikopova</i> | |
| Development of Communication Module for Ultrasound and Induction Flowmeters | 68 |
| <i>K. Dudacek, J. Ledvina, V. Vavricka</i> | |
| Simple Signal Processing Method for Pulse Oximetry | 72 |
| <i>J. Dvorak, J. Havlik</i> | |
| Dynamic Modeling and Model Analysis of a Large Industrial Synchronous Generator | 75 |
| <i>A. Fodor, A. Magyar, K.M. Hangos</i> | |
| Optimized Design of the Main Circuit of LLC Converter for High Frequency Application | 81 |
| <i>M. Frivaldsky, J. Kandrac, P. Spanik</i> | |
| Low-Power Techniques for Flexible Channel Decoders | 85 |
| <i>G. Gentile, M. Rovini, L. Fanucci</i> | |
| Microscope Light Dimmer for Biomedical Image Enhancement with Virtual Instrumentation | 89 |
| <i>L. Hargas, D. Koniar, M. Hrianka, S. Stofan</i> | |
| Current-Controlled CFTA-Based Current-Mode SITO Universal Filter and Quadrature Oscillator | 93 |
| <i>N. Herencsar, J. Koton, K. Vrba, A. Lahiri, O. Cicekoglu</i> | |
| VM and CM Quadrature Sinusoidal Oscillators Using Commercially Available Active Devices | 97 |
| <i>N. Herencsar, A. Lahiri, J. Koton, K. Vrba</i> | |
| Power Analyzer for Converter Testing Based on cRIO Hardware Platform | 101 |
| <i>M. Horniek, P. Bilik</i> | |
| Solutions of Hardware Platform for Biotelemetric Systems | 105 |
| <i>D. Janckulik, L. Motalova, O. Krejcar</i> | |

| | |
|---|-----|
| Software Solutions for Implementation of Biotelemetric System | 109 |
| <i>D. Janckulik, L. Motalova, O. Krejcar</i> | |
| Fully-differential Current Amplifier and its Application to Universal and Adjustable Filter | 113 |
| <i>J. Jerabek, R. Sotner, K. Vrba</i> | |
| Dual-cuff System Improves Noninvasive Blood Pressure Determination | 117 |
| <i>J. Jilek, M. Stork</i> | |
| Acceleration of Backtracking Algorithm with FPGA | 121 |
| <i>V. Kasik</i> | |
| Quadrature Linear Digital Modulator Implementation in VHDL | 125 |
| <i>D. Kekrt, R. Podgorny, M. Klima, L. Bohac</i> | |
| Design of High Speed Video Acquisition System for Tissue Measurement | 131 |
| <i>D. Koniar, L. Hargas, P. Fibich, S. Stofan, M. Hrianka</i> | |
| N-gram Language Models in JLASER Neural Network Speech Recognizer | 135 |
| <i>M. Konopik, I. Habernal, T. Brychcin</i> | |
| Control System of the Raman Spectrograph | 139 |
| <i>F. Kostka, K. Zdansky, J. Zavadil, R. Stary</i> | |
| Versatile Precision Full-Wave Rectifier Using Current and Voltage Conveyor | 143 |
| <i>J. Koton, N. Herencsar, K. Vrba, O. Cicekoglu</i> | |
| Use of Accelerometers for Material Inner Defect Detection | 147 |
| <i>O. Krejcar, R. Frischer</i> | |
| Motion Control IC for Linear Motor Drive X-Y Table Using FPGA Technology | 151 |
| <i>Y. Kung, C. Huang</i> | |
| Education of Power Electronics at Faculty of Electrical Engineering UWB in Plzen | 155 |
| <i>K. Vaclav, D. Pavel</i> | |
| Supplying of the Computer Centre by Safety Powers | 159 |
| <i>K. Vaclav, S. Jiri, S. Bohumil</i> | |
| Pseudorandom Generator of Crosstalk Transmission Functions for Modeling of Multi-quad Metallic Cables | 163 |
| <i>P. Lafata, J. Vodrazaka</i> | |
| Synthesis and Application of High Order Autonomous Chaotic Systems Based on Dissipation Normal Form | 167 |
| <i>J. Lahoda, R. Linhart</i> | |
| Review of Electronic Design Automation Tools for High-Level Synthesis | 171 |
| <i>A. Madariaga, J. Jimenez, J.L. Martin, U. Bidarte, A. Zuloaga</i> | |
| Use of Adaptive Filtering for Noise Reduction in Communications Systems | 177 |
| <i>R. Martinek, J. Zidek</i> | |
| Blind Separation of Speech Using Cochlear Filtering | 183 |
| <i>S. Mischie, R. Ionel</i> | |
| Reliable Microprocessors for FPGAs: State of the Art and Trends | 187 |
| <i>A. Morillo, A. Astarloa, J. Lazaro, U. Bidarte, J. Jimenez</i> | |
| Elimination of Three-phase Transformer Inrush Current through Core Forced Magnetization and Simultaneous Closing | 193 |
| <i>M. Novak</i> | |
| Performance Measurements of a 1550 nm Gbps FSO Link at Covilhã City, Portugal | 197 |
| <i>J.A.R. Pacheco De Carvalho, N. Marques, H. Veiga, C.F.F.R. Pacheco, A.D. Reis</i> | |
| A Multipurpose Control Unit Based on Freescale 56F8037 with Implemented Vector Control of an Induction Motor | 202 |
| <i>P. Palacky, M. Sobek, P. Hudecek, D. Slivka, R. Naivert</i> | |
| Thermal Evaluation of the Quality of Electrically Conductive Adhesive Joints | 206 |
| <i>V. Papez, D. Busek</i> | |
| Non-linearity Measurement of Low Resistances | 210 |
| <i>V. Papez, D. Busek</i> | |
| Automated Test System of Uninterruptible Power Sources | 214 |
| <i>P. Petvaldsky, P. Bilik</i> | |
| Global Navigation Satellite Systems for Mobile Communication | 218 |
| <i>P. Pisova</i> | |
| Optimization of Multiplexer Trees using Modified Truth Table | 222 |
| <i>P. Pistek, M. Kolesar, K. Jelemenska</i> | |
| A Proposal for a COM Express Adapter for Energy Profiling and Long-Time Failure Analysis | 226 |
| <i>S. Plaga, A. Grzembera, D. Heffernan</i> | |
| Embedded Systems with Increased Reliability Using the Multiple Watchdog Timers Approach | 230 |
| <i>M. Pohronska, T. Krajcovic</i> | |

| | |
|---|-----|
| Voice Transmission Quality Tester | 234 |
| <i>M. Pravda, M. Nemic</i> | |
| Quantification of the Safety Level of a Safety-critical Control System | 238 |
| <i>K. Rastocny, J. Ilavsky</i> | |
| Prefilter Bandwidth Effects in Sequential Symbol Synchronizers based on Clock Sampling by Positive Transitions | 242 |
| <i>A.D. Reis, J.F. Rocha, A.S. Gameiro, J.P. Carvalho</i> | |
| Fault Diagnosis of Rotating Machinery Based on Wavelet Transforms and Neural Network | 246 |
| <i>J. Roztocil, M. Novak</i> | |
| The Benefits of Combining Trusted Computing with Virtualization Techniques | 252 |
| <i>M. Schramm, A. Grzempa</i> | |
| EMC Immunity Testing of the Electronic Equipment | 256 |
| <i>S. Seborsky</i> | |
| An Implementation of BCH Codes in a FPGA | 260 |
| <i>G. Serban, C. Anton, I. Tutanescu, L. Ionescu, A. Mazare</i> | |
| Industrial Communication Network for Wire and Wireless Data Transfer | 264 |
| <i>V. Srovnal Jr., Z. Machacek</i> | |
| Design of a Modular Brain-Computer Interface | 268 |
| <i>J. Stastny, J. Dolezal, V. Cerny, J. Kubovy</i> | |
| Nonlinear Dynamics of Coupled Oscillators: State Space Energy Approach | 272 |
| <i>M. Stork, J. Hrusak, D. Mayer</i> | |
| Noninvasive Cardiac Output Estimation Evaluated from Spiroergometric Stress Test | 276 |
| <i>M. Stork, J. Novak, V. Zeman</i> | |
| The Electronic Measuring System for Seismocardiography with Separate QRS Detection | 280 |
| <i>M. Stork, Z. Trefny</i> | |
| Metal Detector Excited by Polyharmonic Signals | 284 |
| <i>J. Svatos, P. Fexa, J. Vedral</i> | |
| An FPGA-based Multiple-output PWM Pulse Generator for Ultrasonic Cleaning Machines | 288 |
| <i>A. Tangel, M. Yakut, E. Afacan, U. Guvenc, H. Sengul</i> | |
| An IC Random Number Generator Based on Chaos | 292 |
| <i>V. Tavas, A.S. Demirkol, S. Ozoguz, S. Kiline, A. Toker, A. Zeki</i> | |
| Velocity Evaluating of the Moving Objects | 296 |
| <i>J. Tkac</i> | |
| Preparation of Vibration Tests of Electrically Conductive Adhesives and Leadfree Solders | 300 |
| <i>M. Tucan, P. Zak, J. Urbanek</i> | |
| FM and QAM Signals for ADC Testing | 304 |
| <i>J. Vedral, P. Fexa, J. Svatos</i> | |
| Spectrolab Triangular Solar Cell Evaluation for Usage in PilsenCUBE Picosatellite | 308 |
| <i>I. Vertat, J. Hroudka, J. Hofman</i> | |
| PERSEUS: Personal Help for Blind User | 312 |
| <i>S. Vitek, M. Klima</i> | |
| Application of Extended Kalman Filter for Parameter Identification of Electric Drives | 316 |
| <i>D. Vosmik, Z. Sutnar, Z. Peroutka</i> | |
| Effects of Operating Conditions on Automotive Electronics | 320 |
| <i>P. Zak, I. Kudlacek, M. Tucan</i> | |
| Ratio Counter – Solution of the Relation Between Safety and Availability of a Communication System | 324 |
| <i>J. Zelenka, K. Rastocny, P. Holecko, M. Franekova</i> | |
| Application of Hybrid Delta Modulation for Control of Single-Phase Voltage Source Active Rectifier | 328 |
| <i>M. Zeman, Z. Peroutka, T. Komrska</i> | |
| A Contribution to Performance Measurements of IEEE 802.11 a, b, g Laboratory WEP Point-to-Point Links using TCP, UDP and FTP | 332 |
| <i>J.A.R. Pacheco De Carvalho, H. Veiga, N. Marques, C.F.F.R. Pacheco, A.D. Reis</i> | |
| Author Index | |