

2010 12th Biennial Baltic Electronics Conference

(BEC 2010)

**Tallinn, Estonia
4 – 6 October 2010**



IEEE Catalog Number: CFP10BEC-PRT
ISBN: 978-1-4244-7356-4

CONTENTS

Invited Talks

| | |
|--|----|
| Baltic Electronics Conference (BEC) series: long and winding road | 11 |
| Toomas Rang | |
| Thomas Johann Seebeck and his contribution to the modern science and technology | 17 |
| Enn Velme | |
| SOC Design for Wireless Communications | 25 |
| Zoran Stamenković | |
| Synthesis of Circuits and Systems from Hierarchical and Parallel Specifications | 37 |
| V. Sklyarov | |
| Cooperative Converters in Power Electronic Systems | 51 |
| E. Romero-Cadaval, M.I. Milanés-Montero | |
| Application of the principle of reciprocity to impedance tomography and other problems in bioelectromagnetism | 61 |
| J. Malmivuo | |

1. Electronic Materials, Technologies, Devices, and Simulation

| | |
|---|----|
| Comparative Study of Different Current Carrying Structures Used as Electromagnetic actuator | 65 |
| Manouchehr Bahrami, Zahra Haddad Derafshi, Mir Razi Mousavi, Mazdak Rad Malekshahi | |
| Fabrication methods for microfluidic lab-on-chips | 69 |
| A. T. Giannitsis, M. Min | |
| Hydrogen sensing performance of TiO₂ nanotubes at room temperature | 73 |
| J. Y. Moon, I. Tuokko, A. Suominen, A. Tuominen, D. S. Oh, B. K. Park, H. Kim | |
| Modeling of Structures and Characteristics in MOS Made of Ion Implantation Technological Processes | 77 |
| V. Kašauskas, R. Anilionis | |

| | |
|---|----|
| Comparison of individual SiC JBS chips and JBS stacks connected in series by diffusion welding | 81 |
| N. Sleptsuk, O. Korolkov, J. Toompuu, T. Rang | |

| | |
|--|----|
| Complementary Multi Guard Ring JBS Structures: numerical analysis | 85 |
| Ants Koel, Toomas Rang, Galina Rang | |

2. Integrated Electronics and Chip Design

| | |
|--|----|
| Low power CMOS current source for shortened square wave signals | 89 |
| A. Kasemaa, T. Rang | |

| | |
|--|----|
| Reference Voltage Generation in High-Speed Pipelined Analog-to-Digital Converters | 93 |
| Tero Nieminen and Kari Halonen | |

| | |
|---|----|
| High accuracy, low temperature coefficient bandgap voltage reference | 95 |
| S. Strik, V. Strik | |

| | |
|--|----|
| Rail-to-Rail CMOS OpAmp with Stabilized Operating Point | 99 |
| Peter Gärtner, Harald Richter | |

| | |
|---|-----|
| The means of the differential amplifier input offset voltage reduction | 103 |
| A. Baskys | |

| | |
|--|-----|
| Source Follower as Filter Block | 107 |
| F. Abu Bakar, K. Halonen | |

| | |
|---|-----|
| General Purpose Input/Output's buffer with reverse current protection capability in above supply level condition | 111 |
| J. Mihhailov, V. Strik | |

| | |
|--|-----|
| Linearity Study of a Self-balancing Capacitive Half-bridge Sensor Interface | 115 |
| Mikail Yücetaş, Lasse Aaltonen, Kari Halonen | |

| | |
|---|-----|
| A Power-On Reset with Accurate Hysteresis | 119 |
| Antti Kalanti, Lasse Aaltonen, Matti Paavola, Mika Kämäräinen, Mika Pulkkinen, and Kari Halonen | |

| | |
|---|-----|
| Subthreshold Timing Error Detection Performance Analysis | 121 |
| Jani Mäkipää, Erkka Laulainen, Matthew J. Turnquist, and Lauri Koskinen | |

| | |
|--|-----|
| Analog and Mixed Signal Circuit and System Ontology | 125 |
| Mikko Talonen and Jussi Rynänen | |

| | |
|---|-----|
| Optimization of FPGA-based Circuits for Recursive Data Sorting | 129 |
| D. Mihhailov, V. Sklyarov, I. Skliarova, A. Sudnitson | |

| | |
|---|-----|
| Power Consumption of Sequential CMOS Circuits Using Logic Pictures | 133 |
| M. F. Fouda, M. B. Abdelhalim, and H. H. Amer | |

| | |
|---|-----|
| Teaching Digital Systems Using a Unified FPGA Platform | 137 |
| Olli Vainio, Erno Salminen, and Jarmo Takala | |

3. Test, Diagnostics, and Fault Tolerance

| | |
|---|------------|
| Structural solution of reconfiguration based built-in self-test for analog and mixed-signal IC | 141 |
| Sergey Mosin | |
| Catastrophic Short and Open Fault Detection in MOS Current Mode Circuits: A Case Study | 145 |
| Ahmed H. Madian, Hassanein H. Amer, Ahmed O. Eldesouky | |
| Macro Level Defect-Oriented Diagnosability of Digital Circuits | 149 |
| Sergei Kostin, Raimund Ubar, Jaan Raik | |
| Defect-Oriented BIST Quality Analysis | 153 |
| H. Kruus, R. Ubar, J. Raik | |

4. Embedded Systems

| | |
|---|------------|
| An Embedded Stereovision System: Aspects of Measurement Precision | 157 |
| Jan Pohanka, Ondrej Pribula, Jan Fischer | |
| Case study of a simple, low power WSN implementation for forest monitoring..... | 161 |
| Zoltán Gy. Kovács, Gabor E. Marosy, Gyula Horváth | |
| Exploitation of Scattered Context Grammars to Model VLIW Instruction Constraints | 165 |
| J. Křoustek, S. Židek, D. Kolář, A. Meduna | |
| Logic Associative Multiprocessor for Information Analysis | 169 |
| V. I. Hahanov, Wajeb Gharibi, E.I. Litvinova, Ngene Christopher Umerah | |
| Efficient Bytecode Optimizations for a Multicore Java Co-Processor System | 173 |
| Joonas Tyystjärvi, Tero Säntti and Juha Plosila | |
| Design Space Exploration and Optimisation for NoC-based Timing Sensitive Systems | 177 |
| Mihkel Tagel, Peeter Ellervee, Gert Jervan | |
| Graphical Interface for Debugging RTL Networks-on-Chip..... | 181 |
| L. Möller, H. Jesus, F. Moraes, L. S. Indrusiak, T. Hollstein, M. Glesner | |

5. Dependable Computing and Formal Verification

| | |
|---|------------|
| Developing cycle-accurate contract specifications for synchronous parallel-pipeline hardware: application to verification..... | 185 |
| M. Chupilko, A. Kamkin | |
| Model-based Synthesis of Reactive Planning Online Testers for Non-deterministic Embedded Systems..... | 189 |
| Marko Kääramees, Jüri Vain, Kullo Raiend | |
| Register-Transfer Level Deductive Fault Simulation Using Decision Diagrams | 193 |
| Uljana Reinsalu, Jaan Raik, Raimund Ubar | |
| Model-Driven Development Method of the Virtual Data Warehouse | 197 |
| R. Lemmik | |

| | |
|--|------------|
| Timed automata based provably correct robot control | 201 |
| A. Anier, J. Vain | |
| Application of bidding automata for measuring the informativness of hand motion characteristic features | 205 |
| Kenno Parm, Sven Nõmm, Jüri Vain | |
| Effective EFSM generation for HW/SW-design verification | 209 |
| Michele Bertasi, Giuseppe Di Guglielmo, Franco Fummi, Graziano Pravadelli | |

6. Systems, Instrumentation and Communication, and RF Solutions

| | |
|--|------------|
| Smart Sensing and Time of Arrival based location detection in Parking Management Services | 213 |
| U. Männi | |
| Modelling of objects location data flow in communication networks | 215 |
| I. Lagzdinyte | |
| Request and Response Zone Control for Routing in MANET | 219 |
| R. Plestys, R. Zakarevicius | |
| Single-lockin detection of AC magnetic fields by fluxgate sensor | 223 |
| M. Janošek, S. Ďaďo | |
| Process relevant impedance measurement: fast and robust..... | 227 |
| Uwe Pliquet, Thomas Nacke | |
| Analysis of quadrature bias-point drift of Mach-Zehnder electro-optic modulator | 231 |
| J. Švarny | |
| Automated neural network model selection algorithm for feedback linearization based control | 235 |
| K. Vassiljeva, E. Petlenkov, J. Belikov | |
| Continuous process monitoring for biogas plants using microwave sensors | 239 |
| T. Nacke, A. Barthel, C. Pflieger, U. Pliquet, D. Beckmann, A. Göller | |
| Modified Estimation of Shielding Efficiency for Hole | 243 |
| G. Balodis, A. Rusko, V. Novikovs | |

7. Biomedical Electronics

| | |
|--|------------|
| Advantages and limitations of an approach to bioimpedance data acquisition and processing relying on fast low bit rate ADCs | 245 |
| I. Bilinskis, K. Sudars, M. Min, P. Annus | |
| Usage of microfluidic lab-on-chips in biomedicine | 249 |
| A. T. Giannitsis, M. Min | |
| Short-Time Chirp Excitations for Using in Wideband Characterization of Objects: An Overview | 253 |
| Toivo Paavle, Mart Min, Jaan Ojarand, and Toomas Parve | |

| | |
|---|------------|
| Reconfigurable Data Acquisition Unit for Bioimpedance Measurements | 257 |
| V. Pesonen, M. Gorev, P. Annus, M. Min, P. Ellervee | |
| Development of the Model for the Optical Multiwavelength Monitoring of Creatinine in the Spent Dialysate | 261 |
| R. Tomson, I. Fridolin, F. Uhlin, J. Jerotskaja, K. Lauri and M. Luman | |
| Snoring seconds detection with EMFi sensor strips..... | 265 |
| Jarmo Alametsä, Jari Viik, Eero Huupponen, Antti Kulkas, Alpo Värri, and Sari-Leena Himanen | |
| Medical and Context Data Acquisition System for Patient Home Monitoring | 269 |
| Enar Reilent, Ivor Lõõbas, Raido Pahtma, Alar Kuusik | |
| On-line Monitoring of Dialysis Adequacy Using Diasens Optical Sensor: Accurate Kt/V Estimation by Smoothing Algorithms | 273 |
| A. Talisainen, S. Kostin, D. Karai, I. Fridolin, R. Ubar | |
| Arterial pulse waveform dependence on applied pressure..... | 277 |
| K. Pilt, K. Meigas, M. Viigimaa, J. Kaik, R. Kattai, and D. Karai | |
| Radial artery pulse wave measurement by photoplethysmography and compound pulse wave ecomposition..... | 281 |
| M. Huotari, K. Maatta, J. Kostamovaara | |
| Wireless photoplethysmography finger sensor probe..... | 283 |
| R. Erts, E. Kviensis-Kipge, J. Zaharans, E. Zaharans, J. Spigulis | |

8. Power Electronics

| | |
|---|------------|
| The effect of converter control method to characteristics of traction drive..... | 285 |
| R. Doleček, Z. Němec, O. Černý, J. Novák | |
| EMC of converters for interlocking device | 289 |
| R. Doleček, J. Novák, O. Černý, Z. Němec | |
| Design concepts for a hybrid diesel electric shunting locomotive powertrain | 293 |
| H. Hõimoja, I. Roasto, A. Kesküla | |
| Comparative Study of Capacitor-Assisted Extended Boost qZSIs Operating in Continuous Conduction Mode | 297 |
| D. Vinnikov, I. Roasto, T. Jalakas | |
| Soft-switching capability analysis of a qZSI-based DC/DC converter..... | 301 |
| J. Zakis, D. Vinnikov, I. Roasto | |
| High power, zero ripples active filtering system with power modules operating in parallel | 305 |
| D. Wojciechowski, R. Strzelecki | |
| 20 kW 18-pulse diode converter - results of laboratory tests | 309 |
| P. Mysiak | |
| Wireless Short-Range Device for Wind Generators | 313 |
| M. Adamowicz, R. Strzelecki, J. Szewczyk, L. Lademan | |

| | |
|--|------------|
| The Safety Assessment of Wind-Photovoltaic Hybrid Power System for Afforestation in Desertification area | 317 |
| D. S. Oh, K. W. Rhie, J. Y. Moon, A. Tuominen | |
| SVPWM method with the averaged pulse length versus conventional modulation method..... | 321 |
| A. Baskys, V. Bleizgys, V. Gobis | |
| Analysis of Switching Properties of Different High Voltage IGBTs Operating Under Hard-Switching Conditions | 323 |
| A. Blinov, T. Jalakas, D. Vinnikov, J. Laugis | |
| Improving effectiveness of the use of frequency modulation in power converters..... | 327 |
| J. Jankovskis, D. Stepins, D. Pikulins | |
| Choice of Power and Control Hardware for Smart LED Luminary | 331 |
| A. Suzdalenko, I. Galkin | |
| Verification of model of bi-directional switch in context of evaluation of its losses | 335 |
| A. Sokolovs, I. Galkin | |
| | |
| 9. Signal Processing | |
| Chirp-based impedance spectroscopy of piezo-sensors..... | 339 |
| T. Saar, O. Märtens, M. Reidla, A. Ronk | |
| Simple DSP interface for impedance spectroscopy of piezo-sensors | 343 |
| O. Märtens, M. Reidla, T. Saar | |
| Automatic Asphalt Pavement Crack Detection and Classification using Neural Networks..... | 345 |
| T. Saar, O. Talvik | |
| Neural Network based System for Real-time Organ Recognition by Analysis of Sequence of Endoscopic Images received during Surgical Operation | 349 |
| I. Artemchuk, E. Petlenkov, F. Miyawaki, A. Gladki | |
| Variable byte-length data compression algorithm..... | 353 |
| M. Gorev, P. Ellervee | |
| A Numerically Efficient Method for Calculation of the Angle of Heel of a Navigational Buoy..... | 357 |
| E. Moorits, A. Usk | |
| Z-Transform based method for coefficient computation and generating function derivation for sinc^N FIR filters | 361 |
| J. Le Bihan | |
| | |
| Authors Index..... | 365 |