

11th International Conference on Fracture 2005

(ICF11)

**Turin, Italy
20-25 March 2005**

Volume 1 of 8

ISBN: 978-1-61782-063-2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2005) by 11th International Conference on Fracture - ICF 11
All rights reserved.

Printed by Curran Associates, Inc. (2010)

For permission requests, please contact 11th International Conference on Fracture - ICF 11
at the address below.

11th International Conference on Fracture - ICF 11
Politecnico di Torino
10129 Torino (Italy)

Phone: +39.011.564.4850

Fax: +39.011.564.4899

alberto.carpinteri@polito.it

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

01) AERONAUTICS & AEROSPACE

5310 - PROBABILISTIC FATIGUE ANALYSIS FOR STRUCTURAL HEALTH MONITORING	1
<i>Kulkarni S., Li-Sun, Moran B., Krishnaswamy S., Achenbach J. D.</i>	
5742 - OVERVIEW ON FAILURE INVESTIGATION: FATIGUE AND STRESSCORROSION CRACKING ON IAF FLEET	6
<i>Bagnoli F., Allegrucci L.</i>	
4407 - DESTRUCTIVE EVALUATION AND EXTENDED FATIGUE TESTING OF RETIRED AIRCRAFT FUSELAGE STRUCTURE	13
<i>Bakuckas Jr. J. G., Carter A.</i>	
5159 - DAMAGE EVOLUTION IN PLANE STRAIN DEFORMATIONS OF IMPACT LOADED SANDWICH PLATES	19
<i>Batra R. C., Love B. M.</i>	
5476 - EFFECT OF SHOT PEENING ON THE FATIGUE ENDURANCE AND FATIGUE CRACK GROWTH RATE OF 7050 & 7075 ALUMINUM ALLOYS	25
<i>Locke J. E., Kumar B., Salah L.</i>	
4892 - CHARACTERIZATION AND MODELING OF LOCALIZED CORROSION DAMAGE ACCUMULATION FOR AIRCRAFT STRUCTURAL INTEGRITY	30
<i>Buchheit R. G., Birbilis N., Gambina F.</i>	
5473 - ON A BIMODAL REPRESENTATION OF SMALL FATIGUE CRACK SCATTER	36
<i>Carlson R. L., Cappelli M. D., Kardomateas G.</i>	
4691 - ANALYSIS OF THE RESIDUAL STRENGTH AND LINK-UP STRESS OF ALUMINIUM PLATES WITH MULTI-SITE DAMAGE	41
<i>Ciliato G. D., Carneiro S. H. S.</i>	
5400 - STUDY OF ADVANCED COMPOSITE STRUCTURES FOR HIGH TEMPERATURE APPLICATIONS	47
<i>Marchetti M., Amantini L., Bellachioma M., Cavallo G., Corradi S.</i>	
3539 - INFLUENCE OF SCANDIUM ON THE KINETICS OF FATIGUE CRACK GROWTH IN 7010 AL – ALLOY	53
<i>Desmukh M. N., Pandey R. K., Mukhopadhyay A. K.</i>	
5728 - SIMULATION TOOLS APPLICATION IN ITALIAN AIR FORCE FACILITIES: AN EXAMPLE	59
<i>Dolce F.</i>	
4178 - CHARACTERIZATION OF STRESS CORROSION CRACKING IN AA2024-T3 BY X-RAY RADIOGRAPHY	65
<i>Liu X., Frankel G. S., Zoofan B.</i>	
3581 - DAMAGE TOLERANT RISK ANALYSIS TECHNIQUES FOR EVALUATING THE STRUCTURAL INTEGRITY OF AIRCRAFT STRUCTURES	71
<i>Gallagher J. P., Babish C. A., Malas J. C.</i>	
5097 - FATIGUE CARCK TIP DAMAGE-BASED MODELS IN STRUCTURAL PROGNOSIS	77
<i>Agnew S. R., Ro Y. J., Begley M. R., Gangloff R. P.</i>	
3979 - LAP JOINT MSD ASSESSMENT USING A PROBABILISTIC MODEL	83
<i>Garcia A. N., Irving P.</i>	
3456 - AN ALTERNATIVE FULLY STOCHASTIC APPROACH TO DETERMINE THE LIFETIME AND INSPECTION SCHEME OF A COMPONENT	89
<i>Grooteman F.</i>	
5339 - EECT OF RETROGRESSION AND RE-AGING HEAT TREATMENT ON THE CORROSION FATIGUE CRACK GROWTH BEHAVIOR OF AA7050 ALUMINUM ALLOY	95
<i>Gürbüz R., Akgün N.</i>	
5740 - EXPERIMENTAL DETERMINATION OF THE CRITICAL CRACK TIP OPENING ANGLE (CTOA) USING THE CTOD δ_5 MEASUREMENT TECHNIQUE	96
<i>Heerens J., Schödel M., Schwalbe K.-H.</i>	
5743 - RESIDUAL STRENGTH ANALYSIS USING CTOA CRITERIA FOR FUSELAGE STRUCTURES CONTAINING MULTIPLE SITE DAMAGE	102
<i>Hsu C.-L., Tom J. J., Anderson B. L.</i>	
5225 - A RELATIONSHIP BETWEEN CONSTRAINT AND THE CRITICAL CRACK TIP OPENING ANGLE	108
<i>James M. A., Johnston W. M.</i>	
4265 - LOCALIZED CHEMICAL ENVIRONMENTS AND THE IMPLICATIONS ON FATIGUE IN AIRCRAFT STRUCTURES	114
<i>Kelly R. G.</i>	
3707 -THREE-DIMENSIONAL THERMOMECHANICAL BUCKLING OF FUNCTIONALLY GRADED PLATES	120
<i>Na K. S., Kim J. H.</i>	

3136 - CTOA AS A DYNAMIC FRACTURE CRITERION	126
<i>Kobayashi A. S.</i>	
5379 - FEDERAL AVIATION ADMINISTRATION ROTORCRAFT DAMAGE TOLERANCE RESEARCH	132
<i>Le D. D., Cuevas E.</i>	
4762 - STABLE CRACK EXTENSION AND CRACK TUNNELING IN AS-RECEIVED AND SURFACE-MACHINED 2024-T351 ALUMINUM SHEET	138
<i>Sakhalkar A., Mahmoud S., Lease K.</i>	
5396 - NUMERICAL APPROACH AND EXPERIMENTAL VALIDATION OF COMPOSITE SOUNDPROOFING PANELS FOR AERONAUTICAL APPLICATIONS	144
<i>Leofanti G., Marchetti M., Pulvirenti G., Vocca D., Turris F.</i>	
3936 - STUDY OF INTERACTION AND COALESCENCE OF MULTIPLE SMALL SURFACE CRACKS IN A HIGH STRENGTH ALUMINIUM ALLOY	150
<i>Liu Q., Wang C.-H., Barter S. A., Sharp P. K.</i>	
4399 - ASSESSMENT OF STEADY STATE TEARING IN TENSION-DOMINANT CRACK GEOMETRIES	156
<i>Naumenko V. P., Skrypyuk Yu. D.</i>	
3587 - SMALL-CRACK GROWTH AND FATIGUE-LIFE PREDICTION OF CORRODED OPEN-HOLE SPECIMENS	162
<i>Newman Jr. J. C., Abbott W.</i>	
5357 - THE CTOA AND δ_5 STANDARDS FOR LOW-CONSTRAINT FRACTURE SPECIMENS	168
<i>Newman Jr. J. C., Schwalbe K.-H.</i>	
5215 - DAMAGE TOLERANCE ISSUES PECULIAR TO SUPERSONIC CIVIL TRANSPORT AIRCRAFT	174
<i>Odemer G., Henaff G., Journet B., Remy L., Haddar N., Koster A.</i>	
3614 - UNDERSTANDING OF ENVIRONMENTAL CRACKING IN AGING AIRCRAFT STRUCTURE	180
<i>Piascik R., Smith S., Newman J., Willard S.</i>	
3658 - FATIGUE CRACK NUCLEATION AND PROPAGATION IN BONDED JOINTS	186
<i>Pirondi A., Nicoletto G.</i>	
3920 - SKIN-STRINGER DEBONDING AND DELAMINATION ANALYSIS IN COMPOSITE STIFFENED SHELLS	192
<i>Rikards R., Kalnins K., Ozolinsh O.</i>	
3344 - AN ELLIPTIC CRACK IN A PIEZOELECTRIC MATERIAL	198
<i>Saha T. K.</i>	
4231 - THE THIN PLATES ON ASYMMETRICAL THEORY OF ELASTICITY	204
<i>Sargsyan S.</i>	
5207 - APPLICATION OF CTOA/CTOD IN THE RESIDUAL STRENGTH ANALYSIS OF BUILT-UP AND INTEGRAL STRUCTURES	209
<i>Seshadri B. R., Forth S. C., Johnston Jr. W. M., Domack M. S.</i>	
4561 - ENVIRONMENTAL-ASSISTED FATIGUE CRACKING OF ALUMINIUM ALLOYS AT DIFFERENT FREQUENCIES	215
<i>Stanzl-Tschegg S. E., Holper B., Mayer H.</i>	
5582 - THREE-DIMENSIONAL CRACK GROWTH SIMULATION: COMPUTATIONAL ASPECTS AND ANALYSIS OF CRACK TUNNELING TO QUANTIFY COD AS A FUNCTION OF CONSTRAINT	221
<i>Sutton M. A., Deng X., Zuo J.</i>	
4359 - INTEGRITY OF JOINT STRUCTURES—THE KEY TO DAMAGE TOLERANCE	227
<i>Terada H., Okada T.</i>	
5636 - SURVEILLANCE SYSTEM AIRBORNE COMPOSITE RADOME DESIGN	233
<i>Pulvirenti G., Tromboni P. D., Marchetti M., Delogu A., Maccapani A., Aricò R.</i>	
3145 - MECHANICAL PROPERTIES AND FRACTURE MECHANISMS OF BURN RESISTANT Ti-25V-15Cr-2Al-0.2C ALLOYS	239
<i>Udomphol T., Voice W., Bowen P.</i>	
4808 - FRACTURE MECHANICS ANALYSIS OF NOTCH FATIGUE OF A SINGLE CRYSTAL SUPERALLOY—CMSX-4	245
<i>Wu X., Miller M., Zhang Z., J. Miller, Reed P. A. S.</i>	

02) ANALYTICAL MODELS

5429 - REMARKS ON THE APPLICATION OF DESIGN SENSITIVITY ANALYSIS IN FRACTURE MECHANICS	250
<i>Barthold F.-J.</i>	
3014 - THERMOMECHANICS OF MOVING PHASE BOUNDARIES IN SOLIDS	256
<i>Berezovski A, Maugin G. A.</i>	
4267 - GENERALISED STRESS INTENSITY FACTORS APPLIED TO FRACTURE TOUGHNESS DATA FROM V-NOTCHES WITH SMALL ROOT RADII	262
<i>Berto F., Lazzarin P., Gogotsi G. A.</i>	
4122 - A GENERAL FORMULATION OF THE POTENTIAL ENERGY RELEASE RATE FOR A THREE-DIMENSIONAL HYPERELASTIC BODY CONTAINING A PLANE CRACK	268
<i>Chiarelli M., Troiani E.</i>	
4481 - STRENGTH PREDICTIONS VIA FINITE FRACTURE MECHANICS	274
<i>Cornetti P., Taylor D., Pugno N.</i>	

3401 - PARTIAL CLOSURE ANALYSIS OF A SURFACE CRACK IN A GRADED MEDIUM LOADED BY A FRICTIONAL FLAT STAMP	280
<i>El-Borgi S, Erdogan F., Dag S.</i>	
4857 - ON RECENT PROGRESS IN THE THEORY AND NUMERICS OF MATERIAL FORCES	286
<i>Denzer R., Steinmann P.</i>	
4441 - DUCTILE FRACTURE: MATERIAL REMODELLING IN THE PROCESS ZONE	291
<i>Di Carlo A.</i>	
5288 - INVERSE DISCONTINUITY FORMULATION OF FRACTURE	297
<i>Fagerström M., Larsson R.</i>	
5720 - VIRTUAL TESTING FOR ESTIMATING MATERIAL FRACTURE PROPERTIES (REDUCING TIME & COST OF TESTING)	303
<i>Farahmand B.</i>	
3890 - A GENERAL WEIGHT FUNCTION FOR A SUBSURFACE CRACK IN A TWO DIMENSIONAL HALF-SPACE	309
<i>Beghini M., Bertini L., Fontanari V.</i>	
5214 - MULTISCALE MODELLING AND REPRESENTATIVE VOLUMES: LINEAR-ELASTICITY AND SOFTENING	315
<i>Gitman I. M., Askes H., Sluys L. J.</i>	
3803 - SIZE EFFECT ON CRACK ANALYSIS BY STRAIN GRADIENT MATERIAL MODEL	321
<i>Imatani S., Hatada K., Maugin G. A.</i>	
3396 - RING SHAPED CRACK PROBLEM FOR A HOLLOW CYLINDER IMBEDDED IN A DISSIMILAR MEDIUM	327
<i>Suat Kadioglu F., Maden O.</i>	
3720 - DISLOCATION MODEL OF AN ASYMMETRIC WEAK ZONE FOR PROBLEMS OF INTERACTION BETWEEN CRACK-LIKE DEFECTS	333
<i>Simonov I. V., Karihaloo B. L.</i>	
3480 - KOLOSOV-MUSHKHELISHVILI FORMULAS REVISITED	339
<i>Kotchergerko I. D.</i>	
3279 - DISORDER OF THE FRONT OF A TENSILE TUNNEL-CRACK PROPAGATING IN SOME INHOMOGENEOUS MEDIUM	345
<i>Leblond J.-B., Favier E., Lazarus V.</i>	
3615 - INITIATION OF FAILURE IN A SINGLE LAP JOINT	351
<i>Braccini M., Dupeux M., Leguillon D.</i>	
5586 - HAMILTONIAN FORMALISMS IN ELASTICITY - POTENTIAL USE FOR FRACTURE MECHANICS	356
<i>Li J., Recho N.</i>	
4385 - ANALYTICAL EVALUATION OF J-INTEGRAL FOR AN ELLIPTICAL NOTCH	362
<i>Livieri P., Segala F.</i>	
3899 - ON PRE-FRACTURE ZONE MODELLING FOR AN INTERFACE CRACK IN ANISOTROPIC BIMATERIAL	368
<i>Loboda V., Sheveleva A.</i>	
4163 - FE ANALYSIS OF STRESS AND STRAIN FIELDS IN FINITE RANDOM COMPOSITE BODIES: APPLICATION TO CRACK TIP FIELD	373
<i>Luciano R., Willis J. R.</i>	
5238 - ON THE SELF-FORCE OF A NON-UNIFORMLY MOVING DISLOCATION	378
<i>Markenscoff X.</i>	
5162 - DYNAMIC ESHELBY TENSORS AND ASSOCIATED SOLUTION OF THE INHOMOGENEOUS HELMHOLTZ EQUATION FOR ELLIPSOIDAL INCLUSIONS	384
<i>Michelitsch T. M., Wang J., Gao H., Levin V. M.</i>	
5425 - APPLICATION OF MATERIAL FORCES IN DEFECT MECHANICS	387
<i>Muller R., Gross D.</i>	
4988 - INFLUENCE OF THE INTERMEDIATE MATERIAL ON THE SINGULAR STRESS FIELD IN TRI-MATERIAL JUNCTIONS	393
<i>Carpinteri A., Paggi M.</i>	
4457 - INFLUENCE OF RESIDUAL STRESSES ON THE CRACK DRIVING FORCE IN BIMATERIALS WITH SHARP INTERFACE	399
<i>Rakin M., Kolednik O., Simha N. K.</i>	
4033 - FAILURE DEVELOPMENT IN THERMAL BARRIER COATINGS	405
<i>Rubinstein A. A., Tang Y.</i>	
4342 - A PROBABILISTIC MODEL FOR THE FORMATION AND PROPAGATION OF CRACK NETWORKS IN HIGH CYCLE FATIGUE	411
<i>Seyedi M., Malésys N., Vincent L., Hild F.</i>	
5329 - MATERIAL FORCE MODELS FOR CRACKS - INFLUENCES OF EIGENSTRAINS, THERMAL STRAINS & RESIDUAL STRESSES	417
<i>Simha N. K., Kolednik O., Fischer F. D.</i>	
3525 - APPLICATION OF A STRIP-YIELD CRACK CLOSURE MODEL TO CRACK GROWTH PREDICTIONS FOR STRUCTURAL STEEL	423
<i>Skorupa M., Machniewicz T., Skorupa A., Beretta S., Carboni M.</i>	
4786 - NON-LOCAL MODELING OF MATERIAL FORCES DURING DAMAGE AND FRACTURE	429
<i>Svendsen B., Reusch F.</i>	

3817 - ANALYSIS OF CHANGE MODE I STRESS INTENSITY FACTOR IN ELEMENTS WITH ANGULAR NOTCHES	435
<i>Tabanyukhova M. V., Kurbanov A. B., Pangaev V. V.</i>	
4913 - A ONE-DIMENSIONAL INTRODUCTION TO CHEMICAL STRAINS AND STRESSES WITH APPLICATIONS TO DIFFUSION IN CRACKED SOLIDS	440
<i>Wu C. H., Liu P.</i>	
5769 - APPLICATION OF DAMAGE MECHANICS IN PERCUSSIVE DRILLING MODELLING	444
<i>Mikhailov S. E., Namestnikova I. V.</i>	

03) BIOMECHANICS

5470 - TOUGHENING MECHANISMS IN MOLLUSK SHELLS	452
<i>Ballarini R.</i>	
3596 - ON THE WAVE PROPAGATION IN BONES	455
<i>Chiroiu V., Munteanu L., Iordache D.</i>	
4547 - FAILURE OF EQUINE COMPACT BONE UNDER IMPACT LOADING	461
<i>Davy D., Shazly M., Kayacan R., Prakash V., Rimnac C.</i>	
4499 - FAILURE MECHANISMS OF HENS' EGGS	467
<i>Hancock J., Macleod N., Bain M., Solomon S., Hancock J.</i>	
3740 - VISUALISATION AND QUANTIFICATION OF FATIGUE INDUCED MICRODAMAGE IN BONE: HISTOLOGY AND RADIOLOGY	473
<i>Lee T. C., O'Brien F., Taylor D., Parkesh R., Gunnlaugsson T.</i>	
5082 PROBING THE NANOMECHANICAL PROPERTIES OF TEETH	479
<i>Lim C. T., Hairul Nizam B. R., Chng H. K., Yap A. U. J.</i>	
4196 - TENSILE FRACTURE BEHAVIOR AND CASTING DEFECTS OF BETA TYPE Ti-29Nb-13Ta-4.6Zr CAST BY DENTAL PRECISION CASTING PROCESSING	485
<i>Niinomi M., Akahori T., Manabe T., Takeuchi T., Katsura S.</i>	
3738 - BREAKING BONES: THE EFFECT OF MICRODAMAGE ON THE FATIGUE BEHAVIOUR OF COMPACT BONE	491
<i>O'Brien F., Taylor D., Lee C.</i>	
4384 - TOWARDS FAILURE OF CYTOSKELETAL ACTIN NETWORKS	496
<i>Onck P., Van Der Giessen E.</i>	
4462 - THE EFFECT OF R-RATIO ON THE FATIGUE CRACK PROPAGATION RESISTANCE OF HUMAN CORTICAL BONE	502
<i>Rimnac C., Akhavan S., Kayacan R., Varadarajan R., Penoyar T., Davy D.</i>	
4811 - STRENGTH DISTRIBUTIONS OF SINTERED HYDROXYAPATITE NANOPARTICLES	508
<i>Shaw M. T., Wei M., Chandrasekhar K. R.</i>	
4044 - CONTACT DAMAGE IN DENTAL MULTILAYERS: FROM EXPERIMENTS TO MECHANISM-BASED MODELS AND BIOINSPIRED DESIGN	514
<i>Soboyejo W., Huang M., Shrotriya P., Zhou J. K., Niu X., Thompson V., Rekow D.</i>	
4191 - MULTI-SCALE MECHANICAL BEHAVIOR OF METALLIC FOAMS: FROM STRUTS TO FOAMS	520
<i>Soboyejo W., Zhou J., Allameh S., Gao Z., Cuitino A. M.</i>	
5492 - MIXED MODE FRACTURE IN RECONSTRUCTED ACETABULUM	526
<i>Tong J., Wong K. Y.</i>	

04) CERAMICS

3473 - CRITICAL FLAW SIZE REDUCTION IN Si₃N₄-TiN COMPOSITES FOR WEAR APPLICATIONS	532
<i>Blugan G., Kuebler J.</i>	
4800 - FRACTURE TOUGHNESS IN ADVANCED MONOLITHIC CERAMICS –SEPB VERSUS SEVNB METHODS	538
<i>Choi S. R., Gyekenyesi J. P.</i>	
4926 - FRACTURE BEHAVIOUR IN LAMINATED CERAMIC COMPOSITES	544
<i>De Portu G., Guicciardi S., Micele L., Fujimura F., Pezzotti G.</i>	
5651 - FRACTURE CHARACTERISTICS OF TWO CARBON FIBRE REINFORCED CERAMICS	550
<i>Dusza J., Liedke V., Semerad E., Weiss R.</i>	
5700 - A FAST DESIGN-TOOL FOR CERAMICS UNDER STATIC AND CYCLIC CONTACT LOADING	555
<i>Huber N., Licht V., Hegadekatte V., Kraft O.</i>	
4993 - DESIGN AND RELIABILITY OF CERAMIC COMPONENTS FOR AUTOMOTIVE APPLICATIONS	560
<i>Knoblauch V., Speicher R., Schneider G. A.</i>	
5049 - THE EFFECT OF GLASS COMPOSITION ON CREEP DAMAGE DEVELOPMENT IN SILICON NITRIDE CERAMICS	568
<i>Lofaj F., Wiederhorn S. M., Dorcakova F., Hoffmann M. J.</i>	
3079 - A SILICON NITRIDE REFERENCE MATERIAL FOR CERAMIC DESIGN	574
<i>Lube T., Alcalá J., Dusza J., Klemm H.</i>	
3725 - MODIFIED INDENTATION TEST TO ESTIMATE THE INTERFACIAL FRACTURE TOUGHNESS OF THICK THERMAL BARRIER COATING SYSTEMS	580
<i>Mircea I., Bartsch M.</i>	

3780 - FAILURE OF CERAMICS UNDER CONCENTRATED LOADS.....	586
<i>Fett T., Munz D.</i>	
4587 - IN-SITU STRENGTH OF ALUMINA GREEN COMPACT AT ELEVATED TEMPERATURE DURING SINTERING.....	593
<i>Nambu S., Enoki M., Takahashi F.</i>	
3800 - THE RELIABILITY OF WEIBULL ESTIMATORS AND THEIR RELATION TO DEFECTS IN BRITTLE MATERIALS.....	598
<i>Loidl D., Peterlik H.</i>	
3919 - PREVENTING CONTACT LOADING INDUCED SURFACE FAILURE OF CERAMIC COMPONENTS BY A SHOT PEENING TREATMENT.....	604
<i>Pfeiffer W., Frey T.</i>	
4931 - HIGH RELIABILITY CERAMIC LAMINATES BY DESIGN.....	610
<i>Sglavo V. M., Bertoldi M.</i>	
5687 - FRACTURE OF ELECTROCERAMIC COMPONENTS.....	616
<i>Supancic P., Danzer R.</i>	
5325 - RELIABILITY ASSESSMENT OF A SIC BASED COMPONENT FOR HIGH TEMPERATURE APPLICATION.....	622
<i>Trentini E., Finelli A., Labanti M., Sangiorgi S.</i>	
4775 - THE FRACTURE OF THE POROUS CERAMIC AND ITS FORMULA MODEL.....	628
<i>Okabe N., Tsutsumi M.</i>	
3718 - CRACK PROPAGATION IN PZT DCB SPECIMENS UNDER CYCLIC ELECTRIC LOADING.....	634
<i>Westram I., Lupascu D. C., Rödel J.</i>	

05) COMPOSITES

3859 - FRACTURE INITIATION AT THE INTERFACE CORNER OF BI-MATERIAL SOLIDS.....	639
<i>Akisanya A.</i>	
4263 - A COHESIVE INTERFACE MODEL BASED ON DAMAGE AND FRICTION.....	645
<i>Alfano G., Sacco E.</i>	
3080 - A COMPUTATIONAL TECHNIQUE FOR PREDICTING DELAMINATION GROWTH IN SOLIDS WITH VISCOELASTIC INTERFACES.....	651
<i>Allen D. H.</i>	
4896 - A COMPUTATIONAL METHOD FOR THE PREDICTION OF DAMAGE AND DELAMINATION IN COMPOSITE PIPES.....	655
<i>Allix O., Baranger E., Blanchard L.</i>	
5382 - MULTIPLE DELAMINATION OF LAMINATED STRUCTURES.....	659
<i>Andrews M., Massabo R., Cox B.</i>	
4490 - OBTAINING THE CONSTITUTIVE TENSILE RELATION OF CONCRETE THROUGH INVERSE ANALYSIS.....	665
<i>Antunes De Oliveira E Sousa J. L., Gettu R.</i>	
3316 - CALCULATION OF STRESS INTENSITY FACTORS FOR A CRACK ALONG THE $\pm 45^\circ$ INTERFACE OF A FIBER REINFORCED MATERIAL.....	671
<i>Banks-Sills L., Freed Y.</i>	
5053 - INVESTIGATION OF THE DAMAGE BEHAVIOUR OF NOVEL BIAxIAL REINFORCED WEFT KNITTED COMPOSITES.....	677
<i>Hufenbach W., Böhm R., Langkamp A., Kroll L., Gude M.</i>	
5206 - THREE-DIMENSIONAL CHARACTERIZATION OF CONSTITUTIVE BEHAVIOR AND FAILURE OF TEXTILE COMPOSITES.....	683
<i>Daniel I. M., Abot J. L., Luo J.-J., Schubel P. M.</i>	
5633 - FRACTURE IN THIN-FILM STRUCTURES FOR DEVICE TECHNOLOGIES: NEW MATERIAL AND LENGTH SCALE CHALLENGES.....	689
<i>Dauskardt R. H., Litteken C. L.</i>	
3489 - COMPUTATIONAL MODELS FOR DELAMINATION FRACTURE.....	694
<i>De Borst R., Remmers J. J. C.</i>	
4361 - DYNAMIC CRACK PROPAGATION IN A HETEROGENEOUS MATERIAL STRIP: STUDY OF THE BROBERG PROBLEM BY CONTINUUM AND ATOMISTIC METHODS.....	700
<i>Gao H., Chen S., Buehler M.</i>	
5729 - EXPERIMENTAL DETERMINATION OF CRACK DRIVING FORCES IN INTEGRATED STRUCTURES.....	706
<i>He J., Xu G., Suo Z.</i>	
4783 - RESIDUAL STRESSES IN A TWO PHASE CONCENTRIC CYLINDER CONFIGURATION.....	712
<i>Colpo F., Humbert L., Botsis J.</i>	
3640 - MULTIPLE CRACKING OF GALVANNEALED COATING LAYER ON STEEL SUBSTRATES.....	718
<i>Iwamoto S., Ochiai S., Okuda H., Nakamura T.</i>	
5672 - COMPARISON OF A FRACTURE MECHANICS BASED MODEL AND A COHESIVE ZONE MODEL OF FRACTURE IN JOINTS.....	724
<i>Jensen H. M.</i>	

5185 - FREE VIBRATION CHARACTERISTICS OF DELAMINATED COMPOSITE ROTATING CANTILEVER SHALLOW SHELLS	730
<i>Karmakar A., Mishra T. K., Kishimoto K.</i>	
3286 - INITIATION OF INTERFACE CRACK AT FREE EDGE BETWEEN THIN FILMS IN AN ADVANCED LSI	736
<i>Kitamura T., Hirakata H.</i>	
4241 - SINGULAR STRESS FIELDS ALONG A STRESS SINGULAR LINE AND AT A VERTEX IN THREE-DIMENSIONAL JOINTS	740
<i>Koguchi H., Sakai H., Monchai P.</i>	
4910 - MICRO AND MESO COMPUTATIONAL DAMAGE MODELLINGS FOR DELAMINATION PREDICTION	746
<i>Ladeveze P., Lubineau G., Violeau D., Marsal D.</i>	
3245 - CRACK DEFLECTION IN CERAMIC LAMINATES	752
<i>Leguillon D., Martin E., Tariolle S.</i>	
4098 - ON MODE I AND MODE II BRIDGING LAWS AND BRIDGING MECHANISMS IN Z-PINNED COMPOSITE LAMINATES	758
<i>Liu H.-Y., Yan W., Mai Y.-W.</i>	
4637 - IDENTIFICATION OF LAMINATE MECHANICAL PROPERTIES VIA EXTENDED KALMAN FILTER	764
<i>Corigliano A., Mariani S.</i>	
3425 - DELAMINATION DETECTION OF BONDED COMPOSITE PATCHES FOR REPAIRING DAMAGED AIRCRAFT COMPONENTS BY BRAGG GRATING SENSORS	770
<i>Marioli-Riga Z., Gdoutos E. E.</i>	
4603 - THE ASYMPTOTIC STRESS FIELD FOR FREE EDGE JOINTS UNDER SMALL – SCALE YIELDING CONDITIONS	776
<i>Marsavina L., Nurse A. D.</i>	
2960 - MODE I INTERLAMINAR FRACTURE OF CARBON/EPOXY MULTIDIRECTIONAL LAMINATES	782
<i>Pereira A. B., De Morais A. B., De Moura M. F. S. F., Magalhaes A. G.</i>	
4922 - FRACTURE BEHAVIOR OF TYRANNO-ZMI FIBER EXPOSED IN AIR AT 1173–1673K	788
<i>Morishita K., Hojo M., Okuda H., Ochiai S., Sato M.</i>	

VOLUME 2

5186 - FRACTURE AND FATIGUE PROPERTIES OF Z-PINNED COMPOSITE LAP JOINTS	794
<i>Chang P., Mouritz A. P., Cox B. N.</i>	
5201 - STRESSES AND FAILURE IN JOINTS	800
<i>Munz D.</i>	
4071 - SHAPE EFFECT OF ARBITRARY INTERFACE ON THE BONDING STRENGTH OF T-TYPE JOINT STRUCTURE COMPOSED OF COPPER AND TUNGSTEN	806
<i>Nagasawa S., Morii H., Fukuzawa Y., Takaoka S.</i>	
4975 - MORPHOLOGICAL STABILITY OF MULTILAYER SYSTEMS	812
<i>Sridhar N., Anderson P. M., Misra A., Cox B. N.</i>	
3004 - TEMPERATURE- AND DISPLACEMENT SPEED-DEPENDENCE OF NOTCHED STRENGTH AT 1873-2023K OF ALUMINA/YAG COMPOSITE	816
<i>Ochiai S., Sakai Y., Sato K., Ueda T., Morishita K., Okuda H., Tanaka M., Hojo M., Waku Y., Nakagawa N., Sakata S., Mitani M., Takahashi T.</i>	
4080 - STRONG DISCONTINUITY APPROACH TO FRACTURE OF COMPOSITE MATERIALS	822
<i>Oliver J., Huespe A. E., Linero D.</i>	
4855 - SOFTENING ALONG THE FRP-CONCRETE INTERFACE UNDER COMBINED SHEAR AND OPENING DISPLACEMENTS	828
<i>Pan J., Leung C. K. Y.</i>	
4680 - VARIATIONAL COHESIVE FRACTURE MODELS AND THREE-DIMENSIONAL CRACK TRACKING	834
<i>Pandolfi A., Ortiz M.</i>	
4466 - SUPPRESSION OF DELAMINATION IN STRUCTURAL COMPOSITES BY Z-PINNING	840
<i>Partridge I. K., Cartié D. D. R.</i>	
3342 - MATRIX FATIGUE DAMAGE EVOLUTION IN A LONGITUDINAL CFRP COMPOSITE	844
<i>Plumtree A., Ostgathe M.</i>	
3743 - CHARACTERISATION OF FIBRE STRENGTH DISTRIBUTIONS IN MATRIX COATED MONOFILAMENT SILICON CARBIDE FIBRES	849
<i>Pollard S., Laffargue J., Bowen P.</i>	
3541 - NONLINEAR BEHAVIOR OF FUEL CELL MEMBRANE ASSEMBLIES	855
<i>Reifsnider K., Huang X., Feshler M., Ju G.</i>	
4397 - STACKING LAMINATE EFFECTS ON ADHESIVE LAP JOINTS STRENGTH	859
<i>Reis P., Ferreira J., Silva H., Costa J. D., Richardson M.</i>	
5501 - A MICROMECHANICS APPROACH TO QUANTIFY STRENGTH MISMATCH EFFECTS ON FRACTURE BEHAVIOR OF INTERFACE CRACKS	865
<i>Ruggieri C.</i>	

5160 - ANALYSIS OF THE BOND BETWEEN NEAR-SURFACE MOUNTED CFRP LAMINATE STRIPS AND CONCRETE	871
<i>Sena-Cruz J., Barros J., Azevedo A.</i>	
5625 - FATIGUE, FRACTURE TOUGHNESS AND TENSILE PROPERTIES IN PARTICULATE ALUMINIUM METAL MATRIX COMPOSITES	876
<i>Singh V., Prasad R. C.</i>	
5767 - APPLICATION OF COHESIVE ZONE MODELS TO FATIGUE AND FRACTURE IN COMPOSITES AND ADHESIVE JOINTS	879
<i>Spearing S. M.</i>	
4585 - FAILURE MECHANISMS IN BRITTLE LAMINATES	888
<i>Suiker A. S. J., Fleck N. A.</i>	
5733 - DUCTILITY OF A THIN METAL FILM ON A POLYMER SUBSTRATE	894
<i>Suo Z., Li T., Huang Z. Y., Xi Z. C., Lacour S. P., Wagner S.</i>	
4600 - EVALUATION OF THE INTERFACIAL PROPERTIES IN AN ARAMID FIBER/EPOXY MODEL COMPOSITE USING MICRO-RAMAN SPECTROSCOPY	898
<i>Tanaka K., Minoshima K., Kawano K., Komai K.</i>	
4615 - EXPERIMENTAL AND COMPUTATIONAL ANALYSES OF LEAD ZIRCONATE TITANATE REINFORCED GLASS COMPOSITES FOR STRUCTURAL APPLICATIONS	904
<i>Tavoni F., Cannillo V., Garcia R. E., Boccaccini A. R.</i>	
5301 - HIGH CYCLE FATIGUE BEHAVIOUR OF WELDED JOINTS BASED ON NOTCH STRESS INTENSITY FACTORS	909
<i>Atzori B., Lazzarin P., Tovo R.</i>	
5722 - CRACK LENGTH DETERMINATION DIFFICULTIES IN COMPOSITES- THEIR EFFECT ON TOUGHNESS EVALUATION	915
<i>Blackman B. R. K., Williams J. G.</i>	
3628 - TENSION SOFTENING CHARACTERISTICS IMMEDIATELY AFTER CRACKING OF SHORT FIBER REINFORCED MORTAR	921
<i>Yamada K., Homma T., Ishiyama S.</i>	
5485 - MODELLING DAMAGE EVOLUTION IN LAMINATED COMPOSITES USING COHESIVE ZONE MODELS	927
<i>Rockwell Q. Y., Cox B.</i>	
3149 - BRITTLE BEHAVIOR OF HIGH STRENGTH CONCRETE	933
<i>Zhao Y., Li Z., Xu S.</i>	
5827 - EFFECT OF INTERACTION BETWEEN COLLINEAR CRACKS ON THE STRENGTH DISTRIBUTION OF BRITTLE MATERIALS	939
<i>Ciavarella M., Afferrante L., Valenza E.</i>	

06) COMPUTATIONAL MECHANICS

3687 - FINITE ELEMENT METHODS FOR THE ANALYSIS OF STRONG DISCONTINUITIES IN PLATES AT FAILURE	945
<i>Armero F., Ehrlich D.</i>	
4221 - COHESIVE CRACK-TIP ELEMENT FOR XFEM	951
<i>Asferg J. L., Poulsen P. N., Nielsen L. O.</i>	
4339 - INVESTIGATIONS OF FAILURE BEHAVIOUR OF FLAWED STEEL SPECIMENS WITH ELECTRON BEAM WELDS (EBW)	957
<i>Bajric A., Brocks W., Dahl W., Heyer J., Langenberg P.</i>	
3097 - THE BOUNDARY FINITE ELEMENT METHOD FOR THE SEMI-ANALYTICAL COMPUTATION OF 3D STRESS SINGULARITIES IN FRACTURE MECHANICS	963
<i>Becker W., Mittelstedt C.</i>	
5705 - THE EXTENDED FINITE ELEMENT METHOD FOR STATIC AND DYNAMIC CRACK PROPAGATION	969
<i>Belytschko T., Areias P., Wang H. W., Xu J. X.</i>	
5439 - A WEAKEST – LINK ANALYSIS FOR FATIGUE STRENGTH OF COMPONENTS CONTAINING DEFECTS	975
<i>Beretta S., Chai G., Soffiati E.</i>	
5748 - PERIDYNAMIC FRACTURE AND DAMAGE MODELLING OF MEMBRANES AND NANOFIBER NETWORKS	976
<i>Bobaru F., Silling S. A., Jiang H.</i>	
5321 - DAMAGE AND DISCRETE CRACK PROPAGATION MODELLING – SOME RESULTS AND CHALLENGES FOR 2D AND 3D CONFIGURATIONS	982
<i>Bouchard P.-O.</i>	
4325 - MODELLING OF DUCTILE ANISOTROPIC CONTINUUM DAMAGE: EXPERIMENTS AND NUMERICAL ANALYSES	988
<i>Brüinig M.</i>	
5696 - EFFECT OF HYPERELASTICITY ON DYNAMICAL CRACK TIP INSTABILITIES	994
<i>Buehler M. J., Gao H.</i>	
3953 - IDENTIFICATION OF SHEAR WALL FAILURE MODE	1000
<i>Cervenka V., Novak D., Lehky D., Pukl R.</i>	

5222 - THREE-DIMENSIONAL (3D) MICROSTRUCTURE VISUALIZATION AND FINITE ELEMENT MODELING OF THE MECHANICAL BEHAVIOR OF HETEROGENEOUS MATERIALS	1006
<i>Chawla N., Ganesh V. V.</i>	
5389 - RESIDUAL SHEAR STRESSES AND K_{II} COMPUTATION	1012
<i>W. Cheng, I. Finnie</i>	
4820 - A VARIATIONAL APPROACH TO COHESIVE-DAMAGING CRACK PROPAGATION IN A BAR	1016
<i>Comi C., Mariani S., Negri M., Perego U.</i>	
5718 - FINE DESCRIPTION OF FRACTURE BY USING DISCRETE PARTICLE MODEL	1022
<i>Delaplace A.</i>	
4471 - APPROPRIATE EXTENDED FUNCTIONS FOR X-FEM SIMULATION OF PLASTIC FATIGUE CRACK GROWTH	1027
<i>Elguedj T., Gravouil A., Combescure A.</i>	
4423 - COMPUTATIONAL DYNAMIC FRACTURE ANALYSIS FOR DROP TESTS OF SHIPPING CASKS	1031
<i>Enderlein M., Völzer W., Ricoeur A., Kuna M.</i>	
4479 - MODELLING OF CRACK PROPAGATION THROUGH FRAGMENTED SOLIDS	1037
<i>Galybiand A. N., Dyskin A. V.</i>	
4460 - EVALUATION OF STRESS INTENSITY FACTORS WITH G-THETA METHOD AND LEVEL SETS IN CODE_ASTER	1043
<i>Geniaut S., Massin P., Moes N.</i>	
4905 - A WAVELET BASED VORONOI CELL FEM FOR CRACK EVOLUTION IN COMPOSITE MATERIALS	1049
<i>Ghosh S., Li S.</i>	
4337 - RESIDUAL STRESSES BEHAVIOR UNDER FATIGUE CRACK CYCLIC LOADING: A FINITE ELEMENT ANALYSES	1056
<i>Gonçalves E., Gonzales M. A. C.</i>	
4620 - PHYSICAL MEANING OF THE FICTITIOUS CRACK OPENING DISPLACEMENT IN DUGDALE MODEL	1062
<i>Toyosada M., Gotoh K.</i>	
4210 - A HYBRID WEIGHT FUNCTION APPROACH FOR THE COMPUTATION OF STRESS INTENSITY FACTOR IN ELLIPTICAL AND SEMI-ELLIPTICAL CRACKS	1068
<i>Hachi B. K., Rechak S., Belkacemi Y., Haboussi M.</i>	
3371 - 2D AND 3D CREEP DAMAGE ANALYSES FOR LOCAL HEATED TUBE OF LIGHT WATER REACTOR	1074
<i>Hagihara S., Miyazaki N.</i>	
4753 - STRUCTURAL AND MECHANICAL PROPERTIES OF AMORPHOUS SILICON: AB-INITIO AND CLASSICAL MOLECULAR DYNAMICS STUDY	1080
<i>Hara S., Kumagai T., Izumi S., Sakai S.</i>	
2987 - COMPUTATION OF TWO DIMENSIONAL J-INTEGRAL IN THE CASE OF LARGE STRAINS	1086
<i>Horváth Á.</i>	
3346 - APPLICATION OF THE VARIATIONAL MULTISCALE METHOD TO DAMAGE OF COMPOSITES	1092
<i>Hund A., Ramm E.</i>	
4456 - CONTRIBUTIONS TO THE SMEARED CRACK METHOD: NEW CRACK LOCAL BEHAVIOR APPLIED TO A MULTI CRACKS F.E. MODEL	1098
<i>Mounajed G., Ung Quoc H., Boussa H.</i>	
5612 - SIMULATION OF FATIGUE CRACK INITIATION AND PROPAGATION IN ALUMINUM ALLOYS USING REALISTIC MICROSTRUCTURES	1104
<i>Anagnostou E., Brahme A., Cornwell C., El-Dasher B. S., Fridy J., Horstemeyer M. F., Ingrassia A. R., Lee S.-B., Maniatty A., Noack R., Papazian J., Rollett A. D., Saylor D., Weiland H.</i>	
4360 - MATHEMATICAL MODELLING OF DYNAMIC PROCESSES OF IRREVERSIBLE DEFORMING, MICRO- AND MACROFRACTURE OF DAMAGEABLE SOLIDS AND STRUCTURES	1110
<i>Kiselev A. B., Nekhaeva O. V.</i>	
4708 - A MULTI-SCALE APPROACH FOR THE SIMULATION OF CRACKS	1116
<i>Wyart E., Martiny P., Remacle J.-F., Pardoën T., Lani F.</i>	
4391 - FRACTAL FINITE ELEMENT METHOD FOR THERMAL STRESS INTENSITY FACTOR CALCULATION	1122
<i>Leung A. Y. T.</i>	
3617 - MODELING THE EVOLUTION OF SLOPE FAILURE AS A CRACK PROPOGATION PROBLEM	1124
<i>Lin J.-S., Ku C.-Y.</i>	
4296 - THERMO-MECHANICAL ANALYSIS OF ELASTIC CRACKS IN HETEROGENEOUS MATERIALS BY FEM AND VCFEM	1130
<i>Maletta C., Bruno L., Furguele F. M.</i>	
5572 - DETERMINATION OF THE INDENTATION RESISTANCE OF GRAVEL AS THE BASIS FOR SAFETY PROGNOSSES OF GRAVEL-BURIED STEEL PIPELINES SUBJECTED TO ROCKFALL	1136
<i>Mang H. A., Pichler B., Hellmich C.</i>	
3498 - STOCHASTIC CLUSTERING OF PHONON AND PHASON MODES AROUND THE TIP OF A CRACK IN ICOSAHEDRAL QUASICRYSTALS	1142
<i>Mariano P. M., Stazi F. L., Gioffrè M., Augusti G.</i>	
4616 - MOLECULAR-DYNAMICS STUDY ON FRACUTRE PROPERTY OF AMORPHOUS METAL WITH CRYSTALLIZATION	1148
<i>Matsumoto R., Nakagaki M., Nakatani A., Kitagawa H.</i>	

3403 - EXPERIMENTAL AND NUMERICAL ASSESSMENT OF DAMAGE IN ROLLING CONTACT FATIGUE	1154
<i>Donzella G., Mazzi A.</i>	
4529 - APPLICATION OF A GRADIENT DUCTILE DAMAGE MODEL TO METAL FORMING PROCESSES INCLUDING CRACK PROPAGATION AND MESH ADAPTIVITY	1160
<i>Mediavilla J., Peerlings R. H. J., Geers M. G. D.</i>	
5263 - IDENTIFICATION OF EXTERNAL LOADS TO DYNAMIC SYSTEMS AS THE METHOD OF DEFECTS DEFINITION	1165
<i>Menshikov Y.</i>	
5661 - A GLOBAL ENERGY CRITERION FOR CRACK PROPAGATION USING THE EXTENDED FINITE ELEMENT METHOD	1169
<i>Meschke G., Dumstorff P.</i>	
3168 - 3D COMPUTATIONAL TESTING OF MICROSTRUCTURES OF PARTICLE REINFORCED METAL MATRIX COMPOSITES	1175
<i>Mishnaevsky Jr. L.</i>	
4234 - THERMAL STRESS ANALYSIS OF TETRAGONAL SINGLE CRYSTAL DURING GROWTH PROCESS : PMO SINGLE CRYSTAL	1180
<i>Miyazaki N., Matsuura Y., Imahase D.</i>	
5578 - FRACTURE ANALYSIS OF COMPOSITE LAMINATE WITH DELAMINATION USING X-FEM	1186
<i>Nagashima T., Suemasu H.</i>	
2940 - MATERIAL POINT METHOD CALCULATIONS WITH EXPLICIT CRACKS, FRACTURE PARAMETERS, AND CRACK PROPAGATION	1192
<i>Nairn J., Guo Y.</i>	
5418 - EQUIVALENT MATERIAL MODELING FOR COMPOSITE OF DAMAGED INCLUSIONS WITH SPRING LAYER	1198
<i>Nakagaki M., Matsumoto R., Nakamachi Y.</i>	
4258 - THE EFFECTS OF LATTICE ORIENTATION AND PROXIMITY TO A GRAIN BOUNDARY ON MICROSTRUCTURALLY SHORT CRACKS IN 316L STEEL	1204
<i>Simonovski L., Nilsson K.-F., Kovac M., Cizelj L.</i>	
3314 - MOLECULAR DYNAMICS SIMULATION ON PLASTIC DEFORMATION PROCESSES AROUND A CRACK TIP UNDER CYCLIC LOADING	1210
<i>Nishimura K., Miyazaki N.</i>	
4097 - LARGE SCALE SIMULATION OF FRACTURE NETWORKS	1216
<i>Nukala P. K. V. V., Simunovic S.</i>	
4831 - ON THREE-DIMENSIONAL VIRTUAL CRACK CLOSURE-INTEGRAL METHOD (VCCM) FOR ARBITRARY SHAPED HEXAHEDRON FINITE ELEMENTS	1223
<i>Okada H., Higashi M., Kikuchi M., Fukui Y., Kumazawa N.</i>	
4100 - ON A FINITE ELEMENT WITH EMBEDDED DISCONTINUITIES FOR NUMERICAL MODELING OF FRACTURE	1229
<i>Oliver J., Huespe A., Blanco S.</i>	
5735 - ANALYSIS OF MESH DEPENDENCE IN RIGID COHESIVE INTERFACE FINITE ELEMENT MODELS	1235
<i>Papoulia K. D., Vavasis S. A., Sam C.-H., Ganguly P.</i>	
5131 - A COMPUTATIONAL STUDY OF THE FRACTURE BEHAVIOUR OF CONCRETE IN A MODIFIED SPLIT HOPKINSON BAR TEST	1241
<i>Pedersen R., Sluys L., Weerheijm J., Simone A.</i>	
3469 - FORMULATION OF A BONDED-PARTICLE MODEL TO SIMULATE STRESS CORROSION IN ROCK	1247
<i>Potyondy D. O.</i>	
3661 - CRACK PROPAGATION MECHANISM IN ROUNDED COHESIVE GRANULAR MEDIA	1253
<i>Preechawuttipong I., Ingsuwan P., Jacque S., Peyroux R.</i>	
4621 - THE COHESIVE SEGMENTS METHOD FOR THE SIMULATION OF FRACTURE	1259
<i>Remmers J., De Borst R., Needleman A.</i>	
5600 - BOUNDARY INTEGRAL FRACTURE ANALYSIS AND HYPERSINGULAR EVALUATION	1265
<i>Salvadori A., Phan A.-V., Gray L. J.</i>	
5588 - ESTIMATION OF STRENGTH FOR THREE-DIMENSIONAL BONDED STRUCTURES CONSIDERING STRESS SINGULARITY	1269
<i>Koguchi H., Satoh M.</i>	
5662 - MODELLING CRACK EXTENSION IN BIAXIALLY LOADED PANELS	1273
<i>Scheider I., Schödel I. M., Schönfeld W., Brocks W.</i>	
4899 - CRACKING IN PLAIN CONCRETE: A MULTIFIELD APPROACH	1280
<i>Secchi S., Schrefler B. A., Simoni L.</i>	
4502 - APPLICATION OF HYBRID CELLULAR AUTOMATA APPROACH FOR COMPUTER-AIDED EXAMINATION AND FORECAST OF STRENGTH PROPERTIES OF HETEROGENEOUS COAL BEDS	1286
<i>Shilko E., Zavsek S., Pezdic J., Dmitriev A., Dimaki A. V.</i>	
3339 - A COMPUTATIONAL MODEL FOR DAMAGE EVOLUTION IN CERAMIC COATINGS: EFFECT OF RANDOM MICROSTRUCTURE	1292
<i>Silberschmidt V. V., Zhao J.</i>	

4293 - COMPUTATION OF DYNAMIC STRESS INTENSITY FACTORS IN FGMS BY AN ADVANCED LBIEM	1298
<i>Sladek J., Sladek V., Zhang C.</i>	
4971 - PLASTIC INSTABILITY ANALYSIS OF THIN-WALLED TUBE UNDER TENSIONPRESSURE COMBINED LOADING	1304
<i>Tadano Y., Noguchi H., Kuroda M.</i>	
3448 - MICROMECHANICS-BASED MODELING OF DAMAGE EVOLUTION IN VISCOELASTIC COMPOSITES	1309
<i>Talreja R., Kumar R.</i>	
3036 - SPACE-TIME FINITE ELEMENT TECHNIQUES FOR COMPUTATION OF FLUID-STRUCTURE INTERACTIONS	1315
<i>Tezduyar T., Sathe S., Keedy R., Stein K.</i>	
3644 - MICROSCOPIC OBSERVATION AND MODELING OF TOUGHENING MECHANISM IN RUBBER-MODIFIED POLYMER	1318
<i>Todo M., Arakawa K.</i>	
3845 - EXPERIENCES WITH SOME EUROPEAN FLAW ASSESSMENT PROCEDURES	1324
<i>Zerbst U., Ainsworth B.</i>	
5508 - A MIXED APPROACH TO COHESIVE CRACK PROPAGATION	1332
<i>Cinquini C., Bruggi M., Venini P.</i>	
5111 - VECTOR LEVEL SETS FOR CRACKS IN PARTITION OF UNITY METHODS	1338
<i>Ventura G., Budyn E., Xu J. X., Belytschko T.</i>	
4167 - STATICALLY ADMISSIBLE STRESS RECOVERY FOR CRACK PROBLEMS	1343
<i>Xiao Q.-Z., Karihaloo B. L.</i>	
5143 - TWO- AND THREE-DIMENSIONAL CRACK PROPAGATION ANALYSES USING A NODE-BASED FINITE ELEMENT METHOD	1349
<i>Yagawa G.</i>	
4866 - AN ENERGY-BASED CRACK GROWTH CRITERION FOR MODELLING ELASTICPLASTIC DUCTILE FRACTURE	1351
<i>Yang Z.</i>	

07) CONCRETE & ROCKS

4031 - DETERMINING AGGREGATE SIZE & SHAPE EFFECT ON CONCRETE MICROCRACKING UNDER COMPRESSION BY MEANS OF A DEGREE OF REVERSIBILITY METHOD	1357
<i>Tokay M., Akcaoglu T.</i>	
5573 - EXPERIMENTAL VALIDATION IN THE EFFECT OF SECONDARY FLEXURE IN UNIAXIAL TENSION OF CONCRETE	1363
<i>Akita H., Koide H., Mihashi H.</i>	
4844 - SIZE EFFECT OF CONCRETE UNDER UNIAXIAL AND FLEXURAL COMPRESSION	1369
<i>Gamino A. L., Borges J. U. A., Bittencourt T. N.</i>	
3023 - EXPERIMENTAL INVESTIGATIONS AND MODELING OF BOND BETWEEN ROUND STRAND ROPES AND CONCRETE	1375
<i>Avak R., Wille F.</i>	
4150 - FRACTURE TOUGHNESS AND STRENGTH OF FLY ASH CONCRETE	1381
<i>Bressan J. D., Effting C., Tramontin A.</i>	
5725 - A COUPLED DISCRETE APPROACH TO SIMULATE MOISTURE EFFECTS ON DAMAGE PROCESSES IN POROUS MATERIALS	1387
<i>Moonen P., Roels S., De Proft K., Carmeliet J.</i>	
5426 - BEARING ANGLE MODEL FOR BOND OF REINFORCING BARS TO CONCRETE	1393
<i>Choi O. C., Yang S. Y.</i>	
5822 - STRUCTURAL AND RHEOLOGICAL CHARACTERIZATION OF VEGETABLE FIBERS REINFORCED CONCRETE PLASTER	1399
<i>Djouidi A., Khenfer M. M.</i>	
4207 - DESIGN OF FASTENINGS BASED ON THE FRACTURE MECHANICS	1405
<i>Eligehausen R., Ozbolt J.</i>	
4111 - PERFORMANCE OF RC BEAMS RETROFITTED WITH CARDIFRC AFTER THERMAL CYCLING	1411
<i>Farhat F. G., Karihaloo B. L.</i>	
5556 - SCALE-INDEPENDENT CONSTITUTIVE LAW FOR CONCRETE IN COMPRESSION	1417
<i>Carpinteri A., Ferro G., Ventura G.</i>	
3328 - A MODIFICATION OF THE RANDOM MIDPOINT DISPLACEMENT METHOD FOR GENERATING ROCK FRACTURE SIMILAR SURFACES	1423
<i>Gothäll R., Eriksson M., Stille H.</i>	
5699 - FRACTURE CHARACTERISTICS OF AGGREGATES SUBMITTED TO ALKALI SILICA REACTIONS	1429
<i>Benhaha M., Guidoun A., Scrivener K.</i>	
5550 - THE VARIATION OF THE GRADING ENTROPY DUE TO SOIL DEGRADATION IN SOME LABORATORY TESTS	1435
<i>Imre E., Fityus S., Trang Q. P., Albert P., Telekes G.</i>	

4825 - STOCHASTIC MODEL OF MULTIPLE CRACKING PROCESS IN FIBER REINFORCED CEMENTITIOUS COMPOSITES	1440
<i>Kabele P., Stemberk M.</i>	
4292 - INFLUENCE OF LOCAL BOND CHARACTERISTICS IN FRP-CONCRETE BOND BEHAVIOR	1446
<i>Kanakubo T., Wu Z. S., Ueda T.</i>	
4489 - FRACTURE MECHANICAL ASSESSMENT OF RAILWAY SUPERSTRUCTURES MADE OF CONCRETE	1452
<i>Kessler-Kramer C., Mechtcherine V., Müller H. S.</i>	
4404 - SPLITTING DESIGN FOR ANCHORAGES AND SPLICES WITH POSTINSTALLED REINFORCEMENT	1458
<i>Kunz J.</i>	
4539 - WATER PERMEABILITY OF CRACKED CEMENTITIOUS COMPOSITES	1464
<i>Lepech M., Li V. C.</i>	
4856 - DEVELOPMENT OF A FIBRE OPTIC CRACK SENSOR FOR CONCRETE STRUCTURES	1470
<i>Leung C. K. Y., Wan K. T., Jiang Y.</i>	
5543 - SUPPRESSION OF FRACTURE FAILURE OF STRUCTURES BY COMPOSITE DESIGN BASED ON FRACTURE MECHANICS	1476
<i>Li V. C., Wang S.</i>	
5350 - AN ELASTOPLASTIC SHEAR-FRACTURE MODEL FOR SOIL AND SOFT ROCK	1482
<i>Lo K. W., Nikraz H., Tamilselvan T., Zhao M. M.</i>	
4302 - MONITORING STRAIN IN ENGINEERED CEMENTITIOUS COMPOSITES USING WIRELESS SENSORS	1488
<i>Lynch J. P., Hou T.-C.</i>	
5801 - BOND BEHAVIOR OF A DEFORMED BAR IN HIGH-PERFORMANCE FIBERREINFORCED CEMENT COMPOSITES (HPFRCC)	1494
<i>Mihashi H., Otsuka K., Akita H., Kikuchi T., Suzuki S.</i>	
4484 - TRANSPORT PROPERTIES AND STEEL CORROSION IN DUCTILE FIBER REINFORCED CEMENT COMPOSITES	1500
<i>Miyazato S., Hiraishi Y.</i>	
4338 - ROUGHNESS DEVELOPMENT OF MORTAR FRACTURE SURFACES	1506
<i>Mourot G., Morel S., Bouchaud E., Valentin G.</i>	
3510 - CHARACTERIZATION OF FATIGUE FAILURE MECHANISM FOR CONCRETE AIRPORT PAVEMENT	1512
<i>Mu B., Shah S. P.</i>	
5631 - FRP – CONCRETE DELAMINATION RESULTS ADOPTING DIFFERENT EXPERIMENTAL PURE SHEAR SETUPS	1518
<i>Mazzotti C., Savoia M., Ferracuti B.</i>	
4710 - A DISCRETE FRACTURE APPROACH FOR DIFFUSION/COUPLED ANALYSIS WITH CRACKS AND DISCONTINUITIES	1524
<i>Segura J. M., Carol I.</i>	
4464 - FRACTURE TESTING OF HYBRID-FIBRE CONCRETE	1530
<i>Stähli P., J. G. M. Van Mier</i>	
2967 - DAMAGE EVOLUTION IN COMPRESSED CONCRETE	1536
<i>Stroeven P., Hu J.</i>	
4575 - AN ANALYSIS OF DISTINCTION BETWEEN LOADING MODE AND FRACTURE MODE	1542
<i>Sun Z., Rao Q., Chen F.</i>	
4303 - MODE II FRACTURE ENERGY OF FRP-CONCRETE INTERFACE: ITS EVALUATIONS AND ROLES IN INTERFACE MODELING AND ANCHORAGE DESIGN	1548
<i>Ueda T., Dai J.</i>	
5168 - RATE DEPENDENT LOAD-DEFORMATION RELATION FOR CONCRETE UNDER IMPACT TENSILE LOADING	1554
<i>Weerheijm J.</i>	
5181 - HOW CRACKS MODULATE NONLINEAR ACOUSTIC SIGNALS	1560
<i>Wu H.-C., Warnemuende K.</i>	
4486 - BOND SPLITTING STRENGTH OF RC MEMBERS BASED ON LOCAL BOND STRESS AND SLIP BEHAVIOR	1566
<i>Yasojima A., Kanakubo T.</i>	
5621 - TOUGHNESS OF CRACKED CONCRETE BEAMS POST-STRENGTHENED WITH FRP	1572
<i>Wu Z. J., Davies J. M.</i>	
3359 - ON FLUID-DRIVEN CRACK PROPAGATION ALONG BIMATERIAL INTERFACES	1578
<i>Zhang X., Jeffrey R.</i>	
4942 - A MICROSCOPIC APPROACH TO RATE EFFECT ON CONCRETE STRENGTH UNDER COMBINED LOAD	1584
<i>Dan Z., Qingbin L.</i>	

VOLUME 3

08) CORROSION

5178 - METALLURGICAL ASPECTS OF ROCK BOLT ENVIRONMENT FRACTURE.....	1589
<i>Gamboa E., Villalba E., Atrens A.</i>	
3967 - PREVENTION POSSIBILITIES OF STRESS CORROSION CRACKING OF MONEL 400 IN HYDROFLUORIC ACID.....	1594
<i>Kumar R., Chatterjee U. K.</i>	
4749 - SHOT-PEENING EFFECT IN CORROSION FATIGUE STRENGTH OF STRUCTURAL MATERIALS.....	1601
<i>Ebara R.</i>	
5554 - STRESS CORROSION CRACKING: A CANADIAN PROSPECTIVE FOR OIL AND GAS PIPELINE	1607
<i>Elboujdaini M., Shehata M. T.</i>	
4319 - CRACK GROWTH BEHAVIOUR OF LOW ALLOY STEELS UNDER TRANSIENT LWR OPERATING CONDITIONS - CASTOC, PART II: VVER CONDITIONS	1613
<i>Ernestová M., Zambach M., Devrient B., Ehrnstén U., Foehl J., Gómez-Briceño D., Lapeña J., Roth A., Seijfert H. P., Ritter S., Weissenberg T.</i>	
4173 - CORROSION AND FITNESS FOR SERVICE	1619
<i>Gabeta G.</i>	
5249 - ENVIRONMENTALLY ASSISTED BRITTLE FRACTURE OF NICKEL-BASE SUPERALLOYS AT HIGH TEMPERATURES.....	1623
<i>Krupp U., Wagenhuber P., Kane W. M., Jacobs T., McMahon Jr. C. J.</i>	
5183 - CORROSION RESISTANCE OF TI-6AL-4V ALLOY FINISHED BY AN ADVANCED ELID GRINDING SYSTEM.....	1629
<i>Mizutani M., Komotori J., Katahira K., Ohmori H.</i>	
3464 - DEGRADATION OF OIL TRUNKLINE STEEL CAUSED BY INTERNAL CORROSION	1635
<i>Nykyforchyn H.</i>	
5622 - ABSORPTION OF HYDROGEN BY HIGH-STRENGTH STEEL AT A CHEMICAL AND ELECTROCHEMICAL NICKEL PLATING AND VARIATIONS OF ITS FATIGUE STRENGTH.....	1640
<i>Slezhkin V. A., Beloglazov S. M.</i>	
5486 - A STUDY ON CREEP CRACK PROPAGATION BEHAVIOUR OF AGED CrMoV FOR A LONG TERM USED TURBINE	1645
<i>Takeda H., Inukai T.</i>	
5032 - THE CHARACTERISTICS OF CORROSION FATIGUE CRACK GROWTH RATE (CFCGR) FOR THE PETROLEUM REFINING PRESSURE VESSEL MATERIALS (2.25CR-1MO STEEL) – THE EFFECT OF HYDROGEN EMBRITTLEMENT–.....	1651
<i>Taketomi S., Yokobori Jr. A. T., Takei K., Wada Y., Tanaka Y., Iwadate T.</i>	
5714 - EFFECTIVE PROPERTIES OF SOLIDS WITH STRESS CORROSION CRACKS	1657
<i>Touzet M., Aubert I., Le Poulain F., Puiggali M.</i>	
5029 - THE EFFECT OF MULTI-AXIAL STRESS COMPONENT ON CREEP CRACK GROWTH RATE CONCERNING STRUCTURAL BRITTLENESS	1663
<i>Yokobori Jr. A. T., Sugiura R., Tabuchi M., Fuji A., Adachi T., Yokobori T.</i>	
4425 - CREEP FRACTURE BEHAVIOUR OF JOINTS SOLDERED BY A NANOCOMPOSITE SOLDER, LEAD-FREE AND CONVENTIONAL TIN-LEAD SOLDERS	1669
<i>Zhang X. P., Shi Y. W., Mai Y. W., Shrestha S., Dorn L.</i>	

09) DAMAGE MECHANICS

3957 - A LIFETIME PREDICTION MODEL FOR SINGLE CRYSTAL SUPERALLOYS SUBJECTED TO THERMOMECHANICAL CREEP-FATIGUE-OXIDATION DAMAGE.....	1675
<i>Alam A. M., Remy L.</i>	
5060 - MODELLING OF ANISOTROPIC DAMAGE BY MICROCRACKS: TOWARDS A DISCRETE APPROACH WITHIN A STANDARD FRAMEWORK	1681
<i>Bargellini R., Dragon A., Halm D.</i>	
4788 - CONSTITUTIVE MODELING FOR THE UNSTABLE STATES OF MATERIALS BY WAVE DYNAMICS AND VARIATIONAL METHODS.....	1687
<i>Béda P. B., Béda G.</i>	
5530 - ON VARIATIONAL FORMULATIONS FOR THE TRANSITION FROM ELASTODAMAGING TO ELASTO-FRACTURING BEHAVIOR	1692
<i>Benvenuti E., Tralli A.</i>	
5552 - A NONLOCAL INTEGRAL APPROACH TO ELASTIC-DAMAGE INTERFACE MODELLING.....	1698
<i>Borino G., Failla B., Parrinello F.</i>	
4235 - NUMERICAL SIMULATION OF CRACK GROWTH IN HIGH PRESSURE COMPONENTS.....	1706
<i>Boward J.L., Chaboche J.L., Gallemeau F., Feyel F.</i>	
5575 - UNIFIED FRAMEWORK FOR DAMAGE AND FATIGUE OF METALS, CONCRETE AND ELASTOMERS	1712
<i>Desmorat R.</i>	

5094 - EXPERIMENTAL AND COMPUTATIONAL POLYCRYSTAL STUDIES OF FATIGUE DAMAGE AND CRACK INITIATION	1718
<i>Dunne F., Fielding L., Allen R., Manonukul A.</i>	
5080 - COMPOSITE DAMAGE MODEL FOR DYNAMIC FRACTURE PREDICTION: IDENTIFICATION ISSUES	1722
<i>Feissel P., Allix O.</i>	
3990 - ON NONLOCALITY AND LOCALITY: DIFFERENTIAL AND DISCRETE FORMULATIONS	1728
<i>Ferretti E.</i>	
5291 - OBSERVATION AND PREDICTION OF LOCAL DAMAGE PATTERNS UNDER TENSION AND TORSION HIGH CYCLE FATIGUE	1734
<i>Flaceliere L., Morel F., Dragon A.</i>	
5507 - DAMAGE AND MACROSCOPIC VANISHING MOTIONS	1740
<i>Bonetti E., Fremond M.</i>	
4912 - ON COUPLING ANISOTROPIC DAMAGE AND INTERNAL FRICTION IN MODELING BRITTLE MATERIALS	1746
<i>Gambarotta L., Monetto I.</i>	
4962 - CONCEPT OF CONTINUOUS DAMAGE DEACTIVATION IN MODELLING OF LOW CYCLE FATIGUE	1752
<i>Ganczarski A., Barwacz L.</i>	
5484 - DISCRETE MODELS OF INTERFACE DAMAGE	1758
<i>Haussey B., Ganghoffer J. F.</i>	
4528 - NONLOCAL DAMAGE-PLASTICITY MODEL FOR FAILURE OF CONCRETE	1764
<i>Grassl P., Jirasek M.</i>	
5613 - A CONTINUUM MODEL FOR SELF-HEALING COMPOSITES	1770
<i>Greco F., Lonetti P.</i>	
3074 - DUCTILE TEARING OF 2024 ALUMINUM ALLOY PANELS	1776
<i>Bron F., Besson J.</i>	
4271 - REGULARIZED DAMAGE MODEL BASED ON NONLOCAL DISPLACEMENT FIELD	1782
<i>Marfia S., Jirasek M.</i>	
4073 - A 3D ISOTROPIC MESOMECHANICAL MODEL OF DEFORMATION AND CUMULATIVE DAMAGE OF CONCRETE	1788
<i>Kafka V., Vokoun D.</i>	
4903 - A MICROMECHANICS INSPIRED DAMAGE MODEL FOR INITIALLY TRANSVERSELY ISOTROPIC MATERIALS	1794
<i>Kondo D., Gruescu I. C., Cazacu O.</i>	
5712 - LOCAL SECOND GRADIENT MODELS AND DAMAGE MECHANICS: APPLICATION TO CONCRETE	1800
<i>Kotronis P., Chambon R., Mazars J., Collin F.</i>	
5650 - THE INFLUENCE OF THE TRIAXIALITY IN THE STABLE CRACK GROWTH MODELLING USING GTN MODEL	1806
<i>Vlcek L., Kozák V.</i>	
3127 - BRIDGING THE SCALES WITH STATISTICAL DAMAGE MECHANICS	1812
<i>Krajcinovic D., Rinaldi A.</i>	
4891 - STRUCTURAL MODELING OF THE DAMAGE ACCUMULATION: THE LIFETIME ESTIMATION	1817
<i>Lepov V., Arkhangelskaya E., Larionov V.</i>	
4992 - FRACTURE CRITERION FOR BRITTLE ROCK-LIKE MATERIALS	1821
<i>Litewka A., Szojda L.</i>	
4692 - A DYNAMIC VOID GROWTH MODEL	1827
<i>Liu J., Zhang Z., Thaulow C.</i>	
4380 - AN IMPLICIT GRADIENT STRESS FAILURE CONDITION	1833
<i>Tovo R., Livieri P., Benvenuti E.</i>	
4448 - FRACTURE OF Ti/SiC COMPOSITES AT ROOM AND HIGH TEMPERATURE: EXPERIMENTS AND SIMULATIONS	N/A
<i>Lorca J., González C., Weck A.</i>	
4787 - COMPUTATIONAL MICROMECHANICS OF SPHERE-REINFORCED COMPOSITES	1839
<i>Llorca J., Segurado J., González C.</i>	
4417 - SIMULATION OF GEOMATERIALS USING CONTINUUM DAMAGE MODELS ON AN EULERIAN GRID	1844
<i>Lomov I., Antoun T. H.</i>	
4871 - A GRADIENT DAMAGE MODEL FOR DUCTILE FRACTURE	1850
<i>Lorentz E., Cano V.</i>	
3474 - DAMAGE RHEOLOGY MODEL AND DECAY LAW OF AFTERSHOCK ACTIVITY	1856
<i>Lyakhovskiy V., Ben-Zion Y.</i>	
4864 - A MULTI-SCALE METHOD FOR MASONRY COMPUTATIONS	1862
<i>Massart T. J., Peerlings R. H. J., Geers M. G. D.</i>	
5119 - FORMULATION OF CONTINUOUS/DISCONTINUOUS GALERKIN METHODS FOR STRAIN GRADIENT-DEPENDENT DAMAGE	1868
<i>Molari L., Garikipati K., Wells G. N.</i>	

4649 - NUMERICAL AND EXPERIMENTAL TRACING OF THE CRACK PROPAGATION USING ADAPTIVE EXTENDED FINITE ELEMENTS AND PHOTOGRAMMETRY	1874
<i>Mombartz M., Chudoba R., Hegger J.</i>	
4867 - DAMAGE GROWTH AFFECTED BY FRICTIONAL SLIP AND DILATANCY AT CRACK INTERFACES	1880
<i>Seweryn A., Kulchytsky-Zhyhailo R., Mróz Z.</i>	
4767 - MICRO-MACRO SCALE TRANSITION FOR DAMAGED VISCOELASTIC PARTICULATE COMPOSITES	1886
<i>Nadot-Martin C., Dragon A., Fanget A.</i>	
4197 - NONLOCAL COMPUTATIONAL METHODS APPLIED TO COMPOSITE STRUCTURES	1892
<i>Germain N., Feyel F., Besson J.</i>	
5533 - A COUPLED ELASTO-PLASTIC MICROPORE DAMAGE MODEL FOR LOW CYCLE FATIGUE ANALYSES OF DUCTILE METALS AT FINITE STRAINS.....	1898
<i>Hommel J.-H., Kintzel O., Meschke G.</i>	
4290 - THERMODYNAMICAL ASPECTS OF IMPLICIT GRADIENT DAMAGE.....	1904
<i>Peerlings R. H. J., Geers M. G. D.</i>	
4396 - A CONSISTENT DESCRIPTION OF THE UNILATERAL EFFECT OF ORTHOTROPIC DAMAGE ON ELASTIC PROPERTIES	1910
<i>Pensée V., He Q.-C., Lu Y.-F.</i>	
4813 - COHESIVE CRACK PROPAGATION IN DAMAGING CONCRETE STRUCTURES DISCRETIZED BY EXTENDED FINITE ELEMENTS.....	1916
<i>Comi C., Mariani S., Perego U.</i>	
4865 - CREEP-DAMAGE INTERACTION IN CONCRETE STRUCTURES	1922
<i>Pijaudier-Cabot G., Omar M., Loukili A., Le Pape Y.</i>	
4034 - SIMPLE COMPUTATIONAL METHOD FOR COHESIVE CRACK IN CONCRETELIKE MATERIALS.....	1928
<i>Sancho J. M., Planas J., Cerdón D. A., Reyes E., Galvez J. C.</i>	
5036 - NONLOCAL ELASTICITY COUPLED WITH NONLOCAL DAMAGE.....	1934
<i>Polizzotto C.</i>	
4778 - ON THE INVESTIGATION OF MATERIAL STABILITY DURING THE SIMULATION OF DUCTILE DAMAGE IN METALLIC MATERIALS	1940
<i>Reusch F., Svendsen B.</i>	
5623 - AN 'EXTENDED' ANISOTROPIC DAMAGE MODEL BASED ON YOUNG/POISSON DECOMPOSITION	1946
<i>Carol I., Rizzi E., Willam K.</i>	
5563 - METAL FORMING PROCESSES IMPROVEMENT BY CONTINUUM DAMAGE MECHANICS	1952
<i>Saanouni K.</i>	
4953 - NON-LOCAL DESCRIPTION OF ANISOTROPIC DAMAGE AND FRACTURE IN ELASTIC-BRITTLE STRUCTURES UNDER PLANE-STRESS CONDITIONS.....	1958
<i>Skrzypiek J., Kuna-Ciskal H., Egnér W.</i>	
5424 A NEW F.E. TANGENT DAMAGE MODEL MODEV FOR CONCRETE STRUCTURES.....	1964
<i>Quoc H. U., Mounajed G.</i>	
4684 - THEORETICAL FRAMEWORK FOR COUPLING OF NON-LOCAL DAMAGE AND VISCOPLASTICITY FOR DYNAMIC LOCALIZATION PROBLEMS.....	1970
<i>Voyiadjis G., Abu Al-Rub R.</i>	
4751 - INTERFACE FRACTURE TOUGHNESS OF TBCS AT HIGH TEMPERATURE	1976
<i>Wu D., Zhou Y. C.</i>	
5220 - THERMOSHOCK FRACTURING IN ALUMINA REFRACTORIES: CRACK GROWTH AND PATTERN FORMATION IN A HETEROGENEOUS MEDIUM	1982
<i>Zinngrebe E., Damhof E., Andersen F.</i>	
5045 - NONLOCAL DAMAGE THEORIES BASED ON BALANCES OF MATERIAL FORCES	1987
<i>Stumpf H., Makowski J., Hackl K.</i>	

10) DAMS

5443 - FATIGUE FRACTURE IN CONCRETE STRUCTURES.....	1993
<i>Barpi F., Valente S.</i>	
5338 - BEHAVIOR OF MASS CONCRETE USING SMEARED CRACK APPROACH IN THREE DIMENSIONAL PROBLEMS	1999
<i>Mirzabozorg H., Ghaemian M.</i>	
5713 - IN SITU MECHANICAL CHARACTERISATION OF DAM CONCRETE AND STRESS STATE BY DILATOMETRIC MEASUREMENTS AND INVERSE ANALYSIS	2005
<i>Maier G., Lettieri M. A., Piola L.</i>	
3911 - AN EXPERIMENTAL AND NUMERICAL INVESTIGATION OF CONCRETE DAM JOINTS	2011
<i>Puntel E., Bolzon G., Saouma V. E.</i>	
4022 - EXPERIMENTS FOR DETERMINING THE DOUBLE-K FRACTURE PARAMETERS OF CONCRETE OF THE THREE GORGES DAM	2017
<i>Zhao Z., Zhou H., Li Q., Xu S.</i>	

11) DEBONDING

4030 - STUDY THERMAL RESIDUAL STRESSES IN A BI-MATERIAL CERAMIC-METAL: CASE OF THE BOTH AG/AL₂O₃ AND PT/AL₂O₃.....	2023
<i>Boutabout B., Serier B., Bachir Bouiadjra B., Belhouari M., Haddouri K.</i>	
3185 - STRESS ANALYSIS OF THIN ADHESIVE BONDING DISSIMILAR ADHERENDS SINGLE LAP JOINTS.....	2029
<i>Fongsamootr T., Dechwayukul C.</i>	
5697 - DYNAMIC BEHAVIOR OF SHEAR DEFORMABLE LAMINATED COMPOSITES WITH DELAMINATIONS AND EDGE CRACKS.....	2035
<i>Kolar R.</i>	
4136 - NUMERICAL ANALYSIS OF INTERFACE FRACTURE IN TWO LAYER COMPOSITES UNDER MIXED MODE LOADING.....	2038
<i>Figiel L., Lauke B.</i>	
5277 - A CRITERION FOR INTERFACIAL DEBONDING IN THE VICINITY OF A MATRIX CRACK.....	2044
<i>Martin E., Leguillon D.</i>	
4029 - NUMERICAL ANALYSIS OF THE CRACK DEFLECTION AT CERAMIC – METAL INTERFACE.....	2049
<i>Belhouari M., Serier B., Bachir Bouiadjra B., Boutabout B.</i>	
3229 - ON THE EVALUATION OF INTERFACIAL CRACK INITIATION BY MEANS OF FINITE FRACTURE MECHANICS.....	2055
<i>Müller A., Hohe J., Becker W.</i>	
3500 - DEFORMATION LIMITS OF POLYMER COATED METAL SHEETS.....	2061
<i>Van Den Bosch M., Schreurs P., Geers M.</i>	
4525 - ANISOTROPIC PLANE THAT CONTAINS A CIRCULAR INCLUSION WITH IMPERFECT INTERFACE.....	2066
<i>Wang C.-H.</i>	

13) DURABILITY

4232 - CONTACT FATIGUE IN TURBINE ENGINES DUE TO AEROELASTIC AND INERTIAL LOADING.....	2072
<i>Calcaterra J., Naboulsi S.</i>	
4496 - DURABILITY ISSUES AND MANAGEMENT OF AGING P-3C AIRCRAFT.....	2078
<i>Iyyer N., Phan N.</i>	
3040 - THE OPTIMAL DESIGN FOR FATIGUE LIFE USING BIOLOGICAL METHOD.....	2084
<i>Peng D., Jones R.</i>	
4661 - DURABILITY OF HYBRID FIBER METAL COMPOSITE LAMINATES.....	2090
<i>Spearing M., Burianek D. A., Shim D.-J.</i>	
4843 - IMPROVEMENT OF CONCRETE DURABILITY BY BACTERIAL MINERAL PRECIPITATION.....	2095
<i>Ramakrishnan V., Panchalan R. K., Bang S. S.</i>	

14) ELECTRONIC MATERIALS

4500 - ENVIRONMENTAL EFFECTS ON THE ADHESION OF GOLD MICROCIRCUIT FILMS.....	2101
<i>Cordill M. J., Moody N. R., Adams D. P., Yang N., Bahr D. F., Gerberich W. W.</i>	
4068 - COHESIVE ZONES FOR FATIGUE DAMAGE IN SOLDER JOINTS.....	2107
<i>Erinc M., Schreurs P. J. G., Geers M. G. D.</i>	
4387 - INVESTIGATION ON THE EFFECT OF IMPERFECT INTERFACE ON THE PROPERTIES OF LOVE WAVE PROPAGATION.....	2112
<i>Jin F., Kishimoto K., Inoue H., Tateno T.</i>	
5518 - PROPERTIES AND FRACTURE OF TUNGSTEN-ALUMINA ATOMIC LAYER DEPOSITED NANOLAMINATES.....	2118
<i>Jungk J. M., Moody N. R., Mayer T. M., Wind R. A., George S. M., Gerberich W. W.</i>	
4128 - BRITTLE FRACTURE AND NEAR-SURFACE DAMAGES IN ELECTRONIC MATERIALS DURING THEIR MULTI-WIRE-SAWING AND LAPPING USING LOOSE ABRASIVE.....	2123
<i>Britvin A. A., Litvinov M. Y.</i>	
4002 - A NEW TECHNIQUE FOR THE CHARACTERIZATION OF THE ADHESION IN INTEGRATED CIRCUIT INTERCONNECT STRUCTURES.....	2129
<i>Molina J., Ocana I., Gonzalez D., Elizalde M. R., Sanchez J. M., Martinez-Esnaola J. M., Gil-Sevillano J., Scherban T., Pantuso D., Sun B., Xu G., Miner B., He J., Maiz J.</i>	
4225 - FRACTURE OF ATOMIC LAYER DEPOSITED TUNGSTEN FILMS.....	2135
<i>Moody N. R., Jungk J. M., Mayer T. M., Wind R. A., George S. M., Gerberich W. W.</i>	
5177 - EXPLICIT EXPRESSION FOR STRESS IN MULTI-LEVEL LINE STRUCTURES AND IN CONNECTING VERTICAL VIAS.....	2141
<i>Rosakis A. J., Park T-S., Suresh S.</i>	
5014 - CREEP AND CREEP-FATIGUE STANDARD TESTING FOR SOLDERS – JSMS RECOMMENDATION.....	2147
<i>Sakane M., Nose H., Takahashi H., Kitano M., Tsukada Y.</i>	

5328 MESOMECHANICAL ASPECTS OF THIN FILM FRACTURE	2153
<i>Panin A. V., Shugurov A. R., Schreiber J.</i>	

15) FAILURE ANALYSIS

5639 - PRACTICAL SOLUTION FOR AVOIDING FAILURE OF ABSORPTION TOWER AT A NITRIC ACID PLANT - REPLACING WELDING BY MECHANICAL JOINING -	2159
<i>El-Batahgy A., Zaghloul B.</i>	
3486 - ANALYSIS OF DISCONTINUITIES IN FLUID-SATURATED MEDIA	2164
<i>Abellan M. A., De Borst R., Bergheau J. M.</i>	
4526 - CORRELATION BETWEEN MAP CRACKING AND DELAYED ETTRINGITE FORMATION IN FIELD SPECIMENS	2170
<i>Amde A. M., Ceary M., Livingston R. A.</i>	
5804 - POSTPONEMENT OF FAILURE OF CONCRETE BY SURFACE PROTECTION AND DURABILITY ASPECTS	2176
<i>Balaguru P. N., Chong K. P.</i>	
4027 - COMPARISON OF DOUBLE AND SINGLE BONDED REPAIRS TO SYMMETRIC COMPOSITE STRUCTURES: A NUMERICAL ANALYSIS	2189
<i>Bachir Bouadjra B., Belhouari M., Serier B., Ouinas D.</i>	
4580 - FORMULATION AND IMPLEMENTATION OF A STRONG DISCONTINUITY MODEL FOR GRANULAR ROCKS INCORPORATING THE EFFECT OF SLIP SPEED ON FRICTIONAL RESISTANCE	2195
<i>Borja R. I., Foster C. D., Regueiro R. A.</i>	
5581 - COMPARATIVE THEORETICAL-EXPERIMENTAL EVALUATION OF CONROD LITTLE-EYE STRESS ANALYSIS	2199
<i>Cascella M. T., Rossi M., Cassani S., Costa A.</i>	
4937 - FRACTURE AND FAILURE ANALYSIS OF STONE CLADDING ON BUILDING FACADES	2202
<i>Chau K. T., Shao J. F.</i>	
5261 - APPLICATION OF FRACTAL ANALYSIS IN TEXTILE PRODUCTION PROCESSES	2208
<i>Chrpova E.</i>	
4701 - STRESS CORROSION CRACK GROWTH IN ENGINEERING PLASTICS	2214
<i>Choi B. H., Zhou Z., Chudnovsky A., Sehanobish K.</i>	
4699 - CRACK INITIATION IN ENGINEERING THERMOPLASTICS RESULTING FROM CHEMICAL DEGRADATION	2220
<i>Choi B. H., Zhou Z., Chudnovsky A., Sehanobish K.</i>	
5664 - SUSTAINABLE DEVELOPMENT AND DURABILITY OF SELF-COMPACTING CONCRETES	2226
<i>Coppola L., Cerulli T., Salvioni D.</i>	
3232 - OPTIMAL SHAPE DESIGN WITH FATIGUE LIFE AS DESIGN CONSTRAINT USING A 3D BIOLOGICAL METHOD	2242
<i>Das R., Jones R., Peng D.</i>	
5640 - FATIGUE OF OFF SHORE CONDENSATE RECYCLE LINE AT NATURAL GAS PRODUCTION FIELD	2248
<i>El-Batahgy A., Zaghloul B.</i>	
4218 - MESHLESS ANALYSIS OF CRACK PROPAGATION IN MULTIPHASE MATERIAL	2254
<i>Chen Y., Lee J. D., Oskard M. S., Eskandarian A.</i>	
3654 - BEHAVIORS OF CONCRETE T-BEAMS PRESTRESSED WITH PARTIALLY BONDED CFRP TENDONS	2259
<i>Zhi F., Jian Y.</i>	
3764 - PROGRESSIVE FAILURE ANALYSIS APPROACH FOR ESTIMATING MATERIAL FRACTURE TOUGHNESS (REDUCING TIME & COST OF TESTING)	2265
<i>Farahmand B., Hajjar F.</i>	
3825 - INFLUENCE OF STRESS STATE AND TEMPERATURE ON THE STRENGTH OF EPOXY RESINS	2271
<i>Fiedler B., Schulte K., Hobbiebrunken T., Hojo M.</i>	
4956 - FAILURE ANALYSIS OF THE SUSPENSION SPRING OF A LIGHT DUTY TRUCK	2276
<i>Eryürek B., Ereke M., Göksemlı A.</i>	
5520 - ACTION OF WATER COOLED COPPER END CHILLS DURING SOLIDIFICATION ON FRACTURE BEHAVIOR OF ALUMINUM ALLOY/QUARTZ MMCs	2282
<i>Hemanth J.</i>	
4568 - CONSTITUTIVE MODELS AND STRAIN LOCALIZATION IN POROUS SANDSTONE	2287
<i>Issen K. A., Challa V.</i>	
4583 - IN-SITU X-RAY MICROXRAY DIFFRACTION STUDY OF SIGLE SLIP CONDITIONED COPPER POLYCRYSTALS DURING UNIAXIAL DEFORMATIONS	2293
<i>Joo H. D., Kim J. S., Bark C. W., Kim J. Y., Koo Y. M., Tamura N.</i>	
5267 - SELF-ASSEMBLED MONOLAYERS AND MODE-MIX DEPENDENT TRACTIONSEPARATION LAWS FOR INTRINSIC INTERFACIAL FRACTURE	2298
<i>Liechti K. M., Mello A.</i>	
4548 - CHARACTERIZATION OF DISTRIBUTED DAMAGE IN CONCRETE USING ADVANCED IMPACT-ECHO METHOD	2304
<i>Livingston R., Sutin A. M., McMorris N., Ceary M., Amde A. M.</i>	

5315 - ANALYSIS OF A FULL-SCALE BLAST TEST AND RETROFIT DESIGN	2310
<i>Maji A. K., Brown J. P.</i>	
4226 - A CRITICAL STATE TWO-SURFACE MICROPOLAR PLASTICITY MODEL FOR SANDS	2316
<i>Manzari M., Dafalias Y.</i>	
5006 - SERVICE PROBLEMS OF FRESH AIR FAN OF FOSSIL FUEL POWER PLANT - PART II CONSTRUCTION DESIGN IMPROVEMENT	2322
<i>Mitrovic R., Ristivojevic M., Stamenic Z., Lazovic T.</i>	
3468 - DAMAGE MODEL FOR FAILURE ANALYSIS WITH A VIEW TO HYDROMECHANICAL PROBLEMS	2328
<i>Pijaudier-Cabot G., Jason L., Chatzigeorgiou G.</i>	
4513 - FAILURE ANALYSIS OF A WIRE ROPE BELONGING TO THE TRACTION SYSTEM OF A CABLE CAR	2334
<i>Pinto A. L., Da Costa Viana C. S., Mendonça Brandão L. P., Savi M., Calas Lopes Pacheco P. M.</i>	
5727 - CRACK PROPAGATION IN POROELASTIC FLUID-SATURATED SOLIDS AT INTERSONIC VELOCITIES	2340
<i>Loret B., Radi E.</i>	
5076 - ONSET, GROWTH, PROGRESSION AND UNIFORMITY OF SHEAR BANDS IN DILATIVE SANDS	2346
<i>Rechenmacher A. L.</i>	
5415 - THREE-DIMENSIONAL MODELING OF STRONG DISCONTINUITIES IN ROCK	2352
<i>Regueiro R. A.</i>	
5703 - FINITE ELEMENT MODELING OF PRESSURE VESSEL WITH TWO INTERNAL SURFACE CRACK	2356
<i>Argoub E., Sedmak A., Burzic Z., Adziew G.</i>	
5569 - DAMAGE AND CREEP DEFORMATION IN BRITTLE ROCKS	2362
<i>Shao J.-F., Chau K. T., Feng X. T.</i>	
5669 - ANALYSIS AND RESEARCH ON CAUSES OF COUPLING CRACK FOR 177.8x11.51mmV150 LCSG	2368
<i>Shuanlu L., Long Y., Pengbing Y., Changyi Q., Xinwei Z., Guozheng Z., Xinhui W.</i>	
5005 - SERVICE PROBLEMS OF FRESH AIR FAN OF FOSSIL FUEL POWER PLANT - PART I CASE STUDY OF PRIMARY STAGE AIR FAN FAILURE	2375
<i>Sijacki Zeravcic V., Bakic G., Djukic M., Andjelic B.</i>	
4546 - RISK ASSESSMENT OF LOW-TEMPERATURE CRACKING OF ASPHALT – AN EXPERIMENTAL STUDY	2376
<i>Spiegel M., Wistuba M., Blab R., Lackner R.</i>	

VOLUME 4

5487 - ASR-SENSITIVE SLOW-LATE-AGGREGATES; MACRODAMAGE AND MICROSTRUCTURE	2382
<i>Stark J., Berminger A. M., Freyburg E.</i>	
4504 - APPLICATION OF MIXED-MODE FRACTURE MECHANICS IN GEOTECHNICAL ENGINEERING	2388
<i>Kim T., Sture S.</i>	
5657 - SOIL CRACKING DUE TO MOISTURE DIFFUSION AND CRACKING PREVENTION	2392
<i>Sumarac D., Lelovic S., Krajinovic D.</i>	
4948 - QUANTITATIVE MEASUREMENT OF STRETCHED ZONE WIDTH BASED ON DIFFERENCES IN FRACTURE SURFACE ROUGHNESS	2398
<i>Takanashi M., Yamagawa K., Izumi S., Sakai S.</i>	
4659 - A CONTRIBUTION TO ASSESSMENT OF STEAM GENERATOR TUBES INTEGRITY	2404
<i>Tonkovic Z., Skozrit I., Soric J.</i>	
4112 - COHESIVE ZONE MODELS IN THE CHARACTERISATION OF TOUGHNESS	2410
<i>Williams J. G., Hadavinia H., Kinloch A. J.</i>	
5236 - COMPACTION LOCALIZATION IN POROUS SANDSTONE: ACOUSTIC EMISSION ACTIVITY, MICROSTRUCTURAL DEVELOPMENT AND DISCRETE ELEMENT SIMULATION	2421
<i>Wang B. S., Chen Y., Wong T. F.</i>	

16) FATIGUE

4596 - EFFECT OF SURFACE ROUGHNESS OF SUBSTRATE ON FATIGUE STRENGTH OF THERMALLY SPRAYED STEEL WITH SELF-FLUXING ALLOY	2425
<i>Akebono H., Komotori J., Shimizu M., Fukumoto M.</i>	
4388 - FATIGUE CRACK PROPAGATION CHARACTERISTICS OF WELDED JOINTS IN A 444 STAINLESS STEEL	2431
<i>Akita M., Tokaji K., Nakajima M., Shimizu T.</i>	
4072 - FATIGUE BEHAVIOR OF NICKEL-TITANIUM SUPERELASTIC WIRES AND ENDODONTIC INSTRUMENTS	2437
<i>Bahia M. G. A., Buono V. T. L.</i>	
4102 - THE EFFECT OF TEMPERATURE AND ENVIRONMENT ON THE FATIGUE BEHAVIOUR OF A THIRD GENERATION γ-TiAl ALLOY	2443
<i>Bauer V., Christ H. J., Cui W.</i>	
4816 - NUMERICAL VALIDATION OF THE SIZE ESTIMATES APPROACH FOR ELECTRICAL CONDUCTORS	2449
<i>Bilotta A., Formica G., Turco E., Morassi A., Rosset E.</i>	

4733 - THE EFFECT OF WARM SHOT PEENING ON THE FATIGUE PERFORMANCE OF A SAE 5160 SPRING STEEL	2453
<i>Ruy M. C., Tarpani J. R., Milan M. T., Spinelli D., Bose W. W.</i>	
3289 - QUANTITATIVE ASSESSMENT OF FATIGUE CRACK GROWTH PATH ON PROPAGATION CYCLE ESTIMATION	2459
<i>Bowry M., Bowen P., Glover N., Rugg D.</i>	
5478 - LIBRARY OF GEOMETRIC INFLUENCES FOR SIF WEIGHT FUNCTIONS	2465
<i>Brennan F. P., Teh L. S., Love A. J.</i>	
4074 - THE EFFECT OF CYCLIC BENDING STRAINS ON THE BEHAVIOR OF SUPERELASTIC NICKEL-TITANIUM WIRES AND ENDODONTIC INSTRUMENTS	2471
<i>Bahia M. G. A., Dias R. F., V. T. L. Buono</i>	
5147 - LOCAL COMPLIANCE EXPERIMENTS AND CRACK CLOSURE MODELS	2476
<i>Carboni M.</i>	
3440 - ON FATIGUE BEHAVIOR OF SMALL CRACKS INDUCED BY FOREIGN-OBJECT DAMAGE IN TI-6AL-4V	2482
<i>Chapetti M. D.</i>	
3850 - NUMERICAL APPROACH IN THERMOMECHANICAL FATIGUE	2488
<i>Charkaluk E., Constantinescu A., Thomas J. J.</i>	
3233 - THERMOMECHANICAL CRACK INITIATION AND EARLY GROWTH IN 1CrMoV NOTCHED SPECIMENS	2494
<i>Mazza E., Colombo F., Holdsworth S. R., Skelton R. P.</i>	
5646 - SPLASH TEST NUMERICAL MODELISATIONS	2500
<i>Constantinescu A., Amiable S., Chapuliot S., Fissolo A.</i>	
3243 - A MECHANICS BASED STUDY OF THE FATIGUE CRACK GROWTH THRESHOLD SIZE EFFECT	2506
<i>Daniewicz S. R., Johnston S. R., Potirniche G. P.</i>	
5684 - MECHANISMS OF FATIGUE DAMAGE FORMATION AND EVOLUTION IN Zr-BASED BULK METALLIC GLASS	2512
<i>Hess P. A., Menzel B., Dauskardt R. H.</i>	
3988 - MODELING FATIGUE CRACK GROWTH IN CRYSTALLINE SOLIDS WITH DISCRETE DISLOCATION PLASTICITY	2517
<i>Balint D. S., Deshpande V. S., Needleman A., Van Der Giessen E.</i>	
5802 - SIZE AND SCALE EFFECTS IN FRETTING FATIGUE THRESHOLDS	2522
<i>Dini D., Nowell D., Korsunsky A. M.</i>	
3513 - 3-D EFFECTS ON FATIGUE CRACK CLOSURE PROCESSES IN SMALL-SCALE YIELDING	2528
<i>Chowdhury S. R., Dodds Jr. R. H.</i>	
4081 - DDSIM: A NEXT GENERATION DAMAGE AND DURABILITY SIMULATOR	2534
<i>Emery J. M., Wawrzyniec P. A., Ingrassia A. R.</i>	
4824 - ANOMOLOUS FATIGUE CRACK GROWTH PHENOMENA IN HIGH-STRENGTH STEEL	2540
<i>Forth S. C., James M. A., Johnston W. M., Newman Jr. J. C.</i>	
3981 - A COMPARISON OF TWO EXPERIMENTAL METHODS FOR ASSESSING THE INFLUENCE OF INITIAL DEFECTS ON FATIGUE LIFE	2546
<i>Gänser H.-P., Gódor I., Eichlseder W., Vollgger R., Pippan R., Ofner R.</i>	
5761 - FATIGUE LIFE EVALUATION OF WELDED JOINTS BASED ON NOMINAL STRESS AND FINITE ELEMENT ANALYSIS	2551
<i>Goo B. C., Yang S. Y., Seo J. W.</i>	
3671 - T-STRESS AND MODE I FATIGUE CRACK GROWTH	2557
<i>Hamam R., Pommier S., Bumbieler F.</i>	
4335 - NUMERICAL APPROACH TO THE MECHANICS OF DISC BLADE DOVETAIL JOINTS IN AERO ENGINE COMPRESSORS	2563
<i>Hammouda M. M. I., Fayed A. S.</i>	
4280 - FINITE ELEMENT BASED FATIGUE LIFE PREDICTIONS OF LASER OVERLAP WELDS IN AUTOMOTIVE STRUCTURES	2569
<i>Henrysson H.-F.</i>	
5013 - RELATIONSHIP BETWEEN VICKERS HARDNESS AND FATIGUE STRENGTH	2575
<i>Hirano A., Sakane M., Hamada N.</i>	
3237 - HIGH-TEMPERATURE FATIGUE CRACK GROWTH BEHAVIOR OF 17-4 PH STAINLESS STEELS	2581
<i>Hsu K. C., Lin C. K.</i>	
5592 - ACCELERATED FATIGUE PROPERTIES OF SINGLE-FIBER COMPOSITES	2587
<i>Chen S. S., Hwang S. F.</i>	
5760 - CRACK PROPAGATION RATE DEPENDING ON STRUCTURE OF MODELING COMPOSITE MATERIALS	2593
<i>Ishihara T., Ishihara H.</i>	
5270 - EFFECTS OF ELECTROPLATED ZINC-NICKEL ALLOY COATINGS ON THE FATIGUE STRENGTH OF AISI 4340 HIGH STRENGTH STEEL	2599
<i>Voorwald H. J. C., Miguel I. M., Costa M. Y. P.</i>	
3758 - RESIDUAL STRESSES AND FATIGUE PERFORMANCE	2605
<i>James M. N., Hughes D. J., Chen Z., Hattingh D. G., Webster P. J.</i>	
3860 - OBJECT-ORIENTED DEVELOPMENT ENVIRONMENT TO COMPUTE MULTIAXIAL FATIGUE CRITERIA	2611
<i>Charles J.-L., Palin-Luc T., Delahay T.</i>	

5496 - APPLICATION OF THE ENERGY PARAMETER FOR FATIGUE LIFE ESTIMATION UNDER UNIAXIAL RANDOM LOADING WITH THE MEAN VALUE	2617
<i>Kluger K., Karolczuk A., Lagoda T., Macha E.</i>	
4078 - ADVANCED SIMULATION OF 3D FATIGUE CRACK GROWTH BY A PREDICTOR-CORRECTOR PROCEDURE CONSIDERING 3D SINGULARITIES	2623
<i>Kolk K., Kuhn G.</i>	
5626 - FATIGUE OF BRIDGING CERAMICS: UNDERSTANDING CRACK SIZE EFFECTS	2629
<i>Kruzic J. J., Cannon R. M., Ritchie R. O.</i>	
4841 - A TWO PARAMETER K_{max} AND ΔK MODEL FOR FATIGUE CRACK GROWTH	2635
<i>Kujawski D., Stoychev S.</i>	
4476 - SHORT CRACK PROPAGATION IN DUPLEX STEEL – MODELLING AND EXPERIMENTAL VERIFICATION	2640
<i>Künkler B., Fritzen C. P., Düber O., Krupp U., Christ H. J.</i>	
5497 - FATIGUE LIFE OF AlCu4Mg1 ALUMINIUM ALLOY UNDER CONSTANTAMPLITUDE IN- AND OUT-OF- PHASE BENDING WITH TORSION	2646
<i>Lagoda T., Ogonowski P.</i>	
4543 - A RESIDUAL STRESS CRACK OPENING APPROACH AFTER AN OVERLOAD DURING FATIGUE	2652
<i>Lebaillif D., Darcis P., Recho N.</i>	
3130 - ENVIRONMENTAL EFFECTS ON THE FATIGUE BEHAVIOR OF AN AUSTENITIC STAINLESS STEEL	2658
<i>Lin C. K., Lan I. L.</i>	
3406 - LIFETIME AND DAMAGE BEHAVIOUR OF A CAST ALUMINIUM ALLOY UNDER TMF AND SUPERIMPOSED TMF/HCF LOADING	2664
<i>Luft J., Beck T., Löhe D.</i>	
5495 - FATIGUE CRACK GROWTH IN ELASTIC-PLASTIC MATERIALS UNDER COMBINED BENDING WITH TORSION	2670
<i>Macha E., Rozumek D., Pawliczek R.</i>	
5200 - FATIGUE CHARACTERIZATION OF AUTOMOTIVE STEEL SHEETS	2676
<i>Maggi S., Scavino G.</i>	
5118 - A FATIGUE ASSESSMENT METHOD BASED ON WELD STRESSES	2682
<i>Marquis G., Poutiainen I.</i>	
4402 - INFLUENCE OF THE MICROSTRUCTURE ON THE CRACK PROPAGATION: IN SITU INVESTIGATION IN THE SCANNING ELECTRON MICROSCOPE	2688
<i>Marx M., Vehoff H.</i>	
4174 - STRESS AND STRAIN IN FRONT OF THE FATIGUE CRACK WITH SHEAR LIPS	2692
<i>Materna A., Oliva V.</i>	
5362 - PLASTICITY EFFECTS ON FATIGUE CRACK GROWTH AT HOLES	2698
<i>McClung R. C., Gardner B. M., Lee Y.-D., McMaster F. J.</i>	
3580 - SIMULATING MICROSTRUCTURE-RELATED LCF VARIABILITY IN NICKELBASE SUPERALLOYS	2704
<i>Kumar R. S., McDowell D. L.</i>	
3630 - THE INFLUENCE OF BIAXIAL STRESS ON THE FATIGUE BEHAVIOR OF DEFECT-CONTAINING STEELS	2710
<i>McEvily A. J., Endo M., Ishihara S.</i>	
4143 - NEAR THRESHOLD FATIGUE CRACK GROWTH SIMULATION	2716
<i>Meshii T., Ishihara K., Watanabe K.</i>	
5434 - A NUMERICAL APPROACH TO THE FATIGUE CRACK GROWTH THRESHOLD	2722
<i>Michel S. A., Kieselbach R., Figliolino M.</i>	
3345 - EVALUATION OF CREEP BEHAVIOUR AND FATIGUE LIFE UNDER TMFLOADING FOR ALLOY AlCuBiPb	2728
<i>Minichmayr R., Riedler M., Eichlseder W.</i>	
5645 - COMPARISON BETWEEN NOTCH AND DEFECT IN MULTIAXIAL FATIGUE	2734
<i>Morel F., Morel A., Nadot Y.</i>	
5745 - FATIGUE DAMAGE ACCUMULATION MECHANISMS IN STRUCTURAL FILMS	2740
<i>Muhlstein C. L.</i>	
4888 - FRETTING FATIGUE INVESTIGATION OF DOVETAIL	2746
<i>Naboulsi S., Calcaterra J.</i>	
4444 - CHARACTERIZATION OF FATIGUE CRACK INITIATION CONDITION OF STEELS WITH AFM	N/A
<i>Nakai Y., Kishimoto M., Hosomi S.</i>	
3467 - CRACK GROWTH PREDICTIONS IN ALUMINUM AND TITANIUM ALLOYS UNDER AIRCRAFT LOAD SPECTRA	2752
<i>Newman Jr. J. C.</i>	
5514 - EFFECTS OF FOREIGN OBJECT DAMAGE (FOD) ON THE FATIGUE LIMIT STRENGTH OF Ti-6Al-4V	2758
<i>Nicholas T., Thompson S. R., Porter W. J., Buchanan D. J.</i>	
4195 - ENGINEERING ASPECTS ON FATIGUE CRACK GROWTH UNDER COMPLEX LOADING	2763
<i>Nilsson F., Olsson M., Alfredsson B.</i>	
4936 - EFFECT OF SIZE OF COATING DEFECT ON FATIGUE PROPERTIES OF STEEL THERMALLY SPRAYED WITH NI-BASED SELF-FLUXING ALLOY	2768
<i>Nishimori H., Akebono H., Komotori J., Shimizu M.</i>	

5016 - EFFECTS OF DEGASSING PROCESS ON HIGH CYCLE FATIGUE PROPERTY IN CASTING ALUMINUM ALLOY	2773
<i>Ochi Y., Masaki K., Matsumura T., Kumagai Y., Hamaguchi T.</i>	
4340 - CORRELATION BETWEEN FRACTURE BEHAVIOUR AND DUCTILITY OF THE CELL STRUT MATERIAL IN CASE OF METALLIC FOAMS	2779
<i>Ohrndorf A., Krupp U., Christ H. J.</i>	
3655 - ASSESSMENT OF LOAD RATIO EFFECT ON FATIGUE CRACK GROWTH USING PARTIAL CRACK CLOSURE	2785
<i>Fersini D., Pirondi A.</i>	
5548 - SIMPLE METHOD FOR ESTIMATION OF FATIGUE LOADING AND USEFUL LIFE FROM FRACTURE MORPHOLOGY	2791
<i>Pokluda J., Sandera P.</i>	
3337 - TIME-DERIVATIVE EQUATIONS FOR FATIGUE CRACK GROWTH	2795
<i>Pommier S.</i>	
3159 - USE OF THE COMPUTERS IN THE DEVELOPMENT OF OFFSHORE RELATED LOAD HISTORIES	2801
<i>Pook L. P.</i>	
5075 - ROLE OF MICROSTRUCTURE ON SHORT CRACK PROPAGATION AND ITS THRESHOLD	2807
<i>Narasaiah N., Ray K. K.</i>	
3567 - INFLUENCE OF BENDING FATIGUE ON RESIDUAL MECHANICAL PROPERTIES OF A γ-TiAl INTERMETALLIC ALLOY	2813
<i>Marino F., Rebuffo A., Sglavo V. M.</i>	
3811 - NUMERICAL AND EXPERIMENTAL INVESTIGATIONS ON FATIGUE CRACK GROWTH IN A WHEEL OF THE GERMAN HIGH-SPEED TRAIN ICE	2819
<i>Richard H. A., Sander M., Fulland M., Kullmer G.</i>	
3341 - THE INFLUENCE OF PRE-AGING, TEMPERATURE, MEAN AND LOCAL STRAIN ON LOW CYCLE AND THERMO-MECHANICAL FATIGUE	2825
<i>Riedler M., Minichmayr R., Eichlseder W.</i>	
5698 - TIME VS. CYCLE DEPENDENCE OF EX VIVO FATIGUE IN HUMAN CORTICAL BONE	2831
<i>Ritchie R. O., Nalla R. K., Kruzic J. J., Kinney J. H.</i>	
4398 - INFLUENCE OF THE YIELD STRESS AND THE HARDENING OF THE MATERIAL ON THE FATIGUE CRACK GROWTH AFTER PEAK LOADS – A FINITE ELEMENT ANALYSIS	2837
<i>Sander M., Richard H. A., Grond M.</i>	
4246 - FATIGUE ANALYSIS OF A COMMERCIAL VEHICLE AXLE BODY USING THE SHORT CRACK MODEL	2843
<i>Savaidis G.</i>	
4255 - FATIGUE PERFORMANCE OF SANDWICH COMPOSITES	2849
<i>Shafiq B., Quispitupa A., Just F.</i>	
5644 - NUMERICAL OPTIMIZATION OF CRUCIFORM SPECIMENS GEOMETRY FOR PERFORMED THROUGH AND SEMI-ELLIPTICAL FATIGUE CRACKS UNDER BIAxIAL CYCLIC LOADS AND CRACK GROWTH SIMULATION	2854
<i>Shaniavski A. A., Radchiev A., Potapenko Y. A.</i>	
4421 - MODELING SMALL FATIGUE CRACK GROWTH IN CAST ALUMINUM ALLOYS	2860
<i>Shyam A., Jones J. W., Allison J. E.</i>	
3975 - NUMERICAL SIMULATIONS OF CONSTRAINT AND SIZE EFFECTS IN FATIGUE CRACK GROWTH	2866
<i>Wang B., Siegmund T.</i>	
3910 - SIMULATION-BASED FATIGUE CRACK MANAGEMENT IN WELDED STRUCTURAL DETAILS	2872
<i>Sumi Y.</i>	
4414 - FATIGUE OF NANOSTRUCTURED METALS AND ALLOYS	2878
<i>Hanlon T., Suresh S.</i>	
3413 - NOTCH AND DEFECT SENSITIVITY UNDER ANY KIND OF FATIGUE LOADING: AN UNIFYING APPROACH	2884
<i>Atzori B., Susmel L.</i>	
5795 - FATIGUE CRACK GROWTH PREDICTION IN 7475-T7351 ALUMINIUM ALLOY UNDER RANDOM LOADING USING MODIFIED RMS MODEL	2890
<i>Tadjiev D. R., Kim S. T.</i>	
5246 - FATIGUE CRACK GROWTH BEHAVIOR OF A NEAR α IMI-834 TITANIUM ALLOY AT ELEVATED TEMPERATURE	2896
<i>Kumar V., Nagalaxmi G.</i>	
3064 - EFFECT OF LARGE LOCAL PLASTIC FLOW ON THE FATIGUE LIFE OF METALLIC MATERIALS	2902
<i>Wang G. S., Blom A. F.</i>	
4966 - FATIGUE DAMAGE OF SHAFT WITH THE COLLAR FORMED BY A NEW DEFORMATION PROCESSING METHOD FOR ENLARGING PARTIAL DIAMETER	2906
<i>Zhu X., Okabe N., Tsutsumi M., Mori K., Iura T.</i>	
3084 - CORRELATION OF THE STRESS RATIO EFFECTS ON FATIGUE CRACK PROPAGATION THRESHOLD USING A NEW PARAMETER	2912
<i>Zhang J. Z., Meng Z. X., He X. D., Du S. Y.</i>	

5682 - LOW CYCLE FATIGUE BEHAVIOUR OF RAILWAY WHEEL STEELS INCLUDING TEMPERATURE EFFECTS	2918
<i>Ahlström J., Karlsson B., Mirsch M.</i>	

17) FUNCTIONAL GRADED MATERIALS

5041 - EVALUATION OF STRESS INTENSITY FACTORS AND T-STRESS IN FUNCTIONALLY GRADED MATERIALS USING THE INTERACTION INTEGRAL METHOD	2924
<i>Kim J.-H., Paulino G. H.</i>	
3775 - MIXED-MODE CRACK PROPAGATION IN FUNCTIONALLY GRADED MATERIALS	2930
<i>Kim J.-H., Paulino G. H.</i>	
5448 - THERMAL-MECHANICAL BUCKLING FAILURE OF MULTILAYERED BEAMPLATE WITH ARBITRARY DELAMINATION LOCATION	2936
<i>Mao W. G., Zhou C.</i>	
5620 - SPECTRAL ELEMENT SIMULATION OF RUPTURE DYNAMICS	2942
<i>Villote J. P., Festa G.</i>	
4904 - EFFECTS OF MATERIAL GRADATION ON THE DYNAMIC STRESS INTENSITY FACTORS	2948
<i>Zhang C., Sladek J., Sladek V.</i>	

18) GEOPHYSICS & TECTONICS

4887 - EFFECTS OF NON-LINEAR WEAKENING ON EARTHQUAKE SOURCE SCALINGS	2954
<i>Ampuero J.-P.</i>	
5480 - NON-LINEAR SLIP-WEAKENING IN A ROTARY GOUGE FRICTION EXPERIMENT	2959
<i>Chambon G., Schmittbuhl J., Corfdir A.</i>	
5701 - SEISMIC ENERGY RADIATION FROM DYNAMIC FAULTING	2965
<i>Madariaga R.</i>	
5482 - CORRELATIONS OF STRESS DISTRIBUTIONS ALONG THE FAULT: FROM LABORATORY FRACTURE ROUGHNESS TO FAULT ASPERITY SQUEEZE	2970
<i>Schmittbuhl J., Chambon G., Hansen A., Bouchon M.</i>	
5322 - APPLICATION OF DISCRETE STOCHASTIC FRACTURE NETWORKS FOR MODELLING OF GROUNDWATER FLOW	2976
<i>Severin O., Maryska J., Vohralík M.</i>	

19) GLASS

5589 - FRACTURE OF SILICA AEROGELS: EFFECTS OF SURFACE NATURE ON CRACK PROPAGATION	2982
<i>Despetis F., Etienne P., Etienne-Calas S., Phalippou J.</i>	
4104 - WAVY CRACK PROPAGATION IN INTERNALLY PRESSURIZED GLASS TUBE	2988
<i>Fujimoto K., Shioya T.</i>	
4656 - FRACTURE BEHAVIOR OF SILICATE GLASSES NEAR THEIR FATIGUE LIMIT	2993
<i>Guin J.-P., Wiederhorn S.</i>	
4877 - SURFACE PROFILE EVALUATION BY FRACTAL DIMENSION AND STATISTIC TOOLS	2999
<i>Hotar V., Novotny F.</i>	
4601 - EFFECT OF DENSIFICATION ON CRACK INITIATION IN VICKERS INDENTATION TEST	3005
<i>Kato Y., Yamazaki H., Yamamoto S., Yoshida S., Matsuoka J.</i>	
3791 - INFLUENCE OF THE MINERAL WOOL PRODUCTION TECHNOLOGICAL PARAMETERS AND HUMIDITY ATTACK ON ITS FIBRE FRAGILITY	3010
<i>Kerlene J.</i>	
5765 - ON THE BRITTLENESS OF BULK METALLIC GLASSES	3016
<i>Keryvin V., Bernard C., Sangleboeuf J.-C., Yokoyama Y., Rouxel T.</i>	
5503 - FRACTURE, PERMANENT DEFORMATION AND STRUCTURE CHANGE IN OXIDE GLASSES	3022
<i>Matsuoka J.</i>	
4705 - ATOMISTIC BASIS OF FRACTURE IN MATERIALS	3028
<i>Mecholsky Jr. J. J.</i>	
5132 - CONSTRAINT-DEPENDENT FRACTURE TOUGHNESS OF GLASS AND PMMA	3034
<i>Naumenko P., Skrypyk Y. D., Nedelchev N. I.</i>	
3650 - LONG-TERM RELIABILITY OF CRT MONITORS	3040
<i>Omoto Y., Tani S., Ohsugi S., Karita T.</i>	
5758 - THE DRIVING FORCE FOR INDENTATION CRACKING IN GLASSES	3045
<i>Rouxel T., Shang H., Sangleboeuf J.-C.</i>	
5642 - ANALYSIS OF FRACTURE BEHAVIOUR IN ESP GLASSES	3049
<i>Sglavo V. M., Lorenzini C.</i>	
4453 - STRENGTH AND FRACTURE BEHAVIOUR OF ANNEALED AND TEMPERED FLOAT GLASS	3055
<i>Veer F. A., Bos F. P., Zuidema J., Romein T.</i>	

20) THE TEMPERATURE & CREEP

5010 - MODEL FOR TIME-TO-FRACTURE DETERMINATION OF LOW-ALLOYED STEEL UNDER CREEP CONDITIONS	3061
<i>Bakic G., Sijacki Zeravcic V., Djukic M., Milanovic D., Andjelic B.</i>	
5522 - FRACTURE MECHANISMS AND DUCTILITY AT HIGH TEMPERATURES OF A CARBON STEEL	3067
<i>Calvo J., Cabrera J. M., Prado J. M.</i>	
5549 - CODE OF PRACTICE FOR CREEP CRACK GROWTH TESTING OF INDUSTRIAL SPECIMENS	3073
<i>Dogan B., Nikbin K., Petrovski B., Dean D.</i>	
5770 - CRACK INITIATION AND DEFECT ASSESSMENT AT HIGH TEMPERATURES	3079
<i>Dogan B., Petrovski B., Ceyhan U.</i>	
4638 - MODELLING CREEP BEHAVIOR OF A DIRECTIONALLY SOLIDIFIED NICKEL BASED SUPERALLOY	3084
<i>Ibanez A., Saxena A., Kang J.</i>	
5341 - THE TOPOLOGY OF FRACTURE SURFACES IN INTERGRANULAR CREEP FRACTURE	3090
<i>Kaim Y., Onck P. R., Van Der Giessen E.</i>	
4378 - PERFORMANCE OF CREEP CRACK GROWTH ON W STRENGTHENED 9-12Cr STEEL	3096
<i>Kobayashi K. I., Shimizu S., Hirohashi M., Fuji A., Yokobori Jr. A. T.</i>	
4726 - APPLICATION OF NON-CONTACT STRAIN MEASUREMENT TECHNIQUES TO A SINGLE CRYSTAL ALLOY AT ELEVATED TEMPERATURES	3102
<i>Lempidaki D. E., Busso E. P., O'Dowd N. P.</i>	
5428 - EXPERIMENTAL AND NUMERICAL INVESTIGATION ON THE CREEP CRACK GROWTH IN IN718	3108
<i>Lo Conte A.</i>	
5245 - INFLUENCE OF HEATS, HEAT-TREATMENTS AND TESTING METHODS ON HIGH TEMPERATURE FATIGUE OF 2.25Cr-1Mo STEELS	3114
<i>Hayakawa M., Yamaguchi K., Kimura M., Kobayashi K.</i>	
4823 - SIMULATION OF CREEP CRACK GROWTH OF A DIRECTIONALLY-SOLIDIFIED NI-BASE SUPERALLOY	3119
<i>Gordon A. P., Shenoy M. M., McDowell D. L.</i>	
4314 - HIGH-TEMPERATURE CYCLIC CREEP AND FRACTURE BEHAVIOR OF Cu- SiO₂ BICRYSTALS	3125
<i>Miura H., Ito Y., Sakai T.</i>	
4872 - MICRO STRUCTURAL ORIGIN OF THE APPARENT THERMAL TRANSIENT CREEP OF CONCRETE AT HIGH TEMPERATURE	3131
<i>Mounajed G., Boussa H., Grondin F., Menou A.</i>	
4160 - MICROSTRUCTURE DEGRADATION ASSESSMENT OF THE 9% Cr-1.8%W HOURS IN PLANT TRIAL APPLICATION	3137
<i>Muraki T., Hasegawa Y., Ohgami M.</i>	
5313 - A THERMOMECHANICAL FATIGUE CRACK INITIATION MODEL FOR DIRECTIONALLY-SOLIDIFIED NI-BASE SUPERALLOYS	3143
<i>Gordon A. P., Shenoy M., Neu R. W.</i>	
4430 - PREDICTION OF CREEP CRACK INITIATION USING A DAMAGE – BASED APPROACH	3149
<i>Davies C. M., Yatomi M., O'Dowd N. P., Nikbin K. M.</i>	
5711 - DEVELOPMENT OF A CREEP/FATIGUE CRACK GROWTH TESTING CODE OF PRACTICE FOR COMPONENTS	3155
<i>Nikbin K. M.</i>	
5240 - HIGH TEMPERATURE FRACTURE TOUGHNESS INITIATION IN GAMMA MET PX	3161
<i>Shazly M., Prakash V.</i>	
3907 - RECENT LIFE ASSESSMENT TECHNOLOGY FOR EXISTING STEAM TURBINES	3167
<i>Saito K., Sakuma A., Fukuda M.</i>	
4917 - ELEVATED TEMPERATURE FATIGUE CRACK GROWTH MODEL FOR DS-GTD-111	3173
<i>Yoon K. B., Park T. G., Saxena A.</i>	

VOLUME 5

3517 - CREEP DAMAGE MECHANISMS IN PARTICLE REINFORCED MAGNESIUM COMPOSITES	3179
<i>Sklenicka V., Svoboda M., Pahutova M., Kucharova K.</i>	
4175 - MINIATURISED CREEP TESTING USING THE SMALL PUNCH (SP) TEST TECHNIQUE	3185
<i>Stratford G. C., Di Persio F., Klaput J.</i>	
4952 - CREEP CRACK GROWTH PROPERTIES OF WELDED JOINTS FOR HIGH CR FERRITIC STEEL	3191
<i>Tabuchi M., Ha J., Yokobori Jr. T. A.</i>	
4986 - ACQUISITION AND ANALYSIS OF SHORT-TERM CREEP CURVES FOR PREDICTION OF LONG - TERM ENGINEERING DESIGN DATA	N/A
<i>Wilshire B., Burt H.</i>	
4947 - COMPARISON OF TWO CREEP CRACK GROWTH PARAMETERS, C* AND Q*, WITH F.E. ANALYSIS	3197
<i>Yatomi M., Nikbin K. M., Yokobori Jr. A. T.</i>	

5753 - CRACK GROWTH CHARACTERISTICS AND DAMAGE IN 12Cr STEEL UNDER HIGH TEMPERATURE CREEP AND CREEP-FATIGUE CONDITIONS	3203
<i>Yokota O., Sugiura R., Yoda M., Yokobori Jr. A. T., Yokobori T.</i>	

21) HISTORICAL & MONUMENTAL BUILDINGS

5567 - LONG TERM DAMAGE OF HISTORIC MASONRY STRUCTURES	3209
<i>Binda L., Saisi A.</i>	
5405 - EVOLUTION OF THE CRACK-PATTERN AS A VISIBLE EFFECT OF LONG TERM DAMAGE	3210
<i>Binda L., Anzani A.</i>	
5413 - PRE-EXISTING DAMAGES AND CHRONOLOGICAL TIME STEP ANALYSES OF HISTORICAL MASONRY BUILDINGS	3216
<i>Calderini C., Lagomarsino S.</i>	
5523 - MODELLING OF MASONRY CREEP AND DAMAGE	3217
<i>Pina-Henriques J., Lourenço P. B., Krakowiak K. J.</i>	
5046 - NUMERICAL EVALUATION OF CRACKING AND CRUSHING IN ANCIENT MASONRY TOWERS	3223
<i>Carpinteri A., Invernizzi S., Lacidogna G.</i>	
5022 - STRUCTURAL MONITORING AND LIFE-TIME ASSESSMENT OF MEDIEVAL TOWERS	3229
<i>Carpinteri A., Lacidogna G.</i>	
5707 - CRACK PREDICTION IN MASONRY STRUCTURES	3235
<i>Paradiso M., Tempsta G.</i>	
5390 - STUDIES ON THE ORIGIN OF DEFORMATION AND DAMAGE IN LONG-SPAN HISTORICAL STRUCTURES	3241
<i>Roca P., Clemente R.</i>	
5126 - A NUMERICAL MODEL FOR MULTI-LEAF MASONRY	3247
<i>Ramalho M. A., Papa E., Taliercio A., Binda L.</i>	
5516 - LONG-TERM DAMAGE ON MASONRY TOWERS CASE STUDIES AND INTERVENTION STRATEGIES	3253
<i>Valluzzi M. R., Casarin F., Garbin E., Da Porto F., Modena C.</i>	

22) HYDROGEN EMBRITTLEMENT

5044 - NEW FRACTURE MECHANICS APPROACH TO CHARACTERIZE INTERNAL HYDROGEN EMBRITTLEMENT OF STEEL FOR FITNESS-FOR-SERVICE MODELING	3257
<i>Al-Rumaih A. M., Gangloff R. P.</i>	
5737 - A COUPLED DISLOCATION-HYDROGEN BASED MODEL OF INELASTIC DEFORMATION	3263
<i>Bammann D. J., Sofronis P.</i>	
5505 - HYDROGEN DAMAGE IN THE CRACK TIP ENVIRONMENT	3269
<i>Begley M. R., Agnew S. R., Komaragiri U., Gangloff R. P.</i>	
3960 - EFFECTS OF THE HYDRIDE CONCENTRATION AND THE NEAR CRACK TIP GRADIENT ON THE FRACTURE TOUGHNESS OF ZIRCALOY-4	3275
<i>Bertolino G., Perez Ipiña J., Meyer G.</i>	
5472 - DIFFUSION AND STRAIN-ASSISTED TRANSPORT AND TRAPPING OF HYDROGEN IN FERRITIC STEELS	3281
<i>Brass A.-M., Chêne J.</i>	
5531 - MECHANISTIC INSIGHTS ON ENVIRONMENTAL DEGRADATION FROM NANOMETER-SCALE CRACK TIP MEASUREMENTS	3287
<i>Bruemmer S. R., Thomas L. E.</i>	
4679 - ROLE OF STRAIN-ASSISTED TRANSPORT OF HYDROGEN ON THE INTERGRANULAR FRACTURE OF NICKEL BASE ALLOYS	3293
<i>Chêne J., Brass A.-M.</i>	
5766 - HYDROGEN EMBRITTLEMENT IN HYDRIDE- AND NON HYDRIDE-FORMING SYSTEMS – MICROSTRUCTURAL/PHASE CHANGES AND CRACKING MECHANISMS	3299
<i>Eliezer D., Tal-Gutelmacher E., Boellinghaus T.</i>	
3015 - H-INDUCED DECOHESION ACROSS THE GRAIN BOUNDARY AND ENHANCED VACANCY ACTIVITY IN METALS	3305
<i>Geng W.-T., Freeman A. J., Olson G. B., Tateyama Y., Ohno T.</i>	
5675 - CORROSION-INDUCED HYDROGEN EMBRITTLEMENT IN ALUMINUM ALLOY 2024	3311
<i>Kamoutsi H., Haidemenopoulos G. N., Bontozoglou V., Pantelakis S.</i>	
4395 - HYDROGEN EFFECTS ON MATERIALS FOR THE HYDROGEN ECONOMY	3317
<i>Jones R. H.</i>	
4313 - SEGREGATION OF HYDROGEN AT DISLOCATIONS	3324
<i>Kirchheim R., Pundt A.</i>	
4519 - EFFECT OF TENSILE STRENGTH ON PITTING CORROSION RESISTANCE AND HYDROGEN DESORPTION PROFILE IN AUTOMOBILE SPRING STEELS	3330
<i>Kobayashi K., Yamaguchi A., Komazaki S.-I., Misawa T., Kohno Y., Fukuzumi T.</i>	
5704 - STUDY OF HYDROGEN-INDUCED PLASTIC DEFORMATION IN BULK METALLIC GLASS	3336
<i>J. X. Li, Wang Y. W., Shan G. B., Qiao L. J., Chu W. Y.</i>	

3885 - CONCERNING THE RELATIVE IMPORTANCE OF DECOHESION VERSUS SLIP AND ADSORBED VERSUS SOLUTE HYDROGEN ON FRACTURE BEHAVIOUR	3342
<i>Lynch S.</i>	
4886 - TIME-DEPENDENT INTERGRANULAR BRITTLE FRACTURE	3348
<i>McMahon Jr. C. J.</i>	
4354 - DEFORMATION BEHAVIOR IN MATERIALS SUSCEPTIBLE TO HYDROGEN EMBRITTLEMENT	3354
<i>Nibur K., Bahr D. F., Somerday B. P.</i>	
4685 - IMPROVEMENT OF DEGRADATION OF TOOL STEELS DUE TO PLATING	3360
<i>Ohtsuka N., Shindo Y., Ogawa H., Mashiro T., Mori K., Hashinaga S.</i>	
3727 - MESOSCALE MODELING OF HYDROGEN ASSISTED CRACK GROWTH IN HETEROGENEOUS MATERIALS	3366
<i>Pfuff M., Dietzel W.</i>	
3760 - DEVELOPMENTS IN DELAYED HYDRIDE CRACKING IN ZIRCONIUM ALLOYS	3371
<i>Puls M. P.</i>	
4204 - EXPERIMENTAL INVESTIGATION OF STRAIN, DAMAGE AND FAILURE OF HYDRIDED ZIRCONIUM ALLOYS WITH VARIOUS HYDRIDE ORIENTATIONS	3377
<i>Racine A., Bornert M., Sainte Catherine C., Cappelaere C., Caldemaison D.</i>	
5759 - DISLOCATION MOBILITY AND HYDROGEN – A BRIEF REVIEW	3383
<i>Robertson I. M., Birnbaum H. K.</i>	
5638 - HYDROGEN EMBRITTLEMENT OF STAINLESS STEELS	3389
<i>Robinson S. L., Moody N. R., Somerday B. P.</i>	
5011 - ELASTIC CONSTANTS OF A Pd-H CRYSTAL WITH COHERENT INTERPHASES	3395
<i>Schwarz R. B., Tuggle D., Bach H.</i>	
5387 - MECHANICS MODELS FOR HYDROGEN EMBRITTLEMENT MECHANISMS	3400
<i>Liang Y., Sofronis P., Dodds Jr. R. H., Aravas N.</i>	
5348 - MECHANISMS OF HYDROGEN-ASSISTED FRACTURE IN AUSTENITIC STAINLESS STEEL WELDS	3406
<i>Somerday B. P., Balch D. K., Novak P., Sofronis P.</i>	
5683 - EXPLORING THE ROLE OF SUPERABUNDANT VACANCIES ON H RELATED FRACTURE: BULK SIMULATIONS	3412
<i>Tanguy D., Delafosse D., Mareschal M.</i>	
5738 - HYDROGEN DECREASED DUCTILITY OF A U-6%NB ALLOY	3418
<i>Teter D. F., Hackenberg R. E., Mauro M. E., Dickerson P. O., McCabe R.</i>	
5205 - ANALYSIS OF THE K-DOMINANCE CONDITION IN HYDROGEN ASSISTED CRACKING	3424
<i>Toribio J., Kharin V.</i>	
3070 - USE OF EBSD TO STUDY HYDROGEN INDUCED CRACKING IN PIPELINE STEEL	3430
<i>Venegas V., Caleyó F., González J. L., Baudin T., Hallen J. M., Penelle U.</i>	
3878 - HYDROGEN ENVIRONMENT EMBRITTLEMENT OF LOW ALLOY STEEL AT ROOM TEMPERATURE	3436
<i>Wada Y., Ishigaki R., Tanaka Y., Iwadata T., Ohnishi K.</i>	
5305 - HYDROGEN-DISLOCATION INTERACTIONS AND THEIR ROLE IN HELP MECHANISM OF HYDROGEN EMBRITTLEMENT	3442
<i>Yagodzhinskyy Y., Hänninen H.</i>	
5031 - THE EFFECT OF HYDROGEN DIFFUSION BEHAVIOR ON THE EMBRITTLEMENT OF STEEL UNDER HYDROGEN ATMOSPHERIC CONDITION	3447
<i>Yokobori Jr. A. T., Wada Y., Iwadata T., Yamada K., Ohmi T.</i>	
4312 - HYDROGEN ENVIRONMENT EMBRITTLEMENT OF METALS IN HIGHPRESSURE HYDROGEN STORAGE	3453
<i>Fukuyama S., Zhang L., Yokogawa K.</i>	
4269 - COMPUTER SIMULATION OF HYDROGEN-AFFECTED DISLOCATION MOVEMENT	3458
<i>Yokogawa K., Wen M., Fukuyama S.</i>	

23) IMPACT & DYNAMICS

4915 - THERMOMECHANICAL RESPONSES OF THE PLASTIC DEFORMATION FOR FCC METALS AT LOW AND HIGH STRAIN RATES AND TEMPERATURES	3464
<i>Abed F., Voyiadjis G.</i>	
3757 - TRANSIENT RESPONSE OF CURVED SANDWICH PANELS SUBJECTED TO EXPLOSIONS	3470
<i>Abrate S.</i>	
5452 - BRANCHING INSTABILITY OF BRITTLE FRACTURE	3477
<i>Adda-Bedia M.</i>	
4579 - VALIDATION OF MASSIVELY PARALLEL SIMULATIONS OF DYNAMIC FRACTURE AND FRAGMENTATION OF BRITTLE SOLIDS	3480
<i>Arias I., Knap J., Chalivendra V. B., Hong S., Ortiz M., Rosakis A. J.</i>	
3099 - SIMULATION OF IMPACT AND FRAGMENTATION WITH THE MATERIAL POINT METHOD	3485
<i>Banerjee B., Guilkey J. E., Harman T. B., Schmidt J. A., McMurtry P. A.</i>	
5155 - CRACK PROPAGATION IN FUNCTIONALLY GRADED MICROPOROUS THERMOVISCOPLASTIC MATERIALS	3491
<i>Love B. M., Batra R. C.</i>	

4090 - FRACTURE TOUGHNESS OF FAST PROPAGATING CRACKS IN ROCK	3497
<i>Bertram A., Kalthoff J. F.</i>	
4664 - NUMERICAL MODELLING OF FORCED VIBRATIONS OF AN ELASTIC CRACKED BODY UNDER UNILATERAL CONTACT WITH A PUNCH	3503
<i>Bobylov A. A., Dobrova Y. A.</i>	
5224 - INTERACTION OF DYNAMIC CRACKS WITH INCLINED INTERFACES	3508
<i>Chalivendra V. B., Hong S., Rosakis A. J., Arias I., Knap J., Ortiz M.</i>	
5571 - DETERMINATION OF DYNAMIC FRACTURE TOUGHNESS FOR BRITTLE MATERIALS WITH A MODIFIED SHPB	3514
<i>Weerasooriya T., Moy P., Casem D., Cheng M., Chen W.</i>	
4416 - DISCONTINUOUS BIFURCATION ANALYSIS OF COUPLED RATE-DEPENDENT PLASTICITY AND DAMAGE	3520
<i>Hu W., Chen Z.</i>	
5456 - SHEAR FAILURE AT A CRACK TIP UNDER SHEAR WAVE LOADING	3526
<i>Zhang Z., Clifton R. J.</i>	
5611 - CRACK-LIKE AND PULSE-LIKE DYNAMIC FRICTIONAL SLIDING	3533
<i>Coker D., Lykotrafitis G., Needleman A., Rosakis A. J.</i>	
3176 - FINITE ELEMENT MODELING OF DYNAMIC INTERFACIAL RUPTURE AND SLIDING	3537
<i>Coker D., Rosakis A. J., Needleman A.</i>	
5734 - DYNAMIC EFFECTS IN CRACK BRIDGING	3541
<i>Cox B. N., Rosakis A., Sridhar N., Yang Q. D.</i>	
5063 - DYNAMIC FAILURE OF METALLIC CELLULAR MATERIALS	3545
<i>Lee S., Espinosa H. D.</i>	
3528 - UNIVERSAL ASPECTS OF DYNAMIC FRACTURE IN BRITTLE MATERIALS	3552
<i>Livne A., Fineberg J.</i>	
3154 - HYPERELASTICITY IN DYNAMIC FRACTURE: THE CHARACTERISTIC ENERGY LENGTH SCALE	3558
<i>Gao H., Buehler M. J., Abraham F. F.</i>	
4346 - SPECTRAL SCHEME FOR ANALYSIS OF DYNAMIC DELAMINATION OF A THIN FILM	3564
<i>Geubelle P. H., Hendrickx J. M., Sottos N. R.</i>	
4256 - TRANSIENT EFFECTS IN ELASTODYNAMIC FRACTURE OF GRADED MATERIALS	3570
<i>Shukla A., Jain N.</i>	
3511 - IMPACT DAMAGE ANALYSIS OF THERMOPLASTIC OLEFINS (TPOS)	3576
<i>Jie M., Wei Y., Argento A., Chow C. L., Godlewski T. E., Gonzalez-Ronda L., Mielewski D. F.</i>	
3982 - MULTISCALE MODELING AND SIMULATION OF CRACK PROPAGATION IN POLYCRYSTALLINE SOLIDS	3582
<i>Chen Y., Oskard M. S., Lee J. D., Eskandarian A.</i>	
4006 - INFLUENCE OF MICROSTRUCTURE ON DYNAMIC FRACTURES	3588
<i>Marder M.</i>	
4777 - MODELING DELAMINATION FRACTURE WITH FRICTIONAL CONTACT IN ORTHOTROPIC LAMINATES	3594
<i>Massabò R., Brandinelli L.</i>	
5257 - AN EXPERIMENTAL/NUMERICAL INVESTIGATION OF THE DYNAMIC FRACTURE CHARACTERISTICS OF PMMA	3600
<i>Murphy N., Ivankovic A.</i>	
2956 - BEHAVIOUR OF HIGH-STRENGTH CONCRETE AT HIGH LOADING RATES	3606
<i>Ortlepp S., Curbach M.</i>	
4854 - COMBINED LOADING MODE: THE BRITTLE FRACTURE MECHANISM ANALYSIS	3612
<i>Petrov V., Lepov V., Semyonov K.</i>	
4934 - DYNAMIC RESPONSE AND SPALL STRENGTH OF S2 GLASS FIBER REINFORCED POLYMER COMPOSITE	3616
<i>Tsai L., Prakash V.</i>	
5510 - DISCUSSION ON SCALE EFFECT IN DYNAMIC FRAGMENTATION	3622
<i>Simonov I. V., Pugno N.</i>	
5726 - DYNAMIC FAILURE OF NANOSTRUCTURED METALS	3628
<i>Ramesh K. T.</i>	
4352 - DYNAMIC TRANSVERSE COMPRESSIVE FAILURE OF UNIDIRECTIONAL FIBER REINFORCED COMPOSITES	3632
<i>Vural M., Kidd T. H., Ravichandran G.</i>	
5792 - RECENT ADVANCES IN DYNAMIC FAILURE MECHANICS	3637
<i>Rajapakse Y. D. S.</i>	
5529 - TIME DISCONTINUOUS GALERKIN METHOD FOR DYNAMIC CRACK GROWTH USING X-FEM	3638
<i>Réthoré J., Gravouil G., Combescure A.</i>	
3761 - CRACK-LIKE TRANSITION WAVE IN LATTICES	3642
<i>Slepyan L.</i>	
4105 - ISO-CONTOUR MAPS FOR BALLISTIC PERFORMANCE OF THICK METALLIC ARMOUR	3648
<i>Srivathsa B., Ramakrishnan N.</i>	
5607 - CONDITIONS ON COHESIVE LAWS IN COHESIVE ZONE FRACTURE MODELS	3653
<i>Jim J.-H., Sun C. T.</i>	

5576 - PARTICLE SIZE AND FILLER-MATRIX ADHESION EFFECTS ON DYNAMIC FRACTURE OF GLASS-FILLED EPOXY COMPOSITES.....	3659
<i>Tippur H., Kitey R.</i>	
4108 - IMPACT-DYNAMIC BEHAVIOUR OF AL-TRIP STEEL	3666
<i>Verleysen P., Van Slycken J., Degrieck J., De Cooman B. C., Samek L.</i>	
4602 - DYNAMIC RESPONSE AND FAILURE OF CELLULAR NETWORKS	3672
<i>Vural M.</i>	
3008 - EFFECTS OF LOADING RATE ON THE LOCAL CLEAVAGE FRACTURE STRESS σ_f IN NOTCHED SPECIMENS.....	3678
<i>Wang G. Z., Wang Y. L., Chen J. H.</i>	
5435 - COMPARISON BETWEEN DYNAMIC CRACK EQUATION AND SOME OF THE PUBLISHED EXPERIMENTS.....	3684
<i>Watanabe M., Oomoto M.</i>	
4846 - NUMERICAL SIMULATION OF THE TAYLOR TEST WITH FRACTURE	3690
<i>Teng X., Wierzbicki T.</i>	
3518 - THE STRESS FIELD OF A SHEAR CRACK PROPAGATING IN A VISCOELASTIC MEDIUM.....	3696
<i>Antipov Y. A., Willis J. R.</i>	
5528 - EXPERIMENTAL STUDIES OF MIXED MODE SPONTANEOUS FRACTURES EXPANDING ALONG WEAK PLANES.....	3702
<i>Xia K., Chalivendra V., Rosakis A. J.</i>	
4941 - EXPERIMENTAL INVESTIGATION AND MODELING ON DYNAMIC FAILURE MODE TRANSITIONS IN LAYERED COMPOSITE MATERIALS	3708
<i>Xu L. R., Rosakis A. J.</i>	
3564 - DYNAMIC DEFORMATION AND FAILURE OF NANOWIRES	3714
<i>Liang W., M. Zhou</i>	

25) INVERSE PROBLEMS

4821 - USE OF AN INVERSE ANALYSIS TO DETERMINE THE ELASTOPLASTIC MATERIAL PROPERTIES FROM INDENTATION TESTS.....	3720
<i>Gamonpilas C., Busso E. P.</i>	
5050 - INVERSE ESTIMATES OF FRACTURE MODEL PARAMETERS.....	3726
<i>Iacono C., Sluys L., Van Mier J.</i>	
5560 - ACTIVE AND PASSIVE ELECTRIC POTENTIAL CT METHODS INCORPORATING INVERSE ANALYSIS SCHEMES FOR CRACK AND DEFECT IDENTIFICATION	3727
<i>Kubo S., Sakagami T., Shiozawa D.</i>	
5209 - SIMPLE EVALUATION OF ELASTICITY IN NANO-METER SCALE USING A FLATENDED SENSOR TIP IN SENSITIVITY-ENHANCED ATOMIC FORCE ACOUSTIC MICROSCOPY	3733
<i>Muraoka M., Komatsu S.</i>	
4958 - DAMAGE DETECTION USING WAVELET TRANSFORM.....	3739
<i>Garstecki A., Knitter-Pi Tkowska A., Pozorski Z., Ziopaja K.</i>	
3438 - MICROWAVE NDE OF A SMALL 3-D CRACK ON THE SURFACE OF STAINLESS STEEL.....	3745
<i>Ju Y., Saka M., Uchimura Y.</i>	
5706 - IDENTIFICATION OF PLASTIC-ZONE BASED ON DOUBLE FREQUENCY LOCKIN THERMOGRAPHIC TEMPERATURE MEASUREMENT	3751
<i>Sakagami T., Kubo S., Tamura E., Nishimura T.</i>	
3699 - DERIVATION OF FILM CHARACTERISTIC CONSTANTS BY USING GOVERNING PARAMETER FOR ELECTROMIGRATION DAMAGE IN PASSIVATED BAMBOO LINE.....	3757
<i>Hasegawa M., Sasagawa K., Saka M.</i>	
4451 - ON THE EXISTENCE OF A UNIQUE STRESS-DEFORMATION RELATION FOR AN ADHESIVE LAYER LOADED IN SHEAR.....	3763
<i>Leffler K., Stigh U.</i>	
3868 - EVALUATION OF PROPERTIES OF SUB-MICROMETER THIN FILMS USING HIGH FREQUENCY ULTRASONIC WAVES.....	3769
<i>Wu T.-T., Chen Y.-Y., Huang G.-T.</i>	

26) MEMS

4772 - CRACK AND DELAMINATION RISK EVALUATION OF THIN SILICON BASED MICROELECTRONICS DEVICES.....	3775
<i>Auersperg J., Vogel D., Michel B.</i>	
5471 - EFFECTS OF VARYING MEAN STRESS AND STRESS AMPLITUDE ON THE FATIGUE OF POLYSILICON	3781
<i>Ballarini R., Kahn H., Heuer A. H.</i>	
5083 - COHESIVE ZONE-BASED MODELLING OF Si/Si AND SiO₂/SiO₂ INTERFACES IN THE PRESENCE OF A DUCTILE INTERLAYER.....	3784
<i>Bertholet Y., Raskin J.-P., Pardoent T.</i>	
4760 - ATOMIC SCALE FRICTION AND ITS CONNECTIONS TO FRACTURE.....	3789
<i>Carpick R. W.</i>	

4066 - MATERIAL CHARACTERISATION AT THE MICRO SCALE THROUGH ON-CHIP TESTS	3795
<i>Cacchione F., De Masi B., Corigliano A., Ferrera M.</i>	
4503 - MECHANICAL PROPERTIES OF MEMS STRUCTURES	3800
<i>Dual J., Simons G., Villain J., Weippert C.</i>	
5361 - A COMPARISON OF MECHANICAL PROPERTIES OF THREE MEMS MATERIALS - SILICON CARBIDE, ULTRANANOCRYSTALLINE DIAMOND, AND HYDROGEN-FREE TETRAHEDRAL AMORPHOUS CARBON (Ta-C)	3806
<i>Espinosa H. D., Peng B., Moldovan N., Friedmann T. A., Xiao X., Mancini D. C., Auciello O., Carlisle J., Zorman C. A.</i>	
4715 - SIMULATIONS OF NANOINDENTATION IN A NON-CRYSTALLINE METAL FILM	3812
<i>Shi Y., Falk M. L.</i>	
3169 - CONTINUUM AND ATOMISTIC MODELING OF DYNAMIC FRACTURE AT NANOSCALE	3818
<i>Buehler M. J., Abraham F. F., Gao H.</i>	
5133 - NANODAC – A METHOD FOR FRACTURE MECHANICAL CHARACTERIZATION ON THE NANOSCALE	3824
<i>Keller J., Vogel D., Michel B.</i>	
4654 - SENSITIVITY STUDY OF COMB-DRIVE ACTUATOR WITH FOLDED SUSPENSION	3830
<i>Krylov V., Moussay N., Bernstein Y.</i>	
4689 - VOID GROWTH IN FCC AND BCC SINGLE CRYSTALS	3836
<i>Kysar J. W., Gan Y. X.</i>	
4125 - FRACTURE OF CSL BOUNDARIES IN CU AND AL	3842
<i>Spearot D., Jacob K., McDowell D.</i>	
5721 - FATIGUE DAMAGE ACCUMULATION AND MITIGATION IN SILICON STRUCTURAL FILMS	3848
<i>Muhlstein C. L.</i>	
4617 - GROWTH OF CRACKS BRIDGED BY NANOFIBERS	3854
<i>Perelmuter M.</i>	
3506 - EMBEDDED ATOM METHOD SIMULATIONS OF SINGLE CRYSTAL NICKEL DUCTILE FRACTURE	3860
<i>Potirniche G., Horstemeyer M., Wagner G., Gullet P. M.</i>	
5392 - CRACK INITIATION IN ULTRA THIN PATTERNED FILMS	3866
<i>Sottos N. R., Kandula S., Geubelle P. H.</i>	
4156 - OPERATIONAL WEAR AND FRICTION IN MEMS DEVICES	3872
<i>Subhash G., Corwin A. D., De Boer M. P.</i>	
5627 - THERMAL LAP SHEAR TESTS ON MEMS INTERCONNECTED SOLDER	3877
<i>Vogel J., Faust W., Dudek R., Michel B., Dost M.</i>	
4768 - FRACTURE AND FATIGUE BEHAVIOUR OF MEMS RELATED MICRO MATERIALS	3883
<i>Walter H., Dudek R., Michel B.</i>	
5414 - FATIGUE OF SELF-HEALING POLYMERS: MULTISCALE ANALYSIS AND EXPERIMENTS	3888
<i>White S. R., Maiti S., Jones A. S., Brown E. N., Sottos N. R., Geubelle P. H.</i>	
5663 - PROBABILISTIC APPROACHES FOR FRACTURE AND RELIABILITY ESTIMATIONS OF MICROSYSTEMS	3892
<i>Winkler T., Michel B., Wunderle B.</i>	
4428 - A COMBINED SIMULATIVE AND EXPERIMENTAL APPROACH TO RELIABILITY OPTIMIZATION OF MEMS	3896
<i>Wittler O., Keller J., Vogel D., Michel B.</i>	
4206 - FRACTURE STRENGTH OF THIN FILMS STUDIED BY INDENTATION TESTING	3902
<i>Yonezu A., Ogawa T., Takemoto M.</i>	
3410 - STM/SEM METHOD FOR TESTING BENDING STRENGTH OF MEMS BEAMS	3908
<i>Tuncay A., Shepherd C., Zalaludinov M., Zehnder A. T., Craighead H.</i>	

27) METALLIC MATERIALS

5007 - DESTABILIZATION OF RETAINED AUSTENITE DURING MULTIPLE TEMPERING OF HIGH-SPEED W-Mo-V STEEL	3914
<i>Andjelic B., Sijacki Zeravic V., Djukic M., Bakic G.</i>	
4698 - INVESTIGATION ON CYCLIC DEFORMATION BEHAVIOUR OF REINFORCED STEEL BARS	3920
<i>Baydogan M., Uysal A., Kayali E. S., Cimenoglu H.</i>	
3841 - BENCHMARK ON THE DETERMINATION OF THE CLEAVAGE TRIGGERING SITES IN A RPV STEEL IN THE DBT RANGE	3926
<i>Bouchet C., Besson J., Tanguy B., Arnoldi F., Diard O., Espinasse G., Degallaix S., Desplanques Y., Denner V., Forget P., Maire E., Nedbal I., Hausild P., Rabeau V., Tanguy B., Verdu C.</i>	
3680 - HOW MUCH INPUT IS NEEDED FROM THE MICROSTRUCTURE TO MODEL DUCTILE FRACTURE?	3932
<i>Benzerga A. A., Besson J., Pineau A.</i>	
5558 - STATIC VS CYCLIC WORK HARDENING BEHAVIOUR OF GAS ATOMIZED TiAl ALLOY POWDER COMPACTS	3938
<i>Berteaux O., Thomas M., Jouiad M., Henaff G.</i>	
3995 - PREDICTING TEMPERATURE AND LOADING RATE EFFECTS ON CLEAVAGE TOUGHNESS OF A STRUCTURAL STEEL USING A NEW LOCAL APPROACH MODEL	3944
<i>Bordet S. R.</i>	

4633 - FRACTURE TOUGHNESS OF AISI D6 TOOL STEEL AS RECEIVED AND WITH TREATMENT	3950
<i>Bressan J. D., Kohls D., Tramontin A.</i>	
3182 - THERMAL-MECHANICAL FATIGUE BEHAVIOUR OF MICROCAST-X INCONEL 718	3956
<i>Richards N. L., Zagula J., Chaturvedi M. C.</i>	
3948 - A WAY TO PUT AN END TO AN UNJUSTIFIED OVERCONSUMPTION OF PLASTIC STEELS AND ALLOYS IN INDUSTRY	3962
<i>Chechin E. V.</i>	

VOLUME 6

2897 - MECHANISM OF CLEAVAGE FRACTURE OF HSLA STEEL	3968
<i>Chen J. H., Wang G. Z.</i>	
2900 - FRACTURE MECHANISM OF A TIAL ALLOY	3974
<i>Chen J. H., Cao R., Wang G. Z., Zhang J.</i>	
2898 - CHANGE OF CRITICAL EVENT FOR CLEAVAGE FRACTURE OF HSLA STEEL	3980
<i>Chen J. H., Wang G. Z.</i>	
5216 - FRACTURE TOUGHNESS K_{IvM} MEASUREMENT OF NONBRITTLE METALLIC MATERIALS BY “CHEVRON NOTCHED” SPECIMENS	3986
<i>Dal Re V., Zucchelli A.</i>	
3069 - STRESS INTENSITY FACTORS FOR COMBINED TEMPERATURE GRADIENT AND INTERNAL PRESSURE FOR DAMAGED CYLINDERS	3992
<i>De Carvalho E. A.</i>	
5012 - MODEL OF INFLUENCING FACTORS FOR HYDROGEN DAMAGES OF BOILER EVAPORATOR TUBES	3998
<i>Djukic M., Sijacki Zeravic V., Bakic G., Milanovic D., Andjelic B.</i>	
4403 - EXPERIMENTAL STUDY ON THE RELATIONSHIP BETWEEN IMPACT FRACTURE PROPERTIES AND TITANIUM ADDITION FOR HSLA STEELS	4004
<i>Fang J.</i>	
4087 - THREE DIMENSIONAL EFFECTS ALONG THE CRACK FRONT INFLUENCING THE VALIDITY CRITERIA FOR DETERMINING FRACTURE TOUGHNESSES	4009
<i>Zúñiga D. F., Canteli A. F., Kalthoff J. F., Grasa J., Doblaré M.</i>	
5590 - FRACTURE TOUGHNESS OF PLASTIC-MOLD STEELS:DEPENDENCE UPON HEAT TREATMENT AND MICROSTRUCTURE	4015
<i>Firrao D., Matteis P., Vassallo M.</i>	
5634 - SHEAR LIP FORMATION IN NITRIDED BLUNT NOTCH THREEPOINT DIE STEEL SPECIMENS	4021
<i>Firrao D.</i>	
4996 - A STUDY OF THE FRACTURE BEHAVIOR, DEFORMATION MECHANISMS, MICROSTRUCTURES, AND DUCTILITY OF PRECIPITATION STRENGTHENED ALUMINUM-LITHIUM ALLOYS	4027
<i>Fragomeni J. M.</i>	
3160 - NUMERICAL THREE-DIMENSIONAL CRACK GROWTH SIMULATION FOR COMPONENTS WITH MULTIPLE CRACKS	4033
<i>Fulland M., Richard H. A.</i>	
5244 - INFLUENCE OF ENVIRONMENT, LOADING FREQUENCY AND TEMPERATURE ON FATIGUE CRACK GROWTH MECHANISMS IN TITANIUM LAMELLAR MICROSTRUCTURES	4039
<i>Sarrazin-Baudoux C., Sansoz F., Ghonem H.</i>	
3865 - OBSERVATIONS OF DUCTILE FRACTURE PROCESSES UNDER VERY LOW TRIAXIALITY IN QUENCHED AND TEMPERED VAR STEEL AND PRELIMINARY INTERPRETATION	4045
<i>Cannizzaro D., Giovanola J. H., Doglione R., Rossoll A.</i>	
4214 - FRACTOGRAPHIC STUDY OF CLEAVAGE CRACK ARREST	4051
<i>Hajjaj M., Berdin C., Bompard P., Bugat S.</i>	
3818 - SIZE EFFECTS ON FLOW STRESS AND FAILURE OF Ti-6-22-22S AND Al7075 OVER A WIDE RANGE OF STRAIN RATES	4058
<i>Meyer L. W., Herzig N., Krüger L.</i>	
3835 - TWO PARAMETER APPROACHES IN THE PROBABILISTIC FAILURE ASSESSMENT OF FERRITIC STEELS	4064
<i>Hohe J., Hebel J., Siegele D.</i>	
4494 - AN INVESTIGATION OF THE PROPAGATION OF BRITTLE FRACTURE IN POLYCRYSTALLINE ZINC	4070
<i>Hughes G. M., Flewitt P., Smith G., Crocker A. G.</i>	
4242 - CRACKING MECHANISMS IN A HOT-DIP ZINC COATED STEEL	4076
<i>Iacoviello F., Di Cocco V., Natali V.</i>	
4244 - FERRITIC AND AUSTENITIC SINTERED STAINLESS STEELS FATIGUE CRACK PROPAGATION RESISTANCE: HYDROGEN EMBRITTLEMENT INFLUENCE	4081
<i>Iacoviello F., Di Cocco V.</i>	
4369 - THE EXPERIMENTAL CHARACTERIZATION OF LOCAL FRACTURE PROPERTIES	4087
<i>Kolednik O., Sabirov I., Unterweger K.</i>	

3853 - A FRACTOGRAPHIC STUDY OF DAMAGE ACCUMULATION DURING FRACTURE OF TWO STEELS	4093
<i>Al-Nabulsi K., Koss D. A.</i>	
5079 - LINKING MICROSTRUCTURE AND HIGH TEMPERATURE DUCTILITY IN ALUMINIUM ALLOYS 6XXX	4099
<i>Lassance D., Schmitz M., Delannay F., Pardoën T.</i>	
5324 - LOCAL CRITERIA OF BRITTLE AND DUCTILE FRACTURE AND APPLICATION OF LOCAL APPROACH TO FRACTURE MECHANICS PROBLEMS	4105
<i>Margolin B. Z., Gulenko A. G., Kostylev V. I., Shvetsova V. A.</i>	
5253 - DYNAMIC MASTER CURVE AND DUCTILE-BRITTLE TRANSITION TEMPERATURE OF 9Cr-1 Mo Steel	4111
<i>Moitra A., Sreenivasan P. R., Mannan S. L., Singh V.</i>	
3731 - ULTIMATE STATE CRITERIA OF STRUCTURAL ALLOYS EXPOSED TO THE ACTION OF ELECTRIC CURRENT PULSES	4117
<i>Novogrudsky L. S.</i>	
4731 - PREDICTION OF CRACK INITIATION IN SINGLE CRYSTAL Ni-BASE SUPERALLOYS AT HIGH TEMPERATURES	4123
<i>Zhao L. G., Dumoulin S., O'Dowd N. P., Busso E. P.</i>	
5709 - MICROMECHANICS OF DUCTILE FRACTURE IN MULTIPHASE ALLOYS – APPLICATION TO CAST ALUMINIUM ALLOY WITH PENNY SHAPE VOIDS	4129
<i>Pardoën T., Bréchet Y., Huber G.</i>	
5519 - INFLUENCE OF TEMPERED MARTENSITE CONTENT ON THE FATIGUE CRACK PROPAGATION IN A STRUCTURAL STEEL	4135
<i>Cameiro M. A., Pereira M. V., Darwish F. A., Motta S. H.</i>	
3110 - RECENT ADVANCES IN MODELLING DUCTILE RUPTURE	4141
<i>Benzerga A. A., Besson J., Pineau A.</i>	
5461 - CRACK CLOSURE: MECHANISMS, EXPLANATION AND PREDICTION	4147
<i>Pippan R., Motz C.</i>	
3331 - RECENT RESULTS ON DUCTILE FRACTURE MODELING AT THE MACRO AND MICROSCALES	4152
<i>Rousselier G., Leclercq S., Pastor J., Bilger N.</i>	
5564 - POLYCRYSTALLINE MICROSTRUCTURE, AND SCATTER IN THE NUMBER OF CYCLES TO INITIATION OF A HIGH-CYCLE FATIGUE CRACK	4158
<i>Sauzay M., Jourdan T.</i>	
5331 - MULTISCALE SIMULATION OF THE COMPETITION BETWEEN TRANSGRANULAR AND INTERGRANULAR DUCTILE FRACTURE	4164
<i>Scheyvaerts F., Pardoën T., Onck P. R., Bréchet Y.</i>	
5122 - APPLICATION OF LOCAL CONCEPTS IN THE AUTOMOTIVE INDUSTRY	4170
<i>Schmitt W., Benevolenski O., Brehm H., Walde T.</i>	
5719 - STATIC AND DYNAMIC FRACTURE MECHANICS PARAMETERS OF MATERIAL IN THE HEAT-AFFECTED-ZONE	4176
<i>Sedmak S., Geric K., Grabulov V., Burzic Z., Sedmak A.</i>	
5149 - MODELLING OF FRACTURE FOR AUSTENITIC MATERIALS WITH FERRITIC PHASE ON THE BASIS OF LOCAL APPROACH	4182
<i>Margolin B. Z., Shvetsova V. A., Kostylev V. I.</i>	
3972 - A COUPLED THERMOMECHANICAL COHESIVE ZONE MODEL FOR INTERFACE CRACK GROWTH IN THERMAL PROTECTION SYSTEMS	4188
<i>Hattiangadi A., Siegmund T.</i>	
5276 - APPLICATION OF THE MASTER CURVE METHODOLOGY TO FRACTURE TOUGHNESS CHARACTERIZATION OF FERRITIC-MARTENSITIC STEEL	4194
<i>Sokolov M. A., Tanigawa H.</i>	
5218 - NOVEL CHARPY-FRACTURE TOUGHNESS CORRELATIONS FOR PREDICTING REFERENCE TEMPERATURE AND MASTER CURVE	4199
<i>Sreenivasan P. R., Moitra A., Mannan S. L.</i>	
5457 - INFLUENCE OF RESIDUAL STRESSES ON BRITTLE FRACTURE OF FERRITIC STEELS	4205
<i>Sisan A. M., Truman C. E., Smith D. J.</i>	
3277 - RECENT ADVANCES IN MASTER CURVE TECHNOLOGY	4211
<i>Wallin K., Laukkanen A., Nevasmaa P., Planman T.</i>	
3007 - CLEAVAGE INITIATION MECHANISM IN NOTCHED SPECIMENS OF STEEL WITH CARBIDES AND INCLUSIONS	4217
<i>Wang G. Z., Chen J. H.</i>	
5139 - MODELING DAMAGE LINKAGE IN HETEROGENEOUS ALLOYS AND METAL MATRIX COMPOSITES	4223
<i>Wilkinson D. S., Gammage J., Embury D., Bréchet Y.</i>	
28) MICRO- OR MESO-SCALE	
3905 - NUMERICAL INVESTIGATION OF DEFORMATION AND FRACTURE IN ALUMINUM-ALUMINA AT THE MESOSCALE	4229
<i>Balokhonov R. R., Romanova V. A.</i>	

4351 - DAMAGE OF CONCRETE IN CHEMICALLY AGGRESSIVE ENVIRONMENT: A MICROMECHANICAL MODEL	4232
<i>Basista M., Weglewski W.</i>	
4640 - NUMERICAL MODELING OF SHEAR LOCALIZATION IN ELASTOPLASTIC MATERIALS	4238
<i>Bushmanova O., Revuzhenko A.</i>	
5686 - ELASTIC STUDY OF A CRACKED LAYER BONDED TO A VISCOELASTIC SUBSTRATE	4244
<i>Chao C. K., Hisao C. C.</i>	
5685 - ON THE ENERGY RELEASE RATE OF FINITE CRACKED BODIES	4250
<i>Chao C. K., Chang R. C.</i>	
5547 - EFFECT OF STRAIN HARDENING LAYER ON PITTING FORMATION UNDER ROLLING CONTACT	4257
<i>Chue C.-H., Chung H. H.</i>	
5546 - FREE SURFACE CRACKING DUE TO PITTING AND ROLLING	4263
<i>Chue C.-H., Chung H. H.</i>	
3934 - COMPUTER-AIDED SIMULATION OF MATERIAL LOCAL FRACTURE EFFECTS AT THE AREA OF TRIBOLOGICAL CONTACTS ON THE BASE OF METHODS OF DISCRETE APPROACH	4269
<i>Dmitriev A. I., Kloss H., Santner E., Shilko E. V.</i>	
5030 - ANISOTROPIC DAMAGE OF HIGHER ORDER CONTINUUM MODELS FOR CELLULAR MATERIALS	4275
<i>Ebinger T., Steeb H., Diebels S.</i>	
5475 - PHYSICAL MESOMECHANICS OF QUASI-VISCOUS FAILURE: THEORY AND EXPERIMENT	4276
<i>Egorushkin V. E., Panin V. E., Panin A. V.</i>	
5401 - MESOSCOPIC LEVELS OF PLASTIC FLOW WITHIN SURFACE LAYERS OF POLYCRYSTALS AND THEIR FATIGUE FRACTURE UNDER CYCLIC BENDING	4282
<i>Elsukova T. F., Panin V. E., Egorushkin V. E., Panin A. V., Kuzina O. Y.</i>	
5746 - NUMERICAL METHOD FOR ANALYZING INTERACTION AND COALESCENCE OF NUMEROUS MICROCRACKS	4288
<i>Feng X.-Q., Lin Ma, Yu S.-W.</i>	
5298 - SELF-ORGANIZATION OF SCALE LEVELS OF PLASTIC FLOW IN FRACTURE MESOMECHANICS	4294
<i>Goldstein R., Panin V., Derevyagina L., Osipenko N.</i>	
3143 - COMPRESSIVE FRACTURE OF LAYERED HYPERELASTIC MATERIALS WITH INTER- AND INTRALAMINAR DEFECTS	4301
<i>Guz I., Kashtalyan M., Herrmann K.</i>	
5641 - ON TWO-SCALE MODEL OF FRACTURE MESOMECHANICS OF COMPOSITES WITH CRACKS UNDER COMPRESSION	4307
<i>Guz A. N.</i>	
5671 - MIXED MODE FATIGUE CRACK GROWTH USING THE STRAIN ENERGY DENSITY THEORY FOR WIDESPREAD FATIGUE DAMAGE	4313
<i>Jeong D. Y.</i>	
5670 - STABLE EXTENSION UNDER NET SECTION YIELDING FOR 2024-T3 ALUMINUM: APPLICATION OF STRAIN ENERGY DENSITY	4319
<i>Jeong D. Y.</i>	
5747 - MICROSCOPIC EXPERIMENTAL ANALYSIS OF FRACTURE TOUGHNESS IN FRACTURE OF COPPER FOILS	4325
<i>Kang Y.-L., Wang H.-W., Zhang Z.-F., Qin Q.-H.</i>	
4297 - MATHEMATICAL MODELING OF TEMPERATURE AND RATE DEPENDENCES OF STRAIN HARDENING IN FCC METALS	N/A
<i>Kolupaeva S. N., Puspesheva S. N., Semenov M. E.</i>	
5283 - STRESS DISTRIBUTION AND CRACK OPENING IN THE PREFRACTURE ZONE (NEUBER-NOVOZHILOV APPROACH)	4331
<i>Kornev V. M.</i>	
3332 - FRACTURE PROCESS VOLUME: MECHANICAL-AND-PHYSICAL VIEWPOINT	4337
<i>Kotrechko S.</i>	
4805 - SIMULATION OF FATIGUE CRACK PROPAGATION IN DUCTILE METALS BY BLUNTING AND RE-SHARPENING	4343
<i>Levkovitch V., Svendsen B., Sievert R.</i>	
4248 - THE FUNDAMENTAL FUNCTION OF ROTATION AT THE MESO-LEVEL IN DEFORMATION AND FRACTURE OF SOLIDS	4348
<i>Makarov P.</i>	
5506 - STEADY-STATE MODEL OF DELAYED HYDRIDE CRACKING IN ZIRCONIUM ALLOYS	4354
<i>Matvienko Y. G., Shmakov A. A.</i>	
5681 - FRACTURE OF RUBBERS UNDER MIXED MODE CONDITIONS	4360
<i>Abdelaziz M. N., Hocine N. A., Bechet F.</i>	
5562 - PREDICTION OF FRACTURE INITIATION AND GROWTH DIRECTION OF ORTHOTROPIC MATERIALS	4366
<i>Nobile L., Carloni C.</i>	
5694 - FATIGUE CRACK GROWTH IN STRUCTURAL ALLOY AS PREDICTED BY THE STRAIN ENERGY DENSITY THEORY	4372
<i>Nobile L., Carloni C., Nobile M.</i>	

4266 - MULTILEVEL WAVE MODEL IN FRACTURE MESOMECHANICS	4378
<i>Panin V.</i>	
4531 - MESOSCALE LEVELS OF STRAIN AND FRACTURE OF COATED MATERIALS	4384
<i>Panin S.</i>	
5367 - COSSERAT CONTINUUM MODEL OF WAVE PROPAGATION IN LAYERED MATERIALS	4390
<i>Pasternak E., Muhlhaus H.-B.</i>	
5598 - TIME SCALING FOR DYNAMIC SPALL FRACTURE	4396
<i>Pluvinage G., Jeong J., Bouzid S.</i>	
5595 - TRANSFERABILITY AND CRITICAL DISTANCE APPROACHES	4403
<i>Pluvinage G.</i>	
3736 - ON THE METHOD OF DAMAGE ASSESSMENT IN POROUS CERAMICS	4410
<i>Samborski S., Sadowski T.</i>	
5768 - SIMULATION OF DEFORMATION BEHAVIOR OF POLYMERIC MATERIALS BY CHAIN NETWORK MODEL	4415
<i>Shinozaki A., Kishimoto K., Inoue H.</i>	
5604 - POLING EFFECTS ON MODE I CRACK INITIATION OF MAGNETOELECTROELASTIC MATERIALS	4421
<i>Sih C., Yuh S. H. Y.</i>	
5692 - TRANSLATIONAL AND ROTATIONAL CHARACTERISTICS OF VOLUME ENERGY DENSITY FUNCTION FOR MULTISCALE DAMAGE MODEL	4426
<i>Sih G. C.</i>	
5605 - SINGULARITY REPRESENTATION OF MULTIPLE SCALING IN MESOFRACTURE	4428
<i>Sih G. C., Tang X. S.</i>	
5286 - NUMERICAL INVESTIGATION OF COAL FRACTURE AND DUST PARTICLE FORMATION IN MINING	4434
<i>Smolin I., Makarov P., Stefanov Y., Kuznetsov P. V., Trubitsyn A. A., Trubitsyna N. V., Voroshilov S. P.</i>	
3947 - HIGH RATE LOADING OF MATERIALS AND STRUCTURES SIMULATION ON THE BASE OF MOVABLE CELLULAR AUTOMATON METHOD	4439
<i>Huan D., Chertov M., Smolin A., Psakhie S. G.</i>	
5294 - FEATURES OF PLASTIC FLOW AND FRACTURE OF SUBMICROCRYSTALLINE ARMCO-IRON WITH BANDED FRAGMENTED SUBSTRUCTURE	4445
<i>Son A.</i>	
5677 - VARIANCE OF CRACK GROWTH ENHANCEMENT AND IMPEDIMENT IN PIEZOELECTRIC MATERIALS COMPLICATED BY DIFFERENCE IN FRACTURE CRITERIA	4451
<i>Spyropoulos C. P.</i>	
5676 - POLING PARALLEL TO CRACK IN MAGNETOELECTROELASTIC COMPOSITE SUBJECTED TO ANTI-PLANE SHEAR	4453
<i>Spyropoulos C. P.</i>	
5370 - NUMERICAL SIMULATION OF FRACTURE IN ROCKS	4455
<i>Stefanov Y., Evseev V.</i>	
4064 - DUCTILE TO BRITTLE TRANSITION OF INTER PURE AL SHEET CONSTRAINED BY PARALLEL BI-INTERFACE WITH HIGH STRENGTH AL ALLOY	4461
<i>Sun J., Han L. H., Li L.</i>	
5601 - DUAL SCALING OF MOVING CRACK WITH MACRO- AND MICRO-DAMAGE	4467
<i>Tang X. S., Sih G. C.</i>	
3158 - PREDICTING BRITTLE FRACTURE USING THE THEORY OF CRITICAL DISTANCES: CONSTRAINT EFFECTS	4468
<i>Taylor D.</i>	
5287 - EXPERIMENTAL INVESTIGATION OF COAL FRACTURE SURFACE AT THE MESOSCALE	4474
<i>Trubitsyn A., Kuznetsov P., Makarov P., Petrakova I., Smolin I. Y., Stefanov Y. P., Trubitsyna N. V., Voroshilov S. P.</i>	
5594 - CHARACTERIZATION OF CREEP BEHAVIOR OF CRACK IN NONHOMOGENEOUS MATERIALS	4478
<i>Tu S.-T., Xuan F.-Z., Chen J.-J.</i>	
5599 - PREDICTION OF MECHANICAL PROPERTIES OF POLYCHLOROPRENE DURING THERMO-OXIDATIVE AGING	4485
<i>Vu-Khanh T., Ha Anh T.</i>	
3376 - STUDY OF THE DYNAMIC INTERACTION BETWEEN A FAST RUNNING CRACK AND AN INCLUSION USING THE TIME DOMAIN BEM	4491
<i>Wang Y.-S., Lei J., Gross D.</i>	
3767 - FINITE ELEMENT ANALYSES OF NOTCH-TIP FIELDS OF PLANE PIEZOELECTRIC MATERIALS CONTAINING AN ELLIPTICAL NOTCH	4497
<i>Wang X., Wang X., Gong J.</i>	
5736 - MULTISCALE ANALYSIS FOR INTERFACIAL FRACTURES OF DUCTILE THIN FILM/CERAMIC SUBSTRATE SYSTEMS	4503
<i>Wei Y., Zhao H., Shu S.</i>	
3665 - MULTISCALE SIMULATION FOR HIGH ENERGY CLUSTER IMPACTS AND INDUCED DAMAGE	4509
<i>Wei Y., Guo Z.</i>	
3450 - A FAST MULTIPOLE DUAL BEM FOR THE ANALYSIS OF 2-D CRACKS	4515
<i>Yao Z., Wang P. B.</i>	

4224 - NUMERICAL ANALYSIS OF INTERGRANULAR DAMAGE AND FRACTURE BEHAVIOR OF BRITTLE CONTINUA WITH STOCHASTIC GRAIN BOUNDARIES	4521
<i>Yu J., Li J., Zheng Z.</i>	
3389 - WAVE SCATTERING AND THERMAL EFFECT OF CRACKED PIEZOELECTRIC MATERIALS	4527
<i>Yu S.-W., Du N.-N., Gu B.</i>	
5603 - INFLUENCE OF VOLUME FRACTION ON CRACKING CHARACTERISTICS OF MAGNETOELECTROELASTIC COMPOSITES	4533
<i>Yuh S. H. Y., Sih G. C.</i>	
4223 - ANALYSIS ON CYCLIC PLASTICITY AND STRESS DISTRIBUTION OF POLYCRYSTAL AT GRAIN LEVEL	4538
<i>Zhang K.-S., Yu H., Geng X., Guo Y., Li D. Q., Zhang G.</i>	
5653 - NANOINDENTATION OF HIGHLY ORIENTED PYROLYTIC GRAPHITE	4544
<i>Zhang T.-Y., Wang Y., Xu W.-H.</i>	
5345 - ANALYSIS OF CRACK-TIP FIELDS IN FUNCTIONALLY GRADED MATERIALS	4550
<i>Zhong Z., Cheng Z. Q.</i>	
3589 - STOCHASTIC ANALYSES OF DYNAMIC FRACTURE IN COMPOSITE CERAMIC MICROSTRUCTURES	4556
<i>Zhou M., Tomar V.</i>	

29) MIXED MODE

5441 - MIXED MODE FRACTURE IN CONCRETE AND MASONRY	4562
<i>Alfaiate J., Sluys L. J., Pires E. B.</i>	
4862 - ON THE PRESENCE OF T-STRESS IN MODE II CRACK PROBLEMS	4568
<i>Ayatollahi M. R., Zakeri M., Hassani M. M.</i>	
5444 - NON PLANAR CRACK PROPAGATION IN CONCRETE SPECIMENS	4574
<i>Barpi F., Valente S.</i>	
5284 - A CRITICAL SHEAR STRAIN CRITERION FOR THE DUCTILE –BRITTLE TRANSITION IN HY100 STEEL UNDER MIXED MODE I & II LOADING	4580
<i>Bhattacharjee D., Knott J. F.</i>	
4015 - FRACTURE MECHANICS ANALYSIS OF TRANSVERSE CRACKS IN THIN COATINGS UNDER SPHERICAL INDENTATION	4586
<i>Chai H.</i>	
4295 - TRACKING OF CRACK SURFACES FOR THREE-DIMENSIONAL SDA MODELS	4592
<i>Feist C., Hofstetter G.</i>	
3939 - ABOUT THE NECESSITY OF NEW TESTING PROCEDURES FOR MIXED MODE FRACTURE OF QUASIBRITTLE MATERIALS	4598
<i>Gálvez J. C., Planas J., Elices M., Cendón D. A., Sancho J. M., Reyes E.</i>	
3427 - TEARING ENERGY OF TIRE RUBBER UNDER MODE I AND MODE III LOADING	4604
<i>Gdoutos E. E., Schubel P. M., Daniel I. M.</i>	
4412 - AN INTERACTION INTEGRAL METHOD FOR COMPUTATION OF T-STRESS ALONG THE FRONTS OF GENERAL NON-PLANAR CRACKS IN THREE-DIMENSIONS	4610
<i>Gosz M.</i>	
4365 - CRACK INITIATION MODELING IN BIAXIAL LOW CYCLE FATIGUE AND SIMULATION OF GRAIN GEOMETRY EFFECT ON FATIGUE DAMAGE	4616
<i>Hoshida T.</i>	
5608 - MIXED-MODE CRACK GROWTH AND CRACK PATHS IN BEAMS UNDER THREE POINT BENDING CRACKED SPECIMEN	4622
<i>Zacharopoulos D. A., Kalaitzidis P. A., Amaxas I. C.</i>	
3458 - EFFECT OF ELEVATED TEMPERATURE ON THE MIXED MODE I/III FRACTURE TOUGHNESS OF ARMCO IRON	4628
<i>Kamat S., Srinivas M., Rama Rao P.</i>	
5494 - EFFECT OF THE ANISOTROPY ON THE CRACK BIFURCATION ANGLE	4634
<i>Lahna F., Chahir Idrissi M.</i>	
3831 - THE MIXED-MODE EXPERIMENTAL INVESTIGATION OF THE FATIGUE CRACK IN CTS METALLIC SPECIMEN	4640
<i>Ma S., Zhang X. B., Recho N.</i>	
3114 - ANALYSIS OF INTERIOR STRESS FIELD OF THE SPECIMEN UNDER MIXEDMODE LOADING BY THREE-DIMENSIONAL LOCAL MODEL HYBRID METHOD	4646
<i>Machida K.</i>	
4049 - TRENDS IN STATIC AND DYNAMIC MIXED-MODE FRACTURE	4652
<i>Manoharan M.</i>	
4129 - MIXED-MODE CRACK GROWTH IN TOUGHENED PMMA	4658
<i>Mariani S., Andena L., Corigliano A., Frassinè R.</i>	
3460 - EFFECT OF NOTCH ROOT RADIUS ON MIXED MODE I/III FRACTURE TOUGHNESS OF MILD STEEL UNDER IMPACT CONDITIONS	4664
<i>Srinivas M., Kamat S., Rama Rao P.</i>	
3772 - NUMERICAL SIMULATIONS OF MIXED-MODE DUCTILE FRACTURE INITIATION	4670
<i>Narasimhan R.</i>	

5115 - NUMERICAL SIMULATION OF 3-D MIXED-MODE CRACK PROPAGATION ON BIMATERIAL INTERFACES	4676
<i>Herr A., Nied H.</i>	
5430 - INFLUENCE OF THE LOADING RATE ON THE CONCRETE CONE FAILURE	4682
<i>Ozbolt J.</i>	
4544 - AUTOMATIC CRACK BOX TECHNIQUE ASSOCIATED TO BRITTLE AND DUCTILE CRACK PROPAGATION AND BIFURCATION CRITERIA	4688
<i>Lebaillif D., Recho N.</i>	
4103 - DISCRETE MODELING OF MIXED-MODE FRACTURE IN CONCRETE	4694
<i>Shi Z.</i>	
5647 - FRACTURING, ACOUSTIC EMISSION AND NUMERICAL SIMULATION OF GRANITE UNDER MODE II LOADING	4700
<i>Stephansson O., Stanchits S., Backers T., Dresen G., Shen B.</i>	
4628 - INTERFACE MIXED MODE MODEL	4706
<i>Walter R., Olesen J. F., Stang H.</i>	

30) NANO- OR MICRO-SCALE

5504 - CRACKING IN NANOSTRUCTURED LI-BATTERIES	4712
<i>Aifantis K. E., Dempsey J. P.</i>	
5219 - CALCULATION OF NANO-CRYSTALLINE COPPER TOUGHNESS USING THE EMBEDDED ATOM METHOD	4718
<i>Aldazabal J., Luque A., Martinez-Esnaola J. M., Gil Sevillano J.</i>	
4000 - FRACTURE OF PIEZOELECTRIC MEMS STRUCTURES	4724
<i>Bahr D. F., Olson A. L., Kennedy M. S., Morasch K. R., Richards C. D., Richards R. F.</i>	
3240 - APPLICABILITY OF THE LOAD SEPARATION CRITERION AND THE NORMALIZATION METHOD TO HIGH-RATE J-TESTING OF DUCTILE POLYMERS	4730
<i>Baldi F., Riccò T.</i>	
4475 - FATIGUE AND FRACTURE BEHAVIOR OF NANOCRYSTALLINE COPPER AND NICKEL	4736
<i>Bansal S., Saxena A., Hartwig T., Tummala R. R.</i>	
5355 - NEW SCHEMES FOR COMPUTATIONAL MODELLING OF SIZE-DEPENDENT CONICAL INDENTATION	4742
<i>Cao Y., Lu J.</i>	
4697 - NANOSCALE STRAIN LOCALIZATION: THE INSTABILITY OF STRAINIONS	4748
<i>Chiaia B., Ferro G.</i>	
5073 - EXTRACTING MECHANICAL PROPERTIES USING REVERSE ANALYSIS OF SINGLE AND DUAL SHARP INDENTATION	4753
<i>Dao M., Chollacoop N., Suresh S.</i>	

VOLUME 7

5648 - MECHANICAL PROPERTIES MEASUREMENT OF MICROSCALE MATERIALS FOR MEMS APPLICATION	4758
<i>Higo Y., Halford T. P., Takashima K.</i>	
3698 - FRACTURE OF BRITTLE AND DUCTILE CRYSTALS FOR THE GENERALIZED STRESS STATE. STRENGTH AND DEFORMATION CRITERIA	4764
<i>Kornev V. M.</i>	
5579 - BUCKLING CRITERIA OF ATOMIC LATTICES	4770
<i>Korobeinikov S. N.</i>	
4168 - STRENGTH AND TIME-DEPENDENT BEHAVIOR OF SINGLE-WALLED CARBON NANOTUBE ROPES AND THEIR COMPOSITES	4776
<i>Liao K., Ren Y., Zhang H., Fu Y. Q., Li F., Cheng H. M., Xiao T.</i>	
5084 - NANOINDENTATION STUDY OF NORMAL AND OSTEOPOROTIC BONES	4781
<i>Lim C. T., Omar B. H. B., Goh J. C. H.</i>	
3166 - STRENGTH AND STABILITY OF NANOOBJECTS	4786
<i>Morozov N. F., Ivanova E. A., Krivtsov A. M., Semenov B. N.</i>	
5618 - THE USE OF CONTROLLED SHOT PEENING TO IMPROVE THE FRETTING FATIGUE BEHAVIOUR OF FLAT ON FLAT ALUMINIUM CONTACT	4792
<i>Pantelakis S., Rodopoulos A., Brown M. W., Gardiner S., Edwards R.</i>	
3222 - THEORETICAL AND COMPUTER MODELLING OF DEBONDING MECHANISMS IN FIBROUS MICRO- AND NANO-COMPOSITES	4798
<i>Rushchitsky J., Guz I.</i>	
3379 - DELAMINATION AT FREE EDGE OF INTERFACE BETWEEN PIEZOELECTRIC THIN FILMS	4804
<i>Shang F., Kitamura T., Hirakata H.</i>	
5025 - COMPARABILITY OF RESULTS VIA THE MINIATURISED SMALL PUNCH CREEP TEST METHOD AND TRADITIONAL UNIAXIAL CREEP TESTING	4808
<i>Bicego V., Di Persio F., Hurst R. C., Stratford G.</i>	

5351 - DETERMINATION OF CONSTITUTIVE PARAMETERS FOR SELF-SIMILAR INDENTATION CREEP AND ITS APPLICATIONS	4814
<i>Takagi H., Fujiwara M., Dao M.</i>	
5307 - EXTRACTION OF PLASTIC PROPERTIES FROM THE INSTRUMENTD INDENTATION DATA: CURRENT STATUS	4820
<i>Ramamurty U., Chollacoop N.</i>	
3032 - STRESS-INDUCED PERIODIC FRACTURE PATTERNS IN THIN FILMS	4825
<i>Volinsky A. A., Moody N. R., Meyer D. C.</i>	
4675 - NANOMACHINING FOR HIGH-RESOLUTION SCANNING OF MAMMALIAN BRAIN MICRO STRUCTURE	4830
<i>Wiercigroch M., McCormick B. H., Mayerich D. M.</i>	
4980 - COMPARATIVE STUDY OF DEFORMATION AND FAILURE BEHAVIOR OF CONVENTIONAL AND NANOCRYSTALLINE MAGNESIUM ALLOYS	4836
<i>Yan C., Ye L., Mai Y.-W., Lu L., Lai M. O.</i>	
4577 - INDENTATION CREEP OF POLYMERIC MATERIALS: EXPERIMENTAL AND ANALYSIS	4842
<i>Zeng K., Zhang Y.-W.</i>	
4581 - THE INDENTATION FRACTURE TECHNIQUE FOR MEASUREMENTS OF FILM STRESSES	4848
<i>Zhang T.-Y.</i>	
4469 - FATIGUE CRACK PROPAGATION OF INORGANIC NANOPARTICLE FILLED POLYAMIDE 6,6	4854
<i>Zhang Z., Yang J.-L., Zhang H., Friedrich K.</i>	
5248 - MECHANICAL PROPERTIES AND FRACTURE MECHANISMS OF Al₂O₃/POLYPROPYLENE NANOCOMPOSITES	4858
<i>Zhao H., Li R. K. Y.</i>	
5574 - GRADIENT THEORY AND ITS APPLICATIONS TO NANOMECHANICS	4864
<i>Aifantis E. C.</i>	

31) NONDESTRUCTIVE EXAMINATION & MONITORING

5395 - ON SITE EVALUATION OF THE ELASTIC MODULUS OF CONCRETE	4866
<i>Antonaci P., Bocca P.</i>	
3047 - NUMERICAL EXPERIMENT ON DETECTING VOIDS IN CONCRETE BY SIBIE	4872
<i>Ata N., Ohtsu M.</i>	
4631 - ON-PROCESS MONITORING OF CERAMICS AND CERAMIC COATINGS BY LASER AE	4878
<i>Enoki M., Nishinoiri S.</i>	
4268 - APPLICATION OF IMPACT-ECHO TECHNIQUES FOR CRACK DETECTION AND CRACK PARAMETER ESTIMATION IN CONCRETE	4884
<i>Grosse C. U., Reinhardt H. W., Krüger M., Beutel R.</i>	
3044 - MONITORING CORROSION RATE OF CONCRETE BY AC IMPEDANCE SPECTROSCOPY	4890
<i>Ismail M., Ohtsu M.</i>	
5527 - APPLICATION OF POTENTIAL DROP TECHNIQUE TO THE INSPECTION OF WELDED BOILER HIGH TEMPERATURE AND PRESSURE PARTS	4896
<i>Kuroiwa T., Hamada S., Ogawa Y., Iida H., Kuroki M., Hayakawa M.</i>	
4043 - PRESSURE ASSESSMENT OF CRACK DEFECTS EMPLOYING ULTRASOUND IN-LINE INSPECTION	4902
<i>Lamontagne M., Reber K., Uzelac N.</i>	
3926 - EXPERIMENTAL STUDY ON APPLICABILITY OF MEASURING METHOD OF CHLORIDE CONTENT USING ELECTROMAGNETIC WAVE IN REINFORCED CONCRETE STRUCTURES	4908
<i>Mizobuchi T., Suda K., Hayashi D., Yokozeki K.</i>	
4110 - IDENTIFICATION OF MICROCRACKING PROCESS IN FRACTURE PROCESS ZONE BY AE	4914
<i>Ohtsu M.</i>	
5659 - BRAZILIAN TEST OF CONCRETE EVALUATED BY AE	4920
<i>Reinhardt H.-W., Finck F., Grosse C., Kurz J.</i>	
3390 - DAMAGE QUANTIFICATION FOR CONCRETE STRUCTURES BY IMPROVED b-VALUE ANALYSIS OF AE	4926
<i>Shiotani T., Luo X., Haya H., Ohtsu M.</i>	
4165 - DAMAGE MECHANICS OF CARBONATED CONCRETE BY AE RATE-PROCESS ANALYSIS	4932
<i>Suzuki T., Komeno G., Ohtsu M.</i>	
3045 - MICROMECHANICS OF CORROSION CRACKING IN REINFORCED CONCRETE BY AE	4938
<i>Uddin F. A. K. M., Ohtsu M.</i>	
4151 - NDT FOR DETECTING VOIDS IN POST-TENSIONING TENDON DUCT BY SIBIE	4944
<i>Watanabe T., Hashimoto C., Ohtsu M.</i>	
3107 - DETERMINATION OF CRACK TIP OPENING DISPLACEMENT OF CONCRETE BY EMBEDDED FIBER OPTIC SENSOR	4950
<i>Zhang Z., Ansari F.</i>	

32) NONLINEAR FRACTURE MECHANICS

5019 - NON-LINEAR PHOTOELASTICITY ANALISIS OF FRACTURE MECHANICS PROBLEMS	4956
<i>Albaut G. N.</i>	

4016 - EVOLUTION OF THE EQUILIBRIUM STATE OF THE CURVILINEAR CRACKS WITH SURFACES INTERACTING WITH FRICTION DURING THE LOADING PROCESS	4962
<i>Andreev A.</i>	
3433 - WARM PRE-STRESS EFFECTS ON CLEAVAGE FRACTURE IN CENTER CRACK SPECIMEN	4968
<i>Ayatollahi M. R., Aliniazi A., Mostafavi M.</i>	
5440 - CRACK KINKING IN LASER WELDS - EXPERIMENTS AND MODELLING	4974
<i>Brocks W., Nègre P., Steglich D.</i>	
3523 - NONLINEAR EFFECTS IN DYNAMIC FRACTURE	4980
<i>Buehler M. J., Gao H., Abraham F. F.</i>	
3361 - ANALYSIS OF LOADING RATE EFFECTS ON CLEAVAGE FRACTURE TOUGHNESS OF FERRITIC STEELS	4986
<i>Dodds Jr. R., Gao X.</i>	
3980 - MESOSCALE MODELING OF FRAGMENTATION OF CERAMICS UNDER DYNAMIC COMPRESSIVE LOADING	4992
<i>Geubelle P., Maiti S., Rangawamy K.</i>	
4025 - NUMERICAL ANALYSIS OF SOME EXPERIMENTAL RESULTS RELATIVE TO SIZE EFFECTS ON THE FRACTURE PARAMETERS	4998
<i>Iordache D., Chiroiu V., Chiroiu C., Iordache V.</i>	
4177 - BIAxIAL TESTING OF NUCLEAR PRESSURE VESSEL STEEL USING SMALL SCALE CRUCIFORM SPECIMENS	5004
<i>Joyce J. A., Link R. L., Roe C., Gaies J.</i>	
3815 - STRESS-STRAIN STUDY NEAR CRACKS IN RUBBER MODELS BY NONLINEAR PHOTOELASTICITY	5010
<i>Kharinova N., Albaut G. N.</i>	
5635 - A STUDY OF DYNAMIC CRACK INSTABILITIES USING COHESIVE CONTINUUM METHODS	5015
<i>Klein P. A., Nguyen T. D.</i>	
4652 - MODES OF DYNAMIC RUPTURE ON INTERFACES WITH NONLINEAR RATE AND STATE FRICTION LAWS	5021
<i>Lapusta N.</i>	
3228 - INFLUENCE OF CONTINUOUS NUCLEATION OF SECONDARY VOIDS UPON GROWTH AND COALESCENCE OF CAVITIES IN POROUS DUCTILE METALS	5027
<i>Enakoutsa K., Leblond J.-B., Audoly B.</i>	
4567 - NUMERICAL SIMULATIONS OF CRACK TIP STRESS-STRAIN FIELDS IN SINGLE CRYSTAL NICKEL-BASE SUPERALLOYS AT HIGH TEMPERATURE UNDER CREEP-FATIGUE LOADINGS	5033
<i>Marchal N., Flouriot S., Forest S., Remy L.</i>	
5561 - DYNAMIC FRACTURE OF NONLINEAR SOLIDS WITH MULTI-PARTICLE MODELING	5039
<i>Marder M.</i>	
3840 - A VARIATIONAL APPROACH OF FATIGUE DEBONDING	5045
<i>Marigo J.-J., Jaubert A.</i>	
4817 - COHESIVE ZONE MODELLING OF CRACK GROWTH IN PARTICLE REINFORCED METAL MATRIX COMPOSITES	5051
<i>Rossoll A., Miserez A., Mortensen A.</i>	
4287 - INTERFACE CRACK GROWTH BY VOID EXPANSION MECHANISMS BETWEEN DUCTILE SOLID AND ELASTIC SUBSTRATE	5057
<i>Tvergaard V.</i>	
3805 - ELASTIC-PLASTIC FRACTURE TOUGHNESS OF HIGH PRESSURE STEEL TUBE	5063
<i>Yamamoto S., Yajima H.</i>	
5354 - IN-PLANE AND OUT-OF-PLANE CONSTRAINT EFFECTS IN THREEDIMENSIONAL ELASTIC PERFECTLY-PLASTIC CRACK TIP FIELDS	5069
<i>Yusof F., Hancock J. W.</i>	

33) OIL & GAS PRODUCTION AND DISTRIBUTION

5153 - NEAR-TIP ASYMPTOTIC ANALYSIS OF A PKN FLUID-DRIVEN FRACTURE WITH NON-LOCAL ELASTICITY EQUATION	5075
<i>Adachi J. I., Peirce A. P.</i>	
3068 - THE EFFECT OF SHRINKAGE CRACKS ON THE SOIL SURFACE MICRORELIEF	5081
<i>Chertkov V.</i>	
5602 - THE EFFECT OF PRE-STRAIN ON THE FRACTURE TOUGHNESS OF LINE PIPE STEEL	5087
<i>Cosham A., Hopkins P., Palmer A.</i>	
5674 - A MICROMECHANICS METHODOLOGY FOR DEFECT ASSESSMENTS IN PIPELINES	5093
<i>Dotta F., Ruggieri C.</i>	
5114 - STRAIN HISTORY EFFECTS ON FRACTURE MECHANICS PARAMETERS	5099
<i>Ernst H. A., Bravo R. E., Villasante J. A., Izquierdo A.</i>	
4281 - MODELLING OF CRACK ARRESTORS ON GAS-PIPELINES	5105
<i>Fonzo A., Salvini P., Mannucci G., Demofonti G., Di Biagio M., Edwards A.</i>	
5691 - SIGNIFICANCE OF DWT TESTING FOR LINE PIPE SAFETY	N/A
<i>Erdelen-Pepler M., Gehrman R., Junker G., Knaut G., Liessem A.</i>	

3392 - EXPERIMENTAL DETERMINATION OF CTOA TOUGHNESS	5111
<i>Hashemi S. H., Gay R., Howard I. C., Yates J. R., Andrews R. M.</i>	
5068 - ADVANCES IN CRACK ASSESSMENT FOR PIPELINE INTEGRITY	5117
<i>Katz D., Gao M., Limon S., Krishnamurthy R.</i>	
4662 - CHANGES IN HYDROGEN DESORPTION PROFILES AND MATERIALS DEGRADATION IN 12%CR ROTOR STEEL	5123
<i>Komazaki S., Sugimoto T.</i>	
5526 - NUMERICAL LIMIT LOAD ANALYSIS OF PIPELINES WITH LOCAL WALL-THINNINGS	5129
<i>Liu Y., Xu B., Chen G.</i>	
4436 - THEORETICAL AND EXPERIMENTAL MODELING OF THE THERMOMECHANICAL RUPTURE OF PRESSURE TUBE FOR RBMK REACTOR	5135
<i>Medvedeva N. Y., Peshkov I. A., Andreev A. V., Goldstein R. V., Zhitnikov Y. V., Kadochnikov I. V.</i>	
5454 - DEVELOPMENT OF ACCEPTANCE/REJECTION CRITERIA FOR REQUALIFICATION OF HIGH PRESSURE GAS CYLINDERS	5141
<i>Rana M. D., Smith J. H.</i>	
5673 - A CONSTRAINT BASED APPROACH TO CORRELATE FRACTURE BEHAVIOR IN TEST SPECIMENS AND CRACKED PIPELINES	5147
<i>Cravero S., Ruggieri C.</i>	
5593 - CYCLIC FRACTURE BEHAVIOUR OF PHT PIPING MATERIAL	5153
<i>Tarafder S., Sivaprasad S., Ranganath V. R., Johri P., Ray K. K.</i>	

34) PHYSICAL ASPECTS

4553 - FRACTURE IN TWO DIMENSIONS (IN PAPER): ACOUSTIC EMISSION STUDIES AND THEORETICAL LESSONS	5159
<i>Alava M., Salminen L., Rosti J., Pulakka J.</i>	
4711 - INCIPIENT SPALLATION FRACTURE IN LIGHT METALS FROM 3D X-RAY TOMOGRAPHY, 2D MICROSCOPY, AND MOLECULAR DYNAMICS SIMULATIONS	5165
<i>Belak J., Cazamias J. U., Chau R., Haupt D., Kinney J. H., Kumar M., Minich R., Rudd R. E., Seppälä E. T.</i>	
4571 - ATOMISTIC MULTISCALE SIMULATIONS OF FRACTURE	5170
<i>Bernstein N.</i>	
5002 - FRACTURE IN MULTIPHASE PARTICULATE MATERIALS: LATTICE MODELING ISSUES	5176
<i>Bolander J. E., Yip M.</i>	
5103 - NANODUCTILE CRACK MODE IN SILICA GLASS: REAL TIME OBSERVATION AND IMPLICATION ON THE POST-MORTEM MORPHOLOGY OF FRACTURE SURFACE	5182
<i>Bonamy D., Prades S., Ponson L., Dalmas D., Rountree C., Bouchaud E., Guillot C.</i>	
4593 - FAILURE TIME, CRITICAL BEHAVIOUR AND ACTIVATION PROCESSES IN CRACK FORMATION	5187
<i>Ciliberto S., Deschanel S., Guarino A., Santucci S., Scorretti R., Vanel L.</i>	
5320 - CORROSION EFFECTS ON FAILURE AT VARIOUS SCALES IN SUSPENSION CABLES	5193
<i>Breysse D., Elachachi S. M., Yotte S.</i>	
3685 - ROUGHNESS SCALING IN GBE MATERIALS	5199
<i>Duxbury P., McGarrity E. S., Holm E. A.</i>	
5468 - A MECHANISM OF FAILURE OF CONCRETE AND ROCK IN COMPRESSION	5205
<i>Dyskin A. V., Pasternak E.</i>	
4291 - SIZE EFFECT EXPERIMENTS ON CONCRETE UNDER MULTIAXIAL COMPRESSION	5211
<i>Elkadi A., Van Mier J.</i>	
4716 - SHEAR LOCALIZATION AND PERCOLATION OF STABLE STRUCTURE IN AMORPHOUS SOLIDS	5217
<i>Falk M., Shi Y.</i>	
3681 - DETACHMENT WAVES AND THE ONSET OF FRICTIONAL SLIP	5223
<i>Fineberg J., Rubinstein S. M., Cohen G.</i>	
5017 - MOLECULAR ORBITAL STUDY ON INTERFACIAL STRENGTH BETWEEN OXIDE CLUSTER AND POLYIMIDE SUBSTRATE	5228
<i>Fujinami A., Ogata S., Shibutani Y., Yamamoto K.</i>	
3144 - FLAW TOLERANT BULK AND SURFACE NANOSTRUCTURES OF BIOLOGICAL SYSTEMS	5234
<i>Gao H., Ji B., Buehler M. J., Yao H.</i>	
3620 - STUDIES OF QUASI-STATIC FRACTURE USING ITERATED CONFORMAL MAPS	5240
<i>Hentschel H. G. E., Procaccia I.</i>	
5610 - INSTABILITIES OF DYNAMIC CRACK USING A PHASE FIELD MODEL OF BRITTLE FRACTURE UNDER INPLANE LOADING	5246
<i>Herve H., Levine H.</i>	
4259 - IMPULSIVE NUCLEATION AND FRACTURE OF BRITTLE MATERIALS BY NONLINEAR SURFACE ACOUSTIC WAVES	5252
<i>Hess P., Lomonosov A. M., Lucza T.</i>	
3090 - SCALING OF QUASI-BRITTLE FRACTURE: A BOUNDARY EFFECT MODEL	5258
<i>Hu X., Duan K.</i>	
5689 - DYNAMIC STRAIN AGEING EFFECTS IN AN EXTRUDED AA 7030 ALLOY SUBJECTED TO TENSILE DEFORMATION	5264
<i>Karlsson B., Hörnqvist M.</i>	

3624 - SIZE EFFECT ON COMPRESSIVE STRENGTH OF CONCRETE	5270
<i>Kim J.-K., Yi S. T.</i>	
4812 - Dynamics of Cutting Viscoelastic Materials	5276
<i>Koehler S.</i>	
4315 - FIRST-PRINCIPLES CALCULATIONS OF TENSILE STRENGTH OF COPPERALUMINA INTERFACES AND THE DEVELOPMENT OF INTERATOMIC POTENTIALS	N/A
<i>Kohyama M., Tanaka S., Yang R.</i>	
5346 - CREEP RUPTURE OF FIBER BUNDLES	5282
<i>Kun F., Hidalgo R. C., Herrmann H. J.</i>	
4508 - NUMERICAL AND PHYSICAL EXPERIMENTS ON SHEAR BANDING IN SANDSTONE	5288
<i>Labuz J. F., Fakhimi A.</i>	
5195 - INFLUENCE OF THE MATERIAL MESO-STRUCTURE ON 2D AND 3D LATTICE RESPONSE	5293
<i>Lilliu G., Van Mier J. G. M.</i>	
3689 - RUPTURE OF FRICTIONALLY HELD INCOHERENT INTERFACES UNDER DYNAMIC SHEAR LOADING	5299
<i>Lykotrafitis G., Rosakis A. J.</i>	
4870 - THERMAL "SELF-ARREST" OF A CRACK DURING FRACTURE: MULTI-ARREST MODES	5305
<i>Maksimov I., Kotin D. A.</i>	
5385 - DYNAMICS AND STRUCTURE OF INTERFACIAL CRACK FRONT	5310
<i>Måløy K. J., Toussaint R., Schmittbuhl J.</i>	
5517 - FRACTURE MECHANICAL BEHAVIOR OF CONCRETE AND THE CONDITION OF THE FRACTURE SURFACES ON DIFFERENT SCALES	5316
<i>Mechtcherine V.</i>	
5477 - THE FRACTURE PROBLEM IN THE FRAMEWORK OF GENERALIZED STATISTICAL MECHANICS	5322
<i>Miraldi E., Kaniadakis G., Scarfone A. M., Cravero M., Iabichino G.</i>	
4393 - TWO-DIMENSIONAL AND THREE-DIMENSIONAL FRACTURES IN A FACE CENTERED CUBIC ALLOY	5328
<i>Morel S., Olive J.-M.</i>	
3420 - STABILITY OF A DYNAMIC CRACK PROPAGATING IN AN ELASTIC STRIP	5334
<i>Movchan N. V., Movchan A. B., Willis J. R.</i>	
4850 - CRACKS OF HIGHER MODES IN COSSERAT CONTINUA	5339
<i>Pasternak E., Dyskin A., Muhlhaus H.-B.</i>	
3348 - CONSEQUENCES OF ACOUSTIC EMISSION ON CRACK SPEED AND ROUGHNESS EXPONENT IN BRITTLE DYNAMIC FRACTURE	5345
<i>Parisi A., Ball R. C.</i>	
5668 - FRACTURE AND DAMAGE IN BOTH NANOPHASE AND CERAMICS : ON THE MORPHOLOGY OF FRACTURE SURFACES	5350
<i>Ponson L., Bonamy D., Auradou H., Bouchaud E., Guillot C., Fairbairn E., Hulin J.-P.</i>	
4455 - QUANTIZED FRACTURE MECHANICS AND STRENGTH OF DEFECTIVE NANOTUBES	5356
<i>Pugno N., Ruoff R.</i>	
5259 - OSCILLATING FRACTURE PATHS IN THIN BRITTLE SHEETS: WHEN GEOMETRY RULES CRACK PROPAGATION	5362
<i>Basile A., Reis P. M., Roman B.</i>	
3749 - TOUGHNESS MEASUREMENT IN BRITTLE MATERIALS FROM DIGITAL IMAGE CORRELATION	5367
<i>Roux S., Hild F.</i>	
5511 - INFLUENCE OF MICROCRACKING ON DUCTILITY OF MULTI-PHASE MATERIALS	5373
<i>Schlangen E.</i>	
5250 - MACRO TO ATOMISTIC EXAMINATION OF DYNAMIC CLEAVAGE IN SINGLE CRYSTAL SILICON	5379
<i>Sherman D.</i>	
5078 - IDEAL SHEAR STRENGTHS AND BOND DIRECTIONALITY OF FCC and BCC METALS	5385
<i>Ogata S., Li J., Shibutani Y., Yip S.</i>	
4183 - EFFECT OF MATERIAL'S RANDOMNESS ON SCALING OF CRACK PROPAGATION IN CERAMICS	5391
<i>Silberschmidt V.</i>	
3626 - SOLUTIONS FOR NONLINEAR LATTICES	5397
<i>Slepyan L.</i>	
3583 - DYNAMIC FRACTURE TOUGHNESS DETERMINED USING MOLECULAR DYNAMICS	5403
<i>Swadener J. G., Baskes M. I., Nastasi M.</i>	
5437 - STATISTICAL MECHANICS OF INTERACTING FIBER BUNDLES	5409
<i>Toussaint R.</i>	
4470 - THREE DIMENSIONAL CRACK DETECTION IN HARDENED CEMENT PASTES USING SYNCHROTRON-BASED COMPUTER MICROTOMOGRAPHY (SRμCT)	5415
<i>Trtik P., Van Mier J. G. M., Stamparoni M.</i>	
3377 - AB INITIO ANALYSIS ON IDEAL STRENGTH OF NANOSCALE THIN FILM	5421
<i>Umeno Y., Kushima A., Kitamura T.</i>	
5667 - EFFECTIVE TOUGHNESS AND FRACTURE FRONT DEPINNING	5427
<i>Vandembroucq D., Roux S.</i>	

4721 - PHYSICS OF SUB-CRITICAL CRACK GROWTH IN A FIBROUS MATERIAL: EXPERIMENTS AND MODEL	5432
<i>Santucci S., Cortet P.-P., Vanel L., Ciliberto S.</i>	
4647 - SURFACES FORMED BY SUBCRITICAL CRACK GROWTH IN SILICATE GLASSES	5437
<i>Wiederhorn S. M., Guin J.-P.</i>	
5330 - STUDY ON THE FRAGMENTATION OF SHELLS	5443
<i>Wittel F. K., Kun F., Kröplin B. H., Herrmann H. J.</i>	
5513 - AVALANCHE SCALING AND CRACK ROUGHNESS IN THE RANDOM FUSE MODEL	5449
<i>Nukala P. K., Simunovic S., Zapperi S.</i>	
5788 - EXPERIMENTS ON DYNAMIC SLIP	5450
<i>Lim J., Ravi-Chandar K.</i>	
5828 - MICRO-MACRO SCALING IN DISORDERED MATERIALS	5456
<i>Van Mier J. G. M.</i>	

36) POLYMERS

5463 - FATIGUE FRACTURE OF POLY(METHYL METHACRYLATE) BONE CEMENT CONTAINING RADIOPACIFIER NANOPARTICLES	5462
<i>Bellare A., Turell M. E., Gomoll A., Thornhill T. S.</i>	
5764 - CAVITATION AND FRACTURE OF SOFT ADHESIVES	5468
<i>Creton C., Chiche A., Dollhofer J., Roos A., Hui C. Y., Muralidharan V.</i>	
3429 - THE EFFECT OF SURFACE TERRACING AND CONFINED NANOPARTICLES ON CRAZING IN SYMMETRIC PS-B-P2VP THIN FILMS	5474
<i>Lee J.-Y., Crosby A.</i>	
4488 - CALIBRATION OF A COHESIVE ZONE FOR CRAZING IN GLASSY POLYMERS	5479
<i>Saad N., Estevez R., Olagnon C., Séguéla R.</i>	
5445 - ASSESSMENT OF METHODS TO DETERMINE FRACTURE TOUGHNESS OF POLYMERS IN THE DUCTILE-TO-BRITTLE TRANSITION REGION	5485
<i>Cocco R. G., Frontini P. M., Perez Ipiña J. E.</i>	
4345 - A MATERIAL FORCE ANALYSIS OF CRACK GROWTH IN A VISCOELASTIC STRIP	5491
<i>Nguyen T. D., Govindjee S.</i>	
5479 - CRACK PROPAGATION IN RUBBER-LIKE MATERIALS	5497
<i>Heinrich G., Horst T., Struve J., Gerber G.</i>	
5157 - PREDICTING THE LONG-TERM FAILURE OF POLYCARBONATE: A CONSTITUTIVE APPROACH	5503
<i>Klompfen E., Engels T., Janssen R., Govaert L. E., Meijer H. E. H.</i>	
5732 - MECHANICAL STRENGTH OF INTERFACES IN THERMOPLASTIC POLYMERS	5508
<i>Kausch H. H., Grellmann W.</i>	
4706 - FRACTURE BEHAVIOUR OF DUCTILE POLYMER UNDER MIXED MODE LOADING	5514
<i>Kuriyama T., Narisawa I.</i>	
5360 - CRACK PROPAGATION KINETICS OF POLYMERS AT QUASISTATIC AND MODERATE IMPACT LOADING	5520
<i>Lach R., Seidler S., Grellmann W.</i>	
4714 - FRACTURE OF RUBBER-TOUGHENED POLY(METHYL METHACRYLATE): MEASUREMENT AND STUDY OF COHESIVE ZONE PARAMETERS	5526
<i>Andena L., Rink M.</i>	
5438 - RATE DEPENDENT FRACTURE OF POLYMERS - APPLICABILITY AND LIMITATIONS OF FORCE BASED FRACTURE MECHANICS APPROACHES	5532
<i>Major Z., Lang R. W.</i>	
4317 - EVALUATION OF FRACTURE TOUGHNESS BY EWF METHOD FOR THIN-WALL MOLDINGS	5538
<i>Kenmochi S., Mizoguchi M., Kita H., Kuriyama T.</i>	

VOLUME 8

4651 - PLANE STRESS FRACTURE TOUGHNESS OF DUCTILE POLYMERIC FILMS: EFFECT OF STRAIN RATE ON THE ESSENTIAL WORK OF FRACTURE PARAMETERS	5543
<i>Pegoretti A., Bertoldi E., Ricco T.</i>	
4994 - THE ROLE OF MICROSTRUCTURE ON THE FATIGUE AND FRACTURE PROPERTIES OF MEDICAL GRADE ULTRA HIGH MOLECULAR WEIGHT POLYETHYLENE	5549
<i>Pruitt L. A., Simis K. S., Bistolfi A., Bellare A.</i>	
3519 - STRAIN RATE DEPENDENCE OF THE ANISOTROPIC FRACTURE TOUGHNESS OF RUBBER MODIFIED POLYPROPYLENE FILMS	5554
<i>Pandini S., Pegoretti A.</i>	
3436 - NUMERICAL SIMULATION OF CRAZE INITIATION AND GROWTH IN GLASSY POLYMERS	5560
<i>Wang T. J., Wang J. G., Yin Z. N.</i>	
5279 - FRACTURE BEHAVIOR OF BINARY BLOCK COPOLYMERS BLENDS	5566
<i>Weidisch R., Staudinger U., Satapathy B., Lach R., Grellman W., Knoll K.</i>	

5462 - TEMPERATURE EFFECTS ON THE FATIGUE OF HIGHLY FILLED PMMA	5572
<i>Obakponovwe O., Williams G.</i>	

37) RAILWAYS

5423 - A SHORT CRACK MODEL FOR FATIGUE LIMIT OF PRESS-FITTINGS IN RAILWAY AXLES	5578
<i>Beretta S., Cerrini A., Faustini V.</i>	
5422 - RAIL LIFE PREDICTION FOR TRAMCARS UNDER FULL SLIP REGIME	5584
<i>Beretta S., Desimone H., Kapoor A.</i>	
4367 - EXPERIMENTAL INVESTIGATION ON COMPETITION BETWEEN WEAR AND RCF IN A RAIL STEEL	5590
<i>Donzella G., Faccoli M., Mazzù A., Roberti R.</i>	
3965 - RAIL-WHEEL CONTACT RESEARCH AT THE UNIVERSITY OF NEWCASTLE	5596
<i>Fletcher D., Kapoor A., Franklin F., Vasic G., Smith L.</i>	
5419 - A MODIFIED RELAXATION-MODEL FOR THE PREDICTION OF RESIDUAL STRESSES IN TWO-DIMENSIONAL ROLLING/SLIDING CONTACT	5602
<i>Foletti S., Desimone J.</i>	
4901 - ASSESSING FATIGUE CRACK GROWTH IN RAILWAY AXLES	5609
<i>Hillmansen S., Smith R. A.</i>	
3091 - AN INVERSE APPROACH FOR CONSTRUCTING RESIDUAL STRESS FIELD INDUCED BY WELDING	5615
<i>Hu N., Cao Y. P., Lu J., Fukunaga H.</i>	
4630 - FITNESS FOR PURPOSE ASSESSMENT OF A STRUCTURAL ALUMINIUM RAILWAY CAR BODY COMPONENT	5621
<i>Luke M., Blauel J. G., Schendera C.</i>	
4237 - FATIGUE CRACK GROWTH IN WELDED RAILS	5627
<i>Ringsberg J. W., Josefson B. L., Skyttebol A.</i>	
5591 - FATIGUE AND FRACTURE BEHAVIOUR OF FORGED AND CAST RAILWAY WHEELS	5633
<i>Sivaprasad S., Tarafder S., Ranganath V. R., Parida N.</i>	
5420 - EXPERIMENTAL DETERMINATION OF K_I, K_{II}, K_{III} OF INTERNAL CRACKS UNDER ROLLING CONTACT LOADING	5639
<i>Vergani L., Guagliano M., Sangirardi M.</i>	
3944 - MICROSTRUCTURE-BASED EVALUATION OF THE FATIGUE BEHAVIOUR OF RAILWAY WHEEL STEELS	5645
<i>Walther F., Eijfler D.</i>	
5026 - MATERIAL AND STRUCTURAL BEHAVIOUR OF MIG BUTT WELDS IN 6000 SERIES ALUMINIUM ALLOY EXTRUSIONS FOR RAIL VEHICLES	5651
<i>Xu W., Gittos M. F.</i>	
5515 - APPLICATION OF FRACTURE MECHANICS TO RAILWAY COMPONENTS – AN OVERVIEW	5658
<i>Zerbst U.</i>	

38) REINFORCED CONCRETE

5723 - HYSTERETIC FLEXURAL BEHAVIOUR OF A REINFORCED CONCRETE BEAM WITH A T CROSS-SECTION	5666
<i>Carpinteri A., Spagnoli A., Vantadori S.</i>	
5187 - SEQUENTIALLY LINEAR SAW-TOOTH MODELLING OF REINFORCED STRUCTURES	5672
<i>Rots J. G., Invernizzi S.</i>	
4650 - NEW RC PANEL ELEMENT WITH BOND-SLIP EFFECT	5678
<i>Xin L., Paulus I.</i>	
3824 - FRACTURE MECHANISM AND ACOUSTIC DAMAGE ANALYSIS OF THIN MATERIALS	5684
<i>Mfoumou E., Kao-Walter S., Hedberg C.</i>	
5654 - A NLFM METHOD FOR THE PREDICTION OF SLABS ON GRADE BEHAVIOUR	5690
<i>Belletti B., Bernardi P., Meda A., Plizzari G.</i>	
5630 - CYCLIC BEHAVIOR OF FRP-WRAPPED COLUMNS UNDER AXIAL AND FLEXURAL LOADINGS	5696
<i>Ferracuti B., Savoia M.</i>	
5570 - ON THE DESIGN OF STEEL FIBER REINFORCED CONCRETE TUNNEL LINING SEGMENTS	5702
<i>Sorelli L., Toutlemonde F.</i>	
3006 - PREDICTION OF RELIABILITY FOR CORROSIVE RC MEMBER USING INTELLIGENT HYBRID SYSTEM	5708
<i>Wu H.-C.</i>	
4007 - SHEAR CAPABILITY OF REINFORCED CONCRETE BEAMS WITHOUT STIRRUPS PREDICTED USING A FRACTURE MECHANICAL APPROACH	5714
<i>Xu S., Reinhardt H. W., Zhang X.</i>	
5481 - DOES ELASTIC REBOUND THEORY APPLY TO SEISMIC FAULTS?	5718
<i>Ziv A., Cochard A., Schmittbuhl J.</i>	

39) RELIABILITY

4138 - A PROBABILISTIC APPROACH TO FATIGUE RISK ASSESSMENT IN AEROSPACE COMPONENTS	5722
<i>Cavallini G., R. Lazzeri</i>	
3676 - FRACTURE STATISTICS OF CERAMICS-A SHORT OVERVIEW	5729
<i>R. Danzer, Lube T., P. Supancic</i>	
4188 - PROBABILISTIC ANALYSIS OF THE FRACTURE TOUGHNESS, K_{Ic}, OF BRITTLE AND DUCTILE MATERIALS DETERMINED BY SIMPLIFIED METHODS USING THE WEIBULL DISTRIBUTION FUNCTION	5735
<i>Díaz G., Kittl P.</i>	
5208 - PROBABILISTIC PROPERTY PREDICTION	5741
<i>Harlow D. G.</i>	
3156 - SIMULATION ON MICROCRACK INITIATION IN F82H MARTENSITIC STEEL	5747
<i>Huang X., Brueckner-Foit A.</i>	
5717 - A STUDY ON THE RELIABILITY OF CABLE APPLYING TO FRONT STEERING SYSTEM	5753
<i>Kimura Y., Suyama K., Shimizu Y.</i>	
5757 - MODELING RUNNING FRACTURE IN PIPELINES – PAST, PRESENT, AND PLAUSIBLE FUTURE DIRECTIONS	5759
<i>Leis B. N., Zhu X-K., Forte T. P., Clark E. B.</i>	
2929 - A PROBABILISTIC MODEL TO SIMULATE THE ORIGIN AND INCEPTION OF FATIGUE IN METALS	5765
<i>Guralnick S. A., Mohammadi J.</i>	
4702 - CRACK IDENTIFICATION IN A BEAM BY MEASURE OF THE RESPONSE TO WHITE NOISE	5771
<i>Benfratello S., Cacciola P., Impollonia N., Masnata A., Muscolino G.</i>	
4240 - A NOVEL METHOD FOR FRACTURE TOUGHNESS ASSESSMENT OF INHOMOGENEOUS FERRITIC STEEL WELDMENTS USING BIMODAL MASTER CURVE ANALYSIS	5777
<i>Nevasmaa P., Laukkanen A., Planman T., Wallin K.</i>	
3913 - UNCERTAINTY ANALYSIS OF FAILURE PROBABILITY PREDICTIONS FOR BRITTLE FRACTURE	5783
<i>Riesch-Oppermann H., Roudi S., Erbacher T.</i>	
5716 - RUNOUT ANALYSIS IN FATIGUE INVESTIGATION	5789
<i>Sarkani S., Mazzuchi T. A., Lewandowski D., Kihl D. P.</i>	
4449 - AN ANALYTICAL AND EXPERIMENTAL STUDY TO ESTABLISH "CRITICAL FLAW SIZES" FOR HIGH PRESSURE SEAMLESS CYLINDERS	5795
<i>Smith J. H., Rana M. D.</i>	
3882 - STATISTICAL ASPECTS OF SOME FATIGUE CRACK GROWTH DATA	5801
<i>Wu W-F., Ni C-C.</i>	
4565 - EFFECTIVE STRESS INTENSITY FACTORS IN MATERIALS WITH MICRODEFECTS AND MICROINCLUSIONS	5807
<i>Romalis N. B.</i>	

40) SCALING LAWS & SIZE EFFECTS

5665 - MULTI-SCALE FRACTURE VIA TECTONOFRACTOGRAPHIC AND ELECTROMAGNETIC RADIATION TECHNIQUES	5811
<i>Bahat D.</i>	
5466 - FRACTURE ROUGHNESS FOR THE TWO-DIMENSIONAL CENTRAL FORCE MODEL	5823
<i>Bakke J.φ. H., Ramstad T., Hansen A.</i>	
5643 - SIZE EFFECT AND MULTISCALE FRACTURE	5828
<i>Borodich F.</i>	
3522 - A MOTHER-DAUGHTER MECHANISM OF MODE I CRACKS: SUPERSONIC CRACK MOTION ALONG INTERFACES OF DISSIMILAR MATERIALS	5833
<i>Buehler M. J., Gao H.</i>	
3773 - EXPERIMENTAL INVESTIGATION OF CRACK OPENING ASYMPTOTICS FOR FLUID-DRIVEN FRACTURE	5839
<i>Bunger A. P., Jeffrey R. G., Detournay E.</i>	
4646 - COUPLED ATOMISTIC-MESOSCOPIC MODEL OF POLYCRYSTALLINE PLASTICITY	5845
<i>Cleri F., D'Agostino G., Colombo L.</i>	
5048 - ATOMISTIC SIMULATIONS ON FRACTURE EVENTS IN NANOSTRUCTURED SILICON CARBIDE	5847
<i>Colombo L., Mattoni A., Ippolito M., Cleri F.</i>	
4725 - EVOLUTION OF SELF-SIMILAR SETS OF CRACKS. A POSSIBILITY OF LOCALISATION	5852
<i>Dyskin A. V.</i>	
5410 - MODELING OF DYNAMIC FRAGMENTATION IN BRITTLE SOLIDS	5858
<i>Gommerstadt B., Chudnovsky A.</i>	
5534 - DEFECT POPULATION STATISTICS NEAR AND FAR FROM A CRITICAL EVENT	5865
<i>Korsunsky A. M., Botvina L. R.</i>	
5532 - ON THE STRUCTURE OF PLASTIC AND DAMAGE ZONES IN DIFFERENT MATERIALS AT VARIOUS SCALES	5871
<i>Botvina L. R., Korsunsky A. M.</i>	

5003 - FRACTURE SURFACE CHARACTERIZATION OF POROUS MATERIALS: FRACTAL GEOMETRY VS. AMT (ANGLE MEASURE TECHNIQUE)	5877
<i>Kucheryavski S., Esbensen K. H.</i>	
4960 - RESPONSE OF FRACTURE NUCLEATION SITE TO WEAK MECHANICAL PULSES	5881
<i>Kuksenko V. I., Damaskinskaya E.</i>	
4742 - TOWARDS A PHYSICAL DAMAGE VARIABLE FOR A HETEROGENEOUS QUASI-BRITTLE MATERIAL	5887
<i>Landis E. N.</i>	
4472 - QUASI-BRITTLE FRACTURE OF FOAM-POLYSTYRENE PLATES WITH HOLE	5893
<i>Legan M., Kolodezev V., Sheremet A.</i>	
4641 - EFFECT OF FLUID COMPRESSIBILITY AND BOREHOLE RADIUS ON THE PROPAGATION OF A FLUID-DRIVEN FRACTURE	5899
<i>Lhomme T., Detournay E., Jeffrey R. G.</i>	
3839 - A CRITERION STUDY FOR NON-SINGULAR STRESS CONCENTRATION WITH SIZE EFFECT	5905
<i>Li J., Zhang X.-B.</i>	
4422 - STRESS AND STRAIN FIELDS OF A CRACK-INCLUSION PAIR IN β-SiC: AN ATOMISTIC INVESTIGATION OF NONLINEARITY EFFECTS	5911
<i>Mattoni A., Ippolito M., Colombo L., Cleri F.</i>	
5614 - FATIGUE DAMAGE ACCUMULATION IN UNIDIRECTIONAL COMPOSITE (UD) UNDER APPLIED CYCLING TENSION LOAD	5917
<i>Megnis M., Krasnikovs A.</i>	
5763 - THE MECHANICAL BEHAVIOR AND PERCOLATION OF PORE SPACE IN THE INTERFACIAL TRANSITION ZONE OF CONCRETE	5923
<i>Nemati K. M.</i>	
4991 - THEORETICAL AND NUMERICAL INVESTIGATION ON INTERNAL INSTABILITY PHENOMENA IN COMPOSITE MATERIALS	5928
<i>Carpinteri A., Paggi M., Zavarise G.</i>	
5509 - TIME-SCALE EFFECTS ON ACOUSTIC EMISSION DUE TO ELASTIC WAVES PROPAGATION IN MONITORED CRACKING STRUCTURES	5934
<i>Carpinteri A., Lacidogna G., Pugno N.</i>	
4985 - SIZE EFFECTS IN GRAINED MATERIALS: EXTREME VALUE THEORY APPROACH	5940
<i>Carpinteri A., Cornetti P., Puzzi S.</i>	
5431 - SCALING PROPERTIES OF THE THREE DIMENSIONAL FUSE MODEL AS A MODEL FOR BRITTLE FRACTURE	5946
<i>Ramstad T., Hansen A.</i>	
5731 - FRACTURE STRENGTH OF NANOTUBES	5952
<i>Ruoff R. S., Calabri L., Ding W., Pugno N. M.</i>	
4932 - THE SCALING OF GEOLOGIC FAULTS	5958
<i>Scholz C.</i>	
5193 - FRACTURE TOUGHNESS OF SNOW: SIZE EFFECTS IN A QUASI-BRITTLE MATERIAL	5962
<i>Sigrist C., Schweizer J., Schindler H.-J., Dual J.</i>	
4459 - ROUGHNESS OF BRITTLE CRACK INTERFACES IN BUCKLING BEAM LATTICES	5968
<i>Skjetne B., Helle T., Hansen A.</i>	
5649 - EVOLUTION OF DAMAGE ACCUMULATION IN LOW-CARBON STEEL IN TENSION CONDITION	5974
<i>Tyutin M. R., Botvina L. R., Zharkova N. A., Petersen T. B., Hudson J. A.</i>	
4704 - PROCEDURE OF STATISTICAL SIZE EFFECT PREDICTION FOR CRACK INITIATION PROBLEMS	5980
<i>Vorechovsky M., Bazant Z. P., Novak D.</i>	
3941 - METHOD FOR CHARACTERIZING THE FRACTURE SURFACE USING A TWODIMENSIONAL LOCAL HURST EXPONENT, AND ITS APPLICATION TO QUANTITATIVE EVALUATION OF STRETCHED ZONE WIDTH	5986
<i>Yamagiwa K., Takanashi M., Izumi S., Sakai S.</i>	
5730 - THE EFFECT OF MULTI SCALE DOMINATING REGION ON BRITTLE FRACTURE	5992
<i>Yokobori Jr. A. T.</i>	
5830 - MULTI-LEVEL LINEAR DIMENSION IN FRACTURE. A FRACTAL COHESIVE CRACK REPRESENTATION	5999
<i>Wnuk M. P.</i>	

41) SMART MATERIALS & STRUCTURES

3335 - A MODEL OF ELECTRIC FRACTURE AND FATIGUE OF FERROELECTRIC MATERIAL UNDER ELECTROMECHANICAL LOADING	6012
<i>Fang D. N., Mao G. Z.</i>	
3739 - FERROELECTRIC SHIELDING OF AN ELONGATED CAVITY BY POLARIZATION ROTATION	6018
<i>Kamlah M., Kessler H., Balke H.</i>	
4095 - A REVIEW OF FINITE ELEMENT TECHNIQUES TO ANALYSE 3D PIEZOELECTIC CRACK PROBLEMS	6024
<i>Kuna M.</i>	

5710 - ENERGETICALLY CONSISTENT BOUNDARY CONDITIONS FOR ELECTROMECHANICAL FRACTURE	6030
<i>Landis C. M.</i>	
5474 - ON THE FRACTURE TOUGHNESS OF FERROELECTRIC CERAMICS WITH ELECTRIC FIELD APPLIED PARALLEL TO THE CRACK FRONT	6035
<i>Landis C. M., Wang J.</i>	
3912 - EXPERIMENTAL AND NUMERICAL INVESTIGATIONS ON RESONANT CHARACTERISTICS OF A SINGLE-LAYER PIEZOCERAMIC PLATE AND A CROSS-PLY PIEZOLAMINATED COMPOSITE PLATE	6041
<i>Ma C.-C., Lin H.-Y., Y.-C. Lin, Huang Y.-H.</i>	
4308 - FRACTURE MECHANICS FOR ELECTROACTIVE MATERIALS	6047
<i>McMeeking R. M.</i>	
3106 - SIMPLIFIED CRACK INITIATION ANALYSIS OF PIEZOELECTRIC CERAMICS UNDER CYCLIC LOADING	6051
<i>Mizuno M., Shimomura T.</i>	
4309 - ELECTRIC FRACTURE AND POLARIZATION SWITCHING OF PIEZOELECTRIC CERAMICS: EXPERIMENT AND FINITE ELEMENT SIMULATION	6057
<i>Karaiwa M., Narita F., Shindo Y.</i>	
5535 - APPLICATION OF PATH-INDEPENDENT INTEGRAL ANALYSIS TO FRACTURE OF MAGNETO-ELECTROELASTIC SOLIDS	6063
<i>Tian W. Y., Rajapakse R. K. N. D.</i>	

42) SURFACE TREATMENTS

4187 - NANOMETER SCALE TRIBOCHEMICAL MODIFICATION OF SURFACES	6069
<i>Dickinson J. T.</i>	
5606 - FATIGUE CRACK GROWTH BEHAVIOR OF NITRIDED AND SHOT PEENED SPECIMENS	6075
<i>Guagliano M., Vergani L.</i>	
4599 - FATIGUE PROPERTIES OF TITANIUM ALLOY, STAINLESS STEEL AND ALUMINUM ALLOY TREATED WITH FINE PARTICLE BOMBARDMENT	6081
<i>Kameyama Y., Akebono H., Komotori J., Shimizu M.</i>	
5616 - FATIGUE BEHAVIOUR PREDICTION OF LASER SURFACE TREATED ALUMINIUM PLATES THROUGH SIMULATION OF THE LASER STRIPPING PROCESS	6087
<i>Pantelakis S., Labeas G., Kermanidis A., Tsirkas S.</i>	
3924 - EFFECT OF INTERNAL CRACKING ON FATIGUE LIFE OF 7050 ALUMINUM ALLOY TREATED BY LASER SHOCK PROCESSING	6093
<i>Liu Q., Ding K., Ye L., Rey C., Barter S. A., Sharp P. K., Clark G.</i>	

43) THIN FILMS

5293 - A VARIATIONAL APPROACH TO STRESS-INDUCED INSTABILITIES IN HETEROEPITAXIAL GROWTH	6099
<i>Bonnetier E., Brassel M., Chambolle A., Jouve F.</i>	
3153 - CONSTRAINED DIFFUSIONAL CREEP IN ULTRA THIN COPPER FILMS DEPOSITED ON SUBSTRATES	6105
<i>Buehler M. J., Hartmaier A., Gao H.</i>	
5628 - ACCELERATED DEBONDING AND CRACKING IN THIN-FILM STRUCTURES: CHEMICAL REACTION RATE AND LOADING EFFECTS	6111
<i>Dauskardt R. H., Guyer E. P.</i>	
3502 - PLASTICITY AND FRACTURE OF METALLIC THIN FILMS	6117
<i>Dehm G.</i>	
5542 - MULTI-SCALE MODELING OF DEFORMATION IN POLYCRYSTALLINE THIN METAL FILMS	6123
<i>Hartmaier A., Buehler M. J., Gao H.</i>	
4386 - CRACK NUCLEATION AND PROPAGATION DURING FATIGUE OF THIN METAL FILMS	6129
<i>Kraft O., Schwaiger R., Zhang G. P., Volkert C.</i>	
5693 - IN SITU TEM MONITORING OF DISLOCATION MECHANISMS IN THIN METALLIC FILMS	6133
<i>Legros M., Dehm G., Arzt E.</i>	
5024 - SELF-ORGANIZED CRACK PATTERNS IN THIN FILMS	6139
<i>Lu W., Yu H.-C.</i>	
5680 - SIZE DEPENDENCE OF MECHANICAL PROPERTIES OF GOLD AT THE MICRON SCALE	6143
<i>Nix W. D., Greer J. R., Oliver W. C.</i>	
2978 - AN ATOMISTIC VIEW OF INTERFACE SLIDING AND DISLOCATION PLASTICITY IN THIN FILMS	6149
<i>Shen Y.-L., Leger R. W.</i>	
5695 - SIZE EFFECT ON FRACTURE IN THIN COPPER/TANTALUM BILAYERS ON POLYIMIDE SUBSTRATES	6155
<i>Spolenak R., Gruber P., Arzt E.</i>	
5678 - STRESS EVOLUTION DURING VOLMER-WEBER GROWTH OF THIN FILMS	6160
<i>Thompson C. V.</i>	

5652 - PHASE ANGLE IN INDENTATION-INDUCED DELAMINATION WITH BUCKLING AND ITS APPLICATION TO INDENTATION DELAMINATION IN ZnO FILM/SI SUBSTRATE SYSTEMS.....	6166
<i>Zhang T.-Y., Zhao M.-H., Huang B., Zhang T.-Y.</i>	
4997 - COUPLED ATOMISTIC-CONTINUUM ANALYSIS OF NANOWIRES AND NANOFILMS.....	6172
<i>Zimmerman J., Klein P.</i>	

44) WELDS

5450 - PRELIMINARY INVESTIGATION BY SYNCHROTRON RADIATION OF CRACKS AND DEFECTS IN AA FSW SAMPLES	6178
<i>Cosmi F., Cristofori A., Mancini L., Tovo R., Tromba G., Volpone M.</i>	
4239 - FRACTURE ASSESSMENT OF LASER BEAM WELDED ALUMINIUM PANELS.....	6184
<i>Seib E., Kocak M., Assler H., Pacchione M.</i>	
5199 - EFFECTS OF MICROSTRUCTURE ON FRACTURE TOUGHNESS IN A533B SUBMERGED ARC WELDS.....	6190
<i>Farron V. J., Do Patrocinio A., Novovic M., Bowen P.</i>	
5577 - EFFECT OF RESIDUAL STRESSES DUE TO LASER WELDING ON THE STRESS INTENSITY FACTORS OF ADJACENT CRACK.....	6196
<i>Labeas G., Tsirkas S., Diamantakos J., Kermanidis A.</i>	
4688 - SOLIDIFICATION CRACKS IN HSLA STEEL JOINTS AFTER CONTROLLED THERMAL SEVERITY TESTS	6201
<i>Martínez-Mateo I., Fernández-García O.</i>	
4171 FATIGUE BEHAVIOR OF WELDED JOINTS IN A FERRITIC STAINLESS STEEL SUS444.....	6207
<i>Nakajima M., Akita M., Tokaji K.</i>	
5490 - CYCLIC DEFORMATION BEHAVIOUR OF DEEP ROLLED AND LASER-SHOCK PEENED AISI 304 STAINLESS STEEL AT ELEVATED TEMPERATURE	6213
<i>Nikitin I., Altenberger I., Scholtes B.</i>	
5690 - MECHANICAL AND MICROSTRUCTURAL PROPERTIES OF AL 6056 FRICTION STIR WELDED JOINTS.....	6219
<i>Cavaliere P., Nobile R., Panella F. W., Squillace A.</i>	
5023 - UTILISING PHASE RELATIONSHIPS FOR AUTOMATIC WELD FLAW CATEGORISATION IN TIME-OF-FLIGHT DIFFRACTION IMAGES.....	6225
<i>Zahran O., Al-Nuaimy W.</i>	

45) WOOD

4311 - THE MECHANICS OF SAWING WOOD.....	6231
<i>Atkins T.</i>	
3901 - MODELISATION OF DELAYED FAILURE OF WOOD BEAMS.....	6235
<i>Chaplain M., Valentin G.</i>	
5553 - NON-LINEAR FRACTURE MECHANICS APPLIED TO WOOD IN MODEL.....	6241
<i>Coureau J.-L., Morel S.</i>	
3249 - ON THE USE OF PLATE AND INTERFACE VARIABLES FOR DELAMINATION IN COMPOSITES	6247
<i>Greco F., Bruno D.</i>	
5660 - MIXED MODE ENERGY RELEASE RATE ANALYSIS BY A BEAM THEORY APPLIED TO TIMBER BEAMS WITH A HOLE	6253
<i>Gustafsson P. J.</i>	
4121 - FRACTURE ENERGY IN MODE I AND MODE II OF REINFORCED WOOD	6255
<i>Haller P., Putzger R.</i>	
4550 - FRACTURE BEHAVIOUR OF MULTIPLE-BOLT ENGINEERED WOOD PRODUCT CONNECTIONS.....	6260
<i>Snow M., Asiz A., Smith I.</i>	
4559 - FRACTURE AND MICROSTRUCTURE OF WOOD.....	6263
<i>Stanzl-Tschegg S. E., Frühmann K., Tschegg E. K.</i>	
4124 - THICKNESS EFFECT IN WOOD – STATISTICAL OR STRUCTURAL?.....	6269
<i>Vasic S., Smith I., Landis E., Chen Z.</i>	
5809 - EFFECTS OF MISSING CELLS ON THE COMPRESSIVE DEFORMATION OF THE CLOSED-CELL AL FOAM	6273
<i>Jeon I., Yamada Y., Yamada T., Katou K., Sonoda T., Asashina T.</i>	

ADDITIONAL PAPERS

3282 - DYNAMIC CRACK PROPAGATION IN A HETEROGENEOUS MATERIAL STRIP: A CLOSER LOOK AT THE BROBERG PROBLEM BY CONTINUUM AND ATOMISTIC METHODS	6279
<i>Chen S., Buehler M., Gao H.</i>	
4829 - ELEVATED TEMPERATURE FATIGUE CRACK GROWTH MODEL FOR DS-GTD-111	6285
<i>Yoon K. B., Park T. G., Saxena A.</i>	
5282 - ACCELERATED FATIGUE PROPERTIES OF SINGLE-FIBER COMPOSITES	6291
<i>Chen S. S., Hwang S. F.</i>	

5332 - X-RAY DIFFRACTION AND THE EXISTENCE OF LONG RANGE INTERNAL STRESSES	6297
<i>Delos-Reyes M. A., Kassner M. E., Levine L. E.</i>	
5342 - COMPARISON OF DOUBLE AND SINGLE BONDED REPAIRS TO SYMMETRIC COMPOSITE STRUCTURES: A NUMERICAL ANALYSIS	6301
<i>Bouiadjra B. B., Belhouari M., Serier B., Ouinas D.</i>	
5739 - MECHANICAL AND MICROSTRUCTURAL PROPERTIES OF AL 6056 FRICTION STIR WELDED JOINTS.....	6307
<i>Cavaliere P., Nobile R., Panella F. W., Squillace A.</i>	
5803 - IN-SITU NANOINDENTATION: A NOVEL TECHNIQUE FOR UNDERSTANDING NANOSCALE DEFORMATION MECHANISMS.....	6313
<i>Stach E. A., Minor A., Ge D., Jin M., Soer W. A., De Hossen J. T., Morris J. W.</i>	
Author Index	