

37th North American Manufacturing Research Conference 2009

**Transactions of the North American Manufacturing Research
Institution of SME: Volume 37, 2009**

**Greenville, South Carolina, USA
19-22 May 2009**

ISBN: 978-1-61782-079-3

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2009) by the Society of Manufacturing Engineers
All rights reserved.

Printed by Curran Associates, Inc. (2010)

For permission requests, please contact the Society of Manufacturing Engineers
at the address below.

Society of Manufacturing Engineers
One SME Drive
Dearborn, Michigan 48128

Phone: 800-733-4763 or 313-425-3000
Fax: 313-425-3400

www.sme.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

Transactions of the North American Manufacturing Research Institution of SME

Volume 37, 2009

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Effect of Surface Texture and White Layer by Hard Turning vs. Grinding on Frictional Performance R.A. Waikar and Y.B. Guo | 1 |
| Performance Evaluation of Vegetable Oil as an Alternative Cutting Lubricant When End Milling Stainless Steel Using TiAlN Coated Carbide Tools S. Sharif, M.A. Hisyam, D. Kurniawan, and E.A. Orady | 9 |
| In-Process Monitoring and Identification of Cutting States Based on Power Spectrum Density Analysis S. Tangjitsitcharoen | 15 |
| Surface Roughness Modeling in Peripheral Milling Processes A. Vallejo, R. Morales-Menéndez, and H. Elizalde-Siller | 25 |
| High-Speed Microvideography Observations of the Periodic Catastrophic Shear Event in Cutting AISI 1045 Steel J.C. Heigel and E.P. Whintont | 33 |
| Laser Micromachining and Quality Improvement by Cyanoacrylate Coating on Silicon Wafer P. Wongwiwat, R.J. Narayan, and Y-S. Lee | 41 |
| Blade Oblique Cutting of Tissue for Investigation of Biopsy Needle Insertion J.Z. Moore, C.S. McGill, A.J. Shih, P.W. McLaughlin, Q. Zhang, and H. Zheng | 49 |
| Coupled Torsional-Axial Vibrations of Micro and Macro Drills S. Filiz and O.B. Ozdoganlar | 57 |

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Mechanistic Force Modeling of Micro Ball End Milling Processes M. Malekian, S.S. Park, M. Sajjadi, and M.B.G. Jun | 67 |
| Pressure and Temperature Effects in Micro-Laser Assisted Machining (μ -LAM) of Silicon Carbide A.R. Shayan, H.B. Poyraz, D. Ravindra, and J.A. Patten | 75 |
| Experimental Investigation of Wet and Dry Grinding Using a Grinding Wheel with a Defined Grain Pattern P. Herzenstiel and J.C. Aurich | 81 |
| Development of the 3D Engraving System from 2D Images W-S. Lee and S-C. Chung | 89 |
| An Experimental Comparative Study of Chip Morphology, Chip Flow Speed, and Cutting Forces in High-Speed Machining of Ti-6Al-4V and Inconel 718 N. Fang, Q. Wu, and S. Mosquea | 97 |
| Effect of Drill Wear on Interfacial Burr Size for Different Drill Geometries C. Hellstern, J.B. Morehouse, S.N. Melkote, and S. Turner | 105 |
| Improved Boring Bar Dynamic Stiffness Through a Tuned Holder Design L. Houck III, T.L. Schmitz, and K.S. Smith | 113 |
| Characteristic Values for Continuous-Generating Grinding of Gears B. Denkena, L. de Leon, and F. Stimpel | 121 |
| Minimum Quantity Lubrication (MQL) Grinding Using Vitriified CBN Wheels B. Shen and A.J. Shih | 129 |
| ELID Grinding of Sapphire—Experimental Approach P. Han and I.D. Marinescu | 137 |
| Machinability Investigation of Micro-Scale Hard Turning of 52100 Steel G.J. Ellicott, R.E. DeVor, and S.G. Kapoor | 143 |
| Nanofoamed High-Performance Polymer Nanocomposites N.J. Vaccaro, W. Li, B. Li, and W.H. Katie Zhong | 151 |
| Fabrication and Characterization of Micro Dent Array Produced by Laser Shock Peening on Aluminum Surfaces R. Caslaru, M.P. Sealy, Y.B. Guo, and S.C. Chen | 159 |
| Modeling of a Plastic Lumber Extrusion Process J. Kirkham, W. Li, and V. Kumar | 167 |

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Three-Dimensional Digital Halftoning for Layered Manufacturing Based on Droplets C. Zhou and Y. Chen | 175 |
| A Manufacturing Framework for Biomimetic Porous Metals S.R. Schmid, P.S. Nebosky, and G. Stalcup | 183 |
| Rapid Prototyping of Bulk 6H-SiC MEMS Structures Using a Q-Switched Nd:YAG Laser B.F. Pecholt and P.A. Molian | 189 |
| Data to Information: Can MTConnect Deliver the Promise? S.H. Atluru and A. Deshpande | 197 |
| Micro Glass Milling on Multi-Axis Machine Tool T. Matsumura, K. Minai, and Y.K. Rong | 205 |
| Optimized Recurrent Neural Network-Based Tool Wear Modeling in Hard Turning X. Wang and Y. Huang | 213 |
| Time Delay in Controller Area Network (CAN)-Based Networked Control Systems R. Vargas Rodriguez, R. Morales-Menéndez, R.A. Ramirez Mendoza, and L.E. Garza Castanon | 221 |
| Prediction of Distortion in Thin-Walled Machined Components T.D. Marusich, S. Usui, S. Lankalapalli, K. Marusich, S. Garud, and L. Zamorano | 229 |
| Producing Micro Scale Silicon Dioxide Gears by Bulk Micro Machining Process M.T. McGregor, H.A. Mahlke, S.M. Dozier, B. Asiabanpour, and D. Um | 237 |
| A New “Super Diagram” for Describing Milling Dynamics R.E. Zapata and T.L. Schmitz | 245 |
| Helical Milling for Hole Making in Nickel-Based Alloy with Ball-End Mill D. Olvera, C.A. Rodríguez, A. Elías-Zúñiga, G. Urbicain, and L.N. López de Lacalle | 253 |
| Rotary Ultrasonic Machining of Stainless Steel: Design of Experiments W. Cong, Z.J. Pei, N.J. Churi, and Q. Wang | 261 |
| Dynamic Fatigue Life Testing of Palladium-Chromium Thin-Film Micro Strain Gages Fabricated on Superalloy Substrate M. Miller, D. Werschmoeller, and X. Li | 269 |
| A Process for Manufacturing Very Thin PDMS Films S. Krishnan and S. Sarma | 277 |

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Study on PdCr Thin Film Sensors Embedded in Ti6Al4V Alloys Through Diffusion Bonding X. Zhang, H. Jiang, and X. Li | 285 |
| Analytical Prediction of Shifting Behavior in Strain-Based Sheet Forming Limit Curves for Sheet Metal Using a Stress-Based Failure Criterion B.L. Kinsey, M. Derov, and I. Tsukrov | 293 |
| Studying the Micro Deep Drawing Process Through Drawing Brass Micro Cups J-T. Gau, C-H. Chen, and Z-Y. Yang | 301 |
| Double-Diaphragm Forming of Advanced Composite Shapes with Active Tool Shape and Temperature Control D. Walczyk and C. Munro | 309 |
| Evolutionary Stamping Die Development Using Morphing Technology L. Zhou, S.J. Hu, G. Lin, and T.B. Stoughton | 317 |
| Influence of Substrate Material on Wear Performance of Stamping Dies Utilizing a New Die Wear Test System Ö.N. Cora and M. Koç | 325 |
| Anisotropy of Plastic Deformation in Micro/Meso-Scale Metal Forming—Development of Testing Method T. Makino, K. Dohda, A. Ishitani, and H. Zhang | 333 |
| Formability of Austenitic Stainless Steels Under Warm Hydroforming Conditions E. Billur, S. Mahabunphachai, and M. Koç | 341 |
| Forming Al-Al ₂ O ₃ Nanocomposite Surfaces Using Friction Stir Processing J. Qu, H. Xu, Z. Feng, K. An, R. Battiste, L. An, and H. Heinrich | 349 |
| Nonlinear Finite Element Analysis of Metal Powder Die Compaction Using Various Plasticity Models H.K. Zadeh, I.Y. Kim, and J. Jeswiet | 357 |
| Diffusion Brazing of Aluminum Alloys for Micro Heat Exchanger Applications R.T. Eluri and B.K. Paul | 365 |
| Online Classification of Surface Defects in Hot Rolling Processes Q. Yang, Q. Li, J. Jin, and T-S. Chang | 371 |
| Application of Finite Element Simulation in Metal Forming Tribology G. Ngaile and C. Yang | 379 |

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Tensile Formability Enhancement of Magnesium AZ31B-0 Alloy Using Electrical Pulsing W.A. Salandro, A. Khalifa, and J.T. Roth | 387 |
| Strains Generated in Selected Regions for an Intelligent Die During Stamp Forming W.J. Emblom, K.J. Weinmann, and J.E. Beard | 395 |
| Springback Elimination for Al-6111 Alloys Using Electrically Assisted Manufacturing (EAM) C.R. Green, T.A. McNeal, and J.T. Roth | 403 |
| Roughness Evaluation of Single Point Incrementally Formed Surfaces M. Ham, B. Powers, C.A. Brown, J. Jeswiet, and K. Hamilton | 411 |
| Reducing Environmental Impacts of Steel Product Manufacturing K.R. Haapala, J.L. Rivera, and J.W. Sutherland | 419 |
| Reducing the Environmental Footprint and Economic Costs of Automotive Manufacturing Through an Alternative Energy Supply C.Y. Yuan and D.A. Dornfeld | 427 |
| GPU-Accelerated SIMT Tabu Search for the Quadratic Assignment Problem W. Zhu, J. Curry, and A. Marquez | 435 |
| Enabling Manufacturing Research Through Interoperability D.A. Dornfeld, P.K. Wright, A. Vijayaraghavan, and M. Helu | 443 |
| Intelligent Monitoring of Microassembly Process of High-Precision Spindle Motor Parts S. Tangjitsitcharoen, N. Rojanarowan, P. Tangpornprasert, and C. Virulsri | 451 |
| Cyclic Waveform Signal Analysis for Online Monitoring of Valve Seat Assembly Processes Y. Lei, K. Paynabar, J. Jin, and J. Agapiou | 459 |
| Comparison of Anisotropic and Inertial Effects in Single Crystals Under Microscale Laser Shock Peening S. Vukelić, J.W. Kysar, and Y.L. Yao | 467 |
| Characterization and Control of Pin Diameter During In-Mold Assembly of Mesoscale Revolute Joints A. Ananthanarayanan, S.K. Gupta, and H.A. Bruck | 475 |
| A State-Space Heuristic for Adaptive Production Control in One-of-a-Kind Production W. Li, B.R. Nault, Y. Tu, and D. Xue | 483 |

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| An Ecogenic Multi-Agent Framework for STEP-Compliant Manufacturing: An Artificial Immune System Based Approach M. Bachlaus, F.F. Chen, and G. Kuriger | 491 |
| A Low-Cost Flying Robot for Deploying Ad Hoc Wireless Sensors in a Manufacturing Environment C.A. Suprock | 501 |
| Densification and Dimensional Accuracy of Metal Matrix Composites Fabricated by Three-Dimensional Printing L. Sun, P. Kwon, Y. Kim, and D. (D-W.) Kim | 509 |
| Multi-Objective Adaptive Job Shop Scheduling Using Genetic Algorithms H. Metta and F. Badurdeen | 517 |
| Method to Measure Planar Displacement Using Centroid Calculation C.A. Montes, J.C. Ziegert, and L. Mears | 525 |
| Increasing Adaptability of Assembly Planning and Control with Embedded Decision-Making Capability S. Keshavarzmanesh, L. Wang, and H-Y. (Steve) Feng | 533 |
| Novel Heterodyne Displacement Measuring Interferometer H.S. Kim and T.L. Schmitz | 541 |
| Wear of WC-Co Inserts in Dry Machining of Submicron Particle Size Aeronautical-Grade Near- β Titanium Alloy H.A. Abdel-Aal, M. El Mansori, and M. Nouari | 549 |
| Addressing Process Planning and Verification Issues with MTConnect A. Vijayaraghavan, L. Huet, D.A. Dornfeld, W. Sobel, B. Blomquist, and M. Conley | 557 |
| Parametric Investigation of Precision in Tool-Workpiece Conductivity Touch-Off Method in Micromilling A.A. Sodemann and J.R. Mayor | 565 |
| Implementation of a Metrology Frame to Improve Positioning of Micro/Meso-Scale Machine Tools S.P. Moylan, B. Damazo, and M.A. Donmez | 573 |
| A Novel Pattern-Based Camera Calibration for 3D Data Acquisition in Reverse Engineering Q. Peng and C. Yu | 581 |

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Multivariate Process Capability Analysis Using Nonparametric Model and Bootstrap Sampling A. Pahwa and W. Huang | 589 |
| Employee and Machine Productivity Evaluation Using Manufacturing Information System J. Lee, C. Du, T.A. Kozman, and W.J. Emblom | 597 |
| Sensor Placement Strategy for Stamping Tooling Integration Based on Geometric Methods S. Sah and R.X. Gao | 605 |
| Tool Wear Monitoring for Milling by Tracking Cutting Force Model Coefficients Y. Cui, B.K. Fussell, R.B. Jerard, and D.M. Esterling | 613 |
| Micro Rotary Ultrasonic Machining M.M. Sundaram, A. Sarwade, K. Rachuri, and K.P. Rajurkar | 621 |
| Effect of Minimum Quantity Lubrication (MQL) with Nanofluids on Grinding Behavior and Thermal Distortion U. Sridharan and S. Malkin | 629 |
| How Strains and Strain Rates are Accommodated by Dislocations and Twins During Chip Formation by Machining S. Shekhar, J. Cai, S. Lee, J. Wang, and M.R. Shankar | 637 |
| Solubility of a Metalworking Lubricant in High-Pressure CO ₂ and Effects in Three Machining Processes A.F. Clarens, D.J. MacLean, K.F. Hayes, Y-E. Park, and S.J. Skerlos | 645 |
| Cutting Edge Radius Effects on Diamond-Coated Tools F. Qin, K. Chou, D. Noland, R.G. Thompson, and W. Ni | 653 |
| Toward an Objective 3D Description for Quality Assessment of Manufactured Honed Surfaces L. Sabri, S. Mezghani, M. El Mansori, and J-V. LE LAN | 661 |
| Author Index..... | 669 |