

2010 IEEE/SICE International Symposium on System Integration

(SII 2010)

**Sendai, Japan
21 – 22 December 2010**



IEEE Catalog Number: CFP10SST-PRT
ISBN: 978-1-4244-9316-6

TABLE OF CONTENTS

A1: VISION

| | |
|---|----|
| Frame Indexing of the Illumination-based Synchronized High-Speed Vision Sensors | 1 |
| <i>Lei Hou, Shingo Kagami, Koichi Hashimoto</i> | |
| Depth Computation Using Optical Flow and Least Squares..... | 7 |
| <i>Sotirios Ch. Diamantas, Anastasios Oikonomidis, Richard M. Crowder</i> | |
| An Improved Visual Inspection System Using Visual Servo..... | 13 |
| <i>Chuantao Zang, Koichi Hashimoto</i> | |
| Multi-object Recognition on the Basis of Vision and Manipulation | 19 |
| <i>Kazunori Ohno, Peter Andersson, Zhong Lei, Eiji Takeuchi, Satoshi Tadokoro</i> | |
| Vision-based Localization Using Active Scope Camera -accuracy Evaluation for Structure from Motion in Disaster Environment-..... | 25 |
| <i>Michihisa Ishikura, Eiji Takeuchi, Masashi Konyo, Satoshi Tadokoro</i> | |

B1: HUMAN-ROBOT INTERACTION I

| | |
|---|----|
| Assistance System for Bedridden Patients to Reduce the Burden of Nursing Care (First report . Development of a multifunctional electric wheelchair, portable bath, lift, and mobile robot with portable toilet)..... | 31 |
| <i>Toshihiro Yukawa, Nobuhiro Nakata, Goro Obinata, Taira Makino</i> | |
| Development of an Eco-communication Robot for enhanced environmental education | 39 |
| <i>Akira Yamazaki, Ryosuke Masuda</i> | |
| Vision-Based Human State Estimation to Control an Intelligent Passive Walker | 45 |
| <i>Sajjad Taghvaei, Yasuhisa Hirata, Kazuhiro Kosuge</i> | |
| Psychophysical Relationships between Actual and Perceived Weights for Lifting Objects with Power-Assist: Consideration of Constrained and Unconstrained Lifting..... | 51 |
| <i>S. M. Mizanoor Rahman, Ryojun Ikeura, Ishibashi Shinsuke, Soichiro Hayakawa, Hideki Sawai</i> | |

C1: MICRO-NANO SYSTEMS & ACTUATORS

| | |
|--|----|
| Why does a Power Assist Robot System Reduce the Weight of an Object Lifted with It? The Preliminary Results | 57 |
| <i>S. M. Mizanoor Rahman, Ryojun Ikeura, Ishibashi Shinsuke, Soichiro Hayakawa, Hideki Sawai</i> | |
| 3D-Microfluidic Device to Remove Zona Pellucida Fabricated by Mask-less Exposure Technology | 63 |
| <i>Yoko Yamanishi, Takuma Nakano, Yu Sawada, Kazuyoshi Itoga, Teruo Okano, Fumihiito Arai</i> | |
| In-situ TEM Investigation of Stepping Motion of Telescoping Carbon Nanotube..... | 69 |
| <i>Yasuhiro Ode, Masahiro Nakajima, Zhan Yang, Yahachi Saito, Toshio Fukuda</i> | |
| Evaluation of Operating Characteristics of Flemion®-based IPMC with Ionic Liquids Operated in Water | 75 |
| <i>Masaomi Okamoto, Kunitomo Kikuchi, Shigeki Tsuchitani,</i> | |
| Fabrication of Ionic Polymer-Metal Actuator of Microcantilever Type | 80 |
| <i>Ippei Shimizu, Kunitomo Kikuchi, Shigeki Tsuchitani</i> | |
| Development of Flexible Rubber Electrode for Dielectric Elastomer Actuator | 85 |
| <i>Yuuki Kinoshita, Shigeki Tsuchitani, Kunitomo Kikuchi</i> | |

D1: HAPTIC DISPLAYS

| | |
|---|----|
| Perceptual Properties of Vibrotactile Material Texture: Effects of Amplitude Changes and Stimuli beneath Detection Thresholds..... | 90 |
| <i>Shogo Okamoto, Yoji Yamada</i> | |
| Force Display Consisting of a Wheeled Motion Base - Expanding mobility from 3-DOF to 6-DOF - | 96 |
| <i>Susumu Tarao, Hirotugu Kobayashi, Masaya Satoh, Hirokazu Saito</i> | |

| | |
|--|-----|
| Haptic Device Using Flexible Sheet by Tension and Touch Area Control | 102 |
| <i>Kentaro Ujite, Suwoong Lee, Kenji Inoue</i> | |
| Can Multiple Tactile Pressure Stimulation in Gripping Position Induce Virtual Force Directions? | 108 |
| <i>Lope Ben Porquis, Masashi Konyo, Satoshi Tadokoro</i> | |
| Research of Conditions of stimulus for Inducing Grasping Force Control Reflex..... | 114 |
| <i>Tatsuma Sakurai, Shogo Okamoto, Masashi Konyo, Satoshi Tadokoro</i> | |

A2: FIELD ROBOTICS I

| | |
|--|-----|
| Orchard Traveling UGV Using Particle Filter Based Localization and Inverse Optimal Control..... | 120 |
| <i>Keita Kurashiki, Takanori Fukao, Kenji Ishiyama, Tsuyoshi Kamiya, Noriyuki Murakami</i> | |
| Real-time Prediction of Fall and Collision of Tracked Vehicle for Remote-Control Support..... | 126 |
| <i>Ken Sakurada, Shihoko Suzuki, Kazunori Ohno, Eijiyo Takeuchi, Satoshi Tadokoro, Akihiko Hata, Naoki Miyahara, Kazuyuki Higashi</i> | |
| Development of Assistive Technologies for Safe Operation of Electric Wheelchairs on Sloping Sidewalks and Grade Height Differences | 132 |
| <i>Toshinobu Takei, Yusuke Suzuki, Osamu Matsumoto, Yoshitaka Adachi, Yu Sasaki, Mitsuhiro Kamo</i> | |
| Development of the Autonomous Hydraulic Excavator Prototype Using 3-D Information for Motion Planning and Control | 138 |
| <i>Hiroshi Yamamot, O Masaharu Moteki, Hui Shao, Kenzi Ootuki, Yuji Yanagisawa, Yuki Sakaida, Akira Nozue, Takashi Yamaguchi, Shin'Ichi Yuta</i> | |
| Safety Path Planning for Mobile Robot on Rough Terrain Considering Instability of Attitude Maneuver..... | 144 |
| <i>Takeshi Ohki, Keiji Nagatani, Kazuya Yoshida</i> | |

B2: HUMAN-ROBOT INTERACTION II

| | |
|---|-----|
| Adaptation to New User Interactively Using Dynamically Calculated Principal Components for User-Specific Human-Robot Interaction | 150 |
| <i>Md Hasanuzzaman, Tetsunari Inamura</i> | |
| System Design for Forearm Support-Type Lift Assist System (FOLAS): an Intuitively-Operated Power Assist System without Wearing..... | 156 |
| <i>Suwoong Lee, Atsushi Ogawa, Kenji Inoue</i> | |
| Multi-person Human-Robot Interaction System for Android Robot | 162 |
| <i>Yutaka Kondo, Kentaro Takemura, Jun Takamatsu,</i> | |
| An Inverted Pendulum Model for Reproducing Human's Body Dynamics in Waltz and Its Applications in a Dance Partner Robot | 168 |
| <i>Hongbo Wang, Kazuhiro Kosuge</i> | |
| Gesture-World Environment Technology for Mobile Manipulation | 174 |
| <i>Kiyoshi Hoshino, Takuya Kasahara, Naoki Igo, Motomasa Tomida, Toshimitsu Mukai, Kinji Nishi, Hajime Kotani</i> | |

C2: MANIPULATION & GRASPING

| | |
|--|-----|
| End Effector Constrained Path Planning for 7DOF Manipulator | 180 |
| <i>Kyongmo Koo, Xin Jiang, Atsushi Konno, Masaru Uchiyama</i> | |
| Clamp Grasping and Insertion Task Automation for Automobile Industry | 186 |
| <i>Kyongmo Koo, Xin Jiang, Atsushi Konno, Masaru Uchiyama</i> | |
| Robotic Grasping based on Partial Shape Information..... | 192 |
| <i>Zhaojia Liu, Lounell B. Gueta, Jun Ota</i> | |
| Intuitive and Direct Teaching System of Multi-Fingered Hand-Arm Robot for Grasping Task..... | 198 |
| <i>Dongbo Zhou, Yasumichi Aiyama</i> | |
| A Grasp Criterion for Robot Hands Considering Multiple Aspects of Tasks and Hand Mechanisms | 204 |
| <i>Masahiro Sato, Seiji Sugiyama, Tsuneo Yoshikawa</i> | |

D2: COMPUTAION & SENSING DEVICES

| | |
|---|-----|
| Development of an Ultra-miniaturized Inertial Measurement Unit WB-3 for Human Body Motion Tracking | 210 |
| <i>Z. Lin, M. Zecca, S. Sessa, L. Bartolomeo, H. Ishii, K. Itoh, A. Takanishi</i> | |

| | |
|--|-----|
| Development of the Miniaturized Wireless Inertial Measurement Unit WB-4: Pilot Test for Mastication Analysis..... | 216 |
| <i>Z. Lin, M. Zecca, S. Sessa, L. Bartolomeo, H. Ishii, K. Itoh, A. Takanishi</i> | |
| Background Light Effect of a Dynamically Reconfigurable Vision-chip Architecture..... | 222 |
| <i>Retsu Moriwaki, Minoru Watanabe</i> | |
| Multi-context Programmable Optically Reconfigurable Gate Array Using a Silver-halide Holographic Memory | 227 |
| <i>Shinya Kubota, Minoru Watanabe</i> | |

A3: FIELD ROBOTICS II

| | |
|--|-----|
| Development of a Static Sinkage Model for a Biped Robot on Loose Soil | 232 |
| <i>Shunsuke Komizunai, Atsushi Konno, Satoko Abiko, Masaru Uchiyama</i> | |
| Influence Evaluation of Wheel Surface Profile on Traversability of Planetary Rovers..... | 238 |
| <i>Masataku Sutoh, Tsuyoshi Ito, Keiji Nagatani, Kazuya Yoshida</i> | |
| Development of the Snow Dragging Mechanism for an Autonomous Snow Eater Robot | 244 |
| <i>Kazuhisa Mitobe, Ernesto Rivas, Kazuya Hasegawa, Ryuichiro Kasamatsu, Shin-Ichi Makajima, Hiroshi Ono</i> | |
| Integration of a Sub-Crawlers' Autonomous Control in Quince Highly Mobile Rescue Robot. | 249 |
| <i>Eric Rohmer, Kazunori Ohno, Tomoaki Yoshida, Keiji Nagatani, Eiji Konayagi, Satoshi Tadokoro</i> | |

B3: SOFTWARE AND INFORMATION SYSTEMS

| | |
|---|-----|
| System Integration: Development of a Global Network Communication Protocol..... | 255 |
| <i>Sarah Cosentino, Massimiliano Zecca</i> | |
| UK National Health Service Information Systems Implementation: Emergence of and in Informal Groups | 261 |
| <i>Amila S. Wilegoda-Wickramage, Nandish V. Patel</i> | |
| Verification of the Versatility of the RT Modules by the Multiple Robots Platform | 267 |
| <i>Yuki Nomura, Shuhei Ogawa, Takahiro Kikuchi, Atsushi Konno, Masaru Uchiyama</i> | |
| Simulator Platform That Enables Social Interaction Simulation -SIGVerse: Sociointelligence Simulator-..... | 273 |
| <i>Tetsunari Inamura, Tomohiro Shibata, Hideaki Sena, Takashi Hashimoto, Nobuyuki Kawai, Takahiro Miyashita, Yoshiki Sakurai, Masahiro Shimizu, Mihoko Otake, Koh Hosoda, Satoshi Umeda, Kentaro Inui, Yuichiro Yoshikawa</i> | |

C3: BIOMECHANISM

| | |
|---|-----|
| A Class Selection Method Based on a Partial Kullback-Leibler Information Measure for Biological Signal Classification..... | 279 |
| <i>Taro Shibanoki, Keisuke Shima, Takeshi Takaki, Toshio Tsuji, Akira Otsuka, Takaaki Chin</i> | |
| Classification of Combined Motions in Human Joints Through Learning of Individual Motions Based on Muscle Synergy Theory..... | 285 |
| <i>Keisuke Shima, Toshio Tsuji</i> | |
| Dynamics Simulation of a Neuromuscular Model of Ankle Clonus for Neurophysiological Education by a Leg-shaped Haptic Simulator | 291 |
| <i>Takehito Kikuchi, Kunihiko Oda</i> | |

D3: SENSING SYSTEMS

| | |
|---|-----|
| Development of a Laser Scan Method to Decrease Hidden Areas Caused by Objects Like Pole at Whole 3-D Shape Measurement | 297 |
| <i>Akihiko Hata, Kazunori Ohno, Eiji Takeuchi, Satoshi Tadokoro, Ken Sakurada, Naoki Miyahra, Kazuyuki Higashi</i> | |
| Circle Detection and Fitting Based Positioning System Using Laser Range Finder | 303 |
| <i>Xiangqi Huang, Takeshi Sasaki, Hideki Hashimoto, Fumihiro Inoue</i> | |
| Accelerometer Detection in a Camera View Based on Feature Point Tracking | 309 |
| <i>Yuichi Maki, Shingo Kagami, Koichi Hashimoto</i> | |

A4: VR SYSTEMS

| | |
|---|-----|
| 3D Measurement of a Surface Point Using a High-speed Projector-camera System for Augmented Reality Games | 315 |
| <i>Kota Toma, Shingo Kagami, Koichi Hashimoto</i> | |
| Simulation of Surgical Dissection Using a Dynamic Deformation Model | 321 |
| <i>Xiaoshuai Chen, Masano Nakayama, Atsushi Konno, Xin Jiang, Satoko Abiko, Masaru Uchiyama</i> | |
| A Hand Glass Interface to Explore 3D Virtual Space | 327 |
| <i>Kazuyuki Shishido, Yuichi Tsumaki</i> | |
| Presentation Technique of 2-D Diagram Utilizing Touch-sensitive Visual Display and Loudspeaker Matrix: Aurally Presentation of the Corresponding Line Direction to Contact Position..... | 333 |
| <i>Junya Suzuki, Takahiro Miura, Mayumi Tsuchiya, Hiroaki Shinohara, Tohru Ifukube</i> | |

B4: MOBILE ROBOTS

| | |
|--|-----|
| Manipulation of an Irregularly Shaped Object by Two Mobile Robots | 339 |
| <i>Zhaojia Liu, Hiromasa Kamogawa, Jun Ota</i> | |
| Design and Evaluation of an Embedded System Based SLAM Applications | 345 |
| <i>Bastien Vincke, Abdelhafid Elouardi, Alain Lambert</i> | |
| Velocity Variation System for Mobile Robot..... | 351 |
| <i>Masaharu Komori, Jungchul Kang, Yukihiko Kimura, Fumi Takeoka,</i> | |

C4: BIOINSTRUMENTATION

| | |
|--|-----|
| Rhythmic Components of Spatio-temporally Decorrelated EEG Signals Based Common Spatial Pattern | 357 |
| <i>Manoj Kumar Mukul, Fumitoshi Matsuno</i> | |
| Comparative Study between Subband and Standard ICA/BSS method in Context with EEG Signal for Movement Imagery Classification..... | 363 |
| <i>Manoj Kumar Mukul, Fumitoshi Matsuno</i> | |
| Fluorescent Microscope System to Track a Particular Region of C. elegans..... | 369 |
| <i>Mitsunori Maru, Yasunobu Igarashi, Shogo Arai, Koichi Hashimoto</i> | |
| Lung Tumor Motion Prediction Based On Multiple Time-Variant Seasonal Autoregressive Model for Tumor Following Radiotherapy | 375 |
| <i>Kei Ichiji, Masao Sakai, Noriyasu Homma, Yoshihiro Takai, Makoto Yoshizawa</i> | |

A5: INNOVATIVE MECHANISMS & SYSTEMS

| | |
|--|-----|
| Integrated Experimental Environment for Orbital Robotic Systems, using Ground-Based and Free-Floating Manipulators..... | 381 |
| <i>Naohiro Uyama, Harvard Lund, Koki Asakimori, Yuki Ikeda, Daichi Hirano, Hiroki Nakanishi, Kazuya Yoshida</i> | |
| A Bio-inspired Compliant Claw for Arboreal Locomotion in Microgravity Environments | 387 |
| <i>Robert Matthew, Harvard Lund, Kazuya Yoshida</i> | |
| Development of a Human Type Legged Robot with Roller Skates..... | 393 |
| <i>Ken Itabashi, Masaaki Kumagai</i> | |
| Development of a laser processing head to inspect and repair the damage inside of a half-inch pipe..... | 399 |
| <i>Mamiko Ito, Akihiro Naganawa, Kiyoshi Oka, Katsuaki Sunakoda</i> | |

B5: AERIAL SYSTEMS

| | |
|---|-----|
| The Balloon-Borne Telescope system for optical observation of planets | 405 |
| <i>Toshihiko Nakano, Yuji Sakamoto, Kazuya Yoshida , Toshinori Kuwahara, Yasuhiro Shoji, Makoto Taguchi, Mutumi Yamamoto, Yukihiro Takahashi</i> | |
| Autonomous Flight of Small Helicopter with Real-Time Camera Calibration | 411 |
| <i>Takanori Matsukawa, Shogo Arai, Koichi Hashimoto</i> | |
| Autonomous Takeoff and Landing of an Unmanned Aerial Vehicle..... | 417 |
| <i>Kouji Masuko, Ippei Takahashi, Shuhei Ogawa, Meng-Hung Wu, Atsushi Oosedo, Takaaki Matsumoto, Kenta Go, Fumihito Sugai, Atsushi Konno, Masaru Uchiyama</i> | |

| | |
|---|-----|
| Design and Simulation of a Quad Rotor Tail-Sitter Unmanned Aerial Vehicle | 423 |
| <i>Atsushi Oosedo, Atsushi Konno, Takaaki Matumoto, Kenta Go, Kouji Masuko, Satoko Abiko, Masaru Uchiyama</i> | |

C5: CONTROL & LEARNING

| | |
|--|-----|
| Decomposed Dynamic Control for Flexible Manipulator in Consideration of Nonlinearity –Rigid Dynamic Control–..... | 429 |
| <i>Haibin Yin, Yukinori Kobayashi, Yohei Hoshino, Takanori Emara</i> | |
| Realization and Analysis of Giant-Swing Motion Using Q-Learning..... | 435 |
| <i>Nozomi Toyoda, Tomohiro Yokoyama, Naoki Sakai, Tetsuro Yabuta</i> | |
| Attitude Control System of Micro Satellite RISING-2 | 443 |
| <i>Kazufumi Fukuda, Toshihiko Nakano, Yuji Sakamoto, Toshinori Kuwahara, Kazuya Yoshida, Yukihiro Takahashi</i> | |
| An Automated Four-DOF Robot Screw Fastening Using Visual Servo..... | 449 |
| <i>S. Pitipong, P. Pornjit, Watcharin P.</i> | |
| Author Index | |