

5th Asian Rock Mechanics Symposium 2008

(ARMS5)

**Tehran, Iran
24-26 November 2008**

Volume 1 of 2

Editors:

Abbas Mahdi

Abdolhadi Ghazvinian

ISBN: 978-1-61782-352-7

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2008) by the International Society for Rock Mechanics
All rights reserved.

Printed by Curran Associates, Inc. (2011)

For permission requests, please contact the International Society for Rock Mechanics
at the address below.

International Society for Rock Mechanics
c/o LNEC Av. Brasil, 101
1700-066 Lisboa Portugal

Phone: (+351) 218443419
Fax: (+351) 218443021

secretariat.isrm@lnec.pt

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

CONTENTS

Preface

Organization

| | |
|--|----------|
| KEYNOTE LECTURES (<i>Alphabetical order</i>) | 1 |
| New Directions of Rock Mechanics and Rock Engineering: Geomechanics and Geoengineering <i>Ö. Aydan</i> | 3 |
| Important Aspects of Petroleum Reservoir and Crustal Permeability and Strength at Several Kilometers Depth <i>N. R. Barton</i> | 23 |
| Reflections on New Horizons in Rock Mechanics Design: Theory, Education and Practice <i>Z. T. Bieniawski</i> | 37 |
| Slurry Fracture Injection of Petroleum and Municipal Sanitation Wastes <i>M.S. Bruno</i> | 51 |
| Geotechnical Behavior of Sedimentary Argillaceous Rocks <i>S. A. B. da Fontoura</i> | 59 |
| Recent Development and Applications of Intelligent Rock Mechanics <i>X. T. Feng</i> | 73 |
| Microwave Assisted Drilling and its Influence on Rock Breakage: A Review <i>F. Hassani, P. Radziszewski and J. Ouellet</i> | 87 |
| The Future for Rock Mechanics and the ISRM <i>J. A. Hudson</i> | 105 |

| | |
|--|------------|
| Recent Developments on Rock Joint Roughness, and Rock Joint and Rock Mass Strength and Deformability | 119 |
| <i>P. H. S. W. Kulatilake</i> | |
| Prediction of Fault Zones Ahead of Tunnel Face Using 3-D Displacement Monitoring | 133 |
| <i>C. I. Lee, Y. J. Park and K. Y. Kim</i> | |
| Joint Factor Concept in Solving Rock Engineering Problems | 147 |
| <i>T. Ramamurthy</i> | |
| Observational Method in Rock Engineering | 157 |
| <i>H. Stille and M. Holmberg</i> | |
| Rock Failure, Wave Propagation and Tunnel Stability under Dynamic Loads | 167 |
| <i>J. Zhao, Y. X. Zhou and G. W. Ma</i> | |
| Rock Characterization and Site Investigation | 183 |
| Investigation of Swelling Potential of Marls (Case Study) | 185 |
| <i>R. Ajalloeian, M. Jafarkhalou, R. Yazdankhah and M. Dehghanian</i> | |
| Effect of Anisotropy and Confining Stress on Rock Mass Deformation Modulus at Javeh Dam Site (Iran) | 191 |
| <i>H. Aliasghari and S. Hashemi</i> | |
| Mixed Mode I/II Crack Growth Asseessment for Dehbid Marble | 197 |
| <i>M. R. M. Aliha, M. R. Ayatollahi and B. Kharazi</i> | |
| Determination of Shear Fracture Resistance of Rocks | 205 |
| <i>M. R. Ayatollahi, M. R. M. Aliha and R. Pakzad</i> | |
| The Inference of Mechanical Properties of Rocks from Penetration Tests | 213 |
| <i>Ö. Aydan , S. Watanabe and N. Tokashiki</i> | |
| Confining Pressure Unloading with Axial Force Fixed Tests on Marble and its Time-Effect Property Study | 221 |
| <i>B. Wang, J. B. Zhu, A. Q. Wu and Z. M. Xiong</i> | |

| | |
|---|-----|
| A Simple Practical Method to Determine the Biot Coefficient for Hydromechanical Analyses | 227 |
| <i>S. Bodaghabadi and S. J. Moosavi</i> | |
| Laboratory Study of Permeability in low Permeability Medium | 231 |
| <i>W. Z. Chen, J. P. Yang, G. J. Wu, X. J. Tan, S. P. Jia, Y. H. Dai, H. D. Yu</i> | |
| Investigation on Deformability Modulus of Asmary Formation Rock Mass, by Dilatometer Tests | 239 |
| <i>A. Dadi Givshad, H. Memarian and F. Rezaei</i> | |
| Swelling of Weak Rocks, Effective Parameters and Controlling methods | 247 |
| <i>R. Doostmohammadi and M. Moosavi</i> | |
| Interpretation of Plate Loading Test Results on major Projects | 255 |
| <i>L. Faramarzi and H. Fatahi</i> | |
| Determination of In-Situ Shear Strength of Rock-Concrete Contact Surface at the Abutments of a Concrete Dam | 261 |
| <i>M. Gharouni-Nik and S. Hashemi</i> | |
| Determination of the Failure Mode in Rock Bridge Using Neural Network Tools | 267 |
| <i>A. H. Ghazvinian, S. Setayeshi, V. Sarfarazi and S. A. Moosavi</i> | |
| Effect of the Back Rake Angle and Groove Geometry in Rock Cutting | 275 |
| <i>M. Ghoshouni and T. Richard</i> | |
| Rock Mechanics Tests for the Baixo Sabor Main Dam | 285 |
| <i>N. F. Grossmann and J. P. Neves</i> | |
| Comparing Different In-Situ Methods for Measuring Deformability Characteristics of Rock Masses in Roudbar Lorestan (Iran) | 293 |
| <i>S. Hashemi and M. Gharouni-Nik</i> | |
| Capability of a Rational Function as Rock Failure Criterion Considering Brittle-Ductile Transition | 299 |
| <i>M. Hashemi, A. H. Ghazvinian and A. Taghichian</i> | |

| | |
|--|-----|
| S-wave Velocity Structure Estimated by the Microtremor Survey Method <i>H. Hayashi, S. Ling and T. Kondo</i> | 307 |
| Evaluation of Stress Mode in the Hydropower Station of Bakhtyari Dam, Iran <i>S. Hosseini-zadeh, H. Jalalifar, S. Karimi-Nasab, F. Rafia and A. M. Radman</i> | 315 |
| Shear Behavior of Rock Pile Material with Oversize Particles <i>H. Hosseinpour and A. Fakhimi</i> | 321 |
| The Analysis on Dynamic Rheological Parameters and Influencing Factors of Soft Rock Soil <i>H. Hua</i> | 331 |
| Creep Characteristics of Tuff in the Vicinity of Zelve Antique Settlement in Cappadocia Region of Turkey <i>T. Ito, Ö. Aydan, R. Ulusay and Ö. Kasmer</i> | 337 |
| The Effect of Water Saturation on the Strength of Marbles <i>S. Kahraman, O. Gunaydin and M. Fener</i> | 345 |
| Acoustic Emission Signal Processing Based on Wavelet Analysis <i>Y. M. Kang</i> | 353 |
| Comparing the Results of Acoustic Emission Monitoring in Brazilian and Uniaxial Compression Tests <i>M. Keshavarz, F. L. Pellet, K. Amini Hosseni and C. Rousseau</i> | 357 |
| Derivation of Input Parameters Using for Analysis of Ground Subsidence Due to Very Shallow Longwall Mining in Tabas Coal Field of Iran <i>E. Khatibi, K. Shahriar and B. Ferdowsi</i> | 365 |
| Proposal of Ground Evaluation Method by Polyhedron Transparent Borehole Casing <i>E. Kondo, M. Nakamura and M. Yagisawa</i> | 371 |
| Application of AE for Determining In Situ Stress at UG Mine <i>S. Kramadibrata, R. K. Wattimena, I. Kamil, M. A. Rai and E. Widijanto</i> | 379 |

| | |
|---|-----|
| Lithology Prediction of Fahliyan Formation Based on Rock Physics Studies in Two Wells of Two Neighbor Oil Fields, Southwest of Iran | 387 |
| <i>B. Mahbaz and H. Memarian</i> | |
| Development of the Strain Rockburst Test in China | 393 |
| <i>M. C. He, J. L. Miao, J. L. Feng and D. J. Li</i> | |
| Influence of Intact Rock Properties on TBM Penetration Rate in Karaj-Tehran Water Conveyance Tunnel | 401 |
| <i>M. Mansouri, S. R. Torabi, O. Forough and K. Goshtasbi</i> | |
| The Impression Creep Test as a New Method for Fast Measurement of Creep in Soft Rocks | 407 |
| <i>M. Moosavi, M. Jafari and F. S. Rassouli</i> | |
| Analysis of the Shear Strength of Rock and Concrete Joints Using Results of the Constant Normal Load Shear Test | 415 |
| <i>Z. A. Moradian, G. Ballivy, C. Gravel and K. Saleh</i> | |
| Role of the Texture Characteristics on the Strength Properties of Crystalline Rocks | 423 |
| <i>H. Noferesti and K. S. Rao</i> | |
| Simultaneous Relationship Between Mechanical Properties and Index Tests of Intact Rocks | 431 |
| <i>R. Noorani and A. H. Ghazvinian</i> | |
| Effect of Joint Stiffness Values on Stresses of Jointed Rocks | 437 |
| <i>A. Noorzad and M. Aminpoor</i> | |
| Problems from Weak Rock Behavior in Operation of a Cut-and-fill Pond of a Pumped Storage Scheme | 445 |
| <i>N. Phienwej</i> | |
| Effect of Chlorides Solution on the Electrochemical and Physico-Chemical Properties of Western Venezuelan Shale | 451 |
| <i>C. Rabe, F. V. Artola and J. A. O. Cherrez</i> | |

| | |
|--|-----|
| Laboratory Characterization of Norwegian North Sea Shale | 459 |
| <i>C. Rabe and J. A. O. Cherrez</i> | |
| Experimental Study on Crack Development in Rock Mass due to Strike-Slip Faulting | 467 |
| <i>A. Sato, K. Tani and M. Sawada</i> | |
| Geomechanical Properties along the First 10+400 KM of the Qomroud Long Tunnel Project in Iran | 475 |
| <i>A. Shafiei and M. B. Dusseault</i> | |
| Rock Mass Characterization at Kangir Dam Site in Iran | 483 |
| <i>A. Shafiei and M. B. Dusseault</i> | |
| Rock Mass Characterization along Lot No. 6 of Dez-Qomroud Tunnel project in iran | 499 |
| <i>A. Shafiei, M. B. Dusseault, H. Rahdar and S. Mesgarzadeh</i> | |
| Modulus Measurement with Flexible Dilatometer: Case Study of Siah Bishe Power plant | 511 |
| <i>M. R. Shahverdiloo</i> | |
| Proposal of a New Multiple-Step Loading Triaxial Compression Testing Method | 517 |
| <i>A. Taheri and K. Tani</i> | |
| Interpretation of Hydraulic Fracturing Pressure-Time Records to Evaluate In-Situ Stress Measurement Parameters | 525 |
| <i>N. Valinezhad, H. Ghasemzadeh and B. Pahlavan</i> | |
| Estimating the Poisson's Rate Value of the Rock Masses | 533 |
| <i>B. Vásárhelyi</i> | |
| Estimating Rock Mass Long-Term Strength Using In-Situ Measurement and Testing Results | 537 |
| <i>R. K. Wattimena, M. A. Rai, S. Kramadibrata, I. Arif and B. Dwinagara</i> | |
| A New Empirical Criterion for Prediction of the Shear Strength of Natural Infilled Rock Joints Under Constant Normal Load (CNL) Conditions | 543 |
| <i>M. Zare, R. Kakaie, S. R. Torabi, S. M. E. Jalali</i> | |

| | |
|--|------------|
| Ground Improvement and Rock Slope Stability | 551 |
| Rock Slopes: Pole Counting or All-Wedge Analysis? | 553 |
| <i>A. J. Gonzalez-Garcia</i> | |
| Sarcheshmeh Pseudowedge Failure, A New Challenge in Expanding Western Sector of Sarcheshmeh Copper Mine, Iran | 559 |
| <i>N. Babanouri and S. Karimi-Nasab</i> | |
| Stress Model Generated by Freezing-Thawing Process in Rock Cracks | 567 |
| <i>M. Bost and A. Pouya</i> | |
| Hazard Evaluation of Rock-Fall Induced by Quarry-Blasting | 575 |
| <i>M. Coli, G. Pini and C. Cantini</i> | |
| Contact Detection Considering Force Direction in Discontinues Deformation Analysis | 583 |
| <i>H. Ghasemzadeh, M. A. Ramezanpoor</i> | |
| Influence of Load Direction on Parallel Fractured Rock Stress and Strain | 591 |
| <i>H. Ghasemzadeh, M. A. Ramezanpoor</i> | |
| Bishop's Simplified Method and Particle Swarm Optimization for Location the Critical Failure Surface in Rock Slope Stability Analysis | 597 |
| <i>E. Javadzadeh and R. Javadzadeh</i> | |
| Technology and application of reinforcing coal mine tunnel with carbon fibre reinforced plastic sheets | 605 |
| <i>X. Y. Lu and Q. Y. Ma</i> | |
| Effects of Geostructural Weaknesses on Flexural Toppling Failure Based on Principles of Solid and Fracture Mechanics | 611 |
| <i>A. Majdi and M. Amini</i> | |
| Hydrulic Investigations and Grouting Improvements Applied to Dam Sites in Brazil | 619 |
| <i>E. F. Quadros and R. A. Abrahão</i> | |

| | |
|---|------------|
| Evaluation of Permeability and Gruotability in Rock Mass of Ostur Dam Site | 627 |
| <i>S. M. Sadeghiyeh, M. Hashemi and R. Ajalloeian</i> | |
| Slope Failure Analysis in Road Cut Slope by Numerical Method | 635 |
| <i>K. Sarkar and T. N. Singh</i> | |
| Relationship Between Bearing Performance and Modulus in the Composite Foundation Improved by Flexible Piles | 643 |
| <i>F. Y. Tan, L. Zhao and X. Z. Wang</i> | |
| The Relationship Between Rheological Characteristics and Slope Stability of Siltized Intercalation of Brown Mudstone | 647 |
| <i>T. Yang, Y. F. Feng, Y. Rui, J. Liu, L. Shen and H. Yang</i> | |
| Stability Analysis of Excavation Unloading on the Shuibuya Spillway Slope | 653 |
| <i>L. Wang, J. Li, X. Wang, H. Deng, H. Mei and Z. Tao</i> | |
| Internal force Features of Anti-Slide Piles During its Operations and Analysis on the Effectiveness of Landslide Control | 661 |
| <i>D. P. Zhu, Q. L. Deng and E. C. Yan</i> | |
| Bedrock Slope Failures in Tri-State Region | 667 |
| <i>M. Zoghi and J. Mahar</i> | |
| Underground Stability | 673 |
| Some Aspects of Model Uncertainties of Block Stability Estimation | 675 |
| <i>M. Bagheri and H. Stille</i> | |
| The Study of Concrete Arc Pre-Supporting System Method in Twin Shallow Tunnels (Case Study: Tohid Twin Tunnels, Tehran, Iran) | 683 |
| <i>H. Chakeri and B. Ferdowsi</i> | |
| Characterization of Complete Radial Displacement of Tunnel Using a Horizontal Inclinometer | 691 |
| <i>S. K. Chung, D. W. Ryu, W. I. Jang and H. S. Yang</i> | |

| | |
|---|-----|
| An Elastic-Viscose Solution for Estimating Displacements of Circular Tunnels in Hydrostatic Stress Field | 697 |
| <i>A. Fahimifar and F. Monshizade Tehrani</i> | |
| Design of Radial Active Grouted Rockbolts in Tunnel Stability with a New Theoretical Approach | 703 |
| <i>A. Fahimifar and M. Ranjbarnia</i> | |
| Geo-Mechanical Aspects of the Subsidence Phenomenon Due to Near Surface Excavations in Rocks Under High Horizontal Stresses | 713 |
| <i>M. Fatehi Marji, A. Dabagh and A. R. Hajibagherpoor</i> | |
| Influence of the Mechanical Behaviors of Weak Rocks on the Stability Analysis of Behesht Abad Water Transmission Tunnel | 719 |
| <i>M. Fatehi Marji, A. Pourzargar and M. Hashemi</i> | |
| Design of a Railway Tunnel | 727 |
| <i>R. K. Goel, A. Swarup, A. Garg and R. K. Dayal</i> | |
| Safety Analysis of the Spillway Tunnel on Granite Region with Developed Fault Fractured Zone | 737 |
| <i>K. C. Han, D. W. Ryu and S. K. Kim</i> | |
| Behavior of Contact Surfaces in Segmental Lining Under Dynamic Loading in Alborz Tunnels (Tehran-Shomal Freeway) | 745 |
| <i>M. Hazrati Aghchai and H. Salari-Rad</i> | |
| State of the Art and Current Design Approaches in Hard Rock TBM Tunnelling | 753 |
| <i>M. Herrenknecht and K. Bäppler</i> | |
| Stability Analysis of Headrace Tunnels in Siah-Bisheh Dam and Powerhouse Project | 761 |
| <i>H. Hassani, H. Zamani and M. Shahandeh</i> | |
| Mine Accidents Due to Strata Control Problems Vis-À-Vis Geotechnical Investigations | 767 |
| <i>S. Jayanthu, Y. V. Rao, V. Laxminarayana and M. Monjezi</i> | |

| | |
|---|-----|
| Microseismic Assessment of Reactivation of Weak Structures During Mining for Longwall Risk Management and Production Control <i>X. Luo</i> | 777 |
| An Investigation into the Compressive Strength and Failure Mechanism of Mine Pillars <i>H. Moomivand and V. S. Vutukuri</i> | 783 |
| Progressive Failure of 2D Symmetric Roof Rock Wedges <i>P. P. Nomikos and A. I. Sofianos</i> | 793 |
| Response of Horizontally Stratified Square Rock Roofs <i>P. P. Nomikos, A. Tzinieris and A. I. Sofianos</i> | 801 |
| Prediction of Displacements in Tunnels <i>N. Radončić, T. Pilgerstorfer and W. Schubert</i> | 809 |
| An Evaluation of Rock Mass Classification Methods Used for Tunnel Support Design <i>J. Ranasooriya and H. Nikraz</i> | 819 |
| Design and Construction of Tunnels in Poor and Faulted Rock Masses <i>W. Schubert</i> | 827 |
| Successful Tunneling through a Very Weak Conglomerate <i>A. Shafiei, M.B. Dusseault, H. Rahdar and S. Mesgarzadeh</i> | 835 |
| Design of High Speed Railway Tunnel in a Large Sized Fault Zone <i>H. S. Shin and S. O. Choi</i> | 845 |
| Proposal of Countermeasure against Fault Rupture Damages to Mountain Tunnels <i>K. Tani</i> | 853 |
| Study on Relationship between Stress Fields of Deep-Buried Tunnels in a Hydraulic Power Plant <i>C. H. Wang, Q. L. Guo and Y. S. Zhang</i> | 861 |

| | |
|--|------------|
| Study on Numerical Simulation of the Stability of Rocks Surrounding Gateway with Different Wide Coal-Pillars in Fully Mechanized Top-Coal Caving | 869 |
| <i>K. Yang, G. X. Xie, J. C. Chang</i> | |
| Stability Analysis Based On Monitoring Results, Case Study: TBM Launch Cavern Asgaran-Ghomroud | 875 |
| <i>M. Zare, H. Tavakoli</i> | |
| Rock Stresses and Their Influence on Tunnel Behaviour | 881 |
| <i>Y. Zhou, H. L. Ong, and J. Wong</i> | |
| Rock Dynamics and Foundation on Rocks | 889 |
| Three Dimensional Numerical Modeling of Stress-Dependent Permeability Considering Aperture Distribution through Fractured Rock Masses Case Study: Roudbar Dam Foundation | 891 |
| <i>J. Abbasi, M. Sharifzadeh and B. Ferdowsi</i> | |
| Numerical Dynamic Analysis of Seismic Effect on SiahBisheh Pump-Storage Caverns | 899 |
| <i>M. Ahmadi, M. Yazdani and A. Rahnama</i> | |
| The Role of Shape in Stress Distribution around Openings and its Implications for Long-Term Survivability of Civil Structures in an Earthquake Zone | 907 |
| <i>Y. Ates and Y. Askin</i> | |
| The Seismic Effects on the Bukit-Tingi WWII Underground Shelter by 2007 Singkarak (Solok) Earthquake | 917 |
| <i>Ö. Aydan and M. Geniş</i> | |
| An Experimental Study on the End Bearing Capacity of Rock-Socketed Drilled Shaft | 925 |
| <i>S. Choi, W. Park and S. Jeon</i> | |
| Blast Induced Pressures in Some Granitic Rocks | 933 |
| <i>M. M. Dehghan Banadaki and B. Mohanty</i> | |

| | |
|--|------------|
| Experiments and Analysis of Influence on Vibratory Load to Shear Strength of Red Clay | 941 |
| <i>H. Hua and C. Yong</i> | |
| Application of Energy Concentration Effect in Rock Drilling Blast | 947 |
| <i>L. X. Huang</i> | |
| Reinforcement Force Analysis and Evaluation for Downstream Toe of High Arch Dam | 953 |
| <i>P. Lin, R. K. Wang, Q. Yang, Y. N. Zhou and W. Y. Zhou</i> | |
| Rock Burst Possibility Analysis Based on In-Situ Stress Index and Numerical Simulation Validation at a Underground Water-Sealed Oil Storage Cavern | 959 |
| <i>L. Liu, C. Wang, Q. Chen and J. Zhang</i> | |
| The Dynamic Response of Rocks during Fracturing and its Implications in Geo-Engineering and Earth Science | 965 |
| <i>Y. Ohta, Ö. Aydan and N. Tokashiki</i> | |
| Reliability Analysis of Rock Foundation | 973 |
| <i>L. Rouaski and S. Belkacemi</i> | |
| Instrumentation, Monitoring and Numerical Analysis in Geomechanics | 981 |
| An elasto-plastic damage model in multi-laminate framework | 983 |
| <i>R. Ashjari and M. Ahmadi</i> | |
| A Numerical Investigation of Hydraulic Fracturing Process in Oil Reservoirs Using Non-Linear Fracture Mechanics | 991 |
| <i>V. Bahrami and A. Mortazavi</i> | |
| Dynamic Modelling of Twin Tunnels Under Seismic Action | 999 |
| <i>A. Bagherzadeh, B. Ferdowsi and A. H. Vosogh</i> | |
| A Coupled Normal-Shear Damage Model for Rock Joint Elements | 1007 |
| <i>P. Bemani Yazdi and A. Pouya</i> | |

| | |
|---|------|
| Geomechanical Effects of Gas Storage in Depleted Gas Fields <i>N. Castelletto, M. Ferronato, G. Gambolati, C. Janna, I. Salce and P. Teatini</i> | 1015 |
| Determination of Ground Response Curve of the Supported Tunnel Considering Progressive Hardening of Shotcrete Lining <i>A. Fahimifar and A. R. Hedayat</i> | 1023 |
| Loy Yang Mine Ground Movement Investigation and Modelling (Case Study) <i>A. Farazmand, J. Missen and S. Newcomb</i> | 1031 |
| On the Boundary Element Analysis of Stresses and Strains Around Underground Excavations in Rocks <i>M. Fatehi Marji, A. Hosseini Morshedy and A. R. Shadpour</i> | 1039 |
| Simulation of Hydraulic Fracturing in Brittle Rocks <i>A. Golshani and T. Tran-Cong</i> | 1047 |
| The Exact Formulation of Joint-Element Stiffness Matrix in Element Free Galerkin Method <i>M. Hajiazizi, N. Hataf and A. Ghahramani</i> | 1055 |
| Towards a Three-Dimensional Version of Numerical Manifold Method <i>L. He and G.W. Ma</i> | 1061 |
| Stability Analysis of Right Pressure Shaft at Siah-Bishe Pumped Storage Project; Iran <i>A. Karimi and M. Moosavi</i> | 1069 |
| A Bonded Particle Modelling for Rock Material <i>T. Kazerani and J. Zhao</i> | 1077 |
| Identifying Common Area of Blocks in Face-to-Face Contact State in Main Plane Method of Contact Detection for 3D-DDA <i>S. A. R. Keneti and A. Jafari</i> | 1085 |
| Finite Element Study of Blast-Induced Vibration from Construction of Tunnels with Particular Emphasis on its Effect to Nearby Slopes <i>A. K. L. Kwong and J. Y. C. Lo</i> | 1093 |

| | |
|--|------|
| Modeling Initiation of Hydraulic Fractures from a Wellbore | 1101 |
| <i>A. Lakirouhani, A. Bunger and E. Detournay</i> | |
| Development of Reinforcement module in serial and parallel Lagrangian Analysis Program | 1109 |
| <i>Z. Li, Sh. Fu, L. Zeng and R. Dai</i> | |
| Three-Dimensional Damage Model for Heterogeneous Rock Failure Process and Numerical Tests | 1117 |
| <i>Z. Z. Liang, C. A. Tang, L. C. Li and Y. B. Zhang</i> | |
| Numerical Analysis of the Effect of Joint Geometric Parameters on Grouting Process in Jointed Rock Mass | 1125 |
| <i>A. Maadikhah and A. Mortazavi</i> | |
| Determination of Stress Intensity Factors for Jointed Brittle Rock Medium Using Element Free Galerkin Method | 1135 |
| <i>H. Mirzaei, R. Kakaie and B. Hassani</i> | |
| Simulation of Rock True Tri-Axial Compression Test Using a Multilaminate Elastoplastic Model | 1143 |
| <i>M. Nikkhah, S. A. Sadrnejad, M. Ahmadi</i> | |
| Numerical Analysis of Coupled Behavior of Ground Water Flow Around an Excavation Damaged Zone in Discontinuous Rock Mass | 1151 |
| <i>J. S. Park, D. W. Ryu, C. I. Lee and C. H. Ryu</i> | |
| Numerical Simulation of Direct Shear Test on Rock Joint Using PFC3D | 1159 |
| <i>J. W. Park and J. J. Song</i> | |
| Three-Dimensional Transient Thermo-Hydro-Mechanical Analysis of Underground Nuclear Repository | 1167 |
| <i>S. K. Patel and K. G. Sharma</i> | |
| Numerical Study of Rock and Concrete Behavior by Multi-laminate Element Modeling | 1175 |
| <i>S. A. Sadrnejad</i> | |

| | |
|--|-------------|
| Modeling Heterogeneity and Anisotropy of Rocks | 1183 |
| <i>S. A. Sadrnejad</i> | |
| Crack Propagation Modeling of Rock-Like Materials from Surface Flaw Under Uniaxial Compression | 1191 |
| <i>S. B. Tang, C. A. Tang, R. H. C. Wong, Z. Z. Liang, Y. B. Zhang, L. C. Li and T. H. Ma</i> | |
| Numerical Research on Zonal Disintegration of Rock Mass Around Deep Tunnel | 1199 |
| <i>Y. B. Zhang, C. A. Tang, Z. Z. Liang, Y. J. Zuo and Y. J. Zhang</i> | |
| Numerical Simulation on Influence of Rock Heterogeneity on Dynamic Response of Roadway in Transversely Isotropic Rock Mass | 1207 |
| <i>Y. J. Zuo, C. A. Tang and S. C. Li</i> | |
| Earth Resources and Coupled Processes in Rock Mechanics | 1215 |
| Effect of Water Flow Velocity in Rock Discontinuities on Safety Factor | 1217 |
| <i>M. Ahmadi and M. Islami</i> | |
| Study on the Range of Frost-Thaw of Surrounding Rock and the Effects of Insulation Material in Cold Regions | 1221 |
| <i>W. Z. Chen, X. J. Tan, J. P. Yang and S. Huang</i> | |
| Estimation of the Rock Strength While Drilling with Roller-cone Bits | 1229 |
| <i>L. F. Franca and A. Mahjoob</i> | |
| Magnitude of In-Situ Stresses in Sabalan Geothermal Reservoir | 1237 |
| <i>M. Haftani, B. Bohloli, M. Eliassi and B. Talebi</i> | |
| Investigation of Cementation Factor “M” in Reservoir Parameters Estimation “A Case Study of Sarvak Formation in One of The Iranian Hydrocarbon Fields” | 1245 |
| <i>H. Hassani and H. Hassani</i> | |
| Coupled Fluid-Flow and Geomechanics in Naturally Fractured Reservoirs | 1253 |
| <i>M. R. Jalali and M. B. Dusseault</i> | |

| | |
|--|-------------|
| Interpretation of Mechanical Integrity Tests | 1263 |
| <i>M. Karimi-Jafari, P. Berest, B. Brouard and L. Van Sambeek</i> | |
| Coupled Thermo-Hydro-Mechanical Analyses of Thermal Effects on Fluid Flow with 2D Finite Element Method | 1271 |
| <i>L. C. Li, C. A. Tang, S. B. Tang and G. Li</i> | |
| Application of Kriging as a Geostatistical method and ANNs to Permeability Analysis at Ag-chaie Dam, Iran | 1279 |
| <i>S. Nadimi, D. Javani and K. shahriar</i> | |
| Stochastic Finite Elements in a Complex System: Vibrating Non Stationary Fluid Flow, Mass Transport, Heat Conduction | 1285 |
| <i>S. Osmani and M. Qirko</i> | |
| Using a Geomechanics Study to Define the Optimum Mud Window and the Best Trajectory to be Re-Drilling the Horizontal Bor-30 Well, Borburata Field, Venezuela | 1295 |
| <i>C. Rabe, M. Prado, D. Escalona, and S. Soto</i> | |
| Joint Study Based on K-Means Clustering, Asmari Formation, South West Iranian Oil Fields | 1303 |
| <i>B. Tokhmechi, H. Memarian, H. Ahmadi Noubari and B. Moshiri</i> | |
| A Coupled Model for Brittle Porous Rocks with Stress-dependent of Permeability | 1309 |
| <i>T. Xu, C. A. Tang and L. C. Li</i> | |
| Research of Cracks' Propagation Rule under Rock Seepage-stress Coupling Condition | 1317 |
| <i>N. Zhuang, B. B. Shi and K. Z. Zhu</i> | |
| Building Stones /Ornamental Stones | 1323 |
| Sawing Problems of Poly-Mineral Carbonate Natural Stone | 1325 |
| <i>S. Kulaksiz, F. Bayram, N. E. Yaşitli and E. Yilmazkaya</i> | |

| | |
|---|-------------|
| New Development, Special Topics and Applications in Rock Mechanics | 1331 |
| Rock Cutting by Picks and Blades | 1333 |
| <i>H. Alehossein</i> | |
| Investigation of Combined Opening –Sliding Fracture Toughness Behaviour in Some Cracked Rock Samples | 1339 |
| <i>M. R. Ayatollahi and M. R. M. Aliha</i> | |
| Study of Deformability of Fractured Rocks with Correlated Fracture Length and Aperture | 1347 |
| <i>A. Baghbanan and L. Jing</i> | |
| Simulation of the Bayanlou Debris Flow through Cellular Automata Modeling | 1355 |
| <i>A. Fahimifar and S. Amirpour</i> | |
| Protection Against Rockfall Hazards by the Means of Rockfall Barriers (Case Study of Kamarkhani Project) | 1363 |
| <i>M. A. Faraghat and H. Zahedi</i> | |
| A Study of Unusual TBM Disk Cutters Wears in Karaj-Tehran Water Conveyance Tunnel | 1371 |
| <i>M. Farokhnia, K. Shahriar, M. Sharifzadeh, H. R. Tavakoli and G. H. Shamsi</i> | |
| Rock Mass Quality Evaluation from Muck Pile and Operational Parameters Analysis during TBM Excavation Process | 1379 |
| <i>E. Farrokh and E. Fasihi</i> | |
| The Effect of Surface Irregularities On Joint Closure Behavior Using New Modeling Techniques | 1385 |
| <i>A. H. Ghazvinian, Z. Y. Yang, and A. Taghichian</i> | |
| Direction of Principal Stresses in Sabalan Geothermal Region | 1393 |
| <i>M. Haftani, M. Eliassi, B. Bohloli And B. Talebi</i> | |

| | |
|---|------|
| Determination of Relationship between Drilling Parameters by Clustering Techniques | 1401 |
| <i>M. Hamzaban and H. Memarian</i> | |
| Modeling and Estimation of Rock Mass Deformation Modulus Using Geostatistical Approaches in Bakhtiari Dam, Iran | 1411 |
| <i>H. Hamzehpour, A. Parhizkar, A. M. Radman and V. Raslouli</i> | |
| Geotechnical Risk Based Decision-Making for Selection of Rock TBM in Difficult Ground Conditions Using Fuzzy AHP | 1419 |
| <i>J. Khademi Hamidi, K. Shahriar and H. Bejari</i> | |
| A Study on the Correlation Between Drilling Parameters Using Rock Model Drilling Test | 1427 |
| <i>K. Y. Kim, C. Y. Kim, K. S. Kim and H. K. Yoon</i> | |
| An Investigation of Hydraulic Aperture Evolution by Flow Through Test for Circular Shearing using Laboratory Experiments and Numerical Simulation | 1437 |
| <i>E. Kim, J. Rostami, C. I. Lee and Y. Y. Jeong</i> | |
| Weathering Mechanism and Degradation of Hallasan Trachyte in Jeju Island, Korea | 1447 |
| <i>S. B. Lee, T. F. Cho, J. H. Kim, K. S. Won and G. B. Lee</i> | |
| Soundless Cracking Technique and its Application in Hard-Rock Tunnel in High Gas Coal Mine | 1461 |
| <i>Q. Y. Ma and X. Y. Lu</i> | |
| Fuzzy Rock Quality Designation | 1465 |
| <i>A. Mahmoodi, H. Mansouri, M. A. Ebrahimi Farsangi and H. Nezamabadi</i> | |
| Experiences Gained from Gas and Water Inflow Toward the Tunnel, Case Study: Aspar Anticline, Kermanshah, Iran | 1469 |
| <i>H. Mirmehrabi, J. Hassanpour, M. Morsali and S. Tarigh Azali</i> | |
| Properties of Frozen Soil for Excavation on the Moon | 1477 |
| <i>J. Rostami, L. Gertsch and R. Gustafson</i> | |

| | |
|--|------|
| Some Advances in Rapid Tunneling Techniques in Korea <i>C. H. Ryu, B. H. Choi, J. G. Kim and H. S. Yang</i> | 1487 |
| Grout Flow in Fractured Rock Media <i>S. A. Sadrnejad</i> | 1491 |
| The Application of Digital Image Processing to Estimate the Joint Volumetric Distribution <i>V. Serajian and H. Salari-Rad</i> | 1499 |
| Design Challenges Of The Gotthard Base Tunnel Pillar Stability in the Multifunction Station Faido <i>R. Stadelmann, M. Rausch and Z. Q. Wei</i> | 1507 |
| The Stability Assessment of Natural Rock Structures in Ryukyu Limestone <i>N. Tokashiki and Ö. Aydan</i> | 1515 |
| Recommended Rock Testing Methods for Predicting TBM Performance: Focus on the CSM and Ntnu Models <i>S. Yagiz, J. Rostami and L. Ozdemir</i> | 1523 |

Author Index