

# **2011 Workshop on Integrated Nonlinear Microwave and Millimetre-Wave Circuits**

**(INMMIC 2011)**

**Vienna, Austria  
18 – 19 April 2011**



**IEEE Catalog Number: CFP1194A-PRT  
ISBN: 978-1-4577-0650-9**

# TABLE OF CONTENTS

## POWER AMPLIFIERS (I)

|  |   |
|--|---|
| <b>Design and Modelling Challenges for Advanced Class-S Digital Transmitters</b> ..... | 1 |
| <i>R. Quay, S. Maroldt</i>   |   |
| <b>Reconfigurable High Frequency Class S Power Amplifier Demonstrator</b> .....        | 5 |
| <i>J. Dooley, G. Corley, T. Podsiadlik, R. Farrell</i>                                 |   |
| <b>A New Structure for the Design of Dual Band Power Amplifiers</b> .....              | 9 |
| <i>W. Ciccognani, E. Limiti, L. Scucchia</i>   |   |

## POSTER SESSION

|   |    |
|---|----|
| <b>Design and Characterization of a Highly Linear 3 GHz GaN HEMT Amplifier</b> .....  | 13 |
| <i>P. Chehrenegar, O. Axelsson, J. Grahn, N. Rorsman, J. Felbinger, K. Andersson</i>  |    |
| <b>Comparison of Bandwidth Reduction Schemes in Dynamic Load Modulation Power Amplifier Architectures</b> .....   | 17 |
| <i>H. Cao, C. Fager, T. Khan, A. Tehrani, T. Eriksson</i>   |    |
| <b>Temperature Dependent Vector Large-Signal Measurements</b> .....   | 21 |
| <i>P. Barmuta, K. Czuba, G. Avolio, D. Schreurs, A. Raffo, G. Vannini, G. Crupi</i>   |    |
| <b>A Low-Cost Linear Upconverter to Extend Frequency Range of Vector Signal Generator</b> .....   | 25 |
| <i>S. Farsi, D. Schreurs, B. Nauwelaers</i>   |    |
| <b>High Quality Factor Integrable Bandpass Filter By Using Tunable Active Inductor</b> .....  | 29 |
| <i>G. Leuzzi, V. Stornelli, S. Re, L. Pantoli</i>   |    |
| <b>A Mach-Zehnder Modulator Model for the Design of Optical-Fiber Analog Transmitters</b> .....   | 33 |
| <i>G. Scotti, P. Tommasino, A. Trifiletti, A. Vannucci</i>  |    |
| <b>A Note On The Behavioral Modeling Of Power Amplifiers</b> .....  | 37 |
| <i>T. Martin-Guerrero, C. Camacho-Penalosa</i>  |    |
| <b>New Compact Power Cells For Ku Band Applications</b> .....   | 41 |
| <i>A. Dechansiaud, R. Sommet, T. Reveyrand, R. Quere, C. Chang, D. Bouw, M. Camiade</i>   |    |
| <b>SCERNE, an Efficient CAD Tool for the Modeling of RF and Mixed Blocks</b> .....  | 45 |
| <i>S. Mons, E. Ngoya, R. Quere, A. Layec, D. Dallet, P. Lacombe, J. Mazeau, T. Decaesteke, J. Martinaud, O. Phelion, F. Reptin, F. Douhkan, J. Lesage</i> |    |
| <b>CAD Techniques For Development Of Millimeter Wave Diodes Sources</b> .....   | 49 |
| <i>R. Camarero, P. Paco, O. Menendez</i>  |    |
| <b>A Low Cost Compact LTCC-Based GaN Power Amplifier Module</b> .....   | 53 |
| <i>R. Liu, D. Schreurs, W. Raedt, F. Vanaverbeke, R. Mertens</i>  |    |

## MILLIMETER WAVE APPLICATIONS

|  |    |
|--|----|
| <b>Harmonic Distortion in a Traveling Wave Tube at 850 GHz and Its Use in Frequency Multiplication</b> ..... | 57 |
| <i>M. Kotiranta, V. Krozer</i>   |    |
| <b>Q-Band Down-Converting Module for Multi Pixel Camera Receivers</b> .....                                  | 61 |
| <i>M. Jankowski, E. Limiti, D. Palombini</i>   |    |
| <b>140 GHz Solid-State Amplifier with On-Chip Tunable Output Matching</b> .....                              | 65 |
| <i>S. Diebold, H. Massler, S. Wagner, A. Tessmann, A. Leuther, I. Kallfass</i>                               |    |
| <b>Active Single Ended Frequency Multiplier-by-Nine MMIC for Millimeter-Wave Imaging Applications</b> .....  | 69 |
| <i>U. Lewark, A. Tessmann, H. Massler, A. Leuther, I. Kallfass</i>   |    |

## CHARACTERISATION AND MODELING

|   |    |
|---|----|
| <b>Simplified Dynamic Deviation Reduction-based Volterra Model for Doherty Power Amplifiers</b> ..... | 73 |
| <i>L. Guan, A. Zhu</i>  |    |
| <b>Characterizing a Varactor Contribution to the Residual Distortion of Load-modulated PAs</b> .....  | 77 |
| <i>T. Aballo, R. Marante, J. Garcia, A. Mediavilla</i>  |    |

|  |    |
|--|----|
| <b>Design and Modeling Method of Package for Power GaN HEMTs to Limit the Input Matching Sensitivity</b> .....                   | 81 |
| <i>J. Cheron, M. Campovecchio, D. Barataud, T. Reveyrand, S. Mons, M. Stanislawiak, P. Eudeline, D. Floriot, W. Dementitroux</i> |    |
| <b>Rational Function-based Model with Memory for Power Amplifier Behavioral Modeling</b> .....                                   | 85 |
| <i>T. Cunha, P. Lavrador, E. Lima, J. Pedro</i>  |    |

## **EFFICIENCY AND LINEARISATION**

|  |    |
|--|----|
| <b>Comparison of the Imbalance Effects in Direct Conversion Transmitters and Receivers</b> .....                       | 89 |
| <i>M. Gadringer, T. Faseth, G. Magerl</i>  |    |
| <b>Performance Measurements of Modified LINC Transmitter for Wireless Applications</b> .....                           | 93 |
| <i>F. Daho, G. Neveux, C. Decroze, P. Vaudon, M. Mouhamadou, D. Carsenat</i>   |    |
| <b>Efficiency and Linearity Enhancements with Envelope Shaping Control in Wideband Envelope Tracking GaAs PA</b> ..... | 97 |
| <i>N. Giovannelli, T. Vlasits, A. Cidronali, G. Manes</i>  |    |

## **POWER AMPLIFIERS (II)**

|   |     |
|---|-----|
| <b>A 22W 65% Efficiency GaN Doherty Power Amplifier At 3.5 GHz For WiMAX Applications</b> .....                                       | 101 |
| <i>J. Rubio, J. Fang, R. Quaglia, V. Camarchia, M. Pirola, S. Guerrieri, G. Ghione</i>  |     |
| <b>Analysis And Design Of An Unconditionally Stable Common-Drain Class-B RF Power Amplifier In 90 nm CMOS Technology</b> .....        | 105 |
| <i>M. Khan, D. Kalim, R. Negra</i>  |     |
| <b>The Benefit of GaN Characteristics over LDMOS for Linearity Improvement using Drain Modulation in Power Amplifier System</b> ..... | 109 |
| <i>Z. Yusoff, M. Akmal, V. Carrubba, J. Lees, J. Benedikt, P. Tasker, S. Cripps</i>   |     |
| <b>The Weight of the on Resistance in Doherty PAs</b> .....   | 113 |
| <i>P. Colantonio, F. Giannini, R. Giofre, L. Piazzon</i>  |     |

## **ADVANCES IN WIRELESS SYSTEMS**

|  |     |
|--|-----|
| <b>Transient Simulation using Discrete-Time Representation of Generalized Frequency-Dependent Permittivity</b> ..... | 117 |
| <i>Z. Su, T. Brazil, X. Yin</i>  |     |
| <b>5 GHz High Efficiency Oscillator with Filtering Feedback Network</b> .....  | 121 |
| <i>A. Massari, E. Limiti</i>   |     |
| <b>A Wideband MMIC Oscillator In S-Band With 2 Switched GaAs HBT VCOs For Spatial Applications</b> .....             | 125 |
| <i>N. Chamaa, M. Prigent, J. Nallatamby, D. Langrez, S. Gribaldo</i>   |     |
| <b>Power-Handling Capabilities Optimization of MEMS-Reconfigurable Antennas</b> .....                                | 129 |
| <i>D. Masotti, F. Matri, V. Rizzoli, A. Costanzo</i>   |     |

## **CLASS E POWER AMPLIFIERS**

|  |     |
|--|-----|
| <b>A New Approach to Class-E Power Amplifier Design</b> .....                              | 133 |
| <i>A. Musio, V. Vadala, F. Scappaviva, A. Raffo, S. Falco, G. Vannini</i>                  |     |
| <b>Input Impedance Of Class E Switching Amplifiers</b> .....                               | 137 |
| <i>S. Hietakangas, T. Rahkonen</i>   |     |
| <b>GaN Transistor-Based Class E Power Amplifier For The Low L-Band</b> .....               | 141 |
| <i>F. Ng-Molina, T. Martin-Guerrero, C. Camacho-Penalosa, J. Garcia, J. Mata-Contreras</i> |     |
| <b>Author Index</b>  |     |