

2011 16th European Conference on Networks and Optical Communications

(NOC 2011)

**Newcastle upon Tyne, United Kingdom
20 – 22 July 2011**



IEEE Catalog Number: CFP1164N-PRT
ISBN: 978-1-61284-753-5

List of Papers

IT: Invited Talk

IT - 1	Optical Spatial Modulation with Transmitter-Receiver Alignments <i>R. Mesleh, H. Elgala, M. Hammouda, I. Stefan and H. Haas</i>	1
IT - 2	Low-latency Photonic Packet Switches with Large Number of Ports <i>S. Di Lucente, N. Calabretta and D. Harm</i>	5
IT - 3	Radio Over Fibre Enabled Sensing and Communications System for in Building <i>R. Penty, M. Crisp, S. Sabesan and I. White</i>	8
IT - 4	Path Computation Element - an Enabler for Automated Network Operation <i>D. Schupke and F. Rambach</i>	12
IT - 5	Triple-Play and 60-GHz Radio-over-Fiber Techniques for Next-Generation Optical Access Networks <i>R. Llorente, S. Walker, I. Tafur Monroy, M. Beltrán, M. Morant, T. Quinlan and J. Jensen</i>	16

TUT Tutorial sponsored by IEEE UK&RI Communications Chapter

TUT - 1	Protection Switching in Communication Networks <i>R. Saeedinia</i>	20
---------	---	----

BAT Broadband Access Technologies

BAT-1	Investigation of Optical Millimeter-Wave and Heterodyne Techniques in Radio-over-Fibre Systems <i>A. Bahrami, W. P. Ng, Z. Ghassemlooy and C. Qiao</i>	24
BAT - 2	Power Distribution and Q-factor Analysis of Diffuse Cellular Indoor Visible Light Communication Systems <i>D. Wu, Z. Ghassemlooy, H. Le Minh, S. Rajbhandari and Y. Kavian</i>	28
BAT - 3	NRZ-OOK Signaling with LED Dimming for Visible Light Communication Link <i>E. Cho, J. H. Choi, C. S. Park, M. Kang, S. Shin, Z. Ghassemlooy and C. G. Lee</i>	32
BAT - 4	Hybrid PPM-BPSK Subcarrier Intensity Modulation for Free Space Optical Communications <i>M. Faridzadeh, A. Gholami, Z. Ghassemlooy and S. Rajbhandari</i>	36
BAT - 5	Tunable Optical Delay Line Feed for Phased Array Antennas <i>E. Udvary and T. Berceli</i>	40
BAT - 6	60 GHz Intermediate Frequency Over Fiber Using a Passive Multipoint-To-Multipoint Architecture <i>J. Guillory, A. Pizzinat, B. Charbonnier and C. Algani</i>	44

BAT - 7	Visible Light Communication Via Dimmable LED Lamps Using Pulses of Equal Shape <i>K. Sterckx and P. Saengudomlert</i>	48
BAT - 8	Bit Error Rate Measurement of Free Space Optical Communication Links Under Laboratory-Controlled Fog Conditions <i>M. Ijaz, Z. Ghassemlooy, H. Le Minh, S. Rajbhandari, J. Perez and A. Gholami</i>	52
BAT - 9	Performance Optimization of Adaptive Loading Algorithms for SMF-Based Optical OFDM Transceivers <i>E. Giacomidis, J. L. Wei, A. Tsokanos, A. Kavatzikidis, E. Hugues-Salas, J. Tang and I. Tomkos</i>	56
BAT - 10	Cost Effective RoF with VCSELs and Multimode Fiber <i>T. Cseh and E. Udvary</i>	60
BAT - 11	Repeater-less Length Equalisation Efficiency in 10 Gb/s Optical Communication Systems Using Cp-OAPF <i>W. Loedhammacakra, W. P. Ng, R. Cryan and Z. Ghassemlooy</i>	64
BAT - 12	A Network Architecture for Bidirectional Data Transfer in High-Energy Physics Experiments Using Electroabsorption Modulators <i>S. Papadopoulos, I. Papakonstantinou, F. Vasey, J. Troska and I. Darwazeh</i>	68
BAT - 13	Modeling and Designing of a New Indoor Free Space Visible Light Communication System <i>Z. Wu, J. Chau and T. Little</i>	72
BAT - 14	Intraclass Fairness Enhancement in EDCA Via Adaptive Randomization of AIFS <i>N. Tamrakar, S. Pudasaini, C. G. Lee, M. Kang and S. Shin</i>	N/A
BAT - 15	Fully-Photonic Analogue-to-Digital Conversion Technique for Super-Broadband Digitized-Radio Over Fibre Link <i>S. Abdollahi, H. Al-Raweshidy and R. Nilavalan</i>	N/A
CPI	Components and Physical Issues of Optical Networks	
CPI - 1	Regenerator Sites Selection Based on Multiple Paths Considering Impairments and Protection Requirements <i>V. S. Chava, R. Fedrizzi, A. Zanardi, E. Salvadori, G. Galimberti, A. Tanzi, G. Martinelli and O. Gerstel</i>	84
CPI - 2	Group Delay Ripple Reduction in Cascaded ROADMs by Adaptively Modulated Optical OFDM Signals for Metro/Regional Networks <i>E. Giacomidis, I. Tomkos and J. Tang</i>	88
CPI-3	Translucent OBS Network Architectures with Dedicated and Shared Wavelength Converters <i>O. Pedrola, D. Careglio, M. Klinkowski and J. Solé-Pareta</i>	92
CPI - 4	Beyond-Bandwidth Self-Started Mode-Locking WRC-FPLD RZ-OOK Transmitter with Cavity Length Dependent BER <i>C. J. Lin and G. R. Lin</i>	96

CPI - 5	Employing Multiple Wavelengths for an Input Packet to Achieve Uniform SOA Gain for High Speed Optical Applications <i>A. Shalaby, W. P. Ng, Z. Ghassemlooy, M. Aly and R. Ngah</i>	99
CPI - 6	Power-Compensated 3X3 Reconfigurable Bidirectional Multiwavelength Cross-Connect Device Based on Strain Tunable Fiber Bragg Gratings <i>S. K. Liaw, P. S. Tsai, K. Y. Hsu and A. Tverjanovich</i>	103
CPI - 7	Cost-effective Laser Source and Endecoder Technologies for Advanced OCDMA System <i>T. PU, W. He, Z. Wei, G. Sun and R. Wang</i>	107
CPI - 8	Optimizing Clock Enhancement to Achieve Modulation-Format-Independent All-Optical Clock Recovery <i>Z. Zhu</i>	110
CPI - 9	Influence of the Grating Parameters on the Polarization Properties of Apodized Fiber Bragg Gratings Written in SMF28 <i>M. Ferchichi, M. Najjar Bounouh and H. Rezig</i>	N/A
ESN	Energy Saving in Telecommunication Networks	
ESN - 1	Power Consumption Evaluation of Hybrid WDM PON Networks for Data Centers <i>C. Kachris and I. Tomkos</i>	118
ESN - 2	A Simulation Tool for Thermal Engineering in Network Communication System <i>X. Fu and M Jin</i>	122
ESN - 3	Comparison in Power Consumption of MVMC and BENES Optical Packet Switches <i>V. Eramo, A. Germoni, A. Cianfrani, E. Miucci and M. Listanti</i>	125
ESN - 4	Power Minimizing Techniques for Full Mesh Topology Optical IP Networks <i>M. N. B. Mohd Warip, I. Glesk and I. Andonovic</i>	129
ESN - 5	Power Management in Wireless Sensor Networks with Compressed Sensing Theory <i>M. Balouchestani, K. Raahemifar and S. Krishnan</i>	N/A
OCG	Optical Communications – General	
OCG - 1	Optimal Design of GPON/FTTH Networks Using Mixed Integer Linear Programming <i>A. Ouali and K. Poon</i>	137
OCG - 2	Suppression of Pattern Effect in Semiconductor Optical Amplifier Using Birefringent Fiber Loop <i>K. Zoiros, C. O'Riordan and M. Connelly</i>	141
OCG - 3	A Novel Scheme for Video Streaming Over OBS Networks <i>S. Askar, G. Zervas, D. Hunter and D. Simeonidou</i>	145

OCG - 4	Differential Circular Polarization Shift Keying with Heterodyne Detection for Free Space Optical Links with Turbulence Channel <i>X. Tang, Z. Ghassemlooy, S. Rajbhandari, W. Popoola and C. G. Lee</i>	149
OCG - 5	A Dual-Receiving Visible-Light Communication System Under Time-Variant Non-Clear Sky Channel for Intelligent Transportation System <i>I. E. Lee, M. L. Sim and F. Kung</i>	153
OCG - 6	Performance Improvement of Asymmetrical Filtered 40GB/s RZ-DPSK Receiver Design -Strong Filtering Considerations <i>O. Olubodun and N. Doran</i>	157
OCG - 7	Multi-slot and Multi-level Coding Technique Over Amplitude-Shift Keying Modulation for Optical Communication Links <i>R. Talib, M. F. L. Abdullah, A. Malekmohammadi and M. K. Abdullah</i>	161
OCG - 8	Estimating Extra Capacity for Dedicated Protection in Mesh Optical Transport Networks <i>R. Morais, C. Pavan, J. Ferreira da Rocha and A. Pinto</i>	165
OCG - 9	Bandwidth Limitations of Electrical Gigabit Ethernet <i>S. Kolahi and B. Soorty</i>	169
QoM	QoS and Management in Optical Networks	
QoM - 1	Evaluation of Multi-Layer (Ethernet/WSN) GMPLS-Based Path Computation Policies for Dynamic VNT Configuration <i>A. Bukva, R. Casellas, R. Martinez and R. Muñoz</i>	173
QoM - 2	Bridging the Interoperability Gap Between the Internet and Optical Network Management Systems <i>M. Yannuzzi, X. Masip-Bruin, O. González de Dios, C. García Argos, M. Maciejewski and J. Altmann</i>	177
QoM - 3	Case-Based Reasoning (CBR) to Estimate the Q-factor in Optical Networks: an Initial Approach <i>T. Jiménez, I. de Miguel, J. C. Aguado, R. Durán, N. Merayo, N. Fernández, D. Sánchez, P. Fernández, N. Atallah, E. Abril and R. Lorenzo</i>	181
QoM - 4	Techniques to Handle Potential Active Lightpath(s) Disruption Due to Crosstalk Introduced by Setup of New Lightpath <i>V. S. Chava, A. Zanardi, E. Salvadori, G. Galimberti, A. Tanzi, R. Pastorelli, E. Silvia Vercelli, G. Martinelli and D. La Fauci</i>	185
QoM - 5	Novel Method of Availability Calculation Based on Realistic Path Protected Network Scenarios <i>I. Jurdana and B. Mikac</i>	188
QoM - 6	Guaranteed Reliability in Shared Protection IP-over-WDM Networks <i>S. Barckhahn and A. Beghelli</i>	192
QoM - 7	Flexible Optical-Comb-Based Multi-Wavelength Conversion for Optical Switching and Multicast <i>R. Vilar, C. Marques, R. Nogueira, A. Teixeira, R. Llorente and F. Ramos</i>	N/A

TPN	Transport and Photonic Networks	
TPN - 1	Service Differentiation for Video Applications Over OBS Networks <i>S. Askar, G. Zervas, D. Hunter and D. Simeonidou</i>	200
TPN - 2	A Scalable MAC for Vehicular Ad Hoc Networks <i>M. Kang, J. Mo, S. Shin and C. G. Lee</i>	204
TPN - 3	Survivable Impairment-Aware Traffic Grooming <i>A. Beshir, R. Nuijts, R. Malhotra and F. Kuipers</i>	208
TPN - 4	Radio Relaying for Long Term Evolution Employing Radio-over-Fibre <i>T. Kanesan, W. P. Ng, Z. Ghassemlooy and J. Perez</i>	212
TPN - 5	Buffering-Prediction Lightpath Allocation in PCE-based WDM Optical Networks <i>F. Calderón, W. Creixell and A. Beghelli</i>	216
TPN - 6	Scalable and Low Latency Label Processor for Large Port Optical Packet Switch <i>J. Luo, H. Yang, N. Calabretta and H. J. S. Dorren</i>	220
TPN - 7	Cost Reduction of 80% in Next-Generation Virtual Personal Computer Service Economics Using a Sub-Wavelength Metro Network <i>C. Kiss Kalló, M. Basham, J. Dunne and J. Fernández-Palacios</i>	224
TPN - 8	Overlay Services Over WDM-PONS Employing Reflective Semiconductor Optical Amplifiers <i>R. Avó, M. Guerreiro and C. Medeiros</i>	228
TPN - 9	Virtual Topology Design for Flexible Periodic Traffic Demands <i>Y. Chen, M. Hall and A. Jaekel</i>	232