

11th International Conference on Wood and Biofiber Plastic Composites 2011

**Madison, Wisconsin, USA
16-17 May 2011**

ISBN: 978-1-61839-117-9

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2011) by the Forest Products Society
All rights reserved.

Printed by Curran Associates, Inc. (2011)

For permission requests, please contact the Forest Products Society
at the address below.

Forest Products Society
2801 Marshall Ct.
Madison, WI 53705-2295

Phone: (608) 231-1361
Fax: (608) 231-2152

www.forestprod.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

INNOVATION OF WPC INDUSTRY IN CHINA	1
<i>W. Song</i>	
RESEARCH TO INNOVATION TO COMMERCIALIZATION OF BIOFIBER COMPOSITES	47
<i>M. Sain</i>	
GREEN HYBRID BIO-COMPOSITES FROM POLYHYDROXY-BUTYRATE-CO-VALERATE (PHBV) WOOD FIBER AND TALC	48
<i>S. Singh, F. Pourboghraat, A. Mohanty, M. Misra</i>	
INVESTIGATIONS ON THE INFLUENCE OF COMPOUNDING AND INJECTION MOLDING PROCESSES ON THE WOOD PARTICLE GEOMETRY AND THE DISTRIBUTION IN WOOD POLYMER COMPOSITES	49
<i>T. Gruneberg, H. Militz, M. Muller, A. Krause</i>	
OPTICAL MEASUREMENT OF LOCAL STRAIN DEVELOPMENT IN THE WOOD-MATRIX INTERPHASE IN WOOD-PLASTIC COMPOSITES	51
<i>M. Schwarzkopf, L. Muszynski, J. Nairn, X. Lin, F. Hussain</i>	
POLYMER COMPOSITES FOR STRUCTURAL IMPROVEMENT OF TIMBER BUILDINGS	52
<i>K.U. Schober</i>	
QUANTITATIVE ANALYSIS OF THE EFFECT OF FIBER DISPERSION ON THE MECHANICAL PROPERTIES OF NATURAL FIBER COMPOSITES	55
<i>C. Kortschot</i>	
NEROPLAST A NEW HYDROPHOBIC, BIO-FRIENDLY, LIGNOCELLULOSEFILLER FOR PLASTICS	62
<i>H. Korte, J. Roesler</i>	
BIOFIBER COMPOSITES PATENT AND TRADEMARK REVIEW (U.S.A.) 2001-2010	86
<i>D. Bajwa, S. Bajwa</i>	
FLUID ASSIST INJECTION MOLDED PARTS AND APPLICATIONS USING FIBRETUFF - A NATURAL FIBER COMPOSITE	97
<i>R. Joyce</i>	
MARKETING AND QUALITY STANDARDS IN THE ASIAN MARKET	100
<i>T. Kikuchi</i>	
RECENT DEVELOPMENT IN WPC LITIGATIONS AND KNOWLEDGE LEARNED ON HOW TO AVOID THEM	104
<i>A. Klyosov</i>	
A STUDY OF MECHANICAL PROPERTIES OF CELLULOSE NANOFIBER COMPOSITES MADE USING RESIN TRANSFER MOLDING	160
<i>R. Masoodi, R. El-Hajjar, K. Pillai, R. Sabo</i>	
EFFECT OF MOISTURE ON MECHANICAL PROPERTIES OF EXTRUDED WOOD POLYPROPYLENE COMPOSITE MATERIAL	161
<i>S. Tamrakar, R. Lopez-Anido</i>	
EFFECTS OF INTERPHASE PROPERTIES ON THE MECHANICAL BEHAVIOR OF NATURAL FIBER-REINFORCED POLYPROPYLENE COMPOSITES	170
<i>S. Nair, S. Wang, D. Hurley, D. Harper</i>	
MODELING THE CREEP FLEXURAL RESPONSE OF WOOD-PLASTIC COMPOSITES FROM UNI-AXIAL DATA	171
<i>S. Hamel, J. Hermanson, S. Cramer</i>	
MOLECULAR DYNAMICS SIMULATIONS OF DEFORMATION OF GLUCOSE IN THE AMORPHOUS STATE	172
<i>X. Zhang, M.A. Tschopp, S. Shi, J. Cao</i>	
PROCESSING EFFECTS ON MECHANICAL PROPERTIES AND CREEP BEHAVIORS OF WOOD-MICROBIAL POLYESTER COMPOSITES	174
<i>M.H. Tsai, K. Englund, M. Wolcott</i>	
DEVELOPMENT OF WPC FOR INJECTION MOLDING APPLICATIONS	176
<i>C. Burgstaller, W. Stadlbauer</i>	
FRP-REINFORCED WOOD PLASTIC COMPOSITE PANELS FOR STRUCTURAL APPLICATIONS	185
<i>D. Gardner, Y. Han, C. West</i>	
BETTER MATERIALS TO BUILD A BETTER WORLD	195
<i>G. Farris</i>	

PROCESSING BEHAVIOR, MORPHOLOGY AND BENEFITS OF USING LOW DENSITY HOLLOW GLASS MICROSPHERES IN POLYMER WOOD COMPOSITES	219
<i>S. Amos, A. D' Souza, B. Yalcin, T. Ista, C. Clemons</i>	
RECYCLED PLASTICS FOR WOOD & NATURAL FIBER COMPOSITES: AN OPTIMIZED PROCESS	225
SUSTAINABILITY IN PACKAGING –USING WOOD FLOUR AND BIOPOLYMERS TO REDUCE THE CONTENT OF FOSSIL-BASED POLYMERS IN PACKAGING APPLICATIONS	227
<i>C. Copsey</i>	
ADVANCED NANOCOMPOSITES OF CELLULOSE NANOWHISKERS AND CELLULOSE ACETATE BUTYRATE PREPARED BY SOL-GEL PROCESSING METHOD	253
<i>G. Siqueira, K. Oksman</i>	
CARBON FIBERS FROM BIOMASS LIGNIN	256
<i>D. Harper, D. Baker</i>	
CELLULOSE NANOFIBRIL-REINFORCED SODIUM SILICATE-WOOD COMPOSITES	257
<i>Y. Peng, Y. Han, D. Gardner</i>	
DAMAGE ACCUMULATION AND DEGRADATION OF MECHANICAL PROPERTIES IN POLYMER COMPOSITES REINFORCED WITH HIGHLY NON-LINEAR CELLULOSIC FIBERS	287
<i>L. Rozite, R. Joffe, B. Nystrom</i>	
DISPERSION OF CELLULOSE NANOCRYSTALS MODIFIED WITH CARBOHYDRATE-BASED BOLAMPHIPHILES IN ORGANIC SOLVENTS	290
<i>J.W. Kim, D. Harper, J. Bozell</i>	
EFFECTS OF BIOMAX STRONG AS MODIFIER ON MECHANICAL CHARACTERISTICS OF NATURAL FIBRE-REINFORCED POLY LACTIC ACID (PLA) COMPOSITES	291
<i>M. Talimi, E. Soury, G.M. Rizvi</i>	
DURABILITY OF PLA – MODIFIED WOOD COMPOSITES	299
<i>S. Kristoffer, R. Ibach, M. Westin</i>	
EFFECT OF BORON COMPOUNDS ON PHYSICAL, MECHANICAL, AND FIRE PROPERTIES OF INJECTION MOLDED WOOD PLASTIC COMPOSITES	302
<i>N. Ayrimis, T. Akbulut, T. Dundar, R. White, F. Mengeloglu, Z. Candan, U. Buyuksari, E. Avci</i>	
EFFECTS OF CHEMICAL MODIFICATION OF WOOD CELL WALL ON THE PROPERTIES OF THE RESULTING WOOD/POLYPROPYLENE COMPOSITES	323
<i>Y. Xie, Z. Xiao, Q. Wang, C. Grueneberg, H. Militz</i>	
LABORATORY AND FIELD EVALUATION OF THE DECAY RESISTANCE OF WOOD PLASTIC COMPOSITES	324
<i>R. Ibach, M. Gnatowski, G. Hui</i>	
SURFACE CHARACTERIZATION OF WEATHERED WPCS PRODUCED FROM ESTERIFIED WOOD FLOUR	349
<i>L. Wei, A. McDonald</i>	
SURFACE HYDROPHOBIZATION OF NATURAL FIBER	359
<i>Y. Shen, K. Liang, S. Shi</i>	
MOLECULAR DYNAMICS SIMULATIONS OF DEFORMATION OF GLUCOSE IN THE AMORPHOUS STATE	360
<i>X. Zhang, M.A. Tschopp, S. Shi, J. Cao</i>	
INCREASING TEMPERATURE TOLERANCE OF DDGS (DISTILLED DRIED GRAINS WITH SOLUBLES) USING ITS CORN FIBER AS FILLER IN THERMOPLASTIC COMPOSITES	362
<i>H. Castillo, S. Shi</i>	
SOYBEAN MEAL BASED WOOD ADHESIVES ENHANCED BY MODIFIED POLYACRYLIC ACID SOLUTION	363
<i>Q. Gao, S. Shi, J. Li</i>	
EFFECTS OF INORGANIC NANOPARTICLE IMPREGNATION ON KENAF FIBER / POLYPROPYLENE COMPOSITES	364
<i>J. Shi, S. Shi, H. Barnes, M. Horstemeyer</i>	
KENAF FIBER AND SOY PROTEIN BASED BIOCOMPOSITES	365
<i>K. Liang, S. Shi</i>	
SURFACE HYDROPHOBIZATION OF NATURAL FIBER	366
<i>Y. Shen, K. Liang, S. Shi</i>	
PERFORMANCE OF ECO-FRIENDLY BIOFIBER FILLED-THERMOPLASTIC (HDPE) COMPOSITES	367
<i>P. Aggarwal, A. Karmarkar</i>	

SYNTHESIS OF CELLULOSE FILLED-HDPE COMPOSITES USING POLYMERIZATION FILLING TECHNIQUE	368
<i>A. Karmarkar</i>	
EFFECT OF EXTRACTIVES ON THE MECHANICAL PROPERTIES OF BINDERLESS FIBERBOARDS FROM PLANTAIN FIBERS	369
<i>C. Lopez, O. Rojas, P. Ganan</i>	
EFFECTS OF COMPATIBILIZERS IN WPC IN REGARD TO THEIR MOLECULAR PROPERTIES	370
<i>C. Burgstaller, W. Stadlbauer</i>	
INFLUENCE OF WPC FORMULATION ON WATER VAPOR ABSORPTION CHARACTERISTICS	375
<i>C. Burgstaller, B. Priller, W. Stadlbauer</i>	
FLEXIBLE POLYVINYL BUTYRAL (PVB) / WOOD FLOUR COMPOSITES: PROCESSING AND CHARACTERIZATION	380
<i>J. Ambrosio, L. Costa, A. Lucas, M. Chinelatto, H. Finocchio, R. Santos</i>	
THERMAL CHARACTERIZATION AND SURFACE CHEMISTRY OF FUNGI-DECAYED WOOD SPECIES-BASED WOOD-PLASTIC COMPOSITES	381
<i>J. Fabiyi, A. McDonald</i>	
EFFECTS OF COMPATIBILIZERS DERIVED FROM WOOD CHEMICAL COMPONENTS ON VISCOELASTIC PROPERTIES OF WOOD-PLASTIC COMPOSITES	382
<i>M. Kobayashi, Y. Kataoka, S. Kawamoto, M. Kiguchi</i>	
PRODUCTION OF NANOCOMPOSITES BASED ON LIGNOCELLULOSIC WASTES FOR BIOMEDICAL APPLICATIONS	388
<i>A. Leao, B.M. Cherian, S.F. Ranzani, C.V.S. Brandao, M. Ferreira</i>	
POLYMER COMPOSITES FOR STRUCTURAL IMPROVEMENT OF TIMBER BUILDINGS	389
<i>K.U. Schober</i>	
MECHANICAL CHARACTERIZATION OF INDIVIDUAL WOOD FLOUR PARTICLES USING AN OPTICAL STRAIN MEASUREMENT METHOD	392
<i>M. Schwarzkopf, L. Muszynski, F. Hussain</i>	
INFLUENCE OF CELLULOSE CONTENT ON RHEOLOGICAL AND MECHANICAL PROPERTIES OF POLY(LACTIC) ACID / CELLULOSE AND LOW-DENSITY POLYETHYLENE / CELLULOSE COMPOSITES	393
<i>D. Shumigin, E. Tarasova, A. Krumme, P. Meier</i>	
EUCALYPTUS MICROFIBERS AND NANOFIBERS FOR REINFORCEMENT OF POLYMERIC NANOCOMPOSITES	394
<i>G. Tonoli, L.A. Caixeta, J.M. Marconcini, A.C. Correa, M.A. Silva, L.M. Mendes, L. Mattoso</i>	
AGRICULTURAL AND FORESTRY RESIDUES USED FOR PRODUCTION OF LIGNOCELLULOSIC PANELS AND COMPOSITES IN MINAS GERAIS STATE - BRAZIL	395
<i>L. Mendes, G. Tonoli, L. Bufalino, F. Mori, J. Guimaraes Jr., R. Mendes</i>	
DEVELOPING A SUSTAINABLE MATERIAL: PHB / WOOD FLOUR / CELL DEBIRS COMPOSITE	398
<i>M.H. Tsai, L. Jiang, M. Wolcott</i>	
PHYSICAL AND MECHANICAL PROPERTIES OF HDPE / CLAY / WOOD FLOUR FOAMED NANOCOMPOSITE	399
<i>A. Tabrizy, B. Kord, V. Chamany</i>	
PREPARATION AND PROPERTIES OF COMPOSITES MADE FROM WOOD FIBER AND MALEIC ANHYDRIDE GRAFTED PP / PE BLENDS	400
<i>Q. Wang, H. Gao, S. Sui</i>	
WHEAT-STRAW-PP COMPOSITE PRODUCED BY HOT-PRESSING METHOD	401
<i>W. Wang, S. Yuan, Q. Wang</i>	
MECHANICAL AND THERMAL PROPERTIES OF ABS / PLA / PULP COMPOSITES	402
<i>K. Lee, Y. Ryu, J. Ko, J.S. Yoon</i>	
EFFECTS OF FIBRE TREATMENT AND COUPLING AGENTS ON THE IMPACT, TENSILE AND FLEXURAL PROPERTIES OF HEMP/POLYETHYLENE COMPOSITES	403
<i>B. Ringuette, D. Rodrigue, Y. Zhang, J. Deng, H. Fang</i>	
EFFECT OF WOOD TREATMENT AND COUPLING AGENT CONTENT ON THE MECHANICAL PROPERTIES OF WOOD/POLYETHYLENE COMPOSITES	412
<i>Y. Zhang, J. Deng, B. Ringuette, D. Rodrigue, G. Brunette, X.M. Wang</i>	
MECHANICAL, THERMAL, AND MORPHOLOGICAL PROPERTIES OF MICROCELLULAR PHBV-PBAT AND ITS HYPERBRANCHED POLYMER- NANOCCLAY NANOCOMPOSITES	421
<i>A. Javadi, Y. Srithep, C. Clemons, S. Gong, L.S. Turng</i>	

PLASTIC LUMBER FROM RECYCLED PLASTICS AND AGRICULTURE WASTES	427
<i>G.A. Jimenez, F. Barrantes, L. Jimenez, M. Viquez, P. Alvarado</i>	
EFFECT OF CELLULOSE NANOWHISKERS (CNW) ON CRYSTALLIZATION KINETICS OF SEMICRYSTALLINE POLY(3- HYDROXYBUTYRATE-CO-3-HYDROXYVALERATE).....	428
AN INVESTIGATION OF FABRICATION THERMAL INSULATION WOOD-BASED COMPOSITE USING NANOTECHNOLOGY	429
<i>R. Zahedsheijani, M. Layeghi, H. Yousefi, M. Faezipour</i>	
NOVEL COMPOSITE MATERIALS FABRICATED FROM WOOD, POLYPROPYLENE, AND BIOCHAR.....	437
<i>P. Quigley, G. Oporto, D. DeVallance, G. Cheng</i>	
THE EFFECT OF HYDROTHERMAL PRE-TREATMENT ON THE CHEMICAL CHARACTERISTICS OF THE XYLEM OF SILVER BIRCH.....	438
<i>A. Yamamoto, E. Kontturi, A. Rohumaa, M. Hughes, T. Vuorinen</i>	
DEVELOPMENT OF A SCALABLE MANUFACTURING PROCESS TO DRY CELLULOSE NANOFIBRIL SUSPENSIONS AND CHARACTERIZATION OF THE RESULTING NANOFIBRILS	439
<i>Y. Peng, A. Kiziltas, D. Gardner, Y. Han</i>	
FLEXURAL PERFORMANCE OF COEXTRUDED WOOD / POLYETHYLENE COMPOSITE SANDWICH BEAMS.....	440
<i>F. Yao, Q. Wu</i>	
IMPORTANCE OF NANOSTRUCTURED INTERPHASES ON THE MECHANICAL PROPERTIES OF CELLULOSE FIBER REINFORCED POLYPROPYLENE COMPOSITES.....	441
<i>S. Nair, S. Wang, D. Hurley, D. Harper</i>	
EFFECT OF WOOD FILLERS TYPE AND DIFFERENT MODIFIERS ON THE PROPERTIES OF WPC FLAT PRESSING	442
<i>P. Bekhta, P. Lyutyy</i>	
TANNIN AS RAW MATERIAL FOR SYNTHESIS NEW THERMAL STABILIZER FOR POLY (VINYL CHLORIDE).....	444
<i>H. Shnawa</i>	
Author Index	