

**24th International Technical
Meeting of the Satellite Division of
the Institute of Navigation 2011**

(ION GNSS 2011)

**Portland, Oregon, USA
19-23 September 2011**

Volume 1 of 5

ISBN: 978-1-61839-475-0

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2011) by the Institute of Navigation
All rights reserved.

Printed by Curran Associates, Inc. (2012)

For permission requests, please contact the Institute of Navigation
at the address below.

Institute of Navigation
8551 Rixlew Lane
Suite 360
Manassas, VA 20109

Phone: (703) 366-2723
Fax: (703) 366-2724

membership@ion.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

ION[®] GNSS 2011 Proceedings

Table of Contents

PLENARY

- An Extreme Test for Autonomous Driving Systems:** P.P. Porta, *Artificial Vision and Intelligent Systems Laboratory (VisLab), Parma University, Italy* ----- 1
- Ubiquitous Positioning: Are we there yet?:** C. Rizos, *School of Surveying & Spatial Information Systems University of New South Wales, Australia* -----55

COMPASS Workshop

- Development of BeiDou Navigation Satellite System:** X. Ding, *China Satellite Navigation Office, China* ----95
- BeiDou Coordinate and Time Reference Systems:** Y. Yang, *China National Administration of GNSS and Applications (CNAGA), China* ----- 126
- Positioning Performance Analysis of the Current COMPASS Constellation:** M. Lu, J. Guo, *Tsinghua University, China* ----- 174
- Preliminary Results of GPS/Compass Integrated Positioning and Navigation:** Y. Yang, *China National Administration of GNSS and Applications (CNAGA), China* ----- 208
- Analysis of the GNSS Augmentation Technology Architecture:** J. Chen, *Beijing Global Information Center of Application and Exploitation, China* ----- 247
- Live COMPASS Signal Monitoring, Tracking, and Positioning Results: Using a Multi-constellation Multi-frequency Software Receiver:** Y. Kou, *School of Electronic and Information Engineering, Beihang University, China* -----267
- COMPASS Industry Development in China:** Y. Zhao, *Shanghai HuaCe Navigation Technology Limited (CHC), China* ----- 293

A1: Land Applications 1

RedBlade: Miami University's Multi-Functional Autonomous Robot: R. Wolfarth, S. Taylor, A. Wibowo, B. Williams, Y. Morton, P. Jamieson, *Miami University* ----- 304

Lane Identification with Real Time Single Frequency Precise Point Positioning: A Kinematic Trial: R.J.P. van Bree, P.J. Buist, C.C.J.M Tiberius, B. van Arem, V.L. Knoop, *Delft University of Technology, The Netherlands* ----- 314

A Comparative Study of Lidar and Camera-based Lane Departure Warning Systems: J. Britt, C. Rose, D.M. Bevely, *Auburn University* ----- 324

Air Target Detection Using Navigation Receivers Based on GPS L5 Signals: V. Behar, *Institute of Information and Communication Technologies, Bulgaria*; C. Kabakchiev, *Sofia University, Bulgaria*; H. Rohling, *Hamburg University of Technology, Germany* ----- 333

GNSS Interference Monitoring Network Based on Detection in Automotive ITS Station Receivers: R. Bauernfeind, A.S. Ayaz, B. Eissfeller, *University FAF Munich, Germany* ----- 338

GNSS Shareware Control Software Smart Phone Applications: S.D. Lyle, R. Smith, *Texas A&M University Corpus Christi*; T. Nygaard, *Lower Colorado River Authority* ----- 346

Automotive Urban Assist Enabled by Satellite Navigation Technology: E. Wasle, M. Lytvyn, P. Berglez, *TeleConsult Austria GmbH, Austria*; C. Mongredien, *Fraunhofer Institute for Integrated Circuits IIS, Germany*; A. Kahmann, *OECON Products & Services GmbH, Germany* ----- 349

A GPS/Galileo Tightly-coupled Localization System for Safety-relevant Automotive Assistance Systems: H-G. Büsing, M. Escher, T. Scheide, P. Hecker, *Technische Universität Braunschweig, Germany* ----- 356

Accurate Relative Localization for Land Vehicles with SBAS Corrected GPS/INS Integration and V2V Communication: M. Obst, E. Richter, G. Wanielik, *Chemnitz University of Technology, Germany* ----- 363

B1: Preserving the Availability and Integrity of GNSS in Harsh Environments

Interference Suppression for High Precision Navigation Using Vector-Based GNSS Software Receivers: T. Lin, M. Abdizadeh, A. Broumandan, D. Wang, K. O'Keefe, G. Lachapelle, *University of Calgary, Canada* 372

Field Test: Jamming the DLR Adaptive Antenna Receiver: M. Cuntz, A. Konovaltsev, M. Sgammini, C. Hättich, G. Kappen, M. Meurer, A. Hornbostel, A. Dreher, *German Aerospace Center (DLR), Germany* --- 384

Antenna Array Based GNSS Signal Acquisition: Real-time Implementation and Results: J. Arribas, C. Fernandez-Prades, P. Closas, *Centre Tecnologic de Telecomunicacions de Catalunya, Spain* ----- 393

Detection of Spoofing Threats by Means of Signal Parameters Estimation: F. Dovis, X. Chen, A. Cavaleri, K. Ali, *Politecnico di Torino, Italy*; M. Pini, *Istituto Superiore Mario Boella, Italy* ----- 416

Your GNSS Receiver is Really a GNSS Receiver: Isn't That So?: I. Khazanov, D. Kozlov, A. Osipov, G. Zyryanov, *Ashtech, Russia* ----- 422

Survey of In-Car Jammers - Analysis and Modeling of the RF Signals and IF Samples (Suitable for Active Signal Cancellation): T. Kraus, R. Bauernfeind, B. Eissfeller, *University FAF Munich, Germany* ----- 430

Authentication of GNSS Position: An Assessment of Spoofing Detection Methods: Y. Bardout, *Thales Alenia Space, France* ----- 436

Positioning with Mixed Signals of Opportunity: C. Yang, *Sigtem Technology, Inc.*; T. Ngyuen, *AFRL/RYMN*; D. Qiu, *Sigtem Technology, Inc.*; J. Casper, M. Quigly, *Casper Quigley Research, LLC* ----- 447

C1: Aviation Applications

Aircraft Landing System Utilizing a GPS Receiver with Position Prediction Functionality: J. Bialy, *Air Force Academy, Poland*; A. Cieccko, *University of Warmia and Mazury, Poland*; J. Cwiklak, M. Grzegorzewski, *Air Force Academy, Poland*; P. Koscielniak, J. Ombach, *Jagiellonian University, Poland*; S. Oszczak, *Air Force Academy, Poland* ----- 457

Impacts of ADS-B Service Availability Prediction Requirements on Scheduled Airline Operations: M. Harris, T. Murphy, *Boeing Commercial Airplanes* ----- 468

Simulation Model to Evaluate Collision Avoidance Methods Using Raw Measurements in the Automatic Dependent Surveillance - Broadcast: M. Uijt de Haag, S. Vana, *Ohio University*; J.L. Farrell, *Vigil, Inc.* --- 483

A Coverage Analysis Methodology for APNT Pseudolite Ground Network: E. Kim, *Selex Systems Integration Inc.* ----- 495

Joint Precision Approach and Landing System: WHY JPALS?: E.P. Brown, *NAVAIRSYSCOM* ----- 508

Accounting for Tropospheric Anomalies in High Integrity and High Accuracy Positioning Applications: S. Khanafseh, M. Joerger, B. Pervan, *Illinois Institute of Technology*; A. Von Engel, *EUMETSAT, Germany* 513

A Methodology to Elaborate Aircraft Localization Requirements for Airport Navigation: A. Guilloton, J-P. Arethens, *Thales Avionics, France*; C. Macabiau, A-C. Escher, *ENAC, France*; D. Koenig, *Gipsa-Lab., France* ----- 523

Virtual Receiver to Enhance GNSS-based Curved Landing Approaches: F. Kube, S. Schön, *Leibniz Universität Hannover, Germany*; T. Feuerle, *Technische Universität Braunschweig, Germany* ----- 536

A New Design of Doppler Radar/FOG-SINS/Baro-altimeter Integrated Navigation System for Helicopters: H. Bai, X. Xue, *Nanjing University of Science and Technology, China* ----- 546

D1: GNSS and the Atmosphere 1

Remote Sensing of the Earth's Lower Atmosphere During Severe Weather Events Using GPS Technology: A Study in Victoria, Australia: S. Choy, K. Zhang, C-S. Wang, Y. Li, *RMIT University, Australia*; Y. Kuleshov, *Australian Bureau of Meteorology, Australia* ----- 559

Computation of a High-Precision GPS-Based Troposphere Product by the USNO: S. Byram, C. Hackman, J. Tracey, *U. S. Naval Observatory* ----- 572

True Real-time Slant Tropospheric Delay Monitoring System with Site Dependent Multipath Filtering:
T. Iwabuchi, C. Rocken, *GPS Solutions Inc.* A. Wada, M. Kanzaki, *Hitachi Zosen Corporation, (Hitz), Japan* 579

Integer Ambiguity Resolution to Improve Accuracy and Convergence of PPP-Inferred Troposphere Estimates: J. Shi, Y. Gao, *University of Calgary, Canada* ----- 588

High Latitude Ionosphere Scintillations at GPS L5 Band: S. Peng, J.Y. Morton, *Miami University,*
W. Pelgrum, F. van Graas, *Ohio University* ----- 597

GPS Carrier Phase Spectrum Estimation for Ionosphere Scintillation Studies: L. Zhang, *Beijing Institute of Technology, China;* Y. Morton, *Miami University* ----- 608

Multi-Domain Analysis of the Impact of Natural and Man-Made Ionosphere Scintillations on GNSS signals Propagations: W. Pelgrum, *Ohio University;* Y. Morton, *Miami University;* F. van Graas, *Ohio University;* P. Vikram, S. Peng, *Miami University* ----- 617

Evaluation and Calibration of GNSS Receivers for Ionospheric Delay and Scintillation Measurements:
R. Orus-Perez, R. Prieto-Cerdeira, *European Space Agency, ESA/ESTEC, The Netherlands* ----- 626

Ionospheric Delay Forecast Using GNSS Data: M. Cueto, E. Sardón, A. Cezón, *GMV, Spain;* F. Azpilicueta, C. Brunini, *La Plata University, Argentina* ----- 634

Ionospheric Imaging Using GNSS: A New Approach for Canadian Polar Regions: O. al-Fanek, S. Skone, *University of Calgary, Canada* ----- 643

E1: Precise Point Positioning and RTK

The CNES Real-time PPP with Undifferenced Integer Ambiguity Resolution Demonstrator:
D. Laurichesse, *Centre National d'Etudes Spatiales, France* ----- 654

Undifferenced Ambiguity Resolution Applied to RTK: S. Carcanague, *M3Systems/ENAC, France;* O. Julien, *ENAC, France;* W. Vigneau, *M3System, France;* C. Macabiau, *ENAC, France* ----- 663

Issues in Ambiguity Resolution for Precise Point Positioning: P. Collins, *York University and Natural Resources Canada, Canada;* S. Bisnath, *York University, Canada* ----- 679

Performance Assessment of Long-baseline Integer Ambiguity Resolution with Different Observation Models: X. Yu, X. Zhang, J. Liu, *Wuhan University, China;* J. Shi, *University of Calgary, Canada;* C. Cai, *Central South University, China;* Y. Gao, *University of Calgary Canada* ----- 688

A Novel Device for Autonomous Real-Time Precise Positioning with Global Coverage: D. Calle, P. Navarro, A. Mozo, R. Piriz, D. Rodriguez, G. Tobias, *GMV, Spain* ----- 699

Real-time Combination of GNSS Orbit and Clock Correction Streams Using a Kalman Filter Approach:
L. Mervart, *Technical University Prague, Czech Republic;* G. Weber, *Federal Agency for Cartography and Geodesy, Germany* ----- 707

GLONASS Inter-frequency Biases and Their Effects on RTK and PPP Carrier-phase Ambiguity Resolution: N. Reussner, L. Wanninger, *TU Dresden, Germany* ----- 712

GNSS Positioning of Ocean Buoys in Japan for Disaster Prevention: M. Kanzaki, Y. Matsushita, H. Kakimoto, *Hitachi Zosen Corporation, Japan*; C. Rocken, T. Iwabuchi, L. Mervart, J. Johnson, Z. Lukes, *GPS Solutions, USA* ----- 717

F1: Software Receivers and GNSS Antennas

Robust Multi-Antenna Acquisition in Time, Frequency and Space for a Digital Beamforming Receiver: C. Hättich, M. Cuntz, A. Konovaltsev, G. Kappen, M. Meurer, *German Aerospace Center, Germany* ----- 724

Electro-Textile Ground Planes for Multipath and Interference Mitigation in GNSS Antennas Covering 1.1 to 1.6 GHz: B. Rama Rao, E.N. Rosario, *The MITRE Corporation* ----- 732

Design and Implementation of a Novel Multi-constellation FPGA-based Dual Frequency GNSS Receiver for Space Applications: A. Avanzi, P. Tortora, *University of Bologna, Italy*; A. Garcia-Rodriguez, *ESA/ESTEC, The Netherlands* ----- 746

Wide-band Signal Processing Features for Reference Station use of a PC-based Software Receiver: Cross-Correlation Tracking on GPS L2P, AltBOC and the Inter-frontend Link for up to Eight Frequency Bands: T. Pany, N. Falk, B. Riedl, T. Hartmann, J. Winkel, *IFEN GmbH, Germany*; G. Stangl, *Space Research Institute of the Austrian Academy of Science, Austria* ----- 753

Real-Time Dual-Frequency (L1/L5) GPS/WAAS Software Receiver: Y-H. Chen, J-C. Juang, *National Cheng Kung University, Taiwan*; D.S. De Lorenzo, J. Seo, S. Lo, P. Enge, *Stanford University*; D.M. Akos, *University of Colorado Boulder* ----- 767

Efficient Numerical Integration Method of GLONASS Satellite Position Computation: S. Deshpande, S. Kumar, Y. Shekar, *Texas Instruments India Pvt. Ltd., India* ----- 775

GNSS-SDR: An Open Source Tool for Researchers and Developers: C. Fernández-Prades, J. Arribas, P. Closas, *Centre Tecnològic de Telecomunicacions de Catalunya, Spain*; C. Avilés, *Carlos Avilés Software, Germany*; L. Esteve, *Universitat Politècnica de Catalunya, Spain* ----- 780

Implementation, Test and Validation of a Vector-Tracking-Loop with the ipex Software Receiver: J-H. Won, B. Eissfeller, *University FAF Munich, Germany*; T. Pany, *IFEN GmbH, Germany* ----- 795

Dual-Tracking Multi-Constellation GNSS Front-End For High-Performance Receiver Applications: Y. Adane, A. Ucar, I. Kale, *University of Westminster, UK* ----- 803

A Real-time GPS Software Receiver Correlator Design for Embedded Platform: J. Tao, W. Yu, *Shanghai Jiao Tong University, China* ----- 808

A GNSS Software Receiver for Governmental Applications: R. Capua, A. Bottaro, *Sogei S.p.A., Italy* ----- 813

P1: Program Updates: GPS, GLONASS, Galileo, COMPASS, IRNSS, QZSS

Global Positioning Systems Directorate – GPS Program Update: B. Gruber, *Commander, GPS Directorate* ----- 824

GLONASS Status and Modernization: S. Revnivikh, *Central Research Institute of Machine Building Federal Space Agency, Russia* ----- 839

Galileo Programme Status: H. Tork, *European Commission, Belgium* ----- 855

Development of BeiDou Navigation Satellite System: X. Ding, *China Beidou Management Office, China* -- 882

QZSS: The Japanese Quasi-Zenith Satellite System – Program Updates and Current Status: S. Kogure, *Japan Aerospace Exploration Agency (JAXA), Satellite Applications and Promotion Center, Japan* ----- 913

A2: Land Based Applications 2

Non-Linear, Non-Gaussian Estimation for INS/GPS Integration: T.T. Duong, K-W. Chiang, *National Cheng Kung University, Taiwan* ----- 946

Odometer-aided Instantaneous Signal Reacquisition for Automotive GNSS Receivers: H-G. Büsing, U. Haak, P. Hecker, *Technische Universität Braunschweig, Germany* ----- 954

RTK-GPS Reliability Improvement in Dense Urban Areas: T. Shirai, N. Kubo, *Tokyo University of Marine and Science, Japan* ----- 960

Uncertainty Aware Sensor Fusion for a GNSS-based Collision Avoidance System: A. Katriniok, J.P. Maschuw, D. Abel, *RWTH Aachen University, Germany*; F. Christen, *Forschungsgesellschaft Kraftfahrwesen mbH Aachen, Germany*; L. Eckstein, *RWTH Aachen University, Germany* ----- 968

The Performance Evaluation of Low Cost MEMS IMU/GPS Integrated Positioning and Orientation Systems Using Novel DBPNNs Embedded Fusion Algorithms: K-Y. Chen, C-Y. Liu, *National Cheng-Kung University, Taiwan* ----- 979

The Performance Analysis of 3D Map Embedded INS/GPS Fusion Algorithm for Seamless Vehicular Navigation in GPS Denied Environments: Y-H. Lee, T-P. Chen, P.Y. Chen, K-W. Chiang, *National Cheng Kung University, Taiwan* ----- 994

Automotive Positioning Based on Bundle Adjustment of GPS Raw Data and Vehicle Trajectory: J-I. Meguro, Y. Kojima, N. Suzuki, E. Teramoto, *Toyota Central R&D Labs., Inc., Japan* ----- 1005

Improvement of an MMS Trajectory, in Presence of GPS Outage, Using Virtual Positions: M. Barbarella, S. Gandolfi, *University of Bologna, Italy*; A. Burchi, *Siteco Informatica S.r.l., Italy* ----- 1012

B2: GNSS Algorithms and Methods

Data Compression for Assisted-GPS Signal Processing: J. Wu, A.G. Dempster, *University of New South Wales, Australia* ----- 1019

Bit Transition Cancellation Signal Acquisition Method for Modernized GPS and Galileo Signal: S. Jeon, *Seoul National University and SNU-IAMD, South Korea*; H. So, *Agency for Defense Development, South Korea*; G. Kim, C. Kee, *Seoul National University and SNU-IAMD, South Korea*; K. Kwon, *Korea Aerospace Research Institute (KARI), South Korea* ----- 1028

A 2-D Parallel Differential Matched Filter (PDMF) used as Correlator of GPS Acquisition for Low-Complexity Design: C-W. Chen, S-H. Chen, *National Taiwan University, Taiwan*; W-L. Mao, *National Formosa University, Taiwan*; H-W. Tsao, *National Tiwan University, Taiwan* ----- 1040

A New Frequency Offset Correction Approach for Enhancing Sensitivity of GNSS Receivers: M. Sahnoudi, P. Esteves, M. Bousquet, *Institut Supérieur de l'Aéronautique et de l'Espace/SUPAERO, TésA, France*; L. Ries, G. Artaud, *CNES, France*; M.-L. Boucheret, *University of Toulouse, TésA, France* -----1046

Detection of Cycle Slips and Multipath in GNSS RTK Precise Point Positioning: M. Kamimura, R. Tomita, T. Nagano, A. Chabata, Y. Kubo, S. Sugimoto, *Ritsumeikan University, Japan* -----1056

Mass-market L1 GPS Receivers for Mobile Mapping Applications: A Novel Approach: P. Dabove, M. De Agostino, A.M. Manzano, *Politecnico di Torino, Italy* -----1068

Satellites Orbit Design and Determination for the Australian Garada Project: L. Qiao, C. Rizos, A. Dempster, *University of New South Wales, Australia* -----1075

A Novel Adaptive EKF GNSS Weak Signal Tracking Algorithm: H. Qin, Y. Liu, T. Jin; *BeiHang University, China* -----1082

C2: Receiver & Antenna Technology 1

Multi-Frequency Combined Processing for Direct and Multipath Signals Tracking Based on Particle Filtering: N.I. Ziedan, *Zagazig University, Egypt* -----1090

Precise Calibration of Adaptive Antennas for GNSS Receivers on Platforms: A.J. O'Brien, I.J. Gupta, *The Ohio State University* -----1102

A Maximum-likelihood Based Mutual Coupling Calibration Algorithm in the Presence of Multipath for GPS Antenna Array: Z. Xu, M. Trinkle, D.A. Gray, *The University of Adelaide, Australia* -----1111

Space-Time Equalization Techniques for New GNSS Signals: P.B. Anantharamu, D. Borio, G. Lachapelle, *University of Calgary, Canada* -----1120

A Multi-Circular Ring CRPA for Robust GNSS Performance in an Interference and Multipath Environment: C. Bartone, *Ohio University*; T. Stansell, *Stansell Consulting* -----1129

Multisatellite Tracking GNSS Receivers in Multipath Environments: K. Giger, C. Guenther, *Technical University Munich, Germany* -----1140

Simulation and Efficient Implementation of a Multipath Estimating Delay Locked Loop Using FIMLA Algorithm: M. Langer, S. Kiesel, K-F. Kief, G.F. Trommer, *Karlsruhe Institute of Technology, Germany* ---1152

Estimating Multipath in GNSS Signals Through a Novel Stochastic Search and Decomposition Algorithm: M.E. Haker, J.F. Raquet, *Air Force Institute of Technology* -----1162

Real-Time Multipath Estimation for Dual Frequency GPS Ionospheric Delay Measurements: R.J. Miceli, M.L. Psiaki, B.W. O'Hanlon, K.Q.Z. Chiang, *Cornell University* -----1173

Compact Dual Frequency RTK Antennas: D. Tatarnikov, A. Astakhov, P. Shamatulsky, *Topcon Positioning Systems, Russia* -----1179

GNSS Interference and Multipath Suppression Using Array Antenna: S. Daneshmand, A. Broumandan, G. Lachapelle, *University of Calgary, Canada* -----1183

Signal Amplitude-Based Multipath Envelope Fitting: A Promising Method for Short-Delay Multipath Mitigation in Space Applications: R. Sun, J. Guo, E. Gill, *Delft University of Technology, The Netherlands* 1193

D2: Galileo & Other Emerging GNSS (COMPASS, QZSS, IRNSS)

QZSS On Orbit Technical Verification Results: M. Kishimoto, E. Myojin, S. Kogure, H. Noda, K. Terada, *Japan Aerospace Exploration Agency, Japan* -----1206

Improvement of Positioning Performance in Urban Canyons Utilizing QZSS: Y. Sato, M. Miya, Y. Shima, M. Saito, J. Takiguchi, *Mitsubishi Electric Corporation, Japan*; J. Yamashita, *Japan Aerospace Exploration Agency, Japan* -----1212

Assessment on the use of S-Band for Combined Navigation and Communication: F. Soualle, T. Bey, J.-J. Floch, D. Hurd, M. Notter, C. Mathew, *EADS-Astrium, Germany*; P. Mattos, *STMicroelectronics, UK*; C. Mongredien, *Fraunhofer Institute, Germany* -----1219

Optimized Modulation for Compass B1-C Signal with Multiple Processing Modes: Z. Yao, M. Lu, *Tsinghua University, China* -----1234

Centimeter-class Augmentation System Utilizing Quasi-Zenith Satellite: M. Saito, Y. Sato, M. Miya, M. Shima, Y. Omura, J. Takiguchi, *Mitsubishi Electric Corporation, Japan*; K. Asari, *Satellite Positioning Research and Application Center, Japan* -----1243

Quasi-Pilot Signals: Improving Sensitivity and TTFF without Compromises: M. Paonni, M. Anghileri, D. Fontanella, B. Eissfeller, *University FAF Munich, Germany*; T. Pany, *IfEN GmbH, Germany* -----1254

Investigation of Galileo E1 OS/SoL Acquisition, Tracking and Data Demodulation Thresholds for Civil Aviation: O. Julien, *Ecole Nationale de l'Aviation Civile (ENAC), France*; J.-L. Issler, L. Ries, *Centre National d'Etudes Spatiales, France* -----1264

Generation and Evaluation of QZSS L1-SAIF Ephemeris Information: T. Sakai, H. Yamada, S. Fukushima, K. Ito, *Electronic Navigation Research Institute, Japan* -----1277

QZS-1 Yaw Attitude Estimation Based on Measurements from the CONGO Network: A. Hauschild, *German Space Operations Center /DLR, Germany*; P. Steigenberger, C. Rodriguez-Solano, *Technical University Munich, Germany* -----1288

A Method to Optimize the Spreading Code Chip Waveform in Sense of Gabor Bandwidth: X. Zhang, Z. Yao, X. Zhang, M. Lu, *Tsinghua University, China* -----1299

E2: Pedestrian Navigation

Context-aware Adaptive Extended Kalman Filtering Using Wi-Fi Signals for GPS Navigation: M. Shafiee, K. O'Keefe, G. Lachapelle, *University of Calgary, Canada* -----1305

A Pedestrian Indoor Positioning System Based on the WiFi and Walk Pattering Algorithm Using Mobile Device: J.H. Lee, B.J. Shin, S. Lee, D.H. Woo, J.H. Kim, Y.T. Byun, S.D. Ha, *Korea Institute of Science and Technology, South Korea*; S.-C. Lee, *Korea Telecom, South Korea*; J.W. Park, *Korea University, South Korea*; T. Lee, *Korea Institute of Science and Technology, South Korea* -----1319

Gait Classification Using Wavelet Descriptors in Pedestrian Navigation: Y. Ma, *Honeywell Labs*; J.A. Hesck, *University of Minnesota* -----1328

A Robust Sensor Fusion Algorithm for Pedestrian Heading Improvement: S. Siddharth, A.S. Ali, N. El-Sheimy, *University of Calgary, Canada*; C.L. Goodall, Z.F. Syed, *Trusted Positioning, Inc., Canada* -1337

Integration of Heading-Aided MEMS IMU with GPS for Pedestrian Navigation: J. Pinchin, *Horizon Digital Economic Research, University of Nottingham, UK*; C. Hide, K. Abdulrahim, T. Moore, C. Hill, *IESSG, University of Nottingham, UK* -----1346

Multi-Sensors Observability Analysis on Pedestrian Navigation System: X. Zhao, *University of Calgary, Canada* -----1357

Collaborative Pedestrian Mapping of Buildings Using Inertial Sensors and FootSLAM: P. Robertson, *German Aerospace Center, Germany*; M. Garcia Puyol, *German Aerospace Center, Germany and University of Malaga, Spain*; M. Angermann, *German Aerospace Center, Germany* -----1366

Low Cost IMU, GPS and Camera Integration for Handheld Indoor Positioning: C. Hide, T. Moore, *IESSG, University of Nottingham, UK*; T. Botterill, *University of Canterbury, New Zealand* -----1378

Experimental Validation of Foot to Foot Range Measurements in Pedestrian Tracking: M. Laverne, M. George, D. Lord, A. Kelly, T. Mukherjee, *Carnegie Mellon University* -----1386

Context Aware Mobile Personal Navigation Services Using Multi-Level Sensor Fusion: S. Saeedi, N. El-Sheimy, X. Zhao, *University of Calgary, Canada*; Z. Syed, *Trusted Positioning Inc., Canada* -----1394

A Smart Phone Based PDR Solution for Indoor Navigation: R. Chen, L. Pei, Y. Chen, *Finnish Geodetic Institute, Finland* -----1404

Pedestrian Navigation with INS Measurements and Gait Models: Y. Cui, K.B. Ariyur, *Purdue University* 1409

F2: New Product and Commercial Service Announcements

Some Bits of Warning: How GNSS Can Save Lives: D.P. Spinden, *Rockwell Collins, Inc.* -----1419

AsteRx-m - A Very Low-power Compact GPS/GLONASS RTK Receiver: B. Bougard, G. Cuypers, W. De Wilde, J-M. Sleewaegen, *Septentrio Satellite Navigation, Belgium* -----1429

CASES: A Novel Low-Cost Ground-based Dual-Frequency GPS Software Receiver and Space Weather Monitor: G. Crowley, G.S. Bust, A. Reynolds, I. Azeem, R. Wilder, *ASTRA*; B.W. O'Hanlon, M.L. Psiaki, S. Powell, *Cornell University*; T.E. Humphreys, J.A. Bhatti, *University of Texas at Austin* -----1437

Trusted Portable Navigator for Environment and User Independent Positioning: Z. Syed, J. Georgy, C. Goodall, M.M. Atia, N. El-Sheimy, *Trusted Positioning Inc., Canada* -----1447

Nexteq i-PPP: A Low-cost world-wide Precise Point Positioning System and Service: Y. Zhang, S. Lee, *Nexteq Navigation Corporation, Canada* -----1453

RTX Positioning: The Next Generation of cm-accurate Real-time GNSS Positioning: R. Leandro, H. Landau, M. Nitschke, M. Glocker, S. Seeger, X. Chen, A. Deking, M.B. Tahar, F. Zhang, K. Ferguson, R. Stolz, N. Talbot, G. Lu, T. Allison, M. Brandl, V. Gomez, W. Cao, A. Kipka, *Trimble Terrasat GmbH, Germany* -----1460

Integrated StarFire GPS with GLONASS for Real-Time Precise Navigation and Positioning: L. Dai, R.R. Hatch, *NavCom Technology, Inc.* -----1476

An Efficient Approach for the Development and Deployment of a Multi-constellation Augmentation System: magicSBAS: J. Ostolaza, I. Alcantarilla, J. Caro, J.R. Martin, *GMV, Spain* ----- P IC

GPS M'-code and P-code Signal Simulation Using an Open Source Radio Platform: A. Brown, B. Johnson, *NAVSYS Corporation* -----1494

EmbedRF Position Tracking and Mobility Assessment System: A Low-power and Low-cost System for Passive Assessment of Patient Health in a Home Health-care Setting: P.G. Jacobs, *EmbedRF LLC*; A.S. Paul, E.A. Wan, *Oregon Health & Sciences University* -----1499

Development of IMES Installation, Setup and Management System: D. Manandhar, H. Torimoto, *GNSS Technologies Inc., Japan* -----1507

P2a: Program Updates: High Integrity Systems

Wide Area Augmentation System (WAAS_ - Program Status Updated: D. Bunce, *Federal Aviation Administration* -----1514

EGNOS Program Updated: X. Maufroid, *European Commission, Belgium*; D. Flament, *European Space Agency, France* -----1535

System for Differential Correction and Monitoring Updated: S. Karutin, *Russian Space Systems, Russia* -1562

Global SBAS Status: D. Lawrence, *Federal Aviation Administration* -----1574

P2b: Can LightSquared and GPS Coexist? Current Status and Ongoing Activities

Can LightSquared and GPS Coexist?: T. Stansell, *Stansell Consulting* -----1603

Cellular Subgroup of TWG – Brief Overview of Activities and Outputs: G. Turetzky, *CSR* -----1612

LightSquared: S. Burgett, *Garmin* -----1623

Can GPS & LightSquared Coexist?: P. Fenton, *NovAtel, Inc., Canada* -----1639

LightSquared Interference to GNSS and StarFire: P. Galyean, *John Deere* -----1675

A3: Urban & Indoor Navigation Technology (Academic Focus) 1

Inferring Wi-Fi Angle-of-Arrival from Received Signal Strength Distribution: R.M. Sabri, T. Arslan, *University of Edinburgh, UK* -----1731

Modeling Pseudo Range Multipath As An Autoregressive Process: P. F de Bakker, *Delft University of Technology, The Netherlands* -----1737

Signal Selection Based on Affinity Propagation Clustering Method for Signals of Opportunity Navigation: L. Zheng, J. Zhang, R. Xue, *Beihang University, China* -----1751

A Differential Photosensor for Indoor Optical Wireless Positioning: A. Arafa, X. Jin, R. Klukas, *University of British Columbia, Canada* -----1758

Multipath Signal Assessment in the High Sensitivity Receivers for Vehicular Applications: P. Xie, M.G. Petovello, *University of Calgary, Canada*; C. Basnayake, *General Motors Technical Center* -----1764

A Non-Coherent Block Processing Architecture for Standalone GNSS Weak Signal Tracking: S. Satyanarayana, D. Borio, G. Lachapelle, *University of Calgary, Canada* -----1777

Comparison in the Performance of the Vector Delay/Frequency Lock Loop and Equivalent Scalar Tracking Loops in Dense Foliage and Urban Canyon: M. Lashley, *Navigation Technology Associates*; D.M. Bevely, *Auburn University* -----1786

Flexible Statistical Multipath and Shadowing Model for Software and Hardware Simulations: R. Prieto-Cerdeira, *European Space Agency ESA/ESTEC, The Netherlands*; F. Schubert, *German Aerospace Center (DLR), Germany*; R. Orus-Perez, J.A. Garcia-Molina, *German Aerospace Center (DLR), German*; F. Zanier, *European Space Agency ESA/ESTEC, The Netherlands* -----1804

GPS/INS Integration for Land Vehicle Navigation Using Source Difference Method: D. Bhatt, P. Aggarwal, *University of Toledo*; P. Bhattacharya, *University of Cincinnati*; V. Devabhaktuni, *University of Toledo* -----1811

B3a: Marine Navigation

Augmented Reality Precision Navigation: B. Almquist, *The Office of Naval Research*; T. Zysk, J. Luce, *Technology Systems Inc.*; J. Cunningham, *Naval Surface Warfare Center, Dahlgren Division* -----1818

A New Real-Time Global GPS and GLONASS Precise Positioning Correction Service: Apex: C. Rocken, L. Mervart, J. Johnson, Z. Lukes, T. Springer, T. Iwabuchi, S. Cummins, *GPS Solutions Inc., USA*; P. Toor, M. Arciuch, X. Shi, *VERIPOS Ltd, UK* -----1825

Research on Embedded Model-Aided Autonomous Navigation for Miniature AUVs: G. Du, X. Zhan, *Shanghai Jiao Tong University, China*; Y. Gu, *Tianjin Navigation Instrument Research Institute, China*; C. Zhai, *Shanghai Jiao Tong University, China* -----1839

Performance Analysis of Software-Based GPS/GLONASS Augmentation System for Maritime DGNSS Service: K-Y. Seo, S-H. Park, W-S. Jang, *Korea Ocean R&D Institute, South Korea* -----1845

A Parity Space Approach for Satellite Anomaly Monitoring of Maritime DGPS: S.H. Park, K.Y. Seo, D.J. Cho, S.H. Suh, *Korea Ocean Research and Development Institute, South Korea* -----1851

B3b: Advances in Military GNSS Systems and Applications

A Versatile Collaborative PNT Processing Architecture for Tight Coordination Of Distributed GPS Sensors: P.Y. Hwang, G.A. McGraw, M.J. Armatys, H.T. Phan, D.A. Anderson, *Rockwell Collins, Inc.* -----1856

GNSS Precise Signal interoperability Solutions for State Aircraft within Single European Sky Master Plan: P. Barret, *European Organization for the Safety of Air Navigation, (EUROCONTROL), Belgium* -----1866

Precision Navigation for UAS Critical Operations: A.K. Brown, D. Nguyen, P. Felker, *NAVSYS Corporation*; G. Colby, F. Allen, *PMA-268 NAVAIR* -----1870

Differential GPS-Based Ultra-High Accuracy Real Time Attitude Determination: B.H. Wu, *Raytheon Summer Intern 2010 Troy High School*; S.R. Peck, S. Wu, *Raytheon Company* -----1877

C3: Interference and Spectrum Management

Signal Quality Monitoring Applied to Spoofing Detection: M. Pini, M. Fantino, *Istituto Superiore Mario Boella, Italy*; A. Cavaleri, S. Ugazio, L. Lo Presti, *Politecnico di Torino, Italy* -----1888

GNSS Threats and Aviation, Mitigation Techniques, Alternatives and Regulation: L. Azoulai, *Airbus Operations SAS, France* -----1897

Signal Characteristics of Civil GPS Jammers: R.H. Mitch, R.C. Dougherty, M.L. Psiaki, S.P. Powell, B.W. O'Hanlon, S.P. Powell, *Cornell University*; J.A. Bhatti, T.E. Humphreys, *University of Texas at Austin* -----1907

Assessment of GPS L1/Galileo E1 Interference Monitoring System for the Airport Environment: O. Isoz, D. Akos, T. Lindgren, *Luleå University of Technology, Sweden*; C-C. Sun, S-S. Jan, *National Cheng Kung University, Taiwan* -----1920

J911: The Case for Fast Jammer Detection and Location Using Crowdsourcing Approaches: L. Scott, *LS Consulting* -----1931

An Overview of the Effects of Out-of-band Interference on GNSS Receivers: C.J. Hegarty, *The MITRE Corporation*; D. Bobyn, *Dan Bobyn, Engineering*; J. Grabowski, *Zeta Associates*; A.J. Van Dierendonck, *AJ Systems* -----1941

Multi-Channel Wideband GPS Anomalous Event Monitor: S. Gunawardena, F. van Graas, *Ohio University* -----1957

Real-time GIOVE Signal Performance Using STFT Based Excision Method in the Presence of Interference: A.S. Ayaz, R. Bauernfeind, *University FAF Munich, Germany*; J.G. Jang, *LG Electronics, South Korea*; B. Eissfeller, *University FAF Munich, Germany*; T. Pany, *Ifen GmbH, Germany* -----1969

D3: GNSS Simulation and Testing

Hybrid Test Bench SINERGHYS “Statistical INertial GSS Hybrid in Simulation”: S. Gallot, P. Dutot, C. Sajous, *French MoD, DGA Information Superiority, France* -----1975

A Labview-Based Assisted GPS Receiver Development, Simulation and Testing Platform: A. Soghoian, G. Huang, J. Narisetty, D. Akopian, *University of Texas at San Antonio* -----1982

User RAIM Integrity Testing with upgraded German Galileo Test Range GATE: G. Heinrichs, E. Loehnert, E. Wittmann, *IFEN GmbH, Germany* -----1997

MLM Technique for Measuring Airborne GPS Accuracy with Ranging Instruments: T.A. Miller, *SAIC, Inc.* -----2004

Record and Playback System for GNSS: What You Need to Know for Successful Testing: I. Ilie, R. Hini, J.-S. Cardinal, P. Blood, D. Fortin, *Cardinal, Averno Technologies, Canada* -----2009

Improvement of GNSS Positioning with Proper Calibration of Inter-channel and Inter-element Bias in Receiver Front-ends: A. Dhital, A. Morrison, G. Lachapelle, *University of Calgary, Canada* -----2022

SatGen GNSS Signal Simulation Software: A.K. Brown, M-A. Hutton, M. Quigley, *NAVSYS Corporation;* M. Sampson, *Racelogic* -----2031

On the Statistical Characteristics of the Residual in Time-Based Position Location Systems: J. Nounagnon, *Virginia Tech* -----2035

NAVFEST: A Cost Effective Solution to GPS NAVWAR Testing: R. Vasta, M. Watson, K. LeBlanc, *746th Test Squadron* -----2047

Evaluation of the Localization Accuracy of Satellite Systems for Traffic-Flow Predictions: B. Niehoefer, A. Lewandowski, C. Wietfeld, *TU Dortmund University, Germany* -----2053

E3: Algorithms & Methods 1

Analysis and Verification of Synthetic Multicorrelators: C. Stoeber, F. Kneissl, B. Eissfeller, *University FAF Munich, Germany;* T. Pany, *IfEN GmbH, Austria* -----2060

Coherent Multiple Hypotheses Detection and Measurement for Radio Navigation: B. Shayevids, M. Tocker, D. Rosenfeld, *CellGuide Ltd., Israel* -----2070

Joint Determination of Precorrelation Bandwidth, Sampling Frequency and Quantization in Wideband Compass Receivers: X. Zhang, H. Xu, X-Q. Zhan, *Shanghai Jiao Tong University, China;* Y. Wang, *Shanghai HuaCe Navigation Technology, Ltd., China;* X. Zhan, *Shanghai Jiao Tong University, China* -----2076

Performance Comparison of Deep Integration and Tight Coupling: M. Lashley, *Navigation Technology Associates;* D.M. Bevly, *Auburn University* -----2090

Gaussian Sum Filters and its Applications to GNSS Positioning: Y. Kubo, Y. Matsunaga, N. Munetomo, S. Fujita, K. Ohta, S. Sugimoto, *Ritsumeikan University, Japan* -----2105

A Novel Computationally Efficient Code Phase Acquisition Method: C-F. Chang, *National Space Organization, Taiwan;* W-H. Hsieh, M-S. Kao, *National Chiao-Tung University, Taiwan* -----2113

Semidefinite Programming for GPS: N. Wang, *University of Florida;* L. Yang, *Colorado State University* 2120

Monocular Autonomously-Controlled Snowplow: S. Craig, M. Miltner, D. Fulk, W. Pelgrum, F. van Graas, *Ohio University* -----2127

Evaluation of Bayesian Approaches for Multi-sensor Multi-network Seamless Positioning: H. Kuusniemi, L. Chen, L. Pei, J. Liu, Y. Chen, L. Ruotsalainen, R. Chen, *Finnish Geodetic Institute, Finland* -----2137

A Modified Tracking Algorithm for MBOC(6,1,1/11) Signals: S. Li, J. Li, Y. Yan, *Institute of Microelectronics of CAS, China* -----2145

Nonlinear Techniques for Seamless Low-Cost Portable Navigation in all Environments: J. Georgy, *Trusted Positioning Inc., Canada*; A. Noureldin, *Royal Military College of Canada/Queen's University, Canada*; Z. Syed, C. Goodall, *Trusted Positioning Inc., Canada* -----2150

Dual Sideband Model for BOC Modulated Signals: Y. Liu, X. Tang, K. Zhang, F. Wang, *National University of Defense Technology, China* -----2160

F3: Precise Positioning and RTK for Civil Applications

High-Precision Positioning of Asphalt Fleet Machines: E. Wasle, P. Berglez, J. Seybold, *TeleConsult Austria GmbH, Austria*; A. Ligier, *Mobile Automation AG, Germany*; S. Urquijo, *Fraunhofer Institute for Integrated Circuits IIS, Germany*; H-J. Euler, *inPosition gmbH, Switzerland* -----2167

Error Sources in Network RTK: R. Emardson, P. Jarlemark, J. Johansson, S. Bergstrand, *SP Technical Research Institute of Sweden, Sweden*; G.Hedling, *Lantmäteriet – the Swedish Mapping, Cadastral and Land Registration Authority, Sweden* -----2175

Interchangeable Integration of GPS and GLONASS by Using a Common System Clock in PPP: T. Melgard, *Fugro Seastar, Norway/University of Calgary, Canada*; K. de Jong, *Fugro Intersite, The Netherlands*; G. Lachapelle, *University of Calgary, Canada*; D. Lapucha, *Fugro Chance, USA* -----2179

Multi-Constellation RTK with a Software Receiver: D. Dötterböck, S.J. Ko, B. Eissfeller, *University FAF Munich, Germany*; D.S. Güixens, *IfEN GmbH, Germany* -----2185

Filling in the gaps of RTK with Regional PPP: G. Tobías, C. García, A. Mozo, P. Navarro, R. Píriz, I. Rodríguez, D. Rodríguez, *GMV, Spain* -----2193

Indoor Carrier Phase Tracking and Positioning with Difference Correlators: T. Pany, *IFEN GmbH, Germany*; H-J. Euler, *inPosition gmbh, Switzerland*; J. Winkel, *IFEN GmbH, Germany* -----2202

Trimble RTX, an Innovative New Approach for Network RTK: X. Chen, T. Allison, W. Cao, K. Ferguson, S. Grünig, V. Gomez, A. Kipka, J. Köhler, H. Landau, R. Leandro, G. Lu, R. Stolz, N. Talbot, *Trimble Terrasat GmbH, Germany* -----2214

Cooperative High-Accuracy Location (C-HALO) Service for Intelligent Transportation Systems: A Cost Benefit Study: A. Goodliss, C. Manasseh, V.N. Ekambaram, R. Sengupta, K. Ramchandran, *University of California, Berkeley* -----2220

A Systems Approach to Sizing of Co-operative High-Accuracy Location (C-HALO) Services Validated by Experiments in San Francisco: V.N. Ekambaram, C. Manasseh, A. Goodliss, R. Sengupta, K. Ramchandran, *University of California, Berkeley* -----2233

P3: Global and Regional Satellite System Providers & the United Nations ICG

QZSS in ICG: S. Kogure, *Japan Aerospace Exploration Agency (JAXA), Japan* -----2240

A4: Geodesy and Surveying

GPS /INS Tightly Coupled Integration Based on Adaptive Robust Kalman Filter: Y. Li, Y. Shen, *Tongji University, China* -----2271

A Triple-frequency Phase-only Algorithm for Modernized GPS Kinematic Positioning: F-Y. Chu, M. Yang, National Cheng Kung University, Taiwan -----2280

Landmark Surveying Using an Integrated Camera, Carrier-Phase DGPS, and Inertial Navigation System: A. Vu, J. Farrell, M. Barth, University of California-Riverside -----2287

Determining Water Wave Patterns Using RGPS Technique: P-H. Hsu, Chia Nan University of Pharmacy and Science, Taiwan; L-C. Shen, C-L. Tseng, J-F. Lee, National Cheng-Kung University, Taiwan -----2296

Integrated Carrier Phase and Doppler Observations of GPS and GLONASS for Precise Velocity Determination: Q. Wang, Central South University, China -----2303

On the use of Network RTK to Replace Static Relative Positioning for Geodetic GPS Surveys: A. Saeidi, S. Bisnath, J-G. Wang, G. Seepersad, York University, Canada -----2310

GNSS Geodetic Reference Frames: Consistency, Stability and the Related Transformation Parameters: M. Bahrami, M. Ziebart, University College, UK -----2318

The Accuracy Potential of Galileo E5/E1 Pseudoranges for Surveying and Mapping: I. Colomina, C. Miranda, M.E. Pares, Institute of Geomatics, Spain; M. Andreotti, C. Hill, University of Nottingham, UK; P.F. da Silva, J.S. Silva, DEIMOS Engenharia, Portugal; J.F. Galera Monico, P.O. Camargo, UNESP, Brazil; J. Diez, J.M. Palomo, DEIMOS Space, Spain; S.E. Barbin, USP, Brazil; J. Moreira, OrbiSat, Brazil; G. Streiff, Santiago e Cintra, Brazil; E.Z. Granemann, MundoGeo, Brazil; C. Aguilera, European GSA, Belgium -----2332

Assessment of Network-based Positioning Performance Using GPS Alone versus GPS and GLONASS Combined: A. Al-Shaery, S. Lim, C. Rizos, University of New South Wales, Australia -----2341

INS Aided Ambiguity Resolution for GPS/INS Integrated Kinematic Positioning: Y. Li, Y. Shen, Tongji University, China -----2350

B4: Robust Navigation in GNSS-Denied and GNSS-Challenged Environments 1

A Kalman Filter-based Doppler-smoothing of Code Pseudoranges in GNSS-Challenged Environments: M. Bahrami, M. Ziebart, University College London, UK -----2362

An Integrated MEMS IMU/Camera System for Pedestrian Navigation in GPS-denied Environments: B. Huang, S. Du, Y. Gao, University of Calgary, Canada -----2373

Mitigating the Effects of GNSS Multipath with a Coded Filter: S. Mohiuddin, D.E. Gustafson, The Charles Stark Draper Laboratory; Y. Rachlin, MIT Lincoln Laboratory -----2381

ATENEA: Advanced Techniques for Deeply Integrated GNSS/INS/LiDAR Navigation: A. Fernández, J. Diez, D. de Castro, DEIMOS Space S.L., Spain; P.F. Silva, DEIMOS Engenharia, Portugal; I. Colomina, E. Parés, Institut of Geomatics, Spain; F. Dosis, Politecnico di Torino, Italy; P. Friess, M. Wis, Geonumerics; J. Lindenberger, TopScan, Spain; I. Fernandez, European Commission -----2395

Performance and Stability Analysis of INS/GPS Ultra-tight Integration with INS Aided Receiver Tracking Loops: L. Fu, Beijing University, China; Y. Chen, Beihang University, China -----2406

Improving Modeling of MEMS-IMUs Operating in GNSS-Denied Conditions: Y. Stebler, *École Polytechnique Fédérale de Lausanne, Switzerland*; S. Guerrier, *University of Geneva, Switzerland*; J. Skaloud, *École Polytechnique Fédérale de Lausanne, Switzerland*; M-P. Victoria-Feser, *University of Geneva, Switzerland* -----2417

Performance of Deeply Integrated GPS/INS in Dense Forestry Areas: A. Soloviev, *University of Florida*; C. Toth, D.A. Grejner-Brzezinska, *The Ohio State University* -----2427

Locata Correlator-Based Beam Forming Antenna Technology for Precise Indoor Positioning and Attitude: J. LaMance, D. Small, *Locata Corporation* -----2436

C4: GNSS Space Based Augmentation Systems (SBAS)

WAAS Single Frequency GEO Operation Field Test and L1 Signal Code-Carrier Coherence Results: L. Cheung, P-H. Hsu, *Raytheon Company* -----2446

Geostationary Satellite Reference Station Multipath Characterization: Using Galaxy 15 Failure to Refine the WAAS Multipath Threat: K. Shallberg, *Zeta Associates Inc.*; B.J. Potter, P. Class, *Arctic Slope Research Corporation* -----2453

WAAS Performance Investigation for Disturbed Ionospheric Conditions over Canadian Latitudes: O. Haddad, S. Skone, *University of Calgary, Canada*; L. Sparks, *Jet Propulsion Laboratory, California Institute of Technology* -----2462

GNOS Performance Evaluated for Static and Kinematic Users: P.F. de Bakker, M. Valk, C.C.J.M. Tiberius, *Delft University of Technology, The Netherlands*; S. Soley, *Pildo Labs S.L.*; H. van der Marel, *Delft University of Technology, The Netherlands* -----2474

First Broadcast of SBAS-SACCSA Test Signal in the Caribbean, Central America and South America: A. Cezón, I. Alcantarilla, J. Caro, J. Ostolaza, *GMV, Spain*; C. Soddu, *INMARSAT, UK*; L. Andrada, *AENA, Spain*; F. Azpilicueta, *UNLP-CONICET, GESA, Argentina* -----2485

Evolving WAAS to Serve LI/L5 Users: T. Walter, J. Blanch, R.E. Phelts, P. Enge, *Stanford University* -----2495

EGNOS Open Service Guidelines for Receiver Manufacturers: D. Jimenez-Banos, M. Powe, A.R. Mathur, F. Toran, D. Flament, *European Space Agency, The Netherlands*; E. Chatre, *European Commission, Belgium* 2505

A Clock and Ephemeris Algorithm for Dual Frequency SBAS: J. Blanch, T. Walter, P. Enge, *Stanford University* -----2513

A Filtering Algorithm on Ionospheric Delay Calculation in Multi-constellation Satellite Navigation Systems: S. Wang, J. Zhang, R. Li, Q. Xu, *Beihang University, China* -----2520

Simulation Study of Low Latitude Ionospheric Effects on SBAS with a Three-dimensional Ionospheric Delay Model: S. Saito, T. Sakai, *Electronic Navigation Research Institute, Japan*; P. Louve, *Ecole Nationale de l'Aviation Civile, France* -----2526

D4: GNSS and the Atmosphere 2

GNSS Imaging-derived Dynamics of Ionospheric Storm Transition Regions: S. Datta-Barua, *San Jose State University*; G.S. Bust, *ASTRA, LLC* -----2532

Defining the Basis of an "Integer-Levelling" Procedure for Estimating Slant Total Electron Content: S. Banville, R.B. Langley, *University of New Brunswick, Canada* -----2542

VTEC Prediction at Brazilian Region Using Artificial Neural Networks: W.C. Machado, E.S. Fonseca, Jr., *University of São Paulo, Brazil* -----2552

Validation of a Transionospheric Propagation Scintillation Simulator for Strongly Scintillated GPS Signals Using Extensive High Latitude Data Sets: R. Tiwari, H. J. Strangeways, S. Tiwari, *Newcastle University, UK*; V.E. Gherm, N. Zernov, *University of St. Petersburg, Russia*; S. Skone, *University of Calgary, Canada* -----2561

CIGALA: Challenging the Solar Maximum in Brazil with PolaRxS: B. Bougard, J-M. Sleewaegen, *Septentrion, Belgium*; L. Spogli, *Istituto Nazionale di Geofisica e Vulcanologia, Italy*; S.V. Veetil, *University of Nottingham, UK*; J.F. Galera Monico, *Universidade Estadual Paulista, Brazil* -----2572

Scintillation Parameter Estimation Using Unmodified Professional GNSS Receivers: A Feasibility Study: D. Symeonidis, J. Fortuny-Guasch, C. O'Driscoll, *Joint Research Centre, European Commission, Italy*; A. Belenguer Martinez, *Universidad de Castilla-la Mancha, Spain* -----2580

Local Models for Ionospheric VTEC Estimation Based on GR Models with Multi-Layer Model: M. Ohashi, S. Otsuki, N. Okano, Y. Kubo, S. Sugimoto, *Ritsumeikan University, Japan* -----2588

Quantifying the Impact of Ionospheric Irregularities on GPS Receiver Carrier Tracking Loop Performance: F. Ghafoori, S. Skone, *University of Calgary, Canada* -----2595

E4: Next Generation GNSS Integrity 1

Characterization of Receiver Response to a Spoofing Attacks: D.P. Shepard, T.E. Humphreys, *University of Texas* -----2608

Civilian GPS Spoofing Detection based on Dual-Receiver Correlation of Military Signals: M.L. Psiaki, B.W. O'Hanlon, *Cornell University*; J.A. Bhatti, D.P. Shepard, T.E. Humphreys, *The University of Texas at Austin* -----2619

An Evaluation of the Vestigial Signal Defense for Civil GPS Anti-Spoofing: K.D. Wesson, D.P. Shepard, J.A. Bhatti, T.E. Humphreys, *University of Texas at Austin* -----2646

Bounding Errors Caused by Nominal GNSS Signal Deformations: G. Wong, R.E. Phelts, T. Walter, P. Enge, *Stanford University* -----2657

A Proposal for Multi-constellation Advanced RAIM for Vertical Guidance: J. Blanch, T. Waler, *Stanford University, USA*; S. Wallner, F. Amarillo Fernandez, R. Dellago, R. Ioannides, *European Space Agency, The Netherlands*; B. Pervan, *Illinois Institute of Technology, USA*; I. Fernandez Hernandez, *European Commission, Belgium*; B. Belabbas, A. Spletter, M. Rippl, *German Aerospace Center, Germany* -----2665

A Novel Positioning and Integrity Monitoring Algorithm for a Multiple Constellation Receiver: S. Feng, C. Milner, A. Jokinen, W. Ochieng, *Imperial College London, UK*; C. Hide, T. Moore, C. Hill, *University of Nottingham, UK*; M. Ziebart, M. Bahrami, P. Groves, Z. Jiang, *University College London, UK* -----2681

A Holistic Approach to Carrier-Phase Receiver Autonomous Integrity Monitoring (CRAIM): C. Milner, S. Feng, A. Jokinen, W. Ochieng, *Imperial College London, UK*; C. Hide, C. Hill, T. Moore, *University of Nottingham, UK* -----2689

Independent Control Segment URA Monitor Incorporating Crosslink Ranging Measurements for Meeting LPV200 Integrity Requirements: B. Bian, D. O'Laughlin, C.A. Shively, R. Braff, *CAASD, The MITRE Corporation* -----2696

A Generic Method for Protection Level Evaluation Under the Assumption of Two Simultaneous Faulty Measurements: F. Faurie, A. Giremus, *University of Bordeaux, France*; S. Szelewa, J-C. Goudon, *Sagem Defense Security, France* -----2713

Generation and Validation of GPS Satellite Orbital Covariance Matrices for Integrity Determination: Y. Wang, *National Key Laboratory of CNS/ATM, China*; Y. Feng, *Queensland University of Technology, Australia*; R. Li, *National Key Laboratory of CNS/ATM, China* -----2723

Impact of the GNSS Time-offsets on RAIM Performance: J. Wang, N.L. Knight, *University of New South Wales, Australia*; X. Lu, *National Time Service Center, CAS, China* -----2732

F4: Multi-Constellation User Receivers

Accuracy and Availability Trials of the Consumer GPS/GLONASS Receiver in Highly Obstructed Environments: P.G. Mattos, *STMicroelectronics R&D Ltd., UK* -----2740

CASES: A Smart, Compact GPS Software Receiver for Space Weather Monitoring: B.W. O'Hanlon, M.L. Psiaki, S. Powell, *Cornell University*; J.A. Bhatti, T.E. Humphreys, *The University of Texas at Austin*; G. Crowley, G.S. Bust, *ASTRA* -----2745

LION Navigator-GPS/Galileo Receiver for Spacecraft Navigation: E. Gottzein, C.Kuehl, H. Fillippi, A. Barrios-Montalvo, P.A. Krauss, J. Heim, *Astrium GmbH, Germany* -----2754

PRECISIO - Design, Development and Testing of a Multi-constellation, Multi-frequency Software Receiver: W. Roberts, M. Bavaro, *Nottingham Scientific Ltd., UK*; E. Dominguez Tijero, *GMV Aerospace and Defence SA, Spain*; F. Legrand, *M3 Systems, France*; S. Vaccaro, *Charles Gigandet JAST SA, Switzerland*; A. Sage, *Colm Thornton Helios, UK*; C. Hill, *University of Nottingham, UK*; I. Fernandez Hernandez, *European Commission, Belgium* -----2767

Dynamic Reconfiguration in a GNSS Software Defined Radio for Multi-Constellation Operation: A.K. Brown, D. Reed, *NAVSYS Corporation* -----2774

Cognitive GNSS Receiver Design: Concepts and Challenges: N.C. Shivaramaiah, A.G. Dempster, *University of New South Wales, Australia* -----2782

Bayesian Filtering Approaches for Unambiguous BOC Tracking under Weak Signal Conditions: N.I. Ziedan, *Zagazig University, Egypt* -----2790

Development of Triple Frequency Based Ionosphere Correction for Software GNSS Receiver: S-J. Ko, B. Eissfeller, J. Winkel, *University FAF Munich, IFEN GmbH, Germany*; J.O. Winkel, *IFEN GmbH, Germany* 2803

Performance Verification on the GPS/Galileo Combined Receiver for GNSS Sensor Station: C.S. Sin, I. Joo, J.H. Kim, S. Lee, *ETRI/Satellite & Wireless Convergence, South Korea* -----2809

The Statistical Analysis of C/N₀ Oscillation and its E-M Solution: X. Zhang, X. Zhan, *Shanghai Jiao Tong University, China*; Y. Wang, *Shanghai HuaCe Navigation Technology Ltd., China*; H. Xu, *Shanghai Jiao Tong University, China* -----2815

New Open GNSS Signals: First Combined GPS/GLONASS/GIOVE Experiments: C. Boulanger, B. Bonhoure, N. Suard, *CNES, France*; D. Lapeyre, *Thales Services, France* -----2821

P4: Mass-Market Services Based on GNSS

Europe's Leading Professional GNSS Receiver Manufacturer: P.A. Grogard, *Septentrio Satellite Navigation, Belgium* -----2829

Availability and Reliability of Mass-market Services Based on GNSS Positioning: M. Pini, *Istituto Superiore Mario Boella, Italy* -----2836

Mass Market Services Based on GNSS: J. Seybold, *TeleOrbit GmbH, Germany* -----2845

Location ...Where the Masses Are – Mass Market LBS Status and Opportunities: J.B. Bullock, *CSR* ---2854

A5: Urban & Indoor Navigation Technology (Academic Focus) 2

3-Dimensional Approach to WiFi Indoor Positioning: U.B. Syed, T. Arslan, *University of Edinburgh, UK* 2861

CWRU Cutter IV: Case Western Reserve University's Autonomous Lawn Mower Design and Performance Review: H.H. Snow, B.E. Hughes, A.D. Smith, J.R. Hall, E.J. Kreinar, R.D. Quinn, *Case Western Reserve University*; J.M. Green, *MTD Products, Incorporated* -----2866

Database Calibration Algorithms of an Indoor Positioning System Based on the Fingerprint Method: S-C. Xiao, L-T. Hsu, S-S. Jan, *National Cheng Kung University, Taiwan* -----2876

GNSS Multipath Error Reduction in Harsh Environments: N. Sokhandan, A. Broumandan, V. Dehghanian, G. Lachapelle, *University of Calgary, Canada* -----2885

Comparison of Filtering Methods for the Peer-to-Peer Kalman Filter: I. Kraemer, B. Eissfeller, *University FAF Munich, Germany* -----2896

Using Motion-Awareness for the 3D Indoor Personal Navigation on a Smartphone: L. Pei, R. Chen, J. Liu, H. Kuusniemi, Y. Chen, T. Tenhunen, *Finish Geodetic Institute, Finland* -----2906

Multipath Mitigation Using Omnidirectional Infrared Camera for Tightly Coupled GPS/INS Integration in Urban Environments: T. Suzuki, M. Kitamura, Y. Amano, T. Hashizume, *Waseda University, Japan* -----2914

B5: Timing and Scientific Applications

A Unique Software GPS Receiver and Simulator Platform for Clock Error Measurement and Simulation: Y. Kou, Y. Jiao, *Beihang University, China*; Y.T. Morton, *Miami University* -----2923

Enhanced GNSS Satellite Clock Predictions - A Two-Stage Adaptive Approach: A. Izadpanah, M. Youssef, *Rx Networks, Canada* -----2931

Three Satellite Navigation in an Urban Canyon using a Chip-Scale Atomic Clock: R. Ramlall, J. Streeter, J.F. Schnecker, *SPAWAR Systems Center Pacific* -----2937

A Laser-Cooled Frequency Standard for GPS: T.P. Heavner, S. Barlow, M.A. Weiss, N. Ashby, S.R. Jefferts, *Time and Frequency Division National Institute of Standards and Technology* -----2946

Laboratory and Flight-Test Analysis of Rubidium Frequency Reference Performance Under Dynamics: F. van Graas S. Craig, W. Pelgrum, *Ohio University* -----2950

Flight Characterization of New Generation GNSS Satellite Clocks: O. Montenbruck, *DLR/GSOC, Germany*; P. Steigenberger, *Technical University Munich, Germany*; E. Schonemann, *Technical University Darmstadt, Germany*; A. Hauschild, *DLR/GSOC, Germany*; U. Hugentobler, *Technical University Munich, Germany*; R. Dach, *University of Berne, Germany*; M. Becker, *Technical University Darmstadt, Germany* -----2959

GNSS Remote Sensing and Technology Demonstration on TechDemoSat-1: M. Unwin, P. Blunt, R. de Vos van Steenwijk, S. Duncan, G. Martin, P. Jales, *Surrey Satellite Technology Ltd, UK* -----2970

C5: GNSS Ground Based Augmentation Systems (GBAS)

GPS Satellite Clock Excessive Acceleration Detection for DCPS Users of GBAS: O. Osechas, *Tufts University* -----2976

GAST-D Monitoring Results from Post-processed Flight Trial Data - Performance Evaluation of DLR's GBAS Testbed: T. Dautermann, M. Felux, A. Grosch, B. Belabbas, *German Aerospace Center (DLR), Germany* -----2985

Absolute Slant Ionosphere Gradient Monitor for GAST-D: Issues and Opportunities: B. Belabbas, P. Remi, M. Meurer, *German Aerospace Center (DLR), Germany*; S. Pullen, *Stanford University* -----2993

CAT-I GBAS Availability Improvement Through Ionosphere Field Monitor (IFM): K. Suzuki, Y. Nozaki, T. Ono, *NEC Corporation, Japan*; T. Yosihara, S. Saitoh, S. Fukushima, *Electronic Navigation Research Institute, Japan* -----3003

Real-Time Detection of Cross-Correlation for a Precision Approach Ground Based Augmentation System: T. Houston, F. Liu, M. Brenner, *Honeywell International, Aerospace* -----3012

Impact of Time-Correlation of Monitor Statistic on Continuity of Safety-Critical Operations: J. Rife, P. Misra, *Tufts University* -----3026

Using Outage History to Exclude High-Risk Satellites from GBAS Corrections: S. Pullen, P. Enge, *Stanford University* -----3040

Performance Risk of GBAS Integrity Monitor Algorithms due to Reference Receiver Clock Adjustment Effect: Y. Yun, J. Cho, M-B. Heo, *Korea Aerospace Research Institute, South Korea* -----3052

GBAS Protection Level Calculation Method Using Particle Filter Concept: J. Ahn, S. Sung, Y.J. Lee, *Konkuk University, South Korea* -----3061

D5: GPS and GLONASS Modernization

Design of the GPS III Space Vehicle: W. Marquis, M. Shaw, <i>Lockheed Martin Space Systems Company</i>	---3067
First Signal in Space Analysis of GLONASS K-1: S. Thoelet, S. Erker, J. Furthner, M. Meurer, <i>German Aerospace Center, Germany</i> ; G.X. Gao, L. Heng, T. Walter, P. Enge, <i>Stanford University</i>	-----3076
GNSS, an Evolving Technology. Current Systems Evolutions and Future Perspectives: M.M. Romay, M.D. Laínez, J.R. Martín, M. Toledo, <i>GMV, Spain</i>	-----3083
Identifying PNT Centers of Activity in Support of a National PNT Architecture: J.W. Lavrakas, W. Black, T. Lippert, <i>Advanced Research Corporation</i>	-----3102
Statistical Characterization of GLONASS Broadcast Ephemeris Errors: L. Heng, G.X. Gao, T. Walter, P. Enge, <i>Stanford University</i>	-----3109
Predicting GLONASS Satellite Orbit Based on an Almanac Conversion Algorithm for Controlled Ionosphere Scintillation Experiment Planning: J. Wang, J. Morell, Y. Morton, <i>Miami University</i>	-----3118
GLONASS Modernization: Y. Urlichich, V. Subbotin, G. Stupak, V. Dvorkin, A. Povaliaev, S. Karutin, <i>Russian Space Systems, Russia</i>	-----3125
A Proposed Navigation Message Authentication Implementation for Civil GPS Anti-Spoofing: K.D. Wesson, M.P. Rothlisberger, T.E. Humphreys, <i>University of Texas at Austin Radionavigation Laboratory</i>	3129
Optimal Aligning of GNSS Navigation Signals Sum: V. Kharisov, <i>VNIIR Progress, Russia</i> ; A. Povalyev, <i>Russian Space Systems, Russia</i>	-----3141
GPS Integer Ambiguity Validation with GPS Modernization: A. Chen, D. Zheng, A. Ramanandan, J.A. Farrell, <i>University of California, Riverside</i>	-----3156
E5a: Remote Sensing with GNSS & Integrated Systems	
Experimental Results Investigating the Feasibility of GPS Bistatic Radar for Target Detection and Estimation: C.Y. Pui, M. Trinkle, <i>The University of Adelaide, Australia</i>	-----3165
Observing Tsunamis in the Ionosphere Using Ground Based GPS Measurements: D.A. Galvan, A. Komjathy, Y.T. Song, P. Stephens, <i>Jet Propulsion Laboratory, California Institute of Technology</i> ; M.P. Hickey, <i>Embry-Riddle Aeronautical University</i> ; J. Foster, <i>University of Hawaii at Manoa</i>	-----3172
An Inertial Aided Cycle Slip Detection and Identification Method for Integrated PPP GPS/MEMS IMU System: Shuang Du, <i>University of Calgary, Canada</i>	-----3183
E5b: Next Generation GNSS Integrity 2	
Multi-Constellation Integrity Performance Expectations for Today's ARNS/RNSS Bands: V. Kropp, P. Mendes, B. Eissfeller, <i>University FAF Munich, Germany</i>	-----3192
Novel Satellite Fault Isolation Method for Real-Time Advanced RAIM Algorithms: A. Spletter, M. Rippl, <i>German Aerospace Center (DLR), Germany</i>	-----3205

Combined Integrity Analysis of GPS , Galileo and COMPASS with Comparison of Different Strategies: X. Duan, K. Jiang, Y. Zheng, J. Yao, W. Yang, *National University of Defense Technology, China* -----3217

Demonstrations of Multi-constellation Advanced RAIM for Vertical Guidance Using GPS and GLONASS Signals: M. Choi, J. Blanch, *Stanford University*; D. Akos, *University of Colorado Boulder*; L. Heng, G. Gao, T. Walter, P. Enge, *Stanford University* -----3227

F5a: Portable Navigation Devices

Long-Term Extended Ephemeris Prediction for Mobile Devices: P. Stacey, M. Ziebart, *University College London, UK* -----3235

Commercial GPS in the Stratosphere: Cell Phone GPS Receiver Performance on a High Altitude Weather Balloon: J. Carroll, B. Chan, C. Harner, T. Reid, P. Tarantino, C.Y.T. Yu, *Stanford University* -----3245

DSP-based Tightly-coupled GPS/MEMS-IMU Integration Using Sequential Processing: J. Zhang, J. Zhou, E. Edwan, O. Loffeld, *University of Siegen, Germany* -----3255

Optimum Location Provider for Devices with Multiple Location Sensors: W. Ballantyne, J. Markwell, H. Geng, *Motorola Mobility* -----3263

Step-length Estimation Using Wrist-worn Accelerometer and GPS: W-W. Kao, C-K. Chen, J-S. Lin, *National Taiwan University of Science and Technology, Taiwan* -----3274

Professional Performance with Consumer GPS: Where and How it is Possible?: A. Boriskin, D. Ivanov, E. Sunitsky, *Ashtech, Russia* -----3281

F5b: Alternative and Backups to GNSS (Consumer/Commercial Focus)

State of the Art in Low Frequency (LF) Technology for Alternative Positioning, Navigation, Timing, and Data (APNT&D): A. Helwig, G. Offermans, J. Hartline, C. Schue, *UrsaNav, Inc.*; B. Walker, J. Pinks, T. Hardy, K. Zwicker, *Nautel, Inc.* -----3288

A High-Precision Local Navigation System Extending GNSS Limitations: V. Oehler, J. Steffes, M. von Voithenberg, D. Dragon, S. Schlotzer, *EADS Astrium GmbH, Germany* -----3301

Alternative Position Navigation & Timing (APNT) Based on Existing DME and UAT Ground Signals: S.C. Lo, B. Peterson, *Stanford University*; D. Akos, *University of Colorado, Boulder*; M. Narins, *Federal Aviation Administration*; R. Loh, *Innovative Solution International*; P. Enge, *Stanford University* -----3309

Tight Integration of 3D RISS/GPS/Map Data for Land Vehicle Navigation Utilizing Particle Filtering: J. Georgy, *Trusted Positioning Inc., Canada*; A. Noureldin, *Royal Military College of Canada and Queen's University, Canada* -----3318

A Movement Control Strategy Based on Node Coverage in Multi-tier Mobile Sensor Network: Q. Li, *Jiangxi Normal University, China*; H. Guo, *Nanchang University, China*; M. Yu, *Jiangxi Normal University, China* -----3329

P5: Improving Security of GNSS Receivers

Practical Cryptographic Civil GPS Signal Authentication: K. Wesson, M. Rothlisberger, T. Humphreys, <i>The University of Texas at Austin</i> -----	3335
Making the GNSS Environment Hostile to Jammers & Spoofers: L. Scott, <i>LS Consulting</i> -----	3346
GNSS In-Band Interference: J. Ashjaee, <i>Javad</i> -----	3370
Developing Defenses Against Jamming & Spoofing of Civilian GNSS Receivers: M.L. Psiaki, <i>Cornell University</i> -----	3407
Improving Security of GNSS Receivers: F. Kneissl, <i>University FAF Munich, Germany</i> -----	3418
From the Volpe Report to a Future for Secure Receiver Certifications: 10 Years of Civilian GNSS Security: O. Pozzobon, <i>Qascom, Italy</i> -----	3429
Processing of Measurements for Robust Operation under Adverse Conditions: J.L. Farrell, <i>VIGIL, Inc.</i> -----	3435
A6: Alternative and Backups to GNSS (Academic Focus)	
Bayesian Machine Learning in INS/WiFi Integrated Navigation Systems for Indoor and GNSS-denied Environments: M.M. Atia, <i>Queen's University and Trusted Positioning Inc., Canada</i> ; A. Noureldin, <i>Royal Military College, Canada</i> ; M.J. Korenberg, <i>Queen's University, Canada</i> -----	3444
Positioning Using OFDM-based Digital TV: New Algorithms and Tests with Real Signals: D. Serant, <i>Ecole Nationale de l'Aviation Civile (ENAC)/TéSA, France</i> ; O. Julien, C. Macabiau, <i>ENAC, France</i> ; L. Ries, P. Thevenon, <i>Centre National d'Etudes Spatiales (CNES), France</i> ; M. Dervin, <i>Thales Alenia Space, France</i> ; M-L. Boucheret, <i>ENSEEIH, France</i> -----	3451
Sigma-point Kalman Smoothing for Indoor Tracking and Auto-calibration Using Time-of-flight Ranging: A.S. Paul, E.A. Wan, <i>Oregon Health & Sciences University</i> ; P.G. Jacobs, <i>EmbedRF LLC</i> -----	3461
RFID Indoor Positioning and Navigation Using a Regularized Particle Filter Integrated with a Probability Model: H. Tang, D. Kim, <i>University of New Brunswick, Canada</i> -----	3470
Investigation of Pulsing Schemes for Pseudolite Applications: C. O'Driscoll, D. Borio, J. Fortuny-Guasch, <i>Institute for the Protection and Security of the Citizen, (IPSC), JRC of the European Commission, Italy</i> -----	3480
Optimal Time-of-Arrival Estimation for Enhanced DME: K. Li, W. Pelgrum, <i>Ohio University</i> -----	3493
Principles and Potential of Pulsar Navigation: P.J. Buist, S. Engelen, A. Noroozi, P. Sundaramoorthy, S. Verhagen, C. Verhoeven, <i>Delft University of Technology, The Netherlands</i> -----	3503
Performance Comparison of Tight and Loose INS-Camera Integration: C-C. Chu, F.A.P. Lie, L. Lemay, D. Gebre-Egziabher, <i>University of Minnesota, Twin Cities</i> -----	3516
A New Differential Positioning Technique Applicable to Generic FDMA Signals of Opportunity: T.A. Webb, P.D. Groves, <i>University College London, UK</i> ; R.J. Mason, J.H. Harrison, <i>Terrafix Ltd., UK</i> -----	3527
Updating Integrated GPS/INS Systems with Map Matching for Car Navigation Applications: M. Attia, A. Moussa, N. El-Sheimy, <i>University of Calgary, Canada</i> -----	3539

B6: Robust Navigation in GNSS-Denied and GNSS-Challenged Environments 2

- Image Aided Relative Navigation for Air Vehicles Using a Passive, Statistical Predictive Rendering Approach:** J.M. Howard, M.J. Veth, *Air Force Institute of Technology* -----3546
- Vision-Aided Navigation Using a Tightly-Coupled INS and Predictive Rendering Techniques:** J. Beich, M. Hanson, B. Pugsley, J.D. Slack, *Air Force Test Pilot School*; M. Veth, *Air Force Institute of Technology* 3557
- Coupling Vanishing Point Tracking with Inertial Navigation to Produce Drift-Free Attitude Estimates in a Structured Environment:** D.M. Prah, M.J. Veth, *Air Force Institute of Technology* -----3571
- The UHARS Non-GPS Based Positioning System:** A. Trunzo, P. Benshoof, *746th Test Squadron, Holloman AFB*; J. Amt, *Locata Corporation, Australia* -----3582
- Joint GNSS and 3GPP-LTE Based Positioning in Outdoor-to-Indoor Environments - Performance Evaluation and Verification:** A. Dammann, E. Staudinger, S. Sand, C. Gentner, *German Aerospace Center, Germany* -----3587
- UAS Exploitation by 3D Reconstruction Using Monocular Vision:** Y. Diskin, R.C. Tompkins, M. Youssef, V.K. Asari, *University of Dayton* -----3596
- Tightly-Coupled Opportunistic Navigation for Deep Urban and Indoor Positioning:** K.M. Pesyna, Jr., Z.M. Kassas, J.A. Bhatti, T.E. Humphreys, *University of Texas at Austin* -----3605
- Outlier Detection for Indoor Vision-Based Navigation Applications:** X. Li, J. Wang, L. Yang, *University of New South Wales, Australia* -----3617
- A Unified Paradigm for Autonomous Localization and Mapping:** S.C. Quebe, R.P. Burton, *Brigham Young University* -----3628
- ## C6: Receiver & Antenna Technology 2
- A Direct Position Tracking Loop for GNSS Receivers:** J. Liu, H. Yin, X. Cui, M. Lu, Z. Feng, *Tsinghua University, China* -----3634
- Implementation of a Navigation Domain GNSS Signal Tracking Loop:** T. Lin, J.T. Curran, C. O'Driscoll, G. Lachapelle, *University of Calgary, Canada* -----3644
- Dual Update-rate FLL-assisted Phase Lock Loop of Novel Robust Receivers for New Generation Global Navigation Satellite Signals:** L. Jin, Z. Yao, X. Cui, M. Lu, Z. Feng, *Tsinghua University, China* -----3652
- All Constellation, All Frequency - A Receiver Platform for Monitoring and Testing:** T. Luck, J. Winkel, M. Bodenbach, O. Balbach, N. Falk, E. Gohler, T. Hartmann, A. Naumann, *IFEN GmbH, Germany* -----3660
- A Bavarian Initiative Towards a Robust Galileo PRS Receiver:** A. Ruegamer, I. Suberviola, F. Foerster, G. Rohmer, *Fraunhofer IIS, Germany*; A. Konovaltsev, N. Basta, M. Meurer, *German Aerospace Center, Germany*; J. Wendel, M. Kaindl, *EADS Astrium, Germany*; S. Baumann, *IABG, Germany* -----3668

ENCORE: Enhanced Galileo Code Receiver for Surveying Applications: P.F. da Silva, J.S. Silva, T. Peres, *DEIMOS Engenharia, Portugal*; I. Colomina, C. Miranda, M.E. Pares, *Institute of Geomatics, Spain*; M. Andreotti, C. Hill, *University of Nottingham, UK*; J.F. Galera Monico, P.O. Camargo, *UNESP, Brazil*; J. Diez, J.M. Palomo, *DEIMOS Space, Spain*; S.E. Barbin, *USP, Brazil*; J. Moreira, *OrbiSat, Brazil*; G. Streiff, *Santiago e Cintra, Brazil*; E.Z. Graneman, *MundoGeo, Brazil*; C. Aguilera, *European GSA, Belgium* -----3679

System Identification of a GNSS Receiver's RF Filter Impulse Response Function: M.L. Psiaki, B.W. O'Hanlon, *Cornell University* -----3690

Towards Multi-Constellation Collective Detection for Weak Signals: A Comparative Experimental Analysis: J.W. Cheong, *University of New South Wales, Australia* -----3709

Reconfigurable Correlator Accelerators for Software GPS Receivers: A. Suleiman, D. Kinjarapu, D. Akopian, F. Hudson, *University of Texas at San Antonio* -----3720

Optimization and Convenient Evaluation Model of Differential Coherent Post Detection Integration: W-X. Liu, J. Li, R. Ge, F. Wang, *National University of Defense Technology, China* -----3729

Design of a Robust NCO for GNSS Receivers: D.W. Lim, M.B. Heo, H.H. Choi, S.J. Lee, *Chungnam National University, South Korea* -----3737

D6: GNSS Compatibility, Interoperability and Services

Evaluation of Filtered Multitone (FMT) Technology for Future Satellite Navigation Use: A. Emmanuele, M. Luise, *University of Pisa, Italy*; J.H. Won, D. Fontanella, M. Paonni, B. Eissfeller, *University FAF Munich, Germany*; F. Zanier, G. Lopez-Risueno, *ESA/ESTEC, The Netherlands* -----3743

Implementation and Optimization of a Galileo E1 Two-Step Tracking Algorithm using Data/Pilot Combining and Extended Integration Time: A. Jovanovic, *Ecole Polytechnique Fédérale de Lausanne (EPFL), Switzerland*; C. Mongrédien, *Fraunhofer Institute (IIS), Germany*; Y. Tawk, C. Botteron, P-A. Farine, *EPFL, Switzerland*; G. Rohmer, *Fraunhofer Institute (IIS), Germany* -----3756

Breaking the Ice: Navigating in the Arctic: G.X. Gao, L. Heng, T. Walter, P. Enge, *Stanford University* ---3767

Integrity Aspects of Hybrid EGNOS-based Navigation on Support of Search-And-Rescue Missions with UAVs: P. Molina, I. Colomina, *Institute of Geomatics, Spain*; T. Vitoria, *Asociacion de la Industria Navarra, Spain*; P.F. Silva, J. Bandejas, *DEIMOS Engenharia, Portugal*; Y. Stebler, J. Skaloud, *École Polytechnique Fédérale de Lausanne, Switzerland*; W. Kornus, *Institut Cartogràfic de Catalunya, Spain*; R. Prades, *Direccion General de Proteccion Civil, Spain*; C. Aguilera, *European GNSS Supervisory Authority, Belgium* -----3773

GPS-Based Orbit Determination for HEO Orbits Serving Northern Region: D. Sun, *GM OnStar*; A. Ng, *Canadian Space Agency, Canada* -----3782

Developing GNSS Monitoring System for New Japan Haneda International Airport D-runway Long-term Observation: Y. Zhang, M. Uchiyama, T. Mori, K. Nii, *Geosurf Corporation, Japan* -----3790

Study of the Temporal Behavior of GPS/GALILEO NSE and RAIM for LPV200: P. Neri, L. Azoulai, *Airbus, France*; C. Macabiau, *ENAC, France* -----3796

Developing GNSS Network Monitoring System for Sakurajima Volcano Research: Y. Zhang, M. Uchiyama, T. Mori, K. Nii, N. Inamura, *Geosurf Corporation, Japan*; M. Iguchi, *Kyoto University, Japan* -----3814

Spreading Codes Compatibility Analysis for GNSS: M. Niu, X. Zhan, H. Xu, G. Du, L. Liu, *Shanghai Jiao Tong University, China* -----3821

Implementation of Monitoring and Control Subsystem for GNSS Ground Station: S. Jeong, S. Lee, *Electronics and Telecommunications Research Institute, South Korea* -----3828

E6: Algorithms & Methods 2

Exploitation of Cooperative GNSS/IMU Systems for Positioning within UxV Swarms: S. Batzdorfer, U. Bestmann, A. Schwital, M. Becker, P. Hecker, *TU Braunschweig, Germany* -----3835

Applying Quaternion-based Unscented Particle Filter on INS/GPS with Field Experiments: J. Zhou, Y. Yang, J. Zhang, E. Edwan, (*ZESS*), *University of Siegen, Germany* -----3842

Integrity Risk of Kalman Filter-Based RAIM: M. Joerger, B. Pervan, *Illinois Institute of Technology* -----3856

Improving Robustness of Aided INS using a Near Real Time Processing Contemplative Kalman Filter: A. Ramanandan, A. Chen, J.A. Farrell, *University of California, Riverside* -----3868

Low-Complexity Instantaneous GNSS Attitude Determination with Multiple Low-Cost Antennas: P.J.G. Teunissen, *Curtin University of Technology, Australia and Delft University of Technology, The Netherlands*; N. Nadarajah, *Curtin University of Technology, Australia*; G Giorgi, *Technical University Munich, Germany*; P.J. Buist, *Delft University of Technology, The Netherlands* -----3874

Differential Integer Ambiguity Resolution with Gaussian a Priori Knowledge and Kalman Filtering: P. Henkel, P. Jurkowski, *Technical University Munich and Advanced Navigation Solutions – AMCONAV, Germany*; C. Günther, *German Aerospace Center DLR, Germany* -----3881

Multi-Constellation GNSS Multipath Mitigation Using Consistency Checking: Z. Jiang, P.D. Groves, *University College London, UK*; W.Y. Ocheing, S. Feng, C.D. Milner, *Imperial College London, UK*; P.G. Mattos, *ST Microelectronics, UK* -----3889

An Event Driven GPS Data Collection System for Studying Ionospheric Scintillation: P. Vikram, Y. Morton, *Miami University*; W. Pelgrum, *Ohio University* -----3903

New Developments in the GPS Toolkit: S.M. Cummins, B.A. Renfro, *ARL, The University of Texas at Austin* 3910

Instantaneous Cycle Slip Detection and Repair for Standalone Triple-frequency GPS Receiver: D. Xu, Y. Kou, *Beihang University, China*; Y. Morton, *Miami University, USA* -----3916

Performance Bounds of RSSI-based Wi-Fi Positioning Under Different Estimation Scenarios: M. Mansour, D. Waters, T. Pande, *Texas Instruments Inc.* -----3923

F6: Urban Navigation Technology and Location Based Services (Commercial Focus)

Development of a Single Chip 6 DOF MEMS IMU for Robotic and UV Navigation: R.M. Boysel, T.E. Fiscus, L.J. Ross, *Virtus Advanced Sensors, Inc.* -----3930

Adaptive Hybrid Positioning Engine: M. Youssef, A. Izadpanah, *Rx Networks Inc., Canada* -----3937

Cooperative GNSS Positioning & Navigation: D.W. Waters, T. Pande, J. Balakrishnan, <i>Texas Instruments Inc.</i>	-----3945
GNSS Antenna-Human Body Interaction: J.B. Bancroft, V. Renaudin, A. Morrison, G. Lachapelle, <i>University of Calgary, Canada</i>	-----3952
Ultra-wideband Aiding of GPS for Quick Deployment of Anchors in a GPS-denied Ad-hoc Sensor Tracking and Communication System: J. Johnson, B. Dewberry, <i>Time Domain</i>	-----3959
An Efficient Method of Self-Generated Assistance Data for Fast-Fix Applications: C.T. Weng, Y.C. Chien, C.W. Chen, K.S. Huang, W.G Yau, <i>MediaTek Inc., Taiwan</i>	-----3967
Three Dimensional Positioning with Two GNSS Satellites and DSRC for Vehicles in Urban Canyons: N. Alam, <i>University of New South Wales, Australia</i>	-----3975
Spatial Antenna Diversity Performance for Indoor GNSS Applications: S.N. Sadrieh, <i>University of Calgary, Canada</i>	-----3984
Development of IMES Chip: D. Manandhar, H. Torimoto, <i>GNSS Technologies Inc., Japan</i>	-----3993