

International Thermal Spray Conference & Exposition 2011

(ITSC 2011)

**Hamburg, Germany
27-29 September 2011**

Volume 1 of 2

ISBN: 978-1-61839-590-0

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2011) by DVS Media GmbH
All rights reserved.

Printed by Curran Associates, Inc. (2012)

For permission requests, please contact DVS Media GmbH
at the address below.

DVS Media GmbH
Postfach 10 19 65
40010 Dusseldorf Germany

Phone: 49 (0)211 / 1591-0
Fax: 49 (0)211 / 1591-150

media@dvs-hg.de

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

LECTURES

AVIATION INDUSTRY 1

| | |
|---|----|
| High Efficient Thermal Spraying Processes and Strategies for Aviation Industry | 1 |
| <i>H. Kaßner, E. Höck, T. Gartner, O. Schmäschke, S. Deng</i> | |
| Improving Long Term Oxidation Protection for γ-TiAl Substrates | 10 |
| <i>K. Bobzin, T. Schläfer, T. Warda, M. Brühl, T. F. Linke</i> | |

METALS PROCESSING 1

| | |
|---|----|
| Trends of Thermal Spray Technology in Steel Industry from the View Point of Patent Applications in Japan | 15 |
| <i>Y. Namba, K. Tani</i> | |
| Tribological Behaviour of Suspension Plasma Sprayed Coatings for Hot Extrusion Tools | 20 |
| <i>M. Erne, D. Kolar, K. Möhwald, F. W. Bach</i> | |
| Properties of Low-pressure Cold-sprayed Coatings for Repairing of Casting Defects | 25 |
| <i>H. Koivuluoto, M. Kylmälahti, P. Vuoristo</i> | |

METALS PROCESSING 2

| | |
|---|----|
| Build-up Resistance of HVOF Thermal Sprayed NiCrAlY-Y₂O₃ Cermet Coatings | 31 |
| <i>C.-S. Yu, T.-S. Huang, J.-Y. Huang, M.-J. Tseng</i> | |

HVOF & FLAME SPRAYING 1

| | |
|---|----|
| Influence of Handling Parameters on Coating Characteristics in Order to Produce Near-net-shape Wear Resistant Coatings | 37 |
| <i>W. Tillmann, B. Krebs</i> | |
| High Velocity Suspension Flame Spraying of Nano Oxide Containing Suspensions | 44 |
| <i>A. Killinger, P. Müller, R. Gadow</i> | |
| Study on Stainless Steel 316L Coatings Sprayed by High Pressure HVOF | 49 |
| <i>B. Sun, H. Fukanuma</i> | |

COLD SPRAYING 1

| | |
|---|----|
| Study of Process Condition Influence on Precipitation Hardening Stainless Steel Coatings Obtained with Cold Gas Spraying | 55 |
| <i>C. Lorenzana, N. Cinca, S. Dosta, J. M. Guilemany</i> | |
| Influence of Powder Particle Oxidation on Properties of Cold-sprayed Tantalum | 60 |
| <i>L. L. Descurninges, L. T. Mingault, M. Jeandin, A. Nifa, L. Berthe, M. Boustie, T. Laguionie, L. Bianchi, K. Ogawa</i> | |
| Investigation on the Effect of Helium-to-Nitrogen Ratio As Propellant Gas Mixture on the Processing of Titanium Coating Using Cold Gas Dynamic Spray | 66 |
| <i>E. Irissou, F. Ilinca, W. Wong, J.-G. Legoux, S. Yue</i> | |

COLD SPRAYING 2

| | |
|---|----|
| Chemical Interaction and Bonding in Cold Gas Spraying | 72 |
| <i>K.-R. Donner, R. Roedel, F. Gärtner, T. Klassen</i> | |
| Application of Parameter Selection Maps in Cold Spraying | 78 |
| <i>H. Assadi, H. Richter, F. Gärtner, T. Schmidt, J.-O. Kliemann, K. Binder, T. Klassen, H. Kreye</i> | |

MODELING & SIMULATION 1

| | |
|---|----|
| Modeling of Peening Stress in HVOF Sprayed IN718 Coating | 83 |
| <i>C. Lyphout, P. Nylén, C. Persson</i> | |

| | |
|--|----|
| Splat Formation Mechanism in Thermal Spray Process According to Substrate Temperature and Ambient Pressure Change | 91 |
| <i>M. Fukumoto, K. Yang, Y. Ebisuno, S. Yoshida, M. Yamada, T. Yasui</i> | |
| A Method for Residual Stress Estimation of AZ31 Under Cold Spray Coating | 98 |
| <i>R. Ghelichi, M. Guagliano, H. Jahed, J. Villafuerte</i> | |

TRIBOLOGICAL COATINGS 1

| | |
|--|-----|
| Buildup Mechanisms of Suspension Plasma Sprayed ZrO₂ + 8 wt. % Y₂O₃ Coatings | 104 |
| <i>L. Latka, S. B. Goryachev, S. Kozerski, L. Pawlowski, T. Lampke</i> | |
| Heat-treatment Induced Microstructural Evolution of TiC-based Hardmetal Coatings | 109 |
| <i>S. Matthews, J. Fendt, M. Hyland, L.-M. Berger</i> | |
| Thermophysical and Microstructural Studies on Thermally Sprayed Chromium Carbide Coatings | 115 |
| <i>S. Thiele, K. Sempf, L.-M. Berger, J. Spatzier</i> | |

FUEL CELLS 1

| | |
|--|-----|
| Vacuum Plasma Sprayed Insulating Layers Suitable for Brazing in High Temperature Fuel Cells | 121 |
| <i>J. Arnold, A. Ansar, R. Ruckdäschel, R. Henne, H. W. Grünling, U. Maier</i> | |
| New Thermal Spray Powders for SOFC Components | 127 |
| <i>B. Brüning, B. Gries, H. Nakadate, S. Zimmermann</i> | |

WEAR PROTECTION 1

| | |
|--|-----|
| Abrasive Wear of Flame Sprayed and Fused NiCrBSi Alloys | 130 |
| <i>S. Dizdar, L.-Å. Nilsson, B. Maroli</i> | |
| Influences of Process and Material Morphology on the Case of Carbide Coatings | 136 |
| <i>A. Barth, D. Chen, C. Dambra, J. Girgulis</i> | |
| Mechanical Properties of WC-Co Coatings Prepared by Cold and Warm Spray Processes | 139 |
| <i>J. Kitamura, K. Sato, M. Watanabe, P. Chivavibul, M. Komatsu, K. Sakaki, S. Kuroda</i> | |

NANOMATERIAL COATINGS 1

| | |
|---|-----|
| Nanostructured WC-Co Coatings Manufactured by Fine Powders (–10+2 µm) with Ultra-fine Carbides (400 nm) by Means of HVOF | 145 |
| <i>W. Tillmann, P. Hollingsworth, I. Baumann, M. Tolan, M. Paulus</i> | |
| Development of Composite Coatings Composed of a Stainless Steel Matrix and Tungsten Carbide Nano-inclusions by Plasma Spraying | 152 |
| <i>K. Wittmann-Teneze, J. M. Pereira, P. Brelivet, L. Bianchi</i> | |
| Investigation of Mechanical Properties of Coatings and Bulk Components of Various Grain Sized Tungsten-carbidecobalt Based Materials | 157 |
| <i>C. Melnyk, R. Gansert, D. Lajun, B. Weinstein, D. Grant, M. Watson</i> | |

CORROSION PROTECTION 1

| | |
|---|-----|
| Gases and Their Right Use in Thermal Spray Processes | 162 |
| <i>W. Krömmner, P. Heinrich, F. Lang</i> | |
| Comparative Study of Thermal Sprayed Polymers for Wear Protection | 167 |
| <i>C. R. C. Lima, N. F. C. Souza, F. M. Camargo, F. Camargo</i> | |
| Performance of Multilayered Mullite-based EBCs in Simulated Working Conditions | 171 |
| <i>E. Garcia, J. Mesquita-Guimarães, P. Miranzo, M. I. Osendi, C. V. Cojocar, C. Moreau, R. S. Lima</i> | |

POWDERS, WIRES & SUSPENSIONS

| | |
|---|-----|
| New Cermet Powders for HVOF Spraying with Improved Corrosion and Oxidation Resistance for Offshore, Mining and Power Generation Applications | 177 |
| <i>S. Zimmermann, B. Gries, B. Brüning</i> | |
| Novel Titania (TiO₂) Feed-stock Powder for Significant Improvements in Process Economics and Enhanced Coating Properties | 182 |
| <i>A. Sharma, M. C. Nestler, J. Colmenares-Angulo, J. Medrano, J. Rauch, M. Weder, S. Wilson</i> | |

| | |
|--|------------|
| Comparing Study of Iron Based, Highly Carbide-containing Alloys Regarding Melting and Atomisation Properties..... | 188 |
| <i>B. Wielage, S. Schuberth</i> | |

CHARACTERIZATION & TESTING 1

| | |
|--|------------|
| Understanding of Spray Coating Adhesion Through the Formation of a Single Lamella..... | 192 |
| <i>S. Goutier, M. Vardelle, P. Fauchais</i> | |
| Consideration of Adhesion Mechanism of Aluminum Coating on Various Kinds of Glass Substrate by Cold Spray..... | 199 |
| <i>K. Sakaki, T. Idemoto, K. Takada, T. Hosono</i> | |
| Adhesive Strength Evaluation of the Interface Between Thermal Sprayed Coating and Substrate by Tensile Pin Test..... | 203 |
| <i>K. Sonoya, M. Nakamura, K. Ishida, J. Y. K. Yen</i> | |
| Effect of Vacuum Heat Treatment on Tensile Strength and Fracture Performance of Cold-sprayed Cu-4Cr-2Nb Coatings..... | 208 |
| <i>M. Yu, W. Y. Li, C. Zhang, H. Liao</i> | |

CHARACTERIZATION & TESTING 2

| | |
|--|------------|
| Characterization of Mechanical Properties by Nanoindentation of Bimodal WC-VC-Co Coatings Processed by HVOF Thermal Spraying..... | 213 |
| <i>C. A. Poblano-Salas, J. A. Cabral-Miramontes, F. Espinoza-Beltrán, R. Botello-De Jesús</i> | |
| Electrochemical Impedance Measurement of Thermally Sprayed Aluminum Zinc Alloys in Sodium Chloride Solution..... | 218 |
| <i>Y. Takatani, K. Tani, T. Masugata</i> | |

AVIATION INDUSTRY 2

| | |
|--|------------|
| Erosion Resistance of WC-12Co High Velocity Oxy-fuel Coatings..... | 224 |
| <i>P. L. Clavette, A. J. Nardi, B. L. Laube, J. Shi, R. Ely, L. Centolanza</i> | |
| Mechanical Property of Multi-pass Cold Sprayed Aluminium Alloy Coatings for Repair Application..... | 230 |
| <i>S. Rech, A. Trentin, S. Vezzù, J.-G. Legoux, E. Irissou</i> | |

INDUSTRIAL GAS TURBINES 1

| | |
|--|------------|
| High Temperature Aging Behavior and Order-disorder Transformation of Plasma Sprayed Sm₂Zr₂O₇ Coatings..... | 236 |
| <i>S. Tao, J. Yu, H. Zhao, X. Zhou, C. Ding</i> | |
| TBC Coating Cost Reduction by Optimization of the Atmospheric Plasma Spray Process..... | 241 |
| <i>S. Mihm, T. Duda, G. Thomas, H. Gruner, B. Dzur</i> | |
| Milling and Cryo-milling Affecting MCrAlY High Temperature Oxidation Mechanism..... | 248 |
| <i>C. Giolli, A. Giorgetti, A. Scrivani, B. Bonferroni, G. Bolelli, F. Bozza, L. Lusvarghi, A. Fossati, M. DiFerdinando, G. E. Kim</i> | |
| Thermal Shock Resistance of Gadolinium Zirconate Coating with Addition of Nanostructured Ytria Partially-stabilized Zirconia..... | 254 |
| <i>X. Zhong, H. Zhao, X. Zhou, S. Tao, C. Ding</i> | |

NEW PROCESSES 2

| | |
|---|------------|
| Effect of Nitrogen Flow Rate on Mechanical Properties of Metallic Coatings by Warm Spray Deposition..... | 260 |
| <i>M. Watanabe, C. Brauns, M. Komatsu, S. Kuroda, H. Katanoda, F. Gärtner, T. Klassen</i> | |
| HVOF K2 vs. Cold Gas Spraying..... | 266 |
| <i>A. Wank, A. Schwenk</i> | |
| Portable High Pressure Cold Sprayed Aluminum Alloy Coatings..... | 271 |
| <i>J. Karthikeyan, C. M. Kay, M. W. Rinninger, E. C. Brown, M. S. Steele, J. Porter, T. J. Eden</i> | |

AVIATION INDUSTRY 3

| | |
|---|------------|
| The Protectiveness of Thermally Grown Oxides on Cold Sprayed Conical Bond Coat in Thermal Barrier Coating..... | 277 |
| <i>A. Manap, K. Ogawa</i> | |

| | |
|---|------------|
| Structural and Mechanical Properties Analysis of Si/Mullite/BSAS Environmental Barrier Coatings Exposed to Thermal Cycling in Water Vapour Environment | 283 |
| <i>C. V. Cojocaru, D. Levesque, C. Moreau, R. S. Lima</i> | |
| Nano Modified Nicraly Coatings for Bond Coat for Gas Turbine Blades | 291 |
| <i>S. Sahu, A. S. Khanna</i> | |

COLD SPRAYING 3

| | |
|---|------------|
| Cold Spraying of Ceramic Coatings – A Feasibility Study..... | 303 |
| <i>S. Ravanbakhsh, H. Assadi, H. Nekoumanesh, A. Hassanzadeh, E. Taheri-Nassaj</i> | |
| Deposition Behavior and Adhesion Strength of Cold-sprayed TiO₂ Particles..... | 308 |
| <i>M. Yamada, M. E. Dickinson, N. Shima, N. Tjitra Salim, H. Nakano, M. Fukumoto</i> | |
| Impact Conditions for Cold Spraying of Hard Metallic Glasses | 314 |
| <i>A. List, F. Gärtner, T. Schmidt, T. Klassen</i> | |
| Abnormal Intermetallic Compound Formation of Cold Sprayed Cu-Sn Coatings..... | 320 |
| <i>K. H. Ko, J. O. Choi, H. Lee</i> | |

ALTERNATIVE POWER GENERATION

| | |
|--|------------|
| Cost Effective Manufacturing of Molds for CFRP Component Production..... | 326 |
| <i>M. Seeger, E. D. Reese, D. Jonke, M. Enghart, K. Drechsler</i> | |
| Development of Arc Thermally Sprayed Fe-Mn-Cr-Si Coatings Against Cavitation Erosion..... | 332 |
| <i>A. G. M. Pukasiewicz, A. R. Capra, R. S. C. Paredes</i> | |
| Atmospheric Plasma Spraying of Electrodes for Conversion of Electricity to Hydrogen by High Temperature Alkaline Electrolysis of Water..... | 338 |
| <i>P. T. Nielsen, T. Mathiesen, J. K. Kristensen, L. Hilbert, L. Yde</i> | |
| Effect of Directional Re-solidification on Thermal Plasma Spray Silicon Depositions..... | 343 |
| <i>D. D. Jackson, M. Sereda, R. Gansert</i> | |
| Solar Selective Coatings for Concentrating Solar Power Central Receivers..... | 347 |
| <i>A. Hall, K. V. Every, M. Knight, J. McCloskey, D. Urrea, A. Ambrosini, T. Lambert, N. Siegel, A. Mahoney, C. Ho</i> | |

COLD SPRAYING 4

| | |
|---|------------|
| Influence of the Powder Morphology and Alumina Content in Cold-sprayed Ni-Al₂O₃ Coatings | 351 |
| <i>F. Sevillano, P. Poza, C. J. Múñez, S. Vezzù, S. Rech, A. Trentin</i> | |
| B₄C-Ni Composite Coatings Prepared by Cold Spray of Blended or CVD-coated Powders..... | 357 |
| <i>C. Feng, V. Guipont, M. Jeandin, O. Amsellem, F. Pauchet, R. Saenger, S. Bucher, C. Jacob</i> | |
| Effects of Particle Strength of Feedstock Powders on Properties of Warm-sprayed WC-Co Coatings | 363 |
| <i>P. Chivavibul, M. Watanabe, S. Kuroda, J. Kawakita, M. Komatsu, K. Sato, J. Kitamura</i> | |
| Cold Gas Spraying of Ceramics Using the Example of Titanium Dioxide..... | 369 |
| <i>H. Gutzmann, S. Freese, F. Gärtner, T. Klassen</i> | |

PLASMA SPRAYING 1

| | |
|--|------------|
| Microplasma Wire Spraying of Biomedical Ti-coatings..... | 375 |
| <i>Yu. Borisov, O. Kyslytsya, S. Voinarovych, Ie. Kuzmyc-Ianchuk, V. Pidgaetskyi</i> | |

FUEL CELLS 2

| | |
|--|------------|
| Deposition of Composite LSCF-SDC and SSC-SDC Cathodes by Axial-injection Plasma Spraying..... | 381 |
| <i>J. Harris, M. Qureshi, O. Kesler</i> | |
| LPPS Hybrid Technologies for Emerging Energy Applications – Recent Developments..... | 387 |
| <i>M. Gindrat, R. Damani</i> | |

NEW PROCESSES 1

| | |
|---|------------|
| Effect of Solution Chemistry on Solution Precursor Plasma Spray Deposition of LiFePO₄ | 394 |
| <i>K. L. C. Chien, M. Golozar, T. W. Coyle</i> | |
| Influence of the Suspension Characteristics and Spraying Parameters on the Properties of Dense Suspension-HVOF Sprayed Al₂O₃ Coatings..... | 399 |
| <i>F.-L. Toma, S. Langner, M. Barbosa, L.-M. Berger, C. Rödel, A. Potthoff</i> | |

QUALITY & QUALIFICATION

| | |
|--|-----|
| The Efficient Management of Public R&D Funding in Order to Promote the Development of the Territory | 405 |
| <i>S. Meneghetti, C. Giolli, A. Giorgetti, A. Scrivani</i> | |
| What Are the Benefits of an Association Such As GTS for a Thermal Spray Company? | 411 |
| <i>W. Krömmel, P. Heinrich</i> | |
| Important and in Demand Than Ever: Training and Qualification of Thermal Spray Personnel | 415 |
| <i>R. Huber, A. Ohliger-Volmer</i> | |
| E-learning Training in Plasma Spraying Area | 420 |
| <i>M. P. Planche, S. Costil, G. Montavon</i> | |

PROCESS DIAGNOSTICS, SENSORS & CONTROLS 1

| | |
|---|-----|
| Development of Optical Monitoring of the Thermal Spraying | 426 |
| <i>Yu. Chivel, I. Smurov</i> | |
| Investigation and Comparison of Particle Parameters Determined with Spraywatch and LDA (Laser Doppler Anemometry) During the Cold Gas Spraying Process | 431 |
| <i>J. Tewes, M. Hertter, H. Voggenreiter, T. Biermordt, M. Heinrich, S. Zimmermann, K. Landes, J. Schein</i> | |
| Intelligent Gun Technology: Reducing Costs with EvoLink in R&D and Operations | 439 |
| <i>M. Koller, A. Kilchenmann, A. Barth</i> | |

NANOMATERIAL COATINGS 2

| | |
|--|-----|
| Nanostructured Metal Matrix Composite Coating Production by Pulsed Gas Dynamic Spraying | 445 |
| <i>M. Yandouzi, M. Brochu, B. Jodoin</i> | |
| Ultra-small Angle X-ray Scattering (USAXS) In-situ Quantification of Void Network Evolution During Annealing of Nanometer-sized YSZ Plasma-sprayed Coatings | 451 |
| <i>G. Montavon, J. Ilavsky, A. Denoirjean, P. Fauchais, A. Bacciochini, K. Wittmann-Teneze</i> | |

AUTOMOTIVE INDUSTRY 1

| | |
|--|-----|
| Localized Zinc Coatings on Automotive Steel Sheets by Cold Spray Technology | 457 |
| <i>M. Ducos, B. Gay, P. Verbiest, C. Verschave, H. Hoel, X. Vanden Eynde</i> | |
| Sliding Wear Behavior of HVOF Sprayed Metal Matrix Carbides | 463 |
| <i>E. Altuncu, F. Ustel, A. Turk, A. Uzun</i> | |
| Supersonic Flame Sprayed Cylinder Liner Coatings and the Benefits of Their Intrinsic Porosity | 467 |
| <i>A. Manzat, A. Killinger, R. Gadow</i> | |
| Friction Improvement of New Generations of Engines by PTWA Cylinder Bore Coating and New Piston Rings | 473 |
| <i>L. Schramm, C. Verpoort, A. Schwenk, K. Bobzin, N. Bagcivan, T. Schläfer, S. Theiß, K. Yilmaz</i> | |
| Thermal Coating of Cylinder Bores Needs Approved Processes of Pre and Post Treatment | 479 |
| <i>G. Flores</i> | |

MODELING & SIMULATION 2

| | |
|--|-----|
| Performance Analysis and Modeling of Thermally Sprayed Resistive Heaters | 482 |
| <i>J.-M. Lamarre, P. Marcoux, M. Perrault, R. C. Abbott, J.-G. Legoux</i> | |
| Modeling a Formation of Fe-Cr-Al Coating Produced by Arc Spraying | 488 |
| <i>Y. Korobov, M. Filippov, S. Nevezhin, M. Shallimov</i> | |
| Modelling Ceramic Droplet Impingement | 494 |
| <i>H. Tabbara, S. Kamnis, S. Gu</i> | |
| Efficient Numerical Method for the Calculation of the Structure's Shape Produced by Thermal Spray | 500 |
| <i>A. Ilin, R. Logvinov, A. Prihodovsky, V. Ploshikhin, D. Jonke</i> | |

MEDICAL INDUSTRY 1

| | |
|--|-----|
| Detonation Spraying of TiO₂-Ag Powders Under a Controllable Atmosphere | 504 |
| <i>D. V. Dudina, S. B. Zlobin, V. Y. Ulianitsky, N. V. Bulina, A. L. Bychkov, O. I. Lomovsky</i> | |
| Characterization of Novel Bioactive Hydroxyapatite-TiO₂ Coatings Obtained by High Velocity Oxygen-fuel | 509 |
| <i>H. Melero, J. Fernández, S. Dosta, J. M. Guilemany</i> | |

| | |
|--|-----|
| The Understanding on Adhesion Mechanism of Cold Sprayed TiO₂ Coating | 515 |
| <i>N. Tjitra Salim, M. Yamada, H. Isago, K. Shima, H. Nakano, M. Fukumoto</i> | |

CHARACTERIZATION & TESTING 3

| | |
|---|-----|
| Testing of the Electric Conductivity of Non-ferrous Metallic Coatings | 521 |
| <i>F. Trenkle, H.-P. Vollmar, S. Hartmann</i> | |
| Microtomographic Analysis of Splat Formation and Layer Build-up of a Thermally Sprayed Coating | 525 |
| <i>W. Tillmann, J. Nellesen, M. Abdulgader</i> | |
| Life Cycle Assessment of Surface Preparation Processes Implemented Before Thermal Spray | 532 |
| <i>N. Serres, S. Costil, A. Lamraoui, C. Langlade, C. Coddet</i> | |
| Analysis of Ni-Al Coatings In-situ Processed by Plasma Transferred Arc | 537 |
| <i>C. Brunetti, F. H. Mendes, G. Pintaude, A. D'Oliveira</i> | |

PRE- & POST-TREATMENT 1

| | |
|---|-----|
| Review on the Art of Anilox-manufacturing – from the Coated Cylinder Up to the Gravure | 542 |
| <i>J.-E. Döring, L. de Schoulepnikoff</i> | |
| Thermal Barrier Coatings on Surfaces with Micro-machined Roughness Profiles | 550 |
| <i>P. Seiler, M. Bäker, J. Rösler, M. Schweda, T. Beck</i> | |
| Effect of Hardness in Blasted Substrate Surface on Adhesive Strength of Sprayed Coatings | 553 |
| <i>T. Maruyama, T. Kishita, T. Kobayashi</i> | |

INDUSTRIAL GAS TURBINES 2

| | |
|--|-----|
| Oxidation Behavior of Bond Coats with and Without Y Addition | 557 |
| <i>T. Izumi, H. Arikawa, Y. Kojima, M. Okada, T. Hisamatsu</i> | |
| Improving Atmospheric Plasma Spraying of Zirconate Thermal Barrier Coatings Based on Particle Diagnostics | 561 |
| <i>G. Mauer, D. Sebold, R. Vaßen, D. Stöver</i> | |
| Net Energy Return (EROEI) of Thermal Barrier Coatings in Turbine Engines | 568 |
| <i>U. Bardi, C. Borri, C. Giolli, A. Giorgetti, S. Meneghetti, J. Nocivelli, A. Scrivani</i> | |

AVIATION INDUSTRY 4

| | |
|---|-----|
| Novel Thermal Barrier Coatings Produced by Axial Suspension Plasma Spray | 571 |
| <i>Z. Tang, H. Kim, I. Yaroslavski, G. Masindo, Z. Celler, D. Ellsworth</i> | |
| Impact of Particle Size Distribution on the TBC Coating Deposition and Performance | 576 |
| <i>L. Li, V. Belov</i> | |
| Yttrium Silicate Coatings by Sol Precursor Plasma Spraying for Environmental Barrier Applications | 581 |
| <i>A. Quet, L. Bianchi, E. Darthout, F. Gitzhofer, J. L. Leluan, F. Rebillat</i> | |
| Phase Stability and Thermal Conductivity of Plasma Sprayed Scandia, Ytria-stabilized Zirconia TBCS | 586 |
| <i>Q. Li, S. Gong, H. Liu, W. Yang, S. Li</i> | |

WEAR PROTECTION 2

| | |
|---|-----|
| Wear Behaviour of HVOF-sprayed Nanostructured WC-CoCr Coatings | 590 |
| <i>E. Bergonzini, G. Bolelli, B. Bonferroni, L. Lusvarghi, T. Varis, U. Kanerva, T. Suhonen, J. Oksanen, O. Söderberg, S.-P. Hannula</i> | |
| Characterisation of HVOF-sprayed Fe-based Alloy Coatings | 597 |
| <i>G. Bolelli, B. Bonferroni, L. Lusvarghi, A. Milanti, K. Niemi, J. Laurila, P. Vuoristo</i> | |
| Microstructure and Mechanical Properties of 7075 Al Matrix SiC Reinforced Composite Coatings Produced by the Cold Gas Dynamic Spraying Process | 603 |
| <i>O. Meydanoglu, B. Jodoin, E. Sabri Kayali</i> | |

MODELING & SIMULATION 3

| | |
|---|-----|
| Influence of Computational Grid Spacing on Gas/particle Flow of Cold Spray | 609 |
| <i>H. Katanoda</i> | |

| | |
|--|-----|
| Application of Structure-based Models of Mechanical and Thermal Properties on Plasma Sprayed Coatings | 613 |
| <i>M. Vilemova, J. Matejcek, R. Musalek</i> | |
| Heat and Mass Transfer Within an Evaporating Solution Droplet in a Plasma Jet | 622 |
| <i>Y. Hu, Y. Shan</i> | |

PLASMA SPRAYING 2

| | |
|--|-----|
| Helium-free Parameter Development for TriplexPro-210 Plasma Gun | 627 |
| <i>D. Chen, J. Colmenares-Angulo, R. Molz, C. Dambra, D. Hawley</i> | |
| Homogenization of Coating Properties in Atmospheric Plasma Spraying – Results and Outlook of a DFG (german Research Foundation)-Funded Research Group | 633 |
| <i>K. Bobzin, T. Schlüfer, I. Petkovic, K. Hartz-Behrend, K. Landes, G. Forster, S. Kirner, J.-L. Marqués, S. Zimmermann, J. Schein, J. Prehm, L. Xin, M. Erne, K. Möhwald, F. W. Bach</i> | |
| Deposition of La-Sr-Fe-Co Perovskite Coatings with Different Microstructures by Low Pressure Plasma Spraying | 640 |
| <i>N. Zotov, A. Hospach, G. Mauer, D. Sebold, R. Vaßen</i> | |
| The Characteristic of Plasma Torch Designed for the Very Low-pressure Plasma Spraying | 645 |
| <i>Y. Gao, D.-M. Yang, B.-H. Tian</i> | |

PLASMA SPRAYING 3

| | |
|--|-----|
| Titanium Dioxide Coatings Sprayed by a Water Stabilized Plasma Gun (WSP) with Argon and Nitrogen As the Powder Feeding Gas: Differences in Structural, Mechanical and Photocatalytic Behavior | 650 |
| <i>P. Ctibor, Z. Pala, K. Neufuss, V. Štengl, I. Piš, T. Zahoranová, V. Nehasil</i> | |
| Plasma Sprayed Zirconium Thermal Diffusion Behavior | 656 |
| <i>K. J. Hollis</i> | |
| Reconstitution of Ytria-stabilised Zirconia Nanopowders to Obtain Coatings by Atmospheric Plasma Spraying | 662 |
| <i>E. Sánchez, C. Feliú, P. Carpio, E. Bannier, R. Moreno, M. C. Alcázar, M. D. Salvador, R. Benavente, V. Bonache</i> | |

HVOF & FLAME SPRAYING 2

| | |
|--|-----|
| Deposition of Surface-melted YSZ Particles by Flame Spraying | 668 |
| <i>C.-J. Li, X.-M. Wang, C.-X. Li, G.-J. Yang</i> | |
| Influence of HVOF Spraying Parameters on the Wear Resistance of Al-SiC Composites Coatings Deposited on ZE41A Magnesium Alloy | 674 |
| <i>A. J. López, J. Rams, B. Torres, P. Rodrigo, M. Campo</i> | |
| Investigation of In-flight Particle Characteristics of HVOF Sprayed MCrAlY Coatings | 679 |
| <i>W. Saechua, D. Zhang, K. T. Voisey, D. G. McCartney</i> | |
| Effect of Substrate Roughness on Splat Formation of Thermally Sprayed Polymer | 685 |
| <i>K. Alamará, S. Saber-Samandari, C. C. Berndt</i> | |

CHARACTERIZATION & TESTING 4

| | |
|--|-----|
| The Influence of CMAS Attack on the Lifetime of Thermal Barrier Coatings | 690 |
| <i>T. Steinke, M. O. Jarligo, D. Mack, R. Vaßen, D. Stöver</i> | |
| Microstructural Investigation of Thermally Sprayed Ceramic Coatings by Laser Acoustic Surface Waves | 696 |
| <i>M. Barbosa, D. Schneider, R. Puschmann, F.-L. Toma, L.-M. Berger</i> | |
| Comparison of Isolated Indentation and Grid Indentation Methods for HVOF Sprayed Cermets | 703 |
| <i>J. Nohava, Š. Houdková, P. Haušild, R. Enžl</i> | |

PROCESS DIAGNOSTICS, SENSORS & CONTROLS 2

| | |
|---|-----|
| Modeling Properties of HVOF Thermally Sprayed WC-Co Coatings Based on Particle-in-flight Characteristics | 710 |
| <i>W. Tillmann, B. Hussong, S. Kuhnt, N. Rudak, H. Weinert</i> | |
| Injection Optimization of Composite Powders Using Laser Based Particle Visualization | 717 |
| <i>D. Crawford, R. Gansert, D. Wright</i> | |

TRIBOLOGICAL COATINGS 2

| | |
|--|-----|
| Improved Microstructure and Properties of Thermal-sprayed Cermet Coatings Modified by Laser Remelting Posttreatment | 721 |
| <i>Z. J. Yin, X. H. Tan, Q. X. Wang, S. H. Xu, R. L. Hao, Q. L. Deng, J. S. Sun</i> | |
| WC-Co/metal Multi-layer Coatings by Warm Spray Deposition | 727 |
| <i>M. Watanabe, M. Komatsu, S. Kuroda</i> | |
| Effect of Suspension Characteristics on Microstructure of Suspension Plasma Sprayed SiC Submicron Coatings | 734 |
| <i>F. Mubarak, J. Puranen, P. Vuoristo, R. Johnsen, N. Espallargas</i> | |
| Tribological Properties of HVOF Sprayed Nanostructured Composite Coatings | 740 |
| <i>W. Zórawski, T. Burakowski, S. Skrzypek</i> | |

VOLUME 2

CORROSION PROTECTION 2

| | |
|--|-----|
| Characterisation of Inconel 625 Coatings Deposited by Cold Spray | 746 |
| <i>A. Pontarollo, S. Vezzù, A. Trentin, S. Rech, M. Guidolin, A. Cafissi, C. Peretti, B. Molinas</i> | |
| Performance of HVOF and Cold Sprayed Ni-20Cr Coatings in Aggressive Molten Salt Environment at 900⁰ C Under Cyclic Condition | 751 |
| <i>N. Bala, H. Singh, S. Prakash</i> | |
| Oxidation Behaviour of Conical Bond Coats Produced by APS, HVOF and CGDS at Temperatures of 1000⁰ C and 1100⁰ C | 757 |
| <i>J.-M. Roy, P. Richer, L. Beauvais, B. Jodoin</i> | |

MEDICAL INDUSTRY 2

| | |
|--|-----|
| Biocompatibility of Titanium Coatings Deposited on CoCr by Cold Spray | 763 |
| <i>A. Trentin, S. Vezzù, S. Rech, S. Gulizia, M. Jahedi</i> | |
| Thermal Spraying of Bioactive Polymer Coatings for Orthopaedic Applications | 769 |
| <i>A. Chebbi, J. Podporska, J. Stokes</i> | |
| Effect of the Substrate Temperature on Properties and Dissolution of Plasma Sprayed Wollastonite Coatings | 776 |
| <i>W. Z. Wang, J. C. Liang, F. Z. Xuan</i> | |

PRE- & POST-TREATMENT 2

| | |
|--|-----|
| Polymers in Thermal Spray | 782 |
| <i>L. F. Grimenstein</i> | |

PRE- & POST-TREATMENT 3

| | |
|---|-----|
| Surface Modification of Austenitic Thermal Spray Coatings by Low-temperature Carburization | 785 |
| <i>B. Wielage, C. Rupprecht, T. Lindner, R. Hunger</i> | |
| Effect of Laser Remelting on the Mechanical Behaviour of Inconel 625 Cold-sprayed Coatings | 789 |
| <i>S. Vezzù, S. Rech, A. Trentin, P. Poza, C. J. Múnez, M. A. Garrido-Maneiro</i> | |
| Laser Treatment of Thermal Sprayed NiCrBSi Coating: Modelling, Study and Characterization | 795 |
| <i>G. Buza, A. Molnar, I. Felde, A. Balogh</i> | |
| Excimer Laser Surface Treatment of Plasma Sprayed Coatings | 808 |
| <i>A. Ibrahim, K. Shahrabi, M. Zoghi, Y. Hung, Y. Ryu, C. C. Berndt, M. Khonsari</i> | |

CORROSION PROTECTION 3

| | |
|--|-----|
| Local Corrosion Protection of Joints by Low Pressure Cold Spray | 815 |
| <i>D. Dzhurinskiy, E. Maeva, V. Leshchynsky, R. G. Maev</i> | |
| Pt Thermal Sprayed Coating on Refractory-bricks for Glass Melting | 821 |
| <i>Y. Ishikawa, K. Hamashima</i> | |
| Silicon Carbide Based Plasma Sprayed Coatings | 823 |
| <i>M. Tului, B. Giambi, G. Pulci, T. Valente</i> | |

YOUNG PROFESSIONALS

| | |
|---|------------|
| Measurement of Specific Enthalpy Under Very Low Pressure Plasma Spray Condition | 828 |
| <i>N. Zhang, L. Zhu, M. P. Planche, H. Liao, C. Dong, C. Coddet</i> | |
| Computational Analysis of Composite Powders Impacts to Evaluate Ceramic Coatings in Cold Spraying | 835 |
| <i>H. Canales, A. Dolmatov, S. Markovich</i> | |
| Thermal Spraying of Advanced Zinc Alloys As an Addition to Hot-dip Galvanizing | 840 |
| <i>K. Bobzin, T. Schläfer, T. Warda, C. Schulz</i> | |
| Correlation of the Particle Behavior, Microstructure and Phase Evolution During the Optimization of HVOF Sprayed WC-12Co Coatings by Means of DoE..... | 845 |
| <i>W. Tillmann, L. Hagen, I. Baumann, M. Tolan, M. Paulus, F. Wieland</i> | |
| Failure Mechanism of Non-stoichiometric Mg-Al-Spinel Abradable Coatings Under Thermal Cyclic Loading..... | 852 |
| <i>S. Ebert, T. Steinke, R. Vaßen, D. Stöver</i> | |
| Cold Spraying of Titanium Using Enhanced Conditions and Optimized Nozzles..... | 857 |
| <i>K. Binder, F. Gärtner, T. Klassen</i> | |
| Development of Particle-reinforced Nanostructured Iron-based Composite Alloys for Thermal Spraying | 863 |
| <i>B. Wielage, T. Lampke, H. Pokhmurska, C. Rupprecht, R. Drehmann</i> | |
| Synthesis of Porous Super-capacitor Electrodes Using the SPPS Deposition Technique | 869 |
| <i>M. Golozar, K. Chien, T. W. Coyle</i> | |
| The Effect of Fracture-induced Ceramic Free Surfaces for Vacuum Kinetic Spray Bonding..... | 874 |
| <i>W. Yong, G. Bae, K. Kang, C. Lee</i> | |
| Development and Characterization of Oxide Ceramic APS Coatings for Microwave Absorption..... | 879 |
| <i>P. Müller, M. Floristán, A. Killinger, R. Gadow, A. Cardella, C. Li</i> | |
| Deposition of Nickel – Yttria Stabilized Zirconia and Nickel – Samaria Doped Ceria by Solution Precursor Plasma Spraying for Solid Oxide Fuel Cells..... | 885 |
| <i>C. Metcalfe, E. Lay, O. Kesler</i> | |
| Development of Ceramic Heating Elements Produced by Thermal Spray Technology | 890 |
| <i>F.-L. Toma, S. Scheitz, R. Puschmann, L.-M. Berger, V. Sauchuk, M. Kusnezoff</i> | |
| Influence of Boron Content on Microstructure and Properties of Wire-arc Sprayed Fe-based Coating..... | 896 |
| <i>Z. Zhou, D. Y. He, G. Z. Zhang, R. Li, J. M. Jiang</i> | |

POSTERS

ALTERNATIVE POWER GENERATION

| | |
|---|------------|
| Cavitation Erosion Mechanism in Fe-Mn-Cr-Si-Ni Arc Thermally Sprayed Coatings..... | 902 |
| <i>A. G. M. Pukasiewicz, A. R. Capra, R. S. C. Paredes</i> | |

AUTOMOTIVE INDUSTRY

| | |
|--|------------|
| Investigation of Heat Treatment on Cold Sprayed Aluminum Coatings on Magnesium Substrates with Different Status | 908 |
| <i>H. Bu, B. Jodoin, M. Yandouzi, C. Lu</i> | |
| Sliding Wear Behavior of HVOF Sprayed Coatings, Suitable for Piston Rings Application..... | 914 |
| <i>Š. Houdková, M. Kašparová, F. Zahálka</i> | |

AVIATION INDUSTRY

| | |
|---|------------|
| Applications of Cold Gas Spraying Compared to Manual Laser Welding in Connection with a Repair Contract in the Aerospace Field | 920 |
| <i>P. Lutz</i> | |
| Study of Oxidation Behavior of TBCs with APS and HVOF CoNiCrAlY Bond Coatings..... | 921 |
| <i>A. C. Karaoglanli, T. Lampke, T. Grund, F. A. Azem, I. Ozdemir, A. Turk, F. Ustel</i> | |
| Thermal Barrier Coatings on Novel High Temperature Cobalt Rhenium Substrates | 926 |
| <i>P. Seiler, J. Rösler, D. Mukherji, T. Kopka</i> | |
| Thermal Barrier Coatings for Rocket Engines | 930 |
| <i>J. Schloesser, M. Bäker, J. Rösler</i> | |

| | |
|--|------------|
| Effect of Bond Coat Material and Heat Treatment on Adhesion Strength and Characteristics of Thermal Barrier Coating System with CGDS, HVOF and APS Techniques | 934 |
| <i>T. Lampke, N. El-Mahallawy, T. Grund, I. El-Araby, A. C. Karaoglanli</i> | |

CERAMIC COATINGS

| | |
|---|------------|
| Development of Porous Ceramic Coating for High-efficiency Cooling System..... | 938 |
| <i>M. Arai, J. T. Suidzu</i> | |
| Preparation and Thermophysical Properties of La₂(Zr_{0.7}Ce_{0.3})₂O₇ Ceramic Material..... | 944 |
| <i>J. Y. Xiang, S. H. Chen, J. H. Huang, G. D. Zhou, W. J. Liang, R. J. Wang, Q. He</i> | |
| Deposition of Ceramic Oxides in Atmosphere and at Room Temperature Using the Powder Jet Deposition Technique | 949 |
| <i>K. Ogawa, H. Arata, M. Takegoshi, F. Ono, T. Saito</i> | |
| Advanced Thermal Barrier Coatings from Ti-doped YSZ Systems..... | 954 |
| <i>M. O. Jarligo, G. Mauer, D. Mack, R. Vassen, D. Stöver</i> | |
| Study of Plasma Sprayed Mullite Coating Using Mullite and a Mixture of Alumina and Silica Powder Particles | 960 |
| <i>H. Salimi Jazi, M. Hosseini, A. Shafyei, H. Samadi, L. Pershin, T. W. Coyle, J. Mostaghimi</i> | |
| Optimization of Plasma Spray Processing Parameters for Deposition of YSZ+Al₂O₃ Coating | 965 |
| <i>E. Altuncu, D. Tozkoparan, S. C. Okumus, F. Ustel</i> | |
| Synthesis of Al₂O₃ Coatings by Plasma Transferred Arc..... | 969 |
| <i>F. O. Drozda, S. A. Pianaro, A. D'Oliveira</i> | |

CHARACTERIZATION & TESTING

| | |
|---|-------------|
| Scratch Test Mechanical Properties of Suspension Plasma Sprayed TiO₂ Coatings..... | 974 |
| <i>L. Latka, L. Pawlowski, F. Petit, S. Kozerski</i> | |
| Effect of the Grit Blasting Exposure Time on the Adhesion of Al₂O₃ and 316l Coatings | 979 |
| <i>M. Vilemova, J. Siegl, J. Matejcek, R. Musalek</i> | |
| Electrical Properties of Al₂O₃-TiO₂ Plasma Sprayed Coatings for Electrode of Corona Discharge | 985 |
| <i>S. Abukawa, T. Takabatake, Y. Namba, K. Tani</i> | |
| Cold Spray Ultrasonic Monitoring and Modeling | 991 |
| <i>R. G. Maev, S. Titov, J. Dech, V. Leshchynsky</i> | |
| The Tensile and Shear Strength of Thermally Sprayed Coatings | 997 |
| <i>M. Kašparová, F. Zahálka, Š. Houdková, J. Volák</i> | |
| Thermal Shock Resistance of Plasma-sprayed Thermal Barrier Coatings..... | 1003 |
| <i>S. Takahashi, N. Hirano, Y. Kojima, Y. Harada, A. Kawasaki, F. Ono</i> | |
| Electrical Resistivity of Termally Sprayed Cr₂O₃-TiO₂ Coatings..... | 1008 |
| <i>R. Trache, L.-M. Berger, F.-L. Toma, S. Stahr, R. S. Lima, B. R. Marple</i> | |
| Characterization of Detonation Sprayed Coatings | 1014 |
| <i>A. A. Shtertser, V. Y. Ulianičsky, K. A. Tsarakhov, B. E. Grinberg</i> | |
| Innovative Testing Method for Interconnected Porosity of Thermally Sprayed Ceramic Coatings Using Electroplating | 1017 |
| <i>Y. Harada, Y. Takatani, K. Tani</i> | |
| Solidification of Plasma Transferred Arc Coatings..... | 1021 |
| <i>D. Bond, A. D'Oliveira</i> | |

COLD SPRAYING

| | |
|--|-------------|
| Numerical Study on the Role of Substrate Size in Supersonic Jet Flow and Substrate Preheating Process in Cold Spraying | 1026 |
| <i>S. Yin, X.-F. Wang, W. Y. Li, R. Xie</i> | |
| Finite Element Simulation of Impacting Behavior of Particles in Cold Spraying by Eulerian Approach | 1031 |
| <i>W. Y. Li, M. Yu, H. Liao</i> | |
| Influence of Gas Temperature, Particle Size and Substrate Material on the Deposition Behaviour of Cold Sprayed Magnesium Coatings | 1037 |
| <i>X. K. Suo, X. P. Guo, W. Y. Li, M. P. Planche, R. Bolot, H. Liao, C. Coddet</i> | |
| Effects of Spray Nozzle Design on Cold Sprayed Magnesium Alloy Coating and Its Composite | 1042 |
| <i>X. K. Suo, X. P. Guo, W. Y. Li, M. P. Planche, R. Bolot, H. Liao, C. Coddet</i> | |
| Modern Applications of the Low Pressure Cold Spray | 1046 |
| <i>A. Kashirin, O. Klyuev, T. Buzdygar, A. Shkodkin</i> | |

| | |
|---|------|
| Influence of Annealing Treatment on the Microstructure and Microhardness of Cold Sprayed Nanostructured FeAl Coating | 1049 |
| <i>H.-T. Wang, C.-J. Li, G.-C. Ji, G.-J. Yang</i> | |
| Impact Particle Behavior in Cold Gas Dynamic Spray of Composite Coatings | 1055 |
| <i>V. Leshchynsky, A. Papyrin, O. Bielousova, I. Yadroitsava, I. Smurov</i> | |
| Annealing Effect on the Intermetallic Compound Formation of Cold Sprayed Fe/Al Composite Coating | 1061 |
| <i>H.-T. Wang, C.-J. Li, G.-C. Ji, G.-J. Yang</i> | |
| Novel Manufacturing Method for Producing Stacked Wire Mesh Compact Heat Exchangers Using Cold Spray | 1068 |
| <i>J. Assaad, A. Corbeil, P. Richer, B. Jodoin</i> | |
| Iron Boride Coatings Produced by Cold Spray Processes | 1074 |
| <i>I. Ozdemir, K. Ogawa, K. Sato, D. Seo</i> | |
| New Cold Spray Based Technique of FeAl Intermetallic Compound Coating Synthesis | 1079 |
| <i>R. G. Maev, E. Leshchinsky, E. Maeva</i> | |
| Study of the Influence of Particle Velocity on Adhesion Strength of Cold Spray Deposits | 1085 |
| <i>R. Huang, H. Fukanuma</i> | |
| Microstructural Changes During Heat Treatment of Cold Sprayed Pure Titanium Coatings | 1091 |
| <i>W. Wong, E. Irissou, J.-G. Legoux, S. Yue</i> | |
| Thermal Stability of Microstructure and Hardness of Cold-sprayed cBNp/NiCrAl Nanocomposite Coating | 1098 |
| <i>X.-T. Luo, C.-J. Li</i> | |
| Effect of In-situ Softening on the Deposition Behavior of Particles by Controlling Gas Stream Traversing During Cold Spraying | 1104 |
| <i>G.-J. Yang, J. Wang, C.-J. Li, Q. Zhang, C.-X. Li</i> | |
| Automatic Generation of Robot Trajectory for Free-form Surfaces in Thermal Spraying | 1110 |
| <i>D. Fang, S. Deng, H. Liao, C. Coddet</i> | |
| Comparison of Oxidation and Microstructures of Warm-sprayed and Cold-sprayed Titanium Coatings | 1115 |
| <i>K. H. Kim, S. Kuroda, M. Watanabe, R. Huang, H. Fukanuma, H. Katanoda</i> | |
| The Synthesis of Titanium Dioxide Powders for Cold Spray | 1121 |
| <i>N. Tjitra Salim, M. Yamada, H. Nakano, H. Isago, K. Shima, M. Fukumoto</i> | |
| Thermal Analysis of Cold-sprayed Copper Coatings | 1126 |
| <i>F. Alishir, H. Nekoumanesh, H. Assadi</i> | |
| Influence of Deposition Conditions and Heat Treatment on Tensile Strength of Cold Spray Aluminium Coatings on Al₂O₃ and AlN Substrates | 1130 |
| <i>S. Kuemmel, T. Grund, P. Loeschner, B. Wielage</i> | |
| Influence of Gas Conditions in Cold Spraying on WC Cermet Coatings | 1136 |
| <i>K. Sato, D. Seo, H. Furukawa, J. Kitamura, K. Ogawa</i> | |
| Influence of Metal Binder of WC Cermet Powder for Cold Spray and HVOF | 1141 |
| <i>K. Sato, H. Furukawa, J. Kitamura, D. Seo, K. Ogawa</i> | |
| Interface Reactions in Composite Coatings Deposited by Cold Spray and Detonation Spraying | 1145 |
| <i>V. Leshchynsky, O. Bielousova, N. Ryashin, I. Yadroitsava, I. Smurov</i> | |

CORROSION PROTECTION

| | |
|--|------|
| Corrosion and Wear Resistance of Molybdenum Containing Arc Spray Composite Coatings | 1151 |
| <i>J. Laurila, K. Niemi, P. Vuoristo, J. Vajala</i> | |
| Influence of Chromia Alloying on the Characteristics of APS and HVOF Sprayed Alumina Coatings | 1157 |
| <i>K. Niemi, J. Hakalahti, L. Hyvärinen, J. Laurila, P. Vuoristo, L.-M. Berger, F.-L. Toma, I. Shakhverdova</i> | |
| Corrosion Resistance of Thermally Sprayed Coatings and Welded Overlays in Waste Incineration Environments | 1163 |
| <i>H. Pokhmurska, B. Wielage, R. N. Durham, M. Schütze, D. Franik, A. Gebert</i> | |

FUEL CELLS

| | |
|---|------|
| Effect of Accelerating Gas Flow on Pore Structure and Mass Transport Property of Vacuum Cold Sprayed TiO₂ Coatings Using Strengthened Nanostructured Powder | 1167 |
| <i>G.-J. Yang, K.-X. Liao, C.-J. Li, S.-Q. Fan, C.-X. Li, S. Li</i> | |
| Relationship Between Particle and Plasma Properties and Coating Characteristics of Samaria-doped Ceria Prepared by Atmospheric Plasma Spraying for Use in Solid Oxide Fuel Cells | 1173 |
| <i>M. J. Cuglietta, O. Kesler</i> | |

| | |
|---|------|
| Suspension Plasma Spraying (SPS) of Manganese-cobalt Spinel Coatings | 1179 |
| <i>J. Puranen, L. Hyvärinen, J. Lagerbom, M. Kylmälahti, H. Koivuluoto, P. Vuoristo</i> | |
| The Solution Precursor Plasma Spray Process for Making Zirconia Based Electrolytes | 1184 |
| <i>C. Christenn, A. Ansar, A. Haug, S. Wolf, J. Arnold</i> | |

HVOF & FLAME SPRAYING

| | |
|--|------|
| Anisotropic Electrical Conductivity of Copper Coatings Deposited by HVOF | 1189 |
| <i>M. Aghaee, M. Salehi, H. R. Salimijazi</i> | |
| Densification of Low Temperature HVOF Ti Coating | 1193 |
| <i>M. Liu, C. M. Deng, G. C. Deng, J. Q. Chen, K. S. Zhou</i> | |
| Corrosion Behaviour of HVOF-sprayed Ni-20Cr Coating in a Molten Salt Environment at 900 C | 1197 |
| <i>G. Kaushal, H. Singh, S. Prakash</i> | |

INDUSTRIAL GAS TURBINES

| | |
|--|------|
| Failure in APS Porous Thick YSZ Coatings Caused by Thermal Stress | 1203 |
| <i>Z-Y. Chen, J. Feng, Y. Gao</i> | |
| Correlation Between Process Parameters and Thermal Cycling Life Time for Thermal Barrier Coatings | 1207 |
| <i>E. Altuncu, F. Ustel</i> | |
| A Novel Plasma-sprayed Durable Thermal Barrier Coating with the Well-bonded YSZ Interlayer Between Porous YSZ and Bond Coat | 1212 |
| <i>C.-J. Li, Y. Li, G.-J. Yang, C.-X. Li</i> | |
| Isothermal Oxidation Behavior of Nicocraltay Coating Deposited by High Velocity Air-fuel Spraying | 1219 |
| <i>G.-J. Yang, X.-D. Xiang, L.-K. Xing, D.-J. Li, C.-J. Li, C.-X. Li</i> | |

MEDICAL INDUSTRY

| | |
|---|------|
| Characterisation of Plasma Sprayed HAP Coatings on Ti Alloys | 1225 |
| <i>E. Altuncu, G. Erdogan, S. Ozturk, F. Ustel</i> | |

METAL COATINGS

| | |
|---|------|
| Microstructure and Properties of Feal Coatings Prepared by APS, LPPS and HVOF | 1229 |
| <i>D.-M. Yang, B.-H. Tian, Y. Gao</i> | |
| Suppressing Oxidation of Ni-Cr Alloy with Addition of Si, B and C in Atmosphere Plasma Spray Process | 1235 |
| <i>Z. Zeng, N. Sakoda, S. Tajiri, S. Kuroda, M. Komatsu</i> | |

METALS PROCESSING

| | |
|---|------|
| Durability of Low Pressure Plasma Sprayed MoB/CoCr Coating in Molten Al-12.07wt%Si Alloy | 1241 |
| <i>X. Chen</i> | |

MODELING & SIMULATION

| | |
|--|------|
| Modeling of the Effect of Injected Particle Properties on Plasma Flow During Ceramic Coating Process | 1247 |
| <i>A. Elsebaei, J. Heberlein, M. Moubasher</i> | |
| A 3D Finite-difference Model for the Effective Thermal Conductivity of Thermal Barrier Coatings | 1248 |
| <i>J. H. Qiao, R. Bolot, H. Liao, P. Bertrand, C. Coddet</i> | |
| Simulation of Arc Root Fluctuation in a DC Non-transferred Plasma Torch with Three Dimensional Modeling | 1256 |
| <i>R. Huang, H. Fukanuma, Y. Uesugi, Y. Tanaka</i> | |
| New Method of Generating Robot Trajectory on Complex Geometric Workpiece | 1262 |
| <i>Z. Cai, S. Deng, H. Liao, C. Coddet, C. Zeng</i> | |
| Turbulence Effects in a DC Plasma Torch | 1267 |
| <i>R. Bolot, A. Allimant, D. Billières, C. Coddet</i> | |
| Using of CFD Simulations for Increasing Speed and Temperature of Flame Spray Technology | 1274 |
| <i>T. Zabransky</i> | |

| | |
|---|------|
| Basic Physics and Engineering Program System SPLAT – Spray Deposit for Computer-aided Design of Coatings Formation | 1278 |
| <i>O. P. Solonenko, V. A. Blednov, V. I. Jordan</i> | |

NANOMATERIAL COATINGS

| | |
|--|------|
| Properties of Nanostructured Composite Titanium Coating on Aluminium Surface | 1284 |
| <i>Y. N. Tyurin, O. V. Kolisnichenko, O. N. Ivanov, M. G. Kovaleva, O. N. Maradudina, Y. V. Trusova</i> | |
| Effects of Power and Concentration and Dispersion Phase on Nano-zirconia Coatings Prepared by Sol Plasma Spraying | 1295 |
| <i>H. Yang, L. Chen</i> | |
| Deposition and Characteristics of Submicrometer-structured Ceramic Coatings by Suspension Thermal Spraying | 1300 |
| <i>A. Guignard, G. Mauer, R. Vaßen, D. Stöver</i> | |
| Atomization of Water Droplets in Atmospheric Plasma Jets | 1307 |
| <i>D. Soysal, A. Ansar</i> | |

NEW PROCESSES

| | |
|---|------|
| Shock-wave Induced Spraying: Modeling and Physics of a New Spray Process | 1313 |
| <i>M. Karimi, G. W. Rankin, B. Jodoïn</i> | |
| Characteristics of Ceramic Coatings Made by Thin Film Low Pressure Plasma Spraying (LPPS-TF) | 1319 |
| <i>A. Hospach, G. Mauer, R. Vaßen, D. Stöver</i> | |
| Comparison of the Electrical Properties of Al₂O₃ Sprayed Coatings from Feedstock Powders and Aqueous Suspensions | 1324 |
| <i>F.-L. Toma, S. Scheitz, S. Langner, L.-M. Berger, V. Sauchuk, M. Kusnezoff</i> | |

PLASMA SPRAYING

| | |
|---|------|
| Properties of Coating by Plasma Spraying Ultrafine Cr₃C₂-25%NiCr Powders | 1330 |
| <i>Z. Li, Y. Yu, K. Zeng, R. Xianjing, M. Jianghong</i> | |
| Adhesion of Ceramic Coating on Thin and Smooth Metal Substrate: A Novel Approach with a Nanostructured Ceramic Interlayer | 1333 |
| <i>R. Vert, P. Carles, E. Laborde, G. Mariaux, E. Meillot, A. Vardelle</i> | |
| Effect of Dispersed Tic Content on the Microstructure and Thermal Property of Shrouded- Plasma-sprayed FeAl/TiC Composite Coatings | 1339 |
| <i>L.-H. Tian, C.-X. Li, C.-J. Li, G.-J. Yang</i> | |
| An Improvement of Low Power Plasma Torch for Very Low Pressure Plasma Sprayed Thin and Dense Ceramic Coatings | 1345 |
| <i>L. Zhu, N. Zhang, F. Sun, R. Bolot, M. P. Planche, H. Liao, C. Coddet</i> | |
| Spraying of Metallic Powders by Hybrid Gas/Water Torch and the Effects of Inert Gas Shrouding | 1351 |
| <i>T. Kavka, J. Matejček, P. Čtřbor, M. Hrabovský</i> | |
| Development of Optical Monitoring of the Thermal Spraying | 1359 |
| <i>Y. Chivel, I. Smurov</i> | |
| Three Anodes Compared to Three Cathodes: Evaluation of Gun Concepts for High Performance Plasma Spraying Operation | 1364 |
| <i>M. Erne, D. Kolar, K. Möhwald, F. W. Bach</i> | |

POWDERS, WIRES & SUSPENSIONS

| | |
|--|------|
| Particle Size Distribution of the Filling Powder in Cored Wires and Their Effect on Arc Behavior, In-flight Particle Behavior and Splat Formation | 1368 |
| <i>W. Tillmann, M. Abdulgader</i> | |
| Precipitate Formation and Evolution in Solution Precursor Plasma Spraying | 1375 |
| <i>G. Bertolissi, C. Chazelas, G. Bolelli, L. Lusvarghi, M. Vardelle, A. Vardelle</i> | |
| Theory and Experiment on Hollow Spherical Powders Production | 1381 |
| <i>O. P. Solonenko, I. P. Gulyaev, A. V. Smirnov</i> | |

PRE- & POST-TREATMENT

| | |
|---|------|
| Effects of Combined Laser Pre-treatments with Cold Spraying of Ti and Ti-6Al-4V | 1387 |
| <i>S. Costil, D. Poirier, W. Wong, M. Pertont, E. Irissou, J.-G. Legoux, A. Blouin, S. Yue, C. Coddet</i> | |

| | |
|---|------|
| Modeling of Dry-ice Blasting and Its Application in Thermal Spray | 1394 |
| <i>S. Dong, B. Song, B. Hansz, H. Liao, C. Coddet</i> | |
| Hot-gas Corrosion-erosion Resistance of Thermally Post-treated Fe-Al-based Arc-sprayed Coating | 1400 |
| <i>H. Pokhmurska, B. Wielage, A. Prokopyshyn, R. Winkelmann</i> | |

PROCESS DIAGNOSTICS, SENSORS & CONTROLS

| | |
|--|------|
| Accuracy of 2D Continuous Particle Image Velocimetry Measurements in Thermal Spraying Processes | 1404 |
| <i>L. Rockstroh, S. Wahl, P. Werner, Z. Wang, S. Simon, R. Gadow</i> | |
| Cryo-gas Cooling Method and System for Thermal Spray Coatings | 1411 |
| <i>M. Akuh, L. Mercado, Z. Zurecki</i> | |
| A Substrate Surface Thermocouple for Thermal Spraying | 1419 |
| <i>M. Marr, O. Kesler</i> | |

QUALITY & QUALIFICATION

| | |
|---|------|
| Life Cycle Assessment of Thick Coating Processes | 1424 |
| <i>N. Serres, S. Costil, C. Langlade, C. Coddet</i> | |
| Thermal Spray: Status and Current Activities in Norway | 1430 |
| <i>S. Armada, A. Bjørgum</i> | |

TRIBOLOGICAL COATINGS

| | |
|---|------|
| New Approach to Ceramic/metal – Polymer Multilayered Coatings for High Performance Dry Sliding Applications | 1435 |
| <i>A. Rempp, A. Killinger, M. Widmann, R. Gadow</i> | |
| Comparative Characteristics of Coatings Produced from Sn-Sb-Cu Babbitt by Arc Spraying, Gas Surfacing and Pouring | 1441 |
| <i>Y. Korobov, S. Nevezhin, B. Potechin, V. Ilushin, L. Gogolev</i> | |
| Evaluation by Elastic and Plastic Contacts of Wear Performance of Alumina-Titania (13 and 45 wt %) Coatings Plasma and Flame Sprayed | 1445 |
| <i>F. Vargas, H. Ageorges, P. Fauchais, M. E. Lopez</i> | |

WEAR PROTECTION

| | |
|---|------|
| Microstructure and Wear Resistance of Arc-sprayed NiCrBSi Coatings After Remelting | 1451 |
| <i>W. Tillmann, W. Luo</i> | |
| Properties of HVOF Sprayed WC-Co Coatings After ESD Process | 1457 |
| <i>W. Zórawski, N. Radek</i> | |
| Author Index | |