

31st International Display Research Conference 2011

(EuroDisplay 2011)

**Arcachon, France
19-22 September 2011**

ISBN: 978-1-61839-600-6

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2011) by the Society for Information Display
All rights reserved.

Printed by Curran Associates, Inc. (2012)

For permission requests, please contact the Society for Information Display
at the address below.

Society for Information Display
1475 S. Bascom Ave.
Suite 114
Campbell, California 95008-4006

Phone: (408) 879-3901
Fax: (408) 879-3833 or (408) 516-8306

office@sid.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

LIQUID CRYSTAL TECHNOLOGY

1.1 Invited: Advanced Display-Based User Interfaces for Mobile Multimedia Applications	1
<i>Jyrki Kimmel, Marja Salmimaa, Toni Jarvenpaa, Monika Polonen</i>	
1.3 High Frequency Low Voltage Shock-Free Ferroelectric Liquid Crystal: A New Electrooptical Mode with Electrically Suppressed Helix	7
<i>A.K. Srivastava, V. Chigrinov, H.S. Kwok, E.P. Pozhidaev, M. Minchenko, S. Torgova, V. Molkin, P.N. Lebedev, V. Vashenko, A. Krivoshey</i>	
1.4 High Performance Fringe Field Switching (FFS) LCD Using a Liquid Crystal with Negative Dielectric Anisotropy	11
<i>M.H. Jo, S.H. Lee, C.W. Woo, H.J. Yun, K.S. Ha, N.H. Cho</i>	
1.5 Novel Image Sticking Model in the Fringe Field Switching Mode Based on the Flexoelectric Effect	15
<i>T. Tsuruma, Y. Goto, A. Higashi, M. Watanabe, H. Yamaguchi, T. Tomooka</i>	
1.6 Embedded Diffractive Backlight Light Guide Plates in Mobile Display Applications	19
<i>J. Kimmel, T. Levola</i>	
1.7 Different Polarity NLC Alignment on Organosilicon Films of Varying Molecular Structure	23
<i>V.V. Belyaev, A.S. Solomatin, D.N. Chausov, V.M. Shoshin, Y.P. Bobylev, A.A. Muravskii, V.G. Mazueva, A.A. Gorbunov</i>	
1.8 Liquid Crystal Alignment by Poly(N-vinyl Carbazole) Films	26
<i>K-T. Cheng, Y-D. Chen, C-K. Liu, A. Y-G. Fuh</i>	
1.9 Defect Formation in Liquid Crystal Layers with Varying Anchoring Strength and Surface Shape	30
<i>S.E. Day, E. Willman, R. James, F. Fernandez</i>	
1.10 New Waterproof Photoalignment Material for LC Technology	34
<i>V. Agabekov, A. Murauski, V. Mikulich, A. Muravsky</i>	
1.11 Low Temperature LC Alignment Material for Active Matrix Devices	36
<i>V. Agabekov, A. Muravsky, A. Murauski, U. Mahilny, A. Stankevich</i>	

SOLID STATE AND OLED LIGHTING

2.2 OLED Compensation for OLED Lighting Panel Using Waveguided Light Sensing Method	38
<i>J-H. Han, J-I. Lee, D-H. Cho, J-W. Shin, H.Y. Chu</i>	
2.3 The Optical Effect of Capping Layers on Transparent Organic Light Emitting Diodes	40
<i>J.W. Huh, J.W. Lee, J-I. Lee, J. Moon, D-H. Cho, J. Hwang, C.W. Joo, I-W. Shin, J-H. Han, H.Y. Chu</i>	
2.4 Comparison Study of the Internal/external Outcoupling Extraction of OLEDs Using Nanocomposite Scattering Films	43
<i>H-W. Chang, C-C. Wu</i>	
2.5 The Efficiency of Radiative Decay Inside Organic Light Emitting Diodes	46
<i>L. Penninck, S. Mladenovski, T. Verschueren, K. Neyts, S. Hofmann, S. Reineke</i>	

DISPLAY ELECTRONIC, MANUFACTURING & SYSTEMS

3.1 Led Backlight with Remote Bi-Layered Photoluminescent Converter for High Brightness AMLCD Display	50
<i>V. Ulasyuk, N. Soshin, V. Bolshukhin, V. Ilyasov</i>	
3.2 A Robust Mura Detection Method for Automatic TFT-LCD Module Inspection	53
<i>K. Jinkyu, J. Kim, J.H. Seo, E. Oh</i>	
3.3 Accurate Estimation of Tri-Stimulus Values for Displayed Images on LCDs	56
<i>Y. Shimodaira, K. Ono</i>	
3.4 Electrolyte for Electrowetting-Based Displays: Impact on Display Performances	60
<i>R. Massard, A. Giraldo, J. Mans, P. Vermeulen, M. Hampton</i>	
3.5 Novel Dynamic Driving Scheme (DDS) for Cholesteric Liquid Crystal with Grayscale Capability	64
<i>Q. Fu, C. Drews, C. Xu</i>	
3.6 Adaptive Two-Line Inversion Driving for Lowpower Display	68
<i>S.P. Choi, J.H. Chun, M.H. Lee, Y.H. Jun</i>	

FLEXIBLE DISPLAYS

4.2 Fabrication of a Flexible AMOLED Display Using Ink-Jet Printing on an IGZO-TFT Backplane	71
<i>M. Nakata, M. Suzuki, G. Motomura, H. Fukagawa, H. Tsuji, Y. Nakajima, H. Sato, T. Shimizu, T. Takei, Y. Fujisaki, T. Yamamoto, H. Fujikake</i>	
4.3 Roll-to-Roll Processible Flexible Color LCDs	75
<i>Y. Jin, Z. Hong, S-B. Kwon, B-Y. Lee, G. Ying, K-S. Kim</i>	
4.4 Electro-Mechanical Durability of Pulsed-Laser Deposited Indium Tin Oxide Thin Films on Polycarbonate Substrates for Flexible Electronic Devices	77
<i>G.A. Potoczny, S. Kukureka, S. Abell</i>	

MICRODISPLAYS & PROJECTION DISPLAYS

5.2 High Brightness Green OLED Microdisplay with High Resolution and Low Power Consumption	81
<i>V. Gohri, L. Espuno, G. Haas, H. Doyeux, D. Sarrasin, O. Billoint, P. Demars</i>	
5.3 CMOS Compatible SiGe Micromirrors	85
<i>R. Beernaert, A. Avci, J. De Smet, H. De Smet, J. De Coster, A. Witvrouw</i>	
5.4 Dual Beam Projection for Mobile Personal Computer	89
<i>Y. Keh, D. Lee, J. Lee, D. Jang</i>	
5.5 Short Throw Projection System with Zoom	91
<i>G. Dubroca, P. Benoit, K. Sarayeddine</i>	
5.6 Miniature Green Laser Source for High-Brightness Pico-Projectors	94
<i>J. Khaydarov, S. Essaian, S. Slavov, G. Gabrielyan, A. Poghosyan, S. Soghomonyan</i>	

OLED & OLED DISPLAYS

6.2 A New Circular-Shape Active-Matrix OLED Display with Polymorphous Silicon Thin-Film Transistors	98
<i>F. Templier, B. Aventurier, T. Maindron, J. De Girolamo, J.Y. Simon, H. Lebrun, E. Chuiton, J. Magarino, O. Langguth, J. Blochwitz-Nimoth, P. Roca, M. Oudwan, D. Daineka</i>	
6.3 Surface-Wave-Plasma Chemical Vapor Deposition of SiNx for Thin-Film Encapsulation of Organic Light-Emitting Displays	102
<i>K. Azuma, S. Ueno, M. Suzuki, Y. Konishi, S. Ishida, M. Yomogida</i>	
6.4 Impact of I-R (Voltage) Drops in the Power Lines of AMOLED Displays on the Design and the Technology	105
<i>H. Lebrun</i>	
6.5 Enhancement of Light Extraction from Waveguide Mode by High Refractive Index Intermediate Layer in Organic Light Emitting Devices	109
<i>A. Mikami, T. Goto, Y. Sawatari</i>	
6.6 Efficiency Improvement of Blue PhOLED with Linearly-Graded Mixed Host at Low Current Density	113
<i>Sangmin Lee, Ching. W. Tang, Lewis J. Rothberg</i>	

DISPLAY MEASUREMENT

7.3 Spectral BRDF (Bidirectional Reflectance Diffusion Function) on E-Papers and Displays Using Multispectral Fourier Optics Instrument	116
<i>P. Boher, T. Leroux, T. Bignon</i>	
7.4 How to Check Gray Scale Stability of LCD TVs Versus Viewing Angle	120
<i>P. Boher, T. Leroux, T. Bignon, P. Blanc</i>	
7.5 Study on Testing Ambient Contrast Ratio of Flatplate Display	124
<i>Y. Tian, T. Mou</i>	
7.6 A Comparison of Visual Ergonomic Measurements Between Active and Passive 3DTV	128
<i>K. Wang, B. Andren, K. Brunnstrom, N. Rydell, S. Fuller</i>	

ORGANIC ELECTRONICS

8.3 Effect of the Device Geometry on the Contact Characteristics of Organic Field-Effect Transistors	132
<i>C.H. Kim, Y. Bonnassieux, G. Horowitz</i>	

HUMAN FACTORS & COGNITION

10.2 The Effect of Gamut Range on Image Quality Preference and Naturalness Acceptability for Wide Gamut Display	134
<i>T.-Y. Park, J.W. Jang, J.J. Yoo, H.-H. Shin</i>	
10.3 Effect on Visual Abilities by Watching Stereoscopic Image	138
<i>Y. Fukai, K. Arata, N. Komine, L. Taifua, T. Arai, T. Igarasi, Y. Sano</i>	
10.4 Assessing Visual Comfort and Perceptual Image Quality of Stereoscopic 3D TVs	142
<i>R. Luo, T.-H. Tseng, T.-Y. Chang, P.-L. Sun</i>	

TOUCH SYSTEMS

11.2 Enhanced Touch Technology for Hand Writing: Finger, Palm and Stylus Discrimination	146
<i>G. Goncalves, G. Wantz, L. Hirsch</i>	
11.3 Novel In-Cell Capacitive Touch Panel Technology	149
<i>K. Noguchi, Y. Kida, K. Ishizaki, T. Takeuchi</i>	
11.4 Haptic Feedback Under High Vibration Environment	153
<i>P. Coni, L. Mozer, J.N. Perbet</i>	

3D DISPLAYS

12.1 A Novel Crosstalk Reduction Method for a 46-inch Temporally Interlaced Autostereoscopic 3D LCD Display	157
<i>T. Kuwayama, S. Tomioka, Y. Sato, C. Kanai, K. Takahashi, K. Yokomizo, Y. Imai, Y. Shimpuku</i>	
12.2 Autostereoscopic 3D LED Display Panel with RGB Sub-Pixel Converging Optics	161
<i>S.-H. Chu, C.-H. Chen, K.-L. Huang, J.-J. Chen, J. Tsai</i>	
12.3 Investigation of Designated Eye Position for Autostereoscopic Displays	165
<i>K.-C. Huang, C.-L. Wu</i>	
12.4 Polarized Switching Display, A New 3D Technology	170
<i>J.-E. Gaudreau</i>	
12.5 3D System for Multifunction Stereo Viewing and Displaying	174
<i>I. Kompanets, A. Andreev, V.A. Ezhov, A.M. Prokhorov, A. Sobolev</i>	

APPLICATIONS & APPLIED VISION

13.1 Reading Time Model for Automotive Displays	179
<i>S. Langlois</i>	
13.2 Dynamic Optimization of Video Content Presentation on Automotive Displays	P IC
<i>J. Bauer, M. Kreuzer</i>	
13.3 A Quantitative Evaluation Method for Color Uniformity of a Display Screen Based on Human Perceptions	184
<i>K. Nagamine, S. Tomioka, Y. Shimpuku, T. Tamura</i>	

ACTIVE MATRIX DEVICES

14.3 Development of High Image Quality with Low Power Consumption Mobile Display by Using Novel RGBW Technology	188
<i>A. Sakaigawa, M. Kabe, Y. Matsui, T. Nagatsuma</i>	
14.4 Encapsulation and Yield Improvement of a High Resolution Polymorphous 3ATI AMOLED Display	192
<i>M. Herrmann, P. Schalberger, H. Baur, N. Fruehauf</i>	
14.5 Super Hi-vision 8Kx4K Direct-view LCD for Next Generation TV	196
<i>Takeshi Kumakura</i>	

TRANSPARENT SEMICONDUCTORS OXIDES

15.3 Transparency of Zinc Oxide Thin-Film Transistors in the Visible Light and Its Application to a Signal Readout Circuit of Stacked Image Sensor	198
<i>M. Furuta, T. Hiramatsu, T. Matsuda, T. Hirao, Y. Kamada, S. Fujita, S. Aihara, H. Seo, T. Sakai, M. Kubota</i>	

15.4 Novel Thin Film Transistors with Oxide Semiconductor MgIn₂O₄ with and Without Substitutional Doping	202
<i>Y. Hirano, Y. Sone, S. Matsumoto, Y. Nakamura, K. Yamada</i>	
15.5 Compositional Ratio Effects on the Device Stability of IGZO-TFTs	206
<i>S. Yang, J.Y. Bak, S-M. Yoon, M.K. Ryu, H-C. Oh, C-S. Hwang, S-H. Park</i>	

DISPLAY BUSINESS

16.1 Invited: Industry Needs and Developments Strategies in Display Measurement Technologies	209
<i>T. Leroux</i>	
16.5 Invited: Future Cockpit Concepts	215
<i>J.N. Perbet</i>	

POSTERS

P1 Report on Black Color Shift and Gray Scale Inversion	220
<i>S.I. Park</i>	
P2 High Efficiency Fresnel Lens Via Axially Symmetric Photoalignment Method	225
<i>Y-H. Huang</i>	
P3 Dual Mode LCD Switchable Between Dynamic and Memory Modes	228
<i>D.H. Song</i>	
P4 LCD Modes Switchable Between Reflective and Transmissive Modes	232
<i>K-H. Kim</i>	
P5 Tunable Axially Symmetric Optical Device and Novel Applications Via Dye-Doped Liquid Crystal Films of Axial Symmetric Photoalignment Method	236
<i>S-W. Ko</i>	
P7 The Design of Active Lasing Medium for Dye-Doped Liquid Crystal Lasers with Ultraviolet Excitation	240
<i>A. Varanytsia</i>	
P8 Formation of Uniform Size Liquid Crystal Droplet in a Microfluidic Device	241
<i>S.H. Han</i>	
P9 Transparent Liquid Crystal Display with Guest-Host Mode	243
<i>Y. Zhang</i>	
P10 Flexible BCSN LCD with Simplified Electrode Structure	245
<i>Z. Hong</i>	
P11 Polar and Azimuthal Anchoring Energy of Liquid Crystals	247
<i>V.V. Belyaev</i>	
P12 Analysis of Light Leakage Defect on TFT-LCD	249
<i>S. Wang</i>	
P13 Enhancement of Brightness and Contrast Ratio of Bistable Reflective Cholesteric Liquid Crystal Displays	252
<i>L. Hartmann</i>	
P14 Diffraction on Anisotropic Substrates with Surface Microrelief	256
<i>A.A. Belyaev</i>	
P15 Led TV Module Corner Mura Analysis and Improvement	259
<i>C.C. Huang</i>	
P16 Enhancement of LCD Transmittance by Color-Matching Backlight	263
<i>C.G. Son</i>	
P17 Improvement of Toner Type Display Characteristics by Particle Size	267
<i>S.Y. Kwon</i>	
P18 N-Type Bottom-Gate Microcrystalline Silicon Thin Film Transistors Fabricated at 150A⁰C on Flexible Plastic Substrates	270
<i>M. Oudwan</i>	
P19 Electro-Chemical Activity in Reflective LCOS Panels	273
<i>D. Cuypers</i>	
P20 A Compact and Efficient Method of RGB to RGBW Data Conversion for OLED Microdisplays	277
<i>C. Can</i>	
P21 Technology of Nanocomposite and Nanostructured Materials for Projection Displays	281
<i>V.I. Kurmashev</i>	

P22 Performance Improvement by Introducing Bulky Substituents to Solution-Processable Phosphorescent Materials	284
<i>J. Lee</i>	
P23 White Organic Light-Emitting Diodes Using CBP Inducer Between Two Emissive Layers	287
<i>S.Y. Lee</i>	
P24 Spectral Characteristics of DLCD and FrenLCD	291
<i>V.A. Tsvetkov</i>	
P25 Influence of Redeposited Mg Particles on Electron Emission of MgO Surface and Related Discharge Characteristics in AC-PDP	294
<i>C-S. Park</i>	
P26 Improving the Stability Characteristics of the EL Powder Phosphors	298
<i>K. Ogurtsov</i>	
P27 The Effect of CaMgO Protective Layer on the Cell Efficiency for AC-PDPs	301
<i>A. Khorami</i>	
P28 Effect of Nanophosphor CdSe on the Cell Efficiency in PDP	304
<i>A. Khorami</i>	
P29 Electrochemiluminescent Light Emitters with Nanosized Cavities	307
<i>A. Smirnov</i>	
P30 Effect of Cell Structure on the Luminous Efficiency of PDP	309
<i>M.S. Lee</i>	
P31 Selective Light Absorption in Electrically Induced Stretched Carbon Nanotube Cluster	312
<i>W.W. Tie</i>	
P32 Effect of Different Methods of Processing of the Source of Zinc Sulfide on the Properties of the Synthesized ZnS:Cu,Cl Phosphors	316
<i>K. Ogurtsov</i>	
P33 A PDP As a Colorimetric Tool to Investigate Colour Vision	319
<i>S. Langlois</i>	
P34 Helping Pilots Better Anticipate: A User-centered HMI Concept for Flight Displays	321
<i>S. Lini</i>	
P35 Centroid Extraction on Touch Sensors Using Partial Subpixel Algorithm	324
<i>C. Yoon</i>	
P37 On-Chip Touch Sensor Interface Using Charge Pump Based Capacitance-to-Voltage Converter	328
<i>Y-M. Lee</i>	
P38 Fabrication and Test of Active Matrix of Any Shape OLEDs for Avionic and Automotive Applications	332
<i>E. Chuiton</i>	
P39 Energy Efficient a-Si:H Half-Corbino TFT with Enhanced Electrical Stability	336
<i>H. Lee</i>	
P40 A New Method of Silicon Laser Crystallization for Thin-Film Transistors Applications	340
<i>J. Brochet</i>	
P41 Novel Printed Oxide Highk Gate Insulators	344
<i>N. Ueda</i>	
P42 Aluminum Nanoporous Films As Transparent Conductive Electrodes in Displays	348
<i>A. Smirnov</i>	
P44 The Effect of Ultraviolet Treatment in Solution Process for the SnZnO Thin-film Transistor	350
<i>D.L. Kim</i>	
P45 Comparison of Solutionprocessed and Sputtered Indium Gallium Zinc Oxide Thin Film Transistors for Display Applications	353
<i>M. Herrmann</i>	
P46 Effect of Modulated PEDOT: PSS with Acetic Acid on P3HT: PCBM Bulk Heterojunction Solar Cells	357
<i>S.H. Oh</i>	
Author Index	