

15th International Conference on Sensors and Measurement Technology 2011

(SENSOR 2011)

Held at Sensor+Test Conferences 2011

**Nürnberg, Germany
7-9 June 2011**

ISBN: 978-1-61839-601-3

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2011) by AMA Service GmbH
All rights reserved.

Printed by Curran Associates, Inc. (2012)

For permission requests, please contact AMA Service GmbH
at the address below.

AMA Service GmbH
Von-Münchhausen-Straße 49
31515 Wunstorf
Germany

Phone: +49(0)5033-9639-0
Fax: +49(0)5033-1056

info@sensorfairs.de

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

SENSOR+TEST Conferences 2011: Plenary Talks

Chairs:

G. Gerlach, Technische Universität Dresden
 R. Lerch, Universität Erlangen-Nürnberg, Erlangen
 E. Wagner, Fraunhofer Institut für Physikalische Messtechnik IPM, Freiburg
 R. Werthschützky, Technische Universität Darmstadt (Germany)

Fundamental Constants and the New System of Units (SI)	
E. Göbel, President of Physikalisch-Technische Bundesanstalt, Braunschweig (Germany)	
From Analog to Digital Holography – What is the Benefit?	
W. Osten, Universität Stuttgart (Germany)	
NIRSpec – an IR spectrometer for the James Webb Space Telescope	20
W. Holota, Holota Optics, Bad Tölz (Germany); M. te Plate, ESTEC (Netherlands)	
Sensors for Adaptronic Applications	
Th. Bein, D. Mayer, Fraunhofer-Institut -LBF-, Darmstadt, H. Hanselka, Technische Universität Darmstadt (Germany)	
Better, Faster, More Efficient - How Innovations in Medical Technologies Improve Healthcare	
E. R. Reinhardt, Siemens AG, Erlangen (Germany)	

SENSOR Conference

A1 Impedance Spectroscopy

Chair: U. Kaiser, Endress+Hauser AG, Reinach (Switzerland)

A1.1 Potential of Impedance based Battery Diagnosis for Electro Mobility	28
O. Kanoun, U. Tröltzsch, P. Büschel, Technische Universität Chemnitz (Germany)	
A1.2 Impedance Model of Eccentric Coil-Target Arrangements in Eddy Current Techniques	34
J. Weidenmüller, M. Heidary Dastjerdi, Ch. Knopf, J. Himmel, Hochschule Ruhr West, Mülheim an der Ruhr; O. Kanoun, Technische Universität Chemnitz (Germany)	
A1.3 Electrical Impedance Spectroscopy Combined with Temperature Cycled Operation for Semiconductor Gas Sensors	40
A. Schütze, P. Reimann, S. Darsch, M. Schüler, T. Gillen, Saarland Universität, Saarbrücken (Germany)	
A1.4 Impedance Spectroscopy for Biological Applications	
G. Dame, G. Urban, F. Spies, Albert-Ludwigs-Universität Freiburg (Germany)	

Index

A2 Surface Acoustic Wave Sensors

Chair: G. Scholl, Helmut-Schmidt-Universität, Universität der Bundeswehr Hamburg (Germany)

- A2.1 Modeling and Signal Processing Approaches for SAW Chemical Sensors** 47
G. Fischerauer, Universität Bayreuth (Germany)
- A2.2 SAWs for Chemical Sensing - Optimizing Receptor Layers and Transducers in Respect to Analytes of Interest** 53
F. L. Dickert, P. A. Lieberzeit, University of Vienna (Austria)
- A2.3 Online Bearing Lubricant Sensing by Mode Conversion of Surface Acoustic Waves** 55
G. Lindner, Ch. Brückner, M. Schmitt, Coburg Universität of Applied Sciences, Coburg (Germany)
- A2.4 A Suspended Plate In-Plane Resonator for Rheological Measurements at Tunable Frequencies** 61
M. Heinisch, E. K. Reichel, B. Jakoby, Johannes-Kepler-University Linz (Austria)

A3 Flow Measurement

Chair: W. Drahm, Endress+Haus GmbH, Freising (Germany)

- A3.1 From Flowmeter to Advanced Process Analyser** 67
D. Schrag, Mettler Toledo, Nänikon; K. Hencken, A. Andenna, ABB Switzerland Ltd., Baden Dättwil (Switzerland)
- A3.2 Towards a Medium-Independent Flow Sensor** 73
D. F. Reyes Romero, A. S. Cubukcu, G. Urban, Universität Freiburg (Germany)
- A3.3 Novel Sensor Geometry for Liquids Serving in Dispersion Thermal Flow Meters** 78
A. Badarlis, A. Kalfas, Aristotle University of Thessaloniki (Greece); V. Kumar, A. Pfau, Endress+Hauser Flowtec AG, Reinach (Switzerland)
- A3.4 Measuring Flow Velocity and Gas Concentration in Binary Gas Mixtures Using Thermal Sensors** 84
Ch. Hepp, F. Krogmann, J. Polak, M. Lehmann, Innovative Sensor Technology AG, Wattwil (Switzerland);
G. Urban, Universität Freiburg (Germany)

A4 Flow Sensors I

Chair: St. Becker, Friedrich-Alexander-Universität Erlangen-Nürnberg (Germany)

- A4.1 Fully Integrated Micro Coriolis Mass Flow Sensor Operating at Atmospheric Pressure** 89
J. C. Lötters, R. J. Wiegerink, T. S. J. Lammerink, J. Haneveld, T. A. G. Hagemann, University of Twente, AE Enschede (Netherlands)
- A4.2 A Continuous Flow Multi-Laminar Micromixer with Improved Flow Profile for Infrared Analysis of Chemical Reaction Kinetics** 95
W. Buchegger, M. Vellekoop, Ch. Wagner, B. Lendl, Vienna University of Technology; M. Kraft, Carinthian Tech Research AG, Villach (Austria)
- A4.3 Cross-Sectional Detection of Flow Inhomogeneities for Pneumatic Conveyed Pulverized Solids Using a Helix-Shaped CRLH-Mass Flow Sensor** .. 100
A. Penirschke, A. Angelovski, R. Jakoby, Technische Universität Darmstadt (Germany)
- A4.4 Electrical Resistivity Tomography for Magnetic Flowmeter** 106
K. Hencken, D. Schrag, ABB Switzerland Ltd, Baden Dättwil (Switzerland); H. Grothey, ABB Automation Products GmbH, Göttingen (Germany)

A5 Flow Sensors II

Chair: R. Lucklum, Otto-von-Guericke-Universität Magdeburg (Germany)

- A5.1 Flow Sensors - Recent and Future Developments** 112
St. Becker, Universität Erlangen-Nürnberg (Germany)
- A5.2 Three-Dimensional, Three-Component Flow Field Measurements with a Single Camera** 118
Ch. Cierpka, Ch. J. Kähler, M. Rossi, R. Segura, Universität der Bundeswehr München, Neubiberg (Germany)
- A5.3 Velocity Measurements of Gap Flows at a Computer Hard Disk Model** 123
J. Czarske, L. Büttner, K. Shirai, Technische Universität Dresden (Germany); S. Obi, Keio University, Yokohama (Japan)
- A5.4 Micromachined Ultra Low-Power Sensor for Angular Resolved Flow Measurement** 129
S. Cerimovic, F. Keplinger, Vienna University of Technology; A. Talic, R. Beigelbeck, F. Kohl, Austrian Academy of Sciences, Wiener Neustadt; B. Jakoby, H. Antlinger, Johannes Kepler University Linz (Austria)

A6 Ultrasonic Sensors I

Chair: B. Henning, Universität Paderborn (Germany)

- A6.1 Guided Acoustic Waves for Liquid Property Measurement** 135
J. Rautenberg, F. Bause, B. Henning, Universität of Paderborn (Germany)
- A6.2 Density-Viscosity Measurement Cell for Electrodynamical-Acoustic Resonators** 141
F. Lucklum, B. Jakoby, Johannes Kepler University Linz (Austria)
- A6.3 Sound Velocity Profiles in Fluids for Process Monitoring** 147
M. Lenz, E. Kühnicke, Technische Universität Dresden (Germany)
- A6.4 Wave Propagation Phenomena in Case of Clamp-On Ultrasonic Systems Applied on Liquid Filled Pipes** 153
S. Wöckel, U. Hempel, J. Auge, IFAK Institut für Automation und Kommunikation e. V. Magdeburg (Germany)

A7 Ultrasonic Sensors II

Chair: B. Zagar, Johannes-Kepler-University Linz (Austria)

- A7.1 Utilizing CDMA Techniques to Improve Ultrasound Based Distance Measurements** 159
D. Glaser, St. J. Rupitsch, St. Adelhardt, R. Lerch, Friedrich-Alexander Universität Erlangen-Nürnberg (Germany)
- A7.2 Two-Dimensional Ultrasound Doppler Velocimeter for Investigations of Liquid Metal Flows** 165
S. Franke, H. Lieske, A. Fischer, L. Büttner, J. Czarske, Technische Universität Dresden; D. Rübiger, S. Eckert, Forschungszentrum Dresden-Rossendorf (Germany)
- A7.3 Ultrasonic Sensor for Viscosity of Mineral Oil for Built-in Pipe Applications** 171
B. R. Tittmann, H. S. Ju, The Pennsylvania State University; E. J. Gottlieb, Caldon Ultrasonics Technology Center, Pennsylvania (USA)
- A7.4 Estimation of Material Degradation by Backscattered Ultrasonic Tomography** 177
R. Romanyshyn, V.V. Koshovy, I.M. Romanyshyn, R.V. Sharamaga, National Academy of Sciences of Ukraine, Lviv (Ukraine)

Index

A8 Ultrasonic Sensors III

Chair: H.-J. Lilienhof, Fachhochschule Gelsenkirchen (Germany)

- A8.1 Merging the Ultrasonic and Microacoustic Sensor Principles** 181
R. Lucklum, M. Ke, Otto-von-Guericke-Universität Magdeburg (Germany); M. Zibtsov, Wuhan University (China)
- A8.2 Research on Ferroelectret Based Ultrasound Transducers** 187
A. Sutor, St. J. Rupitsch, R. Lerch, Friedrich-Alexander Universität Erlangen-Nürnberg (Germany)
- A8.3 Improvements on the Robustness of Ultrasonic Bearing Measurement Methods** 193
Ch. Walter, G. Kaniak, H. Schweinzer, Vienna University of Technology (Austria)
- A8.4 Modelling and Characterization of Piezoelectric 1-3 Fiber Composites** 199
R. Steinhausen, Ch. Pientschke, S. Kern, H. Beige, Martin-Luther-Universität Halle-Wittenberg, Halle (Germany)

B1 Piezoresistive Sensors

Chair: A. Schäfer; Hottinger Baldwin Messtechnik GmbH, Darmstadt (Germany)

- B1.1 Trends of Piezoresistive Sensor Technology** 205
P. Krause, H. Michels, G. Varma, First Sensor Technology GmbH, Berlin (Germany)
- B1.2 Hydrogel-Based Biochemical Sensors** 211
M. Günther, G. Gerlach, T. Wallmersperger, Technische Universität Dresden (Germany); F. Solzbacher, P. Tathireddy, J. J. Magda, G. Lin, M. P. Orthner, University of Utah, Salt Lake City (USA)
- B1.3 Printed Piezoresistive Strain Sensors for Monitoring of Light-Weight Structures** 216
J. Rausch, L. Salun, St. Grieheimer, M. Ibis, R. Werthschützky, Technische Universität Darmstadt (Germany)
- B1.4 Ultra-Thin Resistors for Piezoresistive Sensors** 222
B. Schmidt, M. Zier, P. Philipp, Helmholtz-Zentrum Dresden-Rossendorf e.V.; J. Potfajova, VON ARDENNE Anlagentechnik GmbH, Dresden (Germany)

B2 Sensor Design and Modeling

Chair: M. Weber, MSA Auer GmbH, St. Augustin (Germany)

- B2.1 Simulation Based Design of Sensors** 228
M. Kaltenbacher, Alpen-Adria University Klagenfurt (Austria)
- B2.2 Electrode Design for Capacitive Sensors** 234
H. Zangl, Graz University of Technology (Austria)
- B2.3 Design of Sensors and Actuators Utilizing Computer Tools** 240
St. J. Rupitsch, A. Sutor, Th. Albach, A. Hauck, R. Lerch, Friedrich-Alexander Universität Erlangen-Nürnberg (Germany); M. Kaltenbacher, Alpen-Adria University Klagenfurt (Austria)
- B2.4 Spring-Plate Resonator Sensor for Measuring Viscosity of Small Amounts of Complex Fluids** 246
E. K. Reichel, Ch. E. A. Kirschhock, J. Vermant, Katholieke Universiteit Leuven, Heverlee (Belgium); B. Jakoby, Johannes Kepler University Linz (Austria)

B3 Mechanical Sensors I

Chair: K.-D. Sommer, Physikalisch-Technische Bundesanstalt (PTB), Braunschweig (Germany)

- B3.1 Increased Requirements for Higher Nominal Forces, Necessities and Possibilities to Measure Them** 252
 A. Schäfer, Hottinger Baldwin Messtechnik GmbH, Darmstadt (Germany)
- B3.2 Strain Gage and Piezoelectric Based Force Sensors – A Comparison** 257
 T. Kleckers, Hottinger Baldwin Messtechnik GmbH, Darmstadt (Germany)
- B3.3 Calibration or Testing of High-g Shock Accelerometers to 100,000 g and Higher** 261
 M. Mende, M. Brucke, SPEKTRA Schwingungstechnik und Akustik GmbH Dresden (Germany)
- B3.4 Amplitude Response of an Overload-Resistant Pressure Sensor** 267
 T. Kober, R. Werthschützky, Technische Universität Darmstadt (Germany)

B4 Mechanical Sensors II

Chair: C. Cavalloni, Kistler Instrumente AG, Winterthur (Switzerland)

- B4.1 Acceleration Sensor IP-Blocks for MEMS Foundry Surface Micromachining Process** 271
 R. Knechtel, S. Dempwolf, S. Hering, X-FAB Semiconductor Foundries AG, Erfurt;
 Th. Link, Micromountains Application AG, Villingen Schwenningen; M. Trächtler, J. Dehnert, D. Hoffmann,
 HSG-IMIT, Villingen Schwenningen (Germany)
- B4.2 Novel Fiber-Optical Accelerometer for Monitoring Tasks of Power Generators** 277
 M. Villnow, M. Willsch, Th. Bosselmann, Siemens AG, Erlangen; B. Schmauss, Universität Erlangen (Germany)
- B4.3 Curvature Effects on Elongated Capacitive Proximity Sensors** 283
 Th. Schlegl, T. Bretterklieber, H. Zangl, Graz University of Technology (Austria)
- B4.4 Uncertainties of a Linear Variable Differential Inductor Probe for Picometer Resolution Measurement Systems** 288
 B. Aschenbrenner, B. Zagar, Johannes Kepler University Linz (Austria)

B5 Sensor-Packaging

Chair: M. J. Vellekoop, Technical University, Wien (Austria)

- B5.1 Integrating Sensors Into Mechanical Structures** 294
 J. Wilde, T. Fellner, R. Zeiser, Albert-Ludwigs-Universität Freiburg -IMTEK- (Germany)
- B5.2 Packaging Challenges for Monolithically Integrated Mircosensors** 300
 M. Streiff, Sensirion AG, Stäfa (Switzerland)
- B5.3 Polymer Based Packaging of Silicon Pressure Sensors in the Oral Cavity** 303
 I. Stöhr, R. Werthschützky, Technische Universität Darmstadt (Germany)
- B5.4 Non-Destructive and Non-Contact Testing of Coatings** 309
 A. Bariska, N. Reinke, ZHAW, Winterthur (Switzerland)

Index

B6 Dimensional Measurement

Chair: M. Sellen, MIRCO-EPSILON and Fachhochschule Deggendorf (Germany)

- B6.1 Mechatronic Design Approches for Innovative Displacement Sensor Applications**312
Th. Wißpeintner, MICRO-EPSILON Messtechnik GmbH & Co. KG, Ortenburg (Germany)
- B6.2 High Precision Multi Dimensional Displacement Sensors for Segmented Mirror Telescopes**315
R. Hoenicke, M. Wasmeier, MICRO-EPSILON Messtechnik GmbH & Co. KG, Ortenburg (Germany)
- B6.3 A Simple, Sturdy and Cheap Sensor for Distance and Force in Spatially Constrained Environments**319
St. Eibl, D. Plohmann, G. Ackermann, Ch. Meurer, H.-J. Möstl, Sensorik-Bayern GmbH, Regensburg;
M. Huber, H. Steigerwald, Strategische Partnerschaft für Sensorik e.V., Regensburg (Germany)
- B6.4 Optical Measurement of the Thickness of an Individual Layer in a Plastic Multilayer Compound**321
W. Weber, D. Plohmann, Sensorik-Bayern GmbH, Regensburg (Germany); M. Huber, H. Steigerwald,
Strategische Partnerschaft Sensorik e.V., Regensburg (Germany)

B7 Actuators

Chair: St. Büttgenbach, Technische Universität Braunschweig (Germany)

- B7.1 Numerical Simulation of Electric Electro-Active Polymers**323
D. K. Vu, P. Steinmann, Universität Erlangen-Nürnberg (Germany)
- B7.2 Characterization of Dynamic Hysteresis Behavior of Ferroelectric Actuators**328
F. Wolf, A. Sutor, S. J. Ruptisch, R. Lerch, Universität Erlangen-Nürnberg (Germany)
- B7.3 Intrinsic Flow Control of a Piezo Membrane Pump**334
S. Dahms, J. Uckelmann, U. Michelsen, Bartels Mikrotechnik GmbH, Dortmund (Germany)
- B7.4 Application Specific Micro Scanning Mirrors**337
Th. Sandner, H. Schenk, C. Drabe, Fraunhofer -IPMS-, Dresden (Germany)

B8 Magnetic Sensors

Chair: J. Müller, Technische Universität Hamburg-Harburg (Germany)

- B8.1 Accurate Measurement Setup for Strongly Inhomogeneous Magnetic Fields**343
H. Husstedt, M. Kaltenbacher, Alps-Adriatic University, Klagenfurt; U. Ausserlechner, Infineon Technologies
Austria AG, Villach (Austria)
- B8.2 System for 3D Localization and Synchronization of Embedded Wireless Sensor Nodes Based on AMR Sensors in Industrial Environments**349
St. Carrella, K. Iswandy, A. König, Universität Kaiserslautern (Germany)
- B8.3 Application of Sacrificial Layers for the Modular Micro Sensor Fabrication on a Flexible Polymer Substrate**355
T. Griesbach, M. C. Wurz, L. Rissing, Leibniz Universität Hannover, Garbsen (Germany)
- B8.4 Characterisitics of TMR Angle Sensors**361
H. Yamazaki, H. Hirabayashi, N. Oyama, M. Sakai, TDK Corporation, Nagano (Japan)

C1 Wireless Sensors I

Chair: L. Reindl, Albert-Ludwigs-Universität Freiburg (Germany)

- C1.1 A New Concept for Aligning Automotive Long-Range Radar Modules Based on Wireless Microwave Sensing** 366
R. Weigel, G. Vinci, B. Laemmle, A. Koelpin, Universität Erlangen-Nürnberg (Germany)
- C1.2 77-GHz SAR Measurements with Integrated Sensors** 370
J. Schrattenecker, A. Haderer, A. Stelzer, Johannes Kepler University, Linz (Austria)
- C1.3 The Multipole Resonance Probe: From Simulation to Prototype** 376
R. Storch, M. Lapke, J. Oberrath, C. Schulz, T. Styrnoll, P. Awakowicz, R. P. Brinkmann, T. Musch, T. Mussenbrock, I. Rolfes, Ruhr Universität Bochum; C. Zietz, Leibniz Universität Hannover, Garbsen (Germany)
- C1.4 A Wireless Sensor for Ingot Mold Temperature Monitoring** 381
S. Mamaschew, M. Vossiek, Technische Universität Clausthal; I. Hüllen, J. Schlüter, SMS Siemag AG, Düsseldorf (Germany)

C2 Energy Harvesting

Chair: H.-R. Tränkler, Universität der Bundeswehr München, Neubiberg (Germany)

- C2.1 Energy Harvesting - Power Supplies Without Batteries or Cables** 386
P. Spies, Fraunhofer Institut – IIS, Nürnberg (Germany)
- C2.2 Energy Harvesting for Wireless Autonomous Sensor Systems** 391
R. van Schaijk, Holst Centre - Stichting IMEC, KN Eindhoven (Netherlands)
- C2.3 Thermal Energy Harvesting - Infinite Power for Ubiquitous Monitoring Sensors** 397
J. Nurnus, B. Habbe, Micropelt GmbH, Freiburg (Germany)
- C2.4 Micro Energy Harvesting: Research After the First Decade** 399
M. Kröner, P. Woias, Ch. Eichhorn, M. Wischke, F. Goldschmidtböing, Albert-Ludwigs-Universität, Freiburg (Germany)

C3 Wireless Sensors II

Chair: A. Weckenmann, Friedrich-Alexander Universität Erlangen (Germany)

- C3.1 Wireless Sensor/Actuator Networks** 405
R. Heynicke, G. Scholl, Helmut-Schmidt-Universität, Universität der Bundeswehr Hamburg (Germany)
- C3.2 Miniaturized Self-Powered Sensors and Actuators for Factory Applications** 411
B. Kärcher, Festo AG, Esslingen; M. Kreitmair, EnOcean GmbH, Oberhaching; D. Mintenbeck, HSG-IMIT Institut für Mikro- und Informationstechnik, Villingen-Schwenningen; A. Frey, Siemens AG, München; G. Scholl, Helmut-Schmidt-Universität, Universität der Bundeswehr Hamburg; H. Karl, Universität Paderborn; U. Niklas, Zollner Elektronik AG, Zandt (Germany)
- C3.3 Energy-Autarkic Sensors in Aircrafts** 417
K. Bartholomé, Fraunhofer Institut für Physikalische Messtechnik, Freiburg (Germany)
- C3.4 Considerations for Effective Low Power Wireless Sensor Systems in Industrial Environments** 423
M. Grazier, Texas Instruments, Nashua, New Hampshire; T. Almholt Texas Instruments, Dallas, Texas (USA)

C4 Sensor Electronic I

Chair: F. Puente León, Karlsruher Institut für Technologie -KIT- (Germany)

- C4.1 A Programmable 7GHz Frequency Divider in a SiGe Bipolar Technology for Highly Linear Fractional-N Ramp Generation** 429
G. Hasenäcker, N. Pohl, Th. Musch, Ruhr-Universität Bochum; H. Knapp Infineon Technologies AG, Neubiberg (Germany)
- C4.2 Electrical Capacitance Tomography for Level Measurements of Separated Liquid Stacks** 433
M. Neumayer, H. Zangl, Graz University of Technology (Austria)
- C4.3 Low Power Design for Wireless Instrumentation** 439
Y. Maret, R. Bloch, ABB Switzerland Ltd, Baden Dättwil; D. Schrag, Mettler Toledo, Nänikon (Switzerland)
- C4.4 Cost Modeling of Radio Sensor Systems for Industrial Applications** 445
M. Niedermayer, Fraunhofer Institut -IZM-, Berlin (Germany)

C5 Wireless Sensors III

Chair: St. Guttowski, Fraunhofer Institut -IZM-, Berlin (Germany)

- C5.1 Possibilities and Limitations of Wireless Sensor Systems** 451
J. Hefer, Fraunhofer Institut -IZM-, Berlin; C. Brockmann, R. Thomasius, Technische Universität Berlin (Germany)
- C5.2 S-Net-Energy Optimized Communication for Wireless Sensor Networks** 455
J. Hupp, Fraunhofer Institut -IIS-, Nürnberg (Germany)
- C5.3 Low-Cost/Low-Power Sensor Frontends for Energy-Autonomous Sensor Systems**
E. Hennig, IMMS - Institut für Mikroelektronik und Mechatronik-Systeme GmbH, Erfurt (Germany)
- C5.4 Volume-Optimized Power Generator for Wireless Sensor Systems**
B. Folkmer, HSG – IMIT Institut für Mikro- und Informationstechnik, Villingen-Schwenningen (Germany)

C6 Miniature Audio Transducers

Chair: Ch. Weistenhöfer, Siemens Audiologische Technik, Erlangen (Germany)

- C6.1 Hearing Aid Microphones: From Electret to Piezoelectret Transducers** 463
G. M. Sessler, J. Hillenbrand, Technische Universität Darmstadt (Germany)
- C6.2 Sensor Integration for Hearing Aids** 468
A. van Halteren, A. Fransen, F. Blom, Sonion Nederland B.V., Amsterdam (Netherlands)
- C6.3 Measurement Error and Statistics of Pairing Microphones for Directional Arrays in Hearing Aids** 471
D. M. Warren, Ch. B. King, Knowles Electronics, Itasca, Illinois (USA)
- C6.4 Towards a Magnetostrictive Mirco-Loudspeaker** 477
Th. Albach, P. Horn, J. Ilg, S. Friedrich, A. Sutor, R. Lerch, Friedrich-Alexander Universität Erlangen-Nürnberg (Germany)

C7 Sensor Electronic II

Chair: A. König, Technische Universität Kaiserslautern (Germany)

- C7.1 Performance and Technology Variants of RFID Sensor Transponders High Frequency or Ultra High Frequency**
R. Jurisch, P. Peitsch, M. Schreyer, microsensys GmbH, Erfurt (Germany)
- C7.2 Novel Multi Parameter Sensor Approach for Interface Measurement**484
H. Schroth, St. Gorenflo, Endress+Hauser GmbH+Co. KG, Maulburg (Germany)
- C7.3 From Optochemical Sensors for Industrial Processes to Large-Area Printing of Sensor Systems Integrated with Organic Electronics**490
St. Köstler, E. Kraker, M. Sagmeister, B. Lamprecht, A. Bizzari, B. Stadlober, V. Ribitsch, JOANNEUM RESEARCH Forschungsgesellschaft mbH, Graz; T. Abel, T. Mayr, Technical University Graz (Austria)
- C7.4 Increasing the Dynamic Range of a Digitizing Impedance Analyzer Circuit for Resonating Sensors**496
A. O. Niedermayer, Th. Voglhuber-Brunnmaier, J. Sell, B. Jakoby, Johannes Kepler University Linz (Austria)

C8 Bio-Chemo Sensors

Chair: A. Schütze, Universität des Saarlandes, Saarbrücken (Germany)

- C8.1 Chemical Sensors in Environmental Chemistry - Monitoring Air and liquid Phase**502
F. L. Dickert, B. Najafi, S. Yaqub, M. Ghulam, S. Aigner, P. A. Lieberzeit, University of Vienna (Austria); I. Heeren, Robert Bosch GmbH, Stuttgart (Germany)
- C8.2 Optochemical Sensor Instrumentation for Continuous Monitoring of Abdominal Oxygen Tension by Microdialysis**506
A. Bizzari, M. Cajlakovic, M. Suppan, V. Ribitsch, JOANNEUM RESEARCH Forschungsgesellschaft mbH, Graz, (Austria); G. H. Goosens, EE. Blaak, Maastricht University Medical Centre, Maastricht (Netherlands)
- C8.3 Cell-Based in Vitro Systems for Continous Monitoring of Bioenergetics and Cell Impedance**512
R. Ehret, S. Drechsler, A. Kob, M. Wego, St. Ortinau, Bionas GmbH, Rostock (Germany)
- C8.4 Disposable Biosensor Arrays with Integrated Microfluidics for Biomedical- and Biotechnology Process-Monitoring**516
G. Jobst, I. Moser, Jobst Technologies GmbH, Freiburg (Germany)

D1 High Temperature Sensors I

Chair: B. Jakoby, Johannes-Kepler-Universität Linz (Austria)

- D1.1 High Temperature Stability of New Single Crystal Piezoelectric Sensors**520
C. Cavalloni, R. Sommer, M. Waser, Kistler Instrumente AG, Winterthur (Switzerland)
- D1.2 Temperature-Independent Resistive Oxygen Sensors Based on Sr[Ti,Fe]O_x Solid Solutions**
R.-A. Eichel, Universität Freiburg (Germany)
- D1.3 Characterization of Ageing of Solid Electrolyte Sensors by Impedance Spectroscopy**527
J. Zosel, F. Gerlach, K. Ahlborn, U. Guth, Meinsberg Kurt-Schwabe Research Institute, Ziegra-Knobelsdorf; A. Solbach, D. Tuchtenhagen, ACEOS GmbH, Fürth; C. Treu, H. Heelemann, Software & Technologie Glas GmbH, Cottbus (Germany)
- D1.4 High-Temperature Stable Electrodes for Langasite Based Surface Acoustic Wave Devices**532
D. Richter, H. Fritze, Technische Universität Clausthal, Goslar (Germany)

Index

D2 High Temperature Sensors II

Chair: H. Fritze, Technische Universität Clausthal, Goslar (Germany)

- D2.1 Potential-Type Sulfur Dioxide Planar Gas Sensor for High Temperature Application** 538
R. Moos, G. Hagen, D. Schönauer, U. Röder-Roith, Universität Bayreuth (Germany);
N. Izu, National Institute of Advanced Industrial Science and Technology (AIST), Nagoya (Japan)
- D2.2 High Temperature Sensors for In-Situ Process-Monitoring in Harsh Environments** 543
F. Hammer, U. Kunstfeld, E. Messerschmid, Universität Stuttgart (Germany)
- D2.3 Metal Oxide Gas Sensors with Three-Parameter Readout** 549
A. Hackner, G. Müller, ADS Innovation Works, München (Germany)
- D2.4 Effect of Doping at TiO₂-Nanotubular Gas Sensors** 551
Y. Gönüllü, A. Yüce, G. C. Mondragón-Rodríguez, B. Saruhan, German Aerospace Center, Köln (Germany);
F. Bayata, M. Ürgen, Istanbul Technical University, Maslak (Turkey)

D3 Gas Sensors I

Chair: M. Fleischer, Siemens AG, München (Germany)

- D3.1 Trends in Automotive Exhaust Gas Sensing** 554
Th. Classen, K. Sahner, Robert Bosch GmbH, Stuttgart (Germany)
- D3.2 CO₂ Sensors Based on Workfunction Readout Using Floating Gate FET Devices with Polysiloxanes Sensing Layers** 557
R. Pohle, O. von Sicard, M. Fleischer, Siemens AG, München; H-P. Frerichs, Ch. Wilbertz, I. Freund, Micronas GmbH, Freiburg (Germany)
- D3.3 Colorimetric Gas Sensors for the Detection of Ammonia, Nitrogen Dioxide and Carbon Monoxide: Current Status and Research Trends** 562
J. Wöllenstein, Universität of Freiburg; C. Peter, K. Schmitt, Fraunhofer Institute for Physical Measurement, Freiburg; J. Courbat, D. Briand, Ecole Polytechnique Fédérale de Lausanne (EPFL), Neuchâtel (Switzerland)
- D3.4 Pulsed-Potential Method for NO_x-Detection Using Standard Zirconia-Based Lambda Sensors.** 568
S. Fischer, R. Moos, Universität Bayreuth; R. Pohle, M. Fleischer, Siemens AG, München;
U. Guth, Kurt-Schwabe-Institute for Measuring and Sensor Technology Meinsberg, Ziegra-Knobelsdorf (Germany); B. Farber, BJR Sensors, Solon, Ohio (USA)

D4 Gas Sensors II

Chair: H. Meixner, Haar (Germany)

- D4.1 Radio Frequency-Based Determination of the Oxygen Loading of Automotive Three-Way Catalysts** 574
S. Reiß, G. Fischerauer, R. Moos, Universität Bayreuth (Germany)
- D4.2 Intergrating NO_x Gas Sensor: Concept, Sensitivity to NO/NO₂ and Benefits of the Integrating Sensing Principle** 578
A. Geupel, R. Moos, Universität Bayreuth (Germany); D. J. Kubinski, J. H. Visser, Ford Research and Advanced Engineering, Dearborn, Michigan (USA)
- D4.3 Application of Micro- and Nanotechnologies for NDIR-Gas Measurements in Harsh Environments** 583
R. Buchner, T. Stolberg-Rohr, K. Pihl, J. S. Hansen, S. Tojaga, A. Krishna, H. G. Moos, J. M. Jensen, Danfoss IXA A/S, Vejle (Denmark)
- D4.4 Calibration-Free Volume Flow Measurement Principle Based on Thermal Time-of Flight (TTOF) for Gases, Liquids and Mixtures** 589
E. Engelen, O. Ecin, R. Viga, B. J. Hosticka, A. Grabmaier, Universität Duisburg-Essen (Germany)

D5 Media Properties Sensors

Chair: G. Fischerauer, Universität Bayreuth (Germany)

- D5.1 Physical Sensors for Fluid Media in Industrial and Automotive Applications** 595
B. Jakoby, Johannes Kepler University Linz (Austria)
- D5.2 IR-Spectroscopy: From Industrial Applications to Novel Integrated IR-Absorption Sensors** 601
J. Kasberger, Research Center for Non Destructive Testing GmbH, Linz; W. Märzinger, i-RED Infrarot Systeme GmbH, Linz (Austria)
- D5.3 Inline Oil Performance Monitor LUBRICON for Engines and Machines** 607
B. Bode, flucon fluid control GmbH, Clausthal-Zellerfeld (Germany)
- D5.4 Mirco-Sensors for Automotive Liquid Properties Monitoring** 612
H. Dobrinski, T. Eggers, J. Stürmann, M. Lindemann, Hella Fahrzeugkomponenten GmbH, Bremen (Germany)

D6 Medical I

Chair: F. L. Dickert, Universität Wien, (Austria)

- D6.1 Surface Micromachined Pressure Sensors for Medical Applications** 618
H. K. Trieu, Fraunhofer-Institut -IMS-, Duisburg (Germany)
- D6.2 Tactile CMOS-Based Sensors Array for Applications in Robotics and Prosthetics** 624
J. Häfner, W. Mokwa, RWTH Aachen University; M. Görtz, Fraunhofer Institut -IMS-, Duisburg (Germany)
- D6.3 Wireless Sensor System for Monitoring Spatially Resolved Tongue Pressure** 628
I. Stöhr, G. Schuster, R. Werthschützky, Technische Universität Darmstadt (Germany)
- D6.4 Chemical Sensors for Bio-Scientific Research – From in Vitro to in Vivo** 634
J. Kieninger, K. Aravindalochanan, B. Enderle, G. Urban, H. Flamm, A. Weltin, Albert-Ludwigs-Universität Freiburg -IMTEK- (Germany)

D7 Medical II

Chair: H. K. Trieu, Fraunhofer-Institut -IMS-, Duisburg (Germany)

- D7.1 Spectral Imaging Skin Probe for Chronic Wounds Therapy Evaluation** 638
F. Erfurth, B. Nyuyki, A. Scheibe, W. D. Schmidt, GMBU e.V., Jena (Germany)
- D7.2 System Integration of Sensors for Fluorescence Based Lab on a Chip Systems** 644
A. Witte, Fraunhofer-Institut -IPT-, Aachen; R. Schmitt, RWTH Aachen Universität (Germany)
- D7.3 Solid-State Potentiometric CO₂-Sensor in Thick-Film Technology** 650
S. Wiegärtner, G. Hagen, D. Biskupski, J. Kita, R. Moos, Universität Bayreuth; M. Seufert, J. Norman, N. Jörns, A. Bolz, Corscience GmbH & CO. KG, Erlangen; C. Schmaus, A. Kießig, Siegert electronic GmbH, Cadolzburg (Germany)
- D7.4 Measurement of Dissolved Gases in Anaerobic Biogenic Media** 654
M. Schelter, J. Zosel, F. Berthold, W. Oelßner, U. Guth, Meinsberg Kurt-Schwabe Research Institute, Ziegra-Knobelsdorf (Germany)

Index

D8 Medical III

Chair: W. Daum, BAM Bundesanstalt für Materialforschung und -prüfung, Berlin (Germany)

- D8.1 Detection of Wound Inflammations with Impedimetric Sensors** 659
A. Schröter, G. Gerlach, A. Walther, D. Wersing, Technische Universität Dresden; K. Fritzsche,
A. Rösen-Wolff, University Hospital Carl Gustav Carus, Dresden (Germany)
- D8.2 Conception and Development of an Expansion Sensor for the use in Limb Plethysmography** 661
B. Budaker, Ch. Giers, U. Schneider, Fraunhofer Institut -IPA-, Stuttgart; D. Weigel, A. Keim, Hochschule Fulda;
O. Benker, Gutmann Medizintechnik E.K., Eurasburg (Germany)
- D8.3 EMG Based Input and Control System for Lower Limb Prostheses** 664
H. von Rosenberg, F. Dennerlein, Fraunhofer-Institut -IPA-, Stuttgart (Germany)
- D8.4 Foresighted Control of Active Foot Prostheses** 669
B. Kleiner, D. Cesmeçi, Fraunhofer-Institut -IPA-, Stuttgart (Germany)

SENSOR Poster Session

P1 Medical / Bio-Sensors

- P1.1 Low-Cost Vital Data Monitoring with Integrated Inertial Based Person Tracking** 673
E. Günes, M. Haid, M. Nickel, Th. Chobtrong, Competence Center for Applied Sensor Systems (CCASS),
Hochschule Darmstadt (Germany)
- P1.2 A Fluorometric Bio-Sniffer (Biochemical Gas Sensor) with UV-LED for Monitoring Gaseous Formaldehyde** 678
K. Mitsubayashi, G. Itabashi, D. Takahashi, T. Arakawa, H. Kudo, Tokyo Medical and Dental University;
T. Gessei, Tokyo Metropolitan Industrial Technology Research Institute (Japan)
- P1.3 Immune-Enzymatic Biosensors Based on the Oxide Cerium Isfets: Some Physical and Functional Characteristics at the Determination of Simazine and T2-Mycotoxin** 680
N. F. Starodub, National University of Life and Environmental Sciences, Kiev; A. N. Shmiryeva, Kiev National
Technical University (Ukraine)

P2 Calibration, Maintenance, Monitoring

- P2.1 Multi-Sensory Machine Diagnosis on Security Printing Machines with Two Layer Conflict Solving** 686
K. Voth, St. Glock, U. Mönks, V. Lohweg, Ostwestfalen-Lippe University of Applied Science, Lemgo (Germany);
Th. Türke, KBA-GIORI S.A., Lausanne (Switzerland)
- P2.2 Calibration Process in Static for Lorries, or Trucks, Equipped With Tachographs by „Intelligent Instrument“**
M. Renoult, Superior Institute of Materials and Mechanics, Auxerre (France)
- P2.3 High Speed Measurement with EtherCAT and PC Based Condition Monitoring** 693
P. Dresselhaus, Beckhoff Automation GmbH, Verl (Germany)
- P2.4 Climate Chamber for a High Temperature Stability** 698
M. Kühnel, F. Hilbrunner, T. Fröhlich, Technische Universität Ilmenau (Germany); K. Lieberherr, Lieberherr AG,
Hefenhofen (Switzerland)
- P2.5 High-Precision Online Sensor Condition Monitoring of Industrial Oils in Service for the Early Detection of Contamination and Chemical Aging** 702
M. R. Mauntz, cmc Instruments GmbH, Eschborn; U. Kuipers, University of Applied Science Südwestfalen,
Hagen; J. W. Gegner, Universität Siegen (Germany)

P2.6 Platinum Resistance Thermometer with Metrological Self-Check 708
 Yu. Baksheeva, K. Sapozhnikova, R. Taymanov, All-Russia D.I. Mendeleyev Scientific and Research,
 St. Petersburg (Russia)

P2.7 Model Based Condition Monitoring for Reciprocating Aircraft Engines 714
 A. Mair, BRP-Powertrain GmbH & Co KG, Gunskirchen; Th. Thurner, Graz University of Technology (Austria)

P3 Temperature / Humidity

P3.1 Silicon Diode Temperature Sensor Weakly Sensitive to Magnetic Field 720
 V. L. Borblik, Yu. M. Shwarts, M. M. Shwarts, Institute of Semiconductor Physics, Kyiv (Ukraine); I. A. Rudnev,
 International Laboratory of High Magnetic Fields and Low Temperatures, Wroclaw (Poland)

P3.2 Robust, High-Performance Raman-OFDR System for Distributed Temperature Sensing
 W. Hill, M. Busker, B. Callsen, A. Dreß, M. Fromme, D. Gavrilu, St. Ketzer, J. Kübler, M. Löbber, I. Roda,
 B. Sagirkaya, M. Wildenauer, LIOS Technology GmbH, Köln (Germany)

P3.3 Determination of the Dynamic Behavior of High-Speed Temperature Sensors 726
 S. Augustin, Th. Fröhlich, H. Mammen, Technische Universität Ilmenau (Germany)

P3.4 Long Term Stability of Miniature Fixed-Point Cells Used in Self-Calibrating Thermometers 732
 G. Krapf, T. Froehlich, S. Augustin, H. Mammen, G. Blumroeder, M. Schalles, F. Hilbrunner, Technische
 Universität Ilmenau (Germany)

P3.5 Impact of Dopants on the Characteristics of Thin-Film Humidity Sensor Elements 738
 S. Kozhukharov, M. Machkova, University of Chemical Technology and Metallurgy, Sofia; T. Nenov, Z. Nenova,
 Technical University of Gabrovo (Bulgaria)

P3.6 Multifunctional T/RH-Sensitive Thick-Film Structures for Environmental Sensors 744
 H. Klym, I. Hadzaman, O. Shpotyuk, Lviv Scientific Research Institute of Materials of SRC "Carat" (Ukraine);
 M. Brunner, Fachhochschule Köln (Germany)

P4 Gas

P4.1 Self Propagating High Temperature Syntheses and Gas Sensing Properties of BiFeO₃ Thin Films 749
 N. W. Martirosyan, State Engineering University of Armenia, Yerevan (Armenia)

P4.2 Tunable Diode Laser Spectrometry (TDLS) - Challenges in NH₃ Measurements in Hot and Humid Exhaust Gas
 A. Seifert, M. Studer, Th. Hessler, Leister Process Technologies - Axetris Division, Kägiswil (Switzerland)

P4.3 Integrated System Scanning Probe Microscope - Quartz Microbalance: in-situ Testing of Surface Potential, Topography and mass of the adsorbed gases. 756
 V. S. Popov, R. G. Pavelko, V. G. Sevastynov, N. T. Kuznetsov, N. S. Kurnakov Institute of General and Inorganic
 Chemistry, Moscow (Russia)

P5 Magnetic

- P5.1 Inspection of Magnetization Vector and Magnetic Field Distribution of Uniaxial and Multipole Sensor Magnets Using Fast High Resolution MagCam Magnetic Field Mapping and Analysis** 762
K. Vervaeke, MagCam NV, Leuven (Belgium)
- P5.2 Evaluation of the Mutual Inductance of any Conductor Arrangements for Determining the Position** 768
F. Wießner, Ch. Rückerl, K. F. Eichhorn, Forschungs- und Transferzentrum Leipzig; D. Plohmann, Sensorik-Bayern GmbH, Regensburg (Germany)
- P5.3 Architecture of an Integrated AMR Current Sensor (IACS) System for a Wide Range of Automotive Applications** 774
W. Schreiber-Prillwitz, A. Nebeling, Elmos Semiconductor AG, Dortmund; G. von Manteuffel, Ch. Nau, Sensitec GmbH, Lahnau (Germany)
- P5.4 Novel Dynamic Technique Reducing the Offset Voltage in a Hall Effect Sensor** 780
V. N. Petoussis, Universität Würzburg (Germany); P. D. Dimitropoulos, G. Stamoulis, E. Houstis, University of Thessaly, Volos (Greece)
- P5.5 High Precision and Simple Analog Through-Shaft Magnetic Sensors for the Control of Electric Drives** 786
M. Delbaere, G. Masson, Th. Dorge, D. Frachon, St. Biwersi, Moving Magnet Technologies S. A., Besançon (France)

P6 Technology, Materials

- P6.1 Thick-Film Tilt Sensors: Feasibility Study Example Using Free Convective Motion of an Heating Air Mass** 792
D. Crescini, M. Romani, University of Brescia (Italy)
- P6.2 Observation of Hopping Multi-Domains** 797
Z. A. Adamia, Tbilisi State University (Georgia)
- P6.3 Novel Carbon-Based Materials for Pressure and Force Sensors** 800
H. Schmid-Engel, D. Göttel, G. Schultes, University of Applied Sciences, Saarbücken; R. Koppert, Siegert TFT GmbH, Hermsdorf; U. Werner, INM, Leibniz Institute for New Materials, Saarbrücken (Germany)
- P6.4 MEMS Technology for Production of Different Micro- and Nanodevices** 806
A. M. Kudanovich, N. I. Mukhurov, L. R. Paleuskaya, National Academy of Sciences of Belarus, Minsk; Y. V. Mironchyk, Belorussian State University, Minsk (Belarus)
- P6.5 The Charge Sensing Device Approach - Sensor for Non-Conductive Materials Using the Native Electrostatic Charge** 811
R. Brunsch, U. Neumann, Sentex Chemnitz GmbH (Germany)
- P6.6 Integrated Package Modules for Power and Sensor Applications** 815
A. Longford, D. Federici, Interplex Engineered Products, East Providence; J. Lynch, Interplex Industries Inc, New York (USA)
- P6.7 High Temperature Stable Piezoelectric, Barrier and Insulation Coatings for Sensor Applications** 821
H. Bartzsch, P. Frach, D. Glöß, M. Gittner, Fraunhofer FEP, Dresden (Germany)
- P6.8 Ultrasonic Piezoelectric Motor with Intrinsic Torque Measurement – First Results** 827
P. P. Pott, S. Match, H. F. Schlaak, Technische Universität Darmstadt (Germany)
- P6.9 Development of New Capacitive Strain Sensor Based on Transparent Conductive Oxides Thin Films** 831
A. Ghinea, A. Klein, Technische Universität Darmstadt (Germany)

P7 Electronics

- P7.1 Automated Measurement of Thread Quality**
 J. Schlote, St. Werner, A. Georgiadis, Leuphana Universität Lüneburg; D. Lange, Artis GmbH,
 Bisingen-Behringen (Germany)
- P7.2 Wireless Thermocouple – Consequently from Input to Output** 838
 M. Binhack, senTec Elektronik GmbH, Ilmenau (Germany)

P8 Mechanical

- P8.1 Textile Sensors for the Vehicle Interior** 843
 W. Scheibner, K. Ullrich, A. Neudeck, U. Möhring, Textilforschungsinstitut Thüringen-Vogtland -TITV- e. V.,
 Greiz (Germany)
- P8.2 Experimental and Numerical Investigation of New Bluff Body Design for Vortex Flow Meters** 848
 S. Tournillon, H. Krisch, Krohne Messtechnik GmbH, Duisburg; A. Gedikli, E. von Lavante Universität Duisburg-
 Essen (Germany)
- P8.3 Design, Fabrication and Characterization of a Novel 3D Force Sensor Made of SU-8** 854
 A. Jordan, A. Phataralaoha, A. Tibrewala, S. Büttgenbach, Technische Universität Braunschweig (Germany)
- P8.4 Optimized Electrical Feed Through for a Piezoresistive Silicon High-Pressure Sensing Element up to 500 MPa**

 P. Heinickel, R. Werthschützky, Technische Universität Darmstadt; W.-J. Hummel, IL Metronic Sensortechnik
 GmbH, Ilmenau (Germany)
- P8.5 Ultrasonic Indoor Positioning for Umpteen Static and Mobile Devices** 859
 H. Schweinzer, Vienna University of Technology (Austria)
- P8.6 A Sensor for Mechanical Liquid Properties Utilizing Pressure Waves** 865
 H. Antlinger, B. Jakoby, Johannes Kepler University Linz; R. Beigelbeck, Austrian Academy of Sciences, Wiener
 Neustadt; S. Cerimovic, F. Keplinger, Vienna University of Technology (Austria)
- P8.7 Automatic Painted Surface Inspection and Defect Detection** 871
 H. Loferer, Micro-Epsilon Messtechnik GmbH & Co. KG, Ortenburg (Germany)
- P8.8 Application of Distributed Optical Fiber Sensors to Borehole Temperature and Strain Monitoring** 874
 N. Nöther, M. Krcmar, St. von der Mark, BAM Bundesanstalt für Materialforschung und –prüfung, Berlin;
 J. Henniges, Th. Reinsch, Helmholtz Centre Potsdam (Germany)
- P8.9 Applying and Measuring Small Forces**
 N. Khélifa, Institut National de Métrologie, La Plaine Saint-Denis (France)

- Key Words** 879