

Institute of Navigation International Technical Meeting 2012

(ITM 2012)

**Newport Beach, California, USA
30 January - 1 February 2012**

Volume 1 of 2

ISBN: 978-1-61839-920-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2012) by the Institute of Navigation
All rights reserved.

Printed by Curran Associates, Inc. (2012)

For permission requests, please contact the Institute of Navigation
at the address below.

Institute of Navigation
8551 Rixlew Lane
Suite 360
Manassas, VA 20109

Phone: (703) 366-2723
Fax: (703) 366-2724

membership@ion.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

ION® International Technical Meeting 2012 Proceedings

Table of Contents

Viewing of the text and graphics and the ease of readability will depend on the quality and/or consistency of the author original file.

PLENARY

Challenges of Turning Vision into Reality: GPS OCX: R. Kolibaba, <i>Raytheon</i>	1
Challenges of Turning Vision Into Reality: J. Geringer, <i>ESRI</i>	7
Challenges of Turning Vision into Reality: J. McNeill, <i>Overlook Systems Technologies, Inc.</i>	36
Challenges of Realizing a Global Navigation Capability “A Service Provider’s View”: R. Swider, Jr., <i>DoD CIO</i>	45
Too Many Eggs, Only One Basket?: D. Last, <i>Consultant, UK</i>	57
The Challenges of Realizing a Global Navigation Capability: Charles Schue, <i>UrsaNav, Inc.</i>	67

Session A1: Alternate Sensors & Systems

Advanced GNSS Integrity using Signals of Opportunity: M. Enright, H. Sridhara, <i>Quantum Dimension; T. Nguyen, AFRL Sensors Directorate</i>	83
Investigation of the Different Maneuvering Modes of The Magnetometer Calibration for Pedestrian Navigation: A.S. Ali, S. Siddharth, N. El-Sheimy, <i>University of Calgary, Canada; Z.F. Syed, C.L. Goodall, Trusted Positioning, Inc., Canada</i>	90
Signal Structure Study for a Passive Ranging System using Existing Distance Measuring Equipment (DME): S.C. Lo, P.K. Enge, <i>Stanford University Presentation:</i>	97
Flight Test Performance Assessment of DME (eDME): K. Li, W. Pelgrum, <i>Ohio University</i>	131
A New Concept of APNT: MOSAIC/DME 3-D Positioning with a Single DME Station: O-J. Kim, C. Kim, J. Song, H. Yun, D. Kim, C. Kee, <i>Seoul National University, South Korea; T. Lee, Korea Institute of Science and Technology, South Korea</i>	142
Integration of Cold-Atom Interferometry INS with Other Sensors: A. Canciani, J. Raquet, <i>Air Force Institute of Technology Presentation:</i>	151
GNSS-based Multi-Sensor System for Structural Monitoring Applications: M. Figurski, M. Wrona, <i>Military University of Technology, Poland</i>	186

Session B1: Algorithms & Methods 1: Receiver Signal Processing

Cooperative Code Acquisition Based on the P2P Paradigm: G. Gabelli, L. Deambrogio, C. Palestini, F. Bastia, G.E. Corazza, <i>University of Bologna, Italy</i> ; J. Samson, <i>European Space Agency ESA/ESTEC, The Netherlands</i>	195
Presentation:	-----
Detailed Signal Analysis Without a Dish: A GPS IIF L5 Signal Case Study: J. York, J. Little, O. Caldwell, S. Nelsen, <i>ARL University of Texas at Austin</i>	221
Presentation:	-----
Dynamics & Performance of a GPS Inspired TRN Tracking Loop: D. Vaman, <i>Delft University of Technology, and Netherlands Defence Academy, The Netherlands</i>	262
Presentation:	-----
Folding Techniques for Low Complexity Acquisition of Modern GNSS Signals: M. Tahir, L. Lo Presti, <i>Politecnico di Torino, Italy</i> ; M. Fantino, <i>Istituto Superiore Mario Boella, Italy</i>	269
Presentation:	-----
Characterizing Different Open Loop Fine Frequency Estimation Methods for GNSS Receivers: M. Tahir, L. Lo Presti, <i>Politecnico di Torino, Italy</i> ; M. Fantino, <i>Istituto Superiore Mario Boella, Italy</i>	311
Presentation:	-----
A Compressed Sensing Technique for GPS Signal Acquisition: S-H. Kong, <i>Korea Advanced Institute of Science and Technology, South Korea</i>	356
An Optimized GNSS Signals Acquisition Based on Special Non-uniform Sampling: B. Bardak, Y. Adane, I. Kale, <i>University of Westminster, UK</i>	362
Memory Resource Integration of GNSS Code Acquisition: C-W. Chen, S-H. Chen, <i>National Taiwan University, Taiwan</i> ; W-L. Mao, <i>National Formosa University, Taiwan</i> ; H-W. Tsao, <i>National Taiwan University, Taiwan</i>	367

Session C1: Autonomous Navigation/Robotics

Robust Ground Vehicle Constraints for Aiding Stand Alone INS and Determining Inertial Sensor Errors: J. Ryan, D. Bevly, <i>Auburn University</i>	374
Presentation:	-----
The CSUF Robotic Lawnmower: Lessons Learned from Modifying a Riding Lawnmower: J. Huang, M.J. Yeh, <i>California State University, Fullerton</i>	402
Characterizing Local Effects on Protection Level Concept in Urban Environments: K. Ali, F. Dovis, <i>Politecnico di Torino, Italy</i> ; M. Pini, <i>Istituto Superiore Mario Boella, Italy</i>	408
Presentation:	-----
Real-time Autonomous Visual Navigation System for Helicopters Based on GPU Accelerated Speeded-Up Robust Features: H. Bai, <i>Nanjing University of Science and Technology, China</i> ; X. Xue, <i>University of Toronto, Canada</i>	442

Session A2: Timing Applications

Ranging/Timing Off of the NDGPS Signal: Potential Performance: P.F. Swaszek, <i>University of Rhode Island</i> ; R.J. Hartnett, <i>US Coast Guard Academy</i> ; G.W. Johnson, <i>Alion Science & Technology</i>	452
Design and Performance of a Low Frequency Time and Frequency Dissemination Service: A. Helwig, G. Offermans, C. Stout, C. Schue, <i>UrsaNav, Inc.</i>	462
Presentation:	-----

A GPS Common-View Time Transfer Scheme considering the Code Bias: M.Y. Shin, D.J. Cho, S.H. Park, *Korea Ocean Research & Development Institute, South Korea*; S.J. Lee, *Chungnam National University, South Korea* ----- 509

Results of the Time Comparison Experiments Between the QZS-1 and Ground Time Management Station:

M. Nakamura, Y. Takahashi, J. Amagai, T. Gotoh, M. Fujieda, R. Tabuchi, T. Hobiger, S. Hama, *National Institute of Information and Communication Technology, Japan*; Y. Yahagi, *NEC Engineering, Ltd., Japan*; T. Takahashi, S. Horiuchi, *NEC Corporation, Japan* ----- 513

Presentation: -----

Session B2: Spectrum and Interference Issues

Maintaining Precision Receiver Performance While Rejecting Adjacent Band Interference: C. Kurby,

R. Lee, L. Cygan, E. Derbez, *Greenwood Telecommunications Consultants Inc.* ----- 574

Presentation: -----

Performance Impacts of the LightSquared ATC Reference Stations on High Precision Geodetic Receivers:

K.A. Berstis, G.L. Mader, N.D. Weston, W.A. Stone, G.L. DeAngelo, F.E. Marion, *NOAA/National Geodetic Survey* ---- 625

Presentation: -----

Testing High Precision Space Receivers versus LightSquared Interference: S. Esterhuizen, D. Turbiner, D. Stowers,

L. Young, *NASA/JPL/Caltech* ----- 669

Presentation: -----

Field Observations of Personal Privacy Devices: J.C. Grabowski, *Zeta Associates* ----- 689

Presentation: -----

Quantization Effects in GNSS Receivers in the Presence of Interference: M. Abdizadeh, J.T. Curran, G. Lachapelle,

University of Calgary, Canada ----- 742

Presentation: -----

The Impact of Uninformed RF Interference on GBAS and Potential Mitigations: S. Pullen, G. Gao, *Stanford University*; C. Tedeschi, J. Warburton, *FAA William J. Hughes - Technical Center* ----- 780

Detection and Mitigation of Spoofing Attacks on a Vector Based Tracking GPS Receiver: A. Jafarnia-Jahromi, T. Lin, A. Broumandan, J. Nielsen, G. Lachapelle, *PLAN Group, University of Calgary, Canada* ----- 790

LightSquared Interference on GNSS Signals: A Theoretical Assessment: D. Fontanella, M. Paonni, B. Eissfeller, *University FAF Munich, Germany* ----- 801

Session C2: Space & PNT Applications

A Combined Numerical-Empirical Orbit Propagation Algorithm for Satellite Tracking and Backup Navigation

System: G. Kim, S. Jeon, C. Kim, D. Han, C. Kee, *Seoul National University, South Korea*; S. Choi, *Korea Aerospace Research Institute, South Korea* ----- 812

Optimal Waypoint Scheduling of an Imaging Satellite: A.H. Zorn, *Stanford University*; M. West, *University of Illinois at Urbana-Champaign* ----- 820

Presentation: -----

China Compass PNT Service Architecture and Outlook: Q. Sun, J. Zhang, Y. Zhu, *Beihang University, China* ----- 848

DORIS Observations from Iridium for Atmospheric Science: D.L. Rainwater, *ARL, University of Texas at Austin*;

B.H. Barnum, *APL, Johns Hopkins University*; T.L. Gaussiran, *ARL, University of Texas at Austin* ----- 855

Presentation: -----

Next Generation Scalable Spaceborne GNSS Science Receiver: J.Y. Tien, B. Bachman Okihiro, S.X. Esterhuizen, G.W. Franklin, T.K. Meehan, T.N. Munson, D.E. Robison, D. Turbiner, L.E. Young, *Jet Propulsion Laboratory/California Institute of Technology* ----- 882
Presentation: -----

Session A3: Urban and Indoor Applications

Comparison of Point Features for Vision Based Navigation: Y. Ma, *Honeywell Aerospace, USA*; S. Rao, *Honeywell Technology Solutions Lab., India* ----- 915

A Movement-Classification Algorithm for Pedestrian Using Foot-Mounted IMU: M.S. Lee, C.G. Park, *Seoul National University, South Korea*; C.W. Shim, *Carnegie Mellon University, USA* ----- 922

Weighting and Mitigation of Multipath Effects in GPS Range Measurements in an Urban Environment for Pedestrian Navigation: M. Langer, C. Ascher, J. Bauer, G.F. Trommer, *ITE – Karlsruhe, Institute of Technology, Germany* ----- 928

Tag-free RSSI Based Indoor Localization: E.A. Wan, A.S. Paul, *Portland State University*; P.G. Jacobs, *EmbedRF LLC* ----- 940

Modeling HSGPS Doppler Errors in Indoor Environments for Pedestrian Dead-Reckoning: Z. He, M. Petovello, G. Lachapelle, *University of Calgary, Canada* ----- 945
Presentation: -----

Theory and Practice of Near-Field Electromagnetic Ranging: H.G. Schantz, *The Q-Track Corporation* ----- 978
Presentation: -----

Precise Output Error Characterization for Triangulation of Visual Landmarks from Two Views with Noisy Camera Pose: J. Gorgen, L. Lemay, *SPAWAR Systems Center Pacific*; D. Gebre-Egziabher, *University of Minnesota* ----- 1014
Presentation: -----

Indoor Positioning System using Single Pseudolite with Multiple Antenna: C. Kim, O. Kim, *Seoul National University, South Korea*; T. Lee, *Korea Institute of Science and Technology, South Korea*; C. Kee, *Seoul National University, South Korea* ----- 1089

Implementation and Outdoor Test Results for GPS and Pseudolite System: S. Jeon, *Seoul National University, South Korea*; H. So, *Agency for Defense Development, South Korea*; G. Kim, C. Kim, H. Song, *Seoul National University, South Korea*; T. Lee, *Korea Institute of Science and Technology, South Korea*; K. Kwon, *Korea Aerospace Research Institute, South Korea* ----- 1098

Fading Modeling and Characterization of Indoor GNSS Channels: Y. Wang, X. Zhang, X. Cui, M. Lu, *Tsinghua University, China* ----- 1107

Session B3: Algorithms & Methods 2: Navigation

Coarse Time Navigation: Equivalence of Algorithms and Reliability of Time Estimates: K. Muthuraman, J. Brown, M. Chansarkar, *Cambridge Silicon Radio* ----- 1115
Presentation: -----

Improved GNSS Heading System with Inertial and Magnetic Field Sensors for Small-sized Launcher Applications: J. Roth, *Karlsruhe Institute of Technology, Germany*; K. Kaschwich, *Technical University Braunschweig, Germany*; G.F. Trommer, *Karlsruhe Institute of Technology, Germany* ----- 1139

Enhanced Kalman Filter for RISS/GPS Integrated Navigation using Gaussian Process Regression: M.M. Atia, *Queen's University and Trusted Positioning Inc, Canada*; A. Noureldin, *Royal Military College and Queen's University, Canada*; M. Korenberg, *Queen's University, Canada* ----- 1148

Monitoring Measurement Noise Variance for High Integrity Applications: S. Khanafseh, S. Langel, F-C. Chan, M. Joerger, B. Pervan, <i>Illinois Institute of Technology</i>	1157
GPS Based Attitude Determination with Statistical and Deterministic Baseline A Priori Information: P. Jurkowski, P. Henkel, <i>Advanced Navigation Solutions, Germany</i> ; C. Guenther, <i>German Aerospace Center, Germany</i>	1164
Desensitized Unscented Kalman Filter About Uncertain Model Parameters: H. Shen, C.D. Karlgaard, <i>Analytical Mechanics Associates, Inc.</i>	1180
Presentation:	
Assessing the Accuracy of Hyperbolic Multilateration Systems: D. Qiu, <i>Sigtem Technology, Inc.</i> ; T. Nguyen, AFRL/RYMN; C. Yang, <i>Sigtem Technology, Inc.</i>	1214

Session C3: QZSS

Technical Verification Status of Quasi-Zenith Satellite System: M. Kishimoto, E. Myojin, K. Kawate, M. Miyoshi, S. Kogure, H. Noda, <i>Japan Aerospace Exploration Agency (JAXA), Japan</i>	1223
Performance of QZSS (Quasi-Zenith Satellite System) & L-Band Navigation Payload: T. Sawamura, <i>NEC Aerospace Systems Ltd., Japan</i> ; T. Takahashi, T. Moriguchi, <i>NEC Corporation, Japan</i> ; K. Ohara, <i>NEC Engineering Ltd., Japan</i> ; H. Noda, S. Kogure, M. Kishimoto, <i>Japan Aerospace Exploration Agency, Japan</i>	1228
Presentation:	
Ranging Quality of QZSS L1-SAIF Signal: T. Sakai, H. Yamada, K. Ito, <i>Electronic Navigation Research Institute, Japan</i>	1255
Orbit and Clock Determination of QZS-1 Based on the CONGO Network: P. Steigenberger, <i>Technical University Munich, Germany</i> ; A. Hauschild, O. Montenbruck, <i>German Aerospace Center DLR, Germany</i> ; C. Rodriguez-Solano, U. Hugentobler, <i>Technical University Munich, Germany</i>	1265
Presentation:	
Operation of Sub-meter Class Augmentation System and Demonstration Experiments with Quasi-Zenith Satellite "MICHIKI": R. Iwama, <i>Satellite Positioning Research and Application Center, Japan</i> ; H. Soga, K. Odagawa, <i>NEC Corporation, Japan</i> ; Y. Masuda, T. Osawa, A. Ito, M. Matsumoto, <i>Tokyo Electronic Systems Corporation, Japan</i>	1295

Regional Satellite Navigation by Using MSAS and QZSS: H. Yamada, T. Sakai, K. Ito, <i>Electronic Navigation Research Institute, Japan</i>	1302
--	------

Examination of the GPS Receiver for Small Drifting Buoys using QZS: H. Irie, <i>Nagaoka University, of Technology, Japan</i> ; M. Shimada, <i>Tsurumi Seiki Co. Ltd., Japan</i> ; K. Morishita, <i>Kumamoto University, Japan</i>	1309
Presentation:	

Session A4: Maritime Applications

Optimal Waterway and Harbor Navigation of Large Vessels: A.H. Zorn, <i>Stanford University</i> ; M. West, <i>University of Illinois at Urbana-Champaign</i>	1339
Presentation:	
Performance Assessment of the Recent NDGPS Recap - Initial Simulation Results: G.W. Johnson, <i>Alion Science & Technology</i> ; P.F. Swaszek, <i>University of Rhode Island</i> ; R.J. Hartnett, <i>US Coast Guard Academy</i>	1369
Precise Positioning System for Maritime Applications: D.J. Cho, S.G. Park, S.H. Park, <i>Korea Ocean Research & Development Institute, South Korea</i>	1377

The Propagation Characteristic of DGPS Correction Data Signal in Japan - Propagation Characteristic Near Big Bridge: S. Okuda, Y. Arai, M. Toba, *Marine Technical College, Japan* -----1383
Presentation: -----

The Preliminary Study on Development of DGPS Service Techniques Based on Terrestrial Digital Multimedia Broadcasting: K-T. Kim, K-D. Park, H-I. Kim, *Inha University, South Korea* -----1421
Presentation: -----

Session B4: Atmospheric Effects

Precise Measurements of Ionospheric Delay Gradient at Short Baselines Associated with Low Latitude Ionospheric Disturbances: S. Saito, S. Fujita, T. Yoshihara, *Electronic Navigation Research Institute, Japan* -----1445

Results from Automated Ionospheric Data Analysis for Ground-Based Augmentation Systems (GBAS): J. Lee, *Tetra Tech AMT, USA*; S. Jung, M. Kim, *Korea Advanced Institute of Science and Technology, South Korea*; J. Seo, S. Pullen, S. Close, *Stanford University* -----1451

GPS Carrier Phase Detrending Methods and Performances for Ionosphere Scintillation Studies: F Niu, Y. Morton, J. Wang, *Miami University*; W. Pelgrum, *Miami University* -----1462

Session C4: Remote Sensing Using GNSS

Development and Testing of a Minaturized, Dual-Frequency Software-Defined GPS Receiver for Space Applications: A.J. Joplin, E.G. Lightsey, T.E. Humphreys, *University of Texas at Austin* -----1468
Presentation: -----

Development of a Prototype Texas Ionospheric Ground Receiver (TIGR): J. York, D. Munton, M Mayo, *The University of Texas at Austin*; T. Sump, *Texas A&M University* -----1526
Presentation: -----

Ionosphere Real Time Monitoring System using Septentrio GNSS Receivers: G. Nykiel, M. Figurski, *Military University of Technology, Poland* -----1557

An Improved Ionosphere Scintillation Event Detection and Automatic Trigger for GNSS Data Collection Systems: S. Taylor, Y. Morton, Y. Jiao, J. Triplett, *Miami University*; W. Pelgrum, *Ohio University* -----1563

Automated Ionospheric Front Velocity Estimation Algorithm for Ground-Based Augmentation Systems: E. Bang, J. Lee, *Korea Advanced Institute of Science and Technology, South Korea*; J. Seo, S. Pullen, S. Close, *Stanford University* -----1570

On Using Traveling Ionospheric Disturbances to Detect Underground Nuclear Tests: J. Park, D.A. Grejner-Brzezinska, R.R.B. von Frese, *The Ohio State University*; Y. Morton, *Miami University*; L.R. Gaya-Pique, *On-Site Inspection Division, CTBTO PrepCom, Vienna International Centre, Austria* -----1581

Session A5: Aviation Applications

A Gaussian Mixture Model for Error Distributions Used in Assessing RAIM Performance: C.A. Shively, *CAASD/The MITRE Corporation* -----1590
Presentation: -----

Optimal Positioning for Advanced RAIM: J. Blanch, T. Walter, P. Enge, *Stanford University* -----1624
Presentation: -----

Towards Full GAST-D Capability - Flight testing DLR's Experimental GBAS Station: M. Felux, T. Dautermann, B. Belabbas, *German Aerospace Center (DLR), Germany* -----1648

A Tool for GNSS Integrity Verification Based on Statistical Extreme Value Theory: H. Veerman, A. van Kleef, F. Wokke, *National Aerospace Laboratory, The Netherlands*; B. Ober, *Integrimon, The Netherlands*; C. Tiberius, S. Verhagen, *Delft University of Technology, The Netherlands*; A. Bos, A. Mieremet, *Science & Technology, Corp., The Netherlands* -----1655

Bounding Integrity Risk in the Presence of Parametric Time Correlation Uncertainty: S. Langel, S. Khanafseh, B. Pervan, *Illinois Institute of Technology* -----1666

Enhanced Low Visibility Operations -- Increasing Flight Operations Services in the National Airspace Systems in Low Visibility Conditions: S.L. Frogde, C. Hope, *Federal Aviation Administration*; R. Houghton, *Houghton Associates* -----1681

Algorithm for the Detection and Isolation of Multiple Corrupt Measurements in Vision Systems: N.A. Baine, K.S. Rattan, *Wright State University* -----1690

Session B5: GNSS Modernization

Statistical Characterization of GLONASS Broadcast Clock Errors and Signal-In-Space Errors: L. Heng, G.X. Gao, T. Walter, P. Enge, *Stanford University* -----1697

New Advanced ARAIM with Improved Availability for Detecting Constellation-wide Faults, Using two Independent Constellations: Y.C. Lee, *CAASD/The MITRE Corporation* -----1708

Application of Kalman Filter to Beidou/GPS Joint-Positioning for Software Receiver: X. Zhang, Y. Wang, X. Cui, Z. Feng, *Tsinghua University, China* -----1724
Presentation: -----

Real Time Advanced Receiver Autonomous Integrity Monitoring in DLR's Multi-Antenna GNSS Receiver: M. Rippl, *German Aerospace Center (DLR), Germany* -----1767

Independent URA Monitor With RAIM for LPV-200 Using GPS or/and Galileo: C.A. Shively, B. Bian, R. Braff, R. Conker, M. Bakry El-Arini, *CAASD/The MITRE Corporation* -----1777
Presentation: -----

Around the World for 26 Years - A Brief History of the NGA Monitor Station Network: B. Renfro, D. Munton, R. Mach, *ARL, The University of Texas at Austin*; R. Taylor, *National Geospatial-Intelligence Agency* -----1818

Session C5: Receivers & Antenna Technology

GPS-L1C Leading to the All-Constellation GNSS Receiver: P.G. Mattos, *STMicroelectronics, UK*; F. Pisoni, *STMicroelectronics SRL, Italy* -----1833
Presentation: -----

Beam Pointing in Rotorcraft Mounted GPS Receivers: Y.C. Chuang, A.J. O'Brien, I.J. Gupta, *The Ohio State University*; Y. Bayram, *PaneraTech Inc.* -----1866

Multi Constellation and BOC-Signal Problems with Group Delay: P.G. Mattos, *STMicroelectronics, UK* -----1875
Presentation: -----

A Novel Software Defined GNSS Receiver for Performing Detailed Signal Analysis: J. York, J. Little, S. Nelsen, O. Caldwell, D. Munton, *ARL, University of Texas at Austin* -----1910

An Outlier Detection and Correction Algorithm for the Direction of Arrival Estimation of GNSS Satellites: U. Engel, L. Broetje, *Fraunhofer Institute for Communication, Information Processing and Ergonomics, Germany* -----1922