

# **2012 IEEE/ASME International Conference on Advanced Intelligent Mechatronics**

**(AIM 2012)**

**Kaohsiung, Taiwan  
11 – 14 July 2012**

**Pages 1-573**



**IEEE Catalog Number: CFP12775-PRT  
ISBN: 978-1-4673-2575-2**

## TABLE OF CONTENTS

|   |     |
|---|-----|
| <b>CPG-Based Locomotion Control of a Quadruped Amphibious Robot .....</b>   | 1   |
| <i>C. Wang, G. Xie, X. Yin, L. Li, L. Wang</i>  |     |
| <b>Dynamical Analyses of Humanoid's Walking by Visual Lifting Stabilization Based on Event-Driven State Transition.....</b>   | 7   |
| <i>T. Maeba, M. Minami, A. Yanou, T. Matsuno, J. Nishiguchi</i>   |     |
| <b>Limit Cycle Running Based on Flat-Footed Passive Dynamic Walking with Mechanical Impedance at Ankles .....</b>   | 15  |
| <i>Y. Hanazawa, M. Yamakita</i>   |     |
| <b>Rolling SLIP: A Model for Running Locomotion with Rolling Contact.....</b>   | 21  |
| <i>K. Huang, P. Lin</i>   |     |
| <b>Exploiting Free Vibration of an Elastic Beam for Stable Running Locomotion .....</b>   | 27  |
| <i>N. Maheshwari, X. Yu, M. Reis, F. Iida</i>   |     |
| <b>A Bio-inspired Hexapod Robot with Noncircular Gear Transmission System.....</b>  | 33  |
| <i>K. Huang, S. Chen, M. Tsai, F. Liang, Y. Hsueh, P. Lin</i>   |     |
| <b>Autonomous and Stable Tracking of Endoscope Instrument Tools with Monocular Camera.....</b>  | 39  |
| <i>K. Song, C. Chen</i>   |     |
| <b>Dynamic Tracking of Anatomical Object for a Steerable Endoscope .....</b>  | 45  |
| <i>Y. Chu, S. Liu, R. Luo, R. Hu, C. Yeh, Y. Peng, P. Yen</i>   |     |
| <b>Ultrasound Image-Guided Algorithms for Tracking Liver Motion .....</b>   | 51  |
| <i>C. Lin, F. Lin, F. Lian, K. Chang, M. Ho, J. Yen, Y. Chen</i>  |     |
| <b>Respiration Induced Liver Motion Tracking Control for High Intensity Focused Ultrasound Treatment.....</b>   | 57  |
| <i>K. Teng, K. Chang, Y. Chen, T. Tsao</i>  |     |
| <b>Magnetic Propulsion of a Spiral-Type Endoscopic Microrobot in a Real Small Intestine .....</b>   | 63  |
| <i>H. Zhou, G. Alici, T. Than, W. Li, S. Martel</i>   |     |
| <b>Task-Oriented Optimal View Selection in a Calibrated Multi-Camera System.....</b>  | 69  |
| <i>A. Mavrinac, D. Rajan, Y. Tan, X. Chen</i>   |     |
| <b>A Portrait Drawing Robot Using a Geometric Graph Approach: Furthest Neighbour Theta-Graphs .....</b>   | 75  |
| <i>M. Lau, J. Baltes, J. Anderson, S. Durocher</i>  |     |
| <b>A Segmentation and Data Association Annotation System for Laser-Based Multi-Target Tracking Evaluation .....</b>   | 80  |
| <i>C. Weng, C. Wang, J. Healey</i>  |     |
| <b>Visual Servoing Using Non-Vector Space Control Theory.....</b>   | 87  |
| <i>J. Zhao, Y. Jia, N. Xi, W. Li, B. Song, L. Sun</i>   |     |
| <b>Robust 3-D Reconstruction from Single Camera Rotation Stereo .....</b>   | 93  |
| <i>H. Kayaba, S. Kaneko, A. Taniguchi, K. Sakai, S. Maeda</i>   |     |
| <b>Quasi-Min-Max Model Predictive Control for Image-Based Visual Servoing .....</b>   | 98  |
| <i>T. Wang, W. Xie, G. Liu, Y. Zhao</i>   |     |
| <b>Increasing the Milling Accuracy for Industrial Robots Using a Piezo-Actuated High-Dynamic Micro Manipulator .....</b>  | 104 |
| <i>O. Sornmo, B. Olofsson, U. Schneider, A. Robertsson, R. Johansson</i>  |     |
| <b>Clarifying Vibrational Issues of an Advanced Automated Fiber Placement Production Plant .....</b>  | 111 |
| <i>M. Pemer, C. Krombholz, M. Bock, D. Rostermundt, H. Monner</i>   |     |
| <b>Modification and Further Development of a Drop on Demand Printhead for Wax Enabling Future 3D-Printing and Rapid Prototyping.....</b>                            | 117 |
| <i>T. Ottnad, M. Kagerer, F. Irlinger, T. Lueth</i>   |     |
| <b>Cold Start Control of Industrial Printers .....</b>  | 123 |
| <i>C. Cochior, P. Bosch, R. Waarsing, J. Verriet</i>  |     |
| <b>Operation Force Reflecting Method in Machining Geometry Via Bilateral Machining Support System with Variable Connecting Force.....</b>                           | 129 |
| <i>T. Osada, N. Kato, K. Yano, M. Fofana</i>  |     |
| <b>Laser Source Independent Basic Parameters • Focus Position, Pulse Overlap, Track Overlap • in Laser Micro Milling Using As Rapid Manufacturing Process .....</b> | 135 |
| <i>M. Kagerer, F. Irlinger, T. Lueth</i>  |     |
| <b>Exploiting Variable Physical Damping in Rapid Movement Tasks.....</b>  | 141 |
| <i>A. Radulescu, M. Howard, D. Braun, S. Vijayakumar</i>  |     |

|  |     |
|--|-----|
| <b>Modeling and Realization of a 6-DoF Contactless Electromagnetic Anti-Vibration System and Verification of Its Static Behavior</b> | 149 |
| <i>C. Ding, J. Janssen, A. Damen, P. Bosch, J. Paulides, E. Lomonova</i>   |     |
| <b>Comparative Study of Power Minimizing Control Algorithms for Active Magnetic Bearings</b>   | 155 |
| <i>S. Yoo, H. Lee, M. Noh</i>  |     |
| <b>Design, Analysis and Control of a Precision Feeding System of Diffraction Grating Ruling Engine</b>                               | 160 |
| <i>J. Yi, C. Biao, Z. Changan</i>  |     |
| <b>Costmap Planning in High Dimensional Configuration Spaces</b>   | 166 |
| <i>R. Iehl, J. Cortes, T. Simeon</i>   |     |
| <b>Motion Planning Using State-Dispersion-Based Phase Space Partition</b>  | 173 |
| <i>C. Kim, S. Yamazaki, H. Tsujino, S. Sugano</i>  |     |
| <b>Sub-Map Dividing and Re-Alignment FastSLAM with Scalable Voxel Map System</b>   | 180 |
| <i>M. Yokozuka, O. Matsumoto</i>   |     |
| <b>A Delaunay Triangulation-Based Shortest Path Algorithm with <math>O(n \log n)</math> Time in the Euclidean Plane</b>              | 186 |
| <i>G. Jan, W. Tsai, C. Sun, B. Lin</i>   |     |
| <b>Hybrid Dynamic Mobile Task Allocation and Reallocation Methodology for Distributed Multi-Robot Coordination</b>                   | 190 |
| <i>G. Li, Y. Tamura, M. Wu, A. Yamashita, H. Asama</i>   |     |
| <b>Automatic Object Detection Employing Viewing Angle Histogram for Range Images</b>   | 196 |
| <i>L. Chen, X. Nguyen, S. Lin</i>  |     |
| <b>Vibrotactile Motors on Stationary Arm As Directional Feedback to Correct Arm Posture</b>  | 202 |
| <i>A. Causo, L. Tran, S. Yeo, I. Chen</i>  |     |
| <b>Human-Centered Wheelchairs: Bimanual Gliding Interface with Heart Rate Monitoring</b>   | 208 |
| <i>C. Kuo, T. Chen, J. Chen, Y. Lin, W. Liu</i>  |     |
| <b>A Neuromuscular Interface for the Elbow Joint</b>   | 214 |
| <i>J. Pau, T. Chen, S. Xie, A. Pullan</i>  |     |
| <b>AVSER-Active Variable Stiffness Exoskeleton Robot System: Design and Application for Safe Active-Passive Elbow Rehabilitation</b> | 220 |
| <i>R. Wang, H. Huang</i>   |     |
| <b>Development of a Compact Wrist Mechanism with High Torque Density</b>   | 226 |
| <i>C. Chu, J. Xu, C. Lan</i>   |     |
| <b>A Network-Based Monitoring System for Rehabilitation</b>  | 232 |
| <i>J. Bae, K. Haninger, D. Wai, X. Garcia, M. Tomizuka</i>   |     |
| <b>An Image Based Method of Finding Better Walking Strategies for Hexapod on Discontinuous Terrains</b>                              | 238 |
| <i>K. Mostafa, K. Wei, I. Her</i>  |     |
| <b>Visual Simultaneous Localization and Mapping Using Stereo Vision with Human Body Elimination for Service Robotics</b>             | 244 |
| <i>R. Luo, K. Chen, M. Hsiao</i>   |     |
| <b>Panorama Stitching Using Overlap Area Weighted Image Plane Projection and Dynamic Programming for Visual Localization</b>         | 250 |
| <i>V. Chew, F. Lian</i>  |     |
| <b>Calibration and Validation of XYΘ Micropositioners with Vision</b>  | 256 |
| <i>N. Tan, C. Clevy, G. Laurent, N. Chaillet</i>   |     |
| <b>Development of an Omni-Directional 3D Camera for Robot Navigation</b>   | 262 |
| <i>C. Zhang, J. Xu, N. Xi, Y. Jia, W. Li</i>   |     |
| <b>Neural Network-Based Image Moments for Visual Servoing of Planar Objects</b>  | 268 |
| <i>Y. Zhao, W. Xie, T. Wang</i>  |     |
| <b>Unified Framework for Rapid Prototyping of Linux Based Real-Time Controllers with Matlab and Simulink</b>                         | 274 |
| <i>R. Oftadeh, M. Aref, R. Chabcheloo, J. Mattila</i>  |     |
| <b>Collision Risk Reduction System for Assembly Task Partner Robot</b>   | 280 |
| <i>J. Kinugawa, Y. Kawaai, Y. Tanaka, Y. Sugahara, K. Kosuge</i>   |     |
| <b>Intelligent Automation of Bird Deboning</b>   | 286 |
| <i>A. Hu, J. Bailey, M. Matthews, G. McMurray, W. Daley</i>  |     |
| <b>Analysis for Configuration Prediction of Redundant Manipulators Based on AMSIP Distribution</b>                                   | 292 |
| <i>Y. Hou, A. Yanou, M. Minami, Y. Kobayashi, S. Okazaki</i>   |     |
| <b>A Systematic Approach to Inverse Kinematics of Hybrid Actuation Robots</b>  | 300 |
| <i>Z. Sun, D. He, W. Zhang</i>   |     |
| <b>Solve Inverse Kinematics Through a New Quadratic Minimization Technique</b>   | 306 |
| <i>W. Wang, Y. Suga, H. Iwata, S. Sugano</i>   |     |

|   |     |
|---|-----|
| <b>Nonlinear Damping for Improved Transient Performance in Robotics Force Control.....</b>  | 314 |
| <i>C. Lai, Y. Li, N. Vuong, T. Lim, C. Ma, C. Lim</i>   |     |
| <b>A Suppression of Cut-Off Frequency Fluctuation Based on Workspace Observer with Estimated Equivalent Mass for MDOF Bilateral System.....</b> | 320 |
| <i>T. Shimojo, T. Yamashita</i>   |     |
| <b>Off-Axis Modal Active Vibration Control of Rotational Vibrations.....</b>  | 326 |
| <i>B. Babakhani, T. Vries, J. Amerongen</i>   |     |
| <b>Feed Forward Control Concept for Electric Drives.....</b>  | 332 |
| <i>A. Kiffe, C. Graf, J. Maas</i>   |     |
| <b>Analysis of Rod Vibration on a Dual-Slider Smooth Impact Drive Mechanism for a Compact Zoom Lens System.....</b>                             | 338 |
| <i>J. Lee, W. Jung, K. Kim, S. Kim</i>  |     |
| <b>Comparison of Various Active Impedance Control Approaches, Modeling, Implementation, Passivity, Stability and Trade-Offs .....</b>           | 342 |
| <i>M. Mosadeghzad, F. Medrano-Cerda, J. Saglia, N. Tsagarakis, D. Caldwell</i>  |     |
| <b>Real-Time Guidance of Reusable Winged Space Plane Using Genetic Algorithm Implemented on Field Programmable Gate Array .....</b>             | 349 |
| <i>S. Miyamoto, T. Narumi, T. Matsumoto, K. Yonemoto</i>  |     |
| <b>Design of an Intelligent Outdoor Mobile Robot with Autonomous Road-Crossing Function for Urban Environments .....</b>                        | 355 |
| <i>A. Chand, S. Yuta</i>  |     |
| <b>Nonlinear Model Predictive Control for Wheeled Mobile Robot in Dynamic Environment .....</b>   | 363 |
| <i>C. Hsieh, J. Liu</i>   |     |
| <b>Obstacle Avoidance Algorithm of the Underwater Robot in the Unknown Underwater Environment .....</b>   | 369 |
| <i>S. Choi, H. Lee, D. Lee, J. Lee</i>  |     |
| <b>A New MEMS Gyro North Finding Approach Using LSM and EKF for Mobile Robot Heading Detection .....</b>  | N/A |
| <i>Yuanlong Wei, Min Cheol Lee</i>  |     |
| <b>Behavior Control of the Mobile Robot for Accompanying in Front of a Human.....</b>   | 377 |
| <i>D. Ho, J. Hu, J. Wang</i>  |     |
| <b>Non-Industrial Stacker Crane with Compatibility/Extensibility between Manual Operation and Electrical Driving .....</b>                      | 383 |
| <i>R. Fukui, S. Kousaka, T. Sato, M. Shimosaka</i>  |     |
| <b>Human-Robot Cooperation for Heavy Object Manipulation Based on Sensing Pneumatic Pressure in Air Cushions.....</b>                           | 391 |
| <i>H. Nozawa, S. Lee, J. Kim, K. Inoue</i>  |     |
| <b>Human Friendly Path Tracking for Autonomous Robot Cart: Determine Look-ahead Target Points Under Shortcut Controlling .....</b>              | 397 |
| <i>M. Hirai, T. Tomizawa, S. Kudoh, T. Suehiro</i>  |     |
| <b>Toward Constructing a User-Environment Interface for a Smart Light-Mobile Wheelchair .....</b>   | 403 |
| <i>H. Yu, J. Chen, C. Kuo</i>   |     |
| <b>An Approach to Semi-Automatically Determine Mechanical Hazards in VR Models .....</b>  | 408 |
| <i>A. Kroys, R. Maertins, F. Ortmeier</i>   |     |
| <b>Outdoor Augmented Reality System for Geological Applications.....</b>  | 416 |
| <i>F. Ababsa, I. Zendjebil, J. Didier, J. Pouderoux, J. Vairon</i>  |     |
| <b>Tracking of a Moving Object by Following the Sound Source .....</b>  | 422 |
| <i>J. Han, S. Han, Y. Li, J. Lee</i>  |     |
| <b>Error Compensation of Grating Interferometers Due to Angular Error of Linear Stage .....</b>   | 428 |
| <i>K. Fan, Y. Zhang, J. Miao, F. Cheng</i>  |     |
| <b>Cycle-To-Cycle Response of Ionic Polymer-Metal Composite Materials Subject to Pulsing Flow-Induced Stimulus .....</b>                        | 432 |
| <i>J. Zhong, D. Hung, G. Zhu, X. Tan</i>  |     |
| <b>A Localization Based on a Space Observation Model in a Crowded Environment .....</b>   | 438 |
| <i>S. Muramatsu, T. Tomizawa, S. Kudoh, T. Suehiro</i>  |     |
| <b>Development of an Automatic Optical Inspection System for Defect Detection of Dental Floss Picks.....</b>                                    | 444 |
| <i>Q. Hsu, C. Lin, J. Chen</i>  |     |
| <b>A Novel Method of Surface-Normal Measurement in Robotic Drilling for Aircraft Fuselage Using Three Laser Range Sensors .....</b>             | 450 |
| <i>M. Gong, P. Yuan, T. Wang, L. Yu, H. Xing, W. Huang</i>  |     |
| <b>Design and Control of a Novel Non-Raster Scan Pattern for Fast Scanning Probe Microscopy .....</b>   | 456 |
| <i>Y. Yong, A. Bazaie, S. Moheimani, F. Allgower</i>  |     |

|  |     |
|--|-----|
| <b>A Virtual-Metrology-Based Machining State Conjecture System</b>   | 462 |
| <i>H. Yang, H. Tieng, Y. Li, M. Hung, F. Cheng</i>   |     |
| <b>Reduction of Synchronous Errors in Rigid Tapping by Iterative Learning Control</b>  | 467 |
| <i>S. Chen, C. Pan, C. Chou</i>  |     |
| <b>Refinement of Kernel and Functional Mechanisms for Automatic Virtual Metrology System</b>   | 472 |
| <i>M. Hung, C. Chen, Y. Lin, M. Chou, F. Cheng</i>   |     |
| <b>Applying the AVM System for Run-To-Run Control: A Preliminary Study</b>   | 478 |
| <i>Y. Chiu, L. Lin, W. Mo</i>  |     |
| <b>Kinematic Analysis of Electroactive Polymer Actuators As Soft and Smart Structures with More DoF Than Inputs</b>                                  | 484 |
| <i>R. Mutlu, G. Alici, W. Li</i>   |     |
| <b>An Enhanced Repetitive Control Algorithm Using the Structure of Disturbance Observer</b>  | 490 |
| <i>X. Chen, M. Tomizuka</i>  |     |
| <b>Product-Of-Exponential (POE) Model for Kinematic Calibration of Robots with Joint Compliance</b>  | 496 |
| <i>P. Tao, G. Yang, Y. Sun, M. Tomizuka, C. Lai</i>  |     |
| <b>A Novel Tribrachiation Robot for Power Line Inspection and Its Inverse Kinematics Analysis</b>  | 502 |
| <i>D. Yang, Z. Feng, X. Zhang</i>  |     |
| <b>Dynamics Calibration Using Inverse Dynamics and LS Technique - An Application to the Human Body</b>   | 508 |
| <i>G. Venture, M. Gautier</i>  |     |
| <b>Optimal Design of Robotic Manipulators Based on Simultaneously Considering Links and Joints Flexibility</b>                                       | 514 |
| <i>Y. Xiao, W. Dong</i>  |     |
| <b>Design Guidelines Concerning the Destabilizing High-frequency Mode of an Integral Force Feedback-Based Active Damping Unit</b>                    | 520 |
| <i>B. Babakhani, T. Vries, J. Amerongen</i>  |     |
| <b>Motion Control of Electric Vehicles Based on Robust Lateral Tire Force Control Using Lateral Tire Force Sensors</b>                               | 526 |
| <i>K. Nam, H. Fujimoto, Y. Hori</i>  |     |
| <b>Advanced Safety Range Extension Control System for Electric Vehicle with Front and Rear-Active Steering and Left and Right-Force Distribution</b> | 532 |
| <i>H. Fujimoto, H. Sumiya</i>  |     |
| <b>Application of Optimum Tire Force Distribution to Vehicle Motion Control</b>  | 538 |
| <i>C. Wang, S. Cheng, T. Hsiao, W. Chou</i>  |     |
| <b>Online Force Estimation for an Active Suspension Control</b>  | 544 |
| <i>C. Graf, R. Kieneke, J. Maas</i>  |     |
| <b>Understanding Tire/Road Stick-Slip Interactions with Embedded Rubber Force Sensors</b>  | 550 |
| <i>Y. Zhang, A. Allen, J. Yi, T. Liu</i>   |     |
| <b>Quality Factor Enhancement of an Atomic Force Microscope Micro-Cantilever Using Piezoelectric Shunt Control</b>                                   | 556 |
| <i>M. Fairbairn, S. Moheimani</i>  |     |
| <b>Individual Nanowire Handling for NEMS Fabrication</b>   | 562 |
| <i>M. Bartenwerfer, S. Fatikow, H. Zeng, T. Li, Y. Wang</i>  |     |
| <b>Tracking Algorithms for Closed Loop Positioning of Mobile Microrobots</b>   | 568 |
| <i>C. Diederichs, C. Dahmen, M. Bartenwerfer, S. Fatikow</i>   |     |
| <b>A New Method of Force Estimation in Piezoelectric Cantilever-Based Microgripper</b>   | 574 |
| <i>Q. Xu</i>   |     |
| <b>Automatic Assembly of Quartz Tuning Fork and Microcantilever</b>  | 580 |
| <i>C. Cheng, J. Chen, J. Shieh, S. Hung</i>  |     |
| <b>Experiment and Simulation of Micro-Parts Dynamics with Roughness Effect</b>   | 586 |
| <i>P. Le, T. Dinh, A. Mitani, S. Hirai</i>   |     |
| <b>New Closed-Loop Output Error Method for Robot Joint Stiffness Identification with Motor Force/Torque Data</b>                                     | 592 |
| <i>M. Gautier, A. Jubien, A. Janot</i>   |     |
| <b>Rider/Bicycle Pose Estimation with IMU/Seat Force Measurements</b>  | 598 |
| <i>Y. Zhang, F. Liu, M. Trkov, J. Yi</i>   |     |
| <b>A Reflected Laser Line Approach for Industrial Robot Calibration</b>  | 604 |
| <i>E. Nieves, N. Xi, B. Du, Y. Jia</i>   |     |
| <b>Experimental Research on Heat Power Measuring Method Using Cylindraceous Gardon Sensor</b>  | 610 |
| <i>M. Li, Y. Li, J. Wang, Y. Li</i>  |     |
| <b>High Sensitive Stiffness Sensor for Ultrasonic Dental Tool</b>  | 615 |
| <i>C. Yang, W. Lin, S. Chang</i>   |     |

|   |     |
|---|-----|
| <b>Investigating the Effect of Virtual Reality Application on Teaching Assistance for Machine Tools Operation Education .....</b>       | 620 |
| <i>J. Tsai, Y. Kao, R. Lee</i>  |     |
| <b>An Intelligent Virtual Multi-Axis Machine Tool Remote Service System .....</b>   | 626 |
| <i>Y. Kao, M. Chen</i>  |     |
| <b>Development of the Integration of Postprocessor for Five-Axis Machine Tools .....</b>  | 632 |
| <i>C. She, C. Lin, T. Yang</i>  |     |
| <b>Multi-Axis Machining of Helicoids Using the Generating Method.....</b>   | 638 |
| <i>J. Lee, H. Chen, H. Kung</i>   |     |
| <b>Development of the Common Human-Machine Interface for Multi-Axis Machine Tools .....</b>   | 644 |
| <i>S. Liang, J. Hsu, C. Ting</i>  |     |
| <b>Development of Parallel Cutting Simulation with Adaptive Octree Model in Virtual Machine Tool .....</b>                              | 648 |
| <i>R. Lee, K. Mei</i>   |     |
| <b>A Generalized Framework Using Hardware-In-Evaluation-Loop for Design Optimization .....</b>  | 653 |
| <i>J. Ji, K. Lee, K. Bai, S. Zhang</i>  |     |
| <b>Adaptive Robust Tip Tracking Control of a Class of Flexible Beams.....</b>   | 659 |
| <i>Z. Chen, B. Yao, Q. Wang</i>   |     |
| <b>Suboptimal Control Based Output Feedback Assist Control for Flexible Structures .....</b>  | 665 |
| <i>S. Hara, T. Yoshiura, Y. Yamada, Y. Morita</i>   |     |
| <b>Motion Curve Optimization of Intermittent Conveyance Bottling Machine for Reducing Liquid Vibration .....</b>                        | 671 |
| <i>K. Kanazawa, K. Yasuda, N. Kato, K. Yano, T. Nakada</i>  |     |
| <b>A Three-Dimensional Curvature-Based Beam Model for Measuring Mechanical Properties on an Automated Bone Testing System.....</b>      | 677 |
| <i>J. Guo, K. Lee</i>   |     |
| <b>Feasibility Study on Recovering Exhaust Energy from a Vehicle Engine System by a Scroll Expander .....</b>                           | 683 |
| <i>X. Luo, J. Wang, H. Sun, H. Xu</i>   |     |
| <b>Supervision and Control Prototyping for an Engine Exhaust Gas Heat Recovery System Based on a Steam Rankine Cycle.....</b>           | 689 |
| <i>P. Tona, J. Peralez, A. Sciarretta</i>   |     |
| <b>Synchronized Motion Control for 2D Joystick-Based Electric Wheelchair Driven by Two Wheel Motors.....</b>                            | 696 |
| <i>M. Tsai, P. Hsueh</i>  |     |
| <b>Modeling and Experimental Study for Minimization of Energy Consumption of a Mobile Robot .....</b>                                   | 702 |
| <i>S. Liu, D. Sun</i>   |     |
| <b>Design of Active Split Offset Casters Based Omni-Directional Vehicle in High Acceleration Condition .....</b>                        | 708 |
| <i>H. Kim, D. Huan, J. Park, D. Kwon</i>  |     |
| <b>Design and Implementation of an Omnidirectional Spherical Robot Omnicron .....</b>   | 713 |
| <i>W. Chen, C. Chen, W. Yu, C. Lin, P. Lin</i>  |     |
| <b>On the Periodic Symmetric Electrostatic Forcing of a Microcantilever .....</b>   | 719 |
| <i>I. Wickramasinghe, J. Berg</i>   |     |
| <b>Experimental Evaluations of Friction Behavior in Micro-Displacement Region Positioning for Servo Motor with Air Bearings .....</b>   | 725 |
| <i>K. Seki, H. Yokoi, M. Iwasaki</i>  |     |
| <b>A Miniature, High Sensitivity, Surface Micro-Machined Displacement Sensor with High Resolution.....</b>                              | 731 |
| <i>T. Mukherjee, T. Bhattacharyya</i>   |     |
| <b>Integrated Carbon Nanotube-Based Sensor with CMOS Processor for Monitoring Breath .....</b>  | 737 |
| <i>H. Liu, W. Huang, J. Huang</i>   |     |
| <b>A Triple-Axis Fluidic Angular Rate Sensor.....</b>   | 742 |
| <i>T. Dinh, Y. Ogami</i>  |     |
| <b>Optimal Design of the Lever Displacement Amplifiers for a Flexure-Based Dual-Mode Motion Stage .....</b>                             | 747 |
| <i>H. Tang, Y. Li</i>   |     |
| <b>Real and Reactive Power Sensors Based on Fiber Grating.....</b>  | 753 |
| <i>C. Cheng, L. Lin, W. Liu</i>   |     |
| <b>Self-Sensing of Linear Short-Stroke Actuators for Multi-Finger Haptic Interfaces Using Induced High Frequency Oscillations .....</b> | 758 |
| <i>G. Savioz, Y. Perriard</i>   |     |
| <b>Noise Removal of LRF for 3D Map Building Using the Superposition Median Filter.....</b>  | 764 |
| <i>Y. Hwang, H. Kim, J. Lee</i>   |     |
| <b>A Novel Planar 3D Magnetic Position Measurement Methodology Using Linear Hall Sensors .....</b>                                      | 770 |
| <i>L. Chen, J. Hu, Y. Zhu, Z. Gao</i>   |     |

|   |     |
|---|-----|
| <b>3-D Finite Element Modeling of SAW Sensing System for Liquids.....</b>   | 776 |
| <i>T. Bui, D. Tien, T. Duc</i>  |     |
| <b>High-Performance Servo Channel for Nanometer Head Positioning in Tape Systems .....</b>  | 782 |
| <i>G. Cherubini, J. Jelitto</i>   |     |
| <b>Modeling and Estimation of Servo Actuator Dynamic Variability with Application to LTO-Drives .....</b>                         | 790 |
| <i>L. Wang, R. Callafon</i>   |     |
| <b>Developing a Quality Assessment Method for Evaluating Focusing Quality of an LC Lens Used in an Optical Pickup .....</b>       | 796 |
| <i>K. Shih, P. Chao, Y. Kao</i>   |     |
| <b>Reduction of Flying Height Modulation of Hybrid Active Slider - A Nonlinear Control Approach.....</b>                          | 802 |
| <i>L. Huang, G. Sheng, J. Chang</i>   |     |
| <b>Investigation of Unloading Performance for Change of FDB Transient Behavior in Low Temperature .....</b>                       | 806 |
| <i>S. Kim, J. Seo, N. Park, Y. Park, Y. Rhim, K. Park</i>   |     |
| <b>Adaptive Fuzzy Control of Hybrid Active Slider Design with Thermal and Piezoelectric Actuators .....</b>                       | 811 |
| <i>Y. Wang, G. Sheng, J. Xu, J. Chang</i>   |     |
| <b>Design and Development of a Redundant Modular Multipurpose Agricultural Manipulator .....</b>                                  | 817 |
| <i>J. Baur, J. Pfaff, H. Ulbrich, T. Villgrattner</i>   |     |
| <b>Modeling and Analysis of the Predictive Control Effects on Nano-Satellite's Heat-Pipe Thermal System.....</b>                  | 825 |
| <i>Y. Li, M. Li, Y. Wang, J. Wang</i>   |     |
| <b>Clustering of Laser Measurements Via the Dirichlet Process Mixture Model for Object Tracking.....</b>                          | 831 |
| <i>Y. Lee, T. Hsiao, C. Chang</i>   |     |
| <b>Structured Uncertainty Modeling of Position-Dependent Model Variations for an Ultra-Precision Stage.....</b>                   | 837 |
| <i>J. Yang, W. Yin, Y. Zhu, G. Duan</i>   |     |
| <b>Backstepping Aggregated Sliding-Mode Motion Control for Automatic 3D Overhead Cranes .....</b>                                 | 843 |
| <i>C. Tsai, H. Wu, K. Chuang</i>  |     |
| <b>Mobile Robot Localization Using Ceiling Landmarks and Images Captured from an RGB-D Camera .....</b>                           | 849 |
| <i>W. Huang, C. Tsai, H. Lin</i>  |     |
| <b>LQR Motion Control of a Ball-Riding Robot.....</b>   | 855 |
| <i>C. Tsai, C. Chan, L. Kuo</i>   |     |
| <b>PN-WSNA-Based Implementation for Autonomous Mobile Robot Navigation Systems .....</b>  | 861 |
| <i>T. Chen, Y. Kuo, C. Kuo</i>  |     |
| <b>Efficient Generation of Human-Like Kinematics in the Ballistic Phase of Point-To-Point Movement.....</b>                       | 867 |
| <i>J. Shelton, G. Chiu</i>  |     |
| <b>Dynamic Face Recognition System in Recognizing Facial Expressions for Service Robotics .....</b>                               | 873 |
| <i>R. Luo, P. Lin, Y. Wu, C. Huang</i>  |     |
| <b>An Encoding and Identification Approach for the Static Sign Language Recognition.....</b>                                      | 879 |
| <i>F. Chou, Y. Su</i>   |     |
| <b>Tool Path Generation Based on Matching between Teaching Points and CAD Model for Robotic Deburring.....</b>                    | 884 |
| <i>H. Song, B. Kim, J. Song</i>   |     |
| <b>Cooperative Manipulation with Least Number of Robots Via Robust Caging .....</b>   | 890 |
| <i>W. Wan, R. Fukui, M. Shimosaka, T. Sato, Y. Kuniyoshi</i>  |     |
| <b>Robot Collaboration through Agent Cooperation in a Smart Environment .....</b>   | 898 |
| <i>G. Chi, A. Liu, P. Li, P. Zhou</i>   |     |
| <b>Simplified Measurement and Visualization Tool for Crutch Walk Training .....</b>   | 904 |
| <i>N. Tsuda, Y. Sakai, K. Fujii, S. Tarao, Y. Nomura, N. Kato</i>   |     |
| <b>Attitude Control of a Quad-Rotor System Using an Acceleration-Based Disturbance Observer: Empirical Approach .....</b>         | 910 |
| <i>S. Jeong, S. Jung, M. Tomizuka</i>   |     |
| <b>Modeling and Control of a Novel Hydraulic System with Energy Regeneration .....</b>  | 916 |
| <i>T. Wang, Q. Wang</i>   |     |
| <b>Simple Practical Methodology of Designing Novel MRAC Controllers for Nonlinear Plants .....</b>                                | 922 |
| <i>J. Tar, I. Rudas, T. Varkonyi</i>  |     |
| <b>Advanced Off-Line Simulation Framework with Deformation Compensation for High Speed Machining with Robot Manipulators.....</b> | 928 |
| <i>J. Cortsen, H. Petersen</i>  |     |
| <b>Investigating an Iterative Method to Compute Firing Angles for Artillery Projectiles.....</b>                                  | 934 |
| <i>P. Chusilp, W. Charubhun, N. Nutkumhang</i>  |     |
| <b>A Switching Controller for Piezoelectric Microactuators in Dual-Stage Actuator Hard Disk Drives.....</b>                       | 940 |
| <i>J. Zheng, M. Fu</i>  |     |

|  |      |
|--|------|
| <b>The Mechanical Design and Analysis of Parking Auxiliary System with Dual-Prismatic Pair.....</b>  | 946  |
| <i>Y. Chen, C. Tseng, H. Huang, L. Hsu</i>   |      |
| <b>Load Side State Estimation in Robot with Joint Elasticity.....</b>  | 954  |
| <i>W. Chen, M. Tomizuka</i>  |      |
| <b>A Unicycle Device with Human/Electric Hybrid Power Drive and Longitudinal Attitude Control .....</b>  | 960  |
| <i>P. Chen, G. Li, S. Wu, S. Chang</i>   |      |
| <b>Modeling and Control of a Pedaled, Self-Balanced Unicycle .....</b>   | 965  |
| <i>C. Huang, T. Yeh</i>  |      |
| <b>Smooth Gear-Change Control for EV Clutchless Automatic Manual Transmission .....</b>  | 971  |
| <i>C. Yu, C. Tseng, C. Wang</i>  |      |
| <b>Use of a 2D IR Signal Source Tracker to Fulfill 3D Positioning in the Robot Path Control .....</b>  | 977  |
| <i>P. Lu, R. Chen</i>  |      |
| <b>New Approach to Design Control Cone for Electro-Magnetic Proportional Solenoid Actuator .....</b>   | 982  |
| <i>S. Yun, Y. Ham, J. Park</i>   |      |
| <b>An Improved Predictive Current Control for Interior Permanent Magnet Synchronous Motor Drives Based on Current Difference Detection .....</b>                                   | 988  |
| <i>C. Lin, J. Yu, L. Fu, T. Liu, C. Hsiao</i>  |      |
| <b>High Efficient Electrical Discharge Machining Processes Based Upon Linear Motors and Pulses Discriminator Feedback .....</b>  | 994  |
| <i>A. Hsue, M. Yan, C. Chung</i>   |      |
| <b>Hybrid First and Second Order Sliding Mode Control for Permanent Magnet Synchronous Motor .....</b>   | 1000 |
| <i>B. Zhang, Y. Pi</i>   |      |
| <b>Reliable Starting Method for Sensorless Brushless DC Motor Drive .....</b>  | 1005 |
| <i>Y. Fu, L. Huang, R. Lin, C. Chen</i>  |      |
| <b>High Force Density Solenoid Actuator for Aerospace Application .....</b>  | 1011 |
| <i>D. Mahajan, R. Narayanaswamy, S. Bavisetti</i>  |      |
| <b>Adaptive Fuzzy Sliding-Mode Controller with Gaussian Modulated Membership Function on Tracking Trajectory .....</b>   | 1017 |
| <i>Y. Chou, L. Yao</i>   |      |
| <b>Analyses of Chaos Generated by Neural-Network-Differential-Equation for Intelligent Fish-Catching.....</b>  | 1023 |
| <i>T. Tomono, Y. Itou, M. Minami, A. Yanou</i>   |      |
| <b>Spiking Neural Networks for Identification and Control of Dynamic Plants.....</b>   | 1030 |
| <i>R. Abiyev, O. Kaynak, Y. Oniz</i>   |      |
| <b>A Sensorless Position Control for Four-Switch Three-Phase Inverter-Fed Interior Permanent Magnet Synchronous Motor Drive Systems .....</b>                                      | 1036 |
| <i>C. Lin, J. Yu, L. Fu, T. Liu, C. Hsiao</i>  |      |
| <b>Model-Based Predictive Current Control for Four-Switch Three-Phase Inverter-Fed IPMSM with an Adaptive Backstepping Complementary PI Sliding-Mode Position Controller .....</b> | 1042 |
| <i>C. Lin, J. Yu, L. Fu, T. Liu, C. Hsiao</i>  |      |
| <b>Model-Free Predictive Current Controller for Four-Switch Three-Phase Inverter-Fed Interior Permanent Magnet Synchronous Motor Drive Systems.....</b>                            | 1048 |
| <i>C. Lin, J. Yu, L. Fu, T. Liu, C. Hsiao</i>  |      |
| <b>Adaptive Tracking Control for a Motor-Table System .....</b>  | 1054 |
| <i>K. Chen, M. Huang, R. Fung</i>  |      |
| <b>A Novel Curve Fitting Based Discrete Velocity Estimator for High Performance Motion Control .....</b>   | 1060 |
| <i>L. Chen, M. Laffranchi, N. Tsagarakis, D. Caldwell</i>  |      |
| <b>Polynomial Fuzzy Control of a Wheeled Mobile Robot with Control Input Saturation.....</b>   | 1066 |
| <i>G. Yu, C. Chang</i>   |      |
| <b>Real-Time FPGA-Based Template Matching Module for Visual Inspection Application.....</b>  | 1072 |
| <i>J. Chen, K. Hung, H. Lin, Y. Chang, Y. Hwang, C. Yu, C. Hong, C. Wu, Y. Chang</i>   |      |
| <b>Tree-Based Dyna-Q Agent .....</b>   | 1077 |
| <i>K. Hwang, W. Jiang, Y. Chen</i>   |      |
| <b>A Multi-Stage Processing Technique for Character Recognition .....</b>  | 1081 |
| <i>N. Huang, H. Lin</i>  |      |
| <b>Multi-Stage Piezo Stroke Amplifier .....</b>  | 1086 |
| <i>M. Malosio, Z. Gao</i>  |      |
| <b>Development of Bending Soft Actuator with Different Braided Angles .....</b>  | 1093 |
| <i>A. Faudzi, M. Rusydi, M. Razif, I. Nordin, K. Suzumori, S. Wakimoto, D. Hirooka</i>   |      |
| <b>Development and Fundamental Experiments of Rubber Structural Color Sheet with Multi Grating Patterns.....</b>   | 1099 |
| <i>M. Mihara, K. Suzumori, S. Wakimoto</i>   |      |

|  |      |
|--|------|
| <b>Nonlinear Mathematical Model of an Intelligent Pneumatic Actuator (IPA) Systems: Position and Force Controls.....</b> | 1105 |
| <i>A. Faudzi, K. Osman, M. Rahmat, N. Mustafa, M. Azman, K. Suzumori</i>   |      |
| <b>Improving the Maneuverability of Power Assist Valves by Compensation Considering of Posture .....</b>                 | 1111 |
| <i>M. Nakano, T. Tanaka, S. Kaneko</i>   |      |
| <b>Intermittent Wiring Fault Detection and Diagnosis for SSPC Based Aircraft Power Distribution System.....</b>          | 1117 |
| <i>A. Yaramasu, Y. Cao, G. Liu, B. Wu</i>  |      |
| <b>Aircraft Fault Diagnostic and Decision System Based on Improved Artificial Neural Networks.....</b>                   | 1123 |
| <i>Z. Wang, J. Zarader, S. Argentier</i>   |      |
| <b>Fault Detection of Urban Rail Vehicle Suspension System Based on Acceleration Measurements.....</b>                   | 1129 |
| <i>X. Wei, H. Liu, L. Jia</i>  |      |
| <b>Modeling for Early Fault Detection of Intermittent Connections on Controller Area Networks .....</b>                  | 1135 |
| <i>J. Zhao, Y. Lei</i>   |      |
| <b>Industrial Product Information Definition Using Expert Request Modeling .....</b>                                     | 1141 |
| <i>L. Horvath, M. Takacs</i>   |      |
| <b>Multiobjective Dynamic Length Genetic Algorithm to Solve the Emergency Logistic Problem .....</b>                     | 1147 |
| <i>L. Chung, T. Chou, C. Lee</i>   |      |
| <b>Author Index</b>  |      |