

2012 IEEE International Symposium on Information Theory Proceedings

(ISIT 2012)

**Cambridge, Massachusetts, USA
1 – 6 July 2012**

Pages 1-785



**IEEE Catalog Number: CFP12SIF-PRT
ISBN: 978-1-4673-2580-6**

Program

S1.T1: Source Coding with Side Information

Data Processing Lower Bounds for Scalar Lossy Source Codes with Side Information at the Decoder

Avraham Reani (Technion - Israel Institute of Technology, Israel); Neri Merhav (Technion, Israel)
pp. 1-5

Graph-based Code Design for Quadratic-Gaussian Wyner-Ziv Problem with Arbitrary Side Information

Yi-Peng Wei (Graduate Institute of Communication Engineering, National Taiwan University, Taiwan); Shih-Chun Lin (National Taipei University of Technology, Taiwan); Yu-Hsiu Lin (Graduate Institute of Communication Engineering, National Taiwan University, Taiwan); Hsuan-Jung Su (National Taiwan University, Taiwan)
pp. 6-10

Source Coding With Delayed Side Information

Osvaldo Simeone (New Jersey Institute of Technology, USA); Haim H Permuter (Ben-Gurion University, Israel)
pp. 11-15

A Compression Algorithm Using Mis-aligned Side-information

Nan Ma (University of California at Berkeley, USA); Kannan Ramchandran (University of California at Berkeley, USA); David Tse (University of California at Berkeley, USA)
pp. 16-20

S1.T2: Multiple Access Codes

Construction of MIMO MAC Codes Achieving the Pigeon Hole Bound

Toni Ernvall (University of Turku, Finland); Roope Vehkalahti (University of Turku, Finland)
pp. 21-25

On The Sum-Capacity of Gaussian MAC With Peak Constraint

Babak Mamandipoor (University of Waterloo, Canada); Kamyar Moshksar (University of Waterloo, Canada); Amir K. Khandani (University of Waterloo, Canada)
pp. 26-30

Expurgation for Discrete Multiple-Access Channels via Linear Codes

Eli Haim (Tel-Aviv University, Israel); Yuval Kochman (The Hebrew University of Jerusalem, Israel); Uri Erez (Tel Aviv University, Israel)
pp. 31-35

Simpler Achievable Rate Regions for Multiaccess with Finite Blocklength

Ebrahim MolavianJazi (University of Notre Dame, USA); J. Nicholas Laneman (University of Notre Dame, USA)
pp. 36-40

S1.T3: Two-Unicast Networks

On Two Unicast Wireless Networks with Destination-to-Source Feedback

I-Hsiang Wang (EPFL, Switzerland)
pp. 41-45

On Degrees of Freedom of Layered Two Unicast Networks with Delayed CSIT

I-Hsiang Wang (EPFL, Switzerland); Suhas Diggavi (University of California Los Angeles, USA)
pp. 46-50

Sum Secure Degrees of Freedom of Two-Unicast Layered Wireless Networks

Jianwei Xie (University of Maryland, USA); Sennur Ulukus (University of Maryland, USA)
pp. 51-55

Approximate Ergodic Capacity of a Class of Fading 2-user 2-hop Networks

Sang-Woon Jeon (EPFL, Switzerland); Chien-Yi Wang (EPFL, Switzerland); Michael Gastpar (University of California, Berkeley, USA)
pp. 56-60

S1.T4: Secrecy Models in Wiretap Channels

Broadcast Channels with Confidential Messages by Randomness Constrained Stochastic Encoder

Shun Watanabe (Tokushima University, Japan); Yasutada Oohama (University of Electro-Communications, Japan)
pp. 61-65

Secrecy Is Cheap if the Adversary Must Reconstruct

Curt Schieler (Princeton University, USA); Paul Cuff (Princeton University, USA)
pp. 66-70

Imperfect Secrecy in Wiretap Channel II

Fan Cheng (The Chinese University of Hong Kong, Hong Kong); Raymond W. Yeung (The Chinese University of Hong Kong, Hong Kong); Kenneth W. Shum (Institute of Network Coding, Hong Kong)
pp. 71-75

Strong Secrecy in Compound Broadcast Channels with Confidential Messages

Rafael F. Wyrembelski (Technische Universität München, Germany); Holger Boche (Technical University Munich, Germany)
pp. 76-80

S1.T5: List Decoding and Reed-Solomon Codes

Burst list decoding of interleaved Reed-Solomon codes

Tom Kolan (Technion, Israel); Ron M. Roth (Technion, Israel)
pp. 81-85

List Decoding Algorithms based on Gröbner Bases for General One-Point AG Codes

Olav Geil (Aalborg University, Denmark); Ryutaroh Matsumoto (Tokyo Institute of Technology, Japan); Diego Ruano (Aalborg University, Denmark)
pp. 86-90

An algorithm for list decoding number field codes

Jean-Francois Biasse (University of Calgary, Canada); Guillaume Quintin (Ecole Polytechnique, France)
pp. 91-95

A Lifting Decoding Scheme and its Application to Interleaved Linear Codes

Guillaume Quintin (Ecole Polytechnique, France)
pp. 96-100

S1.T6: Combinatorial Problems in Coding

Translation association schemes, poset metrics, and the shape enumerator of codes

Alexander Barg (University of Maryland, USA); Marcelo Firer (State University of Campinas - UNICAMP, Brazil)
pp. 101-105

On the Uncertainty of Information Retrieval in Associative Memories

Eitan Yaakobi (Caltech, USA); Jehoshua Bruck (California Institute of Technology, USA)
pp. 106-110

On q -ary antipodal matchings and applications

Erik Ordentlich (Hewlett-Packard Laboratories, USA); Ron M. Roth (Technion, Israel); Gadiel Seroussi (Hewlett-Packard Laboratories, USA)
pp. 111-115

Optimal Family of q -ary Codes Obtained From a Substructure of Generalised Hadamard Matrices

Carl Bracken (Nanyang Technological University & CCRG, Singapore); Yeow Meng Chee (Nanyang Technological University, Singapore); Punarbasu Purkayastha (Nanyang Technological University, Singapore)
pp. 116-119

S1.T7: Gaussian Channels

High-Rate Sparse Superposition Codes with Iteratively Optimal Estimates

Andrew R Barron (Yale University, USA); Sanghee Cho (Yale University, USA)
pp. 120-124

The Capacity of the Multi-MMSE Constrained Gaussian Channel

Ronit Bustin (Technion - Israel Institute of Technology, Israel); Shlomo (Shitz) Shamai (The Technion, Israel)
pp. 125-129

Expurgated Infinite Constellations at Finite Dimensions

Amir Ingber (Stanford University, USA); Ram Zamir (Tel Aviv University, Israel)
pp. 130-134

The Capacity Loss of Dense Constellations

Tobias Koch (Universidad Carlos III de Madrid, Spain); Alfonso Martinez (Universitat Pompeu Fabra, Spain); Albert Guillén i Fàbregas (ICREA and Universitat Pompeu Fabra & University of Cambridge, Spain)
pp. 135-139

S1.T8: Information Theoretic Tools and Properties

On Optimum Strategies for Minimizing the Exponential Moments of a Loss Function

Neri Merhav (Technion, Israel)
pp. 140-144

On the equivalence between Stein identity and de Bruijn identity

Sangwoo Park (Texas A&M University, USA); Erchin Serpedin (Texas A&M University, USA); Khalid A. Qaraqe (Texas A&M University at Qatar, USA)
pp. 145-149

Minimization of Entropy Functionals Revisited

Imre Csiszár (Renyi Institute, Hungarian Academy of Science, Hungary); Frantisek Matúš (Academy of Sciences of the Czech Republic & Institute of Information Theory and Automation, Czech Republic)
pp. 150-154

Shannon Entropy Convergence Results in the Countable Infinite Case

Jorge Silva (University of Chile, Chile); Patricio Parada (Universidad de Chile, Chile)
pp. 155-159

S1.T9: Theory of Quantum Error Correction

Sphere Packing Bound for Quantum Channels

Marco Dalai (University of Brescia, Italy)
pp. 160-164

Stabilizer Codes over Frobenius Rings

Sushma Nadella (Texas A&M University, USA); Andreas Klappenecker (Texas A&M University, USA)
pp. 165-169

Nice Nearrings

Andreas Klappenecker (Texas A&M University, USA)
pp. 170-173

S2.T1: Network Source Coding with Side Information

A General Formula of Rate-Distortion Functions for Source Coding with Side Information at Many Decoders

Tetsunao Matsuta (Tokyo Institute of Technology, Japan); Tomohiko Uyematsu (Tokyo Institute of Technology, Japan)
pp. 174-178

On the Heegard-Berger Problem with Common Reconstruction Constraints

Behzad Ahmadi (New Jersey Institute of Technology, USA); Ravi Tandon (Virginia Tech, USA); Osvaldo Simeone (New Jersey Institute of Technology, USA); H. Vincent Poor (Princeton University, USA)
pp. 179-183

Distributed and Cascade Lossy Source Coding with a Side Information "Vending Machine"

Behzad Ahmadi (New Jersey Institute of Technology, USA); Osvaldo Simeone (New Jersey Institute of Technology, USA)
pp. 184-188

Information Masking and Amplification: The Source Coding Setting

Thomas Courtade (UCLA, USA)
pp. 189-193

S2.T2: Variations on Broadcast Channels

Multiple Description Coding Based Compress-and-Forward for the Broadcast Relay Channel

Seçkin Anil Yıldırım (Hacettepe University, Turkey); Melda Yuksel (TOBB University of Economics and Technology, Turkey)
pp. 194-198

Broadcast Correlated Gaussians: the Vector-Scalar Case

Lin Song (McMaster University, Canada); Jun Chen (McMaster University, Canada); Chao Tian (AT&T Labs - Research, USA)
pp. 199-203

Quadratic Gaussian Source Broadcast with Individual Bandwidth Mismatches

Louis Tan (University of Toronto, Canada); Ashish Khisti (University of Toronto, Canada); Emina Soljanin (Bell Labs, Alcatel - Lucent, USA)
pp. 204-208

The Broadcast Approach Under Mixed Delay Constraints

Kfir M. Cohen (Technion, Israel); Avi Steiner (Technion, Israel); Shlomo (Shitz) Shamai (The Technion, Israel)
pp. 209-213

S2.T3: Multi-Hop Multi-Flow Wireless Networks

Is Gaussian Noise the Worst-Case Additive Noise in Wireless Networks?

Ilan Shomorony (Cornell University, USA); Salman Avestimehr (Cornell University, USA)

pp. 214-218

Optimized Flow Allocation for Anonymous Communication in Multipath Wireless Networks

Chouchang Yang (University of Washington, USA); Basel Alomair (King Abdulaziz City for Science and Technology, Saudi Arabia); Radha Poovendran (University of Washington, USA)

pp. 219-223

Can geographic routing scale when nodes are mobile?

Dinesh Ramasamy (University of California, Santa Barbara, USA); Upamanyu Madhow (University of California, Santa Barbara, USA)

pp. 224-228

An Asymptotically Optimal Push-Pull Method for Multicasting over a Random Network

Vasuki Swamy (IIT Madras, India); Rajesh Sundaresan (Indian Institute of Science, India); Pramod Viswanath (University of Illinois, Urbana-Champaign, USA)

pp. 229-233

S2.T4: Wiretap Channels with Feedback, Side Information, and Common Messages

Broadcasting over Fading Wiretap Channels

Yingbin Liang (Syracuse University, USA); Lifeng Lai (Worcester Polytechnic Institute, USA); H. Vincent Poor (Princeton University, USA); Shlomo (Shitz) Shamai (The Technion, Israel)

pp. 234-238

On the Ergodic Secret Message Capacity of the Wiretap Channel with Finite-Rate Feedback

Zouheir Rezki (King Abdullah University of Science and Technology (KAUST), Saudi Arabia); Ashish Khisti (University of Toronto, Canada); Mohamed-Slim Alouini (King Abdullah University of Science and Technology (KAUST), Saudi Arabia)

pp. 239-243

Capacity Region of Non-degraded Wiretap Channel with Noiseless feedback

Bin Dai (Shanghai Jiaotong University, P.R. China); Han Vinck (University of Duisburg-Essen, Germany); Yuan Luo (Shanghai Jiao Tong University & Waterloo University, P.R. China); Zhuojun Zhuang (Shanghai Jiao Tong University, P.R. China)

pp. 244-248

An Achievable Region for the Wiretap Multiple-Access Channel with Common Message

Moritz Wiese (Technische Universität München, Germany); Holger Boche (Technical University Munich, Germany)

pp. 249-253

S2.T5: Reed-Muller Codes

Projected Subcodes of the second order binary Reed-Muller Code

Matthieu Legeay (University of Rennes 1 & IRMAR, France); Pierre Loidreau (Université de Rennes 1 & CELAr, France)
pp. 254-258

Spherically punctured biorthogonal codes

Ilya Dumer (University of California at Riverside, USA); Olga Kapralova (University of California, Riverside, USA)
pp. 259-263

Multiplicative secret sharing schemes from Reed-Muller type codes

Iwan Duursma (UIUC, USA); Jiashun Shen (University of Illinois, USA)
pp. 264-268

Partial Permutation Decoding for Abelian Codes

José Bernal-Buitrago (University of Murcia, Spain); Juan Simón (Universidad de Murcia, Spain)
pp. 269-273

S2.T6: Constrained Coding

On embedding conditions of shifts of finite type into the Fibonacci-Dyck shift

Hiroshi Fujisaki (Kanazawa University, Japan)
pp. 274-278

Approximately Counting the Number of Constrained Arrays via the Sum-Product Algorithm

Farzad Parvaresh (Hewlett-Packard, USA); Pascal Vontobel (HP Labs, USA)
pp. 279-283

On Codes for Structured Bursts

Luis A Lastras-Montaño (IBM TJ Watson Research Center & IBM Corporation, USA); Mario Blaum (IBM Almaden Research Center, USA)
pp. 284-288

Erasure Coding for Real-Time Streaming

Derek Leong (California Institute of Technology, USA); Tracey Ho (California Institute of Technology, USA)
pp. 289-293

S2.T7: Capacity of Gaussian Channels

On the Capacity of Additive White Alpha-Stable Noise Channels

Jihad Fahs (American University of Beirut, Lebanon); Ibrahim Abou-Faycal (American University of Beirut, Lebanon)
pp. 294-298

Bounds on the Capacity of the Additive Inverse Gaussian Noise Channel

Hui-Ting Chang (National Chiao Tung University (NCTU), Taiwan); Stefan M. Moser (National Chiao Tung University NCTU, Taiwan)
pp. 299-303

Achievable Rates of Gaussian Channels with Realistic Duty Cycle and Power Constraints

Hui Li (University of Science and Technology of China, P.R. China); Dongning Guo (Northwestern University, USA)
pp. 304-308

An Efficient Algorithm to Calculate BICM Capacity

Georg Böcherer (Technische Universität München, Germany); Fabian Altenbach (RWTH Aachen University, Germany); Alex Alvarado (University of Cambridge, United Kingdom); Steven Corroy (RWTH Aachen University, Germany); Rudolf Mathar (RWTH Aachen University, Germany)
pp. 309-313

S2.T8: Distributed Detection and Estimation

Quantization Effect On Second Moment of Log-Likelihood Ratio and Its Application to Decentralized Sequential Detection

Yan Wang (Georgia Institute of Technology, USA); Yajun Mei (Georgia Institute of Technology, USA)
pp. 314-318

The sufficiency principle for decentralized data reduction

Ge Xu (Syracuse University, USA); Biao Chen (Syracuse University, USA)
pp. 319-323

Nonparametric Decentralized Detection Based on Weighted Count Kernel

Jiayao Hu (Syracuse University, USA); Yingbin Liang (Syracuse University, USA); Eric P Xing (Carnegie Mellon University, USA)
pp. 324-328

Distributed Estimation in Multi-Agent Networks

Lalitha Sankar (Princeton University, USA); H. Vincent Poor (Princeton University, USA)
pp. 329-333

S2.T9: Quantum Codes from Classical Codes,

Quantum polar codes for arbitrary channels

Mark M Wilde (McGill University, Canada); Joseph M Renes (ETH Zurich, Switzerland)
pp. 334-338

A Construction of Quantum Codes via A Class of Classical Polynomial Codes

Lingfei Jin (Nanyang Technological University, Singapore); Chaoping Xing (Nanyang Technological University, Singapore)

pp. 339-342

Quantum LDPC codes obtained by non-binary constructions

Iryna Andriyanova (ENSEA/UCP/CNRS, France); Denise Maurice (INRIA, France);
Jean-Pierre Tillich (INRIA Rocquencourt, France)

pp. 343-347

Improved quantum hypergraph-product LDPC codes

Alexey Kovalev (University California, Riverside, USA); Leonid Pryadko (University
California, Riverside, USA)

pp. 348-352

S3.T1: Lossy Source Coding

On Real-Time and Causal Secure Source Coding

Yonatan Kaspi (Technion, Israel Institute of Technology, Israel); Neri Merhav
(Technion, Israel)

pp. 353-357

Rate-Distortion Behavior at Low Distortion for Densely Sampled Gaussian Data

David L Neuhoff (University of Michigan, USA); Sandeep Pradhan (University
Michigan, USA)

pp. 358-362

Pointwise lossy source coding theorem for sources with memory

Barlas Oğuz (University of California, Berkeley, USA); Venkat Anantharam (University
of California at Berkeley, USA)

pp. 363-367

Gaussian Rate-Distortion via Sparse Linear Regression over Compact Dictionaries

Ramji Venkataramanan (Yale University, USA); Antony Joseph (Yale University, USA);
Sekhar Tatikonda (Yale University, USA)

pp. 368-372

Lossy Source Coding via Spatially Coupled LDGM Ensembles

Vahid Aref (École Polytechnique Federale de Lausanne, Switzerland); Nicolas Macris
(EPFL, Switzerland); Ruediger L Urbanke (EPFL, Switzerland); Marc Vuffray (EPFL,
Switzerland)

pp. 373-377

S3.T2: Three-Receiver Broadcast Channels

On Three-Receiver More Capable Channels

Chandra Nair (Chinese University of Hong Kong, Hong Kong); Lingxiao Xia (Chinese
University of Hong Kong, Hong Kong)

pp. 378-382

***The Capacity Region of Some Classes of Parallel Degraded Broadcast Channels with
Three Receivers and Three-Degraded Message Sets***

Hon Fah Chong (Institute for Infocomm Research, Singapore); Ying-Chang Liang
(Institute for Infocomm Research, Singapore)

pp. 383-387

Broadcast Capacity Regions with Three Receivers and Message Cognition

Tobias J. Oechtering (KTH Royal Institute of Technology & School of Electrical Engineering, EE, Sweden); Michele A Wigger (Telecom ParisTech, France); Roy Timo (University of South Australia, Australia)

pp. 388-392

Three-Receiver Broadcast Channels with Side Information

Saeed Hajizadeh (Ferdowsi University of Mashhad, Iran); Ghosheh Abed Hodtani (Ferdowsi University of Mashhad, Mashhad, Iran)

pp. 393-397

Is Non-Unique Decoding Necessary?

Shirin Saeedi Bidokhti (EPFL, Switzerland); Vinod M Prabhakaran (Tata Institute of Fundamental Research, India); Suhas Diggavi (University of California Los Angeles, USA)

pp. 398-402

S3.T3: *-and-Forward Relaying

Blind Compute-and-Forward

Chen Feng (University of Toronto, Canada); Danilo Silva (Federal University of Santa Catarina, Brazil); Frank R. Kschischang (University of Toronto, Canada)

pp. 403-407

Rateless Coded Hybrid Amplify/Decode-Forward Cooperation for Wireless Multicast

Talha Ahmed Khan (LUMS School of Science & Engineering, Pakistan); Momin Uppal (Lahore University of Management Sciences, Pakistan); Anders Høst-Madsen (University of Hawaii, USA); Zixiang Xiong (Texas A&M University, USA)

pp. 408-412

Dynamic QMF for Half-Duplex Relay Networks

Ayfer Özgür (Stanford University, Switzerland); Suhas Diggavi (University of California Los Angeles, USA)

pp. 413-417

Joint Optimization of The Transmit Covariance and The Relay Precoder in General Gaussian Amplify-and-Forward Relay Channels

Ramy Gohary (Carleton University, Canada); Halim Yanikomeroglu (Carleton University, Canada)

pp. 418-422

Layered Quantize-Forward For The Two-Way Relay Channel

Hieu T. Do (Royal Institute of Technology (KTH), Sweden); Tobias J. Oechtering (KTH Royal Institute of Technology & School of Electrical Engineering, EE, Sweden); Mikael Skoglund (KTH Royal Institute of Technology, Sweden)

pp. 423-427

S3.T4: Secure Communications

Broadcasting Private Messages Securely

László Czap (Ecole Polytechnique Fédérale de Lausanne, EPFL, Switzerland); Vinod M Prabhakaran (Tata Institute of Fundamental Research, India); Suhas Diggavi (University of California Los Angeles, USA); Christina Fragouli (EPFL, Switzerland)
pp. 428-432

On Private Broadcasting over Independent Parallel Channels

Ashish Khisti (University of Toronto, Canada); Tie Liu (Texas A&M University, USA)
pp. 433-437

Degraded Broadcast Channel with Noncausal Side Information, Confidential Messages and Noiseless Feedback

Bin Dai (Shanghai Jiaotong University, P.R. China); Han Vinck (University of Duisburg-Essen, Germany); Yuan Luo (Shanghai Jiao Tong University & Waterloo University, P.R. China); Zhuojun Zhuang (Shanghai Jiao Tong University, P.R. China)
pp. 438-442

On Optimal Signaling over Secure MIMO Channels

Sergey Loyka (University of Ottawa, Canada); Charalambos D Charalambous (University of Cyprus, Cyprus)
pp. 443-447

Square Root Law for Communication with Low Probability of Detection on AWGN Channels

Boulat Bash (University of Massachusetts, USA); Dennis Goeckel (University of Massachusetts, USA); Don Towsley (University of Massachusetts at Amherst, USA)
pp. 448-452

S3.T5: Spatially-Coupled Coding

Spatially Coupled Ensembles Universally Achieve Capacity under Belief Propagation

Shrinivas Kudekar (Los Alamos National Laboratory, USA); Thomas Richardson (Qualcomm Flarion Inc., USA); Ruediger L Urbanke (EPFL, Switzerland)
pp. 453-457

How to Prove the Maxwell Conjecture Via Spatial Coupling - A Proof of Concept

Andrei Giurgiu (EPFL, Switzerland); Nicolas Macris (EPFL, Switzerland); Ruediger L Urbanke (EPFL, Switzerland)
pp. 458-462

Spatially-Coupled Binary MacKay-Neal Codes for Channels with Non-Binary Inputs and Affine Subspace Outputs

Kenta Kasai (Tokyo Institute of Technology, Japan); Takayuki Nozaki (Tokyo Institute of Technology, Japan); Kohichi Sakaniwa (Tokyo Institute of Technology, Japan)
pp. 463-467

Improving Spatially Coupled LDPC Codes by Connecting Chains

Dmitri Truhachev (University of Alberta, Canada); David G. M. Mitchell (University of Notre Dame, USA); Michael Lentmaier (Dresden University of Technology, Germany); Daniel J. Costello, Jr. (University of Notre Dame, USA)

pp. 468-472

Distance Spectrum Estimation of LDPC Convolutional Codes

Hua Zhou (Vienna University of Technology, Austria); David G. M. Mitchell (University of Notre Dame, USA); Norbert Goertz (Vienna University of Technology, Austria); Daniel J. Costello, Jr. (University of Notre Dame, USA)

pp. 473-477

S3.T6: Codes and Their Applications

Spatially-Coupled Random Access on Graphs

Gianluigi Liva (DLR - German Aerospace Center, Germany); Enrico Paolini (DEI, University of Bologna, Italy); Michael Lentmaier (Dresden University of Technology, Germany); Marco Chiani (University of Bologna, Italy)

pp. 478-482

Biff (Bloom Filter) Codes: Fast Error Correction for Large Data Sets

Michael Mitzenmacher (Harvard University, USA); George Varghese (University of California at San Diego, USA)

pp. 483-487

Distributed Rateless Coding with Cooperative Sources

Mahyar Shirvanimoghaddam (University of Sydney, Australia); Yonghui Li (University of Sydney, Australia); Branka Vucetic (The University of Sydney, Australia)

pp. 488-492

On Matching Short LDPC Codes with Spectrally-Efficient Modulation

Stefan Nowak (TU Dortmund University, Germany); Ruediger Kays (Dortmund University of Technology, Germany)

pp. 493-497

On the Power Transfer of Error-Control Codes for RFID Communications

Guang Yang (University of Bergen, Norway); Eirik Rosnes (University of Bergen, Norway); Angela Isabel Barbero (University of Valladolid, Spain); Øyvind Ytrehus (University of Bergen, Norway)

pp. 498-502

S3.T7: Deletion Channels

A characterization of the number of subsequences obtained via the deletion channel

Yuval Liron (The Open University of Israel, Israel); Michael Langberg (Open University of Israel, Israel)

pp. 503-507

Adaptive Synchronization Marker for Insertion/Deletion/Substitution Error Correction

Masato Inoue (Tokyo Institute of Technology, Japan); Haruhiko Kaneko (Tokyo Institute of Technology, Japan)

pp. 508-512

A Coloring Approach to Constructing Deletion Correcting Codes from Constant Weight Subgraphs

Daniel F Cullina (University of Illinois at Urbana-Champaign, USA); Ankur Kulkarni (University of Illinois at Urbana-Champaign, USA); Negar Kiyavash (University of Illinois at Urbana-Champaign, USA)

pp. 513-517

Mutual Information for a Deletion Channel

Michael Drmota (Institute for Discrete Mathematics and Geometry, Austria); Wojciech Szpankowski (Purdue University, USA); Krishnamurthy Viswanathan (Hewlett Packard, USA)

pp. 2561-2565

S3.T8: Directed Information, Common Information, and Divergence

Directed Information on Abstract Spaces: Properties and Extremum Problems

Charalambos D Charalambous (University of Cyprus, Cyprus); Photios A. Stavrou (University of Cyprus, Cyprus)

pp. 518-522

Universal Estimation of Directed Information via Sequential Probability Assignments

Jiantao Jiao (Tsinghua University, P.R. China); Haim H Permuter (Ben-Gurion University, Israel); Lei Zhao (Stanford University, USA); Young-Han Kim (UCSD, USA); Tsachy Weissman (Stanford University, USA)

pp. 523-527

Lossy Common Information of Two Dependent Random Variables

Kumar Viswanatha (UCSB, USA); Emrah Akyol (UCSB, USA); Kenneth Rose (University of California, Santa Barbara, USA)

pp. 528-532

Information Divergence is more chi square distributed than the chi squared statistics

Peter Harremoës (Niels Brock, Copenhagen Business College, Denmark); Gábor Tusnády (Rényi Institute of Mathematics, Hungary)

pp. 533-537

Application of Information-Type Divergences to Constructing Multiple-priors and Variational Preferences

Amir Ahmadi-Javid (Amirkabir University of Technology, Iran)

pp. 538-540

S3.T9: Communication Problems in Quantum Optics

The Ultimate Limits of Optical Communication Efficiency with Photon-Counting Receivers

Sam Dolinar (Jet Propulsion Laboratory, USA); Baris I Erkmen (Jet Propulsion Laboratory, USA); Bruce Moision (Jet Propulsion Laboratory, USA); Kevin Birnbaum (Jet propulsion Laboratory (JPL), USA); Dariush Divsalar (Jet Propulsion Laboratory, USA)

pp. 541-545

Polar coding to achieve the Holevo capacity of a pure-loss optical channel

Saikat Guha (Raytheon BBN Technologies, USA); Mark M Wilde (McGill University, Canada)
pp. 546-550

Explicit capacity-achieving receivers for optical communication and quantum reading

Mark M Wilde (McGill University, Canada); Saikat Guha (Raytheon BBN Technologies, USA); Si-Hui Tan (Data Storage Institute, Singapore); Seth Lloyd (MIT, USA)
pp. 551-555

Quantum M-ary Phase Shift Keying

Ranjith Nair (National University of Singapore, Singapore); Brent J Yen (National University of Singapore, Singapore); Saikat Guha (Raytheon BBN Technologies, USA); Jeffrey H. Shapiro (Massachusetts Institute of Technology, USA); Stefano Pirandola (University of York, United Kingdom)
pp. 556-560

S4.T1: The Slepian-Wolf and CEO Problems

On Lossless Universal Compression of Distributed Identical Sources

Ahmad Beirami (Georgia Institute of Technology, USA); Faramarz Fekri (Georgia Institute of Technology, USA)
pp. 561-565

Polar Coding for the Slepian-Wolf Problem Based on Monotone Chain Rules

Erdal Arıkan (Bilkent University, Turkey)
pp. 566-570

On the Vector Gaussian L-Terminal CEO Problem

Jia Wang (Shanghai Jiao Tong University, P.R. China); Jun Chen (McMaster University, Canada)
pp. 571-575

An Outer Bound for the Vector Gaussian CEO Problem

Ersen Ekrem (University of Maryland, USA); Sennur Ulukus (University of Maryland, USA)
pp. 576-580

S4.T2: Capacity of Broadcast Channels

On Marton's inner bound for broadcast channels

Amin Aminzadeh Gohari (Sharif University of Technology, Iran); Chandra Nair (Chinese University of Hong Kong, Hong Kong); Venkat Anantharam (University of California at Berkeley, USA)
pp. 581-585

The capacity region of the two-receiver vector Gaussian broadcast channel with private and common messages

Yanlin Geng (Chinese University of Hong Kong, Hong Kong); Chandra Nair (Chinese University of Hong Kong, Hong Kong)
pp. 586-590

The State-Dependent Semideterministic Broadcast Channel

Amos Lapidoth (ETHZ, Switzerland); Ligong Wang (Massachusetts Institute of Technology, USA)
pp. 591-595

The Degraded Broadcast Channel with Action-Dependent States

Yossef Steinberg (Technion, Israel); Tsachy Weissman (Stanford University, USA)
pp. 596-600

S4.T3: Connectivity and Interference

Percolation in Directed Random Geometric Graphs

Olivier Dousse (Nokia Research Center, Switzerland)
pp. 601-605

Power Optimization on a Network: The effects of randomness

Aris Moustakas (University of Athens, Greece); Nicholas Bambos (Stanford University, USA)
pp. 606-610

Cooperation versus Interference in Large Wireless Relay Networks

Andrés Altieri (University of Buenos Aires, Argentina); Leonardo Rey Vega (University of Buenos Aires, Facultad de Ingeniería, Argentina); Cecilia G. Galarza (University of Buenos Aires, Argentina); Pablo Piantanida (SUPELEC, France)
pp. 611-615

Interference and Throughput in Aloha-based Ad Hoc Networks with Isotropic Node Distribution

Ralph Tanbourgi (Karlsruhe Institute of Technology (KIT), Germany); Holger Jäkel (Karlsruhe Institute of Technology (KIT), Germany); Leonid Chaichenets (Karlsruhe Institute of Technology, Germany); Friedrich K. Jondral (Karlsruhe Institute of Technology, Germany)
pp. 616-620

S4.T4: Structured Codes

Capacity Achieving Linear Codes with Random Binary Sparse Generating Matrices over the Binary Symmetric Channel

Abbasali Makhdoumi Kakhaki (MIT & RLE, USA); Hossein Karkeh Abadi (Stanford University, USA); Pedram Pad (Sharif University of Technology, Iran); Hamid Saeedi (Tarbiat Modarres University, Iran); Farokh Marvasti (Sharif university of Technology, Iran); Kasra Alishahi (Sharif University, Iran)
pp. 621-625

Nested Lattice Codes for Arbitrary Continuous Sources and Channels

Aria Ghasemian Sahebi (University of Michigan, USA); Sandeep Pradhan (University Michigan, USA)
pp. 626-630

Codes Over Non-Abelian Groups: Point-to-Point Communications and Computation Over MAC

Aria Ghasemian Sahebi (University of Michigan, USA); Sandeep Pradhan (University Michigan, USA)
pp. 631-635

Efficient Decoding of Permutation Codes Obtained from Distance Preserving Maps

Yeow Meng Chee (Nanyang Technological University, Singapore); Punarbasu Purkayastha (Nanyang Technological University, Singapore)
pp. 636-640

S4.T5: Codes on Graphs

Observability, Controllability and Local Reducibility of Linear Codes on Graphs

David Forney (MIT, USA); Heide Gluesing-Luerssen (University of Kentucky, USA)
pp. 641-645

Reducing complexity of tail-biting trellises

Heide Gluesing-Luerssen (University of Kentucky, USA); David Forney (MIT, USA)
pp. 646-650

A Graphical Revisit of the Krawtchouk Transform

Yongyi Mao (University of Ottawa, Canada); Terence H. Chan (University of South Australia, Australia)
pp. 651-655

A Factor-Graph Representation of Probabilities in Quantum Mechanics

Hans-Andrea Loeliger (ETH Zurich, Switzerland); Pascal Vontobel (HP Labs, USA)
pp. 656-660

S4.T6: Identifying Codes and Power Line Communications

Importance of Symbol Equity in Coded Modulation for Power Line Communications

Yeow Meng Chee (Nanyang Technological University, Singapore); Han Mao Kiah (Nanyang Technological University, Singapore); Punarbasu Purkayastha (Nanyang Technological University, Singapore); Chengmin Wang (Nanyang Technological University, Singapore)
pp. 661-665

Optimal Equitable Symbol Weight Codes for Power Line Communications

Yeow Meng Chee (Nanyang Technological University, Singapore); Han Mao Kiah (Nanyang Technological University, Singapore); Alan Ling (University of Vermont, USA); Chengmin Wang (Nanyang Technological University, Singapore)
pp. 666-670

Codes for Locating Objects in Sensor Networks

Ville Junnila (University of Turku, Finland); Tero K Laihonen (University of Turku, Finland); Aline Parreau (University of Joseph Fourier, France)
pp. 671-675

New lower bounds for identifying codes in infinite grids

Ville Junnila (University of Turku, Finland); Tero K Laihonen (University of Turku, Finland)
pp. 676-680

S4.T7: Capacity of Finite-Alphabet Channels

Improved Upper Bounds on the Capacity of Binary Channels with Causal Adversaries

Bikash K Dey (Indian Institute of Technology Bombay, India); Sidharth Jaggi (Chinese University of Hong Kong, Hong Kong); Michael Langberg (Open University of Israel, Israel); Anand D. Sarwate (Toyota Technological Institute at Chicago, USA)
pp. 681-685

Finding the Capacity of a Quantized Binary-Input DMC

Brian Michael Kurkoski (Japan Advanced Institute of Science and Technology (JAIST), Japan); Hideki Yagi (University of Electro-Communications, Japan)
pp. 686-690

On the Capacity of Binary Input Symmetric q -ary Output Channels with Synchronization Errors

Mojtaba Rahmati (Arizona State University, USA); Tolga M. Duman (Arizona State University, USA)
pp. 691-695

Mutual Information and Relative Entropy over the Binomial and Negative Binomial Channels

Camilo G. Taborda (Universidad Carlos III de Madrid, Spain); Fernando Pérez-Cruz (Universidad Carlos III de Madrid, Spain)
pp. 696-700

S4.T8: Information and Estimation

Pointwise Relations between Information and Estimation in Gaussian Noise

Kartik Venkat (Stanford University, USA); Tsachy Weissman (Stanford University, USA)
pp. 701-705

Estimation with a helper who knows the interference

Yeow-Khiang Chia (Stanford University, USA); Rajiv Soundararajan (University of Texas, Austin, USA); Tsachy Weissman (Stanford University, USA)
pp. 706-710

Rate Distortion Codes for the Collective Estimation from Independent Noisy Observations

Tatsuto Murayama (NTT, Japan); Peter Davis (Telecognix Corporation, Japan)

pp. 711-715

Mismatched MMSE Estimation of Multivariate Gaussian Sources

Iñaki Esnaola (Princeton University, USA); Antonia Tulino (Bell Labs, USA); H. Vincent Poor (Princeton University, USA)

pp. 716-720

S4.T9: Quantum Channels in Network Information Theory

Classical codes for quantum broadcast channels

Ivan Savov (McGill University, Canada); Mark M Wilde (McGill University, Canada)
pp. 721-725

Capacities of classical compound quantum wiretap and classical quantum compound wiretap channels

Minglai Cai (University Bielefeld, Germany); Ning Cai (Xidian University, P.R. China); Christian Deppe (University of Bielefeld, Germany)
pp. 726-730

Partial decode-forward for quantum relay channels

Ivan Savov (McGill University, Canada); Mark M Wilde (McGill University, Canada); Mai Vu (McGill University, Canada)
pp. 731-735

Achieving the Han-Kobayashi inner bound for the quantum interference channel

Pranab Sen (Tata Institute of Fundamental Research, India)
pp. 736-740

S5.T5: Coding for L1 Distance and Asymmetric Errors

On Symmetric L1 distance error control codes and elementary symmetric functions

Luca G. Tallini (Università di Teramo, Italy); Bella Bose (Oregon State University, USA)
pp. 741-745

On symmetric/asymmetric Lee distance error control codes and elementary symmetric functions

Luca G. Tallini (Università di Teramo, Italy); Bella Bose (Oregon State University, USA)
pp. 746-750

New Constructions of Codes for Asymmetric Channels via Concatenation

Markus Grassl (Centre for Quantum Technologies (CQT) & National University of Singapore, Singapore); Peter Shor (MIT, USA); Graeme Smith (IBM T. J. Watson Research Centre, USA); John Smolin (IBM T. J. Watson Research Center, USA); Bei Zeng (University of Guelph, Canada)
pp. 751-755

S5.T1: Multiterminal Source Coding

The Effect of Zero-rate Encoders in the Multi-terminal Source Coding Problem

Badri N Vellambi (University of South Australia, Australia)

pp. 756-760

Multiterminal Source Coding under Logarithmic Loss

Thomas Courtade (UCLA, USA); Tsachy Weissman (Stanford University, USA)

pp. 761-765

On Cooperation in Multi-Terminal Computation and Rate Distortion

Milad Sefidgaran (Telecom ParisTech, France); Aslan Tchamkerten (Telecom

ParisTech, France)

pp. 766-770

Polynomials and Computing Functions of Correlated Sources

Sheng Huang (KTH Royal Institute of Technology, Sweden); Mikael Skoglund (KTH

Royal Institute of Technology, Sweden)

pp. 771-775

S5.T2: Relay Channels

An upper bound on relaying over capacity

Feng Xue (Intel Corporation, USA)

pp. 776-780

Buffer-Aided Relaying in a Three Node Network

Nikola Zlatanov (University of British Columbia, Canada); Robert Schober (University of British Columbia, Canada); Lutz Lampe (University of British Columbia, Canada)

pp. 781-785

The Capacity Region of Restricted Multi-Way Relay Channels with Deterministic Uplinks

Lawrence Ong (The University of Newcastle, Australia); Sarah J Johnson (University of Newcastle, Australia)

pp. 786-790

The Finite Field Multi-Way Relay Channel with Correlated Sources: Beyond Three Users

Lawrence Ong (The University of Newcastle, Australia); Roy Timo (University of South Australia, Australia); Sarah J Johnson (University of Newcastle, Australia)

pp. 791-795

S5.T3: Energy-Efficient Communication

Reliable versus Unreliable Transmission for Energy Efficient Transmission in Relay Networks

Anders Høst-Madsen (University of Hawaii, USA); Nan Jiang (Texas A&M University, USA); Yang Yang (Texas A&M University, USA); Zixiang Xiong (Texas A&M University, USA)
pp. 796-800

Bounds on the Minimum Energy-Per-Bit for Bursty Traffic in Diamond Networks

Ilan Shomorony (Cornell University, USA); Raul Etkin (Hewlett-Packard Laboratories, USA); Farzad Parvaresh (Hewlett-Packard, USA); Salman Avestimehr (Cornell University, USA)
pp. 801-805

Impact of Channel and Source Variations on the Energy Efficiency under QoS Constraints

Mustafa Ozmen (Syracuse University, USA); M. Cenk Gursoy (Syracuse University, USA)
pp. 806-810

Energy Efficient Greedy Link Scheduling and Power Control in wireless networks

Arun Sridharan (The Ohio State University, USA); Changhee Joo (UNIST, Korea); Can Emre Koksal (The Ohio State University, USA)
pp. 811-815

S5.T4: Finite Blocklength Analysis

Second-Order Achievable Rates in Random Number Generation for Mixed Sources

Ryo Nomura (Senshu University, Japan); Te Sun Han (University of Electro-Communications, Japan)
pp. 816-820

Moderate Deviations Analysis of Binary Hypothesis Testing

Igal Sason (Technion - Israel Institute of Technology, Israel)
pp. 821-825

The Log-Volume of Optimal Constant-Composition Codes for Memoryless Channels, Within $O(1)$ Bits

Pierre Moulin (University of Illinois at Urbana-Champaign, USA)
pp. 826-830

Finite Blocklength Coding for Multiple Access Channels

Yen-Wei Huang (University of Illinois at Urbana-Champaign, USA); Pierre Moulin (University of Illinois at Urbana-Champaign, USA)
pp. 831-835

S5.T6: Boolean Functions and Related Topics

Hyper-bent functions via Dillon-like exponents

Sihem Mesnager (University of Paris VIII and University of Paris XIII & LAGA, France); Jean-Pierre Flori (ANSSI & ENST, France)
pp. 836-840

New Classes of Generalized Boolean Bent Functions over \mathbb{Z}_4

Nian Li (University of Bergen, Norway); Xiaohu Tang (Southwest Jiaotong University, P.R. China); Tor Hellesest (University of Bergen, Norway)
pp. 841-845

An Optimal Sampling Technique for Distinguishing Random S-boxes

Paul Stankovski (Lund University, Sweden); Martin Hell (Lund University, Sweden)
pp. 846-850

Cross-Recurrence Property of m -Sequences

Farhad Hemmati (Femmecomp, USA)
pp. 851-854

S5.T7: Continuous Time Channels and Shannon Ordering

Channel Capacity under General Nonuniform Sampling

Yuxin Chen (Stanford University, USA); Yonina C. Eldar (Technion-Israel Institute of Technology, Israel); Andrea Goldsmith (Stanford University, USA)
pp. 855-859

Continuous Time Channels with Interference

Ioana Ivan (MIT, USA); Michael Mitzenmacher (Harvard University, USA); Justin Thaler (Harvard, USA); Henry Yuen (MIT, USA)
pp. 860-864

On Establishing the Shannon Ordering for Discrete Memoryless Channels

Yuan Zhang (Arizona State University, USA); Cihan Tepedelenlioglu (Arizona State University, USA)
pp. 865-869

Ergodic Capacity Ordering of Fading Channels

Adithya Rajan (Arizona State University, USA); Cihan Tepedelenlioglu (Arizona State University, USA)
pp. 870-874

S5.T8: Prediction and Estimation

Penalized Maximum Likelihood Methods for Finite Memory Estimators of Infinite Memory Processes

Zsolt Talata (University of Kansas, USA)
pp. 875-879

Piecewise Constant Prediction

Erik Ordentlich (Hewlett-Packard Laboratories, USA); Marcelo Weinberger (Hewlett-Packard Laboratories, USA); Yihong Wu (University of Pennsylvania & the Wharton School, USA)
pp. 880-884

Efficient Tracking of Large Classes of Experts

András György (University of Alberta, Hungary); Tamas Linder (Queen's University, Canada); Gabor Lugosi (Pompeu Fabra University, Spain)
pp. 885-889

S5.T9: Secrecy in Quantum Communications

Precise evaluation of leaked information with universal² privacy amplification in the presence of quantum attacker

Masahito Hayashi (Nagoya University, Japan)
pp. 890-894

Quantum wiretap channel with non-uniform random number and its exponent of leaked information

Masahito Hayashi (Nagoya University, Japan)
pp. 895-899

Entanglement Cost of Quantum Channels

Mario Berta (ETH Zurich, Switzerland); Matthias Christandl (University of Cambridge, United Kingdom); Fernando Brandao (Federal University of Minas Gerais, Brazil); Stephanie Wehner (National University of Singapore, Singapore)
pp. 900-904

Mutually unbiased bases as submodules and subspaces

Joanne Hall (Charles University in Prague, Czech Republic); Jan Štoviček (Charles University in Prague, Czech Republic)
pp. 905-909

S6.T1: Finite Blocklength Analysis for Source Coding

A Simple Technique for Bounding the Redundancy of Source Coding with Side Information

Shigeaki Kuzuoka (Wakayama University, Japan)
pp. 910-914

The Dispersion of Slepian-Wolf Coding

Vincent Tan (Institute for Infocomm Research (I2R) & Singapore, Singapore); Oliver Kosut (Cornell University, USA)
pp. 915-919

Moderate-Deviations of Lossy Source Coding for Discrete and Gaussian Sources

Vincent Tan (Institute for Infocomm Research (I2R) & Singapore, Singapore)
pp. 920-924

Relations Between Redundancy Patterns of the Shannon Code and Wave Diffraction Patterns of Partially Disordered Media

Neri Merhav (Technion, Israel)
pp. 925-929

S6.T2: Code Design for Relay Channels

Code Design for Very Noisy Relay Channels

Puripong Suthisopapan (Khon Kaen University & Tokyo Institute of Technology, Thailand); Kenta Kasai (Tokyo Institute of Technology, Japan); Anupap Meesomboon (Khon Kaen University, Thailand); Virasit Imtawil (, Thailand); Kohichi Sakaniwa (Tokyo Institute of Technology, Japan)
pp. 930-934

Algebraic Fast-Decodable Relay Codes for Distributed Communications

Camilla J. Hollanti (University of Turku & Turku Centre for Computer Science, Finland); Nadya Markin (Nanyang Technological University, Singapore)
pp. 935-939

Superposition of Binary and Gaussian Codebooks to Relay Data in Diamond Networks

Farzad Parvaresh (Hewlett-Packard, USA); Raul Etkin (Hewlett-Packard Laboratories, USA)
pp. 940-944

Erasure-correcting vs. erasure-detecting codes for the full-duplex binary erasure relay channel

Marina Ivashkina (ENSEA/UCP/CNRS, France); Iryna Andriyanova (ENSEA/UCP/CNRS, France); Pablo Piantanida (SUPELEC, France); Charly Poulliat (INP - ENSEEIHT Toulouse, France)
pp. 945-949

S6.T3: Energy Harvesting

Wireless Information Transfer with Opportunistic Energy Harvesting

Liang Liu (National University of Singapore, Singapore); Rui Zhang (National University of Singapore, Singapore); Kee Chaing Chua (National University of Singapore, Singapore)
pp. 950-954

Optimal Save-Then-Transmit Protocol for Energy Harvesting Wireless Transmitters

Shixin Luo (National University of Singapore, Singapore); Rui Zhang (National University of Singapore, Singapore); Teng Joon Lim (National University of Singapore, Singapore)
pp. 955-959

On Optimal Online Policies in Energy Harvesting Systems For Compound Poisson Energy Arrivals

Patrick Mitran (University of Waterloo, Canada)
pp. 960-964

Energy Cooperation in Energy Harvesting Wireless Communications

Berk Gurakan (University of Maryland, USA); Omur Ozel (University of Maryland, College Park, USA); Jing Yang (University of Wisconsin-Madison, USA); Sennur Ulukus (University of Maryland, USA)
pp. 965-969

S6.T4: Distributed Applications

Dynamic Intrusion Detection in Resource-Constrained Cyber Networks

Keqin Liu (University of California, Davis, USA); Qing Zhao (University of California at Davis, USA)
pp. 970-974

A Byzantine Attack Defender: the Conditional Frequency Check

Xiaofan He (North Carolina State University, USA); Huaiyu Dai (NC State University, USA); Peng Ning (North Carolina State University, USA)
pp. 975-979

Distributed Ranking in Networks with Limited Memory and Communication

Kyomin Jung (KAIST, Korea); Boyoung Kim (KAIST, Korea); Milan Vojnović (Microsoft Research, United Kingdom)
pp. 980-984

Degree-guided Map-Reduce Task Assignment with Data Locality Constraint

Qiaomin Xie (University of Illinois at Urbana-Champaign, USA); Yi Lu (University of Illinois at Urbana-Champaign, USA)
pp. 985-989

S6.T5: Coding for Flash Memories

Trade-offs between Instantaneous and Total Capacity in Multi-Cell Flash Memories

Eyal En Gad (California Institute of Technology, USA); Anxiao Andrew Jiang (Texas A&M University, USA); Jehoshua Bruck (California Institute of Technology, USA)
pp. 990-994

Optimized Cell Programming for Flash Memories with Quantizers

Minghai Qin (University of California, San Diego & Center for Magnetic Recording Research, USA); Eitan Yaakobi (Caltech, USA); Paul H. Siegel (University of California, San Diego, USA)
pp. 995-999

Tackling Intracell Variability in TLC Flash Through Tensor Product Codes

Ryan Gabrys (UCLA, USA); Eitan Yaakobi (Caltech, USA); Laura M Grupp (University of California, San Diego, USA); Steven Swanson (University of California, San Diego, USA); Lara Dolecek (UCLA, USA)
pp. 1000-1004

Coding strategies for the uniform noise rewritable channel with hidden state

Ramji Venkataramanan (Yale University, USA); Sekhar Tatikonda (Yale University, USA); Luis A Lastras-Montaña (IBM TJ Watson Research Center & IBM Corporation, USA); Michele M Franceschini (IBM T.J. Watson Research Center, USA)
pp. 1005-1009

S6.T6: Sequences: Theory and Applications

Meeting the Levenshtein bound with equality by weighted-correlation complementary set

Zi Long Liu (Nanyang Technological University, Singapore); Yong Liang Guan (Nanyang Technological University, Singapore)
pp. 1010-1013

On the Cross-Correlation of Ternary m -Sequences of Period $3^{4k+2}-1$ With Decimation $\{3^{4k+2}-3^{2k+1}+2\}4+3^{2k+1}$

Ji-Youp Kim (Seoul National University, Korea); Sung-Tai Choi (Seoul National University, Korea); Taehyung Lim (Seoul National University, Korea); Jong-Seon No (Seoul National University, Korea); Habong Chung (Hong-Ik University, Korea)
pp. 1014-1018

Large Zero Periodic Autocorrelation Zone of Golay Sequences

Guang Gong (University of Waterloo, Canada); Fei Huo (University of Waterloo, Canada); Yang Yang (Southwest Jiaotong University, P.R. China)
pp. 1019-1023

Large Zero Odd Periodic Autocorrelation Zone of Golay Sequences and QAM Golay Sequences

Yang Yang (Southwest Jiaotong University, P.R. China); Fei Huo (University of Waterloo, Canada); Guang Gong (University of Waterloo, Canada)
pp. 1024-1028

S6.T7: Tools for Bounding Capacity

Linear Information Coupling Problems

Shao-Lun Huang (Massachusetts Institute of Technology, USA); Lizhong Zheng (Massachusetts Institute of Technology, USA)
pp. 1029-1033

Cut-Set Bound for Generalized Networks

Silas L. Fong (City University of Hong Kong, Hong Kong); Raymond W. Yeung (The Chinese University of Hong Kong, Hong Kong); Gerhard Kramer (Technische Universität München, Germany)
pp. 1034-1038

Cut-Set Bound for Generalized Networks with Positive Delay

Silas L. Fong (City University of Hong Kong, Hong Kong); Raymond W. Yeung (The Chinese University of Hong Kong, Hong Kong)
pp. 1039-1043

Achievability Proof via Output Statistics of Random Binning

Mohammad Hossein Yassaee (Sharif University of Technology, Iran); Mohammad Reza Aref (Sharif University of Tech., Iran); Amin Aminzadeh Gohari (Sharif University of Technology, Iran)
pp. 1044-1048

S6.T8: Probability and Estimation

Constrained Probability

Jan Willems (KU Leuven, Belgium)
pp. 1049-1053

Estimation of the Entropy on the Basis of its Polynomial Representation

Martin Vinck (University of Amsterdam, The Netherlands); Francesco Battaglia (University of Amsterdam, The Netherlands); Vladimir Balakirsky (Institute for Experimental Mathematics, Germany); Han Vinck (University of Duisburg-Essen, Germany); Cyriel Pennartz (University of Amsterdam, The Netherlands)
pp. 1054-1058

q-Gaussian based Smoothed Functional Algorithms for Stochastic Optimization

Debarghya Ghoshdastidar (Indian Institute of Science, India); Ambedkar Dukkipati (Indian Institute of Science, India); Shalabh Bhatnagar (Indian Institute of Science, India)
pp. 1059-1063

Multi-Level Error-Resilient Neural Networks

Amin Karbasi (EPFL, Switzerland); Amir Hesam Salavati (Ecole Polytechnique Fédérale de Lausanne, Switzerland)
pp. 1064-1068

S6.T9: Tools for Quantum Information Theory

Work recoverable from two-particle information

Lev B Levitin (Boston University, USA); Tommaso Toffoli (Boston University, USA)
pp. 1069-1071

Entropy rate calculations of algebraic measures

Katy Marchand (Unaffiliated, USA); Jaideep Mulherkar (Dhirubhai Ambani Institute of Information and Communication Technology, India); Bruno Nachtergaele (University of California, Davis, USA)
pp. 1072-1076

Necessary and Sufficient Conditions for Minimax Strategy in Quantum Signal Detection

Kentaro Kato (Tamagawa University & Quantum ICT Research Institute, Japan)
pp. 1077-1081

Planar Difference Functions

Joanne Hall (Charles University in Prague, Czech Republic); Asha Rao (RMIT University, Australia); Diane Donovan (University of Queensland, Czech Republic)

S7.T1: Lossless and Universal Source Coding

Results on the Fundamental Gain of Memory-Assisted Universal Source Coding

Ahmad Beirami (Georgia Institute of Technology, USA); Mohsen Sardari (Georgia Institute of Technology, USA); Faramarz Fekri (Georgia Institute of Technology, USA)
pp. 1087-1091

On Fast and Memory-Efficient Construction of an Antidictionary Array

Hirokata Fukae (Shikoku Polytechnic College, Japan); Takahiro Ota (Nagano Prefectural Institute of Technology, Japan); Hiroyoshi Morita (University of Electro-Communications, Japan)
pp. 1092-1096

Information Spectrum Approach to Overflow Probability of Variable-Length Codes with Conditional Cost Function

Ryo Nomura (Senshu University, Japan); Toshiyasu Matsushima (Waseda University, Japan)
pp. 1097-1101

Bounds on estimated Markov orders of individual sequences

Luciana Vitale (Universidad de la Republica, Uruguay); Álvaro Martín (Universidad de la República, Uruguay); Gadiel Seroussi (Hewlett-Packard Laboratories, USA)
pp. 1102-1106

Variable-Length Extractors

Hongchao Zhou (California Institute of Technology, USA); Jehoshua Bruck (California Institute of Technology, USA)
pp. 1107-1111

S7.T2: Relay Channels in Wireless Networks

Simple Schedules for Half-duplex Networks

Siddhartha Brahma (EPFL Switzerland, Switzerland); Ayfer Özgür (Stanford University, Switzerland); Christina Fragouli (EPFL, Switzerland)
pp. 1112-1116

Reducibility of joint relay positioning and flow optimization problem

Mohit Thakur (Technische Universität München, Germany); Nadia Fawaz (Technicolor, USA); Muriel Médard (MIT, USA)
pp. 1117-1121

Wireless Network-Level Partial Relay Cooperation

Nikolaos Pappas (University of Crete / ICS-FORTH & Computer Science Department, Greece); Jeongho Jeon (University of Maryland, College Park, USA); Anthony Ephremides (University of Maryland at College Park, USA); Apostolos Traganitis (University of Crete & ICS-FORTH, Greece)
pp. 1122-1126

Wireless MIMO Switching with MMSE Relaying

Fanggang Wang (Beijing Jiaotong University, P.R. China); Soung Chang Liew (The Chinese University of Hong Kong, Hong Kong); Dongning Guo (Northwestern University, USA)
pp. 1127-1131

S7.T3: Cellular Networks

Spectral Efficiency Limits in Pilot-Assisted Cooperative Communications

Angel Lozano (Universitat Pompeu Fabra (UPF), Spain); Jeffrey Andrews (The University of Texas at Austin, USA); Robert Heath (The University of Texas at Austin, USA)
pp. 1132-1136

Pilot Contamination Precoding in Multi-Cell Large Scale Antenna Systems

Alexei Ashikhmin (Bell Labs, Alcatel-Lucent, USA); Tom Marzetta (Bell Labs, USA)
pp. 1137-1141

Wireless Network Control with Privacy Using Hybrid ARQ

Yunus Sarikaya (Sabanci University, Turkey); Ozgur Ercetin (Sabanci University, Turkey); Can Emre Koksal (The Ohio State University, USA)
pp. 1142-1146

Reverse Compute and Forward: A Low-Complexity Architecture for Downlink Distributed Antenna System

SongNam Hong (University of Southern California, USA); Giuseppe Caire (University of Southern California, USA)
pp. 1147-1151

Base Station Cooperation with limited Feedback: A Large System Analysis

Rusdha Muharar (University of Melbourne & Syiah Kuala University, Australia); Randa Zakhour (University of Texas at Austin, USA); Jamie Evans (Monash University, Australia)
pp. 1152-1156

S7.T4: Secrecy in Computation and Communication

Distributed computing with privacy

Himanshu Tyagi (University of Maryland, College Park, USA)
pp. 1157-1161

Secure Computation in a Bidirectional Relay

Navin Kashyap (Indian Institute of Science, India); Shashank V (Indian Institute of Science, Bangalore, India); Andrew Thangaraj (IIT Madras, India)
pp. 1162-1166

On the Secrecy Capacity of 3-Receiver Broadcast Channel With Causal States and Conferencing

Sadaf Salehkalaibar (Sharif University of Technology, Iran); Mohammad Reza Aref (Sharif University of Tech., Iran)

pp. 1167-1171

On Secure Communication with Constrained Randomization

Matthieu Bloch (Georgia Institute of Technology & Georgia Tech Lorraine, France);
Joerg Kliewer (New Mexico State University, USA)

pp. 1172-1176

Secure Transmission of a Gaussian Source over Gaussian Channels with Side Information

Joffrey Villard (SUPELEC, France); Pablo Piantanida (SUPELEC, France); Shlomo (Shitz) Shamai (The Technion, Israel)

pp. 1177-1181

S7.T5: Regenerating Codes

Long MDS Codes for Optimal Repair Bandwidth

Zhiying Wang (California Institute of Technology, USA); Itzhak Tamo (Electrical Engineering Department, California Institute of Technology & Electrical and Computer Engineering, Ben-Gurion University, USA); Jehoshua Bruck (California Institute of Technology, USA)

pp. 1182-1186

Access vs. Bandwidth in Codes for Storage

Itzhak Tamo (Electrical Engineering Department, California Institute of Technology & Electrical and Computer Engineering, Ben-Gurion University, USA); Zhiying Wang (California Institute of Technology, USA); Jehoshua Bruck (California Institute of Technology, USA)

pp. 1187-1191

Functional-Repair-by-Transfer Regenerating Codes

Kenneth W. Shum (Institute of Network Coding, Hong Kong); Yuchong Hu (Institute of Network Coding, Hong Kong)

pp. 1192-1196

Exact Scalar Minimum Storage Coordinated Regenerating Codes

Nicolas Le Scouarnec (Technicolor, France)

pp. 1197-1201

Regenerating Codes for Errors and Erasures in Distributed Storage

K. v. Rashmi (University of California at Berkeley, USA); Nihar B Shah (University of California at Berkeley, USA); Kannan Ramchandran (University of California at Berkeley, USA); P Vijay Kumar (Indian Institute of Science & University of Southern California, India)

pp. 1202-1206

S7.T6: Sequences and Their Properties

On inverses of APN exponents

Gohar Kyureghyan (Otto-von-Guericke Universität Magdeburg, Germany); Valentin Suder (INRIA Paris-Rocquencourt & Project-Team SECRET, France)

pp. 1207-1211

Generalized Bent Functions and Their Relation to Majorana-McFarland Class

Lilya Budaghyan (University of Bergen, Norway); Claude Carlet (University of Paris 8, France); Tor Helleseth (University of Bergen, Norway); Alexander Kholosha (University of Bergen, Norway)
pp. 1212-1215

Binary Niho Sequences with Four-valued Cross Correlations

Jinquan Luo (University of Bergen & Selmer Center, Norway); Tor Helleseth (University of Bergen, Norway)
pp. 1216-1220

Rotating-table game and construction of periodic sequences with lightweight calculation

Min Zeng (Shanghai Jiao Tong University, P.R. China); Yuan Luo (Shanghai Jiao Tong University & Waterloo University, P.R. China); Guang Gong (University of Waterloo, Canada)
pp. 1221-1225

Low Probability of Intercept Properties of Some Binary Sequence Families with Good Correlation Properties

Serdar Boztas (RMIT University, Australia); Parampalli Udaya (University of Melbourne, Australia)
pp. 1226-1230

S7.T7: Approximate Belief Propagation

Information-Theoretically Optimal Compressed Sensing via Spatial Coupling and Approximate Message Passing

David Donoho (Stanford University, USA); Adel Javanmard (Stanford University, USA); Andrea Montanari (Stanford University, USA)
pp. 1231-1235

Hybrid Generalized Approximate Message Passing with Applications to Structured Sparsity

Sundeeep Rangan (Polytechnic University of New York University, USA); Alyson Fletcher (University of California, Berkeley, USA); Vivek K Goyal (Massachusetts Institute of Technology, USA); Philip Schniter (The Ohio State University, USA)
pp. 1236-1240

Quantized Stochastic Belief Propagation: Efficient Message-Passing for Continuous State Spaces

Nima Noorshams (UC Berkeley, USA); Martin J. Wainwright (University of California, Berkeley, USA)
pp. 1241-1245

Iterative Estimation of Constrained Rank-One Matrices in Noise

Sundeeep Rangan (Polytechnic University of New York University, USA); Alyson Fletcher (University of California, Berkeley, USA)
pp. 1246-1250

S7.T8: Information Inequalities

Entropy functions and determinant inequalities

Terence H. Chan (University of South Australia, Australia); Dongning Guo (Northwestern University, USA); Raymond Yeung (Chinese University of Hong Kong, Hong Kong)
pp. 1251-1255

Non-entropic Inequalities from Information Constraints

Siu-Wai Ho (University of South Australia, Australia); Terence H. Chan (University of South Australia, Australia); Alex Grant (University of South Australia, Australia)
pp. 1256-1260

Sunset Inequalities for Differential Entropy and Mutual Information

Ioannis Kontoyiannis (Athens University Econ & Business, Greece); Mokshay Madiman (Yale University, USA)
pp. 1261-1265

An Information Theoretic Perspective Over an Extremal Entropy Inequality

Sangwoo Park (Texas A&M University, USA); Erchin Serpedin (Texas A&M University, USA); Khalid A. Qaraqe (Texas A&M University at Qatar, USA)
pp. 1266-1270

Data Processing Inequalities Based on a Certain Structured Class of Information Measures with Application to Estimation Theory

Neri Merhav (Technion, Israel)
pp. 1271-1275

S7.T9: Compressive Sensing

Compressive Principal Component Pursuit

John Wright (Columbia University, USA); Arvind Ganesh (University of Illinois, Urbana-Champaign, USA); Kerui Min (University of Illinois at Urbana-Champaign, USA); Yi Ma (University of Illinois at Urbana-Champaign, USA)
pp. 1276-1280

Principal Component Pursuit with Reduced Linear Measurements

Arvind Ganesh (University of Illinois, Urbana-Champaign, USA); Kerui Min (University of Illinois at Urbana-Champaign, USA); John Wright (Columbia University, USA); Yi Ma (University of Illinois at Urbana-Champaign, USA)
pp. 1281-1285

Bilateral Random Projections

Tianyi Zhou (University of Technology, Sydney, Australia); Dacheng Tao (University of Technology, Sydney, Singapore)
pp. 1286-1290

Compressed Sensing on the Image of Bilinear Maps

Philipp Walk (Technische Universität München, Germany); Peter Jung (TU-Berlin, Heinrich-Hertz-Chair for Mobile Communication Technology & Fraunhofer German-Sino Lab for Mobile Communications - MCI, Germany)
pp. 1291-1295

SPIN: Iterative Signal Recovery on Incoherent Manifolds

Chinmay Hegde (Rice University, USA); Richard Baraniuk (Rice University, USA)
pp. 1296-1300

S8.T1: Network Coding: Code Design and Resource Allocation

On a construction of universal network code using LDPC matrices

Shigeki Miyake (NTT, Japan); Jun Muramatsu (NTT Corporation, Japan)
pp. 1301-1305

Properties of Network Polynomials

Javad Ebrahimi (EPFL, Switzerland); Christina Fragouli (EPFL, Switzerland)
pp. 1306-1310

Network Coding Aware Resource Allocation to Improve Throughput

Dan Zhang (WINLAB, Rutgers University, USA); Kai Su (WINLAB, Rutgers University, USA); Narayan Mandayam (WINLAB, Rutgers University, USA)
pp. 1311-1315

Min-Cost Multicast Networks in Euclidean Space

Xunrui Yin (Fudan University, P.R. China); Yan Wang (Fudan University, P.R. China); Xin Wang (Fudan University, P.R. China); Xiangyang Xue (Fudan University, P.R. China); Zongpeng Li (University of Calgary, Canada)
pp. 1316-1320

S8.T2: Relay Strategies for Network Communications

Selective Coding Strategy for Unicast Composite Networks

Arash Behboodi (Supélec, France); Pablo Piantanida (SUPELEC, France)
pp. 1321-1325

Causal relay networks with causal side information

Ihn-Jung Baik (Korea Advanced Institute of Science and Technology, Korea); Sae-Young Chung (KAIST, Korea)
pp. 1326-1330

Partial Decode-Forward Binning for Full-Duplex Causal Cognitive Interference Channels

Zhuohua Wu (McGill University, Canada); Mai Vu (McGill University, Canada)
pp. 1331-1335

Combined Decode-Forward and Layered Noisy Network Coding Schemes for Relay Channels

Peng Zhong (McGill University, Canada); Mai Vu (McGill University, Canada)
pp. 1336-1340

S8.T3: Energy Issues in Communication Systems

Energy-Efficient Sensing and Communication of Parallel Gaussian Sources

Xi Liu (Polytechnic Institute of NYU, USA); Osvaldo Simeone (New Jersey Institute of Technology, USA); Elza Erkip (Polytechnic Institute of NYU, USA)
pp. 1341-1345

Achievable Rates for Intermittent Communication

Mostafa Khoshnevisan (University of Notre Dame, USA); J. Nicholas Laneman (University of Notre Dame, USA)
pp. 1346-1350

Energy State Amplification in an Energy Harvesting Communication System

Omur Ozel (University of Maryland, College Park, USA); Sennur Ulukus (University of Maryland, USA)
pp. 1351-1355

On Energy/Information Cross-Layer Architectures

Lav R. Varshney (IBM Thomas J. Watson Research Center, USA)
pp. 1356-1360

S8.T4: Multiple Description Coding

Gaussian Robust Sequential and Predictive Coding

Lin Song (McMaster University, Canada); Jun Chen (McMaster University, Canada); Jia Wang (Shanghai Jiao Tong University, P.R. China); Tie Liu (Texas A&M University, USA)
pp. 1361-1365

Successive Refinement with Cribbing Decoders and its Channel Coding Duals

Himanshu Asnani (Stanford University, USA); Haim H Permuter (Ben-Gurion University, Israel); Tsachy Weissman (Stanford University, USA)
pp. 1366-1370

Combinatorial Message Sharing and Random Binning for Multiple Description Coding

Emrah Akyol (UCSB, USA); Kumar Viswanatha (UCSB, USA); Kenneth Rose (University of California, Santa Barbara, USA)
pp. 1371-1375

Gaussian Multiple Descriptions with Common and Constrained Reconstruction Constraints

Ravi Tandon (Virginia Tech, USA); Behzad Ahmadi (New Jersey Institute of Technology, USA); Osvaldo Simeone (New Jersey Institute of Technology, USA); H. Vincent Poor (Princeton University, USA)
pp. 1376-1380

S8.T5: WOM Codes

Making WOM Codes Decodable using Short Synchronous WOM Codes

Nicolas Bitouzé (TELECOM Bretagne, France); Alexandre Graell i Amat (Chalmers University of Technology, Sweden); Eirik Rosnes (University of Bergen, Norway)
pp. 1381-1385

High Sum-Rate Three-Write and Non-Binary WOM Codes

Eitan Yaakobi (Caltech, USA); Amir Shpilka (Technion – Israel Institute of Technology, Israel)
pp. 1386-1390

Short Q-ary WOM Codes with Hot/Cold Write Differentiation

Yuval Cassuto (Technion, Israel); Eitan Yaakobi (Caltech, USA)
pp. 1391-1395

WOM with Retained Messages

Lele Wang (UCSD, USA); Minghai Qin (University of California, San Diego & Center for Magnetic Recording Research, USA); Eitan Yaakobi (Caltech, USA); Young-Han Kim (UCSD, USA); Paul H. Siegel (University of California, San Diego, USA)
pp. 1396-1400

S8.T6: New Sequence Constructions

Transmission of non-linear binary input functions over a CDMA System

Elaheh Mohammadi (Amir Kabir University of Technology, Iran); Amin Aminzadeh Gohari (Sharif University of Technology, Iran); Hassan Aghaeinia (Amir Kabir University of Technology (Polytechnic of Tehran), Iran)
pp. 1401-1405

New Near-optimal Codebooks Associated With Binary Sidelnikov Sequences

Nam Yul Yu (Lakehead University, Canada)
pp. 1406-1410

New Nonbinary Sequence Families with Low Correlation and Large Linear Span

Chunlei Li (University of Bergen, Norway); Tor Hellesteth (University of Bergen, Norway)
pp. 1411-1415

New Constructions of Asymptotically Optimal Optical Orthogonal Codes With $\lambda=1$

Jin-Ho Chung (Pohang University of Science and Technology (POSTECH), Korea); Kyeongcheol Yang (Pohang University of Science and Technology (POSTECH), Korea)
pp. 1416-1420

New polyphase sequence sets with all-zero cross-correlation

Andrzej Brodzik (MITRE, USA)
pp. 1421-1424

S8.T7: Communication Theory

New Achievable Rates for Nonlinear Volterra Channels via Martingale Inequalities

Kostis Xenoulis (National and Kapodistrian University of Athens, Greece); Nicholas Kalouptsidis (National and Kapodistrian University of Athens, Greece); Igal Sason (Technion - Israel Institute of Technology, Israel)
pp. 1425-1429

On the Complete Monotonicity of Symbol Error Rates

Adithya Rajan (Arizona State University, USA); Cihan Tepedelenlioglu (Arizona State University, USA)
pp. 1430-1434

A Serial Concatenation of Coding and Trellis Shaping for OFDM Systems with Peak Power Reduction

Ryota Yoshizawa (Yokohama National University, Japan); Hideki Ochiai (Yokohama National University, Japan)
pp. 1435-1439

Achievable Gains in Peak Power Reduction via Single-Carrier Distribution Shaping

Stella Achtenberg (Tel Aviv University, Israel); Dan Raphaeli (Tel Aviv University, Israel)
pp. 1440-1444

S8.T8: Estimation and Detection

An Affine Invariant k -Nearest Neighbor Regression Estimate

Gerard Biau (Université Pierre et Marie Curie, France); Luc Devroye (McGill University, Canada); Vida Dujmović (Carleton University, Canada); Adam Krzyżak (Concordia University, Canada)
pp. 1445-1447

On Linear Coherent Estimation with Spatial Collaboration

Swarnendu Kar (Syracuse University, USA); Pramod Varshney (Syracuse University, USA)
pp. 1448-1452

Modeling Spatially-Dependent Extreme Events with Markov Random Field Priors

Hang Yu (Nanyang Technological University, Singapore); Zheng Choo (Nanyang Technological University, Singapore); Justin Dauwels (Nanyang Technological University, Singapore); Philip Jonathan (Shell Technology Centre, United Kingdom); Qiao Zhou (Nanyang Technological University, Singapore)
pp. 1453-1457

Signal Detection Algorithms for Two-Dimensional Intersymbol-Interference Channels

Yiming Chen (Western Digital Corporation, USA); Shayan Garani Srinivasa (Indian Institute of Science, India)
pp. 1458-1462

S8.T9: Sampling and Signaling

Sparse Signal Recovery in Hilbert Spaces

Graeme Pope (ETH Zurich, Switzerland); Helmut Bölcskei (ETH Zurich, Switzerland)
pp. 1463-1467

On Sampling a High-Dimensional Bandlimited Field on a Union of Shifted Lattices

Jayakrishnan Unnikrishnan (EPFL, Switzerland); Martin Vetterli (EPFL, Switzerland)
pp. 1468-1472

Recovery of Sparse 1-D Signals from the Magnitudes of their Fourier Transform

Kishore Jaganathan (Indian Institute of Technology Madras, India); Samet Oymak (California Institute of Technology, USA); Babak Hassibi (California Institute of Technology, USA)
pp. 1473-1477

Generalized Faster-Than-Nyquist Signaling

Jing Zhou (Beijing University of Posts and Telecommunications, P.R. China); Daoben Li (Beijing University of posts and telecommunications, P.R. China); Xuesong Wang (Huawei Technologies Co., Ltd, P.R. China)
pp. 1478-1482

S9.T1: Network Coding: Security and Reliability

Explicit construction of universal strongly secure network coding via MRD codes

Jun Kurihara (KDDI R&D Laboratories Inc., Japan); Tomohiko Uyematsu (Tokyo Institute of Technology, Japan); Ryutaroh Matsumoto (Tokyo Institute of Technology, Japan)
pp. 1483-1487

List-decoding of Subspace Codes and Rank-Metric Codes up to Singleton Bound

Hessam Mahdavi (University of California, San Diego, USA); Alexander Vardy (University of California, San Diego, USA)
pp. 1488-1492

A Matroidal Framework for Network-Error Correcting Codes

Krishnan Prasad (Indian Institute of Science, India); B. Sundar Rajan (Indian Institute of Science, India)
pp. 1493-1497

Matroidal undirected network

Chung Chan (The Chinese University of Hong Kong, Hong Kong)
pp. 1498-1502

S9.T2: Relaying over Interference Networks

The DoF of the K-user Interference Channel with a Cognitive Relay

Anas Chaaban (RUB, Germany); Aydin Sezgin (RUB & Digital Communication Systems, Germany)
pp. 1503-1507

Lattice Coding and the Generalized Degrees of Freedom of the Interference Channel with Relay

Anas Chaaban (RUB, Germany); Aydin Sezgin (RUB & Digital Communication Systems, Germany)
pp. 1508-1512

Guiding Blind Transmitters: Relay-aided Interference Alignment for the X channel

Ye Tian (Pennsylvania State University, USA); Aylin Yener (Pennsylvania State University, USA)
pp. 1513-1517

Broadcast Approaches to Dual-Hop Parallel Relay Networks

Mahdi Zamani (University of Waterloo, Canada); Amir K. Khandani (University of Waterloo, Canada)
pp. 1518-1522

S9.T3: Degrees of Freedom and Scaling

On the information content of scattered waves

Massimo Franceschetti (University of California at San Diego, USA)
pp. 1523-1527

Degrees of Freedom of Sparsely Connected Wireless Networks

Sang-Woon Jeon (EPFL, Switzerland); Naveen Goela (University of California Berkeley, USA); Michael Gastpar (University of California, Berkeley, USA)
pp. 1528-1532

Hierarchical Beamforming for Large One-Dimensional Wireless Networks

Alla Merzakreeva (EPFL, Switzerland); Olivier Lévêque (EPFL, Switzerland); Ayfer Özgür (Stanford University, Switzerland)
pp. 1533-1537

Degrees of Freedom (DoF) of Locally Connected Interference Channels with Cooperating Multiple-Antenna Transmitters

Aly El Gamal (University of Illinois at Urbana-Champaign, USA); V. Sreekanth Annapureddy (UIUC, USA); Venugopal Veeravalli (University of Illinois at Urbana-Champaign, USA)
pp. 1538-1542

S9.T4: Joint Source-Channel Codes

On Linear Transforms in Zero-delay Gaussian Source Channel Coding

Emrah Akyol (UCSB, USA); Kenneth Rose (University of California, Santa Barbara, USA)
pp. 1543-1547

Achieving Csiszár's Source-Channel Coding Exponent with Product Distributions

Adrià Tauste Campo (University of Cambridge, Spain); Gonzalo Vazquez-Vilar (Universitat Pompeu Fabra, Spain); Albert Guillén i Fàbregas (ICREA and Universitat

Pompeu Fabra & University of Cambridge, Spain); Tobias Koch (Universidad Carlos III de Madrid, Spain); Alfonso Martinez (Universitat Pompeu Fabra, Spain)
pp. 1548-1552

Lossy joint source-channel coding in the finite blocklength regime

Victoria Kostina (Princeton University, USA); Sergio Verdú (Princeton University, USA)
pp. 1553-1557

Update Efficient Codes for Error Correction

Arya Mazumdar (Massachusetts Institute of Technology, USA); Gregory Wornell (Massachusetts Institute of Technology, USA); Venkat Chandar (MIT, USA)
pp. 1558-1562

S9.T5: Linear Codes and UEP Codes

On some properties of a check digit system

Yanling Chen (Norwegian University of Science and Technology & Department of Telematics, Norway); Markku Niemenmaa (University of Oulu, Finland); Han Vinck (University of Duisburg-Essen, Germany); Danilo Gligoroski (Norwegian University of Science and Technology, Norway)
pp. 1563-1567

Computing Extensions of Linear Codes using a Greedy Algorithm

Markus Grassl (Centre for Quantum Technologies (CQT) & National University of Singapore, Singapore); Sunghyu Han (Korea University of Technology and Education, Korea)
pp. 1568-1572

An Algebraic Framework for Concatenated Linear Block Codes in Side Information Based Problems

Felipe Cinelli Barbosa (University of Campinas, Brazil); Joerg Kliewer (New Mexico State University, USA); Max H. M. Costa (Unicamp, Brazil)
pp. 1573-1577

Rate Allocation for Component Codes of Plotkin-Type UEP Codes

Jin Soo Park (Yonsei University, Korea); Ki-Hyeon Park (Yonsei University, Korea); Hong-Yeop Song (Yonsei University, Korea)
pp. 1578-1582

S9.T6: Synchrony and Perfect Secrecy

Synchrony Amplification

Ueli Maurer (ETH Zurich, Switzerland); Björn Tackmann (ETH Zürich, Switzerland)
pp. 1583-1587

Perfectly Secure Encryption of Individual Sequences

Neri Merhav (Technion, Israel)
pp. 1588-1592

Design of Error-free Perfect Secrecy System by Prefix Codes and Partition Codes

Chinthani Uduwerelle (University of South Australia, Australia); Siu-Wai Ho (University of South Australia, Australia); Terence H. Chan (University of South Australia, Australia)

pp. 1593-1597

S9.T7: Medium Access Control

Fast-CSMA Based Distributed Scheduling Algorithm under SINR Model

Subhash Lakshminarayana (SUPELEC, France); Bin Li (Ohio State University, USA); Mohamad Assaad (Supelec, France); Atilla Eryilmaz (Ohio State University, USA); M erouane Debbah (Supelec, France)

pp. 1598-1602

Upper Bound for the Capacity of Multiple Access Protocols on Multipacket Reception Channels

Douglas Chan (CISCO, USA); Toby Berger (University of Virginia, USA)

pp. 1603-1607

Effect of Channel Estimation Errors on the Stability of Channel-Aware Random Access

Jeongho Jeon (University of Maryland, College Park, USA); Anthony Ephremides (University of Maryland at College Park, USA)

pp. 1608-1612

Random Access Compressed Sensing over Fading and Noisy Communication Channels

Fatemeh Fazel (Northeastern University & University of California, Irvine, USA); Maryam Fazel (California Institute of Technology, USA); Milica Stojanovic (Northeastern University, USA)

pp. 1613-1617

S9.T8: Portfolios and Estimation

Partial Kelly Portfolios and Shrinkage Estimators

Justin Rising (University of Pennsylvania & The Wharton School, USA); Abraham Wyner (University of Pennsylvania, USA)

pp. 1618-1622

Constant Markov Portfolio and its Application to Universal Portfolio with Side Information

Mariko Tsurusaki (Kyushu University, Japan); Jun'ichi Takeuchi (Kyushu University, Japan)

pp. 1623-1627

Estimating Multiple Concurrent Processes

Jayadev Acharya (University of California, San Diego, USA); Hirakendu Das (University of California San Diego, USA); Ashkan Jafarpour (UCSD, USA); Alon Orlitsky (University of California, San Diego, USA); Shengjun Pan (University of California, San Diego, USA)

pp. 1628-1632

The minimax risk of truncated series estimators for symmetric convex polytopes

Adel Javanmard (Stanford University, USA); Li Zhang (Microsoft Research Silicon Valley, USA)

pp. 1633-1637

S9.T9: Compressive Sensing and Phase Transitions

Optimal Phase Transitions in Compressed Sensing with Noisy Measurements

Yihong Wu (University of Pennsylvania & the Wharton School, USA); Sergio Verdú (Princeton University, USA)

pp. 1638-1642

Universality in Polytope Phase Transitions and Iterative Algorithms

Mohsen Bayati (Stanford University, USA); Marc Lelarge (INRIA and ENS, France); Andrea Montanari (Stanford University, USA)

pp. 1643-1647

Compressed Measurements Needed for Noisy Distributed Compressed Sensing

Sangjun Park (Gwangju Institute of Science and Technology, Korea); Heung-No Lee (Gwangju Institute of Science and Technology, Korea)

pp. 1648-1651

Central Approximation in Statistical Physics and Information Theory

Ryuhei Mori (Kyoto University, Japan); Toshiyuki Tanaka (Kyoto University, Japan)

pp. 1652-1656

S10.T1: Network Coding: Capacity and Bounds

An information-theoretic meta-theorem on edge-cut bounds

Sudeep Kamath (U.C. Berkeley, USA); Pramod Viswanath (University of Illinois, Urbana-Champaign, USA)

pp. 1657-1661

Symmetrical Multilevel Diversity Coding with an All-Access Encoder

Jinjing Jiang (Texas A&M University, USA); Neeharika Marukala (Texas A&M University, USA); Tie Liu (Texas A&M University, USA)

pp. 1662-1666

On Network Coding Capacity under On-Off Scheduling

Mayank Bakshi (The Chinese University of Hong Kong, USA); Michelle Effros (California Institute of Technology, USA)

pp. 1667-1671

Non-coherent Network Coding: An Arbitrarily Varying Channel Approach

Mahdi Jafari Siavoshani (EPFL, Switzerland); Shenghao Yang (Tsinghua University, P.R. China); Raymond Yeung (Chinese University of Hong Kong, Hong Kong)

pp. 1672-1676

Short Message Noisy Network Coding for Multiple Sources

Jie Hou (Technische Universität München, Germany); Gerhard Kramer (Technische Universität München, Germany)
pp. 1677-1681

S10.T2: Multiple Access Channels with Side Information

Wyner-Ziv Type Versus Noisy Network Coding For a State-Dependent MAC

Abdellatif Zaidi (Université Paris-Est Marne La Vallée, France); Pablo Piantanida (SUPELEC, France); Shlomo (Shitz) Shamai (The Technion, Israel)
pp. 1682-1686

MAC with Action-Dependent State Information at One Encoder

Lior Dikstein (Ben-Gurion University, Israel); Haim H Permuter (Ben-Gurion University, Israel); Shlomo (Shitz) Shamai (The Technion, Israel)
pp. 1687-1691

Capacity Region of the Finite State MAC with Cooperative Encoders and Delayed CSI

Ziv Goldfeld (Ben-Gurion University, Israel); Haim H Permuter (Ben-Gurion University, Israel); Benjamin Zaidel (Technion, Israel)
pp. 1692-1696

Multiple Access Channel with Various Degrees of Asymmetric State Information

Nevroz Şen (Queen's University, Canada); Fady Alajaji (Queen's University, Canada); Serdar Yüksel (Queen's University, Canada); Giacomo Como (Massachusetts Institute of Technology, USA)
pp. 1697-1701

Achievable Rate Regions for the Dirty Multiple Access Channel with Partial Side Information at the Transmitters

Elham Bahmani (University of Ferdowsi Mashhad, Iran); Ghosheh Abed Hodtani (Ferdowsi University of Mashhad, Mashhad, Iran)
pp. 1702-1706

S10.T3: MIMO Capacity

On Asymptotic Capacity of Coordinated Multi-Point MIMO Channels with Spatial Correlation and LOS

Jun Zhang (Southeast University, P.R. China); Chao-Kai Wen (National Sun Yat-Sen University, Taiwan); Shi Jin (Southeast University, P.R. China); Xiqi Gao (Southeast University, P.R. China); Kai Kit Wong (University College London, United Kingdom)
pp. 1707-1711

Approaching Capacity of Large MIMO Systems by Non-Binary LDPC Codes and MMSE Detection

Puripong Suthisopapan (Khon Kaen University & Tokyo Institute of Technology, Thailand); Kenta Kasai (Tokyo Institute of Technology, Japan); Virasit Imtawil (, Thailand); Anupap Meesomboon (Khon Kaen University, Thailand)
pp. 1712-1716

Unitary Isotropically Distributed Inputs are not Capacity-Achieving for Large-MIMO Fading Channels

Wei Yang (Chalmers University of Technology, Sweden); Giuseppe Durisi (Chalmers University of Technology, Sweden); Erwin Riegler (Vienna University of Technology (VUT), Austria)
pp. 1717-1721

Maximum Throughput and Expected-Rate in Multiple Transmit Antenna Systems

Mahdi Zamani (University of Waterloo, Canada); Amir K. Khandani (University of Waterloo, Canada)
pp. 1722-1726

Capacity Lower Bound of MIMO Channels with Output Quantization and Correlated Noise

Amine Mezghani (TU Munich, Germany); Josef A. Nossek (TU Munich, Germany)

S10.T4: Coding with Lattices

Max-Product Algorithm for Low Density Lattice Codes

Yair Yona (Tel-Aviv University, Israel); Meir Feder (Tel-Aviv University, Israel)
pp. 1727-1731

Non-random Coding Error Exponent for Lattices

Yuval Domb (Tel Aviv University, Israel); Meir Feder (Tel-Aviv University, Israel)
pp. 1732-1736

Iterative Encoding with Gauss-Seidel method for Spatially-Coupled Low-Density Lattice Codes

Hironori Uchikawa (Tokyo Institute of Technology, Japan); Brian Michael Kurkoski (Japan Advanced Institute of Science and Technology (JAIST), Japan); Kenta Kasai (Tokyo Institute of Technology, Japan); Kohichi Sakaniwa (Tokyo Institute of Technology, Japan)
pp. 1737-1741

Optimality of Linear Codes over PAM for the Modulo-Additive Gaussian Channel

Ayal Hitron (Tel Aviv University, Israel); Uri Erez (Tel Aviv University, Israel)
pp. 1742-1746

Secrecy Gain of Gaussian Wiretap Codes from 2- and 3-Modular Lattices

Fuchun Lin (Nanyang Technological University, Singapore); Frederique Oggier (Nanyang Technological University, Singapore)
pp. 1747-1751

S10.T5: Rateless Codes

Repairable Fountain Codes

Megasthenis Asteris (University of Southern California, USA); Alex Dimakis (University of Southern California, USA)
pp. 1752-1756

Ripple Design of LT Codes for AWGN Channel

Jesper H Sørensen (Aalborg University, Denmark); Toshiaki Koike-Akino (MERL & Harvard University, USA); Philip Orlik (Mitsubishi Electric Research Laboratories, USA); Jan Østergaard (Aalborg University, Denmark); Petar Popovski (Aalborg University, Denmark)

pp. 1757-1761

Finite Length LT Codes over F_q for Unequal Error Protection with Biased Sampling of Input Nodes

Birgit Schotsch (RWTH Aachen University, Germany); Radu Lupoae (RWTH Aachen University, Germany)

pp. 1762-1766

Rateless Feedback Codes

Jesper H Sørensen (Aalborg University, Denmark); Toshiaki Koike-Akino (MERL & Harvard University, USA); Philip Orlik (Mitsubishi Electric Research Laboratories, USA)

pp. 1767-1771

Universal Rateless Coding with Finite Message Set

Navot Blits (Tel Aviv University, Israel); Meir Feder (Tel-Aviv University, Israel)

pp. 1772-1776

S10.T6: Secret Key Generation and Sharing

One-Way Rate-Limited Sequential Key-Distillation

Remi A Chou (Georgia Institute of Technology, France); Matthieu Bloch (Georgia Institute of Technology & Georgia Tech Lorraine, France)

pp. 1777-1781

Agreement of a restricted secret key

Chung Chan (The Chinese University of Hong Kong, Hong Kong)

pp. 1782-1786

Fault-Tolerant Secret Key Generation

Himanshu Tyagi (University of Maryland, College Park, USA); Navin Kashyap (Indian Institute of Science, India); Yogesh Sankarasubramaniam (HP Labs India, India); Kapali Viswanathan (HP Labs India, India)

pp. 1787-1791

Authentication Based on Secret-Key Generation

Frans MJ Willems (Technical University Eindhoven, The Netherlands); Tanya Ignatenko (Philips Research, The Netherlands)

pp. 1792-1796

Connectivity Results for Sensor Networks Under a Random Pairwise Key Predistribution Scheme

Osman Yağan (Carnegie Mellon University & CyLab, USA); Armand M. Makowski (University of Maryland, USA)

pp. 1797-1801

S10.T7: Cognitive Channels

Optimal Active Sensing in Heterogeneous Cognitive Radio Networks

Thang Van Nguyen (Kyung Hee University, Korea); Hyundong Shin (Kyung Hee University, Korea); Tony Q. S. Quek (Singapore University of Technology and Design (SUTD) & Institute for Infocomm Research, Singapore); Moe Z. Win (MIT, USA)
pp. 1802-1806

Effect of Secondary Nodes on the Primary's Stable Throughput in a Cognitive Wireless Network

Anthony Fanous (University of Maryland, College Park, USA); Anthony Ephremides (University of Maryland at College Park, USA)
pp. 1807-1811

The Capacity of the Semi-Deterministic Cognitive Interference Channel with a Common Cognitive Message and Approximate Capacity for the Gaussian Case

Stefano Rini (Technical University Munich, Germany); Carolin Huppert (Ulm University, Germany)
pp. 1812-1816

The Capacity of a Three-user Interference Channel with a Cognitive Transmitter in Strong Interference

Myunggil Kang (KAIST, Korea); Wan Choi (KAIST, Korea)
pp. 1817-1821

Gaussian Cognitive Interference Channels with State

Ruchen Duan (Syracuse University, USA); Yingbin Liang (Syracuse University, USA)
pp. 1822-1826

S10.T8: Group Testing and Detection

Compressive Binary Search

Mark Davenport (Stanford University, USA); Ery Arias-Castro (UC San Diego, USA)
pp. 1827-1831

Adaptive Group Testing as Channel Coding with Feedback

Matthew Aldridge (University of Bristol, United Kingdom)
pp. 1832-1836

Non-adaptive Group Testing: Explicit bounds and novel algorithms

Chun Lam Chan (The Chinese University of Hong Kong, Hong Kong); Sidharth Jaggi (Chinese University of Hong Kong, Hong Kong); Venkatesh Saligrama (Boston University, USA); Samar Agnihotri (The Chinese University of Hong Kong, Hong Kong)
pp. 1837-1841

Adaptive sensing using deterministic partial Hadamard matrices

Saeid Haghshatshoar (EPFL, Switzerland); Emmanuel Abbe (EPFL, Switzerland); Emre Telatar (EPFL, Switzerland)
pp. 1842-1846

Semi-Quantitative Group Testing

Amin Emad (University of Illinois at Urbana-Champaign, USA); Olgica Milenkovic (University of Illinois, USA)
pp. 1847-1851

S10.T9: Compressive Sensing and Algorithms**Beyond Worst-Case Reconstruction in Deterministic Compressed Sensing**

Sina Jafarpour (Computer Science, Princeton University, USA); Marco F Duarte (University of Massachusetts Amherst, USA); Robert Calderbank (Duke University, USA)
pp. 1852-1856

Minimum Complexity Pursuit: Stability Analysis

Shirin Jalali (California Institute of Technology, USA); Arian Maleki (Rice University, USA); Richard Baraniuk (Rice University, USA)
pp. 1857-1861

1-bit Hamming Compressed Sensing

Tianyi Zhou (University of Technology, Sydney, Australia); Dacheng Tao (University of Technology, Sydney, Singapore)
pp. 1862-1866

Binary Graphs and Message Passing Strategies for Compressed Sensing in the Noiseless Setting

Francisco Ramirez-Javega (Universitat Politecnica de Catalunya, Spain); Meritxell Lamarca (Technical University of Catalonia, Spain); Javier Villares (Technical University of Catalonia, Spain)
pp. 1867-1871

Analysis and Design of Irregular Graphs for Node-Based Verification-Based Recovery Algorithms in Compressed Sensing

Yaser Eftekhari (Carleton University, Canada); Amir Banihashemi (Carleton University, Canada); Ioannis Lambadaris (Carleton University, Canada)
pp. 1872-1876

S11.T2: Interference Channels with Delayed CSI**On X-Channels with Feedback and Delayed CSI**

Ravi Tandon (Virginia Tech, USA); Soheil Mohajer (UC Berkeley, USA); H. Vincent Poor (Princeton University, USA); Shlomo (Shitz) Shamai (The Technion, Israel)
pp. 1877-1881

Binary Fading Interference Channel with Delayed Feedback

Alireza Vahid (Cornell University, USA); Mohammad Maddah-Ali (Bell Labs, Alcatel Lucent, USA); Salman Avestimehr (Cornell University, USA)
pp. 1882-1886

Interference Alignment for Achieving both Full DOF and Full Diversity in the Broadcast Channel with Delayed CSIT

Jinyuan Chen (EURECOM, France); Raymond Knopp (Institut Eurecom, France);
Petros Elia (EURECOM, France)
pp. 1887-1891

On the Degrees of Freedom of MIMO X Channel with Delayed CSIT

Akbar Ghasemi (University of Waterloo, Canada); Mohammad Javad Abdoli
(University of Waterloo, Canada); Amir K. Khandani (University of Waterloo, Canada)
pp. 1892-1896

S11.T1: Network Coding for Multiple Unicast Sessions

Space Information Flow: Multiple Unicast

Zongpeng Li (University of Calgary, Canada); Chuan Wu (The University of Hong
Kong, Hong Kong)
pp. 1897-1901

A Transform Approach to Linear Network Coding for Acyclic Networks with Delay

Teja Damodaram Bavirisetti (Broadcom Communications Technologies Pvt Ltd, India);
Abhinav Ganesan (Indian Institute of Science, Bangalore, India); Krishnan Prasad
(Indian Institute of Science, India); B. Sundar Rajan (Indian Institute of Science, India)
pp. 1902-1906

On the Feasibility of Precoding-Based Network Alignment for Three Unicast Sessions

Chun Meng (University of California, Irvine, USA); Abinesh Ramakrishnan (University
of California, Irvine, USA); Athina Markopoulou (University of California, Irvine, USA);
Syed Ali Jafar (University of California Irvine, USA)
pp. 1907-1911

Network Coding for Two-Unicast with Rate (1,2)

Wentu Song (Peking University, P.R. China); Rongquan Feng (Peking University, P.R.
China); Kai Cai (Arizona State University, USA); Junshan Zhang (Arizona State
University, USA)
pp. 1912-1916

S11.T3: Deterministic Models

Random Access in Wireless X Networks: A Deterministic View

Seyyed Mahboubi (University of Waterloo & Coding and Signal Transmission
Laboratory (CST lab), Canada); Ehsan Ebrahimzadeh (University of Waterloo,
Canada); Amir K. Khandani (University of Waterloo, Canada)
pp. 1917-1921

A Deterministic Approach to Random Access Interference Channel

Javad Behrouzi Moghaddam (University of Waterloo, Canada); Akbar Ghasemi
(University of Waterloo, Canada); Amir K. Khandani (University of Waterloo, Canada)
pp. 1922-1926

Carry-free Models and Beyond

Se Yong Park (University of California, Berkeley, USA); Gireeja Ranade (University of California, Berkeley, USA); Anant Sahai (UC Berkeley, USA)
pp. 1927-1931

Expansion Coding: Achieving the Capacity of an AEN Channel

Onur Ozan Koyluoglu (The University of Texas at Austin, USA); Kumar Appaiah (University of Texas, Austin, USA); Hongbo Si (The University of Texas at Austin, USA); Sriram Vishwanath (University of Texas at Austin, USA)
pp. 1932-1936

S11.T4: Joint Source-Channel Coding in Networks

Joint Source-Channel Coding for the Multiple-Access Relay Channel

Yonathan Murin (Ben-Gurion University, Israel); Ron Dabora (Ben Gurion University, Israel); Deniz Gündüz (CTTC, Spain)
pp. 1937-1941

On Source Transmission over Some Classes of Relay Channels

Sadaf Salehkalaibar (Sharif University of Technology, Iran); Mohammad Reza Aref (Sharif University of Tech., Iran)
pp. 1942-1946

Lossy Source-Channel Communication over a Phase-Incoherent Interference Relay Channel

Hamidreza Ebrahimzadeh Saffar (University of Waterloo, Canada); Masoud Badiel Khuzani (University of Waterloo, Canada); Patrick Mitran (University of Waterloo, Canada)
pp. 1947-1951

Joint Source-Channel Coding for Cribbing Models

Eliron Amir (Technion, Israel); Yossef Steinberg (Technion, Israel)
pp. 1952-1956

S11.T5: Polar Codes: Theory and Practice

Universal Bounds on the Scaling Behavior of Polar Codes

Ali Goli (Sharif University of Technology, Iran); S. Hamed Hassani (EPFL, Switzerland); Ruediger L Urbanke (EPFL, Switzerland)
pp. 1957-1961

Polar Codes: Robustness of the Successive Cancellation Decoder with Respect to Quantization

S. Hamed Hassani (EPFL, Switzerland); Ruediger L Urbanke (EPFL, Switzerland)
pp. 1962-1966

Code Based Efficient Maximum-Likelihood Decoding of Short Polar Codes

Sinan Kahraman (Istanbul Technical University & National Research Institute of Electronics and Cryptology, Turkey); Mehmet E. Çelebi (Istanbul Technical University, Turkey)

pp. 1967-1971

Polar write once memory codes

David Burshtein (Tel Aviv University, Israel); Alona Strugatski (Tel Aviv University, Israel)

pp. 1972-1976

S11.T6: Authentication and Signatures

Authentication over Noisy Data with the Use of Memory Containing Metric Functions

Vladimir Balakirsky (Institute for Experimental Mathematics, Germany); Han Vinck (University of Duisburg-Essen, Germany)

pp. 1977-1981

Efficient code-based one-time signature from automorphism groups with syndrome compatibility

Philippe Gaborit (Universite de Limoges, France); Julien Schrek (Limoges University, France)

pp. 1982-1986

Efficient Signature Scheme for Network Coding

Erez Waisbard (Bar-Ilan University, Israel); Ely Porat (Bar Ilan University, Israel)

pp. 1987-1991

S11.T7: Message Passing Algorithms

BPRS: Belief Propagation Based Iterative Recommender System

Erman Ayday (EPFL, Switzerland); Arash Einolghozati (Georgia Tech, USA); Faramarz Fekri (Georgia Institute of Technology, USA)

pp. 1992-1996

Convergence of Generalized Linear Coordinate-Descent Message-Passing for Quadratic Optimization

Guoqiang Zhang (Delft University of Technology, The Netherlands); Richard Heusdens (Delft University of Technology, The Netherlands)

pp. 1997-2001

Relaxed Gaussian Belief Propagation

Yousef El-Kurdi (McGill University, Canada); Dennis Giannacopoulos (McGill University, Canada); Warren Gross (McGill University, Canada)

pp. 2002-2006

Message-passing sequential detection of multiple change points in networks

XuanLong Nguyen (University of Michigan, USA); Arash Amini (University of Michigan, USA); Ram Rajagopal (Stanford University, USA)

pp. 2007-2011

S11.T8: Patterns, Estimation, Hypothesis Testing

The Bethe Approximation of the Pattern Maximum Likelihood Distribution

Pascal Vontobel (HP Labs, USA)
pp. 2012-2016

Alternating Markov Chains for Distribution Estimation in the Presence of Errors

Farzad Farnoud (University of Illinois, Urbana-Champaign, USA); Narayana Prasad Santhanam (University of Hawaii at Manoa, USA); Olgica Milenkovic (University of Illinois, USA)
pp. 2017-2021

On simple one-class classification methods

Zineb Noumir (Université de Technologie de Troyes, France); Paul Honeine (Université de Technologie de Troyes, France); Cédric Richard (Université de Nice Sophia-Antipolis, France)
pp. 2022-2026

On Optimal Two Sample Homogeneity Tests for Finite Alphabets

Jayakrishnan Unnikrishnan (EPFL, Switzerland)
pp. 2027-2031

S11.T9: L1-Regularized Least Squares and Frames

Recovery Threshold for Optimal Weight l_1 Minimization

Samet Oymak (California Institute of Technology, USA); Amin Khajehnejad (Caltech, USA); Babak Hassibi (California Institute of Technology, USA)
pp. 2032-2036

The l_1 Analysis Approach by Sparse Dual Frames for Sparse Signal Recovery Represented by Frames

Tiebin Mi (Renmin University of China, P.R. China); Shidong Li (San Francisco State University, USA); Yulong Liu (Institute of Electronics, Chinese Academy of Sciences, P.R. China)
pp. 2037-2041

Performance Analysis of l_1 -synthesis with Coherent Frames

Yulong Liu (Institute of Electronics, Chinese Academy of Sciences, P.R. China); Shidong Li (San Francisco State University, USA); Tiebin Mi (Renmin University of China, P.R. China); Lei Hong (Institute of Electronics, Chinese Academy of Sciences, P.R. China); Yu Weidong (Institute of Electronics, Chinese Academy of Sciences, P.R. China)
pp. 2042-2046

Sparse Signal Separation in Redundant Dictionaries

Céline Aubel (Eidgenössische Technische Hochschule Zürich (ETH Zürich), Switzerland); Christoph Studer (Rice University, USA); Graeme Pope (ETH Zurich, Switzerland); Helmut Bölcskei (ETH Zurich, Switzerland)
pp. 2047-2051

S12.T1: Network Coding for Wireless

Analog Network Coding in General SNR Regime

Samar Agnihotri (The Chinese University of Hong Kong, Hong Kong); Sidharth Jaggi (Chinese University of Hong Kong, Hong Kong); Minghua Chen (The Chinese University of Hong Kong, P.R. China)
pp. 2052-2056

Network Coding for the Broadcast Rayleigh Fading Channel with Feedback

Xiaohang Song (Technische Universität München, Germany); Onurcan İşcan (Technische Universität München, Germany)
pp. 2057-2061

Linear Network Coding Capacity Region of 2-Receiver MIMO Broadcast Packet Erasure Channels with Feedback

Chih-Chun Wang (Purdue University, USA); David Love (Purdue University, USA)
pp. 2062-2066

Wireless Network Coding for MIMO Two-way Relaying using Latin Rectangles

Vijayaradharaj Muralidharan (Indian Institute of Science, India); B. Sundar Rajan (Indian Institute of Science, India)
pp. 2067-2071

S12.T2: Interference Alignment

The Approximate Sum Capacity of the Symmetric Gaussian K-User Interference Channel

Or Ordentlich (Tel Aviv University, Israel); Uri Erez (Tel Aviv University, Israel); Bobak Nazer (Boston University, USA)
pp. 2072-2076

Interference Alignment: From Degrees-of-Freedom to Constant-Gap Capacity Approximations

Urs Niesen (Bell Labs, Alcatel-Lucent, USA); Mohammad Maddah-Ali (Bell Labs, Alcatel Lucent, USA)
pp. 2077-2081

Degrees of Freedom of MIMO X Networks: Spatial Scale Invariance, One-Sided Decomposability and Linear Feasibility

Hua Sun (University of California, Irvine, USA); Chunhua Geng (University of California, Irvine, USA); Tiangao Gou (University of California Irvine, USA); Syed Ali Jafar (University of California Irvine, USA)
pp. 2082-2086

Signal Space Alignment for the Gaussian Y-Channel

Anas Chaaban (RUB, Germany); Aydin Sezgin (RUB & Digital Communication Systems, Germany)
pp. 2087-2091

S12.T3: Deterministic Channels

On the Capacity of Multi-user Two-way Linear Deterministic Channels

Zhiyu Cheng (University of Illinois at Chicago, USA); Natasha Devroye (University of Illinois at Chicago, USA)

pp. 2092-2096

Sum Capacity of 3-user Deterministic Interference Channels with Connectivity Constraints

Suvarup Saha (Northwestern University, USA); Randall Berry (Northwestern University, USA)

pp. 2097-2101

On the Sum-capacity of the Linear Deterministic Interference Channel with Partial Feedback

Sy-Quoc Le (National University of Singapore, Singapore); Ravi Tandon (Virginia Tech, USA); Mehul Motani (National University of Singapore, Singapore); H. Vincent Poor (Princeton University, USA)

pp. 2102-2106

The Sum-Capacity of the Linear Deterministic Three-User Cognitive Interference Channel

Diana Maamari (University of Illinois At Chicago, USA); Daniela Tuninetti (University of Illinois at Chicago, USA); Natasha Devroye (University of Illinois at Chicago, USA)

pp. 2107-2111

S12.T4: Classical and Adversarial Joint Source-Channel Coding

The Adversarial Joint Source-Channel Problem

Yuval Kochman (The Hebrew University of Jerusalem, Israel); Arya Mazumdar (Massachusetts Institute of Technology, USA); Yury Polyanskiy (MIT, USA)

pp. 2112-2116

A Strong Converse for Joint Source-Channel Coding

Da Wang (Massachusetts Institute of Technology, USA); Amir Ingber (Stanford University, USA); Yuval Kochman (The Hebrew University of Jerusalem, Israel)

pp. 2117-2121

Joint Source-Channel Coding of one Random Variable over the Poisson Channel

Albert No (Stanford University, USA); Kartik Venkat (Stanford University, USA); Tsachy Weissman (Stanford University, USA)

pp. 2122-2126

Curves on torus layers and coding for continuous alphabet sources

Antonio Campello (University of Campinas, Brazil); Cristiano Torezzan (State University of Campinas, Brazil); Sueli I. R. Costa (State University of Campinas-UNICAMP (Brazil), Brazil)

pp. 2127-2131

S12.T5: Polar Codes over Non-Binary Alphabets

Constructing Polar Codes for Non-Binary Alphabets and MACs

Ido Tal (University of California, San Diego, USA); Artyom Sharov (Technion, Israel); Alexander Vardy (University of California, San Diego, USA)
pp. 2132-2136

Polar codes for discrete alphabets

Eren Şaşıoğlu (University of California, San Diego, USA)
pp. 2137-2141

Polar codes for q -ary channels, $q=2^r$

Woomyoung Park (University of Maryland, USA); Alexander Barg (University of Maryland, USA)
pp. 2142-2146

Polar Coding without Alphabet Extension for Asymmetric Channels

Junya Honda (The University of Tokyo, Japan); Hirotsugu Yamamoto (The University of Tokyo, Japan)
pp. 2147-2151

S12.T6: Cryptanalysis and Distributed Guessing

Cryptanalysis of a Homomorphic Encryption Scheme from ISIT 2008

Jingguo Bi (Shandong University, P.R. China); Mingjie Liu (Tsinghua University, P.R. China); Xiaoyun Wang (Tsinghua University, P.R. China)
pp. 2152-2156

Finding short vectors in a lattice of Voronoi's first kind

Robby G. McKilliam (University of South Australia, Australia); Alex Grant (University of South Australia, Australia)
pp. 2157-2160

Oblivious Distributed Guessing

Serdar Boztas (RMIT University, Australia)
pp. 2161-2165

S12.T7: Fading Channels

Error Exponents for Rayleigh Fading Product MIMO Channels

Jiang Xue (Queen's University, Belfast & ECIT, United Kingdom); Md. Zahurul Sarkar (Queen's University Belfast, United Kingdom); Tharmalingam Ratnarajah (Queen's University of Belfast, United Kingdom); Caijun Zhong (Zhejiang University, P.R. China)
pp. 2166-2170

Ergodic Sum Capacity of Macrodiversity MIMO Systems in Flat Rayleigh Fading

Dushyantha Basnayaka (University of Canterbury, New Zealand); Peter J Smith (The University of Canterbury, New Zealand); Philippa A. Martin (University of Canterbury, New Zealand)
pp. 2171-2175

Characterization of the Constrained Capacity of Multiple-Antenna Fading Coherent Channels Driven by Arbitrary Inputs

Miguel Rodrigues (University College London, United Kingdom)
pp. 2176-2180

A Random Matrix Approach to the Finite Blocklength Regime of MIMO Fading Channels

Jakob Hoydis (Alcatel-Lucent Bell Labs, Germany); Romain Couillet (Supélec, France); Pablo Piantanida (SUPELEC, France); Mérouane Debbah (Supelec, France)
pp. 2181-2185

Worst-Case Expected-Rate Loss of Slow-Fading Channels

Jae Won Yoo (Texas A&M University, USA); Tie Liu (Texas A&M University, USA); Shlomo (Shitz) Shamai (The Technion, Israel)
pp. 2186-2190

S12.T8: Hypothesis Testing

Extrinsic Jensen-Shannon Divergence with Application in Active Hypothesis Testing

Mohammad Naghshvar (University of California, San Diego, USA); Tara Javidi (UCSD, USA)
pp. 2191-2195

Controlled Sensing for Sequential Multihypothesis Testing

George Atia (University of Illinois at Urbana-Champaign, USA); Venugopal Veeravalli (University of Illinois at Urbana-Champaign, USA)
pp. 2196-2200

Active Sequential Hypothesis Testing with Application to a Visual Search Problem

Nidhin Vaidhiyan (Indian Institute of Science, India); S. P. Arun (Indian Institute of Science, India); Rajesh Sundaresan (Indian Institute of Science, India)
pp. 2201-2205

Hypothesis testing via a comparator

Yury Polyanskiy (MIT, USA)
pp. 2206-2210

S12.T9: L1-Regularized Least Squares and Sparsity

The Sensitivity of Compressed Sensing Performance to Relaxation of Sparsity

David Donoho (Stanford University, USA); Galen Reeves (Stanford University, USA)
pp. 2211-2215

Combinatorial Selection and Least Absolute Shrinkage via the Clash Algorithm

Anastasios Kyrillidis (EPFL, Switzerland); Volkan Cevher (Ecole Polytechnique Federale de Lausanne, Switzerland)
pp. 2216-2220

L_p-Constrained Least Squares (0<p<1) and Its Critical Path

Masahiro Yukawa (Niigata University, Japan); Shun-ichi Amari (RIKEN Brain Science Institute, Japan)
pp. 2221-2225

WarmL1: A Warm-start Homotopy-based Reconstruction Algorithm for Sparse Signals

Tien-Ju Yang (National Taiwan University, Taiwan); Yi-Min Tsai (National Taiwan University, Taiwan); Chung-Te Li (National Taiwan University, Taiwan); Liang-Gee Chen (National Taiwan University, Taiwan)
pp. 2226-2230

S13.T1: Index Coding

On Linear Index Coding for Random Graphs

Ishay Haviv (Tel Aviv University, Israel); Michael Langberg (Open University of Israel, Israel)
pp. 2231-2235

Index Coding: An Interference Alignment Perspective

Hamed Maleki (University of California Irvine, USA); Viveck Cadambe (MIT, USA); Syed Ali Jafar (University of California Irvine, USA)
pp. 2236-2240

Optimal Index Codes with Near-Extreme Rates

Hoang Dau (Nanyang Technological University, Singapore); Vitaly Skachek (McGill University, Canada); Yeow Meng Chee (Nanyang Technological University, Singapore)
pp. 2241-2245

Bipartite Index Coding

Arash Saber Tehrani (University of Southern California, USA); Alex Dimakis (University of Southern California, USA); Michael J. Neely (University of Southern California, USA)
pp. 2246-2250

Pliable Index Coding

Siddhartha Brahma (EPFL Switzerland, Switzerland); Christina Fragouli (EPFL, Switzerland)
pp. 2251-2255

S13.T2: Interference Channels

A new achievable rate region for the 3-user discrete memoryless interference channel

Arun Padakandla (University of Michigan, USA); Aria Ghasemian Sahebi (University of Michigan, USA); Sandeep Pradhan (University Michigan, USA)
pp. 2256-2260

An Information-Spectrum Approach to the Capacity Region of General Interference Channel

Lei Lin (Sun Yat-sen University, P.R. China); Xiao Ma (Sun Yat-sen University, P.R. China); Xiujie Huang (Sun Yat-sen University & University of Hawaii, USA); Bao-Ming Bai (Xidian University, P.R. China)
pp. 2261-2265

On a Class of Discrete Memoryless Broadcast Interference Channels

Yuanpeng Liu (Polytechnic Institute of New York University, USA); Elza Erkip (Polytechnic Institute of NYU, USA)
pp. 2266-2270

On the Sum Capacity of the Discrete Memoryless Interference Channel with One-Sided Weak Interference and Mixed Interference

Fangfang Zhu (Syracuse University, USA); Biao Chen (Syracuse University, USA)
pp. 2271-2275

An Achievable Rate Region for Three-Pair Interference Channels with Noise

Bernd Bandemer (University of California, San Diego, USA)
pp. 2276-2280

S13.T3: MIMO Precoding

Hermitian Precoding for Distributed MIMO Systems

Jianwen Zhang (City University of Hong Kong, Hong Kong); Xiaojun Yuan (Chinese University of Hong Kong, Hong Kong); Li Ping (City University of Hong Kong, Hong Kong)
pp. 2281-2285

On the net DoF comparison between ZF and MAT over time-varying MISO broadcast channels

Mari Kobayashi (Supelec, France); Giuseppe Caire (University of Southern California, USA)
pp. 2286-2290

Proximity Factors of Lattice Reduction-Aided Precoding for Multiantenna Broadcast

Shuiyin Liu (Imperial College London, United Kingdom); Cong Ling (Imperial College London, United Kingdom); Xiaofu Wu (Nanjing University of Posts & Telecommunications & Southeast University, P.R. China)
pp. 2291-2295

High-SNR Analysis of MIMO Linear Precoders

Ahmed Hesham Mehana (University of Texas at Dallas, USA); Aria Nosratinia (University of Texas, Dallas, USA)
pp. 2296-2300

A Transmit-Power Efficient MIMO-THP Design

Christos Masouros (Queen's University Belfast, United Kingdom); Mathini Sellathurai (Queen's University of Belfast, United Kingdom); Tharmalingam Ratnarajah (Queens University of Belfast, United Kingdom)
pp. 2301-2305

S13.T4: Gaussian Wiretap Channels

Lattice codes achieving strong secrecy over the mod-Lambda Gaussian Channel

Cong Ling (Imperial College London, United Kingdom); Laura Luzzi (Imperial College London, United Kingdom); Jean-Claude Belfiore (Ecole Nationale Supérieure des Télécommunications, France)

pp. 2306-2310

Key Agreement over Gaussian Wiretap Models with Known Interference at the Transmitter

Ali Zibaeenejad (University of Waterloo, Canada)

pp. 2311-2315

The Gaussian Interference Wiretap Channel When the Eavesdropper Channel is Arbitrarily Varying

Xiang He (Microsoft, USA); Aylin Yener (Pennsylvania State University, USA)

pp. 2316-2320

Optimal Power Allocation for GSVD-Based Beamforming in the MIMO Gaussian Wiretap Channel

Ali Fakoorian (University of California, Irvine, USA); Lee Swindlehurst (University of California at Irvine, USA)

pp. 2321-2325

Switched Power Allocation for MISOME Wiretap Channels

Thang Van Nguyen (Kyung Hee University, Korea); Tony Q. S. Quek (Singapore University of Technology and Design (SUTD) & Institute for Infocomm Research, Singapore); Hyundong Shin (Kyung Hee University, Korea)

pp. 2326-2330

S13.T5: Analysis of LDPC Codes

Beyond the Bethe Free Energy of LDPC Codes via Polymer Expansions

Nicolas Macris (EPFL, Switzerland); Marc Vuffray (EPFL, Switzerland)

pp. 2331-2335

On Generalized EXIT Charts of LDPC Code Ensembles over Binary-Input Output-Symmetric Memoryless Channels

Hosein Mamani (Tarbiat Modares University, Iran); Hamid Saeedi (Tarbiat Modarres University, Iran); Ali Eslami (University of Massachusetts Amherst, USA); Hossein Pishro-Nik (University of Massachusetts, Amherst, USA)

pp. 2336-2340

Analysis of Error Floors of Generalized Non-binary LDPC Codes over q-ary Memoryless Symmetric Channels

Takayuki Nozaki (Tokyo Institute of Technology, Japan); Kenta Kasai (Tokyo Institute of Technology, Japan); Kohichi Sakaniwa (Tokyo Institute of Technology, Japan)

pp. 2341-2345

Finite-length analysis of the TEP decoder for LDPC ensembles over the BEC

Pablo M. Olmos (Universidad Carlos III de Madrid, Spain); Fernando Pérez-Cruz (Universidad Carlos III de Madrid, Spain); Luis Salamanca (University of Seville, Spain); Juan José Murillo-Fuentes (Universidad de Sevilla, Spain)
pp. 2346-2350

S13.T6: Convolutional and Turbo Codes

Properties and encoding aspects of direct product convolutional codes

Vladimir Sidorenko (Ulm University, Germany); Martin Bossert (Ulm University, Germany); Francesca Vatta (University of Trieste, Italy)
pp. 2351-2355

Efficient Decoding of Partial Unit Memory Codes of Arbitrary Rate

Antonia Wachter-Zeh (Ulm University, Germany); Markus Stinner (Technische Universität München, Germany); Martin Bossert (Ulm University, Germany)
pp. 2356-2360

SISO MAP Decoding of Rate-1 Recursive Convolutional Codes: A Revisit

Yonghui Li (University of Sydney, Australia); Md. Shahriar Rahman (The University of Sydney, Australia); Branka Vucetic (The University of Sydney, Australia)
pp. 2361-2365

Best Rate 1/2 Convolutional Codes for Turbo Equalization with Severe ISI

John B Anderson (Lund University, Sweden); Mehdi Zeinali (Lund University, Sweden)
pp. 2366-2370

Low Complexity Syndrome Based Decoding of Turbo Codes

Jan Geldmacher (TU Dortmund University, Germany); Klaus Hueske (TU Dortmund University, Germany); Jürgen Götze (TU Dortmund University, Germany); Martin Kosakowski (Research In Motion Deutschland GmbH, Germany)
pp. 2371-2375

S13.T7: Communication Systems

Message-Passing Algorithms for Channel Estimation and Decoding Using Approximate Inference

Mihai Alin Badiu (Technical University of Cluj-Napoca & Aalborg University, Romania); Gunvor E Kirkelund (Aalborg University, Denmark); Carles Navarro Manchón (Aalborg University, Denmark); Erwin Riegler (Vienna University of Technology (VUT), Austria); Bernard Henri Fleury (Aalborg University, Denmark)
pp. 2376-2380

Bidirectional Channel Estimation Using Adaptive Pilots

Fei Teng (Northwestern University, USA); Dongning Guo (Northwestern University, USA); Michael Honig (Northwestern University, USA)
pp. 2381-2385

Delay-Doppler Channel Estimation with Almost Linear Complexity

Alexander Fish (University of Wisconsin-Madison, USA); Shamgar Gurevich (UW Madison, USA); Ronny Hadani (University of Texas-Austin, USA); Akbar Sayeed (University of Wisconsin-Madison, USA); Oded Schwartz (University of California-Berkeley, USA)

pp. 2386-2390

Efficient Algorithms for Calculating Euclidean Distance Spectra of Multi-User Continuous Phase Modulation Systems

Li Bing (Xidian University, P.R. China); Tor M. Aulin (Chalmers University of Technology, Sweden); Bao-Ming Bai (Xidian University, P.R. China)

pp. 2391-2395

Joint Synchronization and Demodulation by Forward Filtering

Murthy V.R.S. Devarakonda (Consultant, India); Hans-Andrea Loeliger (ETH Zurich, Switzerland)

pp. 2396-2400

S13.T8: Coded Modulation

On the Equivalence of TCM Encoders

Alex Alvarado (University of Cambridge, United Kingdom); Alexandre Graell i Amat (Chalmers University of Technology, Sweden); Fredrik Brännström (Chalmers University of Technology, Sweden); Erik Agrell (Chalmers University of Technology, Sweden)

pp. 2401-2405

Performance Estimation of Bit-Interleaved Coded Modulation Based on Information Processing Characteristics

Andreas Schenk (University of Erlangen-Nuremberg, Germany); Robert F.H. Fischer (Ulm University, Germany); Johannes Huber (University of Erlangen-Nuremberg, Germany)

pp. 2406-2410

Cooperative Diversity via Set-Partitioning in BICM: Outage Analysis and Frame Interleaving

Lai Wei (University of Notre Dame, USA); Thomas E Fuja (University of Notre Dame, USA)

pp. 2411-2415

Mismatched Shaping Schemes for Bit-Interleaved Coded Modulation

Li Peng (University of Cambridge, United Kingdom); Albert Guillén i Fàbregas (ICREA and Universitat Pompeu Fabra & University of Cambridge, Spain); Alfonso Martinez (Universitat Pompeu Fabra, Spain)

pp. 2416-2420

Achieving the Shannon Limit with Probabilistically Shaped BICM

Erik Agrell (Chalmers University of Technology, Sweden); Alex Alvarado (University of Cambridge, United Kingdom)

pp. 2421-2425

S13.T9: Fourier Subsampling

Systematic DFT Frames: Principle and Eigenvalues Structure

Mojtaba Vaezi (McGill University, Canada); Fabrice Labeau (McGill University, Canada)

pp. 2426-2430

Subsampling at Information Theoretically Optimal Rates

Adel Javanmard (Stanford University, USA); Andrea Montanari (Stanford University, USA)

pp. 2431-2435

New Construction of A Near-optimal Partial Fourier Codebook Using The Structure of Binary m -sequences

Nam Yul Yu (Lakehead University, Canada)

pp. 2436-2440

Behavior of the Minimum Singular Value of a Random Vandermonde Matrix

Gabriel H. Tucci (Bell Labs, Alcatel-Lucent, USA); Philip Whiting (Bell Labs, Lucent Technologies, USA)

pp. 2441-2445

Applications of the Shannon-Hartley Theorem to Data Streams and Sparse Recovery

Eric Price (MIT, USA); David Woodruff (IBM Almaden Research Center, USA)

pp. 2446-2450

S14.T1: Network Erasure Correction

Expander Graph Based Overlapped Chunked Codes

Bin Tang (Nanjing University, P.R. China); Shenghao Yang (Tsinghua University, P.R. China); Yitong Yin (Nanjing University, P.R. China); Baoliu Ye (Nanjing University, P.R. China); Sanglu Lu (Nanjing University, P.R. China)

pp. 2451-2455

On Densifying Coding Opportunities in Instantly Decodable Network Coding Graphs

Sameh Sorour (University of Toronto, Canada); Shahrokh Valaee (University of Toronto, Canada)

pp. 2456-2460

How Fast Can Dense Codes Achieve the Min-Cut Capacity of Line Networks?

Anoosheh Heidarzadeh (Carleton University, Canada); Amir Banihashemi (Carleton University, Canada)

pp. 2461-2465

On Decoding Delay of Intra-session Random Linear Network Coding for Line Networks

Vahid Shah-Mansouri (University of British Columbia, Canada); Vincent W.S. Wong (University of British Columbia, Canada)

pp. 2466-2470

S14.T2: Subspace Interference Alignment and Feasibility Conditions

Subspace Alignment Chains and the Degrees of Freedom of the Three-User MIMO Interference Channel

Chenwei Wang (University of California, Irvine, USA); Tiangao Gou (University of California Irvine, USA); Syed Ali Jafar (University of California Irvine, USA)
pp. 2471-2475

Genie Chains and the Degrees of Freedom of the K-User MIMO Interference Channel

Chenwei Wang (University of California, Irvine, USA); Hua Sun (University of California, Irvine, USA); Syed Ali Jafar (University of California Irvine, USA)
pp. 2476-2480

A general test to check the feasibility of linear interference alignment

Óscar González (University of Cantabria, Spain); Ignacio Santamaria (University of Cantabria, Spain); Carlos Beltrán (University of Cantabria, Spain)
pp. 2481-2485

The Feasibility Conditions of Interference Alignment for MIMO Interference Networks

Liangzhong Ruan (HKUST, Hong Kong); Vincent Lau (Hong Kong University of Science and Technology, Hong Kong); Moe Win (Massachusetts Institute of Technology, USA)
pp. 2486-2490

S14.T3: Multiple-Antenna Broadcast Channels

Grassmannian-Euclidean Superposition for MIMO Broadcast Channels

Yang Li (University of Texas at Dallas, USA); Aria Nosratinia (University of Texas, Dallas, USA)
pp. 2491-2495

Throughput Penalty of Fair Scheduling Algorithms on Multiple Antenna Broadcast Channels

Juyul Lee (ETRI, Korea)
pp. 2496-2500

On the Degrees of Freedom of Time Correlated MISO Broadcast Channel with Delayed CSIT

Mari Kobayashi (Supélec, France); Sheng Yang (Supélec, France); David Gesbert (Eurecom, France); Xinping Yi (EURECOM, France)
pp. 2501-2505

An Extremal Inequality and the Capacity Region of the Degraded MIMO Compound Gaussian Broadcast Channel with Multiple Users

Hon Fah Chong (Institute for Infocomm Research, Singapore); Ying-Chang Liang (Institute for Infocomm Research, Singapore)
pp. 2506-2510

S14.T4: Game Theory

The Supermarket Game

Jiaming Xu (University of Illinois at Urbana-Champaign, USA); Bruce Hajek (University of Illinois, USA)
pp. 2511-2515

A Game Theoretic Model for the Gaussian Broadcast Channel

Srinivas Yerramalli (University of Southern California, USA); Rahul Jain (University of Southern California, USA); Urbashi Mitra (University of Southern California, USA)
pp. 2516-2520

Incentives for Cooperative Relaying in a Simple Information-Theoretic Model

Dileep Kalathil (University of Southern California, USA); Rahul Jain (University of Southern California, USA)
pp. 2521-2525

S14.T5: New Constructions of LDPC Codes

Graph Cover Ensembles of Non-binary Protograph LDPC Codes

Dariush Divsalar (Jet Propulsion Laboratory, USA); Lara Dolecek (UCLA, USA)
pp. 2526-2530

Analysis and Design of Ultra-Sparse Non-Binary Cluster-LDPC Codes

David Declercq (ETIS lab. ENSEA/Cergy University/CNRS UMR, France); Valentin Savin (CEA LETI, France); Lam Pham Sy (Eutelsat S.A. & CEA-LETI and Cergy-Pontoise University, France)
pp. 2531-2535

A New Ensemble of Rate-Compatible LDPC Codes

Kai Zhang (Sun Yat-sen University, P.R. China); Xiao Ma (Sun Yat-sen University, P.R. China); Shancheng Zhao (Sun Yat-sen University, P.R. China); Bao-Ming Bai (Xidian University, P.R. China); Xiaoyi Zhang (Information Science and Technology Institute, P.R. China)
pp. 2536-2540

Fourier domain representation of non-binary LDPC codes

Valentin Savin (CEA LETI, France)
pp. 2541-2545

S14.T6: Applications of Codes in Cryptography

Secure Network Coding and Non-Malleable Codes: Protection Against Linear Tampering

Hervé Chabanne (Morpho & Telecom Paristech, France); Gerard Cohen (ENST, France); Alain Patey (Télécom ParisTech & Morpho, France)
pp. 2546-2550

On a Class of Three-Weight Codes with Cryptographic Applications

Zihui Liu (Beijing Institute of Technology, P.R. China); Xin-Wen Wu (Griffith University, Australia)
pp. 2551-2555

Private Stream Search at the Same Communication Cost as a Regular Search: Role of LDPC Codes

Matthieu Finiasz (CryptoExperts, France); Kannan Ramchandran (University of California at Berkeley, USA)
pp. 2556-2560

S14.T7: Topics in Shannon Theory

Recognition Capacity Versus Search Speed in Noisy Databases

Ertem Tuncel (UC Riverside, USA)
pp. 2566-2570

On Fingerprinting Capacity Games for Arbitrary Alphabets and Their Asymptotics

Yen-Wei Huang (University of Illinois at Urbana-Champaign, USA); Pierre Moulin (University of Illinois at Urbana-Champaign, USA)
pp. 2571-2575

Universal communication over unknown vector channels

Yuval Lomnitz (Tel Aviv University, Israel); Meir Feder (Tel-Aviv University, Israel)
pp. 2576-2580

The Porosity of Additive Noise Sequences

Vinith Misra (Stanford University, USA); Tsachy Weissman (Stanford University, USA)
pp. 2581-2585

S14.T8: High-Dimensional Inference

Classification with High-Dimensional Sparse Samples

Dayu Huang (University of Illinois Urbana Champaign, USA); Sean Meyn (University of Florida, USA)
pp. 2586-2590

Large scale correlation detection

Francesca Bassi (LSS-CNRS-Supelec, France); Alfred Hero III (University of Michigan, USA)
pp. 2591-2595

An Innovative Approach for Analysing Rank Deficient Covariance Matrices

Gabriel H. Tucci (Bell Labs, Alcatel-Lucent, USA); Ke Wang (Rutgers University, USA)
pp. 2596-2600

Corrupted and missing predictors: Minimax bounds for high-dimensional linear regression

Po-Ling Loh (UC Berkeley, USA); Martin J. Wainwright (University of California, Berkeley, USA)
pp. 2601-2605

S15.T1: Data Exchange and Gathering

Coded Cooperative Data Exchange Problem for General Topologies

Mira Gonen (Bar Ilan University, Israel); Michael Langberg (Open University of Israel, Israel)

pp. 2606-2610

Data Exchange Problem with Helpers

Nebojsa Milosavljevic (University of California at Berkeley, USA); Sameer Pawar (University of California, Berkeley, USA); Salim El Rouayheb (University of California, Berkeley, USA); Michael Gastpar (University of California, Berkeley, USA); Kannan Ramchandran (University of California at Berkeley, USA)

pp. 2611-2615

Network Coded Gossip With Correlated Data

Bernhard Haeupler (MIT, USA); Asaf Cohen (Ben-Gurion University of the Negev, Israel); Chen Avin (Ben-Gurion University of the Negev, Israel); Muriel Médard (MIT, USA)

pp. 2616-2620

Wireless Networks with Symmetric Demands

Sudeep Kamath (U.C. Berkeley, USA); Sreeram Kannan (University of Illinois, Urbana-Champaign, USA); Pramod Viswanath (University of Illinois, Urbana-Champaign, USA)

pp. 2621-2625

S15.T2: Opportunistic and Relay-Aided Interference Alignment

Delay-Rate Tradeoff in Ergodic Interference Alignment

Oliver Johnson (University of Bristol, United Kingdom); Matthew Aldridge (University of Bristol, United Kingdom); Robert J Piechocki (University of Bristol, United Kingdom)

pp. 2626-2630

Opportunistic Interference Alignment in MIMO Femtocell Networks

Tri Minh Nguyen (Kyung Hee University, Korea); Tony Q. S. Quek (Singapore University of Technology and Design (SUTD) & Institute for Infocomm Research, Singapore); Hyundong Shin (Kyung Hee University, Korea)

pp. 2631-2635

Opportunistic Interference Alignment for MIMO IMAC: Effect of User Scaling Over Degrees-of-Freedom

Hyun Jong Yang (Stanford University, USA); Won-Yong Shin (Dankook University, Korea); Bang Chul Jung (Gyeongsang National University, Korea); Arogyaswami Paulraj (Stanford University, USA)

pp. 2636-2640

Relay-aided Interference Alignment for MIMO Cellular Networks

Xuesong Wang (Huawei Technologies Co., Ltd, P.R. China); Yongping Zhang (Huawei Technologies Co., Ltd, P.R. China); Philipp Zhang (Hisilicon Technologies, Huawei, P.R. China); Xiaotao Ren (Huawei Technologies Co., Ltd, P.R. China)

pp. 2641-2645

S15.T3: Topics in MIMO

Generalized Distributive Law for ML Decoding of STBCs: Further Results

Lakshmi Prasad Natarajan (Indian Institute of Science, Bangalore, India); B. Sundar Rajan (Indian Institute of Science, India)
pp. 2646-2650

The Jacobi MIMO Channel

Ronen Dar (Tel-Aviv University, Israel); Meir Feder (Tel-Aviv University, Israel); Mark Shtaiif (Tel Aviv University, Israel)
pp. 2651-2655

Channel Modelling of MU-MIMO Systems by Quaternionic Free Probability

Ralf R. Müller (Norwegian University of Science and Technology, Norway); Burak Çakmak (Norwegian University of Science and Technology, Norway)
pp. 2656-2660

Transmission over Arbitrarily Permuted Parallel Gaussian Channels

Ayal Hitron (Tel Aviv University, Israel); Anatoly Khina (Tel Aviv University, Israel); Uri Erez (Tel Aviv University, Israel)
pp. 2661-2665

S15.T4: Delay and Distributed Scheduling

Real-Time Status Updating: Multiple Sources

Roy Yates (Rutgers University, USA); Sanjit Kaul (Indraprastha Institute of Information Technology (IIIT), Delhi, India)
pp. 2666-2670

On Emptying a Wireless Network in Minimum Time

Vangelis Angelakis (Linköping University, Sweden); Anthony Ephremides (University of Maryland at College Park, USA); Qing He (Linköping University, Sweden); Di Yuan (Linköping University, Sweden)
pp. 2671-2675

Mixing Time and Temporal Starvation of General CSMA Networks with Multiple Frequency Agility

Ka Kit Lam (University of California, Berkeley, Hong Kong); Chi-Kin Chau (Masdar Institute & MIT, UAE); Minghua Chen (The Chinese University of Hong Kong, P.R. China); Soung Chang Liew (The Chinese University of Hong Kong, Hong Kong)
pp. 2676-2680

From Glauber Dynamics To Metropolis Algorithm: Smaller Delay in Optimal CSMA

Chul-Ho Lee (North Carolina State University, USA); Do Young Eun (North Carolina State University, USA); Se-Young Yun (Korea Advanced Institute of Science and Technology, Korea); Yung Yi (KAIST (Korea Advanced Institute of Science and Technology), Korea)
pp. 2681-2685

S15.T5: Decoding Algorithms for Codes on Graphs

Linear-Programming Decoding of Tanner Codes with Local-Optimality Certificates

Nissim Halabi (School of Electrical Engineering, Tel-Aviv University, Israel); Guy Even (Tel-Aviv University, Israel)

pp. 2686-2690

Hierarchies of Local-Optimality Characterizations in Decoding Tanner Codes

Nissim Halabi (School of Electrical Engineering, Tel-Aviv University, Israel); Guy Even (Tel-Aviv University, Israel)

pp. 2691-2695

Approaching Capacity at High Rates with Iterative Hard-Decision Decoding

Yung-Yih Jian (Texas A&M University, USA); Henry D Pfister (Texas A&M University, USA); Krishna Narayanan (Texas A&M University, USA)

pp. 2696-2700

On The Maximum a Posteriori Decoding Thresholds of Multiuser Systems with Erasures

Phong S Nguyen (Texas A&M University, USA); Arvind Yedla (Texas A&M University, USA); Henry D Pfister (Texas A&M University, USA); Krishna Narayanan (Texas A&M University, USA)

pp. 2701-2705

S15.T6: Fundamental Limits on Complexity

An Analytic Upper Bound on T-Complexity

Ulrich Speidel (University of Auckland, New Zealand); T. Aaron Gulliver (University of Victoria, Canada)

pp. 2706-2710

On the Query Computation and Verification of Functions

Hirakendu Das (University of California San Diego, USA); Ashkan Jafarpour (UCSD, USA); Alon Orlitsky (University of California, San Diego, USA); Shengjun Pan (University of California, San Diego, USA); Ananda Theertha Suresh (University of California, San Diego, USA)

pp. 2711-2715

Fundamental limits on the power consumption of encoding and decoding

Pulkit Grover (Stanford University, USA); Andrea Goldsmith (Stanford University, USA); Anant Sahai (UC Berkeley, USA)

pp. 2716-2720

S15.T8: Tree Learning

Tractable Bayesian Social Learning on Trees

Yashodhan Kanoria (Stanford, USA); Omer Tamuz (Weizmann Institute, Israel)

pp. 2721-2725

Learning Minimal Latent Directed Information Trees

Jalal Etesami (University of Illinois at Urbana-Champaign, USA); Negar Kiyavash (University of Illinois at Urbana-Champaign, USA); Todd P Coleman (University of California, San Diego, USA)
pp. 2726-2730

Learning Markov Graphs Up To Edit Distance

Abhik K Das (The University of Texas at Austin, USA); Praneeth Netrapalli (The University of Texas at Austin, USA); Sujay Sanghavi (University of Texas, Austin, USA); Sriram Vishwanath (University of Texas at Austin, USA)
pp. 2731-2735

Passive Learning of the Interference Graph of a Wireless Network

Jing Yang (University of Wisconsin-Madison, USA); Stark C Draper (University of Wisconsin, USA); Robert Nowak (University of Wisconsin - Madison, USA)
pp. 2736-2740

S15.T9: Strings, Sorting, and Biology

Information Theory for DNA Sequencing: Part I: A Basic Model

Abolfazl Motahari (University of California, Berkeley, Canada); Guy Bresler (University of California, Berkeley, USA); David Tse (University of California at Berkeley, USA)
pp. 2741-2745

The Information Content in Sorting Algorithms

Ludwig Busse (ETH Zurich, Switzerland); Morteza Chehreghani (ETH Zurich, Switzerland); Joachim Buhmann (ETH Zurich, Switzerland)
pp. 2746-2750

String reconciliation with unknown edit distance

Aryeh Kontorovich (Ben-Gurion University, Israel); Ari Trachtenberg (Boston University, USA)
pp. 2751-2755

Modeling Biological Circuits with Urn Functions

David Lee (Stanford University, USA); Jehoshua Bruck (California Institute of Technology, USA)
pp. 2756-2760

S16.T1: Coded Storage and Caching

Allocations for Heterogenous Distributed Storage

Vasileios Ntranos (University of Southern California, USA); Giuseppe Caire (University of Southern California, USA); Alex Dimakis (University of Southern California, USA)
pp. 2761-2765

Codes Can Reduce Queueing Delay in Data Centers

Longbo Huang (University of California, Berkeley, USA); Sameer Pawar (University of California, Berkeley, USA); Hao Zhang (University of California, Berkeley, USA); Kannan Ramchandran (University of California at Berkeley, USA)
pp. 2766-2770

Locally Repairable Codes

Dimitris Papailiopoulos (University of Southern California, USA); Alex Dimakis (University of Southern California, USA)
pp. 2771-2775

Optimal Linear Codes with a Local-Error-Correction Property

N Prakash (Indian Institute of Science, India); Govinda M Kamath (Indian Institute of Science, India); V Lalitha (Indian Institute of Science, India); P Vijay Kumar (Indian Institute of Science & University of Southern California, India)
pp. 2776-2780

Wireless Device-to-Device Communications with Distributed Caching

Negin Golrezaei (University of Southern California, USA); Alex Dimakis (University of Southern California, USA); Andreas Molisch (University of Southern California, USA)
pp. 2781-2785

S16.T2: Gaussian Interference Channels

Capacity for MIMO Gaussian Interference Channels With Generally Strong and Noisy Interference

Xiaohu Shang (Bell Labs & Alcatel-Lucent, USA); H. Vincent Poor (Princeton University, USA)
pp. 2786-2790

The Han-Kobayashi Region for a Class of Gaussian Interference Channels with Mixed Interference

Yu Zhao (Syracuse University, USA); Fangfang Zhu (Syracuse University, USA); Biao Chen (Syracuse University, USA)
pp. 2791-2795

Simple transmission strategies for interference channel

Jung Hyun Bae (Samsung US R&D Center, USA); Jungwon Lee (Samsung US R&D Center, USA); Inyup Kang (Samsung Electronics, USA)
pp. 2796-2800

Two-way Interference Channels

Changho Suh (MIT, USA); I-Hsiang Wang (EPFL, Switzerland); David Tse (University of California at Berkeley, USA)
pp. 2801-2805

A New Outer Bound on the Capacity Region of Gaussian Interference Channels

Junyoung Nam (Electronics and Telecommunication Research Institute (ETRI), Korea); Giuseppe Caire (University of Southern California, USA)
pp. 2806-2810

S16.T3: MIMO coding

On the Sphere Decoding Complexity of High Rate Multigroup ML Decodable STBCs

Lakshmi Prasad Natarajan (Indian Institute of Science, Bangalore, India); Pavan K. Srinath (Indian Institute of Science, India); B. Sundar Rajan (Indian Institute of Science, India)
pp. 2811-2815

Feedback-aided complexity reductions in ML and Lattice decoding

Arun Kumar Singh (Eurecom, France); Petros Elia (EURECOM, France)
pp. 2816-2820

Time-Varying Space-Only Codes

Dieter Duyck (Ghent University, Belgium); Marc Moeneclaey (Ghent University, Belgium); Sheng Yang (Supélec, France); Fambirai Takawira (University of KwaZulu-Natal, South Africa); Joseph Jean Boutros (Texas A&M University at Qatar, Qatar)
pp. 2821-2825

A Class of Iterated Fast Decodable Space-Time Codes for 2^n Tx Antennas

Nadya Markin (Nanyang Technological University, Singapore); Frederique Oggier (Nanyang Technological University, Singapore)
pp. 2826-2830

Space-Time MIMO Multicasting

Idan Livni (Tel Aviv University, Israel); Anatoly Khina (Tel Aviv University, Israel); Ayal Hitron (Tel Aviv University, Israel); Uri Erez (Tel Aviv University, Israel)
pp. 2831-2835

S16.T4: Delay and Deadline Constrained Communication

Approximating the Timely Throughput of Heterogeneous Wireless Networks

Sina Lashgari (Cornell University, USA); Salman Avestimehr (Cornell University, USA)
pp. 2836-2840

Wireless Downloading Delay under Proportional Fair Scheduling with Coupled Service and Requests: An Approximated Analysis

Karthikeyan Shanmugam (University of Southern California, USA); Giuseppe Caire (University of Southern California, USA)
pp. 2841-2845

Delay-Optimal Buffered Decode-and-Forward for Two-hop Networks with Random Link Connectivity

Ying Cui (HKUST, Hong Kong); Vincent Lau (Hong Kong University of Science and Technology, Hong Kong); Edmund Yeh (Northeastern University, USA)
pp. 2846-2850

Delay-Exponent of Delay-Universal Compress-and-Forward Relaying

Khoa D. Nguyen (University of South Australia, Australia)
pp. 2851-2855

On Playback Delay in Streaming Communication

Gauri Joshi (Massachusetts Institute of Technology, USA); Yuval Kochman (The Hebrew University of Jerusalem, Israel); Gregory Wornell (Massachusetts Institute of Technology, USA)
pp. 2856-2860

S16.T5: Decoding Techniques for LDPC Codes

Jar Decoding: LDPC Coding Theorems for Binary Input Memoryless Channels

En-hui Yang (University of Waterloo, Canada); Jin Meng (University of Waterloo, Canada)
pp. 2861-2865

A Two Stage Selective Averaging LDPC Decoding

Dinesh Kumar A. (Indian Institute of Science, India); Ambedkar Dukkipati (Indian Institute of Science, India)
pp. 2866-2870

Quantized Min-Sum Decoders with Low Error Floor for LDPC Codes

Xiaojie Zhang (University of California, San Diego, USA); Paul H. Siegel (University of California, San Diego, USA)
pp. 2871-2875

Enhancing the Error Correction of Finite Alphabet Iterative Decoders via Adaptive Decimation

Shiva Kumar Planjery (University of Arizona, USA); Bane Vasić (University of Arizona, USA); David Declercq (ETIS lab. ENSEA/Cergy University/CNRS UMR, France)
pp. 2876-2880

Selecting Two-Bit Bit Flipping Algorithms for Collective Error Correction

Dung Nguyen (University of Arizona, USA); Bane Vasić (University of Arizona, USA); Michael W. Marcellin (ECE Dept, The University of Arizona, USA)
pp. 2881-2885

S16.T6: Cyclic Codes and Symbol-Pair Codes

Maximum Distance Separable Symbol-Pair Code

Yeow Meng Chee (Nanyang Technological University, Singapore); Han Mao Kiah (Nanyang Technological University, Singapore); Chengmin Wang (Nanyang Technological University, Singapore)
pp. 2886-2890

Decoding of Cyclic Codes over Symbol-Pair Read Channels

Eitan Yaakobi (Caltech, USA); Jehoshua Bruck (California Institute of Technology, USA); Paul H. Siegel (University of California, San Diego, USA)
pp. 2891-2895

Describing A Cyclic Code by Another Cyclic Code

Alexander Zeh (University of Ulm, Germany); Sergey Bezzateev (Saint-Petersburg Aerospace Instrumentation University, Russia)

pp. 2896-2900

Weight Distribution of Some Cyclic Codes

Sung-Tai Choi (Seoul National University, Korea); Ji-Youp Kim (Seoul National University, Korea); Jong-Seon No (Seoul National University, Korea); Habong Chung (Hong-Ik University, Korea)

pp. 2901-2903

Self-Dual Repeated Root Cyclic and Negacyclic Codes Over Finite Fields

Kenza Guenda (university of science and Technology Algiers, Algeria); T. Aaron Gulliver (University of Victoria, Canada)

pp. 2904-2908

S16.T7: Feedback

Approximate Feedback Capacity of the Gaussian Multicast Channel

Changho Suh (MIT, USA); Naveen Goela (University of California Berkeley, USA); Michael Gastpar (University of California, Berkeley, USA)

pp. 2909-2913

A sequential transmission scheme for unifilar finite-state channels with feedback based on posterior matching

Achilleas Anastasopoulos (University of Michigan, USA)

pp. 2914-2918

Optimal Selective Feedback Policies for Opportunistic Beamforming Under Peak Feedback Constraints

Tharaka Samarasinghe (University of Melbourne, Australia); Hazer Inaltekin (Antalya International University, Turkey); Jamie Evans (Monash University, Australia)

pp. 2919-2923

A Rate-compatible Sphere-packing Analysis of Feedback Coding with Limited Retransmissions

Adam Williamson (University of California, Los Angeles, USA); Tsung-Yi Chen (University of California, Los Angeles, USA); Richard Wesel (University of California, Los Angeles, USA)

pp. 2924-2928

Completely Decoupled Space-Time Block Codes with Low-Rate Feedback

Wei Liu (National University of Defense Technology, P.R. China); Mathini Sellathurai (Queen's University of Belfast, United Kingdom); Jing Lei (National University of Defense Technology, P.R. China); Ji-Bo Wei (National University of Defense Technology, P.R. China); Chaojing Tang (National University of Defense Technology, P.R. China)

pp. 2929-2933

S16.T8: Error Exponents

On Reliability Functions for Single-Message Unequal Error Protection

Da Wang (Massachusetts Institute of Technology, USA); Venkat Chandar (MIT, USA); Sae-Young Chung (KAIST, Korea); Gregory Wornell (Massachusetts Institute of Technology, USA)
pp. 2934-2938

Error Exponents of Optimum Erasure/List and Ordinary Decoding for Channels with Side Information

Erez Sabbag (Densbits Technologies LTD, Israel); Neri Merhav (Technion, Israel)
pp. 2939-2943

Extremality Properties for Gallager's Random Coding Exponent

Mine Alsan (EPFL, Switzerland)
pp. 2944-2948

Refinement of the Sphere-Packing Bound

Yucel Altuğ (Cornell University, USA); Aaron Wagner (Cornell University, USA)
pp. 2949-2953

On Decoding Error Exponent of Gaussian Channel with Noisy Feedback: Nonexponential Number of Messages

Marat V Burnashev (Institute for Information Transmission Problems, Russian Academy of Sciences, Russia); Hirosuke Yamamoto (The University of Tokyo, Japan)
pp. 2954-2958

S16.T9: Information Theory in Biology

Collective Sensing-Capacity of Bacteria Populations

Arash Einolghozati (Georgia Tech, USA); Mohsen Sardari (Georgia Institute of Technology, USA); Faramarz Fekri (Georgia Institute of Technology, USA)
pp. 2959-2963

A Berger-Levy Energy Efficient Neuron Model with Unequal Synaptic Weights

Jie Xing (University of Virginia & Salk Institute, USA); Toby Berger (University of Virginia, USA); Terrence J. Sejnowski (University of California at San Diego, Salk Institute for Biological Studies, USA)
pp. 2964-2968

Design Principles and Specifications for Neural-like Computation Under Constraints on Information Preservation and Energy Costs as Analyzed with Statistical Theory

William Levy (University of Virginia, USA); Toby Berger (University of Virginia, USA)
pp. 2969-2972

The peak constrained additive inverse Gaussian noise channel

Andrew Eckford (York University, Canada); K. V. Srinivas (Samsung Electronics India, India); Raviraj Adve (University of Toronto, Canada)
pp. 2973-2977

S17.T1: Rank-Modulation Coding

Systematic Error-Correcting Codes for Rank Modulation

Hongchao Zhou (California Institute of Technology, USA); Anxiao Andrew Jiang (Texas A&M University, USA); Jehoshua Bruck (California Institute of Technology, USA)
pp. 2978-2982

Snake-in-the-Box Codes for Rank Modulation

Yonatan Yehezkeally (Ben-Gurion University of the Negev, Israel); Moshe Schwartz (Ben-Gurion University of the Negev, Israel)
pp. 2983-2987

Rank Modulation for Translocation Error Correction

Farzad Farnoud (University of Illinois, Urbana-Champaign, USA); Vitaly Skachek (McGill University, Canada); Olgica Milenkovic (University of Illinois, USA)
pp. 2988-2992

On ML-Certificate Linear Constraints for Rank Modulation with Linear Programming Decoding and its Application to Compact Graphs

Manabu Hagiwara (Advanced Industrial Science and Technology, Japan)
pp. 2993-2997

Linear Programming Upper Bounds on Permutation Code Sizes From Coherent Configurations Related to the Kendall-Tau Distance Metric

Fabian Lim (Massachusetts Institute of Technology, USA); Manabu Hagiwara (Advanced Industrial Science and Technology, Japan)
pp. 2998-3002

S17.T2: Communication and Computation over Multiple Access Channels

Lossy Communication over Multiple-Access Channels with Feedback

Paolo Minero (University of Notre Dame, USA); Safitha Jayaraj (University of Notre Dame, USA)
pp. 3003-3007

The Compute-and-Forward Transform

Or Ordentlich (Tel Aviv University, Israel); Uri Erez (Tel Aviv University, Israel); Bobak Nazer (Boston University, USA)
pp. 3008-3012

On Modulo-Sum Computation over an Erasure Multiple Access Channel

Ashish Khisti (University of Toronto, Canada); Brett Hern (Texas A&M University, USA); Krishna Narayanan (Texas A&M University, USA)
pp. 3013-3017

Capacity Regions of Partly Asynchronous Multiple Access Channels

Lóránt Farkas (Budapest University of Technology and Economics, Hungary); Tamás Kói (Budapest University of Technology and Economics, Hungary)
pp. 3018-3022

S17.T3: MIMO Equalization, Diversity and Optimization

Performance of MIMO Single-Carrier Frequency Domain Zero-Forcing Equalizer

Ahmed Hesham Mehana (University of Texas at Dallas, USA); Aria Nosratinia (University of Texas, Dallas, USA)

pp. 3023-3027

Matrix Exponential Learning: Distributed Optimization in MIMO systems

Panayotis Mertikopoulos (French National Center for Scientific Research (CNRS) & Laboratoire d'Informatique de Grenoble, France); Elena Veronica Belmega (ENSEA/UCP/CNRS, France); Aris Moustakas (University of Athens, Greece)

pp. 3028-3032

Asymptotic Data Rates of Receive-Diversity Systems with MMSE Estimation and Interferers at Correlated Locations

Siddhartan Govindasamy (F. W. Olin College of Engineering, USA)

pp. 3033-3037

Connecting DMT of Division Algebra Space-Time Codes and Point Counting in Lie Groups

Roope Vehkalahti (University of Turku, Finland); Laura Luzzi (Imperial College London, United Kingdom)

pp. 3038-3042

DMT-optimal, Low ML-Complexity STBC-Schemes for Asymmetric MIMO Systems

Pavan K. Srinath (Indian Institute of Science, India); B. Sundar Rajan (Indian Institute of Science, India)

pp. 3043-3047

S17.T4: Communication Models

Coordination via a Relay

Farzin Haddadpour (Sharif University of Technology, Iran); Mohammad Hossein Yassaee (Sharif University of Technology, Iran); Amin Aminzadeh Gohari (Sharif University of Technology, Iran); Mohammad Reza Aref (Sharif University of Tech., Iran)

pp. 3048-3052

Channel Simulation via Interactive Communications

Mohammad Hossein Yassaee (Sharif University of Technology, Iran); Amin Aminzadeh Gohari (Sharif University of Technology, Iran); Mohammad Reza Aref (Sharif University of Tech., Iran)

pp. 3053-3057

Action Dependent Strictly Causal State Communication

Chiranjib Choudhuri (University of Southern California, USA); Urbashi Mitra (University of Southern California, USA)

pp. 3058-3062

Multi-stage Coding for Channels With a Rewrite Option and Reversible Input

Kittipong Kittichokechai (Royal Institute of Technology, Sweden); Tobias J. Oechtering (KTH Royal Institute of Technology & School of Electrical Engineering, EE, Sweden); Mikael Skoglund (KTH Royal Institute of Technology, Sweden)
pp. 3063-3067

Amplification of the Hidden Gaussian Channel States

Chao Tian (AT&T Labs - Research, USA)
pp. 3068-3072

S17.T5: Cyclic and Quasicyclic LDPC Codes

Low-Density Arrays of Circulant Matrices: Rank and Row-Redundancy, and QC-LDPC Codes

Qin Huang (Beihang University, P.R. China); Keke Liu (Department of ECE, University of California, Davis, USA); Zulin Wang (Beihang University, P.R. China)
pp. 3073-3077

On the Girth of Quasi Cyclic Protograph LDPC Codes

Mehdi Karimi (Carleton University, Canada); Amir Banihashemi (Carleton University, Canada)
pp. 3078-3082

A Greedy Search for Improved QC LDPC Codes with Good Girth Profile and Degree Distribution

Irina Bocharova (St. Petersburg University of Information Technologies, Mechanics and Optics, Russia); Florian Hug (Lund University, Germany); Rolf Johannesson (Lund University, Sweden); Boris Kudryashov (St. Petersburg University of Information Technology, Mechanics and Optics, Russia)
pp. 3083-3087

Trapping Set Structure of Finite Geometry LDPC Codes

Qiuju Diao (University of California, Davis, USA); Ying Y. Tai (SanDisk Corporation, USA); Shu Lin (UC Davis, USA); Khaled Abdel-Ghaffar (University of California, USA)
pp. 3088-3092

A New Parity Structure With Multi-Weight Circulants for QC LDPC Codes

Hosung Park (Seoul National University, Korea); Seokbeom Hong (Seoul National University, Korea); Jong-Seon No (Seoul National University, Korea); Dong-Joon Shin (Hanyang University, Korea)
pp. 3093-3097

S17.T6: Codes over Rings

Lagrange Interpolation Polynomials and Generalized Reed-Solomon Codes over Rings of Matrices

Liping Wang (Institute of Information Engineering, Chinese Academy of Sciences, P.R. China)
pp. 3098-3100

Extensions of Z₂Z₄-Additive Self-Dual Codes Preserving Their Properties

Muhammad Bilal (Universitat Autònoma de Barcelona, Spain); Joaquim Borges (Universitat Autònoma de Barcelona, Spain); Steven Dougherty (University of Scranton PA, USA); Cristina Fernández-Córdoba (Universitat Autònoma de Barcelona, Spain)

pp. 3101-3105

Greedy Codes over Z₄

Kenza Guenda (university of science and Technology Algiers, Algeria); T. Aaron Gulliver (University of Victoria, Canada); Arash Sheikholeslam (Isfahan university of Technology & IEEE student member, Iran)

pp. 3106-3109

Construction of Barnes-Wall Lattices from Linear Codes over Rings

J Harshan (Monash University, Australia); Emanuele Viterbo (Monash University, Australia); Jean-Claude Belfiore (Ecole Nationale Supérieure des Télécommunications, France)

pp. 3110-3114

On the algebraic representation of selected optimal non-linear binary codes

Marcus Greferath (University College Dublin, Ireland); Jens Zumbärgel (University College Dublin, Ireland)

pp. 3115-3119

S17.T7: Interference Channels with Feedback

Full-duplex Transmitter Cooperation, Feedback, and the Degrees of Freedom of SISO Gaussian Interference and X Channels

Mohammad Javad Abdoli (University of Waterloo, Canada); Akbar Ghasemi (University of Waterloo, Canada); Amir K. Khandani (University of Waterloo, Canada)

pp. 3120-3124

Generalized Degrees of Freedom of the Symmetric K-user Interference Channel with Feedback

Soheil Mohajer (UC Berkeley, USA); Ravi Tandon (Virginia Tech, USA); H. Vincent Poor (Princeton University, USA)

pp. 3125-3129

Feedback in the K-user Interference Channel

Dimitris Papailiopoulos (University of Southern California, USA); Changho Suh (MIT, USA); Alex Dimakis (University of Southern California, USA)

pp. 3130-3134

The Generalized Multiplexing Gain Region of the Slow Fading MIMO Interference Channel and its Achievability with Limited Feedback

Sanjay Karmakar (University Of Colorado at Boulder, USA); Mahesh Kumar Varanasi (University of Colorado, USA)

pp. 3135-3139

On the ARQ Protocols over the Z-interference Channels: Diversity-Multiplexing-Delay Tradeoff

Mohamed Nafea (Nile University, Egypt); Doha Hamza (KAUST, Saudi Arabia); Karim G Seddik (American University in Cairo & Alexandria University, Egypt); Mohammed Nafie (Nile University & Cairo University, Egypt); Hesham El Gamal (Ohio State University, USA)

pp. 3140-3144