

2012 IEEE-APS Topical Conference on Antennas and Propagation in Wireless Communications

(APWC 2012)

**Cape Town, WP, South Africa
2 – 7 September 2012**



IEEE Catalog Number: CFP1274N-PRT
ISBN: 978-1-4673-0404-7

TABLE OF CONTENTS

	SESSION 4:EMC and ITS Technologies, organized by Y. Wen, IEEE APWC	pages	
Liu J., Cai B.G., Wang Y.P., Wang J., Shangguan W.	A GPS/Compass based Train Integrated Positioning Method for High-speed Railways	1201	1204
Wang Z.-L.	A ROI Setting Method for Vehicle Detection in Urban Environment	1205	1208
Wen Y., Ma Y., Zhang X., Jin X., Wang F.	Channel Fading Statistics in High-speed Mobile Environment	1209	1212
Li H., Lin F., Li Z., Halang W., Zhang B.	Chaotic SVPWM Control and its Application in EMI suppression for PV Inverters	1213	1216
Wang J., Shankwitz C., Menon A., Cai B., Shangguan W.	Connected Vehicle GID Transmission and Reception Test with DSRC	1229	1232
Huang J., Lu Y., Zhang B.	Harmonic Current Elimination for Single-Phase Rectifiers based carrier phase-shift	152	155
Xiao M., Wen Y.-H.	Impedance matching of compound Absorber's impact on characteristic of anechoic chamber	1278	1280
Cai B.G., Chai L., Shangguan W., Wang J.	Research and Simulation of Car-Following Model Base on CVIS	1217	1220
Shangguan W., Cai B.G., Li S.H., Wang J.	Research on Simulation Technology of HLA-based Cooperative Vehicle-Infrastructure System	1221	1224
Zhang J.B., Wen Y.H., Zhou K.S., Tan Z.H., Zhu Y.	Research on Statistical Parameters of Interference for Digital Radio	1225	1228
	SESSION 8:Ultra-wideband systems for biomedical diagnostics, organized byW. Wiesbeck and M. Hein, IEEE APWC		
Li X., Sam K.C., Wiesbeck W., Zwick T.	A Planar Near-Field Measurement System of UWB Antennas for Medical Diagnostics	662	665
Dullaert W., Rogier H., Boeykens F.	Advantages of PSWF-based models for UWB systems	1024	1027
Manteuffel D., Grimm M.	On- and In-body path loss models based on antenna de-embedding	bk!	
Meaney P., Golnabi A, Pallone M., Epstein N., Kaufman P., Geimer S., Paulsen K.D.	Spectral Imaging for Complex Clinical Breast Structures	202	205
Hein M.A., Helbig M., Kmec M., Sachs J., Scotto di Clemente F., Stephan R., Hamouda M., Ussmueller T., Weigel R., Robens M., Wunderlich R., Heinen S.	Ultra-wideband active array imaging for biomedical diagnostics	367	370
Kosch O., Scotto di Clemente F., Hein M.A., Seifert F.	UWB radar based cardiac motion detection in medical diagnostic	570	573

	SESSION 10:Multiband, wideband, and functional antennas PART I, Organized by H. Nakano, IEEE APWC		
Nakano H., Miyake J., Oyama M., Oishi Y., Sakurada T., Yamauchi J.	Circularly polarized spiral antenna using a double negative property	99	102
Fukusako T., Yamaura S.	Design and Bandwidth Enhancement of Circularly Polarized Aperture Antennas using L-shaped Probe	371	374
Huang C.-F., Tien Y.-W., Tsai C.-L.	Design of Antennas with Spatial Diversity for WiMAX Terminals on a High-Speed Train	239	242
Ngan H.S., Fang X.S., Leung K.W.	Design of dual-band circularly polarized dielectric resonator antenna using a higher-order mode	424	427
Xu J., Chen Z.N., Qing X., Hong W.	Dielectric Loading Effect on 140-GHz LTCC SIW Slot Array Antenna	103	104
Sakakibara K., Hasegawa A., Hori H., Kikuma N., Hirayama H.	Directional broadband planar slot antenna fed by dual-offset tri-plate lines on double-layer substrate in 20GHz band	325	328
Yamada Y., Michishita N., Ochiyama K., Mouri K.	Effects of dielectric and magnetic materials on antenna performances of very small normal-mode helical antennas	1	4
Elamin N.I., Rahman T.A., Leow C.Y.	----Issues and Challenges of LTE Antenna Designs for USB-Dongle Device	43	46
Andrenko A.S.	Modeling and Design of 2-Element Dual-Band Ceramic Chip Handset Antennas	296	299
Antoniades M.A., Eleftheriades G.V.	Negative-Refractive-Index Transmission-Line Metamaterial-Loaded Dipole Antennas	174	177
Takikawa M., Inasawa Y., Konishi Y.	One-Dimensional Beam Scanning Reflector Antenna for Small Satellite Applications	159	162
Chang D.-C., Liao C.-H.	Performances of UWB Antenna and Array	5	8
Vinci G., Barbon F., Lindner S., Weigel R., Koelpin A.	Six-Port Based High-Resolution Smart Antenna Alignment Sensor	280	283
Guan N., Hosono R., Yashiro K.	UWB antenna with multiple controlled rejection-bands	284	287
Watanabe T., Iwasaki H.	Wearable Finger Dual Band Antenna for BAN	51	54
	SESSION 23:Wireless networks, IEEE APWC		
Rorato O., Lucianaz C., Bertoldo S., Allegretti M., Perona G.	A multipurpose node for low cost wireless sensor network	247	250
du Toit J., Wolhuter R.	Erasure resilient channel coding strategy for distributed sensor networks	977	980
Pieterse J., Wolhuter R.	Investigation of Handover Techniques in a IPv6 Mobile Network	1020	1023
Mrissa I., Ghannouchi F.	Modulation and Coding Independent Peak -to-Average Power Ratio Reduction and Digital Predistortion Technique for Multi-Carrier Transmitters[†]	bk!	
Bluemm C., Heller C., Weigel R.	Robust time and frequency synchronization for OFDM systems with maximum flexibility	856	860
Lysko A.A.	Towards An Ultra-Low-Power Electronically Controllable Array Antenna for WSN	642	645

	SESSION 24:Channel modeling, IEEE APWC		
Fischer J., Grossmann M., Felber W., Landmann M., Heuberger A.	A measurement-based path loss model for wireless links in mobile ad-hoc networks (MANET) operating in the VHF and UHF band	349	352
van Jaarsveld P.A, Mayhew-Ridgers G.	Analysis of Antenna Location and Polarization on Indoor Cellular MIMO Performance	450	453
Mulangu C.T., Afullo T.J.O, Ijumba N.M.	Attenuation Model for Indoor Multipath Broadband PLC Channels	1084	1087
Fang H., Bian X., Zhou X., Liu K., Zhao H.	Channel measurements in harsh RF propagation environments for over-the-air performance evaluation of wireless devices	163	166
Tjelta T., Tran D.V., Tanem T.	Radiowave propagation and deployments aspects of gigabit capacity radio links operating at 70/80 GHz	412	415
Tanghe E., Martens L., Joseph W., Gaillot D.P., Liénard M., Degauque P.	Specular Path Estimation Errors with ESPRIT, SAGE, and RiMAX in the Presence of Dense Multipath	315	316
	SESSION 26:Antennas and arrays, IEEE APWC		
Costantine J., Tawk Y., Moth S., Christodoulou C.G., Barbin S.E.	A Modified Helical Shaped Deployable Antenna for CubeSats	1114	1116
Neumann N., Trieb R., Benedix W.-S., Plettemeier D.	Active Integrated Photonic Antenna Array	648	651
Lawal L.S., Chatwin C.R.	ANTENNA SYSTEM LAYOUT IN HIGH CAPACITY GEOSTATIONARY COMMUNICATION SATELLITES	1012	1015
Sun Z., Zhong S.-S., Esselle K.P., Guo J., Cai Y.	Broadband Dual-Band Dual-Polarized Overlapped Antenna Element	223	226
Lasser G., Mayer L.W., Mecklenbräuker C.F.	Compact low profile UHF switched-beam antenna for advanced tyre monitoring systems	732	735
Guo M., Zhong S-S.	Conformal double printed dipole antenna	312	314
Keebler P.F., Berger H.S., Evans D.M.	Current EMC Issues and Concerns in Nuclear Power Plants	bk!	
Zhong S.-S., Kong L.-B.	Design of high isolation Dual-polarized Dielectric Resonator Antenna	220	222
Franciscatto B.R., Souza A.C., Defay C., Trang T.T., Vuong T.P.	High gain microstrip patch antenna array using multiple superstrate layers for DSRC applications	736	739
Pelosi M., Alrabadi O.N., Franek O., Pedersen G.F.	Limitations of the electromagnetic isolation for multi-Antenna systems on small terminals with capacitive coupling elements	1044	1045
	SESSION 30:Multiband, wideband, and functional antennas PART II, Organized by H. Nakano, IEEE APWC		
Heydari B., Islamdoost A.	A New Broadband Trapezoidal Flat Monopole Antenna	1246	1249
Tanabe M., Matsumoto M., Masuda Y.	A two-arm archimedean spiral antenna with bent ends	535	538

Gardill M., Weigel R., Koelpin A.	A Wideband Unidirectional Antenna Array Element with Stable Radiation Pattern	554	557
Mok S.-G., Kahng S., Kahng K., Yang I.	Broadband Metamaterial CRLH ZOR Antenna Buried under the Top-Surface of the Aircraft for a Low-Profile and C-Band Communication	bk!	
Phongcharoenpanich C., Boonying K., Kosulvit S., Laohapensaeng T.	Dual-band flat antenna for polarization diversity with high isolation	906	909
Quevedo-Teruel O., Hao Y.	On the use of surface plasmons for the design of UWB leaky wave antennas	494	497
Makino S., Moroya T., Betsudan S., Itoh K., Noguchi K., Hirota T.	PMC Characteristics of Capacitance Grid with Metal Plate	969	972
Amiri A., Tong K.F., Chetty K.	Reconfigurable Multiband Patch Antenna for Ground Penetrating Radar Applications	1285	1287
Shibayama J., Uchizono Y., Yamauchi J., Nakano H.	Wideband Analysis of a Stop Band Filter and a Resonator at THz Frequencies	888	890
Taguchi M., Sato S.	Wideband base station antenna composed of ultra low profile inverted L antenna for mobile phone	902	905
	SESSION 37: Multi-band and UWB Antennas, organized by J. Joubert, W. Odendaal, IEEE APWC		
van der Merwe P.H., Odendaal J.W., Joubert J.	A Dual-Polarized Ridged Horn Antenna	595	597
Wiid P.G., Palmer K.D., Van der Merwe P.S., Reader H.C.	A practical 50:1 bandwidth PCB-LPDA antenna for MeerKAT RFI studies	965	968
Jacobs O.B.	Comparison of the Surface Resistance of Conductive Sheets with Different Surface Finishes	602	605
Addamo G., Peverini O.A., Virone G., Tascone R., Cecchini P., Ravanelli R.	Design of Multi-band Feed Horns for Space Applications	706	709
Whittow W.G., Njoku C.C., Vardaxoglou J.C., Joubert J.	Designing Multi-Band and High Bandwidth Antennas with Heterogeneous Substrates	748	751
Malherbe J.A.G.	Hybrid elliptic TEM horn with internal fins	1009	1011
Ranga Y., Esselle K., Matekovits L., Hay S.	Increasing the Gain of a Semicircular Slot UWB Antenna Using an FSS Reflector	478	481
Scotto di Clemente F., Stephan R., Schwarz U., Hein M.A.	Miniature body-matched double-ridged horn antennas for biomedical UWB imaging	574	577
Sczyslo S., Rolfes I., Kaiser T.	On the fidelity of ultra-wideband antennas	1110	1113
	SESSION 38: Multi-band and UWB Antennas, IEEE APWC		
Koziel S., Ogurtsov S.	Antenna Design Using Surrogate Models and Adjoint Sensitivity	288	291
Shi Y., Amert A.K., Whites K.W.	Can Ultrawideband Antennas Be Miniaturized Effectively by Dielectric Loading?	502	505
Gayen R.K., Das S.	Design and Analysis of Waveguide Slot Doublets for Dual Band or Nearly - Omnidirectional Radiation Properties	522	525

	SESSION 39:Antennas and Propagation, Systems and Applications, organized by D. Baker and J. Cloete, IEEE APWC		
Anderson F., Naicker K., Mocke J.C.	Insights into Factors Contributing to the Observability of a Submarine at Periscope Depth by Modern Radar. Part 1 - High Resolution Measurements.	985	988
Baker D.E., du Toit J.B.	A compact 1 to 18 GHz planar spiral antenna for interferometer and other direction finding applications	1016	1019
Mason I.M., Cloete J.H., Palmer K.D.	Borehole radar imaging in tactical support of mining in very narrow stopes	973	976
du Toit J.B., Baker D.E., Booysen A.J.	Design and development of an 8 to 12 GHz circularly polarized two element horn antenna array with high isolation	1005	1008
Botha L.	Design of cost effective antennas for instrumentation radars	983	984
Smit J.C., Cilliers J.E.	Insights into factors contributing to the observability of a submarine at periscope depth by modern radar. Part 2 – EM simulation of mast RCS in a realistic sea surface environment.	989	992
Steyn W.	Planar slotted waveguide arrays for marine applications	1173	1176
Trautwein U., Baker D., Kaeske M., Thomae R.S.	Practical aspects of the direction finding accuracy of compact wideband arrays for V/UHF frequencies	993	996
Cloete J.H., Sickel T.	The multi-octave bandwidth-cavity backed sinuous antenna – a design review	1169	1172
Van der Walt P.W.	The power density in the radiating near field region of directive antennas	1165	1168
Jacobs B., Baker D.E.	Validation of a computational electromagnetic model of a Boeing 707 aircraft by comparison to scale model measurements	1001	1004
Vale C.A.W.	Variations on Loop and Adcock Array Topologies for improved Radio Direction Finding Performance	997	1000
	SESSION 46:Celebrating Sixty Years of Geometrical Theory of Diffraction organized by Y. Rahmat-Samii, J.L. Volakis, IEEE APWC		
Pathak P.H., Albani M., Carluccio G.	A Review of Some UTD Developments – Past and Present	57	57
Volakis J.L.	Diffraction by Impedance Structures and Higher Order Boundary Conditions: A Review	934	937
Ando M., Lu P., Kohama T.	Discussion of physical optics surface integration for deep interpretation of GTD	1141	1144
Breinbjerg O.	GTD and PTD at DTU	1071	1074
Rahmat-Samii Y.	GTD, UTD, UAT and STD: A Historical Revisit	1145	1148
Manara G., Nepa P.	High-Frequency Diffraction by Anisotropic Impedance Wedges: A Review	920	923