# 51st Annual Conference of the British Institute of Non-Destructive Testing 2012

(NDT 2012)

## Northamptonshire, United Kingdom 11-13 September 2012

ISBN: 978-1-62276-437-2

Printed from e-media with permission by:

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2012) by the British Institute of Non-Destructive Testing All rights reserved.

Printed by Curran Associates, Inc. (2012)

For permission requests, please contact the British Institute of Non-Destructive Testing at the address below.

British Institute of Non-Destructive Testing Newton Building St. George's Avenue Northamption, NN2 6JB United Kingdom

Phone:44 0 1604 89 3811Fax:44 0 1604 89 3861

info@bindt.org

#### Additional copies of this publication are available from:

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571 USA Phone: 845-758-0400 Fax: 845-758-2634 Email: curran@proceedings.com Web: www.proceedings.com

### Session IA – Ultrasonics, pushing the boundaries -Chair – Dr I Baillie - CATS Room

10.45 Fabrication of flexible and portable thin-film ultrasonic transducers for NDT applications 1

Authors - R Hou, K J Kirk, D Hutson, R Fu and F Placido

 II.15
 Manual ultrasonic inspection of thin metal welds 2

 Authors - C Carpentier and J Rudlin

| 11.40 | Calibration-less thickness measurements of sub-millimetre thickness samples using electromagnetic acoustic transducers | 18 |
|-------|--|----|
|       | Authors - K L McAughey, R S Edwards, M D G Potter and S Dixon  |    |

12.05 Shear-horizontal guided wave non-destructive evaluation using EMATs – defect detection and thickness measurement 19 Authors - P A Petcher and S Dixon

### Session IB – Inspection Qualification and validation Chairman – Prof A Dunhill - Charles Room

| 10.45 | The HOIS recommended practice for the inspection of weld corrosion $20$ |
|-------|---|
|       | Author - S F Burch  |

- II.15
   Development on the laser-based weld flaw identification system 21

   Authors Z Qu, A Bennecer, C Selcuk and T-H Gan
- **11.40** Applications of a 3D modelling and visualisation software tool for complex geometries 30 Authors - G Guse, L Bucklisch and F Mohr
- 12.05 A phased array inspection solution for the assessment of thin stainless welds 31 Authors - D P | Bell, I G Pettigrew and C R Bird

### Session IC - NDT in the rail industry

Chairman – Mr J Harris

- 10.45 Inspection of the exposed areas of rail axles using alternating currents and thermography 64 Authors - D Panggabean and J Rudlin
- **UT inspections of train wheels and axles latest developments 72** Authors - P Marty, G Engl and S Krafft
- **11.40** The structural health condition monitoring of rail steel using acoustic emission techniques 73 Authors - PYilmazer, A Amini and M Papaelias
- 12.05 Assessment of corrosion on rail axles 85 Authors - A Raude, A Loconte and D Panggabean

### Session 2A – Phased Array Chairman – Prof B Drinkwater - CATS Room

| 14.00 | Array inspection of intermediate level waste containers N/A<br>Author - A Croxford  |
|-------|---|
| 14.30 | Development of an automated scanner and phased array<br>ultrasonic testing technique for the inspection of nozzle welds<br>in the nuclear industry 92<br>Authors - D Liaptsis, D Yan and I Cooper, V Papadimitriou, I Roditis and P Chatzakos |
| 14.55 | <b>Detection capabilities of a phased array ultrasonic inspection system for plastic pipe butt fusion joints : 4</b><br>Authors - F Hagglund, M Spicer and M Troughton  |
| 16.15 | <b>Characterisation of inhomogeneous and anisotropic steel welds</b><br><b>by ultrasonic array measurements</b> ; <b>4</b><br><i>Authors - Z Fan and M Lowe</i>   |
| 16.40 | <b>An advanced imaging method based on phased array in NDT ; 5</b><br>Authors - J X Qiao and M Jobst  |
|       |   |

### **Session 2A – Phased Array**

#### Chairman – Prof B Drinkwater - CATS Room

14.00 Array inspection of intermediate level waste containers N/A Author - A Croxford

14.30 Development of an automated scanner and phased array ultrasonic testing technique for the inspection of nozzle welds in the nuclear industry  $N\!/\!A$ 

Authors - D Liaptsis, D Yan and I Cooper, V Papadimitriou, I Roditis and P Chatzakos

Authors - F Hagglund, M Spicer and M Troughton

- 16.15 Characterisation of inhomogeneous and anisotropic steel welds by ultrasonic array measurements N/A Authors - Z Fan and M Lowe
- 16.40 An advanced imaging method based on phased array in NDT N/A Authors - J X Qiao and M Jobst

### Session 2B – Technology advancement Chairman – Dr K Milne - Charles Room

| 14.00 | Advancement of NDT technologies through the European FP7<br>research for the benefit of SMEs funding scheme 322<br>Author - T-H Gan   |     |
|-------|---|-----|
| 14.30 | An application-specific design approach for 2D ultrasonic arrays<br>Authors - J Dziewierz, A Gachagan, N Lord and A J Mullholland   | 133 |
| 14.55 | <b>Data processing to improve the reliability of automated</b><br><b>non-destructive inspection 11;</b><br>Authors - N Brierley, T Tippetts and P Cawley                                      |     |
| 16.15 | Ultrasonic imaging of electrofusion welded polyethylene pipes<br>employed in the utilities industry 12;<br>Authors - A Prakash, R L O'Leary, K Ross, E Clutton and A Gachagan                 |     |
| 16.40 | A calibration method based on the reconstruction for<br>automatic ultrasonic flaw detection of the upset region<br>of the drill pipe 13;<br>Authors - Tu Jun, KYi-hua Wu Jian-bo and SYan-hua |     |

### Session 2C – NDT in the rail industry Continued Chairman – Prof K Newton

| 14.00 | A low-cost laser rail profile measurement system 368<br>Authors - G Bolu, A Gachagan, G Pierce, and T Barden  |
|-------|---|
| 14.30 | Rapid non-contact rail inspection using Rayleigh-like369guided wavesAuthors - M Potter, P Petcher and S Dixon   |
| 14.55 | The future of rail inspection technology and the INTERAIL FP7 project 16:<br>Authors - M Papaelias, S Kerkyras, F Papaelias, and K Graham   |
| 16.15 | Analysis of alternating current field measurement<br>rail inspection signals 179<br>Author - J Al-Dalabeeh, C Roberts and M Papaelias   |
| 16.40 | Long-range inspection and condition monitoring of rails<br>using guided waves 187<br>Author - A Wilkinson   |
|       |   |
| 09.00 | BINDT strategy and the NDT/CM community, or the way 398 to safety, reliability and growth<br>Author - Mr. Cameron Sinclair, CEO of BINDT  |
|       | on 3A – Ultrasonics Applications<br>nan – Prof C B Scruby - CATS Room   |
| 09.50 | Real-time full matrix capture with focusing of known geometry<br>through dual-layered media 197<br>Authors - M Sutcliffe, M Weston, B Dutton, P Charlton, K Donne and I Cooper                                      |
| 10.15 | Characterisation of different surface-breaking defect 3:7<br>geometries using Rayleigh waves<br>Authors - F Hernández-Valle, A R Clough and R S Edwards   |
| 11.15 | The use of surface wave enhancements in a fully optical system<br>for the detection and characterisation of stress corrosion<br>cracking in pipework 3:8<br>Authors - A R Clough, F Hernández-Valle and R S Edwards |
| 11.40 | <b>The ultrasonic NDE of titanium diffusion bonds using signal phase 1:9</b><br>Author - E Escobar-Ruiz   |
| 12.05 | A plate waveguide design for ultrasonic flow measurement in hostile environments 3; 8<br>Author - M Laws, S M Dixon and S N Ramadas   |

#### **Session 3B – Aerospace**

Chairman – A Birt - Charles Room

09.50 Eddy-current arrays 3;9 Author - R Hughes

### 10.15 Quantitative non-destructive evaluation of thermal barrier coating erosion using photoluminescent layers 1;:

Authors - C Pilgrim, S Berthier, A Heyes and J Feist

11.15 Comparative evaluation of NDT techniques for high-quality bonded composite repairs guided waves 432 Authors - B Dutton, S Aranda, R Chemama and G Kanderakis

### 11.40 Using UT to characterise defects in composites detected with digital shearography 23; Authors - | Gryzagoridis

12.05 **THz instrumentation for NDT of aerospace composites** 44; Author - A Belitskaya

### Session 3C – Applications

Chairman – Dr R Edwards - Priestley Room

- 09.50 Development of an advanced medium-range ultrasonic technique for mooring chains inspection in water 252 Author - G Edwards
- 10.15 **Permanently-installed guided wave pipeline monitoring** 463 Authors - A Galvagni and P Cawley

### 11.15 Inspection of pipe networks containing bends using long-range 264

Author - O Brunke, F Hansen, I Stuke, F Butz and Frank Jeltsch

## 11.40 A new concept for high-speed atline and inlineCT for up to 100% mass production process control 273

Author - A Egbert, O Brunke and I Stuke, F Hansen and F Friedrich Butz

### Session 4A – Ultrasonics at high temperatures Chairman – Prof S Dixon - CATS Room

| 14.15 | High-temperature ultrasonic transducers using lithium niobate piezocomposite 27;<br>Author - K J Kirk, R Hou, N M Pragada, L Torbay, N Schmarje and D Hutson                                  |
|-------|---|
| 14.45 | High-temperature ultrasonic measurements using EMATs 493<br>Authors - S Burrows, Y Fan and S Dixon  |
| 15.35 | Guided wave inspection of high-temperature superheated steam pipes 294<br>Authors - A Mohimi, G Edwards, T-H Gan and W Balachandran   |
| 16.00 | <b>Development of sputtered AIN thin-film ultrasonic transducers for durable high-temperature applications 29;</b><br>Authors - R Hou, D Hutson and K J Kirk                                  |
| 16.25 | Simulation-based comparative study of EMATs' coil structure<br>for long-range ultrasonic testing 2;5<br>Authors - E C Ashigwuike, W Balachandran and S Thomas                                 |
| 16.45 | <b>President's Honour Lecture - Transition from NDT to</b><br><b>structural health monitoring (SHM) – potential and challenges</b> 52<br>Author - Prof P Cawley, Imperial College - CATS room |

### Session 4B – Aerospace Cont'd Chairman – Prof P Cawley - Charles Room

| Defect detection for aircraft components: an approach using ultrasonic guided waves and neural networkss 528 |
|--|
| Authors - A Haig and P Stavrou   |

 14.45
 Acoustography NDE of aerospace composites
 53:

 Authors - J S Sandhu and C Pergantis

### Session 4B – NDT in Industry Chairman – Dr C Brett - Charles Room

- **15.35** Employing acoustic emission for monitoring oil film regime 33; Authors - M Hamel, A Addali and D Mba
- **16.00** Determining slug velocity in two-phase flow with acoustic emission 349 Authors - M A Alssayh, A Addali and D Mba
- **16.25** Phased array inspection solution for HDPE butt welds '357 Authors - D MacLennan, J Allen, C R Bird and I G Pettigrew

### Session 4C – Applications

Chairman – Mr T O' Hare - Priestley Room

| 14.15 | Online corrosion/erosion monitoring using permanently-<br>installed ultrasonic sensors – report on experience<br>from the field 566<br>Authors - F Cegla, P Cawley, J Davies, P Collins and J Allin |
|-------|---|
| 14.45 | <b>Robotic non-destructive inspection '367</b><br>Authors - D Herbert, S G Pierce and M Morozov   |
| 15.35 | Effect of age on concrete core strength results575Authors - S A Al-Mishhadani, H H Joni and M S Radhi   |

- 16.00 Construction of pattern recognition system optimised for X-ray inspection of plastic electronics and OLED displays 376 Authors - M G Ponomarev, C Selcuk and T-H Gan
- 16.25 Inspection of link two of a mooring chain 383 Authors - J Rudlin
- **09.15 Plenary Paper The line of kings examining history 58:** Author - C Smith, Conservator, Royal Armories, Tower of London - CATS room

### Session 5A – Electromagnetics Chairman – Dr J Rudlin - CATS Room

- **09.45** There's something about eddy currents 58; Authors J Hansen
- 10.10
   Novel ACFM probes for challenging applications
   592

   Author B Blakeley
   592

## 10.35 Eddy current inspection of AGR fuel channels: keyway cracks and density mapping 393

Author - T Bloodworth, M Anderson, Matthew Brown and John Williams & John Taggart

### Session 5B – Novel Techniques Chairman – Dr R Smith - Charles Room

| 09.45 | <b>Laser vibrometry to identify resonances of coated substrates 3: 5</b><br>Authors - I G de Carellan , A Haig , P Catton and T-H Gan |
|-------|---|
| 10.10 | Advances in three-dimensional measurement in remote visual inspection 5; 3<br>Author - R Evans  |

**10.35** Guided wave tomography and early-stage damage detection with limited-view sound speed imaging 5; 4 Authors - P Huthwaite, F Simonetti and M J S Lowe

### **Session 5C – Modelling**

Chairman – Dr R Chapman - Priestley Room

- **09.45** Estimation of probability of detection curves based on theoretical simulation of the inspection process 3; 5 Authors - C R A Schneider, R M Sanderson, C Carpentier, L Zhao and C Nageswaran
- 10.10 Comparison and validation of modelling methods for the simulation of the ultrasonic response from complex real defects 627 Author - M Felice
- 10.35A rough deal: efficient simulation of ultrasound scattering in 3D628Author A Jarvis and F Cegla

### Session 6A – Electromagnetics Continued Chairman – Prof G Dobmann - CATS Room

| 11.15 | Characterisation of electromagnetic acoustic transducer using finite element method $629$ |
|-------|---|
|       | Author - S Thomas, E Ashigwuike and W Balachandran  |

11.40 Depth of penetration effects in eddy current testing and inspection of small sections 63;

Authors - S Majidnia, J Rudlin and A Raude

#### 12.05 Development of a pulsed eddy current system to detect complex defects and corrosion in metallic structures at relatively large lift-offs 652

Authors - B Gibbon, C Davis, C Roberts, D Dulay and C Edwards

12.30 Ensuring reliability of measurement results of thickness of metal coatings with the magneto-inductive and eddy current methods in the conditions of the machine industry 653

Authors - V A Syasko and I V Pilatova

12.55 Modelling and evaluation of bobbin probe radial offset for eddy current non-destructive testing of metallic tubes 65; Authors -VA Syasko and IV Pilatova

### Session 6B – Novel Techniques Continued Chairman – Prof S Pickering - Charles Room

- Using a pulsed array to determine the position of a defect 672 Authors - S J Hill and S Dixon
  Analysis of long pulse thermographic NDE 673
- **11.40** Analysis of long-pulse thermographic NDE 673 Author - S Pickering
- 12.05 Inductively-coupled transducers for structural monitoring 674 Authors - C Zhong, A Croxford and P Wilcox
- 12.30 Development of an advanced inspection technique for embedded steel tendons and reinforcement in large civil engineering concrete structures 475

Authors - N Lee, K Tuncbilek and R Sanderson

12.55 Stress measurement using pulsed eddy current thermography 484 Authors - L Bail and GYTian

#### Session 6C – Modelling Continued

Chairman – Dr R Chapman - Priestley Room

- 11.15 Non-linear parameter measurement with the non-collinear technique P1C Authors - A Croxford and | Potter
- 11.40 Numerical simulation of thermoelastic laser-generated surface waves on anisotropic materials 696

Author - J Coulson

- 12.05 Comparison of ultrasonic imaging algorithms for NDE N/A Authors - J Zhang, B Drinkwater and P Wilcox
- 12.30 Modelling ultrasonic array imaging of composite materials with and without defects 697

Authors - Y Humeida, R E Challis & V J Pinfield

12.55 Quantitative evaluation of material properties with measurement grid and non-linear multivariate searching algorithm 498

Authors - D Chen, M Pan, GY Tian, H He, R Xie and C Fan

### **Roy Sharpe Prize Lecture**

09.20 ND-materials characterisation to monitor ageing phenomena as a part of lifetime management strategies – thermal ageing, fatigue and irradiation \$N/A\$

Author - Prof G Dobmann